## Long term management of radioactive waste management routes under development – HLW+ILW-LL

- Today, waste is stored in dedicated facilities, mainly in La Hague and Marcoule
- A reversible deep repository (500m depth), the reference management option, is entering a new phase




• 2012/2013 : public debate

EEDDM (DGEC)/ASN

- 2014 : License application for the construction of the geological repository
- 2025 : current objective for operation of the disposal

- 2005 : demonstration of the technical feasibility of the disposal project => reference option for the long term management of HLW & ILW-LL.
- 2010 : approval by the Minister of State (Mr Borloo) of an area for location of the underground HL waste disposal facility (15 km<sup>2</sup> from 30).




#### MEEDDM (DGEC)/ASN

# Long term management of radioactive waste management routes under development – HLW+ILW-LL

- Conditioning of high level waste and intermediate level long-lived waste (HLW & ILW-LL)
  - ILW-LL generated before 2015 needs to be conditioned before 2030
  - Possible conditionings have been defined for most of the waste of our national inventory
  - The next National Plan for the Management of Radioactive Materials and Waste (PNGMDR) will describe the progress in effective conditioning of this waste
- Partitioning-transmutation a research orientation for future waste
  - Transformation of some long-lived radioactive elements contained in radioactive waste into shorter-life elements
  - Feasibility is demonstrated for partitioning ; transmutation can be considered in generation IV reactors
  - 2012: assessment of the industrial prospects of those systems


MEEDDM (DGEC)/ASN

## Long term management of radioactive waste management routes under development – HLW+ILW-LL Process for authorizing the waste disposal center



## Long term management of radioactive waste management routes under development – HLW+ILW-LL Process for authorizing the disposal center

the government prepares a bill defining the relevant reversibility conditions



4