

a) Number of wild birds tested per MS from 1 July 2005 to 31 January 2006				
MS	Total number of		Positive cases	
	wild birds tested	tests performed*	LPAI	HPAI
DE	9.578	9.848	48	0
NL	5.978	6.690	64	0
IT	5.144	5.583	7	0
DK	2.837	3.538	141	0
SE	2.267	2.481	26	0
HU	2.118	2.118	0	0
ES	1.832	4.027	13	0
BE	1.669	1.725	1	0
PT	1.290	1.290	0	0
PL	1.096	1.425	0	0
FR	1.004	301	1	0
IE	757	767	0	0
EL	584	1.396	1	0
CZ	439	463	0	0
FI	392	778	4	0
CY	367	695	0	0
SK	349	462	0	0
UK	314	2.662	5	0
AT	300	481	0	0
SI	214	417	0	0
LT	191	-	0	0
EE	179	179	0	0
LU	141	140	0	0
LV	100	103	3	0
MT	3	3	0	0
Total	39.143	47.572	314	0

* Only PCR and virus isolation

Percentage of total number of wild birds tested per order

Order	%
Anatinae	56,0%
Anserinae	15,1%
Larii	5,5%
Columbiformes	3,2%
Passériformes	2,9%
Gruiformes	2,6%
Galliformes	2,2%
Charadrii	1,8%
Falconiforme	1,1%
Pélécaniformes	1,0%
Ciconiiformes	0,7%
Phoenicoptériformes	0,41%
Strigiformes	0,15%
Podicipédiformes	0,14%
Piciformes	0,05%
Coraciiformes	0,01%
Gaviiformes	0,01%
Other species/birds	8,0%
Total	100%

b) LPAI subtypes identified from 1 July 2005 to 31 January 2006

MS	Orders/Species	H5	H7	Others	Total
BE	Mallard (<i>Anas platyrhynchos</i>)	0	0	1	1
					1
LV	Mallard (<i>Anas platyrhynchos</i>)	2	0	0	2
	Northren shoveler (<i>Anas clypeata</i>)	1	0	0	1
					3
DE	Mute swan (<i>Cygnus olor</i>)	0	0	1	1
	Order Anserinae (unidentified)	0	0	5	5
	Mallard (<i>Anas platyrhynchos</i>)	3	2	15	20
	Common Teal (<i>Anas crecca</i>)	1	0	4	5
	Order Anatinae (unidentified)	1	0	13	14
	Common gull (<i>Larus canus</i>)	0	0	1	1
	Grey partridge (<i>Perdix perdix</i>)	0	0	2	2
					48
FR	Mallard (<i>Anas platyrhynchos</i>)	1	0	0	1
NL	Barnacle goose (<i>Branta leucopsis</i>)	0	0	2	2
	White-fronted goose (<i>Anser albifrons</i>)	1	0	6	7
	Brent goose (<i>Branta bernicla</i>)	0	0	1	1
	Pink-footed goose (<i>Anser brachyrhynch</i>)	0	0	1	1
	Mute swan (<i>Cygnus olor</i>)	0	0	1	1
	Tundra swan (<i>Cygnus columbianus bevi</i>)	0	0	2	2
	Mallard (<i>Anas platyrhynchos</i>)	10	1	23	34
	Common Teal (<i>Anas crecca</i>)	2	0	6	8
	Eurasian wigeon (<i>Anas Penelope</i>)	1	0	4	5
	Gadwall (<i>Anas strepera</i>)	0	0	2	2
	Black-headed gull (<i>Larus ribibundus</i>)	0	0	1	1
					64
SE	Bean goose (<i>Anser fabalis</i>)	1	0	0	1
	Mallard (<i>Anas platyrhynchos</i>)	22	2	0	24
	Common Teal (<i>Anas crecca</i>)	1	0	0	1
					26
IT	Mallard (<i>Anas platyrhynchos</i>)	1	0	1	2
	Common Teal (<i>Anas crecca</i>)	2	0	2	4
	Common snipe (<i>Gallinago gallinago</i>)	0	0	1	1
					7
ES	Mallard (<i>Anas platyrhynchos</i>)	3	0	3	6
	Common Teal (<i>Anas crecca</i>)	0	0	1	1
	Order Anatinae (unidentified)	0	0	2	2
	Eurasian Curlew (<i>Numenius arquata</i>)	0	0	1	1
	Order Charadriiformes (unidentified)	0	0	1	1
	<i>Larus cachinas</i>	0	0	1	1
	Common Coot (<i>Fulica atra</i>)	0	0	1	1
					13
EL	Mute swan (<i>Cygnus olor</i>)	1	0	0	1
					1
UK	Shelduck	0	0	1	1
	Mallard (<i>Anas platyrhynchos</i>)	0	0	1	1
	Mallard (<i>Anas platyrhynchos</i>)	0	0	1	1
	Common Teal (<i>Anas crecca</i>)	1	0	0	1
	Eurasian wigeon (<i>Anas Penelope</i>)	0	0	1	1
					5
FI	<i>Larus argentatus</i>	0	0	3	3
	<i>Larus ribibundus</i>	0	1	0	1
					4
DK	Mallard (<i>Anas platyrhynchos</i>)	29	3	97	129
		0	0	0	0
	Common Teal (<i>Anas crecca</i>)	0	0	12	12
					141
Total number of cases		84	9	221	314
%		26,8%	2,9%	70,4%	100%

c) LPAI cases per order/species from 1 July 2005 to 31 January 2006

Order/species		Cases	%
Anatinae	Mallard (<i>Anas platyrhynchos</i>)	221	
	Common Teal (<i>Anas crecca</i>)	32	
	Northren shoveler (<i>Anas clypeata</i>)	2	
	Eurasian wigeon (<i>Anas Penelope</i>)	5	
	Gadwall (<i>Anas strepera</i>)	2	
	Common Shelduck (<i>Tadorna tadorna</i>)	1	
	Anatinae (unidentified)	16	
Total		279	89%
Anserinae	Mute swan (<i>Cygnus olor</i>)	3	
	Barnacle goose (<i>Branta leucopsis</i>)	2	
	White-fronted goose (<i>Anser albifrons</i>)	7	
	Brent goose (<i>Branta bernicla</i>)	1	
	Pink-footed goose (<i>Anser brachyrhynchus</i>)	1	
	Tundra swan (<i>Cygnus columbianus bewickii</i>)	2	
	Bean goose (<i>Anser fabalis</i>)	1	
	Other anserine	5	
Total		22	7,0%
Larii	Common gull (<i>Larus canus</i>)	1	
	Black-headed gull (<i>Larus ribibundus</i>)	1	
	<i>Larus cachinas</i>	1	
	Herring gull (<i>Larus argentatus</i>)	3	
	Black-headed gull (<i>Larus ribibundus</i>)	1	
Total		7	2,2%
Galiformes	Grey partridge (<i>Perdix perdix</i>)	2	0,6%
Charadrii	Common snipe (<i>Gallinago gallinago</i>)	1	
	Eurasian Curlew (<i>Numenius arquata</i>)	1	
	Charadriiformes (unidentified)	1	
Total		3	1,0%
Gruiformes	Common Coot (<i>Fulica atra</i>)	1	0,3%
Total		314	100%