



COOPERATIVE EXTENSION

Bringing the University to You

SP-05-05

CHECKLIST OF THE NON-NATIVE PLANTS OF SOUTHERN NEVADA

Maria Ryan, Area Extension Specialist

Non-native plants are those that have been introduced to a location(s) outside their native or natural range. Generally, these plants were introduced from another continent or region, ecosystem or habitat within an ecosystem (Swearingen 2004). These introductions have been either purposeful or accidental. Many non-native plants have been introduced into new areas because they are beneficial plants that are used in agriculture and horticulture, thus are depended upon for food, fiber and aesthetic reasons. Other non-native plants can become problematic.

Non-native plants are virtually everywhere. These plants (also known as introduced, non-indigenous, alien, or exotic) are found in many different urban and rural settings. In urban environments, non-native plants are found in residential and commercial landscapes, recreation areas (parks, open spaces and play fields), flower and vegetable gardens, sidewalk cracks, and along transportation corridors (roads, highways, railways, trails). In rural environments, non-native plants can be found in agricultural fields, irrigation ditches, and in natural areas (deserts, rangelands, forests, meadows, etc.). These plants now can be found in virtually every terrestrial and aquatic environment.

Introductions of non-native plants that are unintentional occur when reproductive plant parts

hitch rides on cargo ships and watercraft, vehicles and aircraft in packing material or ballast water, or on equipment or animals. Once they arrive in a new location, they spread, especially through roadways or migration corridors, and by wind or water.

Many non-native plants arrive in new environments and disappear shortly after their arrival, unable to tolerate the new environmental conditions. Many of these need human assistance to survive and propagate with special planting, watering and fertilization needs. Some become established, and spread into new areas when favorable conditions occur. There are many non-native plants, however, that become established, spread quickly and easily and are aggressive in nature. The latter are referred to as exotic invaders (D'Antonio and Haubensak 1998).

Non-native exotic invaders are usually very difficult to control. Substantial attention has been given to these plants because their impacts are far reaching and potentially harmful. Invasive plants are defined as those that are non-native to the ecosystem under consideration, and their introduction causes or is likely to cause economic or environmental harm, or harm to human health (Executive Order 13112).

Non-native exotic invaders usually exhibit the following characteristics:

1. They display rapid growth and spread quickly.
2. They establish over large areas.
3. They persist in new environments.

Owners and managers of land and waterbodies are especially concerned about invasive plants. Because they are very difficult to control, their management often requires a combination of methods and tools to be effective. Often management costs are high and several years of continual commitment are required to control or eradicate these plants.

Non-native invasive plants are extremely destructive and costly. They impact many environmental values such as the beauty of an area, wildlife habitat, native ecosystem structure and function. They compete with native plants; use precious soil and water resources; can be toxic or injurious to humans, pets and livestock; affect pollinators; and diminish recreational values.

The following is a checklist of the non-native plants that have been documented in southern Nevada (i.e., Clark, Lincoln and Nye counties). The list includes beneficial, naturalized, nuisance, or exotic invaders.

CHECKLIST OF THE NON-NATIVE PLANTS OF SOUTHERN NEVADA
MONOCOTS
(Grasses and Grass-like Plants)

LATINIZED BINOMIAL	PUBLISHING AUTHOR	COMMON NAME	A/P/B/S/T
ARECACEAE			
<i>Phoenix dactylifera</i>	L.	Date palm	T
<i>Washingtonia filifera</i>	(L. Linden) H. A. Wendl	Fan palm	T
CYPERACEAE			
<i>Cyperus esculentus</i>	L.	Yellow nutsedge	P
LILIACEAE			
<i>Asparagus officinalis</i>	L.	Asparagus	P
POACEAE			
<i>Aegilops cylindrical</i>	Host	Jointed goatgrass	A
<i>Agropyron desertum</i>	(Fischer) Schultes	Desert crested wheatgrass	P
<i>Agropyron cristatum</i>	(L.) Gaertn.	Crested wheatgrass	P
<i>Agropyron elongatum</i>	(Host) Beauv.	Tall wheatgrass	P
<i>Agropyron repens</i>	(L.) Beauv.	Quackgrass	
<i>Agrostis semiverticillata</i>	(Forsk.) C. Christens.	Bent grass	P
<i>Agrostis gigantea</i>	Roth	Redtop	P
<i>Agrostis viridis</i>	Gouan	Water bent grass	P
<i>Agrostis stolonifera</i>	L.	Creeping bentgrass	P
<i>Arundo donax</i>	L.	Giant reed	P
<i>Avena barbata</i>	Pott ex. Link	Slender wild oat	A
<i>Avena fatua</i>	L.	Wild oat	A
<i>Avena sativa</i>	L.	Cultivated oat	A
<i>Bromus diandrus</i>	Roth	Ripgut brome	A
<i>Bromus hordeaceus</i>	L.		A
<i>Bromus inermis</i> ssp. <i>inermis</i>	Leysser	Smooth brome	P
<i>Bromus japonicus</i>	Murr.	Japanese brome	A
<i>Bromus madritensis</i> ssp. <i>rubens</i>	(L.) Husnot	Red brome	A
<i>Bromus mollis</i>	L.	Soft chess	A
<i>Bromus rigidus</i>	Roth	Ripgut grass	A
<i>Bromus tectorum</i>	L.	Cheatgrass	A
<i>Bromus trinii</i>	Desv.	Chilean chess	A
<i>Bromus willdenovii</i>	Kunth	Rescuegrass	A
<i>Bouteloua barbata</i>	Lagasca	Six weeks grama	A
<i>Cenchrus incertus</i>	M.A. Curtis	Cenchrum	A
<i>Cenchrus longispinus</i>	(Hackel) Fern	Mat sandbur	A
<i>Chloris virgata</i>	Swartz	Feather fingergrass	A
<i>Cortaderia jubata</i>	(Lemoine) Stapf	Pampas grass	P

A=Annual
P=Perennial
B=Biennial
S/T=Shrub/Tree

CHECKLIST OF THE NON-NATIVE PLANTS OF SOUTHERN NEVADA
MONOCOTS
(Grasses and Grass-like Plants)

LATINIZED BINOMIAL	PUBLISHING AUTHOR	COMMON NAME	A/P/B/S/T
<i>Crypsis schoenoides</i>	(L.) Lam.	Swampgrass, Swamp Timothy	A
<i>Cynodon dactylon</i>	L. Pers	Bermudagrass	P
<i>Dactylis glomerata</i>	L.	Orchard grass	P
<i>Desmazeria rigida</i>	(L.) Tutin	Desmazeria, Stiffgrass	A
<i>Digitaria sanguinalis</i>	(L.) Scop.	Crab, Hairy crab, Large crab	A
<i>Digitaria ischaemum</i>	(Schreber) Muhlenb.		A
<i>Echinochloa colona</i>	(L.) Link	Jungle rice	A
<i>Crypsis schoenoides</i>	(L.) Lam.	Swampgrass, Swamp Timothy	A
<i>Echinochloa crusgalli</i>	(L.) Beauv.	Barnyard grass	A
<i>Eleusine indica</i>	(L.) Gaertner	Goose grass	A
<i>Elytrigia intermedia</i> ssp. <i>intermedia</i>	(Host) Nevski	Intermediate wheatgrass	P
<i>Eragrostis barrelieri</i>	Daveau.	Annual lovegrass	A
<i>Eragrostis pilosa</i>	(L.) Beauv	Indian lovegrass	P
<i>Eriochloa gracilis</i>	(Fourm.) Gould	Southwestern cupgrass	P
<i>Festuca arundinaceae</i>	Schreb.	Tall fescue	P
<i>Festuca myuros</i>	L.	Rat's tail fescue	P
<i>Festuca rubra</i>	L.	Red fescue	P
<i>Holcus lanatus</i>	L.	Velvetgrass	P
<i>Hordeum arizonicum</i>	Covas		A
<i>Hordeum glaucum</i>	Steud.	Barley	A
<i>Hordeum jubatum</i>	L.	Foxtail barley	A/P
<i>Hordeum leporinum</i>	Link	Wild barley	A
<i>Hordeum vulgare</i>	L.	Barley	A
<i>Hordeum marinum</i> ssp. <i>gussoneanum</i>	Hudson (Parl.) Thell.	Mediterranean barley	A
<i>Hordeum murinum</i> ssp. <i>leporinum</i>	(Link)	Rabbit barley, Mouse barley	A
<i>Leptochloa uninervia</i>	(Presl.) Hitch/Chase	Straggletop	A
<i>Lolium perenne</i> ssp. <i>multiflorum</i>	(Lam.) Husnot	Italian ryegrass	A
<i>Panicum miliaceum</i>	L.	Hog millet	A
<i>Paspalum dilatatum</i>	Poir	Dallisgrass	P
<i>Paspalum distichum</i>	L.	Knotgrass	P
<i>Pennisetum setaceum</i>	(Forssk.) Chiov	Green fountaingrass	P
<i>Phalaris minor</i>	Retz	Little canarygrass	A
<i>Phleum pratense</i>	L.	Cultivated Timothy	P
<i>Poa annua</i>	L.	Annual bluegrass	A
<i>Poa bulbosa</i>	L.		A
<i>Poa compressa</i>	L.	Canadian Bluegrass	P
<i>Poa paulustris</i>	L.	Fowl bluegrass	P
<i>Poa pratensis</i>	L.	Kentucky bluegrass	P
<i>Polypogon interruptus</i>	H.B.K.	Ditch beard grass	P
<i>Polypogon monspeliensis</i>	(L.) Desf	Rabbitfoot, Annual beard grass	A
<i>Schismus arabicus</i>	Nees	Mediterranean grass	A
<i>Schismus barbatus</i>	(L.) Thell	Mediterranean grass	A
<i>Secale cereale</i>	L.	Rye	A
<i>Setaria faberii</i>	Herm.		A
<i>Setaria glauca</i>	(L.) Beauv.	Yellow foxtail	A
<i>Setaria verticillata</i>	(L.) Beauv	Bristly foxtail	A
<i>Setaria viridis</i>	(L.) Beauv.	Green foxtail, Green bristlegrass	A
<i>Sorghum bicolor</i>	(L.) Moench	Sorghum, Milo, Sudan grass	A
<i>Sorghum halepense</i>	(L.) Pers.	Johnson grass	P
<i>Sorghum X alnum</i>	Parodi	Alnum sorghum	P
<i>Stenotaphrum secundatum</i>	(Walt.) Kuntze	St. Augustine grass	P
<i>Taeniatherum caput-medusae</i>	(L.) Nevski	Medusahead	A
<i>Triticum aestivum</i>	L.	Wheat	A
<i>Vulpia megalura</i>	Nutt. Rydb.	Foxtail fescue	A
<i>Vulpia myuros</i>	(L.) C Gmelin	Zorro fescue	P
<i>Vulpia bromoides</i> (<i>Festuca bromoides</i>)	(L.) Gray	Brome sixweeks fescue, Desert fescue	A
<i>Vulpia octoflora</i> ssp. <i>hirtella</i>	(Walter) Rydb.		P

A=Annual
P=Perennial
B=Biennial
S/T=Shrub/Tree

**CHECKLIST OF THE NON -NATIVE PLANTS OF SOUTHERN NEVADA
DICOTS**

LATINIZED BINOMIAL	PUBLISHING AUTHOR	COMMON NAME	A/P/B/S/T
AMARANTHACEAE			
<i>Amaranthus albus</i>	L.	Tumble amaranth	A
<i>Amaranthus deflexus</i>	L.	Low amaranth	A
<i>Amaranthus retroflexus</i>	L.	Rough pigweed	A
ANACARDIACEAE			
<i>Cotinus coggygria</i>	Scop.	Smoketree	S/T
APIACEAE			
<i>Anthriscus caucalis</i>	Bieb.	Chervil	A
<i>Apium graveolens</i>	L.	Celery	P
<i>Apium leptophyllum</i>	(Pers.) F. Meull	Celery	A
AMARANTHACEAE			
<i>Conium maculatum</i>	L.	Poison hemlock	
<i>Daucus carota</i>	L.	Wild carrot	B
APOCYNACEAE			
<i>Nerium oleander</i>	L.	Oleander	P
<i>Vinca major</i>	L.	Periwinkle	P
ASTERACEAE			
<i>Acroptilon repens</i>	(L.) DC.	Russian knapweed	P
<i>Ambrosia artemisiifolia</i>	L.	Common Ragweed	A
<i>Arctotis stoechadifolia</i>	Berg.	African Daisy	P
<i>Bellis perennis</i>	L.	English Daisy	P
<i>Cardaria chalapensis</i>	(L.) Hand. – Mazz.	Lens-podded Hoary cress	P
<i>Cardaria draba</i>	(L.) Desv.	Heart-podded Hoary cress	P
<i>Carduus nutans</i>	(L.)	Musk thistle	P
<i>Centaurea biebersteinii</i>	DC.	Spotted knapweed	B/P
<i>Centaurea calcitrapa</i>	L.	Purple star-thistle	A/P
<i>Centaurea diffusa</i>	Lam.	Diffuse knapweed	A/P
<i>Centaurea iberica</i>	Spreng	Iberian star-thistle	A/P
<i>Centaurea maculosa</i>	Lam.	Spotted knapweed	B
<i>Centaurea melitensis</i>	L.	Tocalote, Malta starthistle	A
<i>Centaurea solstitialis</i>	L.	Yellow star-thistle	A/B
<i>Centaurea triumfettii</i>	All.	Squarrose knapweed	P
<i>Chondrilla juncea</i>	L.	Rush skeletonweed	P
<i>Chrysanthemum frutescens</i>	L.		P
<i>Cirsium arvense</i>	(L.) Scop.	Canada thistle	P
<i>Cirsium vulgare</i>	(Savi) Tenone	Bull thistle	B
<i>Cotula australis</i>	(Sieber) Hook.		A
<i>Crupina vulgaris</i>	Cass.	Bearded creeper, Common crupina	A
<i>Dimorphotheca sinuata</i>	DC.	African daisy	A
<i>Eclipta alba</i>	(L.) Hassk.		A
<i>Gaillardia pulchella</i>	Foug.	Gaillardia	A
<i>Gazania linearis</i>	(Thnb.) Druce	Gazania	P
<i>Gnaphalium luteo -album</i>	L.	White cudweed	A
<i>Grindelia squarrosa</i>	(Pursh) Dunal	Gumplant	B
<i>Helianthus annuus</i>		Annual sunflower	A
<i>Helianthus ciliaris</i>	DC.	Blueweed	P
<i>Helianthus petiolaris</i>	Nutt.	Prairie sunflower	A
<i>Heterotheca grandiflora</i>	Nutt.	Telegraph plant	A/P
<i>Heterotheca suba xillaris</i>	(Lam.) Britt. & Rusby	Telegraphweed	A/ B
<i>Heterotheca psammophila</i>	Wagenkn.	Camphorweed	A/B
<i>Lactuca serriola</i>	L.	Prickly lettuce	A
<i>Leontodon leysseri</i>	(Wallr.) G. Beck	Lion's tooth	P
<i>Matthiola biconis</i>	(Sibth. & Smith) DC.		A
<i>Onopordum acanthium m</i>	L.	Scotch thistle	B
<i>Silybum irio</i>	(L.) Gaertn.		A/B
<i>Silybum marianum</i>	(L.) Gaertn.	Milk thistle	A/B
<i>Sonchus arvensis</i>	L.	Field sow thistle	P
<i>Sonchus asper</i>	(L.) Hill	Prickly sow thistle	A
<i>Sonchus oleraceus</i>	L.	Common sowthistle	A
<i>Taraxacum officinale</i>	Wigg.	Dandelion	P
<i>Tragopogon dubius</i>	Scop.	Goatsbeard, Yellow salsify	P
<i>Tragopogon pratensis</i>	L.	Meadow salsify	P
<i>Xanthium strumarium</i>	L.	Cocklebur	A

A=Annual
P=Perennial
B=Biennial
S/T=Shrub/Tree

**CHECKLIST OF THE NON-NATIVE PLANTS OF SOUTHERN NEVADA
DICOTS**

LATINIZED BINOMIAL	PUBLISHING AUTHOR	COMMON NAME	A/P/B/S/T
BORAGINACEAE			
<i>Cynoglossum officinale</i>	L.	Hound's tongue	B
<i>Lappula echinata</i>	Gilib.	Stickseed	A/B
BRASSICACEAE			
<i>Brassica juncea</i>	(L.) Czernov.	Indian mustard	A
<i>Brassica kaber</i>	(DC) Wheeler	Wild mustard	A
<i>Brassica napus</i>	L.	Rape	A
<i>Brassica oleraceae</i>	L.	Flower kale	P/B
<i>Brassica rapa</i>	L.		A
<i>Brassica tournefortii</i>	Gouan	Sahara, Desert, Moroccan mustard, Tourneforts birdrape	A
<i>Camelina microcarpa</i>	Andrz.	Small seeded false flax	A
<i>Capsella bursa-pastoris</i>	(L.) Medikus	Shepherd's purse	A
<i>Cardamine oligosperma</i>	Nutt.	Little bittercress	A/B
<i>Chorispora tenella</i>	(Pall.) DC.	Blue mustard	A
<i>Coronopus didymous</i>	(L.) J.E. Smith	Lesser swinecress	A/B
<i>Descurainia sophia</i>	(L.) Webb.	Flixweed	A
<i>Eruca sativa</i>	Hill	Garden rocket	A/B
<i>Erysimum repandum</i>	L.	Spreading wallflower	A/B
<i>Hirschfeldia incana</i>	(L.) Lagr. Fossat	Mediterranean, Shortpod mustard	ABP
<i>Isatis tinctoria</i>	L.	Dyer's wood	B/P
<i>Lepidium latifolium</i>	L.	Perennial pepperweed, Tall whitetop	P
<i>Lepidium perfoliatum</i>	L.	Shield cress, Claspig pepperweed	A/B
<i>Lepidium repens</i>	(Schrenk) Boiss.	Heartleaf hoarycress	A
<i>Lobularia maritima</i>	(L.) Desv.	Sweet alyssum	P
<i>Malcolmia africana</i>	R. Br.	African malcomia, Purple mustard	A
<i>Raphanus raphanistrum</i>	L.	White charlock	P
<i>Raphanus sativus</i>	L.	Wild radish	A/B
<i>Rapistrum rugosum</i>	(L.) All.	Wild Turnip	A
<i>Rorippa nasturtium-aquaticum</i>	(L.) Hayek		P
<i>Sinapis arvensis</i>	L.	Charlock	A
<i>Sisymbrium orientale</i>	L.	Oriental hedge mustard	A/B
<i>Sisymbrium altissimum</i>	L.	Tumble mustard	A
<i>Sisymbrium irio</i>	L.	London rocket	A
<i>Thlaspi arvense</i>	L.	Pennycress, Fan weed	A/B
CAPPARACEAE			
<i>Cleome serrulata</i>	Pursh	Rocky Mountain bee plant	A
<i>Polanisia dodecandra</i>	(L.) DC	Clammyweed	A
CARYOPHYLLACEAE			
<i>Cerastium vulgatum</i>	L.	Mouse-ear chickweed	P
<i>Polycarpon tetraphyllum</i>	L.		A
<i>Spergularia bocconeii</i>	(Scheele) Merino	Sandspurrey	A
<i>Stellaria media</i>	(L.) Vill	Common chickweed	A
CHENOPODIACEAE			
<i>Atriplex rosea</i>	L.	Red Scale	A
<i>Atriplex semibaccata</i>	R. Br.	Australian saltbush	P
<i>Bassia hyssopifolia</i>	(Pall.) Kuntze	Bassia, Fourhorn smotherweed	A
<i>Chenopodium album</i>	L.	Lamb's quarter	A
<i>Chenopodium pumilio</i>	R. Br.		A
<i>Halogeton glomeratus</i>	(M. Bieb) C. A. Meyer	Halogeton	A
<i>Kochia scoparia</i>	(L.) Schrad.	Kochia, Mexican fireweed	A
<i>Salsola paulsenii</i>	Litv.	Summer cypress, Barbwire	A
<i>Salsola tragus</i>	L.	Russian thistle, tumbleweed	A
CONVOLVULACEAE			
<i>Calystegia sepium</i>	(L.) R. Br.	Hedge bindweed	P
<i>Convolvulus arvensis</i>	L.	Field bindweed, Wild morning-glory	P
<i>Dichondra repens</i>	Forst. & Forst.	Dichondra	P
<i>Ipomoea purpurea</i>	(L.) Roth	Tall morning glory	A
CUCURBITACEAE			
<i>Citrullus lanatus</i>	(Thunb.) Matsumura & Nakai	Citron	A

A=Annual
P=Perennial
B=Biennial
S/T=Shrub/Tree

**CHECKLIST OF THE NON-NATIVE PLANTS OF SOUTHERN NEVADA
DICOTS**

LATINIZED BINOMIAL	PUBLISHING AUTHOR	COMMON NAME	A/P/B/S/T
DIPSACACEAE			
<i>Dipsacus fullonum</i>	L.	Common teasel, Wild teasel	B
ELAEAGNACEAE			
<i>Elaeagnus angustifolia</i>	L.	Russian olive	S/T
EUPHORBIACEAE			
<i>Euphorbia esula</i>	L.	Leafy spurge	P
<i>Euphorbia hyssopifolia</i>	L.	Euphorbia	A
<i>Euphorbia peplus</i>	L.	Petty spurge	A
<i>Euphorbia prostrata</i>	(Ait.) Small	Prostrate spurge	A
<i>Ricinus communis</i>	L.	Castor bean	S
FABACEAE			
<i>Alhagi pseudalhagi</i>	(M. Bieb.) Desv.	Camelthorn	P
<i>Caesalpinia gilliesii</i>	(Wall. Ex Hook.) A. Dietr.	Yellow bird of paradise	S
<i>Cercidium floridum</i>	Benth. Ex Gray	Blue palo verde	T
<i>Colutea arborescens</i>	L.	Bladder sinna	S/T
<i>Coronilla varia</i>	L.	Crown vetch	P
<i>Desmanthus illinoensis</i>	(Michx.) MacM.	Desmanthus	P
<i>Hoffmanseggia glauca</i>	(Ortega) Eifert	Rush pea	P
<i>Lotus corniculatus</i>	L.	Birds-foot trefoil	P
<i>Medicago lupulina</i>	L.	Black medic, Yellow trefoil	A
<i>Medicago polymorpha</i>	L.	California burclover	A
<i>Medicago sativa</i>	L.	Alfalfa	P
<i>Melilotus albus</i>	Medikus	White sweetclover	A
<i>Melilotus indicus</i>	(L.) All.	Sourclover	A
<i>Melilotus officinalis</i>	(L.) Pall	Yellow sweetclover	A
<i>Parkinsonia aculeata</i>	L.	Jerusalem thorn	S/T
<i>Spartium junceum</i>	L.	Weaver's broom	S
<i>Trifolium fragiferum</i>	L.	Strawberry clover	P
<i>Trifolium repens</i>	L.	White clover	P
GERANIACEAE			
<i>Erodium botrys</i>	(Cav.) Bertol		A
<i>Erodium cicutarium</i>	(L.) L'Her.	Filaree	A
HYDROPHYLLACEAE			
<i>Hypericum perforatum</i>	L.	Klamathweed, St. Johnswort	P
LAMIACEAE			
<i>Marrubium vulgare</i>	L.	White horehound	P
<i>Mentha arvensis</i>	L.	Wild mint	P
<i>Mentha x piperita</i>	L.	Peppermint	P
<i>Salvia aethiopsis</i>	L.	Mediterranean Sage	P
LYTHRACEAE			
<i>Lythrum salicaria</i>	L.	Purple loosestrife	P
MALVACEAE			
<i>Althaea rosea</i>	(L.) Cav.	Hollyhock	B/P
<i>Malva parviflora</i>	L.	Cheeseweed, Little mallow	A
<i>Malva sylvestris</i>	L.	Tree mallow	B/P
MELIACEAE			
<i>Melia azedarach</i>	L.		T
MOLLUGINACEAE			
<i>Mollugo verticillata</i>	L.	Green carpetweed	A
MORACEAE			
<i>Morus nigra</i>	L.	Black mulberry	T
NYMPHAEACEAE			
<i>Nymphaea odorata</i>	Ait.	Sweet scented water lily	P
ONOGRACEAE			
<i>Gaura parviflora</i>	Dougl.	Lizardtail, Velvetweed	B
OXALDACEAE			
<i>Oxalis corniculata</i>	L.	Yellow woodsorrel	P
PAPAVERACEAE			
<i>Papaver rhoeas</i>	L.	Corn poppy	A
PLANTAGINACEAE			
<i>Plantago lanceolata</i>	L.	English plantain	P

A=Annual
P=Perennial
B=Biennial
S/T=Shrub/Tree

CHECKLIST OF THE NON-NATIVE PLANTS OF SOUTHERN NEVADA
DICOTS

LATINIZED BINOMIAL	PUBLISHING AUTHOR	COMMON NAME	A/P/B/S/T
<i>Plantago major</i>	L.	Common plantain	P
POLYGONACEAE			
<i>Polygonum argyrocoleon</i>	Kunze	Silver-sheathed knotweed	A
<i>Polygonum aviculare</i>	L.	Knotweed, Chivalrygrass, Dishwatergrass	A
<i>Polygonum convolvulus</i>	L.	Black bindweed	A
<i>Polygonum lapathifolium</i>	L.	Willow-weed	A
<i>Polygonum pensylvanicum</i>	(L.) Small	Pennsylvanian smartweed	A
<i>Polygonum ramosissimum</i>	Michaux	Knotweed	A
<i>Rumex crispus</i>	L.	Curly dock	P
PORTULACACEAE			
<i>Portulaca oleraceae</i>	L.	Purslane	A
PRIMULACEAE			
<i>Anagallis arvensis</i>	L.	Scarlet Pimpernel	A
RANUNCULACEAE			
<i>Ranunculus testiculatus</i>	Crantz	Bur buttercup	A
RHAMNACEAE			
<i>Ziziphus jujube</i>	P. Mill.	Jujube	T
ROSACEAE			
<i>Potentilla recta</i>	L.	Sulfur cinquefoil	P
<i>Rubus discolor</i>	Weihe & Nees	Raspberry , Himalayan blackberry	S
<i>Sanguisorba minor</i>	Scop.	Burnet	P
RUBIACEAE			
<i>Galium aparine</i>	L.	Common bedstraw	A
<i>Rubia tinctoria</i>	L.	Madder	P
<i>Sherardia arvensis</i>	L.	Blue fieldm adder	A
SCROPHULARIACEAE			
<i>Linaria dalmatica</i>	(L.) P. Mill	Dalmation toadflax	P
<i>Linaria vulgaris</i>	P. Mill	Yellow toadflax	P
<i>Veronica persica</i>	Poir.	Tourefort speedwell	A
<i>Verbascum thapsis</i>	L.	Common mullein, Woolly mullein	B
<i>Veronica anagallis -aquatica</i>	L.	Water speedwell	P
SIMAROUBACEAE			
<i>Ailanthus altissima</i>	(P. Will) Swingle	Tree of Heaven	T
SOLANACEAE			
<i>Nicotiana bigelovii</i>	(Torr.) S. Wats.	Indian tobacco	A
<i>Nicotiana glauca</i>	Graham	Tree tobacco	T
<i>Physalis angulata</i>	L.	Lanceleaved groundcherry	A
<i>Solanum elaeagnifolium</i>	Cav.	White horse -nettle	P
<i>Solanum nodiflorum</i>	Jacq.	Solanum	A/P
<i>Solanum rostratum</i>	Dunal	Buffalobur	A
<i>Solanum sarrachoides</i>	Sendt.	Hairy nightshade	A
TAMARICACEAE			
<i>Tamarix aphylla</i>	(L.) Karsten	Athel tamarisk	T
<i>Tamarix chinensis</i>	Lour.	Chinese saltcedar	T
<i>Tamarix parviflora</i>	DC.	Smallflower tamarisk	S/T
<i>Tamarix ramosissima</i>	Ledeb.	Saltcedar, Tamarisk	S/T
ULMACEAE			
<i>Ulmus minor</i>	Mill.	Smooth-leaved elm	T
<i>Ulmus parvifolia</i>	Jacq.	Chinese elm	S/T
<i>Ulmus pumila</i>	L.	Siberian elm	T
VERVENACEAE			
<i>Galandularia tenuisecta</i>	(Briq.) Small		P
VITACEAE			
<i>Parthenocissus inserta</i>	(Kerner) Fritsch	Thicket creeper	V
ZYGOPHYLLACEAE			
<i>Glycyrrhiza lepidota</i>	Pursh	American licorice	P
<i>Tribulus terrestris</i>	L.	Puncturevine, Puncture weed	A

A=Annual
P=Perennial
B=Biennial
S/T=Shrub/Tree

**CHECKLIST OF THE NON-NATIVE PLANTS OF SOUTHERN NEVADA
AQUATIC PLANTS**

LATINIZED BINOMIAL	PUBLISHING AUTHOR	COMMON NAME	A/P/B/S/T
HYDROCHARITACEAE			
<i>Vallisneria americana</i>	Michx.	Tape grass, E elgrass, Water celery	P
ZYGOPHYLLACEAE			
<i>Myriophyllum spicatum</i>	L.	Spiked watermilfoil , Eurasian watermilfoil	P
POTAMOGETONACEAE			
<i>Potamogeton crispus</i>	L.	Crispateleaf pondweed	P
	Mitchell	Giant salvinia	P
TYPHACEAE			
<i>Rorippa nasturtium-aquaticum</i>	(L.) Hayek		P
<i>Typha dominigensis</i>	Pers.	Southern cattail	P
<i>Veronica persica</i>	Poir.	Tourefort speedwell	A

A=Annual
P=Perennial
B=Biennial
S/T=Shrub/Tree

REFERENCES

- Brooks, M. and T. Esque. 2002. Alien Plants and Fire in Desert Tortoise (*Gopherus agassizii*), Habitat of the Mojave and Colorado Deserts. *Chelonian Conserv. Biol.* 4(2).
- Cronquist, A., A. H. Holmgren, N. H. Holmgren, J. L. Reveal, P. A. Holmgren. 1994. Intermountain Flora - Vascular Plants of the Intermountain West, U.S.A. New York Botanical Garden, NY.
- DiAntonio, C. M. and K. Haubersak. 1998. Community and Ecosystem Impacts of Introduced Species. *Fremontia* 26(4).
- Executive Order 13112 of February 3, 1999 - Invasive Species. Fed. Reg.: February 8, 1999 (Vol. 64 No. 25).
- Hickman, James, ed. The Jepson Manual - Higher Plants of California. 1996. University of California Press. Berkeley, CA.
- Nevada Plant List. 1998. Natural Resources Conservation Service. U.S. Department of Agriculture.
- Powell, E. 2001. Checklist of Vascular Plants of Lake Mead National Recreation Area. National Park Service.
- Swearingner, J. M. 2004. What the Heck Is an Invasive Plant? National Park Service, National Capital Region, Center for Urban Ecology.

The University of Nevada, Reno is an equal opportunity/affirmative action employer and does not discriminate on the basis of race, color, religion, sex, age, creed, national origin, veteran status, physical or mental disability and sexual orientation in any program or activity it operates. The University of Nevada employs only United States citizens and aliens lawfully authorized to work in the United States.