U.S. Fish & Wildlife Service

Atchafalaya National Wildlife Refuge Bird List


photo: Walton Clifton



Walter Clifton prothonotary warbler



Walter Clifton eastern kingbird



Walter Clifton wood duck



USFWS great egret

Atchafalaya National Wildlife Refuge (including Sherburne WMA)

Atchafalaya National Wildlife Refuge is one of more than 540 national wildlife refuges, managing over 94 million acres of land. The refuge is adjacent to the Sherburne Wildlife Management Area. Public use is managed through a cooperative agreement with the Louisiana Department of Wildlife and Fisheries as Sherburne Wildlife Management Area. PO. Box 127, Krotz Springs, LA 70750, 337/566 2251.

Located in St. Martin and Iberville Parishes, the refuge is 30 miles west of Baton Rouge, Louisiana, 1 mile east of Krotz Springs, Louisiana and just east of the Atchafalaya River. To access from Interstate 10, take the Whiskey Bay Exit onto highway 975 (gravel road) nine miles north to the management area headquarters. From Highway 190, exit at the east toe of the Atchafalaya River Levee on Hwy 975. Head south for 2.5 miles to the management area headquarters.

Atchafalaya National Wildlife Refuge was established by Congress on October 26, 1984 (Public Law 98-396) with money from the Land and Water Conservation Fund. The U.S. Fish and Wildlife Service purchased 15,220 acres in 1986 from the Iberville Land Company. The refuge's name originated from its location within the Atchafalaya River Basin, the largest bottomland swamp in the USA.

The climate is mild with subtropical weather throughout the year. Average rainfall is approximately 54 inches.

The refuge manages for any and all threatened and endangered wildlife and plants that inhabit the refuge including the American Bald Eagle and Louisiana Black Bear. Secondary management is for waterfowl and other migratory birds, all other indigenous wildlife, and to provide wildlife oriented recreation, education, and demonstration.



Walter Clifton tufted titmouse



Walter Clifton yellow-crowned night heron



Walter Clifton belted kingfisher



Nancy Camel© little blue heron



Donna Bush© swallow-tailed kite

Opportunities exist for birdwatching on the refuge. The refuge was identified as a Globally Important Bird Area by the American Bird Conservancy. The bottomland hardwood forests and the mix of bayous, oxbow lakes, sloughs, and swamps create a diversity of habitats important to a wide range of bird species. Neotropical migrants abound during the fall and spring migrations, and many species nest on the refuge. The refuge supports a number of small wading bird rookeries. Each winter, several thousand waterfowl make their home on the refuge. Wood Ducks are common summer nesters.

The Swallow-tailed Kite nests on the refuge.

The following bird list contains 206 species, representing observations by refuge and state WMA personnel, local birders, researchers, and volunteers.

Sightings of unlisted species should be reported to:

Refuge Manager, Southeast Louisiana Refuges 61389 Highway 434 Lacombe, Louisiana 70445

Seasons

0000000	
SP-Spring	March-May
S-Summer	June-July
F-Fall	August-November
W-Winter	December-February

Habitat where found (H)

- W Open water
- S Swamp
- F Field
- M Marsh/Mud flat
- A Aerial/flyover
- f forest
- s scrub-shrub
- E forest Edge

a-abundant -	Many individuals per day in appropriate habitat and season (>100/day)
c-common -	Certain to be seen in suitable habitat (10-100/day)
u-uncommon -	Usually present in suitable habitat (<10/day) $$
r-rare -	Seen only a few times during a season (<1/day)

o-occasional - Only seen every few years

Grebes	SP	S	F	W	H
Pied-billed Grebe	r		с	с	W
Cormorants					
Double-crested Cormorant	С	0	с	с	W
Anhingas					
Anhinga	u	с	u	r	W
Herons & Bitterns					
Great Blue Heron	с	с	с	с	\mathbf{S}
Great Egret	a	a	с	с	\mathbf{S}
Snowy Egret	с	с	с	u	S S S S S
Little Blue Heron*	с	с	с	0	\mathbf{S}
Tricolored Heron*	с	a	r		
Cattle Egret	a	a	a	r	F
Green Heron	u	u	u		S
Black-crowned Night-Heron*	u	u	u	r	M
Yellow-crowned Night-Heron	a	a			\mathbf{S}
lbises					
White Ibis	a	a	с	с	М
Roseate Spoonbill	а 0	а 0	0	0	M
	0	Ŭ	Ū	Ŭ	1,1
Storks					
Wood Stork*		u	с		Μ
American Vultures					
Black Vulture	с	с	с	с	Α
Turkey Vulture	c	u	c	c	A
	-		-		
Waterfowl					
Greater White-fronted Goose	0	r	0	0	W
Snow (Blue) Goose	0	r	0	u	W
Wood Duck	с	с	с	a	S
Gadwall	u		r	u	W
American Wigeon	u		u	с	W
Mallard	С		с	с	W
Blue-winged Teal	u	0	u	u	W

Northern Shoveler Northern Pintail Green-winged Teal Canvasback Redhead Ring-necked Duck Lesser Scaup Bufflehead Hooded Merganser Red-breasted Merganser Ruddy Duck	SP u r r u c r u o c	S r	F u o r u c r u o c	W c o u c c u c o c	H W W W W W W W W W W
Hawks Osprey Swallow-tailed Kite* Mississippi Kite* Bald Eagle* Northern Harrier* Sharp-shinned Hawk* Cooper's Hawk* Red-shouldered Hawk Broad-winged Hawk Red-tailed Hawk	u a r u u c c c	r u a c u o	u c r u u c c c	r u u c c	$\begin{array}{c} W\\ A\\ W\\ F\\ f\\ f\\ S\\ f\\ F\end{array}$
Falcons American Kestrel* Merlin Peregrine Falcon* Turkeys Wild Turkey	c o r	с	c o r	c r o c	F F F
Rails King Rail Virginia Rail Sora Purple Gallinule Common Moorhen (Gallinule) American Coot	c u u u c	u u u	c u u r c	c u c	S M S M W
Plovers Black-bellied Plover Semipalmated Plover Killdeer	r o c	с	r 0 c	с	M M F
Stilts Black-necked Stilt Sandpipers	с	с	С	u	М
Greater Yellowlegs Lesser Yellowlegs Solitary Sandpiper*	c u u	r	c u u	u	M M S

Spotted Sandpiper Semipalmated Sandpiper* Western Sandpiper Least Sandpiper* Pectoral Sandpiper* Dunlin* Stilt Sandpiper* Wilson's Snipe American Woodcock Long-billed Dowitcher	SP u r u u r u r u r	S r u	F u u u u u r u c r	W u r c r r r c c r	H S M M M M M M S M
Doves Rock Dove Eurasian Collared-dove Mourning Dove	С	с	0 C	u c	A A F
Cuckoos Black-billed Cuckoo Yellow-billed Cuckoo*	r c	r c	r c		s s
Barn Owls Barn Owl	0	0	0	0	F
Owls Eastern Screech-Owl Great Horned Owl Barred Owl	u u c	u u c	u u c	u u c	f F S
Nightjars Common Nighthawk Chuck-will's-widow* Whip-poor-will*	c u o	u	c u o	0	${\rm A}_{\rm f}$
Swifts Chimney Swift	с	с	с		А
Hummingbirds Ruby-throated Hummingbird* Rufous Hummingbird	С	с	c u		E E
Kingfishers Belted Kingfisher	С	r	с	с	W
Woodpeckers Red-headedWoodpecker* Red-bellied Woodpecker Yellow-bellied Sapsucker Downy Woodpecker Hairy Woodpecker Northern Flicker Pileated Woodpecker	u c u c c c	u c u r c	u c c u c c	r c c u c c	f f f f E f

	SP	S	F	W	Η
Flycatchers					
Olive-sided Flycatcher	0		0		f
Eastern Wood-Pewee*	u		u		f
Yellow-bellied Flycatcher			r		s
Acadian Flycatcher	с	с	c		$\tilde{\mathbf{f}}$
Alder Flycatcher	Ũ	č	u		S
Least Flycatcher			u		s
Eastern Phoebe	с		c	с	s
Vermilion Flycatche	r	r	r	r	Ĕ
Great Crested Flycatcher	u	u	u	1	Ē
Eastern Kingbird*	r	r	r		Ē
Scissor-tailed Flycatcher	0	1	1		F
Vireos					Б
White-eyed Vireo*	a	a	a	r	E
Yellow-throated Vireo	u	u	r		E
Blue-headed Vireo	u		u	с	f
Warbling Vireo	0	0	0		f
Philadelphia Vireo	\mathbf{r}		u		f
Red-eyed Vireo	a	a	a		f
Jays and Crows					
Blue Jay	с	с	с	с	f
American Crow	a	a	a	a	F
Fish Crow	c	c	c	c	F
	e	Ũ	C	Ũ	*
Swallows					
Purple Martin	с	с	0		Α
Tree Swallow	с		с	с	Α
Northern Rough-winged Swallow	w* с	u	с		Α
Bank Swallow	u		u		Α
Cliff Swallow	u	u	u		Α
Barn Swallow	с	u	с		Α
Titmice					0
Carolina Chickadee*	с	с	с	с	f
Tufted Titmouse	С	с	с	с	f
Nuthatches					
Red-breasted Nuthatch			0	0	f
Creepers					
Brown Creeper	u		u	u	f
Wrens					
Carolina Wren	0				a
House Wren	a	a	a	a	S
	u		u	u	S
Winter Wren	u		u	u	s
Kinglets					
Golden-crowned Kinglet	u		с	u	f
Ruby-crowned Kinglet	a		a	a	\mathbf{s}

	SP	S	F	W	Η
Gnatcatchers Blue-gray Gnatcatcher	с	с	с	u	f
Thrushes					
Eastern Bluebird	u	u	u	u	\mathbf{F}
Veery	u		u		f
Gray-cheeked Thrush	u		u		f
Swainson's Thrush	u		u		f
Hermit Thrush	u		с	с	\mathbf{f}
Wood Thrush*	с	с	с		\mathbf{S}
American Robin	a		а	a	F
Shrikes					
Loggerhead Shrike*	u	u	u	u	F
Mockingbirds and Thrashers					
Gray Catbird*	с		с	u	\mathbf{S}
Northern Mockingbird	с	u	с	с	\mathbf{s}
Brown Thrasher*	u		u	u	s
Starlings					
European Starling (exotic)	c	с	с	a	F
Pipits					
American Pipit	u		u	u	\mathbf{F}
Waxwings					
Cedar Waxing	a		u	a	f
Wood Warblers					
Blue-winged Warbler	u		u		s
Golden-winged Warbler	r		r		\mathbf{S}
Tennessee Warbler	с		с		\mathbf{s}
Orange-crowned Warbler	u		u	с	\mathbf{s}
Nashville Warbler				u	\mathbf{S}
Northern Parula*	a	a			f
Yellow Warbler	u	0	с		\mathbf{S}
Yellow-throated Warbler	u	u	r		\mathbf{S}
Chestnut-sided Warbler	u		u		\mathbf{S}
Magnolia Warbler	u		с		\mathbf{S}
Yellow-rumped Warbler	a		a	a	S
Black-throated Green Warble	r u		с		f
Blackburnian Warbler	u		r		f
Pine Warbler	r		u	u	f
Prairie Warbler	0		r		s
Palm Warbler*	0		u	u	F
Bay-breasted Warbler	u		r		f
Cerulean Warbler*	u				f
Black-and-WhiteWarbler	u		u	0	f
American Redstart	a	a	с		f
Prothonotary Warbler*	a	a	r		\mathbf{S}
Worm-eating Warbler*	u		u		s
Swainson's Warbler*	с	с	r		s

Ovenbird Northern Waterthrush Louisiana Waterthrush* Kentucky Warbler* Mourning Warbler Common Yellowthroat Hooded Warbler Wilson's Warbler Canada Warbler Yellow-breasted Chat*	SP u u c c c u r a	S c c c a	F u u u c c u u c	W c r o	H sSS s s s s s s s
Tanagers					
Summer Tanager	с	с	с		f
Scarlet Tanager	u		u		f
Grosbeaks, Sparrows, Buntings					
Eastern Towhee	с	с	с	с	s
Fox Sparrow	r		r	u	\mathbf{s}
Song Sparrow	u		u	с	s
Lincoln's Sparrow	r		с	с	S
Swamp Sparrow	с		С	с	M
White-throated Sparrow	a		a	a	Ε
White-crowned Sparrow	u		r	u	S
Dark-eyed Junco	u	_	r	u	E
Northern Cardinal Rose-breasted Grosbeak	a	a	a	a	f f
Blue Grosbeak	u	70	u		
	u	r	с	u	S
Indigo Bunting Painted Bunting*	с	c	с		s E
Fainted Bunting* Dickcissel*	с	C	u		F
DICKCISSEI	u	r	u		г
Blackbirds and Orioles					Б
Bobolink		u			F
Red-winged Blackbird	a	a	a	a	M
Eastern Meadowlark*	с	с	с	с	F
Rusty Blackbird*	u		r	u	S
Common Grackle	a	a	a	a	F
Brown-headed Cowbird	a	a	с	a	\mathbf{F}
Orchard Oriole*	u	u	0		S
Baltimore Oriole*	u		u		f
Purple Finch	u		r	u	f
House Finch	u	0	u	u	F
American Goldfinch	с		u	a	\mathbf{F}


* Species of concern, due to declining populations


Ethics of Birdwatching

Take care not to disturb nesting birds, exposing eggs and young to extreme temperatures and predation.

Do not litter! Many birds die when they become entangled in fishing lines, 6-pack rings and other trash, or when they mistake garbage for food.

Sherburne





Southeast Louisiana Refuges 61389 Highway 434 Lacombe, Louisiana 70445 985/882 2000 southeast.fws.gov http://atchafalaya.fws.gov Email: Atchafalaya@fws.gov

U.S. Fish and Wildlife Service 1 800/344 WILD

August 2006

