

Table 34. Tuberculosis Cases and Percentages by Excess Alcohol Use,¹ Age ≥15: Reporting Areas, 2010

Reporting Area	Total Cases	Cases with Information on Excess Alcohol Use		Cases Reporting Excess Alcohol Use	
		No.	(%)	No.	(%)
United States	10,541	10,123	(96.0)	1,267	(12.5)
Alabama	138	137	(99.3)	24	(17.5)
Alaska	54	50	(92.6)	24	(48.0)
Arizona	265	212	(80.0)	27	(12.7)
Arkansas	73	69	(94.5)	11	(15.9)
California	2,222	2,169	(97.6)	167	(7.7)
Colorado	66	66	(100.0)	3	(4.5)
Connecticut	79	79	(100.0)	4	(5.1)
Delaware	19	19	(100.0)	2	(10.5)
District of Columbia	42	42	(100.0)	3	(7.1)
Florida	778	773	(99.4)	124	(16.0)
Georgia	384	376	(97.9)	55	(14.6)
Hawaii	108	92	(85.2)	6	(6.5)
Idaho	13	13	(100.0)	1	(7.7)
Illinois	366	351	(95.9)	44	(12.5)
Indiana	81	81	(100.0)	20	(24.7)
Iowa	45	43	(95.6)	7	(16.3)
Kansas	41	41	(100.0)	4	(9.8)
Kentucky	90	89	(98.9)	10	(11.2)
Louisiana	193	191	(99.0)	40	(20.9)
Maine	7	7	(100.0)	0	(0.0)
Maryland	210	204	(97.1)	12	(5.9)
Massachusetts	216	215	(99.5)	17	(7.9)
Michigan	173	157	(90.8)	25	(15.9)
Minnesota	128	128	(100.0)	5	(3.9)
Mississippi	111	111	(100.0)	13	(11.7)
Missouri	100	94	(94.0)	15	(16.0)
Montana	5	5	(100.0)	3	(60.0)
Nebraska	26	25	(96.2)	2	(8.0)
Nevada	96	95	(99.0)	11	(11.6)
New Hampshire	8	8	(100.0)	0	(0.0)
New Jersey	378	377	(99.7)	20	(5.3)
New Mexico	51	51	(100.0)	7	(13.7)
New York State ²	232	226	(97.4)	20	(8.8)
New York City	684	543	(79.4)	76	(14.0)
North Carolina	272	272	(100.0)	31	(11.4)
North Dakota	12	12	(100.0)	2	(16.7)
Ohio	182	176	(96.7)	17	(9.7)
Oklahoma	76	57	(75.0)	11	(19.3)
Oregon	83	83	(100.0)	11	(13.3)
Pennsylvania	227	223	(98.2)	16	(7.2)
Rhode Island	22	22	(100.0)	1	(4.5)
South Carolina	140	137	(97.9)	33	(24.1)
South Dakota	11	10	(90.9)	3	(30.0)
Tennessee	178	178	(100.0)	28	(15.7)
Texas	1,284	1,269	(98.8)	268	(21.1)
Utah	20	20	(100.0)	2	(10.0)
Vermont	5	5	(100.0)	1	(20.0)
Virginia	257	257	(100.0)	21	(8.2)
Washington	219	194	(88.6)	15	(7.7)
West Virginia	15	15	(100.0)	1	(6.7)
Wisconsin	50	49	(98.0)	4	(8.2)
Wyoming	6	5	(83.3)	0	(0.0)
American Samoa ³	3	3	(100.0)	1	(33.3)
Fed. States of Micronesia ³	121	119	(98.3)	6	(5.0)
Guam ³	81	77	(95.1)	1	(1.3)
Marshall Islands ³	147	145	(98.6)	38	(26.2)
N. Mariana Islands ³	32	32	(100.0)	0	(0.0)
Puerto Rico ³	78	77	(98.7)	9	(11.7)
Republic of Palau ³	16	16	(100.0)	2	(12.5)
U.S. Virgin Islands ³

¹Excess alcohol use within past 12 months of TB diagnosis. Percentage based on 52 reporting areas (50 states, New York City, and the District of Columbia). Counts and percentages shown only for reporting areas with information reported for ≥75% of cases.

²Excludes New York City.

³Not included in U.S. totals.

Note: Ellipses indicate data not available.