Department of Health and Human Services Food and Drug Administration	NCIMS HACCP SYSTEM REGULATORY AGENCY REVIEW REPORT (To be included with all NCIMS HACCP Listings and FDA Audits)	
STATE REGULATORY AGENCY		DATE OF EVALUATION
FIRM NAME	LICENSE/PERMIT NO.	IMS PLANT NO.
ADDRESS		
EXPLANATION OF CONCERNS NOTED REGARDING REGULATORY AGENCY OBLIGATIONS UNDER THE NCIMS HACCP SYSTEM (Use additional sheets if necessary.)  A narrative description shall be provided as a part of all NCIMS HACCP Listings and FDA Audits, including aseptic milk plants with NCIMS HACCP Listings. This report shall include an evaluation of the following requirements:		
Milk plant, receiving station or transfer state required frequency, and follow-ups conductions		egulatory auditor at the minimum
3. Requirements interpreted in accordance w	vith the Grade "A" PMO as indicated by p	ast audits.
4. Pasteurization equipment tested at required	frequency. (Not applicable to receiving/trar	nsfer stations and aseptic milk plants.)
5. Individual and cooling water samples teste	ed and reports on file as required.	
<ol><li>Samples of milk plant's milk and milk prod examinations made. (Not applicable to re</li></ol>		and all necessary laboratory
,	Ç ,	
7. Sampling procedures approved by PHS/F	DA evaluation methods.	
8. Permit issuance, suspension, revocation,	reinstatement, hearings, and/or court act	ions taken as required.
9. Records systematically maintained and cu	rrent.	