

MINEX

Performance and Interoperability of the INCITS 378 Fingerprint Template

Supplement No. 1: Native Matching

Patrick Grother  
Michael McCabe  
Craig Watson  
Mike Indovina  
Wayne Salamon  
Patricia Flanagan  
Elham Tabassi  
Elaine Newton  
Charles Wilson

National Institute of Standards and Technology

March 21, 2006

This document is a supplement to the [MINEX Evaluation Report](#)

## List of Tables

1	Summary of native performance for suppliers' implementations using proprietary, MIN:A and MIN:B templates on the POEBVA dataset. The values are false match rates at a false non-match rate of 0.005. . . . .	4
2	Summary of native performance for suppliers' implementations using proprietary, MIN:A and MIN:B templates on the DHS2 dataset. The values are false match rates at a false non-match rate of 0.005. . . . .	4
3	Summary of native performance for suppliers' implementations using proprietary, MIN:A and MIN:B templates on the POE dataset. The values are false match rates at a false non-match rate of 0.005. . . . .	5
4	Summary of native performance for suppliers' implementations using proprietary, MIN:A and MIN:B templates on the DOS dataset. The values are false match rates at a false non-match rate of 0.005. . . . .	5
5	Summary of native performance for suppliers' implementations using proprietary, MIN:A and MIN:B templates on the POEBVA dataset. The values are false match rates at a false non-match rate of 0.01. . . . .	6
6	Summary of native performance for suppliers' implementations using proprietary, MIN:A and MIN:B templates on the DHS2 dataset. The values are false match rates at a false non-match rate of 0.01. . . . .	6
7	Summary of native performance for suppliers' implementations using proprietary, MIN:A and MIN:B templates on the POE dataset. The values are false match rates at a false non-match rate of 0.01. . . . .	7
8	Summary of native performance for suppliers' implementations using proprietary, MIN:A and MIN:B templates on the DOS dataset. The values are false match rates at a false non-match rate of 0.01. . . . .	7
9	Summary of native performance for suppliers' implementations using proprietary, MIN:A and MIN:B templates on the POEBVA dataset. The values are false match rates at a false non-match rate of 0.02. . . . .	8
10	Summary of native performance for suppliers' implementations using proprietary, MIN:A and MIN:B templates on the DHS2 dataset. The values are false match rates at a false non-match rate of 0.02. . . . .	8
11	Summary of native performance for suppliers' implementations using proprietary, MIN:A and MIN:B templates on the POE dataset. The values are false match rates at a false non-match rate of 0.02. . . . .	9
12	Summary of native performance for suppliers' implementations using proprietary, MIN:A and MIN:B templates on the DOS dataset. The values are false match rates at a false non-match rate of 0.02. . . . .	9
13	Summary of native performance for suppliers' implementations using proprietary, MIN:A and MIN:B templates on the POEBVA dataset. The values are false non-match rates at a false match rate of 0.001. . . . .	10
14	Summary of native performance for suppliers' implementations using proprietary, MIN:A and MIN:B templates on the DHS2 dataset. The values are false non-match rates at a false match rate of 0.001. . . . .	10
15	Summary of native performance for suppliers' implementations using proprietary, MIN:A and MIN:B templates on the POE dataset. The values are false non-match rates at a false match rate of 0.001. . . . .	11
16	Summary of native performance for suppliers' implementations using proprietary, MIN:A and MIN:B templates on the DOS dataset. The values are false non-match rates at a false match rate of 0.001. . . . .	11
17	Summary of native performance for suppliers' implementations using proprietary, MIN:A and MIN:B templates on the POEBVA dataset. The values are false non-match rates at a false match rate of 0.003. . . . .	12
18	Summary of native performance for suppliers' implementations using proprietary, MIN:A and MIN:B templates on the DHS2 dataset. The values are false non-match rates at a false match rate of 0.003. . . . .	12
19	Summary of native performance for suppliers' implementations using proprietary, MIN:A and MIN:B templates on the POE dataset. The values are false non-match rates at a false match rate of 0.003. . . . .	13

20 Summary of native performance for suppliers’ implementations using proprietary, MIN:A and MIN:B templates on the DOS dataset. The values are false non-match rates at a false match rate of 0.003. . . . . 13

21 Summary of native performance for suppliers’ implementations using proprietary, MIN:A and MIN:B templates on the POEBVA dataset. The values are false non-match rates at a false match rate of 0.01. . . . . 14

22 Summary of native performance for suppliers’ implementations using proprietary, MIN:A and MIN:B templates on the DHS2 dataset. The values are false non-match rates at a false match rate of 0.01. . . . . 14

23 Summary of native performance for suppliers’ implementations using proprietary, MIN:A and MIN:B templates on the POE dataset. The values are false non-match rates at a false match rate of 0.01. . . . . 15

24 Summary of native performance for suppliers’ implementations using proprietary, MIN:A and MIN:B templates on the DOS dataset. The values are false non-match rates at a false match rate of 0.01. . . . . 15

25 Native, single-finger, DETs for vendor A on all four MINEX datasets. . . . . 16

26 Native, two-finger, DETs for vendor A on all four MINEX datasets. . . . . 17

27 Native, single-finger, DETs for vendor B on all four MINEX datasets. . . . . 18

28 Native, two-finger, DETs for vendor B on all four MINEX datasets. . . . . 19

29 Native, single-finger, DETs for vendor C on all four MINEX datasets. . . . . 20

30 Native, two-finger, DETs for vendor C on all four MINEX datasets. . . . . 21

31 Native, single-finger, DETs for vendor D on all four MINEX datasets. . . . . 22

32 Native, two-finger, DETs for vendor D on all four MINEX datasets. . . . . 23

33 Native, single-finger, DETs for vendor E on all four MINEX datasets. . . . . 24

34 Native, two-finger, DETs for vendor E on all four MINEX datasets. . . . . 25

35 Native, single-finger, DETs for vendor F on all four MINEX datasets. . . . . 26

36 Native, two-finger, DETs for vendor F on all four MINEX datasets. . . . . 27

37 Native, single-finger, DETs for vendor G on all four MINEX datasets. . . . . 28

38 Native, two-finger, DETs for vendor G on all four MINEX datasets. . . . . 29

39 Native, single-finger, DETs for vendor H on all four MINEX datasets. . . . . 30

40 Native, two-finger, DETs for vendor H on all four MINEX datasets. . . . . 31

41 Native, single-finger, DETs for vendor I on all four MINEX datasets. . . . . 32

42 Native, two-finger, DETs for vendor I on all four MINEX datasets. . . . . 33

43 Native, single-finger, DETs for vendor J on all four MINEX datasets. . . . . 34

44 Native, two-finger, DETs for vendor J on all four MINEX datasets. . . . . 35

45 Native, single-finger, DETs for vendor K on all four MINEX datasets. . . . . 36

46 Native, two-finger, DETs for vendor K on all four MINEX datasets. . . . . 37

47 Native, single-finger, DETs for vendor L on all four MINEX datasets. . . . . 38

---

48	Native, two-finger, DETs for vendor L on all four MINEX datasets. . . . .	39
49	Native, single-finger, DETs for vendor M on all four MINEX datasets. . . . .	40
50	Native, two-finger, DETs for vendor M on all four MINEX datasets. . . . .	41
51	Native, single-finger, DETs for vendor N on all four MINEX datasets. . . . .	42
52	Native, two-finger, DETs for vendor N on all four MINEX datasets. . . . .	43

POEBVA	Single finger							Two fingers					
	Proprietary		MIN:A		MIN:B			Proprietary		MIN:A		MIN:B	
	FMR	Rank	FMR	Rank	FMR	Rank		FMR	Rank	FMR	Rank	FMR	Rank
A	0.1140	4	0.3106	4	0.3106	2	A	0.0000	2	0.0002	3	0.0001	2
B	0.2218	5	0.3570	5			B	0.0008	4	0.0017	4		
C	0.4049	7	0.4049	7			C	0.0027	5	0.0027	6		
D	0.0903	3	0.2772	3	0.2793	1	D	0.0000	2	0.0000	2	0.0000	1
E	0.7389	11	0.7538	12	0.7585	5	E	0.0030	6	0.0073	7	0.0071	4
F	0.9449	14	0.4016	6	0.4137	3	F	0.2123	12	0.0024	5	0.0016	3
G	0.0070	1	0.0053	1			G	0.0000	2	0.0000	1		
H	0.8115	12	0.5500	9			H	0.4479	13	0.4862	12		
I	0.4867	9	0.6316	10	0.4866	4	I	0.0120	7	0.0143	8	0.0137	5
J	0.9207	13	0.9207	13			J	0.6056	14	0.5670	13		
K	0.0196	2	0.9552	14	0.9552	6	K	0.0176	8	0.9285	14	0.9284	6
L	0.2266	6	0.2351	2			L	0.1632	11	0.0954	11		
M	0.4851	8	0.4852	8			M	0.0207	9	0.0212	9		
N	0.6742	10	0.7225	11			N	0.0363	10	0.0297	10		

Table 1: Summary of native performance for suppliers' implementations using proprietary, MIN:A and MIN:B templates on the POEBVA dataset. The values are false match rates at a false non-match rate of 0.005.

DHS2	Single finger							Two fingers					
	Proprietary		MIN:A		MIN:B			Proprietary		MIN:A		MIN:B	
	FMR	Rank	FMR	Rank	FMR	Rank		FMR	Rank	FMR	Rank	FMR	Rank
A	0.9940	14	0.9940	14	0.9939	6	A	0.0890	6	0.1361	5	0.1361	2
B	0.5111	4	0.5888	2			B	0.0074	1	0.0119	2		
C	0.9939	12	0.9939	12			C	0.3993	7	0.3993	6		
D	0.5149	5	0.7410	3	0.7410	2	D	0.0106	2	0.0488	4	0.0488	1
E	0.7092	7	0.8191	6	0.8284	3	E	0.8963	11	0.9477	11	0.9516	5
F	0.9939	13	0.9939	12	0.9939	5	F	0.9905	14	0.4344	7	0.2687	3
G	0.0319	2	0.0059	1			G	0.0613	5	0.0118	1		
H	0.9599	11	0.9599	10			H	0.9797	13	0.9797	14		
I	0.2801	3	0.9136	7	0.2801	1	I	0.4431	8	0.9405	10	0.4431	4
J	0.9383	10	0.9383	9			J	0.7374	9	0.7233	8		
K	0.0205	1	0.9878	11	0.9878	4	K	0.0397	3	0.9760	13	0.9760	6
L	0.9206	9	0.9206	8			L	0.9494	12	0.9494	12		
M	0.7661	8	0.7661	4			M	0.8220	10	0.8220	9		
N	0.6901	6	0.8106	5			N	0.0583	4	0.0338	3		

Table 2: Summary of native performance for suppliers' implementations using proprietary, MIN:A and MIN:B templates on the DHS2 dataset. The values are false match rates at a false non-match rate of 0.005.

POE	Single finger							Two fingers					
	Proprietary		MIN:A		MIN:B			Proprietary		MIN:A		MIN:B	
	FMR	Rank	FMR	Rank	FMR	Rank		FMR	Rank	FMR	Rank	FMR	Rank
A	0.2165	5	0.4267	8	0.4267	3	A	0.0000	2	0.0005	3	0.0001	2
B	0.2788	6	0.4016	5			B	0.0006	5	0.0016	4		
C	0.4203	9	0.4203	7			C	0.0017	7	0.0017	6		
D	0.1284	3	0.3340	3	0.3340	1	D	0.0000	2	0.0000	1	0.0000	1
E	0.7110	11	0.8324	12	0.8438	5	E	0.0027	8	0.0090	7	0.0074	4
F	0.8239	13	0.4112	6	0.4343	4	F	0.0002	4	0.0016	5	0.0008	3
G	0.0101	1	0.0055	1			G	0.0000	2	0.0000	2		
H	0.7948	12	0.6308	11			H	0.3760	13	0.3764	12		
I	0.3787	7	0.5302	9	0.3787	2	I	0.0100	9	0.0131	9	0.0102	5
J	0.9330	14	0.9330	13			J	0.6535	14	0.6338	13		
K	0.0158	2	0.9525	14	0.9525	6	K	0.0309	11	0.9239	14	0.9232	6
L	0.1639	4	0.1694	2			L	0.1061	12	0.0978	11		
M	0.3984	8	0.3986	4			M	0.0221	10	0.0220	10		
N	0.4490	10	0.5922	10			N	0.0015	6	0.0092	8		

Table 3: Summary of native performance for suppliers' implementations using proprietary, MIN:A and MIN:B templates on the POE dataset. The values are false match rates at a false non-match rate of 0.005.

DOS	Single finger							Two fingers					
	Proprietary		MIN:A		MIN:B			Proprietary		MIN:A		MIN:B	
	FMR	Rank	FMR	Rank	FMR	Rank		FMR	Rank	FMR	Rank	FMR	Rank
A	0.2796	5	0.4896	4	0.4896	2	A	0.0002	2	0.0097	3	0.0082	2
B	0.4083	6	0.5983	8			B	0.0212	4	0.0458	4		
C	0.5768	9	0.5768	7			C	0.0601	7	0.0601	6		
D	0.2253	4	0.5242	5	0.5242	3	D	0.0004	3	0.0037	2	0.0037	1
E	0.7406	11	0.7884	11	0.7419	5	E	0.0263	6	0.0673	7	0.0423	3
F	0.9735	14	0.5712	6	0.6163	4	F	0.7895	14	0.0594	5	0.0602	4
G	0.0193	2	0.0047	1			G	0.0000	1	0.0019	1		
H	0.7940	12	0.8865	12			H	0.6365	13	0.7232	13		
I	0.4517	8	0.6150	9	0.4516	1	I	0.1039	9	0.1042	8	0.1098	5
J	0.8982	13	0.8989	13			J	0.5693	12	0.5976	12		
K	0.0141	1	0.9850	14	0.9850	6	K	0.0213	5	0.9743	14	0.9736	6
L	0.2164	3	0.2262	2			L	0.3746	11	0.2878	11		
M	0.4390	7	0.4391	3			M	0.2725	10	0.2697	10		
N	0.6653	10	0.7139	10			N	0.0715	8	0.1613	9		

Table 4: Summary of native performance for suppliers' implementations using proprietary, MIN:A and MIN:B templates on the DOS dataset. The values are false match rates at a false non-match rate of 0.005.

POEBVA	Single finger							Two fingers					
	Proprietary		MIN:A		MIN:B			Proprietary		MIN:A		MIN:B	
	FMR	Rank	FMR	Rank	FMR	Rank		FMR	Rank	FMR	Rank	FMR	Rank
A	0.0013	2	0.0448	3	0.0448	2	A	0.0000	2	0.0000	2	0.0000	1
B	0.0535	5	0.1208	6			B	0.0001	4	0.0002	4		
C	0.1154	6	0.1154	5			C	0.0002	7	0.0002	6		
D	0.0060	3	0.0437	2	0.0441	1	D	0.0000	2	0.0000	2	0.0000	1
E	0.2389	8	0.3104	8	0.3165	4	E	0.0008	9	0.0017	9	0.0017	5
F	0.8368	14	0.1142	4	0.1021	3	F	0.0002	6	0.0002	5	0.0001	3
G	0.0005	1	0.0053	1			G	0.0000	2	0.0000	2		
H	0.6568	12	0.5500	12			H	0.1920	13	0.1722	12		
I	0.4053	10	0.3730	9	0.4151	5	I	0.0006	8	0.0014	7	0.0008	4
J	0.8046	13	0.8046	13			J	0.4668	14	0.3250	13		
K	0.0196	4	0.9552	14	0.9552	6	K	0.0001	5	0.9283	14	0.9283	6
L	0.2266	7	0.2351	7			L	0.0227	12	0.0151	11		
M	0.3874	9	0.3875	10			M	0.0016	10	0.0016	8		
N	0.4076	11	0.4584	11			N	0.0046	11	0.0039	10		

Table 5: Summary of native performance for suppliers' implementations using proprietary, MIN:A and MIN:B templates on the POEBVA dataset. The values are false match rates at a false non-match rate of 0.01.

DHS2	Single finger							Two fingers					
	Proprietary		MIN:A		MIN:B			Proprietary		MIN:A		MIN:B	
	FMR	Rank	FMR	Rank	FMR	Rank		FMR	Rank	FMR	Rank	FMR	Rank
A	0.4936	6	0.5968	7	0.5968	4	A	0.0007	2	0.0017	2	0.0014	2
B	0.2313	4	0.3214	2			B	0.0010	3	0.0019	3		
C	0.5939	8	0.5939	6			C	0.0177	6	0.0177	6		
D	0.1574	3	0.3888	3	0.3888	2	D	0.0000	1	0.0004	1	0.0004	1
E	0.7092	9	0.8191	9	0.8284	5	E	0.8963	12	0.9477	11	0.9516	5
F	0.9617	14	0.5922	5	0.5600	3	F	0.8461	11	0.0181	7	0.0116	3
G	0.0319	2	0.0059	1			G	0.0066	4	0.0118	5		
H	0.9599	13	0.9599	13			H	0.9797	14	0.9797	14		
I	0.2801	5	0.9136	10	0.2801	1	I	0.4431	8	0.9405	10	0.4431	4
J	0.9383	12	0.9383	12			J	0.4452	9	0.5028	8		
K	0.0205	1	0.9878	14	0.9878	6	K	0.0267	7	0.9760	13	0.9760	6
L	0.9206	11	0.9206	11			L	0.9494	13	0.9494	12		
M	0.7661	10	0.7661	8			M	0.8220	10	0.8220	9		
N	0.5604	7	0.5658	4			N	0.0091	5	0.0057	4		

Table 6: Summary of native performance for suppliers' implementations using proprietary, MIN:A and MIN:B templates on the DHS2 dataset. The values are false match rates at a false non-match rate of 0.01.

POE	Single finger							Two fingers					
	Proprietary		MIN:A		MIN:B			Proprietary		MIN:A		MIN:B	
	FMR	Rank	FMR	Rank	FMR	Rank		FMR	Rank	FMR	Rank	FMR	Rank
A	0.0262	4	0.0690	3	0.0690	2	A	0.0000	2	0.0000	3	0.0000	2
B	0.0738	5	0.1543	6			B	0.0000	6	0.0001	6		
C	0.1315	6	0.1315	5			C	0.0000	5	0.0000	4		
D	0.0112	2	0.0488	2	0.0488	1	D	0.0000	2	0.0000	1	0.0000	1
E	0.3424	9	0.3968	9	0.4072	5	E	0.0007	10	0.0017	9	0.0018	5
F	0.5998	12	0.1289	4	0.1058	3	F	0.0000	2	0.0001	5	0.0000	2
G	0.0006	1	0.0055	1			G	0.0000	2	0.0000	1		
H	0.6522	13	0.6308	12			H	0.1369	13	0.1274	12		
I	0.3787	10	0.4171	11	0.3787	4	I	0.0007	9	0.0012	8	0.0007	4
J	0.8154	14	0.8154	13			J	0.4770	14	0.3900	13		
K	0.0158	3	0.9525	14	0.9525	6	K	0.0001	7	0.9232	14	0.9232	6
L	0.1639	7	0.1694	7			L	0.0091	12	0.0094	11		
M	0.3984	11	0.3986	10			M	0.0022	11	0.0022	10		
N	0.1847	8	0.3339	8			N	0.0001	8	0.0007	7		

Table 7: Summary of native performance for suppliers' implementations using proprietary, MIN:A and MIN:B templates on the POE dataset. The values are false match rates at a false non-match rate of 0.01.

DOS	Single finger							Two fingers					
	Proprietary		MIN:A		MIN:B			Proprietary		MIN:A		MIN:B	
	FMR	Rank	FMR	Rank	FMR	Rank		FMR	Rank	FMR	Rank	FMR	Rank
A	0.0567	4	0.1689	3	0.1689	2	A	0.0000	1	0.0015	3	0.0006	2
B	0.1822	5	0.3234	8			B	0.0035	6	0.0071	7		
C	0.2630	7	0.2630	7			C	0.0055	7	0.0055	6		
D	0.0446	3	0.1856	4	0.1856	3	D	0.0000	3	0.0001	1	0.0001	1
E	0.2763	8	0.3731	9	0.3334	5	E	0.0011	5	0.0041	4	0.0026	3
F	0.8973	14	0.2615	6	0.2550	4	F	0.3187	12	0.0051	5	0.0030	4
G	0.0028	1	0.0047	1			G	0.0000	1	0.0001	2		
H	0.7047	12	0.5586	13			H	0.3855	14	0.3094	12		
I	0.4164	10	0.4314	10	0.4151	6	I	0.0089	8	0.0146	8	0.0108	5
J	0.7758	13	0.7753	14			J	0.3664	13	0.3709	13		
K	0.0141	2	0.0217	2	0.0003	1	K	0.0004	4	0.9736	14	0.9736	6
L	0.2164	6	0.2262	5			L	0.1269	11	0.0842	11		
M	0.4390	11	0.4391	11			M	0.0606	10	0.0606	10		
N	0.4050	9	0.5467	12			N	0.0111	9	0.0223	9		

Table 8: Summary of native performance for suppliers' implementations using proprietary, MIN:A and MIN:B templates on the DOS dataset. The values are false match rates at a false non-match rate of 0.01.



POEBVA	Single finger							Two fingers					
	Proprietary		MIN:A		MIN:B			Proprietary		MIN:A		MIN:B	
	FMR	Rank	FMR	Rank	FMR	Rank		FMR	Rank	FMR	Rank	FMR	Rank
A	0.0000	2	0.0006	1	0.0004	2	A	0.0000	3	0.0000	3	0.0000	2
B	0.0084	5	0.0192	6			B	0.0000	6	0.0000	6		
C	0.0143	6	0.0143	4			C	0.0000	3	0.0000	3		
D	0.0003	3	0.0016	3	0.0016	3	D	0.0000	3	0.0000	3	0.0000	2
E	0.0289	7	0.0507	8	0.0464	5	E	0.0003	10	0.0005	10	0.0006	5
F	0.5714	13	0.0146	5	0.0096	4	F	0.0000	7	0.0000	3	0.0000	2
G	0.0000	1	0.0008	2			G	0.0000	3	0.0000	3		
H	0.4643	12	0.2521	13			H	0.0484	13	0.0554	12		
I	0.1144	9	0.0897	9	0.1159	6	I	0.0000	7	0.0000	7	0.0000	4
J	0.6045	14	0.5923	14			J	0.3077	14	0.1418	13		
K	0.0069	4	0.0243	7	0.0004	1	K	0.0000	3	0.9283	14	0.9283	6
L	0.2266	11	0.2351	12			L	0.0016	12	0.0012	11		
M	0.1042	8	0.1042	10			M	0.0000	9	0.0000	8		
N	0.1573	10	0.1778	11			N	0.0004	11	0.0002	9		

Table 9: Summary of native performance for suppliers' implementations using proprietary, MIN:A and MIN:B templates on the POEBVA dataset. The values are false match rates at a false non-match rate of 0.02.

DHS2	Single finger							Two fingers					
	Proprietary		MIN:A		MIN:B			Proprietary		MIN:A		MIN:B	
	FMR	Rank	FMR	Rank	FMR	Rank		FMR	Rank	FMR	Rank	FMR	Rank
A	0.0626	5	0.0904	4	0.0904	3	A	0.0000	2	0.0001	3	0.0000	2
B	0.0519	4	0.0956	5			B	0.0001	5	0.0001	2		
C	0.1738	6	0.1738	6			C	0.0008	7	0.0008	5		
D	0.0093	1	0.0452	3	0.0452	2	D	0.0000	2	0.0000	1	0.0000	1
E	0.7092	9	0.8191	11	0.8284	6	E	0.8963	12	0.9477	11	0.9516	5
F	0.8293	12	0.1747	7	0.1435	4	F	0.0047	8	0.0009	6	0.0006	3
G	0.0228	3	0.0059	1			G	0.0000	4	0.0118	7		
H	0.9599	14	0.9599	14			H	0.9777	14	0.9779	14		
I	0.2801	8	0.9136	12	0.2801	5	I	0.4431	10	0.9405	10	0.4431	4
J	0.8141	11	0.8136	10			J	0.2728	9	0.2695	8		
K	0.0205	2	0.0276	2	0.0005	1	K	0.0000	2	0.9760	13	0.9760	6
L	0.9206	13	0.9206	13			L	0.9494	13	0.9494	12		
M	0.7661	10	0.7661	9			M	0.8220	11	0.8220	9		
N	0.2416	7	0.2430	8			N	0.0006	6	0.0004	4		

Table 10: Summary of native performance for suppliers' implementations using proprietary, MIN:A and MIN:B templates on the DHS2 dataset. The values are false match rates at a false non-match rate of 0.02.

POE	Single finger							Two fingers					
	Proprietary		MIN:A		MIN:B			Proprietary		MIN:A		MIN:B	
	FMR	Rank	FMR	Rank	FMR	Rank		FMR	Rank	FMR	Rank	FMR	Rank
A	0.0000	2	0.0015	1	0.0012	2	A	0.0000	4	0.0000	3	0.0000	2
B	0.0112	5	0.0266	7			B	0.0000	8	0.0000	6		
C	0.0122	6	0.0122	5			C	0.0000	4	0.0000	3		
D	0.0003	3	0.0017	3	0.0017	3	D	0.0000	4	0.0000	3	0.0000	2
E	0.0491	9	0.0877	8	0.0877	5	E	0.0002	11	0.0006	11	0.0006	5
F	0.0486	8	0.0122	4	0.0071	4	F	0.0000	4	0.0000	3	0.0000	2
G	0.0000	1	0.0016	2			G	0.0000	4	0.0000	3		
H	0.4052	13	0.3101	13			H	0.0306	13	0.0395	12		
I	0.1291	10	0.1219	10	0.1318	6	I	0.0000	9	0.0000	7	0.0000	4
J	0.6189	14	0.6021	14			J	0.3066	14	0.1573	13		
K	0.0076	4	0.0204	6	0.0002	1	K	0.0000	4	0.9232	14	0.9232	6
L	0.1639	12	0.1694	12			L	0.0004	12	0.0004	10		
M	0.1321	11	0.1321	11			M	0.0001	10	0.0001	9		
N	0.0409	7	0.0947	9			N	0.0000	4	0.0001	8		

Table 11: Summary of native performance for suppliers' implementations using proprietary, MIN:A and MIN:B templates on the POE dataset. The values are false match rates at a false non-match rate of 0.02.

DOS	Single finger							Two fingers					
	Proprietary		MIN:A		MIN:B			Proprietary		MIN:A		MIN:B	
	FMR	Rank	FMR	Rank	FMR	Rank		FMR	Rank	FMR	Rank	FMR	Rank
A	0.0004	2	0.0469	5	0.0469	4	A	0.0000	2	0.0001	3	0.0000	2
B	0.0429	6	0.0892	8			B	0.0002	9	0.0006	7		
C	0.0480	7	0.0480	6			C	0.0001	5	0.0001	4		
D	0.0024	3	0.0150	2	0.0150	2	D	0.0000	2	0.0000	1	0.0000	1
E	0.0396	5	0.0809	7	0.0625	5	E	0.0002	6	0.0003	6	0.0002	4
F	0.7314	14	0.0466	4	0.0342	3	F	0.0002	7	0.0002	5	0.0001	3
G	0.0001	1	0.0047	1			G	0.0000	2	0.0000	1		
H	0.5447	12	0.5586	13			H	0.1284	13	0.1035	13		
I	0.1506	9	0.1377	9	0.1521	6	I	0.0002	8	0.0006	8	0.0003	5
J	0.5641	13	0.5647	14			J	0.2021	14	0.1638	14		
K	0.0117	4	0.0217	3	0.0003	1	K	0.0000	2	0.0416	12	0.0005	6
L	0.2164	10	0.2262	11			L	0.0109	12	0.0065	11		
M	0.2756	11	0.2756	12			M	0.0054	11	0.0054	10		
N	0.1174	8	0.2257	10			N	0.0006	10	0.0016	9		

Table 12: Summary of native performance for suppliers' implementations using proprietary, MIN:A and MIN:B templates on the DOS dataset. The values are false match rates at a false non-match rate of 0.02.

POEBVA	Single finger							Two fingers					
	Proprietary		MIN:A		MIN:B			Proprietary		MIN:A		MIN:B	
	FNMR	Rank	FNMR	Rank	FNMR	Rank		FNMR	Rank	FNMR	Rank	FNMR	Rank
A	0.0103	2	0.0187	1	0.0180	1	A	0.0007	2	0.0021	3	0.0015	1
B	0.0365	5	0.0462	6			B	0.0044	4	0.0059	4		
C	0.0403	6	0.0403	4			C	0.0069	6	0.0069	5		
D	0.0149	3	0.0218	3	0.0218	2	D	0.0013	3	0.0021	2	0.0021	2
E	0.0461	8	0.0600	9	0.0602	5	E	0.0089	8	0.0136	9	0.0143	5
F	0.0420	7	0.0407	5	0.0348	3	F	0.0076	7	0.0069	6	0.0057	3
G	0.0086	1	0.0190	2			G	0.0006	1	0.0018	1		
H	0.1618	13	0.1665	13			H	0.0737	13	0.0783	13		
I	0.0510	9	0.0575	8	0.0522	4	I	0.0093	9	0.0110	7	0.0094	4
J	0.2372	14	0.2372	14			J	0.1114	14	0.1192	14		
K	0.0294	4	0.0689	10	0.0634	6	K	0.0068	5	0.0345	12	0.0305	6
L	0.0844	12	0.0793	12			L	0.0224	12	0.0211	11		
M	0.0549	10	0.0550	7			M	0.0114	10	0.0114	8		
N	0.0837	11	0.0764	11			N	0.0159	11	0.0142	10		

Table 13: Summary of native performance for suppliers' implementations using proprietary, MIN:A and MIN:B templates on the POEBVA dataset. The values are false non-match rates at a false match rate of 0.001.

DHS2	Single finger							Two fingers					
	Proprietary		MIN:A		MIN:B			Proprietary		MIN:A		MIN:B	
	FNMR	Rank	FNMR	Rank	FNMR	Rank		FNMR	Rank	FNMR	Rank	FNMR	Rank
A	0.0323	2	0.0471	2	0.0455	2	A	0.0092	2	0.0130	3	0.0109	2
B	0.0657	5	0.0809	5			B	0.0099	3	0.0122	2		
C	0.0734	6	0.0734	4			C	0.0193	7	0.0193	6		
D	0.0300	1	0.0381	1	0.0381	1	D	0.0077	1	0.0093	1	0.0093	1
E	0.1394	9	0.1846	9	0.1857	5	E	0.0680	9	0.0965	9	0.0941	5
F	0.0885	7	0.0729	3	0.0648	3	F	0.0267	8	0.0192	5	0.0178	3
G	0.0339	3	0.0815	6			G	0.0130	4	0.0402	8		
H	0.2673	11	0.2759	11			H	0.1579	11	0.1687	12		
I	0.2708	12	0.2806	12	0.2735	6	I	0.1808	13	0.1892	13	0.1829	6
J	0.2892	13	0.2929	13			J	0.1774	12	0.1622	11		
K	0.0384	4	0.0909	7	0.0777	4	K	0.0141	5	0.0384	7	0.0356	4
L	0.2348	10	0.2172	10			L	0.1564	10	0.1516	10		
M	0.4132	14	0.4132	14			M	0.3495	14	0.3494	14		
N	0.0977	8	0.0999	8			N	0.0181	6	0.0185	4		

Table 14: Summary of native performance for suppliers' implementations using proprietary, MIN:A and MIN:B templates on the DHS2 dataset. The values are false non-match rates at a false match rate of 0.001.

POE	Single finger							Two fingers					
	Proprietary		MIN:A		MIN:B			Proprietary		MIN:A		MIN:B	
	FNMR	Rank	FNMR	Rank	FNMR	Rank		FNMR	Rank	FNMR	Rank	FNMR	Rank
A	0.0120	2	0.0213	1	0.0207	1	A	0.0007	2	0.0033	3	0.0020	1
B	0.0361	7	0.0450	6			B	0.0043	5	0.0056	6		
C	0.0351	6	0.0351	4			C	0.0055	6	0.0055	4		
D	0.0159	3	0.0222	2	0.0222	2	D	0.0012	3	0.0020	1	0.0020	2
E	0.0498	10	0.0662	10	0.0630	5	E	0.0080	9	0.0138	10	0.0139	5
F	0.0307	5	0.0353	5	0.0298	3	F	0.0035	4	0.0056	5	0.0046	3
G	0.0091	1	0.0223	3			G	0.0005	1	0.0021	2		
H	0.1528	13	0.1951	13			H	0.0588	13	0.0822	13		
I	0.0495	9	0.0564	7	0.0507	4	I	0.0088	10	0.0103	8	0.0090	4
J	0.2353	14	0.2353	14			J	0.1142	14	0.1227	14		
K	0.0272	4	0.0787	12	0.0746	6	K	0.0074	8	0.0399	12	0.0383	6
L	0.0719	12	0.0708	11			L	0.0170	12	0.0167	11		
M	0.0589	11	0.0589	8			M	0.0121	11	0.0121	9		
N	0.0466	8	0.0603	9			N	0.0061	7	0.0094	7		

Table 15: Summary of native performance for suppliers' implementations using proprietary, MIN:A and MIN:B templates on the POE dataset. The values are false non-match rates at a false match rate of 0.001.

DOS	Single finger							Two fingers					
	Proprietary		MIN:A		MIN:B			Proprietary		MIN:A		MIN:B	
	FNMR	Rank	FNMR	Rank	FNMR	Rank		FNMR	Rank	FNMR	Rank	FNMR	Rank
A	0.0187	2	0.0332	3	0.0314	1	A	0.0038	2	0.0122	3	0.0082	2
B	0.0578	9	0.0722	8			B	0.0144	6	0.0175	7		
C	0.0515	6	0.0515	5			C	0.0145	7	0.0145	6		
D	0.0238	3	0.0319	2	0.0319	2	D	0.0039	3	0.0066	2	0.0066	1
E	0.0397	5	0.0490	4	0.0453	4	E	0.0102	5	0.0144	4	0.0135	4
F	0.0569	7	0.0517	6	0.0434	3	F	0.0160	9	0.0144	4	0.0125	3
G	0.0132	1	0.0297	1			G	0.0016	1	0.0064	1		
H	0.1684	13	0.2062	13			H	0.0784	13	0.0941	13		
I	0.0570	8	0.0649	7	0.0585	5	I	0.0156	8	0.0182	8	0.0159	5
J	0.2183	14	0.2189	14			J	0.1211	14	0.1085	14		
K	0.0307	4	0.0740	9	0.0709	6	K	0.0092	4	0.0318	12	0.0287	6
L	0.0892	12	0.0814	12			L	0.0306	12	0.0285	11		
M	0.0795	11	0.0795	10			M	0.0272	11	0.0273	10		
N	0.0746	10	0.0811	11			N	0.0188	10	0.0230	9		

Table 16: Summary of native performance for suppliers' implementations using proprietary, MIN:A and MIN:B templates on the DOS dataset. The values are false non-match rates at a false match rate of 0.001.

POEBVA	Single finger							Two fingers					
	Proprietary		MIN:A		MIN:B			Proprietary		MIN:A		MIN:B	
	FMR	Rank	FMR	Rank	FMR	Rank		FMR	Rank	FMR	Rank	FMR	Rank
A	0.0095	2	0.0158	2	0.0155	1	A	0.0006	2	0.0013	1	0.0013	1
B	0.0273	5	0.0353	6			B	0.0028	4	0.0043	4		
C	0.0311	6	0.0311	4			C	0.0048	5	0.0048	6		
D	0.0117	3	0.0175	3	0.0175	2	D	0.0010	3	0.0016	3	0.0016	2
E	0.0337	7	0.0413	7	0.0408	4	E	0.0051	6	0.0076	7	0.0074	5
F	0.0349	8	0.0313	5	0.0271	3	F	0.0064	8	0.0047	5	0.0041	3
G	0.0065	1	0.0147	1			G	0.0003	1	0.0014	2		
H	0.1295	13	0.1632	13			H	0.0544	13	0.0653	13		
I	0.0415	9	0.0456	9	0.0422	5	I	0.0069	9	0.0080	8	0.0070	4
J	0.1930	14	0.1930	14			J	0.0904	14	0.0913	14		
K	0.0233	4	0.0577	10	0.0634	6	K	0.0058	7	0.0302	12	0.0305	6
L	0.0703	12	0.0655	12			L	0.0170	12	0.0160	11		
M	0.0449	10	0.0449	8			M	0.0087	10	0.0086	9		
N	0.0661	11	0.0642	11			N	0.0123	11	0.0116	10		

Table 17: Summary of native performance for suppliers' implementations using proprietary, MIN:A and MIN:B templates on the POEBVA dataset. The values are false non-match rates at a false match rate of 0.003.

DHS2	Single finger							Two fingers					
	Proprietary		MIN:A		MIN:B			Proprietary		MIN:A		MIN:B	
	FMR	Rank	FMR	Rank	FMR	Rank		FMR	Rank	FMR	Rank	FMR	Rank
A	0.0301	3	0.0408	2	0.0404	2	A	0.0073	3	0.0081	1	0.0084	2
B	0.0508	5	0.0621	5			B	0.0072	2	0.0084	3		
C	0.0592	6	0.0592	4			C	0.0150	7	0.0150	5		
D	0.0248	1	0.0322	1	0.0322	1	D	0.0066	1	0.0082	2	0.0082	1
E	0.1075	9	0.1214	9	0.1236	5	E	0.0485	9	0.0558	9	0.0584	5
F	0.0692	7	0.0592	3	0.0527	3	F	0.0216	8	0.0151	6	0.0138	3
G	0.0296	2	0.0723	6			G	0.0116	4	0.0371	8		
H	0.2255	11	0.2363	11			H	0.1294	10	0.1363	11		
I	0.2585	13	0.2645	13	0.2598	6	I	0.1738	13	0.1790	13	0.1746	6
J	0.2428	12	0.2458	12			J	0.1562	12	0.1294	10		
K	0.0325	4	0.0755	7	0.0777	4	K	0.0130	5	0.0332	7	0.0356	4
L	0.2175	10	0.2001	10			L	0.1482	11	0.1439	12		
M	0.3928	14	0.3929	14			M	0.3401	14	0.3401	14		
N	0.0784	8	0.0803	8			N	0.0140	6	0.0134	4		

Table 18: Summary of native performance for suppliers' implementations using proprietary, MIN:A and MIN:B templates on the DHS2 dataset. The values are false non-match rates at a false match rate of 0.003.

POE	Single finger							Two fingers					
	Proprietary		MIN:A		MIN:B			Proprietary		MIN:A		MIN:B	
	FMR	Rank	FMR	Rank	FMR	Rank		FMR	Rank	FMR	Rank	FMR	Rank
A	0.0111	2	0.0182	3	0.0177	1	A	0.0006	2	0.0017	3	0.0014	1
B	0.0283	7	0.0353	6			B	0.0033	5	0.0042	4		
C	0.0278	6	0.0278	5			C	0.0042	6	0.0042	5		
D	0.0129	3	0.0180	2	0.0180	2	D	0.0010	3	0.0016	2	0.0016	2
E	0.0369	8	0.0475	8	0.0449	5	E	0.0048	8	0.0073	8	0.0075	5
F	0.0254	5	0.0278	4	0.0239	3	F	0.0026	4	0.0043	6	0.0037	3
G	0.0070	1	0.0172	1			G	0.0004	1	0.0014	1		
H	0.1224	13	0.1547	13			H	0.0437	13	0.0558	13		
I	0.0419	10	0.0449	7	0.0424	4	I	0.0067	10	0.0078	9	0.0067	4
J	0.1952	14	0.1952	14			J	0.0952	14	0.0933	14		
K	0.0242	4	0.0663	12	0.0746	6	K	0.0063	9	0.0379	12	0.0383	6
L	0.0595	12	0.0588	11			L	0.0133	12	0.0130	11		
M	0.0475	11	0.0476	9			M	0.0092	11	0.0091	10		
N	0.0388	9	0.0483	10			N	0.0044	7	0.0072	7		

Table 19: Summary of native performance for suppliers' implementations using proprietary, MIN:A and MIN:B templates on the POE dataset. The values are false non-match rates at a false match rate of 0.003.

DOS	Single finger							Two fingers					
	Proprietary		MIN:A		MIN:B			Proprietary		MIN:A		MIN:B	
	FMR	Rank	FMR	Rank	FMR	Rank		FMR	Rank	FMR	Rank	FMR	Rank
A	0.0173	2	0.0284	3	0.0272	2	A	0.0031	2	0.0073	3	0.0064	2
B	0.0458	7	0.0568	8			B	0.0105	6	0.0131	7		
C	0.0411	6	0.0411	6			C	0.0114	7	0.0114	6		
D	0.0192	3	0.0268	2	0.0268	1	D	0.0031	3	0.0052	2	0.0052	1
E	0.0328	5	0.0402	4	0.0374	4	E	0.0080	5	0.0108	4	0.0096	3
F	0.0509	9	0.0408	5	0.0352	3	F	0.0140	9	0.0114	5	0.0100	4
G	0.0099	1	0.0229	1			G	0.0011	1	0.0042	1		
H	0.1364	13	0.1670	13			H	0.0629	13	0.0702	13		
I	0.0466	8	0.0523	7	0.0475	5	I	0.0128	8	0.0147	8	0.0133	5
J	0.1794	14	0.1809	14			J	0.1027	14	0.0857	14		
K	0.0270	4	0.0631	9	0.0709	6	K	0.0071	4	0.0280	12	0.0287	6
L	0.0774	12	0.0704	12			L	0.0255	12	0.0232	11		
M	0.0669	11	0.0669	10			M	0.0224	11	0.0224	10		
N	0.0600	10	0.0681	11			N	0.0146	10	0.0177	9		

Table 20: Summary of native performance for suppliers' implementations using proprietary, MIN:A and MIN:B templates on the DOS dataset. The values are false non-match rates at a false match rate of 0.003.

POEBVA	Single finger							Two fingers					
	Proprietary		MIN:A		MIN:B			Proprietary		MIN:A		MIN:B	
	FNMR	Rank	FNMR	Rank	FNMR	Rank		FNMR	Rank	FNMR	Rank	FNMR	Rank
A	0.0089	2	0.0136	2	0.0135	1	A	0.0006	2	0.0011	2	0.0010	1
B	0.0189	5	0.0251	6			B	0.0018	4	0.0024	4		
C	0.0225	6	0.0225	5			C	0.0032	6	0.0032	6		
D	0.0089	3	0.0140	3	0.0140	2	D	0.0007	3	0.0013	3	0.0013	2
E	0.0251	7	0.0301	7	0.0296	4	E	0.0030	5	0.0045	7	0.0043	4
F	0.0337	9	0.0224	4	0.0199	3	F	0.0061	10	0.0031	5	0.0028	3
G	0.0047	1	0.0129	1			G	0.0002	1	0.0007	1		
H	0.1004	13	0.1027	13			H	0.0367	13	0.0422	13		
I	0.0329	8	0.0348	8	0.0336	5	I	0.0051	7	0.0056	8	0.0054	5
J	0.1503	14	0.1505	14			J	0.0704	14	0.0640	14		
K	0.0186	4	0.0461	10	0.0634	6	K	0.0054	8	0.0275	12	0.0305	6
L	0.0575	12	0.0524	12			L	0.0126	12	0.0113	11		
M	0.0358	10	0.0359	9			M	0.0060	9	0.0061	9		
N	0.0481	11	0.0486	11			N	0.0082	11	0.0081	10		

Table 21: Summary of native performance for suppliers' implementations using proprietary, MIN:A and MIN:B templates on the POEBVA dataset. The values are false non-match rates at a false match rate of 0.01.

DHS2	Single finger							Two fingers					
	Proprietary		MIN:A		MIN:B			Proprietary		MIN:A		MIN:B	
	FNMR	Rank	FNMR	Rank	FNMR	Rank		FNMR	Rank	FNMR	Rank	FNMR	Rank
A	0.0280	4	0.0359	2	0.0358	2	A	0.0057	3	0.0062	2	0.0069	2
B	0.0358	5	0.0442	3			B	0.0044	1	0.0055	1		
C	0.0456	6	0.0456	4			C	0.0114	7	0.0114	5		
D	0.0197	1	0.0263	1	0.0263	1	D	0.0051	2	0.0068	3	0.0068	1
E	0.0884	9	0.0949	9	0.0954	5	E	0.0404	9	0.0411	9	0.0436	5
F	0.0547	7	0.0458	5	0.0410	3	F	0.0178	8	0.0114	6	0.0103	3
G	0.0241	2	0.0677	8			G	0.0095	4	0.0336	8		
H	0.1793	10	0.1863	11			H	0.1043	10	0.1153	11		
I	0.2477	13	0.2482	13	0.2486	6	I	0.1672	13	0.1693	13	0.1678	6
J	0.1926	11	0.1967	12			J	0.1277	11	0.0950	10		
K	0.0266	3	0.0587	6	0.0777	4	K	0.0114	6	0.0295	7	0.0356	4
L	0.2022	12	0.1839	10			L	0.1403	12	0.1363	12		
M	0.3724	14	0.3724	14			M	0.3294	14	0.3294	14		
N	0.0602	8	0.0614	7			N	0.0105	5	0.0089	4		

Table 22: Summary of native performance for suppliers' implementations using proprietary, MIN:A and MIN:B templates on the DHS2 dataset. The values are false non-match rates at a false match rate of 0.01.

POE	Single finger						Two fingers						
	Proprietary		MIN:A		MIN:B		Proprietary		MIN:A		MIN:B		
	FNMR	Rank	FNMR	Rank	FNMR	Rank	FNMR	Rank	FNMR	Rank	FNMR	Rank	
A	0.0104	3	0.0159	3	0.0156	2	A	0.0005	2	0.0011	2	0.0011	1
B	0.0205	5	0.0262	6			B	0.0020	4	0.0029	4		
C	0.0212	7	0.0212	5			C	0.0032	7	0.0032	5		
D	0.0102	2	0.0142	1	0.0142	1	D	0.0009	3	0.0012	3	0.0012	2
E	0.0288	9	0.0352	7	0.0339	4	E	0.0031	6	0.0048	7	0.0046	4
F	0.0209	6	0.0212	4	0.0186	3	F	0.0021	5	0.0032	6	0.0027	3
G	0.0052	1	0.0149	2			G	0.0004	1	0.0007	1		
H	0.0908	13	0.1200	13			H	0.0299	13	0.0359	13		
I	0.0342	10	0.0353	8	0.0348	5	I	0.0050	9	0.0055	9	0.0051	5
J	0.1530	14	0.1532	14			J	0.0746	14	0.0671	14		
K	0.0191	4	0.0542	12	0.0746	6	K	0.0057	10	0.0351	12	0.0383	6
L	0.0479	12	0.0475	11			L	0.0098	12	0.0099	11		
M	0.0379	11	0.0378	10			M	0.0063	11	0.0063	10		
N	0.0286	8	0.0373	9			N	0.0032	8	0.0054	8		

Table 23: Summary of native performance for suppliers' implementations using proprietary, MIN:A and MIN:B templates on the POE dataset. The values are false non-match rates at a false match rate of 0.01.

DOS	Single finger						Two fingers						
	Proprietary		MIN:A		MIN:B		Proprietary		MIN:A		MIN:B		
	FNMR	Rank	FNMR	Rank	FNMR	Rank	FNMR	Rank	FNMR	Rank	FNMR	Rank	
A	0.0163	3	0.0246	3	0.0238	2	A	0.0026	3	0.0050	3	0.0047	2
B	0.0328	7	0.0417	8			B	0.0070	6	0.0089	7		
C	0.0308	6	0.0308	4			C	0.0085	7	0.0085	6		
D	0.0147	2	0.0218	2	0.0218	1	D	0.0021	2	0.0040	2	0.0040	1
E	0.0269	5	0.0319	6	0.0299	4	E	0.0061	5	0.0084	4	0.0075	3
F	0.0501	10	0.0309	5	0.0268	3	F	0.0136	10	0.0084	5	0.0077	4
G	0.0068	1	0.0208	1			G	0.0005	1	0.0027	1		
H	0.1077	13	0.1334	13			H	0.0455	13	0.0502	13		
I	0.0370	8	0.0406	7	0.0377	5	I	0.0098	8	0.0111	8	0.0102	5
J	0.1428	14	0.1442	14			J	0.0840	14	0.0622	14		
K	0.0210	4	0.0507	9	0.0709	6	K	0.0059	4	0.0241	12	0.0287	6
L	0.0654	12	0.0580	12			L	0.0203	12	0.0187	11		
M	0.0542	11	0.0542	11			M	0.0169	11	0.0169	10		
N	0.0478	9	0.0524	10			N	0.0112	9	0.0130	9		

Table 24: Summary of native performance for suppliers' implementations using proprietary, MIN:A and MIN:B templates on the DOS dataset. The values are false non-match rates at a false match rate of 0.01.






Table 25: Native, single-finger, DETs for vendor A on all four MINEX datasets.




Table 26: Native, two-finger, DETs for vendor A on all four MINEX datasets.




Table 27: Native, single-finger, DETs for vendor B on all four MINEX datasets.




Table 28: Native, two-finger, DEIs for vendor B on all four MINEX datasets.




Table 29: Native, single-finger, DETs for vendor C on all four MINEX datasets.




Table 30: Native, two-finger, DETs for vendor C on all four MINEX datasets.




Table 31: Native, single-finger, DETs for vendor D on all four MINEX datasets.




Table 32: Native, two-finger, DETs for vendor D on all four MINEX datasets.






Table 33: Native, single-finger, DETs for vendor E on all four MINEX datasets.




Table 34: Native, two-finger, DETs for vendor E on all four MINEX datasets.




Table 35: Native, single-finger, DETs for vendor F on all four MINEX datasets.




Table 36: Native, two-finger, DETs for vendor F on all four MINEX datasets.




Table 37: Native, single-finger, DETs for vendor G on all four MINEX datasets.




Table 38: Native, two-finger, DETs for vendor G on all four MINEX datasets.




Table 39: Native, single-finger, DETs for vendor H on all four MINEX datasets.




Table 40: Native, two-finger, DETs for vendor H on all four MINEX datasets.






Table 41: Native, single-finger, DETs for vendor I on all four MINEX datasets.




Table 42: Native, two-finger, DETs for vendor I on all four MINEX datasets.




Table 43: Native, single-finger, DETs for vendor J on all four MINEX datasets.




Table 44: Native, two-finger, DETs for vendor J on all four MINEX datasets.




Table 45: Native, single-finger, DETs for vendor K on all four MINEX datasets.




Table 46: Native, two-finger, DETs for vendor K on all four MINEX datasets.




Table 47: Native, single-finger, DETs for vendor L on all four MINEX datasets.




Table 48: Native, two-finger, DETs for vendor L on all four MINEX datasets.






Table 49: Native, single-finger, DETs for vendor M on all four MINEX datasets.




Table 50: Native, two-finger, DETs for vendor M on all four MINEX datasets.




Table 51: Native, single-finger, DETs for vendor N on all four MINEX datasets.




Table 52: Native, two-finger, DETs for vendor N on all four MINEX datasets.