



Federal Trade Commission

"TAR," NICOTINE, AND CARBON MONOXIDE
OF THE SMOKE OF 1262 VARIETIES
OF DOMESTIC CIGARETTES
FOR THE YEAR 1996

Issued 1999

**Report of "Tar," Nicotine, and Carbon Monoxide of the
Smoke of 1262 Varieties of Domestic Cigarettes
For the Year 1996**

This report contains data on the "tar," nicotine, and carbon monoxide yields of 1262 varieties of cigarettes manufactured and sold in the United States in 1996.¹

Limitations of the Cigarette Test Method

Cigarette ratings for "tar," nicotine and carbon monoxide are currently determined by machine testing conducted in accordance with a methodology adopted by the Commission in 1967. The "tar" and nicotine testing program was intended to provide smokers seeking to switch to lower "tar" cigarettes with a single, standardized measurement with which to choose among the then-existing brands.²

Over the past 30 years that the current system has been in place, there have been dramatic decreases in the machine-measured "tar" and nicotine yields of cigarettes. Since 1968, the average sales-weighted machine-measured "tar" yield has fallen from 21.6 mg. to 12.0 mg. Today, 70% of all cigarettes sold have machine-measured "tar" yields of 15 mg. or less.

Despite these substantial decreases in machine-measured yields, the Commission has been concerned for some time that the current test method may be misleading to individual consumers who

¹ This report is another in a series that the Federal Trade Commission (FTC) has prepared since 1967.

² When the test method was adopted, the public health community believed that "[t]he preponderance of scientific evidence strongly suggests that the lower the "tar" and nicotine content of cigarette smoke, the less harmful would be the effect." U.S. Dep't of Health and Human Services, *The Health Consequences of Smoking: The Changing Cigarette* 1 (1981) (quoting 1966 Public Health Service statement).

rely on the ratings it produces as indicators of how much "tar" and nicotine they actually get from their cigarettes. In fact, the current ratings tend to be relatively poor predictors of "tar" and nicotine exposure. This appears to be due primarily to compensation -- the tendency of smokers of lower rated cigarettes to take bigger or more frequent puffs, or otherwise alter their smoking behavior to get the amount of nicotine they need. Such variations in the way people smoke can have significant effects on the amount of "tar," nicotine, and carbon monoxide they get from any particular cigarette. The Commission is concerned that smokers may incorrectly believe, for example, that they will get three times as much "tar" from a 15 mg. "tar" cigarette as from a 5 mg. "tar" cigarette. In fact, if compensation is sufficiently great, it is possible for smokers to get as much "tar" and nicotine from relatively low rated cigarettes as from higher rated ones. Although these limitations have been present in the system since its initiation in 1967, they have become of substantial concern more recently because of changes in modern cigarette design and a better understanding of the effects of compensatory smoking behavior.

Some public health agencies have also expressed concerns that new studies may question the basic assumption underlying cigarette testing -- that cigarettes with lower machine-measured "tar" and nicotine ratings are less harmful than ones with higher ratings. For example, in 1997, the National Cancer Institute issued a monograph noting that the apparent mortality risk among current smokers has risen in the last forty to fifty years, even though machine-measured "tar" and nicotine yields have fallen during the same period.³ In attempting to understand this fact, the monograph suggested that the

³ *Smoking and Tobacco Control Monograph 8: Changes in Cigarette-Related Disease Risk*
(continued...)

increased mortality risk might be due to increases in current smokers' lifetime exposure to cigarette smoke or that the reduced "tar" levels of modern cigarettes may have less benefit than previously believed. In addition, a number of studies have also found that changes in smoking behavior and cigarette design appear to have resulted in an increase in a type of cancer that occurs deeper in the lung than the lung cancer traditionally associated with smoking.⁴

In light of these concerns, in 1998 the Commission requested that the Department of Health and Human Services ("HHS") conduct a complete review of the FTC's cigarette testing methodology.⁵ This review will be completed in September 2000.

While that review is underway, the Commission believes that all smokers should know the following facts:

- ⌚ "Tar" and nicotine ratings were never intended to reflect what any individual consumer would get from any particular cigarette;

³(...continued)

and Their Implications for Prevention and Control, National Institutes of Health, National Cancer Institute (1997).

⁴ See Thun, M.J., et al., "Cigarette Smoking and Changes in the Histopathology of Lung Cancer," 89 *J. of the Nat'l Cancer Inst.* 1580 (1997); Ernster, V.L., "The Epidemiology of Lung Cancer in Women," 4 *Annals of Epidemiology* 102 (1994); Levi, F.S., et al., "Lung Carcinoma Trends by Histologic Type in Vaud and Neuchatel, Switzerland, 1974-1994," 79 *Cancer* 906 (1997).

⁵ Among other things, HHS's review is designed to reconcile the findings of recent studies suggesting that cigarettes with lower "tar" ratings may not be less harmful with the findings of other studies suggesting that there may be some risk reduction from the use of lower "tar" cigarettes. See Parish, H., et al., "Cigarette smoking, tar yields, and non-fatal myocardial infarction: 14,000 cases and 32,000 controls in the UK," 311 *Brit. Med. J.*, 471 (1995); Tang, J., et al., "Mortality in relation to tar yield of cigarettes: a prospective study of four cohorts," 311 *Brit. Med. J.* 1530 (1995).

- How much "tar" and nicotine an individual gets from a cigarette depends on how he or she smokes it – smokers of cigarette brands with lower "tar" and nicotine ratings who take larger or more frequent puffs may get as much "tar" and nicotine as smokers of higher rated brands;
- Many cigarettes have ventilation holes that, when blocked, substantially increase exposure to the harmful constituents in smoke;
- There is no such thing as a safe smoke, no matter what the "tar" and nicotine ratings are; and
- People who are concerned about the health effects of smoking should quit.

The Commission also believes it is vital that there be a mechanism for implementing the recommended changes once the HHS review is completed. Although the Commission brings a strong, market-based expertise to its scrutiny of consumer protection matters, it does not have the specialized scientific expertise needed to design scientific test procedures. Indeed, when evaluating medical or other scientific issues, the Commission often relies on other government agencies and outside experts with more knowledge in the relevant areas. Therefore, in its July 1999 "Report to Congress for 1997, Pursuant to the Cigarette Labeling and Advertising Act," the Commission recommended that Congress consider giving authority over cigarette testing to one of the Federal government's science-based, public health agencies.

The Source of the Data in This Report

The FTC obtained the test results published in this report from the five largest cigarette manufacturers in the United States. These companies are: Brown & Williamson Tobacco Corporation; Liggett Group, Inc.; Lorillard, Inc.; Philip Morris, Inc.; and R.J. Reynolds Tobacco Company, Inc.

The Tobacco Institute Testing Laboratory (TITL), a private laboratory operated by the cigarette industry, conducted much of the "tar," nicotine, and carbon monoxide testing for these varieties.⁶ The Commission collected the results of the TITL testing directly from the individual companies under compulsory process. Generic, private label, and other brands not widely available were not tested by TITL. The Commission obtained the information on these other brands directly from the manufacturers, pursuant to compulsory process. Results of such non-TITL testing are indicated by asterisks. The methodology, processes, and procedures that the five cigarette companies and TITL employ are identical to those the Commission, in its own testing lab, had followed in the past.⁷ Harold Pillsbury, the former director of the FTC laboratory and currently a contractor to the Commission, had unrestricted access to the TITL laboratory to review TITL's testing methodology and protocols and to monitor the actual testing process. TITL provided the results to the respective cigarette companies, which then provided TITL's data regarding their own brands to the Commission in response to compulsory process.

⁶ In early 1999, the Tobacco Institute was disbanded pursuant to the multi-state tobacco settlement. The Tobacco Institute Testing Laboratory's facilities have continued operation under the name Tobacco Industry Testing Laboratory.

⁷ The Commission decided in early 1987 to close its laboratory. The Commission found that closing the laboratory was necessary for several reasons: chiefly, the cost of the laboratory was significant, and the Commission would have had to commit significant additional funds to continue the program. The Commission was also persuaded that the information could be obtained from other sources, and other means were available to verify the accuracy of industry testing results.

A Description of the Cigarette Test Method

The cigarettes were tested using the Cambridge Method. The Commission approved this methodology, and it has been the standard for cigarette testing since 1966. The testing was conducted under conditions originally prescribed by the Commission in 1967, 32 Fed. Reg. 11,187 (1967), as modified by the Commission's 1980 adoption of procedures for measuring carbon monoxide yields.⁸

The conditions prescribed in the FTC's 1967 announcement were:

1. Smoke cigarettes to a 23mm. butt length, or to the length of the filter and overwrap plus 3mm. if in excess of 23mm.;
2. Base results on a test of 100 cigarettes per brand, or type;
3. Cigarettes to be tested will be selected on a random basis, as opposed to "weight selection";
4. Determine particulate matter on a "dry" basis employing the gas chromatography method published by C.H. Sloan and B.J. Sublett in Tobacco Science 9, page 70,

⁸ On April 13, 1983, the Commission announced it had determined that its testing methodology understated the measured deliveries for Brown & Williamson's Barclay cigarettes. Therefore, Barclay cigarettes were removed from the Commission's reports for "tar," nicotine, and carbon monoxide until a new, accurate methodology could be tested and adopted. The Commission found that there was also a significant likelihood that the same problem existed with two other Brown & Williamson varieties -- Kool Ultra and Kool Ultra 100's.

On July 25, 1986, the Commission informed Brown & Williamson that as a result of a review of data presented by Brown & Williamson regarding "tar" and nicotine rating for two varieties of Barclay cigarettes with a new filter, the Commission would authorize, under certain conditions, the following legends for advertising purposes:

1. For Barclay King size:
3 mg. "tar," .2 mg. nicotine avg. per cigarette as authorized by FTC.
2. For Barclay 100's:
5 mg. "tar," .4 mg. nicotine avg. per cigarette as authorized by FTC.

1965, as modified by F.J. Schultz' and A.W. Spears' report published in Tobacco Vol. 162, No. 24, page 32, dated June 17, 1966, to determine the moisture content;

5. Determine and report the "tar" yield after subtracting moisture and alkaloids (as nicotine) from particulate matter;
6. Report "tar" yield to the nearest whole milligram and nicotine yield to the nearest 1/10 milligram.⁹

TITL reported, and the FTC's contractor confirmed, that an independent company under contract to TITL obtained the tested cigarette samples. Under its contract, this company purchased two packages of every variety of cigarettes in 50 geographical locations throughout the United States. If not all varieties were available in every location, one or more additional packages of cigarettes were purchased in the areas where the respective varieties were available. Cigarettes used in the test represented cigarettes sold in the U.S. at the time of purchase in 1996.

"Tar" and carbon monoxide ratings are rounded to the nearest milligram (mg.); those with 0.5 mg. or greater are rounded up, while those with 0.4 mg. or less are rounded down. The nicotine figures are

⁹ The Commission's 1980 announcement, 45 Fed. Reg. 46,483 (1980), adopted a new testing methodology to determine cigarettes' carbon monoxide (CO) yields, and modified the existing specifications for determining nicotine yields:

1. Determine CO concentration using a 20-port smoking machine described by H.C. Pillsbury and G. Merfeld at the 32nd Tobacco Chemists Research Conference, October 1978;
2. The concentration of CO will be reported as milligrams per cigarette;
3. The present method for "tar" and nicotine determination will be modified to use the method described in an article entitled, "Gas Chromatographic Determination of Nicotine Contained on Cambridge Filter Pads," by John R. Wagner, et al., as presented at the annual meeting of the Association of Official Analytical Chemists, October 1978.

rounded to the nearest tenth of a milligram. Those with 0.05 mg. or greater are rounded up; those with 0.04 mg. or less are rounded down.

Cigarette varieties with assay results for "tar" or carbon monoxide below 0.5 mg. per cigarette and for nicotine below 0.05 mg. are recorded in the table as <0.5, and <0.05, respectively. The table does not differentiate, nor are actual ratings provided for these cigarettes, because the currently approved testing methodology is not sufficiently sensitive to report these components at lower levels.

Table 1 of this report displays the average "tar" and nicotine values, calculated on a sales-weighted basis, from 1968 through 1996.¹⁰

¹⁰ Several issues should be noted with regard to the collection and tabulation of the data in Table 1. First, the underlying "tar" and nicotine ratings were obtained using smoking machine parameters (puff frequency, puff volume, etc.) that have not changed since they were first adopted in 1967. Although this consistency allows for comparison of the data over time, it also means that the test has not been modified to reflect possible changes in the way people smoke. For example, research indicates that smokers of lower rated cigarettes may tend to smoke them more intensively than they smoke cigarettes with higher ratings. Thus, while Table 1 suggests a decline in average "tar" and nicotine yields of cigarettes, this might not correspond to a similar reduction in "tar" and nicotine ingestion by smokers.

Second, the source of the data in Table 1 has changed over time. From 1967 through 1985, the Commission's laboratory provided practically all of the "tar" and nicotine ratings reported by the Commission. As noted supra, the Commission decided in 1987 to close its cigarette testing laboratory. Since then, the Tobacco Institute Testing Laboratory has continued to test most branded cigarettes; the companies report the results to the Commission pursuant to compulsory process and the Commission publishes the results. The companies test their own generic and private label cigarettes -- which today represent a significant part of the overall cigarette market -- brands not widely available, and new brands. While the companies are required to follow the FTC method for testing their cigarettes, staff does not directly monitor the company tests (as it does the TITL tests).

Third, although the Commission did not publish "tar" and nicotine reports during some of the years covered by Table 1, reliable data for those years are still available. Beginning with cigarettes sold in calendar year 1985, the Commission required the major cigarette companies to report annually the "tar", nicotine, and carbon monoxide ratings of all cigarettes they sold in the United States. These data

(continued...)

TABLE 1
SALES WEIGHTED "TAR" AND NICOTINE YIELDS
1968-1996

<u>YEAR</u>	<u>"TAR"</u> (mg.)	<u>NICOTINE</u> (mg.)
1968	21.6	1.35
1969	20.7	1.38
1970	20.0	1.31
1971	20.2	1.32
1972	19.9	1.39
1973	19.3	1.32
1974	18.4	1.24
1975	18.6	1.21
1976	18.1	1.16
1977	16.8	1.12
1978	16.1	1.11
1979	15.1	1.07
1980	14.1	1.04
1981	13.2	0.92
1982	13.5	0.89
1983	13.4	0.88
1984	13.0	0.89
1985	13.0	0.95
1986	13.4	0.93
1987	13.3	0.94
1988	13.3	0.94
1989	13.1	0.96
1990	12.5	0.93
1991	12.6	0.94
1992	12.4	0.92
1993	12.4	0.90
1994	12.1	0.90
1995	12.0	0.87
1996	12.0	0.88

¹⁰(...continued)

were incorporated as needed into the database that was used to compute the sales-weighted "tar" and nicotine figures in Table 1.

Finally, when the FTC created its computerized database for "tar" and nicotine figures in 1982, various problems resulted in missing observations for between four and eight percent of the data for the years 1982 through 1984. Although these missing observations do not appear to generate systemic biases in the data, they suggest that the data in Table 1 may be more useful for gauging long term trends than for evaluating changes over very short time spans.

TABLE 2
VARIETIES WITH THE LOWEST "TAR" YIELD

Brand Name	Description					Tar	Nic	CO			
Carlton	King	F	HP	Ultra-Lt			<.5	<.05	<.5		
Now	100	F	HP				<.5	<.05	<.5		
Now	King	F	HP				<.5	<.05	<.5		
Carlton	100	F	HP	Lt				1	0.1	1	
Bristol	King	F	SP	Lowest			1	0.1	1		
Carlton	100	F	HP	Lt	Menthol				1	0.1	1
Carlton	King	F	SP	Lt				1	0.1	1	
Carlton	King	F	SP	Lt	Menthol				1	0.1	2
Now	King	F	SP	Menthol			1	0.1	2		
Now	King	F	SP				1	0.1	2		
Carlton	King	F	HP	Lt				1	0.1	2	
Merit	King	F	SP	Ultima			1	0.1	3		
Merit	King	F	HP	Ultima			1	0.1	3		
Cambridge	King	F	SP	Lowest			1	0.2	2		

NOTE: F - Filter, HP - Hard Pack, SP - Soft Pack, Lt - Light

TABLE 3
VARIETIES WITH THE HIGHEST "TAR" YIELD

Brand Name	Description				Tar	Nic	CO	
Basic	King	NF	SP		27	1.8	15	
Commander	King	NF	SP		27	1.7	15	
Bristol	King	NF	SP		26	1.7	15	
English Ovals	King	NF	HP		25	2.0	15	
Old Gold	King	NF	SP	Straight	25	1.7	18	
Lucky Strike	King	NF	SP		25	1.6	17	
Class A Dlx*	King	NF	SP	FF	25	1.5	17	
Gen/Private Label*	King	NF	SP	FF	25	1.5	17	
Tareyton, Herbert	King	NF	SP		25	1.5	17	
Class A*	King	NF	SP	FF	25	1.5	17	
Camel	Reg	NF	SP		24	1.7	16	
Players	Reg	NF	HP		24	1.7	14	
Shield*	King	NF	SP		Generic	24	1.6	NA
Premium Buy*	King	NF	SP		Generic	24	1.6	NA
Top Choice*	King	NF	SP		Generic	24	1.6	NA
Best Buy*	King	NF	SP		Generic	24	1.6	NA
Genco*	King	NF	SP		Generic	24	1.6	NA
Gridlock*	King	NF	SP		Generic	24	1.6	NA
Shenandoah*	King	NF	SP		Generic	24	1.6	NA
All American Value*	King	NF	SP		24	1.6	NA	
Bronson*	King	NF	SP		Generic	24	1.6	NA
Generals*	King	NF	SP		Generic	24	1.6	NA
Pall Mall*	Reg	NF	SP		24	1.4	16	
Pall Mall	King	NF	SP		24	1.4	16	
Chesterfield	King	NF	SP	FF	24	1.3	18	
Pyramid	King	NF	SP	FF	24	1.3	18	

NOTE: NF - Non-Filter, HP - Hard Pack, SP - Soft Pack, FF - Full Flavor

* indicates brand tested by the manufacturer rather than by TITL.

"Tar," Nicotine & Carbon Monoxide Report

Page 1

Brand Name	Description					Tar	Nic	CO			
All American Value*	100	F	SP	FF			16	1.0	NA		
All American Value*	100	F	SP	Lt			11	0.7	NA		
All American Value*	100	F	SP	Lt	Menthol		11	0.8	NA		
All American Value*	100	F	SP	Ultra-Lt			6	0.5	NA		
All American Value*	King	F	SP	FF			16	1.0	NA		
All American Value*	King	F	SP	Lt			11	0.7	NA		
All American Value*	King	F	SP	Lt	Menthol		11	0.7	NA		
All American Value*	King	F	SP	Ultra-Lt			6	0.5	NA		
All American Value*	King	NF	SP				24	1.6	NA		
Alpine	100	F	SP	Menthol			16	1.1	14		
Alpine	King	F	HP	Menthol			16	1.0	15		
Alpine	King	F	SP	Menthol			16	1.1	15		
Alpine Lights	100	F	SP	Lt	Menthol		9	0.7	11		
Alpine Lights	King	F	HP	Lt	Menthol		9	0.7	10		
Alpine Lights	King	F	SP	Lt	Menthol		9	0.7	10		
American Filters	100	F	SP	FF			16	1.2	15		
American Filters	King	F	SP	FF			17	1.2	15		
American Filters*	King	F	HP	FF			NA	NA	NA		
American Lights	100	F	SP	Lt				12	1.0	13	
American Lights	King	F	SP	Lt				11	0.9	12	
American Lights*	King	F	HP	Lt				NA	NA	NA	
Austin*	100	F	SP	FF			13	0.8	17		
Austin*	100	F	SP	FF	Menthol		13	0.8	17		
Austin*	100	F	SP	Lt			9	0.6	12		
Austin*	100	F	SP	Lt	Menthol		9	0.6	11		
Austin*	100	F	SP	Ultra-Lt			4	0.3	8		
Austin*	King	F	HP	FF			14	0.8	15		
Austin*	King	F	HP	Lt			10	0.6	12		
Austin*	King	F	SP	FF			14	0.8	16		
Austin*	King	F	SP	FF	Menthol		14	0.8	16		
Austin*	King	F	SP	Lt			9	0.6	12		
Austin*	King	F	SP	Lt	Menthol		9	0.6	12		
Austin*	King	F	SP	Ultra-Lt			4	0.3	6		
Austin*	King	NF	SP				21	1.1	17		
Barclay*	100	F	SP				5	0.4	4		
Barclay*	King	F	HP				3	0.2	2		
Barclay*	King	F	SP				3	0.2	2		
Bargain Buy*	100	F	SP	FF			13	0.8	17		
Bargain Buy*	100	F	SP	FF	Menthol		13	0.8	17		
Bargain Buy*	100	F	SP	Lt			9	0.6	12		
Bargain Buy*	100	F	SP	Lt	Menthol		9	0.6	11		

"Tar," Nicotine & Carbon Monoxide Report

Page 2

Brand Name	Description					Tar	Nic	CO				
Bargain Buy*	100	F	SP	Ultra-Lt			4	0.3	8			
Bargain Buy*	King	F	SP	FF			14	0.8	16			
Bargain Buy*	King	F	SP	FF	Menthol		14	0.8	16			
Bargain Buy*	King	F	SP	Lt			9	0.6	12			
Bargain Buy*	King	F	SP	Lt	Menthol		9	0.6	12			
Bargain Buy*	King	F	SP	Ultra-Lt			4	0.3	6			
Bargain Buy*	King	NF	SP					21	1.1	17		
Basic	100	F	SP					16	1.0	18		
Basic	100	F	SP	FF	Menthol		15	1.0	17			
Basic	100	F	SP	Lt			10	0.7	14			
Basic	100	F	SP	Lt	Menthol		10	0.7	14			
Basic	100	F	SP	Ultra-Lt			5	0.4	8			
Basic	King	F	SP					16	1.0	16		
Basic	King	F	SP	FF	Menthol		16	1.0	15			
Basic	King	F	SP	Lt			10	0.7	13			
Basic	King	F	SP	Lt	Menthol		10	0.7	13			
Basic	King	F	SP	Ultra-Lt			6	0.5	8			
Basic	King	NF	SP					27	1.8	15		
Basic*	King	F	HP					16	1.0	NA		
Basic*	King	F	HP	Menthol			16	1.0	NA			
Basic*	King	F	HP	Lt				11	0.7	NA		
Beacon*	100	F	SP	FF				13	0.8	17		
Beacon*	100	F	SP	FF	Menthol		13	0.8	17			
Beacon*	100	F	SP	Lt			9	0.6	12			
Beacon*	100	F	SP	Lt	Menthol		9	0.6	11			
Beacon*	100	F	SP	Ultra			4	0.3	8			
Beacon*	King	F	SP	FF				14	0.8	16		
Beacon*	King	F	SP	FF	Menthol			14	0.8	16		
Beacon*	King	F	SP	Lt			9	0.6	12			
Beacon*	King	F	SP	Lt	Menthol		9	0.6	12			
Beacon*	King	F	SP	Ultra			4	0.3	6			
Beacon*	King	NF	SP					21	1.1	17		
Bee	King	F	HP					16	1.2	14		
Bee	King	F	HP	Lt				10	0.8	11		
Belair	100	F	SP	Menthol			9	0.8	9			
Belair	King	F	SP	Menthol			9	0.8	9			
Benson & Hedges	100	F	HP					15	1.1	15		
Benson & Hedges	100	F	HP	Menthol			16	1.2	15			
Benson & Hedges	100	F	HP	Lt				10	0.8	11		
Benson & Hedges	100	F	HP	Lt	Menthol		10	0.8	10			
Benson & Hedges	100	F	HP	Ultra-Lt			Dlx	5	0.5	7		

"Tar," Nicotine & Carbon Monoxide Report

Page 3

Brand Name	Description						Tar	Nic	CO
Benson & Hedges	100	F	HP	Ultra-Lt	Menthol	Dlx	5	0.5	6
Benson & Hedges	100	F	SP				16	1.2	15
Benson & Hedges	100	F	SP		Menthol		15	1.1	15
Benson & Hedges	100	F	SP	Lt			10	0.8	12
Benson & Hedges	100	F	SP	Lt	Menthol		10	0.8	12
Benson & Hedges	King	F	HP				15	1.1	13
Benson & Hedges	King	F	SP		M-Filter		10	0.8	10
Best Buy*	100	F	SP	FF		Generic	16	1.0	NA
Best Buy*	100	F	SP	FF	Menthol	Generic	16	1.0	NA
Best Buy*	100	F	SP	Lt		Generic	11	0.7	NA
Best Buy*	100	F	SP	Lt	Menthol	Generic	11	0.8	NA
Best Buy*	100	F	SP	Ultra-Lt		Generic	6	0.5	NA
Best Buy*	King	F	SP	FF		Generic	16	1.0	NA
Best Buy*	King	F	SP	FF	Menthol	Generic	16	1.0	NA
Best Buy*	King	F	SP	Lt		Generic	11	0.7	NA
Best Buy*	King	F	SP	Lt	Menthol	Generic	11	0.7	NA
Best Buy*	King	F	SP	Ultra-Lt		Generic	6	0.5	NA
Best Buy*	King	NF	SP			Generic	24	1.6	NA
Best Buy*	King	F	HP	FF		Generic	16	1.0	NA
Best Choice*	100	F	SP	FF			13	0.8	17
Best Choice*	100	F	SP	FF	Menthol		13	0.8	17
Best Choice*	100	F	SP	Lt			9	0.6	12
Best Choice*	100	F	SP	Lt	Menthol		9	0.6	11
Best Choice*	100	F	SP	Ultra-Lt			4	0.3	8
Best Choice*	King	F	HP	FF			14	0.8	15
Best Choice*	King	F	HP	Lt			10	0.6	12
Best Choice*	King	F	SP	FF			14	0.8	16
Best Choice*	King	F	SP	FF	Menthol		14	0.8	16
Best Choice*	King	F	SP	Lt			9	0.6	12
Best Choice*	King	F	SP	Lt	Menthol		9	0.6	12
Best Choice*	King	F	SP	Ultra-Lt			4	0.3	6
Best Choice*	King	NF	SP				21	1.1	17
Best Value	100	F	SP	FF			13	0.8	17
Best Value	100	F	SP	FF	Menthol		13	0.8	17
Best Value	100	F	SP	Lt			9	0.6	12
Best Value	100	F	SP	Lt	Menthol		9	0.6	11
Best Value	100	F	SP	Ultra-Lt			4	0.3	8
Best Value	King	F	SP	FF			14	0.8	16
Best Value	King	F	SP	FF	Menthol		14	0.8	16
Best Value	King	F	SP	Lt			9	0.6	12
Best Value	King	F	SP	Lt	Menthol		9	0.6	12

"Tar," Nicotine & Carbon Monoxide Report

Page 4

Brand Name	Description						Tar	Nic	CO
Best Value	King	F	SP	Ultra-Lt			4	0.3	6
Best Value	King	NF	SP				21	1.1	17
Big Money*	100	F	SP	Lt	Menthol	Generic	11	0.8	NA
Bonus Value*	100	F	SP	FF			13	0.8	17
Bonus Value*	100	F	SP	FF	Menthol		13	0.8	17
Bonus Value*	100	F	SP	Lt			9	0.6	12
Bonus Value*	100	F	SP	Lt	Menthol		9	0.6	11
Bonus Value*	100	F	SP	Ultra			4	0.3	8
Bonus Value*	King	F	HP	FF			14	0.8	15
Bonus Value*	King	F	HP	Lt			10	0.6	12
Bonus Value*	King	F	SP	FF			14	0.8	16
Bonus Value*	King	F	SP	FF	Menthol		14	0.8	16
Bonus Value*	King	F	SP	Lt			9	0.6	12
Bonus Value*	King	F	SP	Lt	Menthol		9	0.6	12
Bonus Value*	King	F	SP	Ultra			4	0.3	6
Bonus Value*	King	NF	SP				21	1.1	17
Brandon*	100	F	SP	FF			13	0.8	17
Brandon*	100	F	SP	FF	Menthol		13	0.8	17
Brandon*	100	F	SP	Lt			9	0.6	12
Brandon*	100	F	SP	Lt	Menthol		9	0.6	11
Brandon*	100	F	SP	Ultra-Lt			4	0.3	8
Brandon*	King	F	HP	FF			14	0.8	15
Brandon*	King	F	HP	Lt			10	0.6	12
Brandon*	King	F	SP	FF			14	0.8	16
Brandon*	King	F	SP	FF	Menthol		14	0.8	16
Brandon*	King	F	SP	Lt			9	0.6	12
Brandon*	King	F	SP	Lt	Menthol		9	0.6	12
Brandon*	King	F	SP	Ultra-Lt			4	0.3	6
Brentwood*	100	F	SP	FF			13	0.8	17
Brentwood*	100	F	SP	FF	Menthol		13	0.8	17
Brentwood*	100	F	SP	Lt			9	0.6	12
Brentwood*	100	F	SP	Lt	Menthol		9	0.6	11
Brentwood*	100	F	SP	Ultra-Lt			4	0.3	8
Brentwood*	King	F	SP	FF			14	0.8	16
Brentwood*	King	F	SP	FF	Menthol		14	0.8	16
Brentwood*	King	F	SP	Lt			9	0.6	12
Brentwood*	King	F	SP	Lt	Menthol		9	0.6	12
Brentwood*	King	F	SP	Ultra-Lt			4	0.3	6
Bristol	100	F	SP				15	1.0	17
Bristol	100	F	SP	Lowest			2	0.2	3
Bristol	100	F	SP	Lt			10	0.8	13

"Tar," Nicotine & Carbon Monoxide Report

Page 5

Brand Name	Description					Tar	Nic	CO	
Bristol	100	F	SP	Lt	Menthol	10	0.7	13	
Bristol	100	F	SP	Ultra-Lt		5	0.5	8	
Bristol	King	F	SP			16	1.0	16	
Bristol	King	F	SP	Lowest		1	0.1	1	
Bristol	King	F	SP	Lt		10	0.7	12	
Bristol	King	F	SP	Lt	Menthol	10	0.7	12	
Bristol	King	NF	SP			26	1.7	15	
Bronson*	100	F	SP	FF	Generic	16	1.0	NA	
Bronson*	100	F	SP	FF	Menthol	Generic	16	1.0	NA
Bronson*	100	F	SP	Lt	Generic	11	0.7	NA	
Bronson*	100	F	SP	Lt	Menthol	Generic	11	0.8	NA
Bronson*	100	F	SP	Ultra-Lt		Generic	6	0.5	NA
Bronson*	King	F	SP	FF	Generic	16	1.0	NA	
Bronson*	King	F	SP	FF	Menthol	Generic	16	1.0	NA
Bronson*	King	F	SP	Lt	Generic	11	0.7	NA	
Bronson*	King	F	SP	Lt	Menthol	Generic	11	0.7	NA
Bronson*	King	F	SP	Ultra-Lt		Generic	6	0.5	NA
Bronson*	King	NF	SP		Generic	24	1.6	NA	
Bucks	King	F	SP			14	1.0	12	
Bucks	King	F	SP	Lt		10	0.8	12	
Cambridge	100	F	SP	FF		15	1.0	18	
Cambridge	100	F	SP	Lowest		2	0.2	3	
Cambridge	100	F	SP	Lt		10	0.7	14	
Cambridge	100	F	SP	Lt	Menthol	10	0.7	13	
Cambridge	100	F	SP	Ultra-Lt		5	0.4	8	
Cambridge	King	F	SP	FF		16	0.9	16	
Cambridge	King	F	SP	Lowest		1	0.2	2	
Cambridge	King	F	SP	Lt		10	0.7	13	
Cambridge	King	F	SP	Lt	Menthol	10	0.7	12	
Camel	100	F	HP			16	1.1	18	
Camel	100	F	HP	Lt		9	0.8	11	
Camel	100	F	HP	Lt	Special	10	0.9	11	
Camel	100	F	HP	Ultra-Lt		5	0.5	7	
Camel	100	F	SP			16	1.2	18	
Camel	100	F	SP	Lt		10	0.8	14	
Camel	King	F	HP			17	1.1	17	
Camel	King	F	HP		Wides	17	1.2	19	
Camel	King	F	HP	Lt		11	0.9	12	
Camel	King	F	HP	Lt	Special	10	0.8	11	
Camel	King	F	HP	Lt	Wides	11	0.9	12	
Camel	King	F	HP	Ultra-Lt		5	0.5	8	

"Tar," Nicotine & Carbon Monoxide Report

Page 6

Brand Name	Description					Tar	Nic	CO		
Camel	King	F	SP			17	1.2	19		
Camel	King	F	SP	Lt		11	0.9	12		
Camel	King	F	SP	Lt	Special		11	0.9		
Camel	King	F	SP	Ultra-Lt			5	0.5		
Camel	Reg	NF	SP			24	1.7	16		
Camel*	King	F	HP	Lt	Menthol		10	0.7		
Camel*	King	F	HP	Menthol			17	1.1		
Canadian Players*	Reg	F	HP	Medium			13	1.2		
Canadian Players*	Reg	F	HP	Lt	Smooth		13	1.2		
Canadian Players*	Reg	F	HP	Lt				13		
Canadian Players*	Reg	F	HP	Extra-Lt			9	1.1		
Canadian Players*	King	F	HP	Extra-Lt			12	1.4		
Canadian Players*	King	F	HP	Lt				14		
Canadian Players*	King	F	HP	Lt	Smooth		13	1.3		
Canadian Players*	Reg	F	HP				15	1.5		
Capri	100	F	HP	Ultra-Lt	Menthol	5	0.5	4		
Capri	120	F	HP	Lt	Menthol	Sup-Slim	12	0.9		
Capri	120	F	HP				13	1.1		
Capri	100	F	HP	Ultra-Lt			5	0.5		
Capri	100	F	HP	Lt	Sup-Slim		9	0.8		
Capri	100	F	HP	Lt	Menthol	Sup-Slim	9	0.7		
Cardinal*	King	NF	SP				21	1.1		
Cardinal*	King	F	SP	Ultra-Lt			4	0.3		
Cardinal*	King	F	SP	Lt	Menthol					
Cardinal*	King	F	SP	Lt				9		
Cardinal*	100	F	SP	FF				13		
Cardinal*	100	F	SP	FF	Menthol					
Cardinal*	100	F	SP	Lt				9		
Cardinal*	100	F	SP	Lt	Menthol					
Cardinal*	100	F	SP	Ultra			4	0.6		
Cardinal*	100	F	HP	FF				14		
Cardinal*	King	F	HP	Lt				10		
Cardinal*	King	F	HP	Lt				14		
Carlton	King	F	SP	FF				14		
Carlton	King	F	SP	Lt	Menthol					
Carlton	King	F	SP	Lt				1		
Carlton	King	F	HP	Ultra-Lt			<.5	<.05		
Carlton	King	F	HP	Lt				1		
Carlton	100	F	HP	Lt				1		
Carlton	100	F	HP	Lt	Menthol					
Carlton	100	F	SP	Lt				2		

"Tar," Nicotine & Carbon Monoxide Report

Page 7

Brand Name	Description					Tar	Nic	CO
Carlton	100	F	SP	Lt	Menthol	2	0.2	2
Carlton	120	F	SP	Lt		5	0.5	4
Carlton	120	F	SP	Lt	Menthol	5	0.5	4
Carlton*	King	F	HP		Menthol	5	0.5	6
Carolina Gold	King	F	SP			16	1.2	15
Carolina Gold	King	F	SP		Menthol	17	1.3	17
Carolina Gold	King	F	SP	Lt		11	0.9	13
Cavalier*	King	NF	SP			21	1.1	17
Cavalier*	King	F	SP	Ultra-Lt		4	0.3	6
Cavalier*	King	F	SP	Lt	Menthol	9	0.6	12
Cavalier*	King	F	SP	Lt		9	0.6	12
Cavalier*	100	F	SP	FF		13	0.8	17
Cavalier*	100	F	SP	FF	Menthol	13	0.8	17
Cavalier*	100	F	SP	Lt		9	0.6	12
Cavalier*	100	F	SP	Lt	Menthol	9	0.6	11
Cavalier*	100	F	SP	Ultra-Lt		4	0.3	8
Cavalier*	King	F	SP	FF		14	0.8	16
Cavalier*	King	F	SP	FF	Menthol	14	0.8	16
Century	King	F	SP	Lt		25-pk	8	0.5
Century	King	F	SP			25-pk	13	0.7
Century	100	F	SP	Lt	Menthol	25-pk	9	0.6
Century	100	F	SP	Lt		25-pk	9	0.6
Century	100	F	SP			25-pk	14	0.8
Charter*	King	F	SP	Ultra-Lt			4	0.3
Charter*	King	F	SP	Lt	Menthol		9	0.6
Charter*	King	F	SP	Lt			9	0.6
Charter*	King	F	SP	FF			14	0.8
Charter*	100	F	SP	FF			13	0.8
Charter*	100	F	SP	Lt			9	0.6
Charter*	100	F	SP	Lt	Menthol		9	0.6
Charter*	100	F	SP	Ultra-Lt			4	0.3
Charter*	King	F	HP	FF			14	0.8
Charter*	King	F	HP	Lt			10	0.6
Chesterfield	Reg	NF	SP	FF			19	1.1
Chesterfield	King	NF	SP	FF			24	1.3
Chesterfield	King	F	SP	Lt			11	1.1
Chesterfield*	King	F	SP	FF			17	1.4
Chesterfield*	100	F	SP	Lt			11	1.1
Chesterfield*	100	F	SP	Lt			11	1.1
Chesterfield*	King	F	SP	Lt			11	1.1
Cimarron*	King	NF	SP				21	1.1

"Tar," Nicotine & Carbon Monoxide Report

Page 8

Brand Name	Description					Tar	Nic	CO				
Cimarron*	King	F	SP	Ultra			4	0.3	6			
Cimarron*	King	F	SP	Lt	Menthol		9	0.6	12			
Cimarron*	King	F	SP	Lt				9	0.6	12		
Cimarron*	100	F	SP	FF				13	0.8	17		
Cimarron*	100	F	SP	FF	Menthol				13	0.8	17	
Cimarron*	100	F	SP	Lt				9	0.6	12		
Cimarron*	100	F	SP	Lt	Menthol				9	0.6	11	
Cimarron*	100	F	SP	Ultra					4	0.3	8	
Cimarron*	King	F	HP	FF				14	0.8	15		
Cimarron*	King	F	HP	Lt				10	0.6	12		
Cimarron*	King	F	SP	FF				14	0.8	16		
Cimarron*	King	F	SP	FF	Menthol				14	0.8	16	
Citation*	King	NF	SP				21	1.1	17			
Citation*	King	F	SP	Ultra					4	0.3	6	
Citation*	King	F	SP	Lt	Menthol				9	0.6	12	
Citation*	King	F	SP	Lt				9	0.6	12		
Citation*	100	F	SP	FF				13	0.8	17		
Citation*	100	F	SP	FF	Menthol				13	0.8	17	
Citation*	100	F	SP	Lt				9	0.6	12		
Citation*	100	F	SP	Lt	Menthol				9	0.6	11	
Citation*	100	F	SP	Ultra					4	0.3	8	
Citation*	King	F	SP	FF				14	0.8	16		
Citation*	King	F	SP	FF	Menthol				14	0.8	16	
City*	100	F	HP	Lt				11	0.9	13		
City*	100	F	HP				16	1.3	16			
Class A Dlx*	King	NF	SP	FF				25	1.5	17		
Class A Dlx*	King	F	SP	Ultra-Lt					5	0.4	6	
Class A Dlx*	King	F	SP	Lt	Menthol				11	0.7	14	
Class A Dlx*	King	F	SP	Lt				11	0.7	14		
Class A*	100	F	SP	FF				16	0.9	23		
Class A*	100	F	SP	FF	Menthol				16	0.9	23	
Class A*	100	F	SP	Lt				10	0.7	16		
Class A*	100	F	SP	Lt	Menthol				10	0.7	16	
Class A*	100	F	SP	Ultra-Lt					6	0.4	8	
Class A*	100	F	SP	Ultra-Lt		Menthol				6	0.4	8
Class A*	King	F	SP	FF				15	0.8	19		
Class A*	King	F	SP	FF	Menthol				15	0.8	19	
Class A*	King	F	SP	Lt				11	0.7	14		
Class A*	King	F	SP	Lt	Menthol				11	0.7	14	
Class A*	King	F	SP	Ultra-Lt					5	0.4	6	
Class A*	King	F	SP	Ultra-Lt		Menthol				5	0.4	6

"Tar," Nicotine & Carbon Monoxide Report

Page 9

Brand Name	Description					Tar	Nic	CO
Class A*	King	NF	SP	FF		25	1.5	17
Class A*	Reg	NF	SP	FF		21	1.2	14
Class A Dlx*	100	F	SP	Lt		10	0.7	16
Class A Dlx*	100	F	SP	Lt		16	0.9	23
Class A Dlx*	100	F	SP	Lt	Menthol	10	0.7	16
Class A Dlx*	100	F	SP	Ultra-Lt		6	0.4	8
Class A Dlx*	King	F	SP	FF		15	0.8	19
Class A Dlx*	King	F	SP	FF	Menthol	15	0.8	19
Commander	Reg	NF	SP			23	1.4	13
Commander	King	NF	SP			27	1.7	15
Cost Cutter*	King	F	SP	Lt	Menthol	9	0.6	12
Cost Cutter*	King	F	SP	Lt		9	0.6	12
Cost Cutter*	King	F	SP	FF		14	0.8	16
Cost Cutter*	100	F	SP	Ultra-Lt		4	0.3	8
Cost Cutter*	100	F	SP	FF		13	0.8	17
Cost Cutter*	100	F	SP	Lt		9	0.6	12
Cost Cutter*	100	F	SP	Lt	Menthol	9	0.6	11
Courier*	King	F	SP	Ultra-Lt		4	0.3	6
Courier*	King	F	SP	Lt	Menthol	9	0.6	12
Courier*	King	F	SP	Lt		9	0.6	12
Courier*	King	F	SP	FF		14	0.8	16
Courier*	100	F	SP	FF		13	0.8	17
Courier*	100	F	SP	Lt		9	0.6	12
Courier*	100	F	SP	Lt	Menthol	9	0.6	11
Courier*	100	F	SP	Ultra-Lt		4	0.3	8
Courier*	King	F	HP	FF		14	0.8	15
Courier*	King	F	HP	Lt		10	0.6	12
Covington	King	F	SP	Lt		10	0.6	14
Covington	King	F	SP	FF		13	0.6	16
Covington	100	F	SP	Ultra-Lt		5	0.3	7
Covington	King	F	SP	FF	Menthol	15	0.8	17
Covington	100	F	SP	FF		14	0.7	22
Covington	100	F	SP	Lt		9	0.5	15
Covington	100	F	SP	Lt	Menthol	9	0.6	16
Daves	King	F	HP	Lt		11	0.7	13
Daves	King	F	HP			16	1.0	16
Director's Choice*	King	NF	SP			21	1.1	17
Director's Choice*	King	F	SP	Ultra-Lt		4	0.3	6
Director's Choice*	King	F	SP	Lt	Menthol	9	0.6	12
Director's Choice*	King	F	SP	Lt		9	0.6	12
Director's Choice*	100	F	SP	FF		13	0.8	17

"Tar," Nicotine & Carbon Monoxide Report

Page 10

Brand Name	Description					Tar	Nic	CO
Director's Choice*	100	F	SP	FF	Menthol	13	0.8	17
Director's Choice*	100	F	SP	Lt		9	0.6	12
Director's Choice*	100	F	SP	Lt	Menthol	9	0.6	11
Director's Choice*	100	F	SP	Ultra-Lt		4	0.3	8
Director's Choice*	King	F	HP	FF		14	0.8	15
Director's Choice*	King	F	HP	Lt		10	0.6	12
Director's Choice*	King	F	SP	FF		14	0.8	16
Director's Choice*	King	F	SP	FF	Menthol	14	0.8	16
Doral	100	F	HP	Lt		11	0.7	14
Doral	100	F	HP	FF		13	0.8	16
Doral	King	NF	SP			19	1.0	16
Doral	King	F	SP	Ultra-Lt		4	0.3	6
Doral	100	F	SP	FF		12	0.8	17
Doral	100	F	SP	FF	Menthol	12	0.8	16
Doral	100	F	SP	Lt		10	0.7	14
Doral	100	F	SP	Lt	Menthol	10	0.7	14
Doral	100	F	SP	Ultra-Lt		4	0.4	8
Doral	King	F	HP	FF		14	0.8	15
Doral	King	F	HP	Lt		8	0.6	12
Doral	King	F	SP	FF		13	0.8	16
Doral	King	F	SP	FF	Menthol	14	0.8	16
Doral	King	F	SP	Lt		9	0.6	12
Doral	King	F	SP	Lt	Menthol	8	0.6	12
Doral*	King	F	HP	FF	Menthol	13	0.8	16
English Ovals	King	NF	HP			25	2.0	15
Eve	100	F	HP	Slim-Lt		8	0.6	7
Eve	120	F	HP	Ultra-Lt	Slim	5	0.4	5
Eve	120	F	HP	Ultra-Lt	Menthol	5	0.4	5
Eve	120	F	HP	Lt	Menthol	11	0.8	11
Eve	120	F	HP	Lt		10	0.8	11
Eve*	100	F	HP	Lt	Menthol	7	0.6	6
Eve*	100	F	HP	Ultra-Lt		5	0.5	4
Eve*	100	F	HP	Ultra-Lt	Menthol	6	0.6	4
Extra Value*	King	NF	SP			21	1.1	17
Extra Value*	King	F	SP	Ultra-Lt		4	0.3	6
Extra Value*	King	F	SP	Lt	Menthol	9	0.6	12
Extra Value*	King	F	SP	Lt		9	0.6	12
Extra Value*	100	F	SP	FF		13	0.8	17
Extra Value*	100	F	SP	FF	Menthol	13	0.8	17
Extra Value*	100	F	SP	Lt		9	0.6	12
Extra Value*	100	F	SP	Lt	Menthol	9	0.6	11

"Tar," Nicotine & Carbon Monoxide Report

Page 11

Brand Name	Description					Tar	Nic	CO			
Extra Value*	100	F	SP	Ultra-Lt			4	0.3	8		
Extra Value*	King	F	SP	FF			14	0.8	16		
Extra Value*	King	F	SP	FF	Menthol		14	0.8	16		
F&L *	King	F	SP	Ultra-Lt		Generic	6	0.5	NA		
F&L *	King	F	SP	Lt	Generic		11	0.7	NA		
F&L *	King	F	SP	FF	Menthol	Generic	16	1.0	NA		
F&L *	King	F	SP	FF	Generic		16	1.0	NA		
F&L *	100	F	SP	FF	Generic		16	1.0	NA		
F&L *	100	F	SP	FF	Menthol	Generic	16	1.0	NA		
F&L *	100	F	SP	Lt	Generic		11	0.7	NA		
F&L *	100	F	SP	Lt	Menthol	Generic	11	0.8	NA		
F&L *	100	F	SP	Ultra-Lt	Generic		6	0.5	NA		
F&L *	King	F	HP	Lt	Generic		11	0.8	NA		
First Choice*	King	NF	SP				21	1.1	17		
First Choice*	King	F	SP	Ultra-Lt			4	0.3	6		
First Choice*	King	F	SP	Lt	Menthol		9	0.6	12		
First Choice*	King	F	SP	Lt				9	0.6	12	
First Choice*	100	F	SP	FF				13	0.8	17	
First Choice*	100	F	SP	Lt				9	0.6	12	
First Choice*	100	F	SP	Lt	Menthol				9	0.6	11
First Choice*	100	F	SP	Ultra				4	0.3	8	
First Choice*	King	F	SP	FF				14	0.8	16	
Focus*	King	NF	SP				21	1.1	17		
Focus*	King	F	SP	Ultra-Lt			4	0.3	6		
Focus*	King	F	SP	Lt	Menthol				9	0.6	12
Focus*	King	F	SP	Lt				9	0.6	12	
Focus*	100	F	SP	FF				13	0.8	17	
Focus*	100	F	SP	FF	Menthol				13	0.8	17
Focus*	100	F	SP	Lt				9	0.6	12	
Focus*	100	F	SP	Lt	Menthol				9	0.6	11
Focus*	100	F	SP	Ultra-Lt				4	0.3	8	
Focus*	King	F	HP	FF				14	0.8	15	
Focus*	King	F	HP	Lt				10	0.6	12	
Focus*	King	F	SP	FF				14	0.8	16	
Focus*	King	F	SP	FF	Menthol				14	0.8	16
Gen/Private Label*	King	NF	SP	FF				25	1.5	17	
Gen/Private Label*	King	F	HP	Lt				11	0.7	14	
Gen/Private Label*	King	F	HP	FF				15	0.8	19	
Gen/Private Label*	King	F	SP	Ultra-Lt				5	0.4	6	
Gen/Private Label*	100	F	HP	Lt	Menthol				10	0.7	16
Gen/Private Label*	100	F	SP	FF				16	0.9	23	

"Tar," Nicotine & Carbon Monoxide Report

Page 12

Brand Name	Description					Tar	Nic	CO	
Gen/Private Label*	100	F	SP	FF	Menthol	16	0.9	23	
Gen/Private Label*	100	F	SP	Lt		10	0.7	16	
Gen/Private Label*	100	F	SP	Lt	Menthol	10	0.7	16	
Gen/Private Label*	100	F	SP	Ultra-Lt		6	0.4	8	
Gen/Private Label*	100	F	HP	FF		16	0.9	23	
Gen/Private Label*	100	F	HP	Lt		10	0.7	16	
Gen/Private Label*	100	F	HP	Ultra-Lt		6	0.4	8	
Gen/Private Label*	King	F	SP	FF		15	0.8	19	
Gen/Private Label*	King	F	SP	FF	Menthol	15	0.8	19	
Gen/Private Label*	King	F	SP	Lt		11	0.7	14	
Gen/Private Label*	King	F	SP	Lt	Menthol	11	0.7	14	
Genco*	King	NF	SP		Generic	24	1.6	NA	
Genco*	King	F	SP	Ultra-Lt		6	0.5	NA	
Genco*	King	F	SP	Lt	Menthol	Generic	11	0.7	NA
Genco*	King	F	SP	Lt		Generic	11	0.7	NA
Genco*	100	F	SP		Generic	16	1.0	NA	
Genco*	100	F	SP	FF	Menthol	Generic	16	1.0	NA
Genco*	100	F	SP	Lt		Generic	11	0.7	NA
Genco*	100	F	SP	Lt	Menthol	Generic	11	0.8	NA
Genco*	100	F	SP	Ultra-Lt		6	0.5	NA	
Genco*	King	F	SP		Generic	16	1.0	NA	
Genco*	King	F	SP	FF	Menthol	Generic	16	1.0	NA
Generals*	King	NF	SP		Generic	24	1.6	NA	
Generals*	King	F	SP	Ultra-Lt		6	0.5	NA	
Generals*	King	F	SP	Lt	Menthol	Generic	11	0.7	NA
Generals*	King	F	SP	Lt		Generic	11	0.7	NA
Generals*	100	F	SP	FF		Generic	16	1.0	NA
Generals*	100	F	SP	FF	Menthol	Generic	16	1.0	NA
Generals*	100	F	SP	Lt		Generic	11	0.7	NA
Generals*	100	F	SP	Lt	Menthol	Generic	11	0.8	NA
Generals*	100	F	SP	Ultra-Lt		6	0.5	NA	
Generals*	King	F	SP	FF		Generic	16	1.0	NA
Generals*	King	F	SP	FF	Menthol	Generic	16	1.0	NA
Gold Coast*	King	F	SP	Ultra-Lt		4	0.3	6	
Gold Coast*	King	F	SP	Lt	Menthol	9	0.6	12	
Gold Coast*	King	F	SP	Lt		9	0.6	12	
Gold Coast*	King	F	SP	FF		14	0.8	16	
Gold Coast*	100	F	SP	FF		13	0.8	17	
Gold Coast*	100	F	SP	Lt		9	0.6	12	
Gold Coast*	100	F	SP	Lt	Menthol	9	0.6	11	
Gold Coast*	100	F	SP	Ultra-Lt		4	0.3	8	

"Tar," Nicotine & Carbon Monoxide Report

Page 13

Brand Name	Description					Tar	Nic	CO												
GPC	King	NF	SP				21	1.2	14											
GPC	King	F	SP	Ultra-Lt	Menthol	5	0.5	6												
GPC	King	F	SP	Ultra-Lt			5	0.4	7											
GPC	King	F	SP	Lt	Menthol	9	0.7	9												
GPC	100	F	HP	FF				14	0.8	16										
GPC	100	F	HP	Lt				10	0.7	12										
GPC	100	F	SP	FF				15	0.9	17										
GPC	100	F	SP	FF	Menthol	13	0.9	14												
GPC	100	F	SP	Lt				10	0.7	13										
GPC	100	F	SP	Lt	Menthol	8	0.7	8												
GPC	100	F	SP	Ultra-Lt			5	0.4	7											
GPC	100	F	SP	Ultra-Lt	Menthol	5	0.4	6												
GPC	King	F	HP	FF				15	0.9	15										
GPC	King	F	HP	Lt				10	0.6	11										
GPC	King	F	SP	FF				16	0.9	16										
GPC	King	F	SP	FF	Menthol	15	1.0	13												
GPC	King	F	SP	Lt				9	0.6	11										
Gridlock*	King	NF	SP				Generic	24	1.6	NA										
Gridlock*	King	F	SP	FF				Generic	16	1.0	NA									
Gridlock*	100	F	SP	Ultra-Lt			Generic	6	0.5	NA										
Gridlock*	100	F	SP	Lt				Generic	11	0.7	NA									
Gridlock*	100	F	SP	FF				Generic	16	1.0	NA									
Harley Davidson	King	F	SP	Lt				8	0.7	9										
Harley Davidson	King	F	SP							14	0.9	15								
Harley Davidson	King	F	HP	Lt							10	0.8	10							
Harley Davidson	King	F	HP										13	0.9	14					
Harley Davidson	100	F	SP										15	1.0	15					
Harley Davidson	100	F	SP	Lt										9	0.7	11				
Highway*	King	NF	SP										21	1.1	17					
Highway*	King	F	SP	Ultra-Lt									4	0.3	6					
Highway*	King	F	SP	Lt	Menthol										9	0.6	12			
Highway*	King	F	SP	Lt										9	0.6	12				
Highway*	100	F	SP	FF										13	0.8	17				
Highway*	100	F	SP	FF	Menthol										13	0.8	17			
Highway*	100	F	SP	Lt										9	0.6	12				
Highway*	100	F	SP	Lt	Menthol										9	0.6	11			
Highway*	100	F	SP	Ultra-Lt												4	0.3	8		
Highway*	King	F	SP	FF													14	0.8	16	
Highway*	King	F	SP	FF	Menthol													14	0.8	16
Hogshead	King	F	HP	Lt				Wides									11	0.9	11	
Hogshead	King	F	HP	FF				Wides									17	1.2	18	

"Tar," Nicotine & Carbon Monoxide Report

Page 14

Brand Name	Description					Tar	Nic	CO				
Horizon*	100	F	SP	Lt	Menthol		12	0.8	13			
Horizon*	100	F	SP	Lt			11	0.8	12			
Icebox*	King	F	HP	FF	Menthol		19	1.3	18			
Icebox*	King	F	HP	Lt	Menthol		11	0.9	13			
Jacks*	King	NF	SP				21	1.1	17			
Jacks*	King	F	SP	Ultra-Lt			4	0.3	6			
Jacks*	King	F	SP	Lt	Menthol		9	0.6	12			
Jacks*	King	F	SP	Lt				9	0.6	12		
Jacks*	100	F	SP	FF				13	0.8	17		
Jacks*	100	F	SP	FF	Menthol		13	0.8	17			
Jacks*	100	F	SP	Lt				9	0.6	12		
Jacks*	100	F	SP	Lt	Menthol		9	0.6	11			
Jacks*	100	F	SP	Ultra-Lt				4	0.3	8		
Jacks*	King	F	HP	FF				14	0.8	15		
Jacks*	King	F	HP	Lt				10	0.6	12		
Jacks*	King	F	SP	FF				14	0.8	16		
Jacks*	King	F	SP	FF	Menthol		14	0.8	16			
Jasmine	100	F	HP	Lt	Menthol	Slim	8	0.6	8			
Jasmine	100	F	HP	Lt			8	0.6	8			
Jasmine	100	F	HP	FF			10	0.7	11			
Jumbos	King	F	HP	Lt				11	0.9	12		
Jumbos	King	F	HP					17	1.2	19		
Kamel*	King	F	HP	Lt	Red		11	0.9	13			
Kamel*	King	F	HP				17	1.2	16			
Kamel*	King	F	HP				16	1.2	18			
Kamel*	King	F	HP	Lt	Menthol		12	1.0	13			
Kent	100	F	SP					13	1.0	13		
Kent	King	F	HP					11	0.8	12		
Kent	King	F	SP					12	0.9	13		
Kent Golden Lights	100	F	HP	Lt				9	0.8	11		
Kent Golden Lights	100	F	SP	Lt				9	0.8	11		
Kent Golden Lights	100	F	SP	Lt	Menthol		9	0.8	11			
Kent Golden Lights	King	F	HP	Lt				8	0.7	10		
Kent Golden Lights	King	F	SP	Lt				8	0.7	10		
Kent Golden Lights	King	F	SP	Lt	Menthol		8	0.7	10			
Kent III	100	F	HP	Ultra-Lt				5	0.5	7		
Kent III	100	F	SP	Ultra-Lt				5	0.5	6		
Kent III	King	F	SP	Ultra-Lt				4	0.4	4		
Kool	100	F	SP	Lt	Menthol				8	0.7	9	
Kool	100	F	SP	Mild	Menthol				10	0.9	11	
Kool	100	F	SP	Super	Menthol	Long	17	1.3	15			

"Tar," Nicotine & Carbon Monoxide Report

Page 15

Brand Name	Description					Tar	Nic	CO
Kool	100	F	HP		Menthol	15	1.2	14
Kool	King	F	HP		Menthol	16	1.2	15
Kool	King	F	HP	Mild	Menthol	12	1.0	11
Kool	King	F	SP		Menthol	16	1.2	15
Kool	King	F	SP	Lt	Menthol	7	0.6	8
Kool	King	F	SP	Mild	Menthol	11	0.9	10
Kool	King	F	SP	Ultra	Menthol	6	0.5	7
Kool	Reg	NF	SP		Menthol	19	1.3	12
Kool*	100	F	SP	Ultra	Menthol	6	0.5	7
Kool*	100	F	HP	Mild	Menthol	12	0.9	11
L & M	100	F	SP	FF	Super	10	0.7	14
L & M	100	F	SP	Lt	Long	7	0.6	8
L & M*	100	F	SP	Lt	30-pk	9	0.7	7
L & M	King	F	SP	FF		14	0.8	16
L & M	King	F	HP	FF		15	0.9	16
L & M*	King	F	SP	FF	6-pk Ctn	14	0.8	11
L & M*	King	F	SP	Lt		8	0.7	5
Lark	100	F	SP	FF	Long	14	1.1	15
Lark	100	F	SP	Lt		11	0.8	12
Lark	King	F	SP	FF		14	0.9	14
Lark	King	F	SP	Lt		11	0.8	10
Legend*	100	F	SP	FF		13	0.8	17
Legend*	100	F	SP	FF	Menthol	13	0.8	17
Legend*	100	F	SP	Lt		9	0.6	12
Legend*	100	F	SP	Lt	Menthol	9	0.6	11
Legend*	100	F	SP	Ultra-Lt		4	0.3	8
Legend*	King	F	SP	FF		14	0.8	16
Legend*	King	F	SP	FF	Menthol	14	0.8	16
Legend*	King	F	SP	Lt		9	0.6	12
Legend*	King	F	SP	Lt	Menthol	9	0.6	12
Legend*	King	F	SP	Ultra-Lt		4	0.3	6
Legend*	King	NF	SP			21	1.1	17
Lucky Strike	King	NF	SP			25	1.6	17
Lucky Strike*	King	F	SP			NA	NA	NA
Lucky Strike*	King	F	SP	FF		15	1.1	13
Lucky Strike*	King	F	SP	Lt		11	0.8	11
Magna	King	F	HP			15	0.8	16
Magna	King	F	HP	Lt		10	0.6	13
Magna	King	F	SP			14	0.8	16
Magna	King	F	SP	Lt		9	0.6	12
Malibu	100	F	SP	Lt	Menthol	11	0.9	11

"Tar," Nicotine & Carbon Monoxide Report

Page 16

Brand Name	Description					Tar	Nic	CO
Malibu*	100	F	SP	Lt		12	1.0	12
Malibu*	100	F	SP	Ultra-Lt		7	0.6	8
Manchester*	100	F	SP	FF		13	0.8	17
Manchester*	100	F	SP	FF	Menthol	13	0.8	17
Manchester*	100	F	SP	Lt		9	0.6	12
Manchester*	100	F	SP	Lt	Menthol	9	0.6	11
Manchester*	100	F	SP	Ultra-Lt		4	0.3	8
Manchester*	King	F	SP	FF		14	0.8	16
Manchester*	King	F	SP	FF	Menthol	14	0.8	16
Manchester*	King	F	SP	Lt		9	0.6	12
Manchester*	King	F	SP	Lt	Menthol	9	0.6	12
Manchester*	King	F	SP	Ultra-Lt		4	0.3	6
Marker*	100	F	SP	FF		13	0.8	17
Marker*	100	F	SP	FF	Menthol	13	0.8	17
Marker*	100	F	SP	Lt		9	0.6	12
Marker*	100	F	SP	Lt	Menthol	9	0.6	11
Marker*	100	F	SP	Ultra-Lt		4	0.3	8
Marker*	King	F	SP	FF		14	0.8	16
Marker*	King	F	SP	FF	Menthol	14	0.8	16
Marker*	King	F	SP	Lt		9	0.6	12
Marker*	King	F	SP	Lt	Menthol	9	0.6	12
Marker*	King	F	SP	Ultra-Lt		4	0.3	6
Marker*	King	NF	SP			21	1.1	17
Marlboro	100	F	HP		Gold Pkg	15	1.2	15
Marlboro	100	F	HP		Red Pkg	16	1.2	14
Marlboro	100	F	HP	Lt		10	0.8	12
Marlboro	100	F	HP	Lt	Menthol	9	0.8	11
Marlboro	100	F	HP	Medium		13	1.0	13
Marlboro	100	F	HP	Ultra-Lt		5	0.5	8
Marlboro	100	F	SP		Gold Pkg	15	1.2	15
Marlboro	100	F	SP		Red Pkg	16	1.2	15
Marlboro	100	F	SP	Lt		10	0.8	12
Marlboro	100	F	SP	Medium		12	1.0	13
Marlboro	King	F	HP			16	1.1	14
Marlboro	King	F	HP		Menthol	16	1.1	14
Marlboro	King	F	HP	Lt		10	0.8	11
Marlboro	King	F	HP	Lt	Menthol	10	0.8	10
Marlboro	King	F	HP	Medium		11	0.8	11
Marlboro	King	F	HP	Ultra-Lt		6	0.5	7
Marlboro	King	F	SP			16	1.1	15
Marlboro	King	F	SP		Menthol	16	1.1	14

"Tar," Nicotine & Carbon Monoxide Report

Page 17

Brand Name	Description					Tar	Nic	CO
Marlboro	King	F	SP	Lt		10	0.8	11
Marlboro	King	F	SP	Medium		12	0.9	13
Marlboro	King	F	SP		25-pk	16	1.1	15
Marlboro	King	F	SP	Lt	25-pk	10	0.8	12
Maverick*	100	F	SP			15	1.1	15
Maverick*	100	F	SP	Lt		9	0.7	10
Maverick*	King	F	HP			13	0.9	14
Maverick*	King	F	HP	Lt		10	0.7	9
Maverick*	King	F	SP			14	1.0	14
Maverick*	King	F	SP	Lt		8	0.6	9
Max	120	F	SP			16	1.3	17
Max	120	F	SP	Menthol		16	1.3	17
Medley*	King	F	SP	Lt	Menthol	10	0.7	NA
Merit	100	F	HP	Ultima		2	0.2	4
Merit	100	F	HP	Ultra-Lt		5	0.5	7
Merit	100	F	SP			9	0.8	11
Merit	100	F	SP	Menthol		9	0.8	10
Merit	100	F	SP	Ultima		2	0.2	4
Merit	100	F	SP	Ultra-Lt		5	0.5	7
Merit	100	F	SP	Ultra-Lt	Menthol	5	0.5	7
Merit	King	F	HP			7	0.6	9
Merit	King	F	HP	Ultima		1	0.1	3
Merit	King	F	HP	Ultra-Lt		5	0.5	6
Merit	King	F	SP			7	0.6	9
Merit	King	F	SP	Menthol		7	0.6	9
Merit	King	F	SP	Ultima		1	0.1	3
Merit	King	F	SP	Ultra-Lt		4	0.4	6
Merit	King	F	SP	Ultra-Lt	Menthol	4	0.4	5
Metro	100	F	HP	Slim-Lt	Menthol	9	0.8	13
Metro	100	F	HP	Lt	Slim	9	0.8	9
Misty Slims	100	F	HP	FF	Slim	14	1.1	13
Misty Slims	100	F	HP	FF	Menthol	14	1.1	13
Misty Slims	100	F	HP	Lt	Slim	8	0.7	8
Misty Slims	100	F	HP	Lt	Menthol	7	0.7	7
Misty Slims	100	F	HP	Ultra-Lt	Slim	5	0.5	5
Misty Slims	100	F	HP	Ultra-Lt	Menthol	5	0.5	5
Misty Slims	120	F	HP	Lt	Slim	12	1.0	11
Misty Slims	120	F	HP	Lt	Menthol	12	1.0	11
Misty Slims*	100	F	HP	Ultra-Lt		6	0.5	6
Monaco*	100	F	SP	FF		13	0.8	17
Monaco*	100	F	SP	FF	Menthol	13	0.8	17

"Tar," Nicotine & Carbon Monoxide Report

Page 18

Brand Name	Description					Tar	Nic	CO			
Monaco*	100	F	SP	Lt			9	0.6	12		
Monaco*	100	F	SP	Lt	Menthol		9	0.6	11		
Monaco*	100	F	SP	Ultra-Lt				4	0.3	8	
Monaco*	King	F	SP	FF				14	0.8	16	
Monaco*	King	F	SP	FF	Menthol		14	0.8	16		
Monaco*	King	F	SP	Lt			9	0.6	12		
Monaco*	King	F	SP	Lt	Menthol		9	0.6	12		
Monaco*	King	F	SP	Ultra-Lt				4	0.3	6	
Monaco*	King	NF	SP					21	1.1	17	
Monarch	100	F	SP	Menthol				13	0.8	17	
Monarch	100	F	SP	FF				13	0.8	17	
Monarch	100	F	SP	Lt				9	0.7	11	
Monarch	100	F	SP	Lt	Menthol				9	0.7	12
Monarch	100	F	SP	Ultra-Lt				4	0.3	8	
Monarch	King	F	HP	Menthol				15	0.8	16	
Monarch	King	F	HP	FF				14	0.8	16	
Monarch	King	F	HP	Lt				10	0.6	13	
Monarch	King	F	HP	Lt	Menthol				10	0.6	13
Monarch	King	F	SP	Menthol				14	0.8	16	
Monarch	King	F	SP	FF				14	0.8	16	
Monarch	King	F	SP	Lt				9	0.6	12	
Monarch	King	F	SP	Lt	Menthol				9	0.6	12
Monarch	King	F	SP	Ultra-Lt				4	0.3	6	
Monarch	King	NF	SP					20	1.0	17	
Money*	King	F	SP	Lt	Menthol	Generic	11	0.7	NA		
Montclair	100	F	SP	FF				17	1.2	16	
Montclair	100	F	SP	FF	Menthol				15	1.1	15
Montclair	100	F	SP	Lt				12	0.9	13	
Montclair	100	F	SP	Lt	Menthol				11	0.9	11
Montclair	100	F	SP	Ultra-Lt				6	0.5	8	
Montclair	King	F	HP	FF				16	1.1	14	
Montclair	King	F	HP	Lt				12	0.9	12	
Montclair	King	F	SP	FF				16	1.2	14	
Montclair	King	F	SP	Lt				11	0.8	11	
Montclair	King	F	SP	Lt	Menthol				11	0.9	11
Montclair	King	F	SP	Ultra-Lt				6	0.5	7	
More	100	F	HP	Lt				9	0.8	9	
More	100	F	HP	Lt	Menthol				8	0.7	9
More	120	F	SP					13	1.1	20	
More	120	F	SP	Menthol				13	1.1	19	
More	120	F	SP	Lt				10	0.8	16	

"Tar," Nicotine & Carbon Monoxide Report

Page 19

Brand Name	Description					Tar	Nic	CO
More	120	F	SP	Lt	Menthol	9	0.9	16
More	120	F	SP	Wht-Lt		12	1.0	15
More	120	F	SP	Wht-Lt	Menthol	12	1.0	16
Mustang*	100	F	SP	FF		13	0.8	17
Mustang*	100	F	SP	FF	Menthol	13	0.8	17
Mustang*	100	F	SP	Lt		9	0.6	12
Mustang*	100	F	SP	Lt	Menthol	9	0.6	11
Mustang*	100	F	SP	Ultra-Lt		4	0.3	8
Mustang*	King	F	HP	FF		14	0.8	15
Mustang*	King	F	HP	Lt		10	0.6	12
Mustang*	King	F	SP	FF		14	0.8	16
Mustang*	King	F	SP	FF	Menthol	14	0.8	16
Mustang*	King	F	SP	Lt		9	0.6	12
Mustang*	King	F	SP	Lt	Menthol	9	0.6	12
Mustang*	King	F	SP	Ultra-Lt		4	0.3	6
Newport	100	F	HP		Menthol	18	1.3	19
Newport	100	F	SP		Menthol	18	1.4	19
Newport	100	F	SP		Menthol	10-pk	1.3	18
Newport	100	F	SP		Menthol	25-pk	1.4	19
Newport	King	F	HP		Menthol		1.1	16
Newport	King	F	SP		Menthol		1.2	17
Newport	King	F	SP		Menthol	10-pk	1.2	18
Newport	King	F	SP		Menthol	25-pk	1.2	17
Newport Ice*	100	F	HP		Menthol		1.4	18
Newport Ice*	King	F	HP	Lt	Menthol		0.7	13
Newport Ice*	King	F	SP		Menthol		1.2	16
Newport Lights	100	F	HP	Lt	Menthol		0.8	11
Newport Lights	100	F	SP	Lt	Menthol		0.8	11
Newport Lights	King	F	HP	Lt	Menthol		0.7	11
Newport Lights	King	F	SP	Lt	Menthol		0.7	11
Newport Slim	100	F	HP	Lt	Menthol	Slim	0.8	11
Newport Stripes	100	F	HP	Lt			1.0	14
Newport Stripes	100	F	HP	Lt	Menthol		0.9	14
No Frills*	100	F	SP	FF		Generic	1.0	NA
No Frills*	100	F	SP	Lt		Generic	0.7	NA
No Frills*	100	F	SP	Ultra-Lt		Generic	0.5	NA
No Frills*	King	F	SP	Lt		Generic	0.7	NA
No Frills*	King	F	SP	Lt	Menthol	Generic	0.7	NA
No Frills*	King	F	SP	Ultra-Lt		Generic	0.5	NA
North Star	King	F	HP				1.2	16
North Star	King	F	HP	Lt			0.8	10

"Tar," Nicotine & Carbon Monoxide Report

Page 20

Brand Name	Description					Tar	Nic	CO
Now	100	F	HP			<.5	<.05	<.5
Now	100	F	SP			2	0.2	3
Now	100	F	SP			Menthol	2	0.2
Now	King	F	HP				<.5	<.05
Now	King	F	SP				1	0.1
Now	King	F	SP			Menthol	1	0.1
Old Gold	100	F	SP				14	1.1
Old Gold	100	F	SP			Lt	12	0.9
Old Gold	King	F	HP			Lt	8	0.7
Old Gold	King	F	SP				15	1.1
Old Gold	King	F	SP			Lt	8	0.7
Old Gold	King	NF	SP			Straight	25	1.7
Old Gold*	100	F	HP				15	1.1
Old Gold*	100	F	SP			Lt	8	0.7
Old Gold*	100	F	SP			Menthol	8	0.7
Old Gold*	100	F	SP			Ultra-Lt	3	0.4
Pace*	100	F	SP				13	0.8
Pace*	100	F	SP			Lt	9	0.6
Pace*	100	F	SP			Lt	9	0.6
Pace*	100	F	SP			Menthol	9	0.6
Pace*	100	F	SP			Ultra-Lt	4	0.3
Pace*	King	F	SP			FF	14	0.8
Pace*	King	F	SP			Lt	9	0.6
Pace*	King	F	SP			Lt	9	0.6
Pace*	King	F	SP			Menthol	9	0.6
Pace*	King	F	SP			Ultra-Lt	4	0.3
Pall Mall	100	F	SP			FF	Gold	14
Pall Mall	100	F	SP			FF	Red	16
Pall Mall	100	F	SP			Lt	11	0.9
Pall Mall	King	F	SP				Red	15
Pall Mall	King	F	SP					13
Pall Mall	King	NF	SP					16
Pall Mall*	100	F	SP			FF		16
Pall Mall*	Reg	NF	SP					16
Parliament	100	F	SP			Lt		13
Parliament	King	F	HP			Lt		10
Parliament	King	F	SP			Lt		9
Parliament*	100	F	HP			Lt	Menthol	13
Parliament*	King	F	HP			Lt	Menthol	10
Picayune	Reg	NF	SP			FF		17
Pilot*	100	F	SP			FF		13
Pilot*	100	F	SP			FF	Menthol	13
Pilot*	100	F	SP			Lt		9
Pilot*	100	F	SP			Lt	Menthol	9
Pilot*	100	F	SP			Ultra-Lt		4

Brand Name	Description					Tar	Nic	CO
Pilot*	King	F	HP	FF		14	0.8	15
Pilot*	King	F	HP	Lt		10	0.6	12
Pilot*	King	F	SP	FF		14	0.8	16
Pilot*	King	F	SP	FF	Menthol	14	0.8	16
Pilot*	King	F	SP	Lt		9	0.6	12
Pilot*	King	F	SP	Lt	Menthol	9	0.6	12
Pilot*	King	F	SP	Ultra-Lt		4	0.3	6
Pilot*	King	NF	SP			21	1.1	17
Planet*	King	F	HP			15	1.0	14
Planet*	King	F	HP	Lt		11	0.8	13
Players	100	F	HP			13	1.0	13
Players	100	F	HP		Menthol	13	1.0	13
Players	King	F	HP			11	0.9	11
Players	King	F	HP		Menthol	11	0.8	10
Players	Reg	NF	HP			24	1.7	14
Players 25	King	F	SP	Lt	Menthol	10	0.7	12
Players 25	King	F	SP	Lt		10	0.7	12
Players 25	100	F	SP	Lt		10	0.7	14
Players 25	100	F	SP	Lt	Menthol	10	0.7	13
Players*	King	F	HP	Lt		Navy Cut	11	0.8
Players*	King	F	HP			Navy Cut	16	1.1
PM International	100	F	HP			Int'l	16	1.2
PM International	100	F	HP		Menthol	Int'l	15	1.1
Politix	King	F	HP				16	1.2
Politix	King	F	HP	Lt			10	0.8
Premium Buy*	100	F	SP	FF		Generic	16	1.0
Premium Buy*	100	F	SP	Lt		Generic	11	0.7
Premium Buy*	100	F	SP	Lt	Menthol	Generic	11	0.8
Premium Buy*	100	F	SP	Ultra-Lt		Generic	6	0.5
Premium Buy*	King	F	SP	FF		Generic	16	1.0
Premium Buy*	King	F	SP	Lt		Generic	11	0.7
Premium Buy*	King	F	SP	Lt	Menthol	Generic	11	0.7
Premium Buy*	King	F	SP	Ultra-Lt		Generic	6	0.5
Premium Buy*	King	NF	SP			Generic	24	1.6
Price Master*	100	F	SP	FF			13	0.8
Price Master*	100	F	SP	FF	Menthol		13	0.8
Price Master*	100	F	SP	Lt			9	0.6
Price Master*	100	F	SP	Lt	Menthol		9	0.6
Price Master*	100	F	SP	Ultra-Lt			4	0.3
Price Master*	King	F	HP	FF			14	0.8
Price Master*	King	F	HP	Lt			10	0.6

"Tar," Nicotine & Carbon Monoxide Report**Page 22**

Brand Name	Description					Tar	Nic	CO
Price Master*	King	F	SP	FF		14	0.8	16
Price Master*	King	F	SP	FF	Menthol	14	0.8	16
Price Master*	King	F	SP	Lt		9	0.6	12
Price Master*	King	F	SP	Lt	Menthol	9	0.6	12
Price Master*	King	F	SP	Ultra-Lt		4	0.3	6
Price Master*	King	NF	SP			21	1.1	17
Prime	100	F	SP	FF		15	0.9	17
Prime	100	F	SP	FF	Menthol	14	1.0	14
Prime	100	F	SP	Lt		10	0.8	12
Prime	100	F	SP	Lt	Menthol	9	0.8	9
Prime	100	F	SP	Ultra-Lt		5	0.5	7
Prime	King	F	HP	FF		14	1.0	14
Prime	King	F	HP	Lt		10	0.7	11
Prime	King	F	SP	FF		15	1.0	15
Prime	King	F	SP	FF	Menthol	13	0.9	12
Prime	King	F	SP	Lt		10	0.7	11
Prime	King	F	SP	Lt	Menthol	10	0.8	11
Prime	King	F	SP	Ultra-Lt		6	0.6	7
Prime	King	NF	SP			21	1.1	14
Private Stock	100	F	SP	FF		15	0.9	16
Private Stock	100	F	SP	FF	Menthol	14	1.1	14
Private Stock	100	F	SP	Lt		10	0.7	12
Private Stock	100	F	SP	Lt	Menthol	9	0.7	10
Private Stock	100	F	SP	Ultra-Lt		5	0.4	6
Private Stock	King	F	HP	FF		14	1.0	14
Private Stock	King	F	HP	Lt		10	0.8	11
Private Stock	King	F	SP	FF		15	0.9	15
Private Stock	King	F	SP	FF	Menthol	14	1.0	13
Private Stock	King	F	SP	Lt		10	0.7	11
Private Stock	King	F	SP	Lt	Menthol	10	0.8	11
Private Stock	King	F	SP	Ultra-Lt		6	0.5	7
Private Stock	King	NF	SP			22	1.2	14
Pyramid	100	F	SP	FF		16	0.8	22
Pyramid	100	F	SP	FF	Menthol	15	0.8	22
Pyramid	100	F	SP	Lt		10	0.6	16
Pyramid	100	F	SP	Lt	Menthol	10	0.6	16
Pyramid	100	F	SP	Ultra-Lt		5	0.4	7
Pyramid	King	F	SP	FF		14	0.7	19
Pyramid	King	F	SP	FF	Menthol	14	0.7	19
Pyramid	King	F	SP	Lt		10	0.6	14
Pyramid	King	NF	SP	FF		24	1.3	18

"Tar," Nicotine & Carbon Monoxide Report**Page 23**

Brand Name	Description					Tar	Nic	CO
Quality Smokes*	100	F	HP	Lt				10 0.7 12
Quality Smokes*	100	F	SP	FF				13 0.8 17
Quality Smokes*	100	F	SP	FF	Menthol			
Quality Smokes*	100	F	SP	Lt				9 0.6 12
Quality Smokes*	100	F	SP	Lt	Menthol			
Quality Smokes*	100	F	SP	Ultra-Lt				4 0.3 8
Quality Smokes*	King	F	HP	FF				15 0.8 16
Quality Smokes*	King	F	HP	Lt				10 0.6 12
Quality Smokes*	King	F	SP	FF				14 0.8 16
Quality Smokes*	King	F	SP	FF	Menthol			
Quality Smokes*	King	F	SP	Lt				9 0.6 12
Quality Smokes*	King	F	SP	Lt	Menthol			
Quality Smokes*	King	F	SP	Ultra-Lt				4 0.3 6
Quality Smokes*	King	NF	SP					21 1.1 17
Rainbow*	100	F	SP	FF				13 0.8 17
Rainbow*	100	F	SP	Lt				9 0.6 12
Rainbow*	100	F	SP	Lt	Menthol			
Rainbow*	100	F	SP	Ultra-Lt				4 0.3 8
Rainbow*	King	F	SP	FF				14 0.8 16
Rainbow*	King	F	SP	Lt				9 0.6 12
Rainbow*	King	F	SP	Lt	Menthol			
Raleigh	100	F	SP					16 1.0 15
Raleigh	100	F	SP	Lt				12 1.0 12
Raleigh	King	F	SP					16 0.9 15
Raleigh	King	F	SP	Lt				11 0.9 11
Raleigh	Reg	NF	SP	Plain				21 1.2 14
Raleigh Extra	100	F	SP					14 0.9 16
Raleigh Extra	100	F	SP	Lt				10 0.7 13
Raleigh Extra	100	F	SP	Lt	Menthol			
Raleigh Extra	100	F	SP	Ultra-Lt				5 0.4 6
Raleigh Extra	King	F	SP					15 0.9 15
Raleigh Extra	King	F	SP	Lt				10 0.6 11
Raleigh Extra	King	NF	SP					22 1.2 14
Reno*	100	F	SP	FF				17 0.9 22
Reno*	100	F	SP	FF	Menthol			
Reno*	100	F	SP	Lt				12 0.7 17
Reno*	100	F	SP	Lt	Menthol			
Reno*	King	F	SP	FF				15 0.8 19
Reno*	King	F	HP	FF				15 0.8 19
Reno*	King	F	HP	FF	Menthol			
Richland 20's	100	F	SP					16 1.2 15

"Tar," Nicotine & Carbon Monoxide Report

Page 24

Brand Name	Description					Tar	Nic	CO		
Richland 20's	100	F	SP	Menthol			16	1.3	14	
Richland 20's	King	F	SP				15	1.1	13	
Richland 20's	King	F	SP	Menthol			15	1.1	14	
Richland 20's*	King	F	HP				NA	NA	NA	
Richland 20's*	King	F	HP	10-pk		NA	NA	NA		
Riviera	King	F	SP	FF	Menthol		15	1.1	13	
Riviera	100	F	SP	Menthol			16	1.2	16	
Riviera*	King	F	HP	Menthol			17	1.2	14	
Riviera*	100	F	HP	Menthol			17	1.3	14	
Rothmans*	King	F	HP				15	1.3	15	
Rothmans*	King	F	HP				16	1.2	NA	
Rothmans*	King	F	HP	Spec-Mild		13	1.1	NA		
Rothmans*	King	F	HP	Spec-Mild		13	1.2	12		
Rothmans*	King	F	HP	Extra-Lt			10	1.1	NA	
Salem	100	F	HP	Lt	Menthol	Cus-Case	11	0.9	11	
Salem	100	F	HP	Slim-Lt	Menthol		9	0.8	9	
Salem	100	F	SP	Menthol			16	1.3	18	
Salem	100	F	SP	Lt	Menthol		8	0.7	10	
Salem	100	F	SP	Ultra-Lt	Menthol		5	0.4	8	
Salem	100	F	SP	Lt	Menthol	Preferred	7	0.7	9	
Salem	King	F	SP	Menthol			17	1.1	18	
Salem	King	F	SP	Lt	Menthol		9	0.8	12	
Salem	King	F	SP	Ultra-Lt	Menthol		5	0.4	7	
Salem	100	F	SP	Menthol		Preferred	15	1.1	16	
Salem*	King	F	HP	Menthol		Gold	17	1.1	18	
Saratoga	120	F	HP				14	1.1	14	
Saratoga	120	F	HP	Menthol			14	1.1	14	
Satin	100	F	SP				12	1.0	14	
Satin	100	F	SP	Menthol			12	1.0	15	
Savvy*	100	F	SP	Lt				12	1.1	13
Savvy*	100	F	SP	Lt	Menthol		12	1.1	13	
Scotch Buy*	100	F	SP	FF				13	0.8	17
Scotch Buy*	100	F	SP	Lt				9	0.6	12
Scotch Buy*	100	F	SP	Lt	Menthol		9	0.6	11	
Scotch Buy*	100	F	SP	Ultra-Lt			4	0.3	8	
Scotch Buy*	King	F	SP	FF				14	0.8	16
Scotch Buy*	King	F	SP	Lt				9	0.6	12
Scotch Buy*	King	F	SP	Lt	Menthol		9	0.6	12	
Scotch Buy*	King	F	SP	Ultra-Lt			4	0.3	6	
Sebring*	100	F	SP	FF				13	0.8	17
Sebring*	100	F	SP	FF	Menthol		13	0.8	17	

"Tar," Nicotine & Carbon Monoxide Report

Page 25

Brand Name	Description					Tar	Nic	CO	
Sebring*	100	F	SP	Lt		9	0.6	12	
Sebring*	100	F	SP	Lt	Menthol	9	0.6	11	
Sebring*	100	F	SP	Ultra-Lt			4	0.3	8
Sebring*	King	F	SP	FF			14	0.8	16
Sebring*	King	F	SP	FF	Menthol	14	0.8	16	
Sebring*	King	F	SP	Lt			9	0.6	12
Sebring*	King	F	SP	Lt	Menthol	9	0.6	12	
Sebring*	King	F	SP	Ultra-Lt			4	0.3	6
Sebring*	King	NF	SP				21	1.1	17
Sedona*	King	F	HP				16	1.2	16
Sedona*	King	F	HP	Lt			11	0.9	13
Shenandoah*	100	F	SP		Generic	16	1.0	NA	
Shenandoah*	100	F	SP		Menthol	Generic	16	1.0	NA
Shenandoah*	100	F	SP	Lt		Generic	11	0.7	NA
Shenandoah*	100	F	SP	Lt	Menthol	Generic	11	0.8	NA
Shenandoah*	100	F	SP	Ultra-Lt			6	0.5	NA
Shenandoah*	King	F	SP		Menthol	Generic	16	1.0	NA
Shenandoah*	King	F	SP	FF		Generic	16	1.0	NA
Shenandoah*	King	F	SP	Lt		Generic	11	0.7	NA
Shenandoah*	King	F	SP	Lt	Menthol	Generic	11	0.7	NA
Shenandoah*	King	F	SP	Ultra-Lt			6	0.5	NA
Shenandoah*	King	NF	SP		Generic	24	1.6	NA	
Shield*	100	F	SP		Generic	16	1.0	NA	
Shield*	100	F	SP	FF	Menthol	Generic	16	1.0	NA
Shield*	100	F	SP	Lt		Generic	11	0.8	NA
Shield*	100	F	SP	Lt	Menthol	Generic	11	0.8	NA
Shield*	100	F	SP	Ultra-Lt			6	0.5	NA
Shield*	King	F	SP			Generic	16	1.0	NA
Shield*	King	F	SP	FF	Menthol	Generic	16	1.0	NA
Shield*	King	F	SP	Lt		Generic	11	0.8	NA
Shield*	King	F	SP	Lt	Menthol	Generic	11	0.8	NA
Shield*	King	F	SP	Ultra-Lt			6	0.5	NA
Shield*	King	NF	SP		Generic	24	1.6	NA	
Signature*	100	F	SP	FF			13	0.8	17
Signature*	100	F	SP	FF	Menthol		13	0.8	17
Signature*	100	F	SP	Lt			9	0.6	12
Signature*	100	F	SP	Lt	Menthol		9	0.6	11
Signature*	100	F	SP	Ultra-Lt			4	0.3	8
Signature*	King	F	SP	FF			14	0.8	16
Signature*	King	F	SP	FF	Menthol		14	0.8	16
Signature*	King	F	SP	Lt			9	0.6	12

"Tar," Nicotine & Carbon Monoxide Report

Page 26

Brand Name	Description					Tar	Nic	CO
Signature*	King	F	SP	Lt	Menthol	9	0.6	12
Signature*	King	F	SP	Ultra-Lt		4	0.3	6
Silva Thins	100	F	HP			11	0.9	10
Silva Thins	100	F	HP		Menthol	11	0.9	10
Skyline*	King	F	SP	FF		16	1.0	NA
Slim Price*	100	F	HP	Lt		10	0.7	12
Slim Price*	100	F	SP	FF		13	0.8	17
Slim Price*	100	F	SP	FF	Menthol	13	0.8	17
Slim Price*	100	F	SP	Lt		9	0.6	12
Slim Price*	100	F	SP	Lt	Menthol	9	0.6	11
Slim Price*	100	F	SP	Ultra		4	0.3	8
Slim Price*	King	F	SP	FF		14	0.8	16
Slim Price*	King	F	SP	FF	Menthol	14	0.8	16
Slim Price*	King	F	SP	Lt		9	0.6	12
Slim Price*	King	F	SP	Lt	Menthol	9	0.6	12
Slim Price*	King	F	SP	Ultra		4	0.3	6
Slim Price*	King	NF	SP			21	1.1	17
Special	100	F	HP	FF		17	1.3	16
Special	100	F	HP	Lt		12	1.0	13
Special	100	F	HP	Mild	Menthol	12	1.0	13
Special	King	F	HP	FF		15	1.2	13
Special	King	F	HP	Lt		11	0.9	12
State*	100	F	HP	FF		14	1.4	11
State*	King	F	HP			NA	NA	NA
State*	King	F	HP	FF		15	1.5	15
State*	King	F	HP	Lt		11	1.1	11
Sterling	100	F	HP	Slim-Lt		6	0.5	9
Sterling	100	F	HP	Slim-Lt	Menthol	6	0.5	9
Sterling	100	F	SP			13	0.8	17
Sterling	100	F	SP		Menthol	13	0.8	17
Sterling	100	F	SP	Lt		9	0.7	12
Sterling	100	F	SP	Lt	Menthol	9	0.7	12
Sterling	100	F	SP	Ultra-Lt		4	0.3	8
Sterling	100	F	SP	Ultra-Lt	Menthol	4	0.4	8
Stockton*	100	F	SP	FF		13	0.8	17
Stockton*	100	F	SP	Lt		9	0.6	12
Stockton*	100	F	SP	Lt	Menthol	9	0.6	11
Stockton*	100	F	SP	Ultra-Lt		4	0.3	8
Stockton*	King	F	SP	FF		14	0.8	16
Stockton*	King	F	SP	Lt		9	0.6	12
Stockton*	King	F	SP	Lt	Menthol	9	0.6	12

"Tar," Nicotine & Carbon Monoxide Report

Page 27

Brand Name	Description					Tar	Nic	CO						
Stockton*	King	F	SP	Ultra-Lt			4	0.3	6					
Stride*	100	F	SP	FF			16	1.3	21					
Stride*	King	F	SP	FF			14	1.1	18					
Style	100	F	HP	Lt				11	0.9	14				
Style	100	F	HP	Lt	Menthol				12	0.9	14			
Style	100	F	HP	Slim-Lt					10	0.8	11			
Style	100	F	HP	Slim-Lt		Menthol				10	0.8	11		
Style	100	F	SP	Lt						12	0.9	14		
Style	100	F	SP	Lt	Menthol				12	0.9	14			
Summit	100	F	SP	FF						14	0.9	16		
Summit	100	F	SP	FF		Menthol				15	1.1	15		
Summit	100	F	SP	Lt						11	0.8	13		
Summit	100	F	SP	Lt	Menthol				9	0.8	9			
Summit	100	F	SP	Ultra-Lt						5	0.4	6		
Summit	King	F	HP	FF						15	1.1	14		
Summit	King	F	HP	Lt						10	0.8	12		
Summit	King	F	SP	FF						16	0.9	15		
Summit	King	F	SP	FF		Menthol				14	1.0	13		
Summit	King	F	SP	Lt						10	0.8	11		
Summit	King	F	SP	Lt	Menthol				11	0.8	11			
Summit	King	F	SP	Ultra-Lt						5	0.5	7		
Summit	King	NF	SP									23	1.5	16
Sundance*	100	F	SP	FF						13	0.8	17		
Sundance*	100	F	SP	FF		Menthol				13	0.8	17		
Sundance*	100	F	SP	Lt						9	0.6	12		
Sundance*	100	F	SP	Lt	Menthol							9	0.6	11
Sundance*	100	F	SP	Ultra-Lt						4	0.3	8		
Sundance*	King	F	HP	FF						14	0.8	15		
Sundance*	King	F	HP	Lt						10	0.6	12		
Sundance*	King	F	SP	FF						14	0.8	16		
Sundance*	King	F	SP	FF		Menthol				14	0.8	16		
Sundance*	King	F	SP	Lt						9	0.6	12		
Sundance*	King	F	SP	Lt	Menthol							9	0.6	12
Sundance*	King	F	SP	Ultra-Lt						4	0.3	6		
Sundance*	King	NF	SP									21	1.1	17
Tall	120	F	SP	FF						19	1.4	19		
Tall	120	F	SP	FF		Menthol				18	1.5	17		
Tareyton	100	F	SP	FF						13	1.0	16		
Tareyton	100	F	SP	Lt							7	0.6	8	
Tareyton	King	F	SP	FF						14	1.0	14		
Tareyton	King	F	SP	Lt						6	0.5	6		

"Tar," Nicotine & Carbon Monoxide Report

Page 28

Brand Name	Description					Tar	Nic	CO		
Tareyton, Herbert	King	NF	SP				25	1.5	17	
Tempo*	100	F	SP	FF				13	0.8	17
Tempo*	100	F	SP	FF	Menthol			13	0.8	17
Tempo*	100	F	SP	Lt				9	0.6	12
Tempo*	100	F	SP	Lt	Menthol			9	0.6	11
Tempo*	100	F	SP	Ultra-Lt			4	0.3	8	
Tempo*	King	F	SP	FF				14	0.8	16
Tempo*	King	F	SP	FF	Menthol			14	0.8	16
Tempo*	King	F	SP	Lt				9	0.6	12
Tempo*	King	F	SP	Lt	Menthol			9	0.6	12
Tempo*	King	F	SP	Ultra-Lt			4	0.3	6	
Tempo*	King	NF	SP				21	1.1	17	
Top Choice*	100	F	SP	FF	Generic			16	1.0	NA
Top Choice*	100	F	SP	FF	Menthol	Generic	16	1.0	NA	
Top Choice*	100	F	SP	Lt	Generic			11	0.7	NA
Top Choice*	100	F	SP	Lt	Menthol	Generic	11	0.8	NA	
Top Choice*	100	F	SP	Ultra-Lt			6	0.5	NA	
Top Choice*	King	F	SP	FF	Generic			16	1.0	NA
Top Choice*	King	F	SP	Lt	Generic			11	0.7	NA
Top Choice*	King	F	SP	Lt	Menthol	Generic	11	0.7	NA	
Top Choice*	King	F	SP	Ultra-Lt			6	0.5	NA	
Top Choice*	King	NF	SP	Generic			24	1.6	NA	
Tri-Brand*	100	F	SP	FF				13	0.8	17
Tri-Brand*	100	F	SP	Lt				9	0.6	12
Tri-Brand*	100	F	SP	Lt	Menthol		9	0.6	11	
Tri-Brand*	100	F	SP	Ultra-Lt			4	0.3	8	
Tri-Brand*	King	F	HP	Lt				10	0.6	12
Tri-Brand*	King	F	SP	FF				14	0.8	16
Tri-Brand*	King	F	SP	Lt				9	0.6	12
Tri-Brand*	King	F	SP	Lt	Menthol		9	0.6	12	
Tri-Brand*	King	F	SP	Ultra-Lt			4	0.3	6	
Tri-Brand*	King	NF	SP				21	1.1	17	
Triumph	King	F	SP				4	0.4	4	
Triumph	King	F	SP	Menthol			4	0.4	5	
Triumph	100	F	SP	Menthol			5	0.5	6	
True	100	F	HP				6	0.5	6	
True	100	F	SP				6	0.6	7	
True	100	F	SP	Menthol			6	0.5	6	
True	King	F	HP				4	0.4	5	
True	King	F	SP				4	0.4	5	
True	King	F	SP	Menthol			4	0.4	5	

"Tar," Nicotine & Carbon Monoxide Report

Page 29

Brand Name	Description					Tar	Nic	CO
Value & Quality*	100	F	SP	FF		13	0.8	17
Value & Quality*	100	F	SP	FF		Menthol	13	0.8
Value & Quality*	100	F	SP	Lt			9	0.6
Value & Quality*	100	F	SP	Lt	Menthol		9	0.6
Value & Quality*	100	F	SP	Ultra-Lt			4	0.3
Value & Quality*	King	F	SP	FF			14	0.8
Value & Quality*	King	F	SP	FF		Menthol	14	0.8
Value & Quality*	King	F	SP	Lt			9	0.6
Value & Quality*	King	F	SP	Lt	Menthol		9	0.6
Value & Quality*	King	F	SP	Ultra-Lt			4	0.3
Value & Quality*	King	NF	SP				21	1.1
Value Pride*	100	F	SP	FF			13	0.8
Value Pride*	100	F	SP	FF		Menthol	13	0.8
Value Pride*	100	F	SP	Lt			9	0.6
Value Pride*	100	F	SP	Lt	Menthol		9	0.6
Value Pride*	100	F	SP	Ultra-Lt			4	0.3
Value Pride*	King	F	HP	FF			14	0.8
Value Pride*	King	F	HP	Lt			10	0.6
Value Pride*	King	F	SP	FF			14	0.8
Value Pride*	King	F	SP	FF		Menthol	14	0.8
Value Pride*	King	F	SP	Lt			9	0.6
Value Pride*	King	F	SP	Lt	Menthol		9	0.6
Value Pride*	King	F	SP	Ultra-Lt			4	0.3
Value Pride*	King	NF	SP				21	1.1
Value Sense*	100	F	SP	FF			13	0.8
Value Sense*	100	F	SP	FF		Menthol	13	0.8
Value Sense*	100	F	SP	Lt			9	0.6
Value Sense*	100	F	SP	Lt	Menthol		9	0.6
Value Sense*	100	F	SP	Ultra-Lt			4	0.3
Value Sense*	King	F	SP	FF			14	0.8
Value Sense*	King	F	SP	FF		Menthol	14	0.8
Value Sense*	King	F	SP	Lt			9	0.6
Value Sense*	King	F	SP	Lt	Menthol		9	0.6
Value Sense*	King	F	SP	Ultra-Lt			4	0.3
Value Sense*	King	NF	SP				21	1.1
Value Time*	100	F	SP	FF			13	0.8
Value Time*	100	F	SP	FF		Menthol	13	0.8
Value Time*	100	F	SP	Lt			9	0.6
Value Time*	100	F	SP	Lt	Menthol		9	0.6
Value Time*	100	F	SP	Ultra			4	0.3
Value Time*	King	F	SP	FF			14	0.8

"Tar," Nicotine & Carbon Monoxide Report

Page 30

Brand Name	Description					Tar	Nic	CO	
Value Time*	King	F	SP	FF	Menthol	14	0.8	16	
Value Time*	King	F	SP	Lt		9	0.6	12	
Value Time*	King	F	SP	Lt	Menthol	9	0.6	12	
Value Time*	King	F	SP	Ultra		4	0.3	6	
Value Time*	King	NF	SP			21	1.1	17	
Vantage	100	F	HP	Ultra-Lt		5	0.5	7	
Vantage	100	F	SP			8	0.7	9	
Vantage	100	F	SP		Menthol	8	0.7	11	
Vantage	100	F	SP	Ultra-Lt		5	0.4	7	
Vantage	King	F	HP	Ultra-Lt		5	0.5	8	
Vantage	King	F	SP			9	0.8	9	
Vantage	King	F	SP		Menthol	9	0.8	9	
Vantage	King	F	SP	Ultra-Lt		5	0.4	7	
Vantage*	King	F	HP			3	0.2	9	
Vantage*	King	F	HP		Menthol	3	0.2	9	
Vantage*	King	F	HP	Mild		2	0.1	7	
Vantage*	King	F	HP	Mild	Menthol	2	0.1	7	
Viceroy	100	F	SP			16	1.2	15	
Viceroy	100	F	SP	Lt		12	1.0	12	
Viceroy	100	F	SP	Ultra		5	0.5	6	
Viceroy	King	F	HP			15	1.1	13	
Viceroy	King	F	HP	Lt		10	0.8	11	
Viceroy	King	F	SP			15	1.1	13	
Viceroy	King	F	SP	Lt		10	0.8	11	
Viceroy*	100	F	SP			NA	NA	NA	
Viceroy*	King	F	HP			NA	NA	NA	
Viceroy*	King	F	HP		10-pk	NA	NA	NA	
Viceroy*	King	F	HP	Lt		NA	NA	NA	
Viceroy*	King	F	SP			NA	NA	NA	
Virginia Slims	100	F	HP		Sup-Slim	5	0.5	5	
Virginia Slims	100	F	HP		Menthol	Sup-Slim	5	0.5	5
Virginia Slims	100	F	HP	Lt		Slim	8	0.7	9
Virginia Slims	100	F	HP	Lt	Menthol	Slim	8	0.7	9
Virginia Slims	100	F	HP	Ultra-Lt		Slim	5	0.5	6
Virginia Slims	100	F	HP	Ultra-Lt	Menthol	Slim	5	0.5	6
Virginia Slims	100	F	SP			Slim	14	1.1	13
Virginia Slims	100	F	SP		Menthol	Slim	15	1.1	13
Virginia Slims	120	F	HP	Lt		Slim	14	1.1	14
Virginia Slims	120	F	HP	Lt	Menthol	Slim	14	1.1	14
Vista*	King	F	SP	Lt			10	0.7	NA
Winston	100	F	HP	Lt			9	0.8	10

"Tar," Nicotine & Carbon Monoxide Report***Page*** 31

Brand Name	Description					Tar	Nic	CO	
Winston	100	F	HP	Slim-Lt		Select	9	0.8	9
Winston	100	F	HP	Ultra-Lt			6	0.6	9
Winston	100	F	SP				16	1.2	17
Winston	100	F	SP	Lt			10	0.8	13
Winston	100	F	SP		Select		16	1.3	15
Winston	100	F	SP	Ultra-Lt			4	0.4	7
Winston	King	F	HP				16	1.1	16
Winston	King	F	HP		Select		16	1.2	17
Winston	King	F	HP	Lt			11	0.9	12
Winston	King	F	HP	Lt	Select		10	0.8	11
Winston	King	F	HP	Ultra-Lt			5	0.5	8
Winston	King	F	SP				16	1.1	15
Winston	King	F	SP	Select			16	1.2	15
Winston	King	F	SP	Lt			10	0.8	12
Winston	King	F	SP	Lt	Select		11	0.9	13
Winston	King	F	SP	Ultra-Lt			5	0.5	8
Winston	100	F	HP		Select		16	1.3	15
Winston*	100	F	HP	Lt	Select		10	0.9	11
Winston*	100	F	SP	Lt	Select		10	0.8	11
Worth*	100	F	SP	FF			13	0.8	17
Worth*	100	F	SP	FF	Menthol		13	0.8	17
Worth*	100	F	SP	Lt			9	0.6	12
Worth*	100	F	SP	Lt	Menthol		9	0.6	11
Worth*	100	F	SP	Ultra-Lt			4	0.3	8
Worth*	King	F	HP	FF			14	0.8	15
Worth*	King	F	HP	Lt			10	0.6	12
Worth*	King	F	SP	FF			14	0.8	16
Worth*	King	F	SP	FF	Menthol		14	0.8	16
Worth*	King	F	SP	Lt			9	0.6	12
Worth*	King	F	SP	Lt	Menthol		9	0.6	12
Worth*	King	F	SP	Ultra-Lt			4	0.3	6
Worth*	King	NF	SP				21	1.1	17