GSA FORM 1364A-1	RLP NO.	DATE:
SIMPLIFIED LEASE PROPOSAL DATA		

- Waiver of Price Evaluation Preference. A HUBZone small business concern (SBC) Offeror may elect to waive the price evaluation preference provided in Section 4 of the RLP. In such a case, no price evaluation preference shall apply to the evaluation of the HUBZone SBC, and the performance of work requirements set forth in Section 1 of the Lease shall not be applicable to a lease awarded to the HUBZone SBC Offeror under this solicitation. A HUBZone SBC desiring to waive the price evaluation preference should so indicate below.
  - ☐ I am a HUBZone SBC Offeror and I elect to waive the price evaluation preference.

(See RLP and Lease documents for more information)

	PROPOSED RENT COMPONENTS						
	OFFIC	E AREA		rm Term /RSF/Yr)	Non-Firm Te (\$/RSF/Yr		Option Term (\$/RSF/Yr)
				Α	В		С
11	Building Shell Rent (In (See page 3 addendum	n, Shell Definitions)		<b>\$</b> [		\$	<b>\$</b> [
12	Turnkey Tenant Improv (See block 20 below for amortization rate break	r additional cost and		<b>\$</b> [		\$	\$[
13	Operating Rent			<b>\$</b> [		<b>\$</b> [	\$
14	Turnkey Security Upgr (See block 21 below for amortization rate break	r additional cost and		\$		<b>\$</b> [	\$[
15	Total			<b>\$</b> [		<b>\$</b> [	\$
	OTHER	SPACE		rm Term /RSF/Yr)	Non-Firm Te (\$/RSF/Yr		Option Term (\$/RSF/Yr)
				Α	В		С
16	<b>Building Shell Rent (In</b>	cl. Real Estate Taxes)		<b>\$</b> [		<b>\$</b>	\$
17	Turnkey Tenant Improv (See block 20 below for amortization rate break	r additional cost and		<b>\$</b> [		<b>\$</b> [	<b>\$</b> [
18	Operating Rent			<b>\$</b> [		<b>\$</b> [	\$
19	Turnkey Security Upgr (See block 21 below fo amortization rate break	r additional cost and		\$[		\$	\$[
20	Total			<b>\$</b>		\$	\$
21	Tenant Improvement Costs	\$		Interest rate to amortize Tenant Improvements		%	
22	Security Upgrade Costs	\$		Interest rate to amortize % Security Upgrade Costs			

	FORM 1364A-1 LIFIED LEASE PROPOSAL DAT <i>I</i>	4	RLP NO.		DATE:
23	OTHER INFORMATION SUPPLIED WITH THIS PROPOSAL:  If GSA is using an authorized contractor real estate broker in this transaction, Offeror must enter here the commission rate offered to its representative, and the commission rate offered to GSA's Broker, and attach the commission agreement between Offeror and GSA's Broker.				
24	[ ] The information contained in this 1364A-1 Lease Proposal Data Form is proprietary to Offeror.				
25	BY SUBMITTING THIS OFFER, THE OFFEROR AGREES UPON ACCEPTANCE OF THIS PROPOSAL BY THE HEREIN SPECIFIED DATE, TO LEASE TO THE UNITED STATES OF AMERICA, THE PREMISES DESCRIBED, UPON THE TERMS AND CONDITIONS AS SPECIFIED HEREIN, IN FULL COMPLIANCE WITH AND ACCEPTANCE OF THE AFOREMENTIONED REQUEST FOR LEASE PROPOSALS, WITH ATTACHMENTS.				
26	A. SIGNATURE	B. NAME	С. ТІТ	LE	D. DATE

## **Addendum: Shell Definitions**

Base Building	Tenant Areas
Base structure and building enclosure components (windows with exterior finishes) are complete.	Broom-clean concrete floor slab, with level floor not varying more than ¼ inch over 10-foot horizontal run, in accordance with American Concrete Institute Standards.
Base building electrical and mechanical systems (e.g., central fire alarm, chiller plant, and cooling tower) are complete and functional.	Gypsum wallboard, spackled and prime painted on exterior perimeter walls and interior core walls, is installed.
All common areas, such as lobbies, elevators, fire egress corridors and stairwells, garages, and service areas are complete. (Circulation corridors are provided as part of the base building only on multitenanted floors where the corridor is common to more than one tenant. On single tenant floors, only the fire egress corridor necessary to meet code is provided as part of the shell.)	2' x 2' suspended acoustical ceiling with 2' x 2' parabolic fluorescent (or other building standard, such as 2' x 4' fixtures) installed in the ceiling grid for an open office plan at the rate of one fixture per 80 USF, is installed.
Building common restrooms are complete and operational.	Common corridor stud walls, without gypsum board on demised tenant premises side and without suite entry door, are installed.
Building cores on each floor with assignable space contain the following: tappable domestic water riser, service sanitary drain, sanitary vent, ready for extension to tenant-demised areas.  Electrical power distribution panels and circuit breakers available in an electrical closet, with capacity at 277/480 volt and 120/208 volt, 3-phase, 4-wire providing 4 watts per USF.  Designated connection point to the central fire alarm system for extension to tenant-demised areas.  Distribution backboard within a wire closet for connection to tenant's telephone lines. Vertical conduit (empty sleeve) through building core, available for tenant wiring and cabling.	Central heating, ventilation, and air conditioning (HVAC) systems are installed and operational, including, as appropriate, main and branch lines, variable air volume boxes, dampers, flex ducts and diffusers, for open office layout. Conditioned air through medium pressure ductwork at a rate of .75 cfm per square foot of usable area is provided.  Sprinkler mains and distribution piping in a protection layout (open plan) with heads turned down, concealed with an escutcheon or trim plate, are installed.