

November 1, 2011

Division of HIV/AIDS Prevention  
Publications  
2011

**Names in bold are those of staff or full-time on-site contractors in DHAP whose published affiliation includes (at a minimum) CDC. (Preferably, the published affiliation of a staff member or a contractor includes the Division of HIV/AIDS Prevention.) If a contractor's published affiliation is only the name of the contracting company, that contractor's name is not bolded on this list.**

**Adih W, Selik RM, Hu X.** Trends in diseases reported on US death certificates that mentioned HIV infection, 1996–2006 [published online ahead of print November 18, 2010]. *Journal of the International Association of Physicians in AIDS Care* 2011;10(1):5-11.  
doi:10.1177/1545109710384505.

**Adih WK, Campsmith M, Williams CL, Hardnett FP,** Hughes D. Epidemiology of HIV among Asians and Pacific Islanders in the United States, 2001–2008 [published online ahead of print April 20, 2011]. *Journal of the International Association of Physicians in AIDS Care*.  
doi:10.1177/1545109711399805.

Alvy LM, McKirnan DJ, **Mansergh G**, Koblin B, Colfax GN, **Flores SA**, Hudson S; Project MIX Study Group. Depression is associated with sexual risk among men who have sex with men, but is mediated by cognitive escape and self-efficacy [published online ahead of print March 9, 2010]. *AIDS and Behavior* 2011;15(6):1171-1179. doi:10.1007/s10461-010-9678-z.

Apandi R, Bunnell R, Ekwaru JP, Moore D, Bechage S, Khana K, King R Campbell J, Tappero J, **Mermin J**. Sexual behavior and HIV transmission risk of Ugandan adults taking antiretroviral therapy: 3 year follow-up. *AIDS* 2011;25(10):1317-1327. doi:10.1097/QAD.0b013e328347f775.  
Baker JV, Henry WK, **Patel P, Bush TJ, Conley LJ**, Mack WJ, Overton ET, Budoff M, Hammer J, Carpenter CC, Hodis HN, **Brooks JT**. Progression of carotid intima-media thickness in a contemporary human immunodeficiency virus cohort [published online ahead of print August 22, 2011]. *Clinical Infectious Diseases* 2011;53(8):826-835. doi:10.1093/cid/cir497.

Balaji AB, Eaton D, **Voetsch AC, Wiegand RE, Miller K**, Doshi SR. The association between HIV-related risk behaviors and HIV testing among high school students in the United States, 2009. *Archives of Pediatric and Adolescent Medicine*. In press.

Barrington C, **Wejnert C**, Guardado ME, Nieto AI, **Paz Bailey G**. Social network characteristics and HIV vulnerability among transgender persons in San Salvador: identifying opportunities for HIV prevention strategies [published online ahead of print May 3, 2011]. *AIDS and Behavior*.  
doi:10.1007/s10461-011-9959-1.

Beltran VM, McDavid Harrison K, **Hall HI**, Dean HD. Collection of social determinant of health measures in U.S. national surveillance systems for HIV, viral hepatitis, STDs, and TB. *Public Health Reports* 2011;126(suppl 3):41-53.

Bhanich Supapol W, Remis RS, Raboud J, Millson M, Tappero J, Kaul R, Kulkarni P, McConnell MS, Mock PA, **McNicholl JM**, Roongpisuthipong A, Chotpitayasunondh T, Shaffer N, **Butera S**. Prevalence and correlates of GB virus C infection in HIV-infected and HIV-uninfected pregnancy women in Bangkok, Thailand [published online ahead of print November 24, 2010]. *Journal of Medical Virology* 2011;83:33-44. doi:10.1002/jmv.21946.

Bialek SR, Barry V, Bell BP, **Valleroy LA**, **Behel S**, **MacKellar DA**, **Secura G**, Thiede H, McFarland W, Ford WL, Bingham T, Shehan DD, Celantano D; for Young Men's Survey Study Group. Seroprevalence and correlates of hepatitis A among HIV-negative American men who have sex with men. *Sexual Health* 2011;8:343-348.

Blackard JT, Welge JA, Taylor LE, Mayer KH, Klein RS, Celentano DD, Jamieson DJ, **Gardner L**, Sherman KE. HIV mono-infection is associated with FIB-4—a noninvasive index of liver fibrosis—in women. *Clinical Infectious Diseases* 2011;52(5):674-680.

**Branson BM, Mermin J.** Establishing the diagnosis of HIV infection: new tests and a new algorithm for the United States [Commentary]. *Journal of Clinical Virology*. doi:10.1016/j.jcv.2011.09.024.

**Brown DC, McCree DH, Eke AN.** African Americans and HIV: epidemiology, context, behavioral interventions, and future directions for prevention. In: Hall JC, Hall BJ, Cockerell CJ, eds. *HIV/AIDS in the Post-HAART Era: Manifestations, Treatment and Epidemiology*. People's Medical Publishing House—USA; 2011:656-678.

**Buchacz K**, Armon C, Pelella FJ, Baker RK, Tedaldi E, **Durham MD**, **Brooks JT**. CD4 cell counts at HIV diagnosis among HIV Outpatient Study Participants, 2000–2009 [published online ahead of print September 20, 2011]. *AIDS Research and Treatment*. doi:10.1155/2012/869841. +

Centers for Disease Control and Prevention [**Denning PH, DiNenno EA, Wiegand RE**]. Characteristics associated with HIV infection among heterosexuals in urban areas with high AIDS prevalence—24 cities, United States, 2006–2007. *MMWR* 2011;60(31):1045-1049.

Centers for Disease Control and Prevention [**Blair JM, McNaghten AD, Frazier EL, Skarbinski J, Heffelfinger JD**]. Clinical and behavioral characteristics of adults receiving medical care for HIV infection—Medical Monitoring Project, United States, 2007. *MMWR Surveillance Summaries* 2011;60(SS-11):1-17.

Centers for Disease Control and Prevention [**Laffoon B, Satcher Johnson A, Cohen S, Hu X, Shouse RL**]. Disparities in diagnoses of HIV infection between blacks/African Americans and other racial/ethnic populations—37 states, 2005–2008. *MMWR* 2011;60(04):93-98.

Centers for Disease Control and Prevention [**Hall HI, Hughes D, Mermin JH**]. HIV infection—United States, 2005 and 2008. *MMWR* 2011;60(01)(suppl):87-89.

Centers for Disease Control and Prevention [**Finlayson TJ, Le B, Smith A, Bowles K, Cribbin M, Miles I, Oster AM, Martin T, Edwards A, DiNenno E**]. HIV risk, prevention, and testing behaviors among men who have sex with men—National HIV Behavioral Surveillance System, 21 U.S. cities, United States, 2008. *MMWR Surveillance Summaries* 2011;60(SS-14):1–34.

Centers for Disease Control and Prevention [**MacGowan RJ, Margolis A, Belcher L**]. HIV screening of male inmates during prison intake medical evaluation—Washington, 2006–2010. *MMWR* 2011;60(24):811-813.

Centers for Disease Control and Prevention [**Chen M, Rhodes P, Hall HI**]. HIV surveillance—United States, 1981–2008. *MMWR* 2011;60(21):689-693.

Centers for Disease Control and Prevention [**Oster AM, Miles IW, Le BC, DiNenno EA, Wiegand RE, Heffelfinger JD, Wolitski R**]. HIV testing among men who have sex with men—21 cities, United States, 2008. *MMWR* 2011;60(21):694-699.

Centers for Disease Control and Prevention [**Brooks JT, Heneine WM, Joyce MP, Owen SM, Shankar A, Switzer W; Kwan CK**]. HIV transmitted from a living organ donor—New York City, 2009. *MMWR* 2011;60(10):297-301.

Centers for Disease Control and Prevention [**Selik RM, Branson B, Owen SM, Granade T, Shouse L, Joyce P, Pieniazek D, Kline R**]. HIV-2 infection surveillance—United States, 1987–2009. *MMWR* 2011;60(29):985-988.

Centers for Disease Control and Prevention [**Bertolli J, Oster A, Spikes PS, Sanchez T, Jeffries WL IV**]. Increases in newly diagnosed HIV infections among young black men who have sex with men—Milwaukee County, Wisconsin, 1999–2008. *MMWR* 2011;60(04):99-102.

Centers for Disease Control and Prevention [**Smith DK, Weidle PJ, Lansky A, Mermin J**]. Interim guidance: preexposure prophylaxis for the prevention of HIV infection in men who have sex with men. *MMWR* 2011;60(03):65-68.

Centers for Disease Control and Prevention [**Dominguez K, Danner S, Nesheim S, Ivy W, Iuliano D**]. Premastication of food by caregivers of HIV-exposed children—nine U.S. sites, 2009–2010. *MMWR* 2011;60(09):273-275.

Centers for Disease Control and Prevention [**Vial AH, Dooley SW, Branson BM, Duffy N, Mermin J, Cleveland JC, Cagle C, Lyon WA**]. Results of the Expanded HIV Testing Initiative—25 jurisdictions, United States, 2007–2010. *MMWR* 2011;60(24):805-810.

Centers for Disease Control and Prevention [**Zhang X, Shinde S, Kilmarx PH, Chen RT, El Becheraoui C**]. Trends in in-hospital newborn male circumcision—United States, 1999–2010. *MMWR* 2011;60(34):1167-1168.

Chandra A, Mosher WD, Copen C, **Sionean C**. Sexual behavior, sexual attraction, and sexual identity in the United States: data from the 2006–2008 National Survey of Family Growth. *National Health Statistics Report* 2011;No. 36.

Chandwani S, Abramowitz S, **Koenig LJ**, Barnes W, D'Angelo L. A multimodal behavioral intervention to impact adherence and risk behavior among perinatally and behaviorally HIV-infected youth: description, delivery and receptivity of adolescent impact. *AIDS Education and Prevention* 2011;23(3):222-235.

**Charania MR, Crepaz N, Guenther-Gray C, Henny K, Liau A, Willis LA, Lyles CM**. Efficacy of structural-level condom distribution interventions: a meta-analysis of U.S. and international studies, 1998–2007 [published online ahead of print October 1, 2010]. *AIDS and Behavior* 2011;15:1283-1297. doi:10.1007/s10461-010-9812-y.

**Chavez P, Wesolowski L, Patel P, Delaney K, Owen SM**. Evaluation of the performance of the Abbott ARCHITECT HIV Ag/Ab Combo Assay [published online ahead of print October 7]. *Journal of Clinical Virology*. doi:10.1016/j.jcv.2011.09.010.

**Chen RT, Hu DJ, Dunne E, Shaw M, Mullins J, Rerks-Ngarm S**. Preparing for the availability of a partially effective HIV vaccine: lessons from other licensed vaccines [published online ahead of print July 15, 2011]. *Vaccine*. doi:10.1016/j.vaccine.2011.07.015.

Cohen MS, Chen YQ, McCauley M, Gamble T, Hosseiniipour MC, Kumarasamy N, . . . **Mills LA**, et al; for HPTN 052 Study Team. Prevention of HIV-1 infection with early antiretroviral therapy [published online ahead of print July 18, 2011]. *New England Journal of Medicine*. doi:10.1056/nejmoa1105243.

**Collins CB Jr, Wilson KM**. CDC's dissemination of evidence-based behavioral HIV prevention interventions [published online ahead of print June 1, 2011]. *Translational Behavioral Medicine Practice, Policy, Research*. doi:10.1007/s13142-011-0048-9.

**Cong M, Youngpairoj AS, Aung W, Sharma S, Mitchell J, Dobard C, Heneine W, Garcia-Lerma JG**. Generation and mucosal transmissibility of emtricitabine- and tenofovir-resistant SHIV162P3 mutants in macaques [published online ahead of print February 18, 2011]. *Virology* 2011;412:435-440. doi:10.1016/j.virol.2011.01.038.

**Cong ME, Youngpairoj AS, Zheng Q, Aung W, Mitchell J, Sweeney E, Hanson DL, Hendry RM, Dobard C, Heneine W, García-Lerma JG**. Protection against rectal transmission of emtricitabine (FTC)-resistant SHIV162P3<sub>M184V</sub> mutant by intermittent prophylaxis with Truvada [published online ahead of print June 1, 2011]. *Journal of Virology*. doi:10.1128/JVI.00843-11.

Conner LC, **Wiener J**, Lewis JV, Phill R, Peralta L, Chandwani S, **Koenig LJ**. Prevalence and predictors of drug use among adolescents with HIV infection acquired perinatally or later in life [published online ahead of print August 14, 2001]. *AIDS and Behavior*. doi:10.1007/s10461-011-9950-x.

**Curtis KA, Kennedy MS, Charurat M, Nasidi A, Delaney K, Spira T, Owen SM.** Development and characterization of a bead-based multiplex assay for estimation of recent HIV type 1 infection [published online ahead of print June 17, 2011]. *AIDS Research and Human Retroviruses*. doi:10.1089/aid.2011.0037.

**Curtis KA, Kennedy MS, Luckay A, Cong ME, Youngpairoj AS, Zheng Q, Smith J, Hanson D, Heneine W, Owen SM, García-Lerma JG.** Delayed maturation of antibody avidity but not seroconversion in rhesus macaques infected with simian HIV during oral pre-exposure prophylaxis. *Journal of Acquired Immune Deficiency Syndromes* 2011;57(5):355-362. doi:10.1097/QAI.0b013e3182234a51.

**Dao CN, Patel P, Overton ET, Rhame F, Pals SL, Johnson C, Bush T, Brooks JT;** and Study to Understand the Natural History of HIV and AIDS in the Era of Effective Therapy (SUN) Investigators. Low vitamin D among HIV-infected adults: prevalence of and risk factors for low vitamin D levels in a cohort of HIV-infected adults and comparison to prevalence among adults in the US general population. *Clinical Infectious Diseases* 2011;52(3):396-405. doi:10.1093/cid/ciq158.

**Dao CN, Peters PJ, Kiarie J, Zulu I, Muiruri P, Ong'ech J, Mutotso W, Potter D, Njobvu L, Stringer J, Borkowf CB, Bolu O, Weidle PJ.** Hyponatremia, hypochloremia, and hypoalbuminemia predict an increased risk of mortality during the first year of antiretroviral therapy among HIV-infected Zambian and Kenyan women [published online ahead of print March 22, 2011]. *AIDS Research and Human Retroviruses*.

**Delaney KP, Branson BM, Uniyal A, Phillips S, Candal D, Owen SM, Kerndt PR.** Evaluation of the performance characteristics of 6 rapid HIV antibody tests [published online ahead of print December 17, 2010]. *Clinical Infectious Diseases* 2011;52(2):257-262. doi:10.1093/cid/ciq068.

**Delaney KP, Heffelfinger JD, Wesolowski LG, Owen SM, Meyer WA III, Kennedy S, Uniyal A, Kerndt PR, Branson BM.** Performance of an alternative laboratory-based algorithm for HIV diagnosis in a high-risk population [published online ahead of print October 11, 2011]. *Journal of Clinical Virology*.

DeStefano F, Vellozzi C, Schonberger LB, **Chen RT.** Safety of adjuvanted pandemic influenza A (H1N1) 2009 vaccines [editorial]. *BMJ* 2011;343:d4159. doi:1136/bmj.d4159.

**Dorell, CG, Sutton MY, Oster AM, Hardnett F, Thomas PE, Gaul ZJ, Mena LA, Heffelfinger JD.** Missed opportunities for HIV testing in health care settings among young African American men who have sex with men: implications for the HIV epidemic [posted online ahead of print September 2011]. *AIDS Patient Care and STDs*. doi:10.1089/apc.2011.0203.

**Durham MD, Buchacz K, Armon C, Patel P, Wood K, Brooks JT; and HOPS Investigators.** Rates and correlates of influenza vaccination among HIV-infected adults in the HIV Outpatient Study (HOPS), USA, 1999–2008 [published online ahead of print May 4, 2011]. *Preventive Medicine* 2011;53(1-2):89-94. doi:10.1016/j.ypmed.2011.04.015.

**Ethridge SF, Wesolowski LG, Nasrullah M, Kennedy MS, Delaney KP, Candal D, Owen M.** Comparative evaluation of Aptima HIV-1 Qualitative RNA Assay performance using plasma and serum specimens from persons with established HIV-1 infection [published online ahead of print October 12, 2011]. *Journal of Clinical Virology*. doi:10.1016/j.jcv.2011.09.019.

**Fisher HH, Habarta N, Hardnett F, Toledo C, Hoyte T, Eke A, Valleroy L.** Characteristics of first-time and repeat HIV tests among men who have sex with men who test at CDC-supported sites, 2007. *AIDS Education and Prevention* 2011;23(3)(suppl):17-29.

**Fisher HH, Patel-Larson A, Green K, Shapatava E, Uhl G, Kalayil E, Moore A, Williams W, Chen B.** Evaluation of an HIV prevention intervention for African Americans and Hispanics: findings from the VOICES/VOCES Community-based Organization Behavioral Outcomes Project. *AIDS and Behavior*. In press.

Fogel J, Hoover DR, Sun J, Mofenson LM, **Fowler MG, Taylor AW**, Kumwenda N, Taha TE, Eshleman SH. Analysis of nevirapine resistance in HIV-infected infants who received extended nevirapine or nevirapine/zidovudine prophylaxis. *AIDS* 2011;25(7):911-917. 10.1007/s10461-010-9745-5.

Fogel J, Li Q, Taha TE, Hoover DR, Kumwenda NI, Mofenson LM, Kumwenda JJ, **Fowler MG, Thigpen MC**, Eshleman SH. Initiation of antiretroviral treatment in women after delivery can induce multiclass drug resistance in breastfeeding HIV-infected infants. *Clinical Infectious Diseases* 2011;52(8):1069-1076. doi:10.1093/cid/cir008.

**Galbraith JS, Herbst JH, Whittier DK, Jones PL, Smith BD, Uhl G, Fisher HH.** Taxonomy for strengthening the identification of core elements for evidence-based behavioral interventions for HIV/AIDS prevention [published online ahead of print May 2, 2011]. *Health Education Research*. doi:10.1093/her/cyr030.

**García-Lerma JG, Aung W, Cong ME, Zheng Q, Youngpairoj AS, Mitchell J, Holder A, Martin A, Kuklenyik S, Luo W, Lin CY, Hanson DL, Kersh E, Pau CP, Ray AS, Rooney JF, Lee WA, Heneine W.** Natural substrate concentrations can modulate the prophylactic efficacy of nucleotide HIV reverse transcriptase inhibitors [published online ahead of print April 27, 2011]. *Journal of Virology* 2011;85(13):6610-6617. doi:10.1128/JVI.00311-11

**Garland PM, Valverde EE, Fagan J, Beer L, Sanders C, Hillman D, Brady K, Courogen M, Bertolli J; for NIC Study Group.** HIV counseling, testing and referral experiences of persons diagnosed with HIV who have never entered HIV medical care. *AIDS Education and Prevention* 2011;23(3)(suppl):117-127.

**Greene DR**, Anderson BL, Burke MF, **Griffith J**, Schulkin J. Obstetric providers' knowledge, awareness, and use of CDC's HIV testing recommendations and *One Test. Two Lives.*<sup>TM</sup> [published online ahead of print June 29, 2011]. *Maternal and Child Health Journal*. doi:10.1007/s10995-011-0839-0.

Grossman CI, Forsyth A, **Purcell DW**, Allison S, Toledo C, Gordon CM. Advancing Novel HIV Prevention Intervention Research with MSM—Meeting Report. *Public Health Reports* 2011;126(July–August).

Gruber DA, Campos P, Dutcher M, Safford L, Phillips K, **Craw J**, **Gardner L**. Linking recently diagnosed HIV-positive persons to medical care: perspectives of referring providers. *AIDS Care* 2011;23(1):16-24. doi:10.1080/09540121.2010.498865.

Guadamuz TE, Wimonsate W, Varangrat A, Phanuphak P, Jommaroeng R, **McNicholl JM**, Mock PA, Tappero JW, **van Griensven F**. HIV prevalence, risk behavior, hormone use and surgical history among transgender persons in Thailand. *AIDS and Behavior* 2011;15(3):650-658. doi:10.1007/s10461-010-9850-5.

Guadamuz TE, Wimonsate W, Varangrat A, Phanuphak P, Jommaroeng R, Mock PA, Tappero JW, **van Griensven F**. Correlates of forced sex among populations of men who have sex with men in Thailand [published online ahead of print October 15, 2009]. *Archives of Sexual Behavior* 2011;40(2):259-266. doi:10.1007/s10508-009-9557-8.

Gunawardana M, Moss JA, Smith TJ, Kennedy S, Kopin E, Nguyen C, Malone AM, Rabe L, Schaudinn C, Webster P, **Srinivasan P**, **Sweeney ED**, **Smith JM**, Baum MM. Microbial biofilms on the surface of intravaginal rings worn in non-human primates [published online ahead of print March 10, 2011]. *Journal of Medical Microbiology*. doi:10.1099/jmm.0.028225-0.

**Gust DA**, **Kretsinger K**, **Gaul Z**, **Pals S**, **Heffelfinger JD**, **Begley E**, **Chen RT**, **Kilmarrx P**. Acceptability of newborn circumcision to prevent HIV infection in the United States [published online ahead of print January 6, 2011]. *Sexually Transmitted Diseases* 2011;38(6):536-542. doi:10.1097/OLQ.0b013e318207f5b0.

**Gust DA**, **Kretsinger K**, **Pals SL**, **Gaul ZJ**, **Heffelfinger JD**, **Begley EB**, **Chen RT**, **Kilmarrx PH**. Male circumcision as an HIV prevention intervention in the U.S.: influence of health care providers and potential for risk compensation. *Preventive Medicine* 2011;52:270-273. doi:10.1016/j.ypmed.2011.01.015.

**Gust DA**, Mosimaneotsile B, Mathebula U, Chingapanha B, **Gaul Z**, **Pals SL**, **Samandari T**. Risk factors for non-adherence and loss to follow-up in a three-year clinical trial in Botswana. *PLoS One* 2011;6(4):e08435. doi:10.1371/journal.pone.0018435.

Halkitis PN, Kupprat SA, **McCree DH**, Simons BA, Jabouin R, Hampton MC, Gillen S. Evaluation of the relative effectiveness of three HIV testing strategies targeting African American men who have sex with men (MSM) in New York City [published online ahead of print August 5, 2011]. *Annals of Behavioral Medicine*. doi:10.1007/s12160-011-9299-4.

**Hall HI, Walker F, Shah D, Belle E.** Trends in HIV diagnoses and testing among U.S. adolescents and young adults [published online ahead of print April 12, 2011]. *AIDS and Behavior*. doi:10.1007/s10461-011-9944-8.

Hankins CA, Glasser JW, **Chen RT**. Modeling the impact of RV144-like vaccines on HIV transmission [guest editors commentary]. *Vaccine* 2011;29:6069-6071. doi:10.1016/j.vaccine.2011.07.001.

Hanna DB, **Selik RM, Tang T**, Gange SJ. Disparities among states in HIV-related mortality in persons with HIV infection, 37 U.S. states, 2001–2007 [published online ahead of print October 15, 2011]. *AIDS*.

**Heitgerd JL, Kalayil EJ, Patel-Larson A, Uhl, G, Williams WO, Griffin T, Smith BD.** Reduced sexual risk behaviors among people living with HIV: results from the Healthy Relationships outcome monitoring project. [published online ahead of print March 9, 2011]. doi:10.1007/s10461-011-9913-2.

**Henning T, Fakile Y, Phillips C, Sweeney E, Mitchell J, Patton D, Sturdevant G, Caldwell HD, Secor WE, Papp J, Hendry RM, McNicholl J, Kersh E.** Development of a pigtail macaque model of sexually transmitted infection/HIV coinfection using *Chlamydia trachomatis*, *Trichomonas vaginalis*, and SHIV<sub>SF162P3</sub>. *Journal of Medical Primatology* 2011;40:214-223. doi:10.1111/j.1600-0684.2011.00488.x.

**Herbst JH, Stallworth JM, Mejia R, Bauermeister JA, Villarruel AM.** HIV/AIDS in Hispanic/Latino communities. In: Hall JC, Hall BJ, Cockerell CJ, eds. *HIV/AIDS in the Post-HAART Era: Manifestations, Treatment and Epidemiology*. People's Medical Publishing House—USA; 2011:679-708.

**Hoffmann D, Garcia AD, Harrigan PR, Johnston ICD, Nakasone T, García-Lerma JG, Heneine W.** Measuring enzymatic HIV-1 susceptibility to two reverse transcriptase inhibitors as a rapid and simple approach to HIV-1 drug-resistance testing. *PLoS One* 2011;6(7):e22019. doi:10.1371/journal.pone.0022019.

**Holtz TH, Kabera G, Mthiyane T, Zingoni T, Nadesan S, Ross D, Allen J, Chideya S, Sunpath H, Rustomjee R.** Use of a WHO-recommended algorithm to reduce mortality in seriously ill patients with HIV infection and smear-negative pulmonary tuberculosis in South Africa: an observational cohort study [published online ahead of print April 20, 2011]. *Lancet Infectious Diseases* 2011;11(7):533-540. doi:10.1016/S1473-3099(11)70057-3.

**Hutchinson AB, Farnham PG, Lyss SB, White DAE, Sansom SL, Branson BM.** Emergency department HIV screening with rapid tests: a cost comparison of alternative models. *AIDS Education and Prevention* 2011;23(3)(suppl):58–69.

Incidence Assay Critical Path Working Group [**Branson B, Kim A, Mermin J, Owen SM, Parekh B**]. More and better information to tackle HIV epidemics: towards improved HIV incidence assays. *PLoS Medicine* 2011;8(6):e1001045. doi:10.1371/journal.pmed.1001045.

Ison MG, Llata E, Conover CS, Friedewald JJ, Gerber SI, Grigoryan A, **Heneine W**, Millis JM; and HIV-HCV Transplantation Transmission Investigation Team. Transmission of human immunodeficiency virus and hepatitis C virus from an organ donor to four transplant recipients. *American Journal of Transplantation* 2011;11:1218-1225. doi: 10.1111/j.1600-6143.2011.03597.x.

Jemal A, Saraiya M, **Patel P**, Cherala SS, Barnholtz-Sloan J, Kim J, Wiggins CL, Wingo PA. Recent trends in cutaneous melanoma incidence and death rates in the United States, 1992–2006. *Journal of the American Academy of Dermatology* 2011;65(5)(suppl 5):S17–25.

Jemmott JB III, Jemmott LS, **O'Leary A**, Ngwane Z, Icard L, Bellamy S, Jones S, Landis JR, Heeren GA, Tyler JC, Makwane MB. Cognitive-behavioural health-promotion intervention increases fruit and vegetable consumption and physical activity among South African adolescents: a cluster-randomised controlled trial. *Psychology and Health* 2011;26(2):167-185.

**Joseph H, Marks G, Belcher L, Millett GA**, Stueve A, Bingham TA, Lauby J. Older partner selection, sexual risk behaviour and unrecognised HIV infection among black and Latino men who have sex with men [published online ahead of print June 24, 2011]. *Sexually Transmitted Infections*. doi:10.1136/sextrans-2011-050010.

Kaiser R, Bunnell R, Hightower A, Kim AA, Cherutich P, Mwangi M, Oluoch T, Dadabhai S, Mureithi P, Mugo N, **Mermin J**; for KAIS Study Group. Factors associated with HIV infection in married or cohabitating couples in Kenya: results from a nationally representative study. *PLoS One* 2011;6(3):e17842. doi:10.1371/journal.pone.0017842.

Kanter J, Koh C, Razali K, Tai R, Izenberg J, Rajan L, **Van Griensven F**, Kamarulzaman A. Risk behaviour and HIV prevalence among men who have sex with men in a multiethnic society: a venue-based study in Kuala Lumpur, Malaysia. *International Journal of STD & AIDS* 2011;22(1):30-37. doi: 10.1258/ijsa.2010.010277.

Kapetanovic S, **Wiegand RE, Dominguez K**, Blumberg D, **Bohannon B**, Wheeling J, Rutstein R; and LEGACY Consortium. Associations of medically documented psychiatric diagnoses and risky health behaviors in highly active antiretroviral therapy-experienced perinatally HIV-infected youth [published online ahead of print July 11, 2011]. *AIDS Patient Care and STDs*. doi:10.1089/apc.2011.0107.

Kapogiannis BG, **Soe MM, Nesheim SR**, Abrams EJ, Carter RJ, Farley J, Palumbo P, **Koenig LJ, Bulterys M**. Mortality trends in the US Perinatal AIDS Collaborative Transmission Study (1986–2004). *Clinical Infectious Diseases* 2011;53(10):1024–1034. doi:10.1093/cid/cir641.

Kecojevic A, Lindsell CJ, Lyons MS, Holtgrave D, Torres G, **Heffelfinger J**, Brown J, Couture E, Jung J, Connell S, Rothman RE; National Emergency Department HIV Testing Consortium. Public health and clinical impact of increasing emergency department-based HIV testing: perspectives from the 2007 conference of the National Emergency Department HIV Testing Consortium. *Annals of Emergency Medicine* 2011;58(1)(suppl):S151-S159. doi:10.1016/j.annemergmed.2011.03.040.

**Kelley CF, Haaland RE, Patel P, Evans-Strickfaden T, Farshy C, Hanson D, Mayer K, Lennox JL, Brooks JT, Hart CE.** HIV-1 RNA rectal shedding is reduced in men with low plasma HIV-1 RNA viral loads and is not enhanced by sexually transmitted bacterial infections of the rectum. *Journal of Infectious Diseases* 2011;204(5):761-767. doi:10.1093/infdis/jir400.

**Kersh EN, Adams DR, Youngpairoj AS, Luo W, Zheng Q, Cong M, Aung W, Mitchell J, Otten R, Hendry RM, Heneine W, McNicholl J, Garcia-Lerma JG.** T cell chemo-vaccination effects after repeated mucosal SHIV exposures and oral pre-exposure prophylaxis. *PLoS One* 2011;6(4):e19295. doi:10.1371/journal.pone.0019295.

Kesho Bora Study Group [**Taylor A, Thigpen M**]. Triple antiretroviral compared with zidovudine and single-dose nevirapine prophylaxis during pregnancy and breastfeeding for prevention of mother-to-child transmission of HIV-1 (Kesho Bora study): a randomised controlled trial [published online ahead of print January 14, 2011]. *Lancet Infectious Diseases* 2011;11(3):171-180. doi:10.1016/S1473-3099(10)70288-7.

Koblin BA, **Mansergh G**, Frye V, Van Tieu H, Hoover DR, Booner S, **Flores SA**, Hudson SM, Colfax GN; for Project MIX Study Team. Condom use decision making in the context of hypothetical pre-exposure prophylaxis efficacy among substance-using men who have sex with men: Project MIX [published online ahead of print July 13, 2011]. *Journal of Acquired Immune Deficiency Syndromes*. doi:10.1097/QAI.0b013e31822b76d2.

**Koenig LJ, McCree DH.** Gender-responsive programming for domestic HIV prevention: Centers for Disease Control and Prevention perspective. *Women's Health Issues*. In press.

**Koenig LJ, Nesheim S**, Abramowitz S. Adolescents with perinatally-acquired HIV: emerging behavioral and health needs for long-term survivors [published online ahead of print August 18, 2011]. *Current Opinion in Obstetrics and Gynecology* 2011;23(5):321-327. doi:10.1097/GCO.0b013e32834a581b.

Koeppe J, Lichtenstein K, Armon C, Chmiel JS, **Buchacz K**, Wood K, **Brooks JT**; and HOPS Investigators. Factors associated with initiation of prolonged analgesic use among patients in the HIV Outpatient Study (HOPS) [published online ahead of print May 2, 2011]. *Clinical Journal of Pain*.

Kourtis AP, Amedee AM, **Bulterys M, Danner S**, Van Dyke R, O'Sullivan MJ, Maupin R, Jamieson DJ. Various viral compartments in HIV-1-infected mothers contribute to in utero transmission of HIV-1 [printed online ahead of print October 29, 2010]. *AIDS Research and Human Retroviruses* 2011;27(4):421-427. doi:10.1089/aid.2010.0160.

Krauss BJ, Miller KS. Parents as HIV/AIDS educators. In Bell C, Pequegnat W, eds. *Families and HIV/AIDS*. New York: Springer. In press.

Kyser M, Buchacz K, Bush TJ, Conley LJ, Hammer J, Henry K, Kojic EM, Milam J, Overton ET, Wood KC, Brooks JT. Factors associated with non-adherence to antiretroviral therapy in the SUN study [published online ahead of print February 2, 2011]. *AIDS Care* 2011;23(5):601-611. doi:10.1080/09540121.2010.525603.

LaGrange RD, Abramowitz S, Koenig LJ, Barnes W, Conner L, Moschel D. Participant satisfaction with group and individual components of Adolescent Impact: a secondary prevention intervention for HIV-positive youth [published online ahead of print August 22, 2011]. *AIDS Care*. doi:10.1080/09540121.2011.592817.

Lampe MA, Smith DK, Anderson GJE, Edwards AE, Nesheim SR. Achieving safe conception in HIV-discordant couples: the potential role of oral preexposure prophylaxis (PrEP) in the United States [published online ahead of print March 31, 2011]. *American Journal of Obstetrics & Gynecology*. doi: 10.1016/j.ajog.2011.02.026.

Laroque É, Halin M, Landry S, Marriott S, Switzer W, Barbeau B. HTLV-3- and HTLV-4-derived antisense transcripts encode proteins with similar Tax-inhibiting function but distinct subcellular localization [published online ahead of print September 14, 2011]. *Journal of Virology*. doi:10.1128/JVI.05296-11.

Lasry A, Sansom SL, Hicks KA, Uzunangelov V. A model for allocating CDC's HIV prevention resources in the United States [published online ahead of print December 24, 2010]. *Health Care Management Science* 2011;14(1):115-124.

Latkin C, Yang C, Tobin K, Penniman T, Patterson J, Spikes P. Differences in the social networks of African American men who have sex with men only and those who have sex with men and women. *Am J Public Health* 2011;101(10):e18-23.

Latkin C, Yang C, Tobin K, Roebuck G, Spikes P, Patterson J. Social network predictors of disclosure of MSM behavior and HIV-positive serostatus among African American MSM in Baltimore, Maryland [published online ahead of print August 3, 2011]. *AIDS and Behavior*. doi:10.1007/s10461-011-0014-z.

Lauby JL, Marks G, Bingham T, Liu KL, Liau A, Stueve, Millett GA. Having supportive social relationships is associated with reduced risk of unrecognized HIV infection among black and Latino men who have sex with men [published online ahead of print July 30, 2011]. doi:10.1007/s10461-011-0002-3.

Lewis MA, Uhrig JD, Ayala G, Stryker J. Reaching men who have sex with men for HIV prevention messaging with new media: recommendations from an expert consultation. *Annals of the Forum for Collaborative HIV Research* 2011;13(3):10-16.

**Li JF, Lipscomb JT, Wei X, Martinson NA, Morris L, Heneine W, Johnson JA.** Detection of low-level K65R variants in nucleoside reverse transcriptase inhibitor-naïve chronic and acute HIV-1 subtype C infections [published online ahead of print January 21, 2011]. *Journal of Infectious Diseases*.

Li JZ, Paredes R, Ribaudo HJ, Svarovskia ES, Metzner KJ, Kozal MJ, Hullsieck KH, Balduin M, Jakobsen MR, Geretti AM, Thiebaut R, Ostergaard L, Masquelier B, **Johnson JA**, Miller MD, Kuritzkes DR. Low-frequency HIV-1 drug resistance mutations and risk of NNRTI-based antiretroviral treatment failure: a systematic review and pooled analysis. *JAMA* 2011;305(13):1327-1335.

Lieb S, **Prejean J, Thompson DR, Fallon SJ, Cooper H, Gates GJ, Liberti TM, Friedman SR, Malow RM.** HIV prevalence rates among men who have sex with men in the southern United States: population-based estimates by race/ethnicity [published online ahead of print September 25, 2010]. *AIDS and Behavior* 2011;15(3):596-606. doi:10.1007/s10461-010-9820-y.

Lim JR, Sullivan PS, Salazar L, Spaulding AC, **DiNenno EA.** History of arrest and associated factors among men who have sex with men [published online ahead of print May 30, 2011]. *Journal of Urban Health*. doi:10.1007/s11524-011-9566-5.

Lingappa JR, Dumitrescu L, Zimmer SM, Lynfield R, **McNicholl JM**, Messonnier NE, Whitney CG, Crawford DC. Identifying host genetic risk factors in the context of public health surveillance for invasive pneumococcal disease. *PLoS One* 2011;6(8):e23413. doi:10.1371/journal.pone.0023413.

Livingston L, **Sweeney E, Mitchell J, Luo W, Paul K, Powell N, Hendry RM, McNicholl J, Kersh E.** Hormonal synchronization of the menstrual cycles of pigtail macaques to facilitate biomedical research including modeling HIV susceptibility. *Journal of Medical Primatology* 2011;40:164-170. doi:10.1111/j.1600-0684.2010.00465.x.

**MacKellar DA, Hou S-I, Whalen CC, Samuels K, Sanchez T, Smith A, Denson D, Lansky A, Sullivan P.** Reasons for not HIV testing, testing intentions, and potential use of an over-the-counter rapid HIV test in an Internet sample of men who have sex men who have never tested for HIV [published online ahead of print December 2010]. *Sexually Transmitted Diseases* 2011;38(5):419-428. doi:10.1097/OLQ.0b013e31820369dd.

**MacKellar DA, Hou S-I, Whalen CC, Samuels K, Valleroy LA, Secura GM, Behel S, Bingham T, Celentano DD, Koblin BA, LaLota M, Shehan D, Thiede H, Torian LV.** A plausible causal model of HAART-efficacy beliefs, HIV/AIDS complacency, and HIV-acquisition risk behavior among young men who have sex with men [published online ahead of print September 23, 2010]. *AIDS and Behavior* 2011;15(4):788-804. doi:10.1007/s10461-010-9813-x.

**MacKellar DA, Hou S-I, Whalen CC, Samuels K, Valleroy LA, Secura GM, Behel S, Bingham T, Celentano DD, Koblin BA, LaLota M, Shehan D, Thiede H, Torian LV; for Young Men's Survey Study Group.** HIV/AIDS complacency and HIV infection among young men who have sex with men, and the race-specific influence of underlying HAART beliefs [published

online ahead of print February 18, 2011]. *Sexually Transmitted Diseases* 2011;38(8):755-763. doi:10.1097/OLQ.0b013e31820d5a77.

**Malebranche DJ, Gvetadze R, Millett GA, Sutton MY.** The relationship between gender role conflict and condom use among black MSM [published online ahead of print October 8, 2011]. *AIDS and Behavior*. doi:10.1007/s10461-011-0055-3.

**Mansergh G, Higa D.** HIV/AIDS in lesbian, gay, bisexual, and transgender communities. In: Hall JC, Hall BJ, Cockerell CJ, eds. *HIV/AIDS in the Post-HAART Era: Manifestations, Treatment and Epidemiology*. People's Medical Publishing House—USA; 2011:709–741.

**Mansergh G, Koblin B, Colfax GN, Flores SA, Hudson SM;** for Project MIX Study Team. ‘Less education’ is associated with use and sharing of antiretroviral medications for prophylaxis of HIV infection among US men who have sex with men [letter] [published online ahead of print August 26, 2011]. *Sexually Transmitted Infections*. doi:10.1136/sextrans-2011-050188.

**Margolis AD, Joseph H, Belcher L, Hirshfield S, Chiasson MA.** ‘Never testing for HIV’ among men who have sex with men recruited from a sexual networking website, United States [published online ahead of print January 29, 2011]. *AIDS and Behavior*. doi:10.1007/s10461-011-9883-4.

**Marks G, Gardner LI, Craw J, Giordano TP, Mugavero MJ, Keruly JC, Wilson TE, Metsch LR, Drainoni M-L, Malitz F.** The spectrum of engagement in HIV care: do more than 19% of HIV-infected persons in the US have undetectable viral load [letter] [published online ahead of print October 5, 2011]? *Clinical Infectious Diseases*. doi:10.1093/cid/cir678.

**Martin M, Vanichseni S, Suntharasamai P, Sangkum U, Chuachoowong R, Mock PA, Leethochawalit M, Chiamwongpaet S, Kittimunkong S, van Griensven F, McNicholl JM, Paxton L, Choopanya K;** for Bangkok Tenofovir Study Group. *PLoS One* 2011;6(9):e25127.

**Masciotra S, McDougal JS, Feldman J, Sprinkle P, Wesolowski L, Owen SM.** Evaluation of an alternative HIV diagnostic algorithm using specimens from seroconversion panels and persons with established HIV infections [published online ahead of print October 5, 2011]. *Journal of Clinical Virology*. doi:10.1016/j.jcv.2011.09.011.

**McLellan-Lemal E, O'Daniels CM, Marks G, Villar-Loubet O, Doherty IA, Simpson C, Weiss S, Hanna B, Adimorea AA, White BL, Wheeling JT, Borkowf CB.** Sexual risk behaviors among African-American and Hispanic women in five counties in the southeastern United States: 2008–2009 [published online ahead of print July 23, 2011]. *Women's Health Issues*. doi:10.1016/j.whi.2011.06.002.

**McNicholl JM, McDougal JS, Wasinrapee P, Branson BM, Martin M, Tappero JW, Mock PA, Green TA, Hu DJ, Parekh B;** for Thai–U.S. BED Assay Validation Working Group. Assessment of BED HIV-1 incidence assay in seroconverter cohorts: effects of individuals with long-term infection and importance of stable incidence. *PLoS One* 2011;6(3):e14748. doi:10.1371/journal.pone.0014748.

Mei J, Kennedy M, **Linley L, Hanson D**, Schiffer J, **Ethridge S, Branson B**. Standardization and monitoring of laboratory performance and quality assurance by use of the less-sensitive HIV incidence assay: seven years of results [published online ahead of print]. *Journal of Acquired Immune Deficiency Syndromes*. doi:10.1097/QAI.0b013e318230dd77.

**Miller KS**, Forehand R, **Wiegand R, Fasula AM**, Armistead L, Long N, **Wyckoff SC**. Making HIV prevention programming count: identifying predictors of success in a parent-based HIV prevention program for youth. *AIDS Education and Prevention* 2011;23(1):38-53.

**Miller KS**, Lin CY, Poulsen M, **Fasula AM, Wyckoff SC**, Forehand R, Long N, Armistead L. Enhancing HIV communication between parents and children: efficacy of the Parents Matter! Program. *AIDS Education and Prevention*. In press.

**Millett G, Ding H, Marks G, Jeffries WL**, Bingham T, Lauby J, Murrill C, **Flores S**, Stueve A. Mistaken assumptions and missed opportunities: correlates of undiagnosed HIV infection among black and Latino men who have sex with men [published online ahead of print June 7, 2011]. *Journal of Acquired Immune Deficiency Syndromes*. doi:10.1097/QAI.0b013e31822542ad.

**Mizuno Y, Borkowf CB**, Millet G, Bingham T, Ayala G, Stueve A. Homophobia and racism experienced by Latino men who have sex with men in the United States: correlates of exposure and associations with HIV risk behaviors [published online ahead of print June 1, 2011]. *AIDS and Behavior*. doi:10.1007/s10461-011-9967-1.

**Mizuno Y, Purcell DW**, Metsch LR, Gomez CA, Knowlton AR, Latka MH. Is injection serosorting occurring among HIV-positive injection drug users? comparison by injection partner's HIV status [published online ahead of print April 19, 2011]. *Journal of Urban Health*. doi:10.1007/s11524-011-9578-1.

Mondy KE, Gottdiener J, Overton ET, Henry K, **Bush T, Conley L**, Hammer J, Carpenter CC, Kojic E, **Patel P, Brooks JT**; and SUN Study Investigators. High prevalence of echocardiographic abnormalities among HIV-infected persons in the era of highly active antiretroviral therapy [published online ahead of print December 9, 2010]. *Clinical Infectious Diseases* 2011;52(3):378-386. doi:10.1093/cid/ciq066.

Moore DM, Yiannoutsos CT, Musick BS, Tappero J, Degerman R, **Campbell J**, Were W, Kaharuza F, Alexander LN, Downing R, Mermin J. Determinants of early and late mortality among HIV-infected individuals receiving home-based antiretroviral therapy in rural Uganda [published online ahead of print]. *Journal of Acquired Immune Deficiency Syndromes*. doi:10.1097/QAI.0b013e3182303716.

Morgenstern J, Muench F, **O'Leary A**, Wainberg M, Parsons JT, Hollander E, Blain L, Irwin T. Non-paraphilic compulsive sexual behavior and psychiatric co-morbidities in gay and bisexual men [published online ahead of print August 31, 2011]. *Sexual Addiction & Compulsivity* 2011;18(3):114-134. doi:10.1080/10720162.2011.593420.

Mosoko JJ, Akam W, **Weidle PJ, Brooks JT**, Aweh AJ, Kinge TH, **Pals S**, Raghunathan PL. Retention in an antiretroviral therapy programme during an era of decreasing drug cost in Limbe, Cameroon [published online ahead of print June 16, 2011]. *Journal of the International AIDS Society* 2011;14:32. doi:10.1186/1758-2652-14-32.

Mugujira A, Baeten JM, Donnell D, Ndase P, Mugo NR, Barnes L, **Campbell JD**, et al. Characteristics of HIV-1 serodiscordant couples enrolled in a clinical trial of antiretroviral pre-exposure prophylaxis for HIV-1 prevention. *PLoS One* 2011;6(10):e25828. doi:10.1371/journal.pone.0025828.

**Nasrullah M, Ethridge SF, Delaney KP, Wesolowski LG, Granade TC, Schwendemann J, Boriomisa RD, Heffelfinger JD, Owen SM, Branson BM.** Comparison of alternative interpretive criteria for the HIV-1 Western blot and results of the Multispot HIV-1/HIV-2 Rapid Test for classifying HIV-1 and HIV-2 infections [published online ahead of print October 12, 2011]. *Journal of Clinical Virology*. doi:10.1016/j.jcv.2011.09.020.

**Neumann MS, O'Donnell L, San Doval A, Schillinger J, Blank S, Ortiz-Rios E, Garcia T, O'Donnell CR.** Effectiveness of the VOICES/VOCES sexually transmitted disease/human immunodeficiency virus prevention intervention when administered by health department staff: does it work in the “real world” [published online ahead of print August 25, 2010]? *Sexually Transmitted Diseases* 2011;38(2):133-139. doi:10.1097/OLQ.0b013e3181f0c051.

**Oster AM, Dorell CG, Mena LA, Thomas PE, Toledo CA, Heffelfinger JD.** HIV risk among young African American men who have sex with men: a case-control study in Mississippi [published online ahead of print November 18, 2010]. *American Journal of Public Health* 2011;101(1):137-143. doi:10.2105/AJPH.2009.185850.

**Oster AM, Pieniazek D, Zhang X, Switzer WM, Ziebell RA, Mena LA, Wei X, Johnson KL, Singh SK, Thomas PE, Elmore KA, Heffelfinger JD.** Demographic but not geographic insularity in HIV transmission among young black men who have sex with men, Mississippi, USA. *AIDS*. doi:10.1097/QAD.0b013e32834bfde9.

**Oster AM, Wiegand RE, Sionean C, Miles IJ, Thomas PE, Melendez-Morales L, Le BC, Millett GA.** Understanding disparities in HIV infection between black and white MSM in the United States: data from the National HIV Behavioral Surveillance System [published online ahead of print April 18, 2011]. *AIDS* 2011;25(8):1103-1112. doi:10.1097/QAD.0b013e3283471efa.

Overton ET, Kauwe JSK, Paul R, Tashima K, Tate DF, **Patel P, Carpenter CCJ, Patty D, Brooks JT, Clifford DB.** Performances on the CogState and standard neuropsychological batteries among HIV patients without dementia [published online ahead of print August 30, 2011]. *AIDS and Behavior*. doi:10.1007/s10461-011-0033-9.

Palella FJ Jr, Baker RK, **Buchacz K, Chmiel JS, Tedaldi EM, Novak RM, Durham MD, Brooks JT;** HOPS Investigators. Increased mortality among publicly insured participants in the HIV Outpatient Study (HOPS) despite HAART treatment [published online ahead of print August 5, 2011]. *AIDS* 2011;25:1865-1876. doi:10.1097/QAD.0b013e32834b3537.

**Pals SL, Wiegand RE**, Murray DM. Ignoring the group in group-level HIV/AIDS intervention trials: a review of reported design and analytic methods. *AIDS* 2011;25(7):989-996.

Parekh BS, **Hanson DL**, Hargrove K, **Branson B, Green T**, Dobbs T, Constantine N, Julie Overbaugh J, **McDougal S**. Determination of mean recency period for estimation of HIV type 1 incidence with the BED-capture EIA in persons infected with diverse subtypes. *AIDS Research and Human Retroviruses* 2011;27(3):265-273. doi:10.1089/aid.2010.0159.

**Peters PJ, Brooks JT**, Limbago B, Lowery HK, McAllister SK, Mindley R, Fosheim G, Gorwitz RJ, Guest JL, Hageman J, Fridge J, Rimland D. Methicillin-resistant *Staphylococcus aureus* colonization in HIV-infected outpatients is common and detection is enhanced by groin culture. *Epidemiology and Infection* 2011;139(7):998-1008. doi:10.1017/S0950268810002013.

**Peters PJ**, Marston BJ. Preventing deaths in persons with HIV/HBV co-infection—a call to accelerate prevention and treatment efforts. *Journal of Infectious Diseases*. In press.

**Peters PJ**, Marston BJ, **Weidle PJ, Brooks JT**. Human immunodeficiency virus infection. In: Magill A, Hill DR, Strickland GT, Ryan ET, Solomon T, eds. *Hunter's Tropical Medicine*. 9th ed. Oxford: Elsevier. In press.

**Peters PJ**, Polle N, **Zeh C**, Masaba R, **Borkowf CB**, Oyaro B, Omolo P, Ogindo P, Ndivo R, Angira F, Lando R, Fowler MG, **Weidle PJ, Thomas TK**. Nevirapine-associated hepatotoxicity and rash among HIV-infected pregnant women in Kenya. *Journal of the International Association of Physicians in AIDS Care*. In press.

**Peters PJ**, Skarbinski J, Louie JK, Jain S, New York City Department of Health Swine Flu Investigation Team, Roland M, Jani SG, Finelli L, **Brooks JT**. HIV-infected hospitalized patients with 2009 pandemic influenza A (H1N1)—United States, spring and summer 2009. *Clinical Infectious Diseases* 2011;52(suppl 1):S183-S188. doi:10.1093/cid/ciq036.

Philpott S, Heise L, McGrory E, **Paxton L**, Hankins C. The challenge of defining standards of prevention in HIV prevention trials [published online ahead of print December 24, 2010]. *Journal of Medical Ethics* 2011;37(4):244-248.

Prabhu VS, **Farnham PG, Hutchinson AB**, Soorapanth S, **Heffelfinger JD**, Golden MR, **Brooks JT**, Rimland D, **Sansom SL**. Cost-effectiveness of HIV screening in STD clinics, emergency departments, and inpatient units: a model-based analysis. *PLoS One* 2011;6(5):e19936. doi:10.1371/journal.pone.0019936.

**Prejean J, Song R, Hernandez A, Ziebell R, Green T, Walker F, Lin LS, An Q, Mermin J, Lansky A, Hall HI**; for HIV Incidence Surveillance Group. Estimated HIV incidence in the United States, 2006–2009. *PLoS One* 2011;6(8):e17502. doi:10.1371/journal.pone.0017502.

Romero LM, **Galbraith JS**, Wilson-Williams L, Gloppen KM. HIV prevention among African American youth: how well have evidence-based interventions addressed key theoretical constructs [published online ahead of print July 16, 2010]? *AIDS and Behavior* 2011;15(5):976-991. doi:10.1007/s10461-010-9745-5.

Rosenberg ES, Sullivan PS, **DiNenno EA**, Salazar LF, **Sanchez TH**. Number of casual male sexual partners and associated factors among men who have sex with men: results from the National HIV Behavioral Surveillance system. *BMC Public Health* 2011;11:189. doi:10.1186/1471-2458-11-189.

Samandari T, Agizew TB, Nyirenda S, Tedla Z, Sibanda T, Shang N, Mosimaneotsile B, Motsamai OI, Bozeman L, Davis MK, Talbot EA, Moeti TL, Moffat HJ, **Kilmarx PH**, Castro KG, Wells CD. 6-month versus 36-month isoniazid preventive treatment for tuberculosis in adults with HIV infection in Botswana: a randomised, double-blind, placebo-controlled trial. *Lancet* 2011;377(9777):1588-1598. doi:10.1016/S0140-6736(11)60204-3.

Satterfield BC, **Garcia RA**, **Jia H**, **Tang S**, **Zheng HQ**, **Switzer WM**. Serologic and PCR testing of persons with chronic fatigue syndrome in the United States shows no association with xenotropic or polytropic murine leukemia virus-related viruses. *Retrovirology* 2011;8:12. Available at <http://www.retrovirology.com/content/8/1/12>.

Setse RW, Siberry GK, Gravitt PE, Moss WJ, Agsu AL, Wheeling JT, **Bohannon BA**, **Dominguez KL**; and LEGACY Consortium. Correlates of sexual activity and sexually transmitted infections among human immunodeficiency virus-infected youth in the LEGACY cohort [published online ahead of print]. *Pediatric Infectious Disease Journal*. doi:10.1097/INF.0b013e3182326779.

Sheth AN, Althoff KN, **Brooks JT**. Influenza susceptibility, severity, and shedding in HIV-infected adults: a review of the literature [invited article]. *Clinical Infectious Diseases* 2011;52(2):219-227. doi:10.1093/cid/ciq110.

Sheth AN, **Patel P**, **Peters PJ**. Influenza and HIV: lessons from the 2009 H1N1 influenza pandemic [published online ahead of print June 28, 2011]. *Current HIV/AIDS Reports* 2011;8(3):181-191. doi:10.1007/s11904-011-0086-4.

Shiels MS, Pfeiffer RM, Gail MH, **Hall HI**, **Li J**, Chaturvedi AK, Bhatia K, Uldrick TS, Yarchoan R, Goedert JJ, Engels EA. Cancer burden in the HIV-infected population in the United States. *Journal of the National Cancer Institute* 2011;103(8):1-10.

**Shrestha RK**, **Sansom SL**, **Farmham PG**. Comparison of methods for estimating the cost of HIV counseling and testing interventions. *Journal of Public Health Management and Practice*. In press.

**Shrestha RK**, **Sansom SL**, **Schulden JD**, **Song B**, Smith LC, Ramirez R, Mares-DelGrasso A, **Heffelfinger JD**. Costs and effectiveness of finding new HIV diagnoses by using rapid testing in transgender communities. *AIDS Education and Prevention* 2011;23(3)(suppl):49-57.

Simmons EM, Brown MJ, Sly K, Ma M, **Sutton MY, McLellan-Lemal E.** Barriers and facilitators to HIV testing in primary care among health care providers. *Journal of the National Medical Association* 2011;103(5):432-438.

Simmons G, Glynn SA, Holmberg JA, Coffin JM, Hewlett IK, Lo SC, Mikovits JA, **Switzer WM**, Linnen JM, Busch MP; for Blood XMRV Scientific Research Working Group. The Blood Xenotropic Murine Leukemia Virus–related Virus Scientific Research Working Group: mission, progress, and plans [commentary; published online ahead of print March 1, 2011]. *Transfusion* 2011;51(3):643-653. doi: 10.1111/j.1537-2995.2011.03063.x.

Simmons G, Glynn SA, Komaroff AL, Mikovits JA, Tobler LH, Hackett J Jr, Tang N, **Switzer WM, Heneine W**, Hewlett IK, Zhao J, Lo S-C, Alter HJ, Linnen JM, Gao K, Coffin JM, Kearney MF, Ruscetti FW, Pfost MA, Bethel J, Kleinman S, Holmberg JA, Busch MP; for Blood XMRV Scientific Research Working Group (SRWG). Failure to confirm XMRV/MLVs in the blood of patients with chronic fatigue syndrome: a multi-laboratory study [published online ahead of print September 22, 2011]. *Science*. doi:10.1126/science.1213841.

**Song R, Hall HI**, McDavid Harrison K, Sharpe T, **Lin LS**, Dean HD. Identifying the impact of social determinants of health on disease rates using correlation analysis of area-based summary information. *Public Health Reports* 2011;126(suppl 3):70-80.

**Stein R, Green K, Toledo CA, Uhl G, Moore A, Shelley GA, Hardnett FP**. Provision of HIV counseling and testing services at five community-based organizations among young men of color who have sex with men [published online ahead of print October 14, 2010]. *AIDS and Behavior* 2011;15(4):743-750. doi:10.1007/s10461-010-9821-x.

**Stein R, Grimes TS, Malow R, Stratford D**, Spielberg F, Holtgrave DR. Introduction to special supplement: monitoring and evaluation of HIV counseling, testing and referral (CTR) and HIV testing services. *AIDS Education and Prevention* 2011;23(3)(suppl):1–6.

Sterling TR, Lau B, Zhang J, Freeman A, Bosch RJ, **Brooks JT**, Deeks SG, French A, Gange S, Gebo KA, Gill MJ, Horberg MA, Jacobson LP, Kirk GD, Kitahata MM, Klein MB, Martin JN, Rodriguez B, Silverberg MJ, Willig JH, Eron JJ, Goedert JJ, Hogg RS, Justice AC, McKaig RG, Napravnik S, Thorne J, Moore RD; for North American AIDS Cohort Collaboration on Research and Design (NA-ACCORD) of the International Epidemiologic Databases to Evaluate AIDS (IeDEA). Risk factors for tuberculosis after highly active antiretroviral therapy initiation in the United States and Canada: implications for tuberculosis screening. *Journal of Infectious Diseases* 2011;204(6):893-901. doi:10.1093/infdis/jir421.

**Sutton MY, Hardnett FP**, Wright P, Wahi S, Pathak S, **Warren-Jeanpierre L**, Jones S. HIV/AIDS knowledge scores and perceptions of risk among African American students attending historically black colleges and universities. *Public Health Reports* 2011;126(5):653-663.

**Sutton MY, Parks CP.** HIV/AIDS prevention, faith, and spirituality among black/African American and Latino communities in the United States: strengthening scientific faith-based efforts to shift the course of the epidemic and reduce HIV-related health disparities [published online ahead of print May 28, 2011]. *Journal of Religion and Health*. doi:10.1007/s10943-011-9499-z.

**Switzer WM**, Heneine W. Foamy virus. In: Liu D, ed. *Molecular Detection of Viral Pathogens*. Boca Raton, FL: CRC Press; 2011:131-143.

**Switzer W, Jia H, Zheng H, Tang S, Heneine W.** No association of xenotropic murine leukemia virus-related viruses with prostate cancer. *PLoS One* 2011;6(5):e19065. doi:10.1371/journal.pone.0019065.

Taha TE, Hoover DR, Chen S, Kumwenda NI, Mipando L, Nkanaunena K, **Thigpen MC, Taylor A**, Fowler MG, Mofenson LM. Effects of cessation of breastfeeding in HIV-1-exposed, uninfected children in Malawi. *Clinical Infectious Diseases* 2011;53(4):388-395. doi:10.1093/cid/cir413.

Taha TE, James MM, Hoover DR, Sun J, Laeyendecker O, Mullis CE, Kumwenda JJ, Lingappa JR, Auvert B, Morrison CS, Mofensen LM, **Taylor A**, Fowler MG, Kumenda NI, Eshleman SH. Association of recent HIV infection and in-utero HIV-1 transmission. *AIDS* 2011;25(11):1357-1364. doi:10.1097/QAD.0b013e3283489d45.

Taha TE, Li Q, Hoover DR, Mipando L, Nkanaunena K, **Thigpen MC, Taylor A**, Kumwenda J, Fowler MG, Mofenson LM, Kumwenda NI. Postexposure prophylaxis of breastfeeding HIV-exposed infants with antiretroviral drugs to age 14 weeks: updated efficacy results of the PEPI-Malawi trial [published online ahead of print March 17, 2011]. *Journal of Acquired Immune Deficiency Syndromes* 2011;57(4):319-325.

Tan KR, **Lampe MA, Danner SP**, Kissinger P, Webber MP, Cohen MH, O'Sullivan MJ, **Nesheim S**, Jamieson DJ. Factors associated with declining a rapid human immunodeficiency virus test in labor and delivery [published online ahead of print January 10, 2010]. *Maternal and Child Health Journal* 2011;15:115-121. doi:10.1007/s10995-009-0562-2.

Taylor BS, Chiasson MA, Scheinmann R, Hirshfield S, Humberstone M, Remien RH, **Wolitski RJ**, Tom Wong. Results from two online surveys comparing sexual risk behaviors in Hispanic, black, and white men who have sex with men [published online ahead of print June 21, 2011]. *AIDS and Behavior*.

**Thomas TK, Masaba R, Borkowf CB, Ndivo R, Zeh C, Misore A, Otieno J, Jamieson D, Thigpen MC, Bulterys M, Slutsker L, De Cock KM, Amornkul PN, Greenberg AE, Fowler MG; for KIBS Study Team.** Triple-antiretroviral prophylaxis to prevent mother-to-child HIV transmission through breastfeeding—the Kisumu Breastfeeding Study, Kenya: a clinical trial. *PLoS One* 2011;8(3):e1001015. doi:10.1371/journal.pmed.1001015.

Tieu HV, Xu G, Bonner S, **Spikes P**, Egan JE, Goodman K, Stewart K, Koblin BA. Sexual partner characteristics, serodiscordant/serostatus unknown unprotected anal intercourse and disclosure among human immunodeficiency virus–infected and uninfected black men who have sex with men in New York City [published online ahead of print January 6, 2011]. *Sexually Transmitted Diseases*.

Tobin KE, German D, **Spikes P**, Patterson J, Latkin C. A comparison of the social and sexual networks of crack-using and non-crack using African American men who have sex with men [published online ahead of print September 1, 2011]. *Journal of Urban Health*. doi:10.1007/s11524-011-9611-4.

Torres GW, **Heffelfinger JD**, Pollack HA, Barrera SG, Rothman RE. HIV screening programs in US emergency departments: a cross-site comparison of structure, process, and outcomes. *Annals of Emergency Medicine* 2011;58(1)(suppl):S104-S113. doi:10.1016/j.annemergmed.2011.03.034.

Torrone EA, **Bertolli JM**, Li J, Sweeney PA, Jeffries WL IV, Ham DC, Peterman TA. Increased HIV and primary and secondary syphilis diagnoses among young men—United States, 2004–2008 [published online ahead of print August 4, 2011]. *Journal of Acquired Immune Deficiency Syndromes*. doi:10.1097/QAI.0b013e31822e1075.

Tripathi A, **Gardner LI**, Ogbuanu I, Youmans E, Stephens T, Gibson JJ, Duffus WA. Predictors of time to enter medical care after a new HIV diagnosis: a statewide population-based study [published online ahead of print June 21, 2011]. *AIDS Care*. doi:10.1080/09540121.2011.565032.

Uhrig JD, Lewis MA, Ayala G, **Stryker J**. Recommendations from a research consultation to inform the next generation of HIV prevention messaging for men who have sex with men. *Annals of the Forum for Collaborative HIV Research* 2011;13(3):1-9.

**Vellozzi C**, Buchacz K, Baker R, Spradling PR, Richardson J, Moorman A, Tedaldi E, **Durham M**, Ward J, **Brooks JT**; and HOPS Investigators. Treatment of hepatitis C virus (HCV) infection in patients coinfecte<sup>d</sup> with HIV in the HIV Outpatient Study (HOPS), 1999–2007 [published online ahead of print March 29, 2010]. *Journal of Viral Hepatitis* 2011;18(5):316-324. doi:10.1111/j.1365-2893.2010.01299.x.

**Vishwanathan SA**, Guenthner PC, Lin CY, Dobard C, Sharma S, Adams DR, Otten RA, Heneine W, Hendry RM, McNicholl JM, Kersh EN. High susceptibility to repeated, low-dose, vaginal SHIV exposure late in the luteal phase of the menstrual cycle of pigtail macaques [published online ahead of print May 4, 2011]. *Journal of Acquired Immune Deficiency Syndromes* 2011;57(4):261-264.

Wallace SA, McLellan-Lemal E, Harris MJ, Townsend TG, Miller KS. Why take an HIV test? concerns, benefits, and strategies to promote HIV testing among low-income heterosexual African American young adults [published online ahead of print April 4, 2011]. *Health Education and Behavior*. doi:10.1177/1090198110382501.

**Warren-Jeanpiere L, Jones S, Sutton MY.** Health administrator perspectives on human immunodeficiency virus/acquired immunodeficiency syndrome prevention and services at historically black colleges and universities. *Journal of American College Health* 2011;59(4):327-329.

**Wei X, Youngpairoj AS, Garrido C, Zahonero N, Corral A, de Mendoza C, Heneine W, Johnson JA, Garcia-Lerma JG.** Minority HIV mutation detection in dried blood spots indicates high specimen integrity and reveals hidden archived drug resistance. *Journal of Clinical Virology* 2011;50(2):148-152. doi:10.1016/j.jcv.2010.11.006.

**Weidle PJ, Zeh C, Martin A, Lando R, Angira F, Osoga J, Ogindo P, Girde S, Minniear TD, Thomas TK.** Nelfinavir and its active metabolite, hydroxyl-t-butylamidenelfinavir (M8), are transferred in low quantities to breast milk and do not result in biologically significant concentrations in breast-feeding infants whose mothers are taking nelfinavir [published online ahead of print August 29, 2011]. *Antimicrobial Agents and Chemotherapy*. doi:10.1128/AAC.05273-11.

Weir HK, Marrett LD, Cokkindes V, Barnholtz-Sloan J, Patel P, Tai E, Jemal A, Li J, Kim J, Ekwueme D. Melanoma in adolescents and young adults (ages 15–39 years): United States, 1999–2006. *Journal of the American Academy of Dermatology* 2011;65(5)(suppl 5):S38–S49.

**Wen XJ, Balluz L, Town M.** Prevalence of HIV risk behaviors between binge drinkers and non-binge drinkers aged 18- to 64-years in US, 2008 [published online ahead of print June 4, 2011]. *Journal of Community Health*. doi:10.1007/s10900-011-9418-y.

**Wesolowski LG, Delaney KP, Hart C, Dawson C, Owen SM, Candal D, Meyer WA III, Ethridge SF, Branson BM.** Performance of an alternative laboratory-based algorithm for diagnosis of HIV infection utilizing a third generation immunoassay, a rapid HIV-1/HIV-2 differentiation test and a DNA or RNA-based nucleic acid amplification test in persons with established HIV-1 infection and blood donors [published online ahead of print October 12, 2011]. *Journal of Clinical Virology*. doi:10.1016/j.jcv.2011.09.026.

**Wesolowski LG, Delaney KP, Lampe MA, Nesheim SR.** False-positive human immunodeficiency virus enzyme immunoassay results in pregnant women. *PLoS One* 2011;6(1):e16538. doi:10.1371/journal.pone.0016538.

White DAE, Scribner AN, Vahidnia F, Dideum PJ, Gordon DM, Frazee BW, Voetsch AC, Heffelfinger JD. *Annals of Emergency Medicine* 2011;58(1)(suppl):S89-S95. doi:10.1016/j.annemergmed.2011.03.032.

**Whitmore SK, Zhang X, Taylor AW, Blair JM.** Estimated number of infants born to HIV-infected women in the United States and five dependent areas, 2006 [acceptance posted online ahead of print March 3, 2011]. *Journal of Acquired Immune Deficiency Syndromes* 2011;57:218-222. doi:10.1097/QAI.0b013e3182167dec.

Wimonsate W, Naorat S, Varangrat A, Phanuphak P, Kanggarnrua K, **McNicholl J**, Akarasewi P, **van Griensven F**. Factors associated with HIV testing history and returning for HIV test results among men who have sex with men in Thailand [published online ahead of print July 10, 2010]. *AIDS and Behavior* 2011;15(4):693-701.doi:10.1007/s10461-010-9755-3.

Wingood GM, DiClemente RJ, Villamizar K, Er DL, DeVarona M, Taveras J, **Painter TM**, Lang DL, Hardin JW, Ullah E, **Stallworth J**, **Purcell DW**, Jean R. Efficacy of a health educator-delivered HIV prevention intervention for Latina women: a randomized controlled trial [published online ahead of print October 20, 2011]. *American Journal of Public Health*. doi:10.2105/AJPH.2011.300340.

Wingood GM, Simpson-Robinson L, Braxton ND, **Raiford JL**. Design of a faith-based intervention: successful collaboration between a university and a church [published online ahead of print April 21, 2011]. *Health Promotion Practice*. doi:10.1177/1524839910372039.

**Wolitski R**, Fenton KA. Sexual health, HIV, and sexually transmitted infections among gay, bisexual, and other men who have sex with men in the United States. *AIDS and Behavior* 2011;15(suppl):S9-S17. doi:10.1007/s10461-011-9901-6.

Wu E, El-Bassel N, McVinney D, Hess L, Remien RH, **Charania M**, **Mansergh G**. Feasibility and promise of a couple-based HIV-STI preventive intervention for methamphetamine-using black men who have sex with men [published online ahead of print July 16, 2011]. *AIDS and Behavior*. doi:10.1007/s10461-011-9997-8.

Wu XC, Eide MJ, King J, Saraiya M, Huang Y, Wiggins C, Barnholtz-Sloan JS, Martin N, Miller J, **Patel P**, Ekwueme D, Kim J. Racial and ethnic variations in incidence and survival of cutaneous melanoma in the United States, 1999–2006. *Journal of the American Academy of Dermatology* 2011;65(5)(suppl 5):S26–S37.

Young B, **Dao CN**, **Buchacz K**, Baker R, **Brooks JT**; HIV Outpatient Study (HOPS) Investigators. Rates of bone fracture among HIV-infected persons in the HIV Outpatient Study (HOPS) compared with the US general population, 2000–2006 [published online ahead of print March 10, 2011]. *Clinical Infectious Diseases* 2011;52(8):1061-1068. doi:10.1093/cid/ciq242.

**Youngpairoj AS**, Alemnji GA, Eno LT, Lyonga EJ, Elooundou MA, Shanmugam V, Mpoudi EN, **Folks TM**, **Kalish ML**, **Pieniazek D**, **Fonjungo PN**. Prevalence of drug resistance-related polymorphisms in treatment-naïve individuals infected with non-subtype B HIV-1 in Cameroon [published online ahead of print September 18, 2011]. *AIDS Research and Human Retroviruses*. doi:10.1089/AID.2011.0181.

Zeh C, Oyaro B, Vandenhoudt H, Amornkul P, Kasembeli A, Bondo P, Mwaengo D, Thomas TK, **Hart C**, Laserson KF, Ondo P, Nkengasong JN. Performance of six commercial enzyme immunoassays and two alternative HIV-testing algorithms for the diagnosis of HIV-1 infection in Kisumu, Western Kenya [published online ahead of print May 26, 2011]. *Journal of Virological Methods* 2011; 176:24-31. doi:10.1016/j.jviromet.2011.05.021.

**Zeh C, Weidle PJ, Nafisa L, Lwamba HM, Okonji J, Anyango E, Bondo P, Masaba R, Fowler MG, Nkengasong JN, Thigpen MC, Thomas T.** HIV-1 drug resistance emergence among breastfeeding infants born to HIV-infected mothers during a single-arm trial of triple-antiretroviral prophylaxis for prevention of mother-to-child transmission: a secondary analysis. *PLoS Med* 2011;8(3):e1000430. doi:10.1371/journal.pmed.1000430.