

**Defense Civilian Personnel Advisory Service
1400 Key Boulevard, Suite B200
Arlington, VA 22209-5144**

Department of Defense Special Salary Rate Authorization

Table Number: E012

Issue Date: December 23, 2011

Occupation: Diagnostic Radiologic Technologist, GS-647

Type of Adjustment: Annual Review Adjustment

DoD Installation(s) Covered: Fort Riley, KS

Authority: DoD 1400.25-M, SC530

Annual Rates Authorized:


<u>Grade</u>	<u>Step 1</u>	<u>Step 2</u>	<u>Step 3</u>	<u>Step 4</u>	<u>Step 5</u>	<u>Step 6</u>	<u>Step 7</u>	<u>Step 8</u>	<u>Step 9</u>	<u>Step 10</u>	<u>Step Inc</u>
06	\$35,672	36,691	37,710	38,729	39,748	40,767	41,786	42,805	43,824	44,843	1,019
07	\$38,511	39,644	40,777	41,910	43,043	44,176	45,309	46,442	47,575	48,708	1,133
08	\$41,393	42,647	43,901	45,155	46,409	47,663	48,917	50,171	51,425	52,679	1,254

Geographic Location(s):

<u>State</u>	<u>City</u>	<u>County</u>	<u>Location Name(s)</u>	<u>State</u>
20	1826	061	Fort Riley	KS

Effective the first day of the pay period beginning on or after January 1, 2012.

Supersedes table issued December 30, 2010.


R. CRAIG JERABEK
Chief
Wage and Salary Branch