

ENERGY STAR Commercial Hot Food Holding Cabinet Product List

List Posted on February 20, 2013

Below are currently qualified ENERGY STAR models available for sale in the U.S. and Canada.

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Door/Wall Type	Number of Doors	Internal Volume (cu. ft)	Energy Usage (Watts)	Maximum Idle Energy Rate (Watts)	Date Available on Market	Date Qualified
Cambro Manufacturing Company	Cambro	CMBH1826L	CMBH1826L	CMBH1826LC,CMBH1826LC;;CMBH1826LF,CMBH1826LF;;CMBH1826LTR,CMBH1826LTR,;	Solid	1	8	100.3	12.5	9/26/2011	8/24/2012
Cambro Manufacturing Company	Cambro	CMBH1826T	CMBH1826T	CMBH1826TSC,CMBH1826TSC,;CMBH1826TSF,CMBH1826TSF;;CMBH1826TTR,CMBH1826TTR,;	Solid	2	18	158.9	8.9	8/25/2011	8/24/2012
Cambro Manufacturing Company	Cambro	CMBPH	CMBPH	TH,;CMBPTHHD,CM BPTHHD,;CMBPTHSP,CM BPTHSP,;CMBPTHSPHD,CMBPTHSPHD,;	Solid	2	18	168	290	6/15/2012	11/26/2012
Cambro Manufacturing Company	Cambro	MBPTH,CMBPTHHD,CMBPTHSP,P,CMBPTHSPHD,CMBPLH,CM BPLHHD,CMBPLHSP,CMBPLHSPHD	MBPTH,CMBPTHHD,CMBPTHSP,P,CMBPTHSPHD,CMBPLH,CM BPLHHD,CMBPLHSPHD		Solid	2	18	168	290	6/15/2012	12/5/2012
Cambro Manufacturing Company	Cambro	UPCH1600	UPCH1600	UPCHBD1600,U PCHBD1600,;UPCHT1600,UP CHT1600,;UPCHTD1600,UPCHTD1600,;	Solid	2	6	62.9	10	7/1/2010	8/24/2012
Cambro Manufacturing Company	Cambro	UPCH400	UPCH400	UPCHD400,UPC HD400,;UPCHW400,UP CHW400,;	Solid	1	3	40	12.9	2/17/2011	8/24/2012
Cambro Manufacturing Company	Cambro	UPCH800	UPCH800	UPCHBD800,UP CHBD800,;UPCHT800,UPC HT800,;UPCHTD800,UPCHTD800,;	Solid	2	3	39.4	68.8	12/21/2010	8/23/2012
Cres Cor	Cres Cor	H137 "D" Series 1/2 Size Cabinets	H137SUA6D	H137SUA6DSD,H137SUA6DSD,;	Solid	1	10	149.0	14.3	6/8/2011	5/2/2012
Cres Cor	Cres Cor	H137 "D" Series 1/2 Size Cabinets	H137SUA6DSD		Solid	1	10	149.0	14.3	6/8/2011	5/2/2012
Cres Cor	Cres Cor	H137 "D" Series 3/4 Size Cabinets	H137SUA9D		Solid	1	16	214.0	13.7	6/8/2011	5/2/2012
Cres Cor	Cres Cor	H137 "D" Series 3/4 Size Cabinets	H137SUA9DSD		Solid	1	16	214.0	13.7	6/8/2011	5/2/2012
Cres Cor	Cres Cor	H137 "D" Series Fullsize Cabinets	H137SUA12D	H137SUA12SD,H138S1834D,H137SUA12SD,H138S1834D,;	Solid	2	22	225.0	10.5	6/8/2011	5/2/2012
Cres Cor	Cres Cor	H137 "D" Series Fullsize Cabinets	H137SUA12SD		Solid	2	22	225.0	10.5	6/8/2011	5/2/2012
Cres Cor	Cres Cor	H137 "D" Series Fullsize Cabinets	H138S1834D		Solid	2	22	225.0	10.5	6/8/2011	5/2/2012
Cres Cor	Cres Cor	H339 Stainless Steel Cabinets	H339214C		Solid	2	14	204.0	281.5	5/22/2004	1/22/2013
Cres Cor	Cres Cor	H339 Stainless Steel Cabinets	H339SS12188C		Solid	1	7	107.0	149.3	5/22/2004	1/22/2013
Cres Cor	Cres Cor	H339 Stainless Steel Cabinets	H339SS1813C		Solid	1	7	107.0	149.3	5/22/2004	1/22/2013

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Door/Wall Type	Number of Doors	Internal Volume (cu. ft)	Energy Usage (Watts)	Maximum Idle Energy Rate (Watts)	Date Available on Market	Date Qualified
Cres Cor	Cres Cor	H339 Stainless Steel Cabinets	H339SS188C		Solid	1	7	107.0	149.3	5/22/2004	1/22/2013
Cres Cor	Cres Cor	H339 Stainless Steel Cabinets	H339SSUA8C		Solid	1	8	118.0	176.7	5/22/2004	1/22/2013
Cres Cor	Cres Cor	HotCube3	HCUA11		Solid	1	15	225.0	284.7	2/2/2012	1/22/2013
Food Warming Equipment Company, Inc.	HLC Series	Handy Line Compartments	HLC-16		Solid	1	4	81.8	96	12/1/2012	12/19/2012
Food Warming Equipment Company, Inc.	HLC Series	Handy Line Compartments	HLC-16-CHP		Solid	1	4	81.8	96	12/1/2012	12/19/2012
Food Warming Equipment Company, Inc.	HLC Series	Handy Line Compartments	HLC-16-P		Solid	1	4	81.8	96	12/1/2012	12/19/2012
Food Warming Equipment Company, Inc.	HLC Series	Handy Line Compartments	HLC-16S		Solid	1	4	81.8	96	12/1/2012	12/19/2012
Food Warming Equipment Company, Inc.	HLC Series	Handy Line Compartments	HLC-8		Solid	1	4	81.8	96	12/1/2012	12/19/2012
Food Warming Equipment Company, Inc.	HLC Series	Handy Line Compartments	HLC-8-CHP		Solid	1	4	81.8	96	12/1/2012	12/19/2012
Food Warming Equipment Company, Inc.	HLC Series	Handy Line Compartments	HLC-8H-24		Solid	1	4	81.8	96	12/1/2012	12/19/2012
Food Warming Equipment Company, Inc.	HLC Series	Handy Line Compartments	HLC-8S		Solid	1	4	81.8	96	12/1/2012	12/19/2012
Hatco Corporation	Hatco	FSHC-7W1-EE	FSHC-7W1-EE		Solid	1	7	63.8	185.5	5/1/2012	8/24/2012
Hatco Corporation	Hatco	FSHC-7W2-EE	FSHC-7W2-EE		Solid	2	9	15.3	21.5	5/1/2012	8/24/2012
InterMetro Industries	Metro	C565-SFC-U	C565-SFC-U	Metro C5 6 Series,C565-SFC-** ; Metro C5 6 Series,C565L-SFC-**	Transparent	1	12	248.9	20	2/20/2012	1/6/2012
InterMetro Industries	Metro	C565-SFS-U	C565-SFS-U	SFS-** ; Metro C5 6,8,9 Series,C595-SFS-** ; Metro C5 6,8,9 Series,C595L-SFS-**	Solid	1	12	218.7	18	2/20/2012	1/6/2012
InterMetro Industries	Metro	C567-SFS-U	C567-SFS-U	SFS-** ; Metro C5 6,8,9 Series,C597-SFS-** ; Metro C5 6,8,9 Series,C597L-SFS-**	Solid	1	19	270.5	14	2/20/2012	1/6/2012
InterMetro Industries	Metro	C569-SFS-U	C569-SFS-U	SFS-** ; Metro C5 6,8,9 Series,C599L-SDS-** ; Metro C5 6,8,9 Series,C599L-SFS-**	Solid	2	24	285.3	11	2/20/2012	1/6/2012
InterMetro Industries	Metro	C5T5-ASB	C5T5-ASB		Solid	1	12	165.1	13	3/31/2011	7/13/2011

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Door/Wall Type	Number of Doors	Internal Volume (cu. ft)	Energy Usage (Watts)	Maximum Idle Energy Rate (Watts)	Date Available on Market	Date Qualified
InterMetro Industries	Metro	C5T8-ASB	C5T8-ASB		Solid	1	18	168.9	9	3/31/2011	7/13/2011
InterMetro Industries	Metro	C5T9D-ASB	C5T9D-ASB	Transport Armour,C5T9D-AS**;; Metro C5 T-Series Transport Armour,C5T9D-DS**;	Solid	2	21	154.4	7	3/31/2011	7/13/2011
InterMetro Industries	Metro	Metro C5 T-Series Transport Armour	C5T5-ASB	Series Transport Armour,C5T5-AS**;; Metro C5 T-Series Transport Armour,C5T5-DS**;	Solid	1	12	165.1	13	3/31/2011	7/13/2011
InterMetro Industries	Metro	Metro C5 T-Series Transport Armour	C5T8-ASB	Series Transport Armour,C5T8-AS**;; Metro C5 T-Series Transport Armour,C5T8-DS**;	Solid	1	18	168.9	9	3/31/2011	7/13/2011
Traulsen (A division of ITW Food Equipment Group)	Traulsen	AHF132W-FHG	AHF132W-FHG		Transparent	1	24	218.0	8	10/1/2011	10/26/2011
Traulsen (A division of ITW Food Equipment Group)	Traulsen	AHF132W-FHS	AHF132W-FHS		Solid	1	24	218.0	8	10/1/2011	10/26/2011
Traulsen (A division of ITW Food Equipment Group)	Traulsen	AHF132W-HHG	AHF132W-HHG		Transparent	2	24	218.0	8	10/1/2011	10/26/2011
Traulsen (A division of ITW Food Equipment Group)	Traulsen	AHF132W-HHS	AHF132W-HHS		Solid	2	24	218.0	8	10/1/2011	10/26/2011
Traulsen (A division of ITW Food Equipment Group)	Traulsen	AHF132WP-FHS	AHF132WP-FHS		Solid	2	26	184.0	7	10/1/2011	10/26/2011
Traulsen (A division of ITW Food Equipment Group)	Traulsen	AHF132WP-HHS	AHF132WP-HHS		Solid	4	26	184.0	7	10/1/2011	10/26/2011
Traulsen (A division of ITW Food Equipment Group)	Traulsen	AHF232W-FHS	AHF232W-FHS		Solid	2	52	230.0	4	10/1/2011	10/26/2011
Traulsen (A division of ITW Food Equipment Group)	Traulsen	AHF232W-HHS	AHF232W-HHS		Solid	4	52	230.0	4	10/1/2011	10/26/2011
Traulsen (A division of ITW Food Equipment Group)	Traulsen	AHF232WP-FHS	AHF232WP-FHS		Solid	4	55	275.0	4	10/1/2011	12/20/2011
Traulsen (A division of ITW Food Equipment Group)	Traulsen	AHF232WP-HHS	AHF232WP-HHS		Solid	8	55	275.0	4	10/1/2011	12/20/2011
Traulsen (A division of ITW Food Equipment Group)	Traulsen	AIH132H-FHS	AIH132H-FHS		Solid	1	38	233.0	6	10/1/2011	12/20/2011
Traulsen (A division of ITW Food Equipment Group)	Traulsen	AIH132LP-FHS	AIH132LP-FHS		Solid	2	38	275.0	7	10/1/2011	10/26/2011
Traulsen (A division of ITW Food Equipment Group)	Traulsen	AIH232L-FHS	AIH232L-FHS		Solid	2	74	419.0	5	10/1/2011	10/26/2011
Traulsen (A division of ITW Food Equipment Group)	Traulsen	AIH232LP-FHS	AIH232LP-FHS		Solid	2	80	492.0	1	10/1/2011	12/20/2011

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Door/Wall Type	Number of Doors	Internal Volume (cu. ft)	Energy Usage (Watts)	Maximum Idle Energy Rate (Watts)	Date Available on Market	Date Qualified
Traulsen (A division of ITW Food Equipment Group)	Traulsen	G14300	G14300		Solid	2	24	218.0	8	10/1/2011	10/26/2011
Traulsen (A division of ITW Food Equipment Group)	Traulsen	G14301	G14301		Solid	2	24	218.0	8	10/1/2011	10/26/2011
Traulsen (A division of ITW Food Equipment Group)	Traulsen	G14302P	G14302P		Solid	4	26	184.0	7	10/1/2011	10/26/2011
Traulsen (A division of ITW Food Equipment Group)	Traulsen	G14310	G14310		Solid	1	24	218.0	8	10/1/2011	10/26/2011
Traulsen (A division of ITW Food Equipment Group)	Traulsen	G14311	G14311		Solid	1	24	218.0	8	10/1/2011	10/26/2011
Traulsen (A division of ITW Food Equipment Group)	Traulsen	G14313P	G14313P		Solid	2	26	184.0	7	10/1/2011	10/26/2011
Traulsen (A division of ITW Food Equipment Group)	Traulsen	G14314P	G14314P		Solid	2	26	184.0	7	10/1/2011	10/26/2011
Traulsen (A division of ITW Food Equipment Group)	Traulsen	G14315P	G14315P		Solid	2	26	184.0	7	10/1/2011	10/26/2011
Traulsen (A division of ITW Food Equipment Group)	Traulsen	G24300	G24300		Solid	4	44	255.0	5	10/1/2011	10/26/2011
Traulsen (A division of ITW Food Equipment Group)	Traulsen	G24302	G24302		Solid	4	44	255.0	5	10/1/2011	10/26/2011
Traulsen (A division of ITW Food Equipment Group)	Traulsen	G24303	G24303		Solid	4	44	255.0	5	10/1/2011	10/26/2011
Traulsen (A division of ITW Food Equipment Group)	Traulsen	G24304P	G24304P		Solid	8	47	339.0	7	10/1/2011	10/26/2011
Traulsen (A division of ITW Food Equipment Group)	Traulsen	G24305P	G24305P		Solid	8	47	339.0	7	10/1/2011	10/26/2011
Traulsen (A division of ITW Food Equipment Group)	Traulsen	G24307P	G24307P		Solid	8	47	339.0	7	10/1/2011	10/26/2011
Traulsen (A division of ITW Food Equipment Group)	Traulsen	G24310	G24310		Solid	2	44	255.0	5	10/1/2011	10/26/2011
Traulsen (A division of ITW Food Equipment Group)	Traulsen	G24312	G24312		Solid	2	44	255.0	5	10/1/2011	10/26/2011
Traulsen (A division of ITW Food Equipment Group)	Traulsen	G24313	G24313		Solid	2	44	255.0	5	10/1/2011	10/26/2011
Traulsen (A division of ITW Food Equipment Group)	Traulsen	G24314P	G24314P		Solid	4	47	339.0	7	10/1/2011	10/26/2011

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Door/Wall Type	Number of Doors	Internal Volume (cu. ft)	Energy Usage (Watts)	Maximum Idle Energy Rate (Watts)	Date Available on Market	Date Qualified
Traulsen (A division of ITW Food Equipment Group)	Traulsen	G24315P	G24315P		Solid	4	47	339.0	7	10/1/2011	10/26/2011
Traulsen (A division of ITW Food Equipment Group)	Traulsen	G24317P	G24317P		Solid	4	47	339.0	7	10/1/2011	10/26/2011
Traulsen (A division of ITW Food Equipment Group)	Traulsen	RHF132W-FHG	RHF132W-FHG		Transparent	1	24	218.0	8	10/1/2011	10/26/2011
Traulsen (A division of ITW Food Equipment Group)	Traulsen	RHF132W-FHS	RHF132W-FHS		Solid	1	24	218.0	8	10/1/2011	10/26/2011
Traulsen (A division of ITW Food Equipment Group)	Traulsen	RHF132W-HHG	RHF132W-HHG		Transparent	2	24	218.0	8	10/1/2011	10/26/2011
Traulsen (A division of ITW Food Equipment Group)	Traulsen	RHF132W-HHS	RHF132W-HHS		Solid	2	24	218.0	8	10/1/2011	10/26/2011
Traulsen (A division of ITW Food Equipment Group)	Traulsen	RHF132WP-FHS	RHF132WP-FHS		Solid	2	26	184.0	7	10/1/2011	10/26/2011
Traulsen (A division of ITW Food Equipment Group)	Traulsen	RHF132WP-HHS	RHF132WP-HHS		Solid	4	26	184.0	7	10/1/2011	10/26/2011
Traulsen (A division of ITW Food Equipment Group)	Traulsen	RHF232W-FHS	RHF232W-FHS		Solid	2	52	230.0	4	10/1/2011	10/26/2011
Traulsen (A division of ITW Food Equipment Group)	Traulsen	RHF232W-HHS	RHF232W-HHS		Solid	4	52	230.0	4	10/1/2011	10/26/2011
Traulsen (A division of ITW Food Equipment Group)	Traulsen	RHF232WP-FHS	RHF232WP-FHS		Solid	4	55	275.0	4	10/1/2011	12/20/2011
Traulsen (A division of ITW Food Equipment Group)	Traulsen	RHF232WP-HHS	RHF232WP-HHS		Solid	8	55	275.0	4	10/1/2011	12/20/2011
Traulsen (A division of ITW Food Equipment Group)	Traulsen	RIH132H-FHS	RIH132H-FHS		Solid	1	38	233.0	6	10/1/2011	12/20/2011
Traulsen (A division of ITW Food Equipment Group)	Traulsen	RIH132L-FHS	RIH132L-FHS		Solid	1	36	230.0	6	10/1/2011	10/26/2011
Traulsen (A division of ITW Food Equipment Group)	Traulsen	RIH132LP-FHS	RIH132LP-FHS		Solid	2	38	275.0	7	10/1/2011	10/26/2011
Traulsen (A division of ITW Food Equipment Group)	Traulsen	RIH232L-FHS	RIH232L-FHS		Solid	2	74	419.0	5	10/1/2011	10/26/2011
Traulsen (A division of ITW Food Equipment Group)	Traulsen	RIH232LP-FHS	RIH232LP-FHS		Solid	2	80	492.0	1	10/1/2011	12/20/2011
Vulcan (A division of ITW Food Equipment Group)	Vulcan Hart	VBP13I	VBP13I		Solid	1	16	270.8	16	6/15/2011	6/10/2011

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Door/Wall Type	Number of Doors	Internal Volume (cu. ft)	Energy Usage (Watts)	Maximum Idle Energy Rate (Watts)	Date Available on Market	Date Qualified
Vulcan (A division of ITW Food Equipment Group)	Vulcan Hart	VBP15I	VBP15I		Solid	2	18	250.5	13	6/15/2011	6/10/2011
Vulcan (A division of ITW Food Equipment Group)	Vulcan Hart	VBP77I	VBP77I		Solid	1	8	191.4	21	6/15/2011	6/10/2011
Vulcan (A division of ITW Food Equipment Group)	Vulcan Hart	VBP7I	VBP7I		Solid	1	8	191.4	21	6/15/2011	6/10/2011
Vulcan (A division of ITW Food Equipment Group)	Vulcan Hart	VHD15	VHD15		Solid	1	18	259.7	13	6/15/2011	6/10/2011
Vulcan (A division of ITW Food Equipment Group)	Vulcan Hart	VHD8	VHD8		Solid	1	11	190.6	17	6/15/2011	6/10/2011
Wittco Foodservice Equipment (A division of ITW Food Equipment Group)	Cook's	CDC-48	CDC-48		Solid	1	14	224.6	15	6/15/2011	6/10/2011
Wittco Foodservice Equipment (A division of ITW Food Equipment Group)	Cook's	CDC-72	CDC-72		Solid	1	18	259.7	13	6/15/2011	6/10/2011
Wittco Foodservice Equipment (A division of ITW Food Equipment Group)	Crimsco	IMC-48-1014	IMC-48-1014		Solid	1	14	224.6	15	6/15/2011	6/10/2011
Wittco Foodservice Equipment (A division of ITW Food Equipment Group)	Crimsco	IMC-72-1014	IMC-72-1014		Solid	1	18	259.7	13	6/15/2011	6/10/2011
Wittco Foodservice Equipment (A division of ITW Food Equipment Group)	Crimsco	IMC-BFT-HS	IMC-BFT-HS		Solid	1	11	190.6	17	6/15/2011	6/10/2011
Wittco Foodservice Equipment (A division of ITW Food Equipment Group)	Jone-Zylon	JZH-UBT6	JZH-UBT6		Solid	1	11	190.6	17	6/15/2011	6/10/2011
Wittco Foodservice Equipment (A division of ITW Food Equipment Group)	Vulcan	VBP5	VPB5		Solid	1	6	989.7	124	12/4/2012	12/17/2012
Wittco Foodservice Equipment (A division of ITW Food Equipment Group)	Vulcan	VPT13	VPT13		Solid	1	17	1000.0	264	12/4/2012	12/17/2012
Wittco Foodservice Equipment (A division of ITW Food Equipment Group)	Vulcan	VPT15	VPT15		Solid	1	19	1000.0	280	12/4/2012	12/17/2012
Wittco Foodservice Equipment (A division of ITW Food Equipment Group)	Vulcan	VPT7	VPT7		Solid	1	9	977.7	204	12/4/2012	12/17/2012
Wittco Foodservice Equipment (A division of ITW Food Equipment Group)	Vulcan	VPT77	VPT77		Solid	2	13	1000.0	204	12/4/2012	12/17/2012
Wittco Foodservice Equipment (A division of ITW Food Equipment Group)	WITTCO	1826-13-PT	1826-13-PT		Solid	1	17	1000.0	264	12/4/2012	12/17/2012
Wittco Foodservice Equipment (A division of ITW Food Equipment Group)	WITTCO	1826-15-PT	1826-15-PT		Solid	1	19	1000.0	280	12/4/2012	12/17/2012

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Door/Wall Type	Number of Doors	Internal Volume (cu. ft)	Energy Usage (Watts)	Maximum Idle Energy Rate (Watts)	Date Available on Market	Date Qualified
Wittco Foodservice Equipment (A division of ITW Food Equipment Group)	WITTCO	1826-5	1826-5		Solid	1	6	989.7	124	12/4/2012	12/17/2012
Wittco Foodservice Equipment (A division of ITW Food Equipment Group)	WITTCO	1826-7-DBL-PT	1826-7-DBL-PT		Solid	2	13	1000.0	204	12/4/2012	12/17/2012
Wittco Foodservice Equipment (A division of ITW Food Equipment Group)	WITTCO	1826-7-PT	1826-7-PT		Solid	1	9	977.7	204	12/4/2012	12/17/2012
Wittco Foodservice Equipment (A division of ITW Food Equipment Group)	Wittco Foodservice Equipment	1826-13	1826-13		Solid	1	16	270.8	16	6/15/2011	6/10/2011
Wittco Foodservice Equipment (A division of ITW Food Equipment Group)	Wittco Foodservice Equipment	1826-15	1826-15		Solid	2	18	250.5	13	6/15/2011	6/10/2011
Wittco Foodservice Equipment (A division of ITW Food Equipment Group)	Wittco Foodservice Equipment	1826-7	1826-7		Solid	1	8	191.4	21	6/15/2011	6/10/2011
Wittco Foodservice Equipment (A division of ITW Food Equipment Group)	Wittco Foodservice Equipment	1826-7-DBL	1826-7-DBL		Solid	1	8	191.4	21	6/15/2011	6/10/2011
Wittco Foodservice Equipment (A division of ITW Food Equipment Group)	Wittco Foodservice Equipment	IMC-2026	IMC-2026		Solid	1	18	259.7	13	6/15/2011	6/10/2011
Wittco Foodservice Equipment (A division of ITW Food Equipment Group)	Wittco Foodservice Equipment	IMC-2026-HS	IMC-2026-HS		Solid	1	11	190.6	17	6/15/2011	6/10/2011

Definitions for Column Headers

Column Header	Definition
ENERGY STAR Partner	An organization that signed a Partnership Agreement with EPA to manufacture or private label ENERGY STAR qualified products.
Brand	An identifier assigned by the manufacturer or private labeler to a product or family/series of products for sales and marketing purposes.
Model Name	An identifier assigned by the manufacturer or private labeler to a product or family/series of products for sales and marketing purposes.
Model Number	A distinguishing identifier, usually alphanumeric, assigned to a product by the manufacturer or private labeler.
Additional Model Information	An identifier assigned by the manufacturer or private labeler to a product or family/series of products for sales and marketing purposes. This column includes alternative means to identify the model/model family (e.g., additional model names, additional model numbers, retailer SKUs, product descriptions).
Door/Wall Type	The type of door/wall (e.g., transparent, solid).
Number of Doors	Amount of doors available on the hot food holding cabinet.
Internal Volume	Determined using straight-line segments following the gross interior dimensions of the appliance (Interior Volume = Interior Height x Interior Width x Interior Depth).
Energy Usage (Watts)	The rate of a hot food holding cabinets energy consumption while it is maintaining or holding at the control set point, without using a humidity-generating device.
Maximum Idle Energy Rate (Watts)	Calculated value utilizing the equations in Section 3, Table 1 of the ENERGY STAR Product Specification for Commercial Hot Food Holding Cabinets.
Date Available on Market	The date that the model is available for purchase.
Date Qualified	The date on which the product was confirmed to meet the ENERGY STAR specification.

Key Efficiency Criteria

Table 1: Maximum Idle Energy Rate Requirements for ENERGY STAR Qualification	
Product Interior Volume (Cubic Feet)	Product Idle Energy Consumption Rate (Watts)
$0 < V < 13$	$\leq 21.5 V$
$13 \leq V < 28$	$\leq 2.0 V + 254.0$
$28 \leq V$	$\leq 3.8 V + 203.5$

Note:

V = Interior volume in cubic feet (cu. ft)