Table 3.13A Marijuana Is Fairly or Very Easy to Obtain, by Demographic Characteristics (I), and Selected Drug Use, by Ease of Obtaining Marijuana (II) among Persons Aged 12 to 17: Numbers in Thousands, 2002

	Ease of Obtaining Marijuana <sup>1</sup>		Ease of Ob	taining Marijuana <sup>1</sup>
(I) Demographic Characteristic	Fairly/Very Easy	(II) Drug Use	Fairly/Very Easy	Fairly/Very Difficult/Impossible
TOTAL	13,299	PAST MONTH		
		Any Illicit Drug <sup>2</sup>	2,467	392
AGE		Marijuana	1,876	136
12-13	2,077	Any Illicit Drug Other		
14-15	4,975	Than Marijuana <sup>2</sup>	1,127	286
16-17	6,247	Cigarettes	2,745	438
		Alcohol	3,708	638
GENDER		Binge Alcohol <sup>3</sup>	2,330	303
Male	6,754	, and the second	•	
Female	6,545	PAST YEAR		
		Any Illicit Drug <sup>2</sup>	4,595	867
HISPANIC ORIGIN AND RACE		Marijuana	3,567	324
Not Hispanic or Latino	11,216	Any Illicit Drug Other	•	
White	8,737	Than Marijuana <sup>2</sup>	2,657	661
Black or African American	1,794	Cigarettes	4,162	841
American Indian or	,	Alcohol	6,938	1,565
Alaska Native	*		,	,
Native Hawaiian or Other		LIFETIME		
Pacific Islander	*	Any Illicit Drug <sup>2</sup>	6,059	1,526
Asian	353	Marijuana	4,585	497
Two or More Races	205	Any Illicit Drug Other	,	
Hispanic or Latino	2,083	Than Marijuana <sup>2</sup>	3,985	1,257
*	·	Cigarettes	6,465	1,701
COUNTY TYPE		Alcohol	8,385	2,275
Large Metro	6,699		,	, ,
Small Metro	3,997			
Nonmetro	2,603			

<sup>\*</sup>Low precision; no estimate reported.

<sup>&</sup>lt;sup>1</sup> Respondents with missing data were excluded.

<sup>&</sup>lt;sup>2</sup> Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>&</sup>lt;sup>3</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Table 3.13B Marijuana Is Fairly or Very Easy to Obtain, by Demographic Characteristics (I), and Selected Drug Use, by Ease of Obtaining Marijuana (II) among Persons Aged 12 to 17: Percentages, 2002

	Ease of Obtaining Marijuana <sup>1</sup>		Ease of Ob	taining Marijuana <sup>1</sup>
(I) Demographic Characteristic	Fairly/Very Easy	(II) Drug Use	Fairly/Very Easy	Fairly/Very Difficult/Impossible
TOTAL	55.0	PAST MONTH		
		Any Illicit Drug <sup>2</sup>	18.5	3.6
AGE		Marijuana	14.1	1.2
12-13	26.0	Any Illicit Drug Other		
14-15	60.0	Than Marijuana <sup>2</sup>	8.5	2.6
16-17	79.0	Cigarettes	20.6	4.0
		Alcohol	27.9	5.9
GENDER		Binge Alcohol <sup>3</sup>	17.5	2.8
Male	54.6			
Female	55.3	PAST YEAR		
		Any Illicit Drug <sup>2</sup>	34.6	8.0
HISPANIC ORIGIN AND RACE		Marijuana	26.8	3.0
Not Hispanic or Latino	55.1	Any Illicit Drug Other		
White	57.4	Than Marijuana <sup>2</sup>	20.0	6.1
Black or African American	50.9	Cigarettes	31.3	7.7
American Indian or		Alcohol	52.2	14.4
Alaska Native	*			
Native Hawaiian or Other		LIFETIME		
Pacific Islander	*	Any Illicit Drug <sup>2</sup>	45.6	14.0
Asian	36.2	Marijuana	34.5	4.6
Two or More Races	55.2	Any Illicit Drug Other		
Hispanic or Latino	54.2	Than Marijuana <sup>2</sup>	30.0	11.5
1		Cigarettes	48.6	15.6
COUNTY TYPE		Alcohol	63.1	20.9
Large Metro	55.2			
Small Metro	55.5			
Nonmetro	53.6			

<sup>\*</sup>Low precision; no estimate reported.

<sup>&</sup>lt;sup>1</sup> Respondents with missing data were excluded.

<sup>&</sup>lt;sup>2</sup> Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>&</sup>lt;sup>3</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Table 3.14A Cocaine Is Fairly or Very Easy to Obtain, by Demographic Characteristics (I), and Selected Drug Use, by Ease of Obtaining Cocaine (II) among Persons Aged 12 to 17: Numbers in Thousands, 2002

	Ease of Obtaining Cocaine <sup>1</sup>		Ease of O	btaining Cocaine <sup>1</sup>
(I) Demographic Characteristic	Fairly/Very Easy	(II) Drug Use	Fairly/Very Easy	Fairly/Very Difficult/Impossible
TOTAL	5,981	PAST MONTH		
		Any Illicit Drug <sup>2</sup>	1,189	1,627
AGE		Marijuana	878	1,105
12-13	1,142	Any Illicit Drug Other		
14-15	2,082	Than Marijuana <sup>2</sup>	626	769
16-17	2,756	Cigarettes	1,317	1,821
		Alcohol	1,667	2,594
GENDER		Binge Alcohol <sup>3</sup>	1,110	1,486
Male	2,547		·	·
Female	3,434	PAST YEAR		
	· ·	Any Illicit Drug <sup>2</sup>	2,016	3,362
HISPANIC ORIGIN AND RACE		Marijuana	1,529	2,293
Not Hispanic or Latino	4,863	Any Illicit Drug Other	·	·
White	3,615	Than Marijuana <sup>2</sup>	1,362	1,924
Black or African American	953	Cigarettes	1,879	3,043
American Indian or		Alcohol	2,965	5,385
Alaska Native	*		,	,
Native Hawaiian or Other		LIFETIME		
Pacific Islander	*	Any Illicit Drug <sup>2</sup>	2,641	4,836
Asian	162	Marijuana	1,950	3,048
Two or More Races	80	Any Illicit Drug Other	,	,
Hispanic or Latino	1,118	Than Marijuana <sup>2</sup>	1,946	3,249
•	,	Cigarettes	2,775	5,249
COUNTY TYPE		Alcohol	3,587	6,892
Large Metro	3,116		,	, i
Small Metro	1,771			
Nonmetro	1,094			

<sup>\*</sup>Low precision; no estimate reported.

<sup>&</sup>lt;sup>1</sup> Respondents with missing data were excluded.

<sup>&</sup>lt;sup>2</sup> Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>&</sup>lt;sup>3</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Table 3.14B Cocaine Is Fairly or Very Easy to Obtain, by Demographic Characteristics (I), and Selected Drug Use, by Ease of Obtaining Cocaine (II) among Persons Aged 12 to 17: Percentages, 2002

	Ease of Obtaining Cocaine <sup>1</sup>		Ease of O	btaining Cocaine <sup>1</sup>
(I) Demographic Characteristic	Fairly/Very Easy	(II) Drug Use	Fairly/Very Easy	Fairly/Very Difficult/Impossible
TOTAL	25.0	PAST MONTH		
		Any Illicit Drug <sup>2</sup>	19.9	9.1
AGE		Marijuana	14.7	6.2
12-13	14.4	Any Illicit Drug Other		
14-15	25.5	Than Marijuana <sup>2</sup>	10.5	4.3
16-17	35.3	Cigarettes	22.0	10.2
		Alcohol	27.9	14.5
GENDER		Binge Alcohol <sup>3</sup>	18.6	8.3
Male	20.9	_		
Female	29.3	PAST YEAR		
		Any Illicit Drug <sup>2</sup>	33.7	18.8
HISPANIC ORIGIN AND RACE		Marijuana	25.6	12.8
Not Hispanic or Latino	24.3	Any Illicit Drug Other		
White	24.1	Than Marijuana <sup>2</sup>	22.8	10.8
Black or African American	27.4	Cigarettes	31.4	17.0
American Indian or		Alcohol	49.6	30.1
Alaska Native	*			
Native Hawaiian or Other		LIFETIME		
Pacific Islander	*	Any Illicit Drug <sup>2</sup>	44.1	27.0
Asian	16.8	Marijuana	32.6	17.0
Two or More Races	21.9	Any Illicit Drug Other		
Hispanic or Latino	29.2	Than Marijuana <sup>2</sup>	32.5	18.2
•		Cigarettes	46.4	29.3
COUNTY TYPE		Alcohol	60.0	38.5
Large Metro	26.0			
Small Metro	24.9			
Nonmetro	22.9			

<sup>\*</sup>Low precision; no estimate reported.

<sup>&</sup>lt;sup>1</sup> Respondents with missing data were excluded.

<sup>&</sup>lt;sup>2</sup> Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>&</sup>lt;sup>3</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Table 3.15A Crack Is Fairly or Very Easy to Obtain, by Demographic Characteristics (I), and Selected Drug Use, by Ease of Obtaining Crack (II) among Persons Aged 12 to 17: Numbers in Thousands, 2002

	Ease of Obtaining Crack <sup>1</sup>		Ease of C	Ease of Obtaining Crack <sup>1</sup>	
(I) Demographic Characteristic	Fairly/Very Easy	(II) Drug Use	Fairly/Very Easy	Fairly/Very Difficult/Impossible	
TOTAL	6,324	PAST MONTH			
		Any Illicit Drug <sup>2</sup>	1,046	1,763	
AGE		Marijuana	724	1,257	
12-13	1,393	Any Illicit Drug Other			
14-15	2,320	Than Marijuana <sup>2</sup>	576	812	
16-17	2,611	Cigarettes	1,159	1,977	
		Alcohol	1,492	2,767	
GENDER		Binge Alcohol <sup>3</sup>	942	1,648	
Male	2,571				
Female	3,753	PAST YEAR			
		Any Illicit Drug <sup>2</sup>	1,874	3,500	
HISPANIC ORIGIN AND RACE		Marijuana	1,327	2,492	
Not Hispanic or Latino	5,238	Any Illicit Drug Other			
White	3,808	Than Marijuana <sup>2</sup>	1,244	2,037	
Black or African American	1,100	Cigarettes	1,726	3,198	
American Indian or		Alcohol	2,850	5,505	
Alaska Native	*			-	
Native Hawaiian or Other		LIFETIME			
Pacific Islander	*	Any Illicit Drug <sup>2</sup>	2,505	4,971	
Asian	191	Marijuana	1,729	3,264	
Two or More Races	86	Any Illicit Drug Other			
Hispanic or Latino	1,085	Than Marijuana <sup>2</sup>	1,823	3,377	
•		Cigarettes	2,634	5,392	
COUNTY TYPE		Alcohol	3,506	6,981	
Large Metro	3,248		·	·	
Small Metro	1,856				
Nonmetro	1,220				

<sup>\*</sup>Low precision; no estimate reported.

<sup>&</sup>lt;sup>1</sup> Respondents with missing data were excluded.

<sup>&</sup>lt;sup>2</sup> Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>&</sup>lt;sup>3</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Table 3.15B Crack Is Fairly or Very Easy to Obtain, by Demographic Characteristics (I), and Selected Drug Use, by Ease of Obtaining Crack (II) among Persons Aged 12 to 17: Percentages, 2002

	Ease of Obtaining Crack <sup>1</sup>		Ease of C	Obtaining Crack <sup>1</sup>
(I) Demographic Characteristic	Fairly/Very Easy	(II) Drug Use	Fairly/Very Easy	Fairly/Very Difficult/Impossible
TOTAL	26.5	PAST MONTH		
		Any Illicit Drug <sup>2</sup>	16.5	10.0
AGE		Marijuana	11.4	7.1
12-13	17.5	Any Illicit Drug Other		
14-15	28.4	Than Marijuana <sup>2</sup>	9.1	4.6
16-17	33.5	Cigarettes	18.3	11.2
		Alcohol	23.6	15.7
GENDER		Binge Alcohol <sup>3</sup>	14.9	9.4
Male	21.1			
Female	32.0	PAST YEAR		
		Any Illicit Drug <sup>2</sup>	29.6	19.9
HISPANIC ORIGIN AND RACE		Marijuana	21.0	14.2
Not Hispanic or Latino	26.1	Any Illicit Drug Other		
White	25.4	Than Marijuana <sup>2</sup>	19.7	11.6
Black or African American	31.5	Cigarettes	27.3	18.2
American Indian or		Alcohol	45.1	31.3
Alaska Native	*			
Native Hawaiian or Other		LIFETIME		
Pacific Islander	*	Any Illicit Drug <sup>2</sup>	39.6	28.3
Asian	19.6	Marijuana	27.3	18.6
Two or More Races	23.8	Any Illicit Drug Other		
Hispanic or Latino	28.4	Than Marijuana <sup>2</sup>	28.8	19.2
•		Cigarettes	41.6	30.7
COUNTY TYPE		Alcohol	55.4	39.7
Large Metro	27.1			
Small Metro	26.0			
Nonmetro	25.5			

<sup>\*</sup>Low precision; no estimate reported.

<sup>&</sup>lt;sup>1</sup> Respondents with missing data were excluded.

<sup>&</sup>lt;sup>2</sup> Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>&</sup>lt;sup>3</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Table 3.16A Heroin Is Fairly or Very Easy to Obtain, by Demographic Characteristics (I), and Selected Drug Use, by Ease of Obtaining Heroin (II) among Persons Aged 12 to 17: Numbers in Thousands, 2002

	Ease of Obtaining Heroin <sup>1</sup>		Ease of Obtaining Heroin <sup>1</sup>	
(I) Demographic Characteristic	Fairly/Very Easy	(II) Drug Use	Fairly/Very Easy	Fairly/Very Difficult/Impossible
TOTAL	3,765	PAST MONTH		
		Any Illicit Drug <sup>2</sup>	581	2,222
AGE		Marijuana	379	1,595
12-13	866	Any Illicit Drug Other		
14-15	1,347	Than Marijuana <sup>2</sup>	339	1,047
16-17	1,552	Cigarettes	635	2,491
	,	Alcohol	853	3,392
GENDER		Binge Alcohol <sup>3</sup>	545	2,042
Male	1,587	C		·
Female	2,178	PAST YEAR		
		Any Illicit Drug <sup>2</sup>	1,061	4,302
HISPANIC ORIGIN AND RACE		Marijuana	714	3,097
Not Hispanic or Latino	3,100	Any Illicit Drug Other		·
White	2,208	Than Marijuana <sup>2</sup>	723	2,550
Black or African American	683	Cigarettes	951	3,960
American Indian or		Alcohol	1,634	6,685
Alaska Native	*		,	,
Native Hawaiian or Other		LIFETIME		
Pacific Islander	*	Any Illicit Drug <sup>2</sup>	1,458	6,001
Asian	119	Marijuana	955	4,026
Two or More Races	52	Any Illicit Drug Other		,
Hispanic or Latino	665	Than Marijuana <sup>2</sup>	1,081	4,103
•		Cigarettes	1,507	6,496
COUNTY TYPE		Alcohol	2,054	8,394
Large Metro	1,997		ĺ	,
Small Metro	1,069			
Nonmetro	699			

<sup>\*</sup>Low precision; no estimate reported.

<sup>&</sup>lt;sup>1</sup> Respondents with missing data were excluded.

<sup>&</sup>lt;sup>2</sup> Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>&</sup>lt;sup>3</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Table 3.16B Heroin Is Fairly or Very Easy to Obtain, by Demographic Characteristics (I), and Selected Drug Use, by Ease of Obtaining Heroin (II) among Persons Aged 12 to 17: Percentages, 2002

	Ease of Obtaining Heroin <sup>1</sup>		Ease of C	Obtaining Heroin <sup>1</sup>
(I) Demographic Characteristic	Fairly/Very Easy	(II) Drug Use	Fairly/Very Easy	Fairly/Very Difficult/Impossible
TOTAL	15.8	PAST MONTH		
		Any Illicit Drug <sup>2</sup>	15.4	11.1
AGE		Marijuana	10.1	8.0
12-13	10.9	Any Illicit Drug Other		
14-15	16.5	Than Marijuana <sup>2</sup>	9.0	5.2
16-17	20.0	Cigarettes	16.9	12.4
		Alcohol	22.7	16.9
GENDER		Binge Alcohol <sup>3</sup>	14.5	10.2
Male	13.1			
Female	18.6	PAST YEAR		
		Any Illicit Drug <sup>2</sup>	28.2	21.5
HISPANIC ORIGIN AND RACE		Marijuana	19.0	15.4
Not Hispanic or Latino	15.5	Any Illicit Drug Other		
White	14.8	Than Marijuana <sup>2</sup>	19.2	12.7
Black or African American	19.7	Cigarettes	25.3	19.7
American Indian or		Alcohol	43.4	33.3
Alaska Native	*			
Native Hawaiian or Other		LIFETIME		
Pacific Islander	*	Any Illicit Drug <sup>2</sup>	38.7	29.9
Asian	12.2	Marijuana	25.4	20.1
Two or More Races	14.3	Any Illicit Drug Other		
Hispanic or Latino	17.4	Than Marijuana <sup>2</sup>	28.7	20.5
•		Cigarettes	40.0	32.4
COUNTY TYPE		Alcohol	54.6	41.9
Large Metro	16.7			
Small Metro	15.0			
Nonmetro	14.7			

<sup>\*</sup>Low precision; no estimate reported.

<sup>&</sup>lt;sup>1</sup> Respondents with missing data were excluded.

<sup>&</sup>lt;sup>2</sup> Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>&</sup>lt;sup>3</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Table 3.17A LSD Is Fairly or Very Easy to Obtain, by Demographic Characteristics (I), and Selected Drug Use, by Ease of Obtaining LSD (II) among Persons Aged 12 to 17: Numbers in Thousands, 2002

	Ease of Obtaining LSD <sup>1</sup>		Ease of Obtaining LSD <sup>1</sup>	
(I) Demographic Characteristic	Fairly/Very Easy	(II) Drug Use	Fairly/Very Easy	Fairly/Very Difficult/Impossible
TOTAL	4,562	PAST MONTH		
		Any Illicit Drug <sup>2</sup>	864	1,927
AGE		Marijuana	619	1,343
12-13	696	Any Illicit Drug Other		
14-15	1,578	Than Marijuana <sup>2</sup>	443	945
16-17	2,288	Cigarettes	1,017	2,090
		Alcohol	1,305	2,930
GENDER		Binge Alcohol <sup>3</sup>	857	1,727
Male	1,923			·
Female	2,639	PAST YEAR		
		Any Illicit Drug <sup>2</sup>	1,598	3,724
HISPANIC ORIGIN AND RACE		Marijuana	1,217	2,575
Not Hispanic or Latino	3,779	Any Illicit Drug Other	·	
White	2,989	Than Marijuana <sup>2</sup>	1,026	2,221
Black or African American	543	Cigarettes	1,493	3,387
American Indian or		Alcohol	2,455	5,811
Alaska Native	*		,	,
Native Hawaiian or Other		LIFETIME		
Pacific Islander	*	Any Illicit Drug <sup>2</sup>	2,132	5,263
Asian	140	Marijuana	1,587	3,366
Two or More Races	67	Any Illicit Drug Other	ŕ	,
Hispanic or Latino	783	Than Marijuana <sup>2</sup>	1,522	3,614
•		Cigarettes	2,222	5,721
COUNTY TYPE		Alcohol	2,944	7,424
Large Metro	2,364		,	, , , , , , , , , , , , , , , , , , ,
Small Metro	1,366			
Nonmetro	832			

<sup>\*</sup>Low precision; no estimate reported.

<sup>&</sup>lt;sup>1</sup> Respondents with missing data were excluded.

<sup>&</sup>lt;sup>2</sup> Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>&</sup>lt;sup>3</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Table 3.17B LSD Is Fairly or Very Easy to Obtain, by Demographic Characteristics (I), and Selected Drug Use, by Ease of Obtaining LSD (II) among Persons Aged 12 to 17: Percentages, 2002

	Ease of Obtaining LSD <sup>1</sup>		Ease of Obtaining LSD <sup>1</sup>	
(I) Demographic Characteristic	Fairly/Very Easy	(II) Drug Use	Fairly/Very Easy	Fairly/Very Difficult/Impossible
TOTAL	19.4	PAST MONTH		
		Any Illicit Drug <sup>2</sup>	18.9	10.2
AGE		Marijuana	13.6	7.1
12-13	9.0	Any Illicit Drug Other		
14-15	19.7	Than Marijuana <sup>2</sup>	9.7	5.0
16-17	29.6	Cigarettes	22.3	11.0
		Alcohol	28.6	15.5
GENDER		Binge Alcohol <sup>3</sup>	18.8	9.1
Male	16.0			
Female	22.9	PAST YEAR		
		Any Illicit Drug <sup>2</sup>	35.0	19.7
HISPANIC ORIGIN AND RACE		Marijuana	26.7	13.6
Not Hispanic or Latino	19.2	Any Illicit Drug Other		
White	20.3	Than Marijuana <sup>2</sup>	22.5	11.7
Black or African American	15.8	Cigarettes	32.7	17.9
American Indian or		Alcohol	53.8	30.7
Alaska Native	*			
Native Hawaiian or Other		LIFETIME		
Pacific Islander	*	Any Illicit Drug <sup>2</sup>	46.7	27.8
Asian	14.9	Marijuana	34.8	17.8
Two or More Races	18.6	Any Illicit Drug Other		
Hispanic or Latino	20.8	Than Marijuana <sup>2</sup>	33.4	19.1
1		Cigarettes	48.7	30.2
COUNTY TYPE		Alcohol	64.5	39.2
Large Metro	20.1			
Small Metro	19.5			
Nonmetro	17.7			

<sup>\*</sup>Low precision; no estimate reported.

<sup>&</sup>lt;sup>1</sup> Respondents with missing data were excluded.

<sup>&</sup>lt;sup>2</sup> Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>&</sup>lt;sup>3</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.