Bid List No. 0685

SPECIFICATION

Property Nos. 051012, 050954, 050865, 050626, 046469

Presensitized (Precoated) Plates for Long Runs

General Characteristics

These plates are for long run work to be used on step and repeat equipment made by D.S. Screen as well as vacuum equipment. When stored under normal conditions (40 to 60% relative humidity and a temperature range of 60°F to 80°F or 15.6°C to 26.7°C) the plates are to have a minimum shelf life of one year. The plates will be developed by hand.

Specific Characteristics

Sizeas per purchase requ	est	
Exposure per plate (using a fast light pulse Xenon lamp) to a step seven minimum on the Stouffer scale1-1/4 minutes		
Exposure per page (on the step and repeat equipment)25-55 seconds		
Number of impressions per plate50, 000 minimum	50, 000 minimum	

Sample Requirement

Twelve plates size, 47-1/4" x 59" x .012" (1200.2 mm x 1498.6 mm x mm) with chemicals for developing the plates are needed to qualify for the Qualified Bidders List for that item. Once the supplier has qualified then he no longer needs to send in any more samples unless he bids on plates coated with another or new formulation. Also, should the supplier make any change to location or method of manufacture, which is different from the originally accepted samples the supplier is required to regualify?

Qualified Bidders List

Eastman Kodak Co. - "L" Plate.