Military Vaccine Agency 20 January 2012

SUBJECT: Dosage and Dosing Schedule of Hepatitis A and B Vaccines Administered in Military Enlisted Recruit Settings

1. Purpose. To describe the dosage and the dosing schedule of hepatitis vaccines when administered in recruit settings.

## 2. Facts.

a. Recruits may include personnel who are 17 years of age or older, and therefore, must be screened by age to ensure they receive age-appropriate doses (pediatric/adolescent vs. adult) of hepatitis vaccines.

b. The age-specific doses and dosing schedule of the hepatitis vaccines are as follows:

### Monovalent Hepatitis A Vaccine (HAVRIX (GlaxoSmithKline (GSK)) or VAQTA (Merck))

Age of Recruit	Number of Doses	Vaccine Dosage and Schedule	
18 years of age or younger	One initial dose and one booster dose	Administer an initial dose of <b>0.5</b> mL and a booster dose of <b>0.5</b> mL between 6 to 12 months later	
19 years of age or older	One initial dose and one booster	Administer an initial dose of <b>1.0</b> mL and a booster dose of <b>1.0</b> mL between 6 to 12 months later	

### Monovalent Hepatitis B Vaccine (ENGERIX-B (GSK) or RECOMBIVAX-HB (Merck))

Age of Recruit	Number of Doses	Vaccine Dosage and Schedule
19 years of age or younger	Three dose series	Administer an initial dose of <b>0.5</b> mL and then the next two doses of <b>0.5</b> mL at 1 month and 6 months from the initial dose
20 years of age or older	Three dose series	Administer an initial dose of <b>1.0</b> mL and then the next two doses of <b>1.0</b> mL at 1 month and 6 months from the initial dose

### Bivalent (Combination) Hepatitis A and Hepatitis B Vaccine (TWINRIX (GSK))

Age of Recruit Number of Doses		Vaccine Dosage and Schedule		
18 years of age or older Three dose se		Administer an initial dose of <b>1.0</b> mL and then the next two doses of <b>1.0</b> mL at 1 month and 6 months from the initial dose		

c. Age-specific doses (adult vs. pediatric/adolescent) must also be administered when the vaccine schedule includes both the monovalent and bivalent hepatitis vaccines. The mixed regimen of vaccines that induce adequate immunity against hepatitis A and hepatitis B are shown below. The individual vaccines within the combinations below can be administered in any sequence, if proper minimum timing between doses is observed. When Twinrix is part of the regimen, maintain the dose spacing requirement for Twinrix.

# Military Vaccine Agency SUBJECT: Dosage and Dosing Schedule of Hepatitis A and B Vaccines Administered in Military Enlisted Recruit Settings

	Mixed Regimen of Vaccines to Complete Hepatitis A and B Series*					
Age of Recruit	Hepatitis A and B (Twinrix)		Hepatitis A (HAVRIX or VAQTA)		Hepatitis B (Engerix B or Recombivax-HB)	
17 years of age			2 doses hep A (0.5 mL)	+	3 doses hep B (0.5 mL)	
18 years of age			2 doses hep A (0.5 mL)	+	3 doses hep B (0.5 mL)	
	1 dose Twinrix (1.0 mL)	+	1 dose hep A (0.5 mL) separated by 5 months	+	2 doses hep B (0.5 mL)	
	2 doses Twinrix (1.0 mL)	+	1 dose hep A (0.5 mL) administered 5 months after 2 <sup>nd</sup> dose of Twinrix	+	1 dose hep B (0.5 mL) administered 5 months after 2 <sup>nd</sup> dose of Twinrix	
19 years of age			2 doses hep A (1.0 mL)	+	3 doses hep B (0.5 mL)	
	1 dose Twinrix (1.0 mL)	+	2 doses hep A (1.0 mL) separated by 5 months	+	2 doses hep B (0.5 mL)	
	2 doses Twinrix (1.0 mL)	+	1 dose hep A (1.0 mL) administered 5 months after 2 <sup>nd</sup> dose of Twinrix	+	1 dose hep B (0.5 mL) administered 5 months after 2 <sup>nd</sup> dose of Twinrix	
20 years of age or older			2 doses hep A (1.0 mL)	+	3 doses hep B (1.0 mL)	
	1 dose Twinrix (1.0 mL)	+	2 doses hep A (1.0 mL) separated by 5 months	+	2 doses hep B (1.0 mL)	
	2 doses Twinrix (1.0 mL)	+	1 dose hep A (1.0 mL) administered 5 months after 2 <sup>nd</sup> dose of Twinrix	+	1 dose hep B (1.0 mL) administered 5 months after 2 <sup>nd</sup> dose of Twinrix	
	2 doses Twinrix (1.0 mL)	+	1 dose hep A (1.0 mL) administered 6 months after 2 <sup>nd</sup> dose of Twinrix	+	1 dose hep B (1.0 mL) administered 6 months after 2 <sup>nd</sup> dose of Twinrix	

\* Guidance provided by the National Center for Immunization and Respiratory Diseases, Centers for Disease Control and Prevention (CDC), 5 Dec 2011, and CDC's "Epidemiology and Prevention of Vaccine-Preventable Disease," 12<sup>th</sup> Ed, May 2011

3. References.

a. CDC disease information at: www.cdc.gov/vaccines.

b. Multiple resources (e.g., links to product inserts, Vaccine Information Statements) assembled by the Military Vaccine Agency at: <u>www.vaccines.mil</u>.

Ms. Traci Vactor/(703) 325-6538

Approved by: LTC(P) Patrick Garman