## UDS Summary Report - 2011 Grantee - Universal

GRANTEE				
PATIENTS				
Total Patients	7,393			
Number/Percent of Patients by Services Utilized				
Medical Services	6,217/84.09%			
Dental Services	2,416/32.68%			
Mental Health Services	0/0.00%			
Substance Abuse Services	0/0.00%			
Vision Services	0/0.00%			
Enabling Services	671/9.08%			
Number/Percent of Patients by Special Populations				
Homeless Patients	8/0.11%			
Farmworker Patients	0/0.00%			
School Based Patients	185/2.50%			
Veteran Patients	52/0.70%			
Number/Percent of Patients by Age				
Children (< 18 years old)	2,309/31.23%			
Adult (18 - 64)	4,408/59.62%			
Geriatric (age 65 and over)	676/9.14%			
Number/Percent of Patients by Insurance Status				
Uninsured	2,186/29.57%			
Children Uninsured (age 0-19 years)	334/12.86%			
Medicaid/CHIP <sup>1</sup>	2,925/39.56%			
Medicare	284/3.84%			
Other Third Party	1,998/27.03%			
Patients by Income Status (% Known)				
Patients at or below 200% of poverty	87.75%			
Patients at or below 100% of poverty (included in above)	73.31%			
Patients by Race & Ethnicity (% Known)				
% Racial and/or Ethnic Minority	97.95%			
% Hispanic/Latino Identity	2.88%			
% African American	95.86%			
% Asian	0.52%			
% American Indian/Alaska Native	0.05%			
% Native Hawaiian/Other Pacific Islander	0.39%			
% More than one race	0.29%			
% Best Served in another language	40.11%			
L' Date Coppet he Color/lated				

'-' - Data Cannot be Calculated

<sup>1</sup> Includes Medicaid, Medicaid CHIP, and Other Public Insurance CHIP

	GRANTEE		
PATIENTS			
Percent of Medical Patients with Specific Diagnoses			
Hypertension <sup>2</sup>	23.00%		
Diabetes <sup>3</sup>	10.33%		
Asthma	4.12%		
HIV	-		
Prenatal			
Number of Prenatal Patients	119		
Number of Prenatal Patients who delivered	88		

ADJUSTED QUARTILE RANKING <sup>5</sup>

GRANTEE

QUALITY	OF CARE/HEAL	TH OUTCOMES

% Having First Prenatal Visit in 1st Trimester84.87%1% Low and Very Low Birth Weight13.64%4Preventive Screening & Immunizations% of Women with Pap Tests67.31%2% of Children and Adolescents with BMI Percentile and Counseling on Nutrition and Physical Activity Documented74.29%1% of Adults who Received Weight Screening and Follow up if Appropriate56.26%1% of Adults assessed for Tobacco Use66.81%3% of Tobacco Users who Received Cessation Advice and/or Medication56.05%2% of Two year Olds Immunized <sup>4</sup> 78.65%1Chronic Disease Management% Hypertensive Patients with Blood Pressure < 140/9046.30%4% Diabetic Patients with HbA1c <= 962.86%4	Prenatal				
Preventive Screening & Immunizations     % of Women with Pap Tests   67.31%   2     % of Children and Adolescents with BMI Percentile and Counseling on Nutrition and Physical Activity Documented   74.29%   1     % of Adults who Received Weight Screening and Follow up if Appropriate   56.26%   1     % of Adults Assessed for Tobacco Use   66.81%   3     % of Tobacco Users who Received Cessation Advice and/or Medication   56.05%   2     % of Asthmatics Treated with Appropriate Pharmacological Intervention   87.10%   2     % of Two year Olds Immunized <sup>4</sup> 78.65%   1     Chronic Disease Management   46.30%   4	% Having First Prenatal Visit in 1st Trimester	84.87%	1		
% of Women with Pap Tests67.31%2% of Children and Adolescents with BMI Percentile and Counseling on Nutrition and Physical Activity Documented74.29%1% of Adults who Received Weight Screening and Follow up if Appropriate56.26%1% of Adults Assessed for Tobacco Use66.81%3% of Tobacco Users who Received Cessation Advice and/or Medication56.05%2% of Asthmatics Treated with Appropriate Pharmacological Intervention87.10%2% of Two year Olds Immunized 478.65%1Chronic Disease Management% Hypertensive Patients with Blood Pressure < 140/90	% Low and Very Low Birth Weight	13.64%	4		
% of Children and Adolescents with BMI Percentile and Counseling on Nutrition and Physical Activity Documented74.29%1% of Adults who Received Weight Screening and Follow up if Appropriate56.26%1% of Adults Assessed for Tobacco Use66.81%3% of Tobacco Users who Received Cessation Advice and/or Medication56.05%2% of Asthmatics Treated with Appropriate Pharmacological Intervention87.10%2% of Two year Olds Immunized 478.65%1Chronic Disease Management% Hypertensive Patients with Blood Pressure < 140/90	Preventive Screening & Immunizations				
Documented74.29%1% of Adults who Received Weight Screening and Follow up if Appropriate56.26%1% of Adults Assessed for Tobacco Use66.81%3% of Tobacco Users who Received Cessation Advice and/or Medication56.05%2% of Asthmatics Treated with Appropriate Pharmacological Intervention87.10%2% of Two year Olds Immunized 478.65%1Chronic Disease Management% Hypertensive Patients with Blood Pressure < 140/90	% of Women with Pap Tests	67.31%	2		
% of Adults Assessed for Tobacco Use66.81%3% of Tobacco Users who Received Cessation Advice and/or Medication56.05%2% of Asthmatics Treated with Appropriate Pharmacological Intervention87.10%2% of Two year Olds Immunized 478.65%1Chronic Disease Management% Hypertensive Patients with Blood Pressure < 140/90		74.29%	1		
% of Tobacco Users who Received Cessation Advice and/or Medication60602% of Asthmatics Treated with Appropriate Pharmacological Intervention87.10%2% of Two year Olds Immunized 478.65%1Chronic Disease Management% Hypertensive Patients with Blood Pressure < 140/90	% of Adults who Received Weight Screening and Follow up if Appropriate	56.26%	1		
% of Asthmatics Treated with Appropriate Pharmacological Intervention   87.10%   2     % of Two year Olds Immunized 4   78.65%   1     Chronic Disease Management     % Hypertensive Patients with Blood Pressure < 140/90	% of Adults Assessed for Tobacco Use	66.81%	3		
% of Two year Olds Immunized 4 78.65% 1   Chronic Disease Management 46.30% 4	% of Tobacco Users who Received Cessation Advice and/or Medication	56.05%	2		
Chronic Disease Management   % Hypertensive Patients with Blood Pressure < 140/90	% of Asthmatics Treated with Appropriate Pharmacological Intervention	87.10%	2		
% Hypertensive Patients with Blood Pressure < 140/90 46.30% 4	% of Two year Olds Immunized <sup>4</sup>	78.65%	1		
	Chronic Disease Management				
% Diabetic Patients with HbA1c <= 9 62.86% 4	% Hypertensive Patients with Blood Pressure < 140/90	46.30%	4		
	% Diabetic Patients with HbA1c <= 9	62.86%	4		

'-' - Data Cannot be Calculated

 $^{2}$  Hypertensive adults as a percent of estimated adult medical patients of ages 18-85.

<sup>3</sup> Diabetic adults as a percent of estimated adult medical patients of ages 18-75.

 $^{\rm 4}$  Measure was revised in 2011 and is not comparable to calendar year 2010 and prior.

<sup>5</sup> Grantee adjusted quartile results from a statistical model adjusting for special populations, uninsured and minority patients, and EHR use. Clinical performance for each measure is ranked from Quartile 1, highest 25% of reporting grantees, to Quartile 4, lowest 25% of reporting grantees.