## UDS Summary Report - 2011 Grantee - Universal

GRANTEE			
PATIENTS			
Total Patients	35,396		
Number/Percent of Patients by Services Utilized			
Medical Services	33,558/94.81%		
Dental Services	4,571/12.91%		
Mental Health Services	131/0.37%		
Substance Abuse Services	0/0.00%		
Vision Services	0/0.00%		
Enabling Services	2,196/6.20%		
Number/Percent of Patients by Special Populations			
Homeless Patients	213/0.60%		
Farmworker Patients	160/0.45%		
School Based Patients	0/0.00%		
Veteran Patients	161/0.45%		
Number/Percent of Patients by Age			
Children (< 18 years old)	15,054/42.53%		
Adult (18 - 64)	18,533/52.36%		
Geriatric (age 65 and over)	1,809/5.11%		
Number/Percent of Patients by Insurance Status			
Uninsured	12,820/36.22%		
Children Uninsured (age 0-19 years)	1,011/6.25%		
Medicaid/CHIP <sup>1</sup>	15,901/44.92%		
Medicare	1,862/5.26%		
Other Third Party	4,813/13.60%		
Patients by Income Status (% Known)			
Patients at or below 200% of poverty	90.68%		
Patients at or below 100% of poverty (included in above)	83.97%		
Patients by Race & Ethnicity (% Known)			
% Racial and/or Ethnic Minority	88.33%		
% Hispanic/Latino Identity	5.87%		
% African American	85.98%		
% Asian	0.43%		
% American Indian/Alaska Native	0.11%		
% Native Hawaiian/Other Pacific Islander	0.20%		
% More than one race	0.94%		
% Best Served in another language	3.58%		
'-' - Data Cannot be Calculated			

'-' - Data Cannot be Calculated

<sup>1</sup> Includes Medicaid, Medicaid CHIP, and Other Public Insurance CHIP

	GRANTEE		
PATIENTS			
Percent of Medical Patients with Specific Diagnoses			
Hypertension <sup>2</sup>	27.59%		
Diabetes <sup>3</sup>	17.76%		
Asthma	6.48%		
HIV	0.07%		
Prenatal			
Number of Prenatal Patients	345		
Number of Prenatal Patients who delivered	285		

GRANTEE

ADJUSTED QUARTILE RANKING <sup>5</sup>

## QUALITY OF CARE/HEALTH OUTCOMES

% Having First Prenatal Visit in 1st Trimester6% Having First Prenatal Visit in 1st Trimester6% Low and Very Low Birth Weight6 <b>Preventive Screening &amp; Immunizations</b> 82.86%% of Women with Pap Tests82.86%% of Children and Adolescents with BMI Percentile and Counseling on Nutrition and Physical Activity30.00%% of Adults Abone Received Weight Screening and Follow up if Appropriate6% of Adults Assessed for Tobacco Use6% of Adults Assessed for Tobacco User6% of Asthmatics Treated with Appropriate Pharmacological Intervention88.57%% of Tobacco Users who Received Cessation Advice and/or Medication88.57%% of Tobacco Users Min Appropriate Pharmacological Intervention88.57%% of Tobacco Users Min Appropriate Pharmacological Intervention88.57%% of Tobacco Management71.43%% Hypertensive Pharmacological Intervention64.26%% Hypertensive Station Atvices < 140/00%64.26%	Prenatal			
Preventive Screening & Immunizations% of Women with Pap Tests82.86%1% of Children and Adolescents with BMI Percentile and Counseling on Nutrition and Physical Activity Documented30.00%3% of Adults who Received Weight Screening and Follow up if Appropriate48.57%2% of Adults Assessed for Tobacco Use88.57%3% of Tobacco Users who Received Cessation Advice and/or Medication40.00%3% of Asthmatics Treated with Appropriate Pharmacological Intervention88.57%2% of Two year Olds Immunized 471.43%1Chronic Disease Management	% Having First Prenatal Visit in 1st Trimester	59.42%	4	
% of Women with Pap Tests82.86%1% of Children and Adolescents with BMI Percentile and Counseling on Nutrition and Physical Activity Documented30.00%30.00%3% of Adults who Received Weight Screening and Follow up if Appropriate48.57%48.57%2% of Adults Assessed for Tobacco Use88.57%33% of Tobacco Users who Received Cessation Advice and/or Medication40.00%33% of Asthmatics Treated with Appropriate Pharmacological Intervention88.57%33% of Two year Olds Immunized <sup>4</sup> 71.43%11Chronic Disease Management	% Low and Very Low Birth Weight	17.53%	4	
Notified and Adolescents with BMI Percentile and Counseling on Nutrition and Physical Activity Documented30.00%30.00%3% of Adults who Received Weight Screening and Follow up if Appropriate48.57%2% of Adults Assessed for Tobacco Use88.57%3% of Tobacco Users who Received Cessation Advice and/or Medication40.00%3% of Asthmatics Treated with Appropriate Pharmacological Intervention88.57%2% of Two year Olds Immunized 471.43%1Chronic Disease Management	Preventive Screening & Immunizations			
Documented30.00%30.00%3% of Adults who Received Weight Screening and Follow up if Appropriate48.57%2% of Adults Assessed for Tobacco Use88.57%3% of Tobacco Users who Received Cessation Advice and/or Medication40.00%3% of Asthmatics Treated with Appropriate Pharmacological Intervention88.57%2% of Two year Olds Immunized 471.43%1Chronic Disease Management	% of Women with Pap Tests	82.86%	1	
% of Adults Assessed for Tobacco Use88.57%3% of Tobacco Users who Received Cessation Advice and/or Medication40.00%3% of Asthmatics Treated with Appropriate Pharmacological Intervention88.57%2% of Two year Olds Immunized 471.43%1Chronic Disease Management	· · · · · ·	30.00%	3	
% of Tobacco Users who Received Cessation Advice and/or Medication40.00%3% of Asthmatics Treated with Appropriate Pharmacological Intervention88.57%2% of Two year Olds Immunized 471.43%1Chronic Disease Management	% of Adults who Received Weight Screening and Follow up if Appropriate	48.57%	2	
% of Asthmatics Treated with Appropriate Pharmacological Intervention 88.57% 2   % of Two year Olds Immunized <sup>4</sup> 71.43% 1   Chronic Disease Management	% of Adults Assessed for Tobacco Use	88.57%	3	
% of Two year Olds Immunized 4 71.43% 1   Chronic Disease Management	% of Tobacco Users who Received Cessation Advice and/or Medication	40.00%	3	
Chronic Disease Management	% of Asthmatics Treated with Appropriate Pharmacological Intervention	88.57%	2	
	% of Two year Olds Immunized <sup>4</sup>	71.43%	1	
% Hypertensive Patients with Blood Pressure < 140/90 64.29% 3	Chronic Disease Management			
	% Hypertensive Patients with Blood Pressure < 140/90	64.29%	3	
% Diabetic Patients with HbA1c <= 9 72.86% 2	% Diabetic Patients with HbA1c <= 9	72.86%	2	

'-' - Data Cannot be Calculated

<sup>2</sup> Hypertensive adults as a percent of estimated adult medical patients of ages 18-85.

<sup>3</sup> Diabetic adults as a percent of estimated adult medical patients of ages 18-75.

 $^{\rm 4}$  Measure was revised in 2011 and is not comparable to calendar year 2010 and prior.

<sup>5</sup> Grantee adjusted quartile results from a statistical model adjusting for special populations, uninsured and minority patients, and EHR use. Clinical performance for each measure is ranked from Quartile 1, highest 25% of reporting grantees, to Quartile 4, lowest 25% of reporting grantees.