UDS Summary Report - 2011 Grantee - Universal

GRANTEE			
PATIENTS			
Total Patients	12,230		
Number/Percent of Patients by Services Utilized			
Medical Services	12,230/100%		
Dental Services	0/0.00%		
Mental Health Services	280/2.29%		
Substance Abuse Services	-/-		
Vision Services	0/0.00%		
Enabling Services	443/3.62%		
Number/Percent of Patients by Special Populations			
Homeless Patients	0/0.00%		
Farmworker Patients	144/1.18%		
School Based Patients	0/0.00%		
Veteran Patients	8/0.07%		
Number/Percent of Patients by Age			
Children (< 18 years old)	2,021/16.52%		
Adult (18 - 64)	8,497/69.48%		
Geriatric (age 65 and over)	1,712/14.00%		
Number/Percent of Patients by Insurance Status			
Uninsured	3,700/30.25%		
Children Uninsured (age 0-19 years)	413/17.18%		
Medicaid/CHIP ¹	2,909/23.79%		
Medicare	2,281/18.65%		
Other Third Party	3,340/27.31%		
Patients by Income Status (% Known)			
Patients at or below 200% of poverty	94.30%		
Patients at or below 100% of poverty (included in above)	81.71%		
Patients by Race & Ethnicity (% Known)			
% Racial and/or Ethnic Minority	61.82%		
% Hispanic/Latino Identity	2.10%		
% African American	60.81%		
% Asian	0.14%		
% American Indian/Alaska Native	0.05%		
% Native Hawaiian/Other Pacific Islander	0.00%		
% More than one race	0.00%		
% Best Served in another language	2.41%		

'-' - Data Cannot be Calculated

¹ Includes Medicaid, Medicaid CHIP, and Other Public Insurance CHIP

	GRANTEE		
PATIENTS			
Percent of Medical Patients with Specific Diagnoses			
Hypertension ²	38.49%		
Diabetes ³	16.68%		
Asthma	3.30%		
HIV	3.79%		
Prenatal			
Number of Prenatal Patients	150		
Number of Prenatal Patients who delivered	95		

GRANTEE

ADJUSTED QUARTILE RANKING 5

QUALITY OF CARE/HEALTH OUTCOMES

% Having First Prenatal Visit in 1st Trimester1% Law and Very Low Bith Weight1% Low and Very Low Bith Weight1Preventive Screening & Immunizations% of Women with Pap Tests4% of Children and Adolescents with BMI Percentile and Counseling on Nutrition and Physical Activity Documented0.000%% of Adults who Received Weight Screening and Follow up if Appropriate2.86%% of Adults Assessed for Tobacco Use4% of Tobacco Users who Received Cessation Advice and/or Medication11.43%% of Two year Olds Immunized ⁴ 0.000%	Prenatal			
Preventive Screening & Immunizations % of Women with Pap Tests 40.00% 4 % of Children and Adolescents with BMI Percentile and Counseling on Nutrition and Physical Activity Documented 0.00% 4 % of Adults who Received Weight Screening and Follow up if Appropriate 2.86% 4 % of Adults Assessed for Tobacco Use 44.29% 4 % of Tobacco Users who Received Cessation Advice and/or Medication 11.43% 4 % of Asthmatics Treated with Appropriate Pharmacological Intervention 57.14% 4 % of Two year Olds Immunized ⁴ 0.00% 4	% Having First Prenatal Visit in 1st Trimester	84.67%	1	
% of Women with Pap Tests40.00%4% of Children and Adolescents with BMI Percentile and Counseling on Nutrition and Physical Activity Documented0.00%0.00%% of Adults who Received Weight Screening and Follow up if Appropriate2.86%4% of Adults Assessed for Tobacco Use44.29%4% of Tobacco Users who Received Cessation Advice and/or Medication11.43%4% of Asthmatics Treated with Appropriate Pharmacological Intervention57.14%4% of Two year Olds Immunized ⁴ 0.00%4	% Low and Very Low Birth Weight	12.63%	4	
% of Children and Adolescents with BMI Percentile and Counseling on Nutrition and Physical Activity Documented0.00%4% of Adults who Received Weight Screening and Follow up if Appropriate2.86%4% of Adults Assessed for Tobacco Use44.29%4% of Tobacco Users who Received Cessation Advice and/or Medication11.43%4% of Asthmatics Treated with Appropriate Pharmacological Intervention57.14%4% of Two year Olds Immunized 40.00%4	Preventive Screening & Immunizations			
Documented0.00%4% of Adults who Received Weight Screening and Follow up if Appropriate2.86%4% of Adults Assessed for Tobacco Use44.29%4% of Tobacco Users who Received Cessation Advice and/or Medication11.43%4% of Asthmatics Treated with Appropriate Pharmacological Intervention57.14%4% of Two year Olds Immunized 40.00%4	% of Women with Pap Tests	40.00%	4	
% of Adults Assessed for Tobacco Use44.29%4% of Tobacco Users who Received Cessation Advice and/or Medication11.43%4% of Asthmatics Treated with Appropriate Pharmacological Intervention57.14%4% of Two year Olds Immunized 40.00%4		0.00%	4	
% of Tobacco Users who Received Cessation Advice and/or Medication 11.43% 4 % of Asthmatics Treated with Appropriate Pharmacological Intervention 57.14% 4 % of Two year Olds Immunized 4 0.00% 4	% of Adults who Received Weight Screening and Follow up if Appropriate	2.86%	4	
% of Asthmatics Treated with Appropriate Pharmacological Intervention 57.14% 4 % of Two year Olds Immunized 4 0.00% 4	% of Adults Assessed for Tobacco Use	44.29%	4	
% of Two year Olds Immunized ⁴ 0.00% 4	% of Tobacco Users who Received Cessation Advice and/or Medication	11.43%	4	
	% of Asthmatics Treated with Appropriate Pharmacological Intervention	57.14%	4	
	% of Two year Olds Immunized ⁴	0.00%	4	
Chronic Disease Management				
% Hypertensive Patients with Blood Pressure < 140/90 61.43% 3	% Hypertensive Patients with Blood Pressure < 140/90	61.43%	3	
% Diabetic Patients with HbA1c <= 9 74.29% 2	% Diabetic Patients with HbA1c <= 9	74.29%	2	

'-' - Data Cannot be Calculated

² Hypertensive adults as a percent of estimated adult medical patients of ages 18-85.

³ Diabetic adults as a percent of estimated adult medical patients of ages 18-75.

 $^{\rm 4}$ Measure was revised in 2011 and is not comparable to calendar year 2010 and prior.

⁵ Grantee adjusted quartile results from a statistical model adjusting for special populations, uninsured and minority patients, and EHR use. Clinical performance for each measure is ranked from Quartile 1, highest 25% of reporting grantees, to Quartile 4, lowest 25% of reporting grantees.