UDS Summary Report - 2011

Grantee - Universal

| | GRANTEE | |
|--|---------------|--|
| PATIENTS | | |
| Total Patients | 88,800 | |
| Number/Percent of Patients by Services Utilized | | |
| Medical Services | 65,321/73.56% | |
| Dental Services | 5,594/6.30% | |
| Mental Health Services | 17,011/19.16% | |
| Substance Abuse Services | -/- | |
| Vision Services | 6,433/7.24% | |
| Enabling Services | 2,749/3.10% | |
| Number/Percent of Patients by Special Populations | | |
| Homeless Patients | 250/0.28% | |
| Farmworker Patients | 4,661/5.25% | |
| School Based Patients | 0/0.00% | |
| Veteran Patients | 541/0.61% | |
| Number/Percent of Patients by Age | | |
| Children (< 18 years old) | 26,409/29.74% | |
| Adult (18 - 64) | 42,601/47.97% | |
| Geriatric (age 65 and over) | 19,790/22.29% | |
| Number/Percent of Patients by Insurance Status | | |
| Uninsured | 30,205/34.01% | |
| Children Uninsured (age 0-19 years) | 6,358/22.38% | |
| Medicaid/CHIP ¹ | 25,782/29.03% | |
| Medicare | 23,266/26.20% | |
| Other Third Party | 9,547/10.75% | |
| Patients by Income Status (% Known) | | |
| Patients at or below 200% of poverty | 60.90% | |
| Patients at or below 100% of poverty (included in above) | 54.19% | |
| Patients by Race & Ethnicity (% Known) | | |
| % Racial and/or Ethnic Minority | 41.95% | |
| % Hispanic/Latino Identity | 23.41% | |
| % African American | 18.11% | |
| % Asian | 0.57% | |
| % American Indian/Alaska Native | 0.07% | |
| % Native Hawaiian/Other Pacific Islander | 0.01% | |
| % More than one race | 0.06% | |
| % Best Served in another language | 7.97% | |

^{&#}x27;-' - Data Cannot be Calculated

¹ Includes Medicaid, Medicaid CHIP, and Other Public Insurance CHIP

| | | OIGHTEE |
|--|---|-----------------------------|
| PATIENTS | | |
| Percent of Medical Patients with Specific Diagnoses | | |
| Hypertension ² | | 20.65% |
| Diabetes ³ | | 11.86% |
| Asthma | | 2.33% |
| HIV | | 0.35% |
| Prenatal | | |
| Number of Prenatal Patients | | 2,955 |
| Number of Prenatal Patients who delivered | | 2,087 |
| | GRANTEE | ADJUSTED QUARTILE RANKING 5 |
| QUALITY OF CARE/HEALTH OUTCOMES | | |
| | | |
| Prenatal | | |
| Prenatal % Having First Prenatal Visit in 1st Trimester | 65.25% | 3 |
| | 65.25% 8.17% | 3 |
| % Having First Prenatal Visit in 1st Trimester | | |
| % Having First Prenatal Visit in 1st Trimester % Low and Very Low Birth Weight | | |
| % Having First Prenatal Visit in 1st Trimester % Low and Very Low Birth Weight Preventive Screening & Immunizations | 8.17% | 3 |
| % Having First Prenatal Visit in 1st Trimester % Low and Very Low Birth Weight Preventive Screening & Immunizations % of Women with Pap Tests % of Children and Adolescents with BMI Percentile and Counseling on Nutrition and Physical Activity | 8.17% 41.43% | 4 |
| % Having First Prenatal Visit in 1st Trimester % Low and Very Low Birth Weight Preventive Screening & Immunizations % of Women with Pap Tests % of Children and Adolescents with BMI Percentile and Counseling on Nutrition and Physical Activity Documented | 8.17% 41.43% 10.00% | 4 |
| % Having First Prenatal Visit in 1st Trimester % Low and Very Low Birth Weight Preventive Screening & Immunizations % of Women with Pap Tests % of Children and Adolescents with BMI Percentile and Counseling on Nutrition and Physical Activity Documented % of Adults who Received Weight Screening and Follow up if Appropriate | 8.17% 41.43% 10.00% 12.86% | 4 4 |
| % Having First Prenatal Visit in 1st Trimester % Low and Very Low Birth Weight Preventive Screening & Immunizations % of Women with Pap Tests % of Children and Adolescents with BMI Percentile and Counseling on Nutrition and Physical Activity Documented % of Adults who Received Weight Screening and Follow up if Appropriate % of Adults Assessed for Tobacco Use | 8.17% 41.43% 10.00% 12.86% 94.29% | 4 4 2 |

GRANTEE

4

4

Chronic Disease Management

% Diabetic Patients with HbA1c <= 9

% Hypertensive Patients with Blood Pressure < 140/90

50.00%

54.29%

^{&#}x27;-' - Data Cannot be Calculated

 $^{^{2}\,\}mbox{Hypertensive}$ adults as a percent of estimated adult medical patients of ages 18-85.

³ Diabetic adults as a percent of estimated adult medical patients of ages 18-75.

 $^{^{\}rm 4}$ Measure was revised in 2011 and is not comparable to calendar year 2010 and prior.

⁵ Grantee adjusted quartile results from a statistical model adjusting for special populations, uninsured and minority patients, and EHR use. Clinical performance for each measure is ranked from Quartile 1, highest 25% of reporting grantees, to Quartile 4, lowest 25% of reporting grantees.