UDS Summary Report - 2011 Grantee - Universal

GRANTEE			
PATIENTS			
Total Patients	13,632		
Number/Percent of Patients by Services Utilized			
Medical Services	13,632/100%		
Dental Services	0/0.00%		
Mental Health Services	0/0.00%		
Substance Abuse Services	0/0.00%		
Vision Services	0/0.00%		
Enabling Services	0/0.00%		
Number/Percent of Patients by Special Populations			
Homeless Patients	1/0.01%		
Farmworker Patients	4/0.03%		
School Based Patients	0/0.00%		
Veteran Patients	69/0.51%		
Number/Percent of Patients by Age			
Children (< 18 years old)	2,317/17.00%		
Adult (18 - 64)	10,505/77.06%		
Geriatric (age 65 and over)	810/5.94%		
Number/Percent of Patients by Insurance Status			
Uninsured	9,072/66.55%		
Children Uninsured (age 0-19 years)	1,162/43.42%		
Medicaid/CHIP ¹	1,999/14.66%		
Medicare	657/4.82%		
Other Third Party	1,904/13.97%		
Patients by Income Status (% Known)			
Patients at or below 200% of poverty	98.53%		
Patients at or below 100% of poverty (included in above)	77.51%		
Patients by Race & Ethnicity (% Known)			
% Racial and/or Ethnic Minority	55.13%		
% Hispanic/Latino Identity	48.14%		
% African American	5.02%		
% Asian	1.47%		
% American Indian/Alaska Native	0.16%		
% Native Hawaiian/Other Pacific Islander	0.48%		
% More than one race	0.36%		
% Best Served in another language	44.08%		

'-' - Data Cannot be Calculated

¹ Includes Medicaid, Medicaid CHIP, and Other Public Insurance CHIP

	GRANTEE		
PATIENTS			
Percent of Medical Patients with Specific Diagnoses			
Hypertension ²	23.81%		
Diabetes ³	12.82%		
Asthma	1.23%		
HIV	0.01%		
Prenatal			
Number of Prenatal Patients	496		
Number of Prenatal Patients who delivered	276		

GRANTEE

ADJUSTED QUARTILE RANKING ⁵

QUALITY OF CARE/HEALTH OUTCOMES

% Having First Prenatal Visit in 1st Trimester(1)% Having First Prenatal Visit in 1st Trimester(1) Preventive Screening & Immunizations % of Women with Pap Tests(1)% of Children and Adolescents with BMI Percentile and Counseling on Nutrition and Physical Activity(1)% of Adults who Received Weight Screening and Follow up 1 Appropriate(1)% of Adults Assessed for Tobacco Use(1)% of Adults Assessed for Tobacco Use(1)% of Athatics Treated with Appropriate Pharmacological Intervention(1)% of Tobacco Users who Received Cessation Advice and/or Medication(1)% of Tobacco Users Manunized ⁴ (1)% of Tobacco Users Min Appropriate Pharmacological Intervention(1)% of Tobacco Users Manunized ⁴ (1)% hypertensive Phatens with Blood Pressure < 140/90(1)% hypertensive Fatents with Blood Pressure < 140/90(1)% Diabetic Patients with HbAtc < 9(1)	Prenatal			
Preventive Screening & Immunizations % of Women with Pap Tests 48.57% 3 % of Children and Adolescents with BMI Percentile and Counseling on Nutrition and Physical Activity 45.71% 2 % of Adults who Received Weight Screening and Follow up if Appropriate 50.00% 2 % of Adults Assessed for Tobacco Use 91.42% 1 % of Adults Assessed for Tobacco Use 32.86% 4 % of Asthmatics Treated with Appropriate Pharmacological Intervention 44.29% 4 % of Two year Olds Immunized ⁴ 2 2 Khypertensive Patients with Blood Pressure < 140/90	% Having First Prenatal Visit in 1st Trimester	81.25%	1	
% of Women with Pap Tests48.57%48.57%3% of Children and Adolescents with BMI Percentile and Counseling on Nutrition and Physical Activity Documented45.71%12% of Adults who Received Weight Screening and Follow up if Appropriate50.00%22% of Adults Assessed for Tobacco Use91.42%31% of Tobacco Users who Received Cessation Advice and/or Medication32.86%44% of Asthmatics Treated with Appropriate Pharmacological Intervention44.29%34% of Two year Olds Immunized 452.94%32Chronic Disease Management% Hypertensive Patients with Blood Pressure < 140/90	% Low and Very Low Birth Weight	10.36%	3	
A constraint of the bill Percentile and Counseling on Nutrition and Physical Activity Documented45.71%45.71%2% of Adults who Received Weight Screening and Follow up if Appropriate50.00%22% of Adults Assessed for Tobacco Use91.42%11% of Tobacco Users who Received Cessation Advice and/or Medication32.86%34% of Two year Olds Immunized ⁴ 644% of Two year Olds Immunized ⁴ 52.94%32Chronic Disease Management% Hypertensive Patients with Blood Pressure < 140/90	Preventive Screening & Immunizations			
Documented45.71%45.71%2% of Adults who Received Weight Screening and Follow up if Appropriate50.00%2% of Adults Assessed for Tobacco Use91.42%1% of Tobacco Users who Received Cessation Advice and/or Medication32.86%4% of Asthmatics Treated with Appropriate Pharmacological Intervention44.29%4% of Two year Olds Immunized 452.94%2Chronic Disease Management% Hypertensive Patients with Blood Pressure < 140/90	% of Women with Pap Tests	48.57%	3	
% of Adults Assessed for Tobacco Use91.42%91.42%1% of Tobacco Users who Received Cessation Advice and/or Medication32.86%32.86%4% of Asthmatics Treated with Appropriate Pharmacological Intervention44.29%4% of Two year Olds Immunized 452.94%2Chronic Disease Management% Hypertensive Patients with Blood Pressure < 140/90		45.71%	2	
% of Tobacco Users who Received Cessation Advice and/or Medication 32.86% 32.86% 4 % of Asthmatics Treated with Appropriate Pharmacological Intervention 44.29% 4 % of Two year Olds Immunized ⁴ 52.94% 2 Chronic Disease Management % Hypertensive Patients with Blood Pressure < 140/90	% of Adults who Received Weight Screening and Follow up if Appropriate	50.00%	2	
% of Asthmatics Treated with Appropriate Pharmacological Intervention 44.29% 4 % of Two year Olds Immunized ⁴ 52.94% 2 Chronic Disease Management % Hypertensive Patients with Blood Pressure < 140/90	% of Adults Assessed for Tobacco Use	91.42%	1	
% of Two year Olds Immunized 4 52.94% 2 Chronic Disease Management 52.94% 2 % Hypertensive Patients with Blood Pressure < 140/90	% of Tobacco Users who Received Cessation Advice and/or Medication	32.86%	4	
Chronic Disease Management 55.40% 3 % Hypertensive Patients with Blood Pressure < 140/90	% of Asthmatics Treated with Appropriate Pharmacological Intervention	44.29%	4	
% Hypertensive Patients with Blood Pressure < 140/90 55.40%	% of Two year Olds Immunized ⁴	52.94%	2	
	Chronic Disease Management			
% Diabetic Patients with HbA1c <= 9 70.70% 2	% Hypertensive Patients with Blood Pressure < 140/90	55.40%	3	
	% Diabetic Patients with HbA1c <= 9	70.70%	2	

'-' - Data Cannot be Calculated

² Hypertensive adults as a percent of estimated adult medical patients of ages 18-85.

³ Diabetic adults as a percent of estimated adult medical patients of ages 18-75.

 $^{\rm 4}$ Measure was revised in 2011 and is not comparable to calendar year 2010 and prior.

⁵ Grantee adjusted quartile results from a statistical model adjusting for special populations, uninsured and minority patients, and EHR use. Clinical performance for each measure is ranked from Quartile 1, highest 25% of reporting grantees, to Quartile 4, lowest 25% of reporting grantees.