UDS Summary Report - 2011 Grantee - Universal

GRANTEE		
PATIENTS		
Total Patients	15,377	
Number/Percent of Patients by Services Utilized		
Medical Services	13,742/89.37%	
Dental Services	2,404/15.63%	
Mental Health Services	525/3.41%	
Substance Abuse Services	287/1.87%	
Vision Services	-/-	
Enabling Services	511/3.32%	
Number/Percent of Patients by Special Populations		
Homeless Patients	64/0.42%	
Farmworker Patients	2/0.01%	
School Based Patients	70/0.46%	
Veteran Patients	0/0.00%	
Number/Percent of Patients by Age		
Children (< 18 years old)	5,226/33.99%	
Adult (18 - 64)	9,604/62.46%	
Geriatric (age 65 and over)	547/3.56%	
Number/Percent of Patients by Insurance Status		
Uninsured	5,198/33.80%	
Children Uninsured (age 0-19 years)	623/10.64%	
Medicaid/CHIP ¹	4,888/31.79%	
Medicare	791/5.14%	
Other Third Party	4,500/29.26%	
Patients by Income Status (% Known)		
Patients at or below 200% of poverty	88.90%	
Patients at or below 100% of poverty (included in above)	73.28%	
Patients by Race & Ethnicity (% Known)		
% Racial and/or Ethnic Minority	96.94%	
% Hispanic/Latino Identity	7.49%	
% African American	88.69%	
% Asian	0.15%	
% American Indian/Alaska Native	0.04%	
% Native Hawaiian/Other Pacific Islander	0.49%	
% More than one race	-	
% Best Served in another language	9.16%	
'-' - Data Cannot be Calculated		

¹ Includes Medicaid, Medicaid CHIP, and Other Public Insurance CHIP

	GRANTEE
PATIENTS	
Percent of Medical Patients with Specific Diagnoses	
Hypertension ²	24.05%
Diabetes ³	10.43%
Asthma	6.19%
HIV	1.93%
Prenatal	
Number of Prenatal Patients	728
Number of Prenatal Patients who delivered	273

GRANTEE

ADJUSTED QUARTILE RANKING ⁵

QUALITY OF CARE/HEALTH OUTCOMES

% Having First Prenatal Visit in 1st Trimester48.49%4% Low and Very Low Birth Weight68.27%3Preventive Screening & Immunizations% of Women with Pap Tests65.71%2% of Children and Adolescents with BMI Percentile and Counseling on Nutrition and Physical Activity Documented44.29%2% of Adults who Received Weight Screening and Follow up if Appropriate40.00%3% of Tobacco Users who Received Cessation Advice and/or Medication34.29%4% of Asthmatics Treated with Appropriate Pharmacological Intervention87.14%2% of Two year Olds Immunized ⁴ 42.86%3	Prenatal			
Preventive Screening & Immunizations % of Women with Pap Tests 65.71% 2 % of Children and Adolescents with BMI Percentile and Counseling on Nutrition and Physical Activity Documented 44.29% 2 % of Adults who Received Weight Screening and Follow up if Appropriate 40.00% 3 % of Adults Assessed for Tobacco Use 72.86% 3 % of Tobacco Users who Received Cessation Advice and/or Medication 34.29% 4 % of Asthmatics Treated with Appropriate Pharmacological Intervention 87.14% 2	% Having First Prenatal Visit in 1st Trimester	48.49%	4	
% of Women with Pap Tests65.71%2% of Children and Adolescents with BMI Percentile and Counseling on Nutrition and Physical Activity Documented44.29%44.29%% of Adults who Received Weight Screening and Follow up if Appropriate40.00%3% of Adults Assessed for Tobacco Use72.86%3% of Tobacco Users who Received Cessation Advice and/or Medication34.29%4% of Asthmatics Treated with Appropriate Pharmacological Intervention87.14%2	% Low and Very Low Birth Weight	8.27%	3	
% of Children and Adolescents with BMI Percentile and Counseling on Nutrition and Physical Activity Documented44.29%44.29%% of Adults who Received Weight Screening and Follow up if Appropriate40.00%3% of Adults Assessed for Tobacco Use72.86%3% of Tobacco Users who Received Cessation Advice and/or Medication34.29%4% of Asthmatics Treated with Appropriate Pharmacological Intervention87.14%2	Preventive Screening & Immunizations			
Documented44.29%2% of Adults who Received Weight Screening and Follow up if Appropriate40.00%3% of Adults Assessed for Tobacco Use72.86%3% of Tobacco Users who Received Cessation Advice and/or Medication34.29%4% of Asthmatics Treated with Appropriate Pharmacological Intervention87.14%2	% of Women with Pap Tests	65.71%	2	
% of Adults Assessed for Tobacco Use 72.86% 3 % of Tobacco Users who Received Cessation Advice and/or Medication 34.29% 4 % of Asthmatics Treated with Appropriate Pharmacological Intervention 87.14% 2		44.29%	2	
% of Tobacco Users who Received Cessation Advice and/or Medication 34.29% 4 % of Asthmatics Treated with Appropriate Pharmacological Intervention 87.14% 2	% of Adults who Received Weight Screening and Follow up if Appropriate	40.00%	3	
% of Asthmatics Treated with Appropriate Pharmacological Intervention 87.14% 2	% of Adults Assessed for Tobacco Use	72.86%	3	
	% of Tobacco Users who Received Cessation Advice and/or Medication	34.29%	4	
% of Two year Olds Immunized ⁴ 42.86% 3	% of Asthmatics Treated with Appropriate Pharmacological Intervention	87.14%	2	
	% of Two year Olds Immunized ⁴	42.86%	3	
Chronic Disease Management				
% Hypertensive Patients with Blood Pressure < 140/90 70.00% 2	% Hypertensive Patients with Blood Pressure < 140/90	70.00%	2	
% Diabetic Patients with HbA1c <= 9 67.14% 3	% Diabetic Patients with HbA1c <= 9	67.14%	3	

'-' - Data Cannot be Calculated

² Hypertensive adults as a percent of estimated adult medical patients of ages 18-85.

³ Diabetic adults as a percent of estimated adult medical patients of ages 18-75.

 $^{\rm 4}$ Measure was revised in 2011 and is not comparable to calendar year 2010 and prior.

⁵ Grantee adjusted quartile results from a statistical model adjusting for special populations, uninsured and minority patients, and EHR use. Clinical performance for each measure is ranked from Quartile 1, highest 25% of reporting grantees, to Quartile 4, lowest 25% of reporting grantees.