## UDS Summary Report - 2011 Grantee - Universal

GRANTEE			
PATIENTS			
Total Patients	6,345		
Number/Percent of Patients by Services Utilized			
Medical Services	5,667/89.31%		
Dental Services	1,482/23.36%		
Mental Health Services	0/0.00%		
Substance Abuse Services	0/0.00%		
Vision Services	0/0.00%		
Enabling Services	1,719/27.09%		
Number/Percent of Patients by Special Populations			
Homeless Patients	1,998/31.49%		
Farmworker Patients	680/10.72%		
School Based Patients	1,132/17.84%		
Veteran Patients	59/0.93%		
Number/Percent of Patients by Age			
Children (< 18 years old)	1,957/30.84%		
Adult (18 - 64)	3,582/56.45%		
Geriatric (age 65 and over)	806/12.70%		
Number/Percent of Patients by Insurance Status			
Uninsured	1,939/30.56%		
Children Uninsured (age 0-19 years)	374/17.07%		
Medicaid/CHIP <sup>1</sup>	1,717/27.06%		
Medicare	776/12.23%		
Other Third Party	1,913/30.15%		
Patients by Income Status (% Known)			
Patients at or below 200% of poverty	84.08%		
Patients at or below 100% of poverty (included in above)	63.21%		
Patients by Race & Ethnicity (% Known)			
% Racial and/or Ethnic Minority	94.35%		
% Hispanic/Latino Identity	93.73%		
% African American	0.38%		
% Asian	0.03%		
% American Indian/Alaska Native	0.00%		
% Native Hawaiian/Other Pacific Islander	0.00%		
% More than one race	0.21%		
% Best Served in another language	37.48%		

'-' - Data Cannot be Calculated

<sup>1</sup> Includes Medicaid, Medicaid CHIP, and Other Public Insurance CHIP

	GRANTEE		
PATIENTS			
Percent of Medical Patients with Specific Diagnoses			
Hypertension <sup>2</sup>	31.70%		
Diabetes <sup>3</sup>	23.22%		
Asthma	1.22%		
HIV	0.00%		
Prenatal			
Number of Prenatal Patients	152		
Number of Prenatal Patients who delivered	67		

GRANTEE

ADJUSTED QUARTILE RANKING <sup>5</sup>

## QUALITY OF CARE/HEALTH OUTCOMES

% Having First Prenatal Visit in 1st Trimester666666666666666666666666666666666666666666666666666666666666666666666666666666666666666666666666666666666666666666666666666666666666666666666666666666666666666666666666666666666666666666666666666666 <th>Prenatal</th> <th></th> <th></th>	Prenatal			
Preventive Screening & Immunizations     % of Women with Pap Tests   32.86%   4     % of Children and Adolescents with BMI Percentile and Counseling on Nutrition and Physical Activity   70.00%   1     % of Adults who Received Weight Screening and Follow up if Appropriate   92.86%   1     % of Adults Assessed for Tobacco Use   67.14%   4     % of Tobacco Users who Received Cessation Advice and/or Medication   78.57%   2     % of Asthmatics Treated with Appropriate Pharmacological Intervention   89.29%   3   4     % of Two year Olds Immunized 4   0.000%   4   4     % Hypertensive Patients with Blood Pressure < 140/90	% Having First Prenatal Visit in 1st Trimester	81.58%	1	
% of Women with Pap Tests32.86%32.86%% of Children and Adolescents with BMI Percentile and Counseling on Nutrition and Physical Activity Documented70.00%1% of Adults who Received Weight Screening and Follow up if Appropriate92.86%01% of Adults Assessed for Tobacco Use67.14%24% of Tobacco Users who Received Cessation Advice and/or Medication78.57%22% of Asthmatics Treated with Appropriate Pharmacological Intervention89.29%04% of Two year Olds Immunized 40.00%44Chronic Disease Management% Hypertensive Patients with Blod Pressure < 140/90	% Low and Very Low Birth Weight	12.50%	4	
A constraint of Children and Adolescents with BMI Percentile and Counseling on Nutrition and Physical Activity DocumentedToolowToolow% of Adults who Received Weight Screening and Follow up if Appropriate92.86%92.86%1% of Adults Assessed for Tobacco Use67.14%60.00%1% of Tobacco Users who Received Cessation Advice and/or Medication78.57%20.00%2% of Athmatics Treated with Appropriate Pharmacological Intervention89.29%01% of Two year Olds Immunized <sup>4</sup> 0.00%0.00%4Chronic Disease Management% Hypertensive Patients with Blood Pressure < 140/90	Preventive Screening & Immunizations			
Documented70.00%70.00%1% of Adults who Received Weight Screening and Follow up if Appropriate92.86%92.86%1% of Adults Assessed for Tobacco Use67.14%44% of Tobacco Users who Received Cessation Advice and/or Medication78.57%2% of Asthmatics Treated with Appropriate Pharmacological Intervention89.29%4% of Two year Olds Immunized 40.00%4Chronic Disease Management% Hypertensive Patients with Blood Pressure < 140/90	% of Women with Pap Tests	32.86%	4	
Note of Adults Assessed for Tobacco UseControlControlControlControlControlControlControlControlControlControlControlControlControlControlControlControlControlControlControlControlControlControlControlControlControlControlControlControlControlControlControlControlControlControlControlControlControlControlControlControlControlControlControlControlControlControlControlControlControlControlControlControlControlControlControlControlControlControlControlControlControlControlControlControlControlControlControlControlControlControlControlControlControlControlControlControlControlControlControlControlControlControlControlControlControlControlControlControlControlControlControlControlControlControlControlControlControlControlControlControlControlControlControlControlControlControlControlControlControlControlControlControlControlControlControlControlControlControlControlControlControlControlControlControl <t< td=""><td>· · · · ·</td><td>70.00%</td><td>1</td></t<>	· · · · ·	70.00%	1	
% of Tobacco Users who Received Cessation Advice and/or Medication78.57%2% of Asthmatics Treated with Appropriate Pharmacological Intervention89.29%3% of Two year Olds Immunized 40.00%4Chronic Disease Management% Hypertensive Patients with Blood Pressure < 140/90	% of Adults who Received Weight Screening and Follow up if Appropriate	92.86%	1	
% of Asthmatics Treated with Appropriate Pharmacological Intervention   89.29%   6     % of Two year Olds Immunized <sup>4</sup> 0.00%   4     Chronic Disease Management     % Hypertensive Patients with Blood Pressure < 140/90	% of Adults Assessed for Tobacco Use	67.14%	4	
Kine Constraints Kine Constraints   % of Two year Olds Immunized 4 0.00%   Chronic Disease Management   % Hypertensive Patients with Blood Pressure < 140/90	% of Tobacco Users who Received Cessation Advice and/or Medication	78.57%	2	
Chronic Disease Management   % Hypertensive Patients with Blood Pressure < 140/90	% of Asthmatics Treated with Appropriate Pharmacological Intervention	89.29%	-	
% Hypertensive Patients with Blood Pressure < 140/90 52.86%	% of Two year Olds Immunized <sup>4</sup>	0.00%	4	
	Chronic Disease Management			
% Diabetic Patients with HbA1c <= 9 65.71% 3	% Hypertensive Patients with Blood Pressure < 140/90	52.86%	4	
	% Diabetic Patients with HbA1c <= 9	65.71%	3	

'-' - Data Cannot be Calculated

<sup>2</sup> Hypertensive adults as a percent of estimated adult medical patients of ages 18-85.

<sup>3</sup> Diabetic adults as a percent of estimated adult medical patients of ages 18-75.

 $^{\rm 4}$  Measure was revised in 2011 and is not comparable to calendar year 2010 and prior.

<sup>5</sup> Grantee adjusted quartile results from a statistical model adjusting for special populations, uninsured and minority patients, and EHR use. Clinical performance for each measure is ranked from Quartile 1, highest 25% of reporting grantees, to Quartile 4, lowest 25% of reporting grantees.