UDS Summary Report - 2011 Grantee - Universal

GRANTEE			
PATIENTS			
Total Patients	10,959		
Number/Percent of Patients by Services Utilized			
Medical Services	9,660/88.15%		
Dental Services	2,082/19.00%		
Mental Health Services	357/3.26%		
Substance Abuse Services	0/0.00%		
Vision Services	0/0.00%		
Enabling Services	0/0.00%		
Number/Percent of Patients by Special Populations			
Homeless Patients	256/2.34%		
Farmworker Patients	293/2.67%		
School Based Patients	0/0.00%		
Veteran Patients	14/0.13%		
Number/Percent of Patients by Age			
Children (< 18 years old)	2,705/24.68%		
Adult (18 - 64)	7,570/69.08%		
Geriatric (age 65 and over)	684/6.24%		
Number/Percent of Patients by Insurance Status			
Uninsured	6,325/57.72%		
Children Uninsured (age 0-19 years)	1,216/39.20%		
Medicaid/CHIP ¹	2,375/21.67%		
Medicare	831/7.58%		
Other Third Party	1,428/13.03%		
Patients by Income Status (% Known)			
Patients at or below 200% of poverty	98.57%		
Patients at or below 100% of poverty (included in above)	72.54%		
Patients by Race & Ethnicity (% Known)			
% Racial and/or Ethnic Minority	40.79%		
% Hispanic/Latino Identity	36.77%		
% African American	3.38%		
% Asian	0.37%		
% American Indian/Alaska Native	0.24%		
% Native Hawaiian/Other Pacific Islander	0.20%		
% More than one race	0.31%		
% Best Served in another language	12.88%		

'-' - Data Cannot be Calculated

¹ Includes Medicaid, Medicaid CHIP, and Other Public Insurance CHIP

	GRANTEE
PATIENTS	
Percent of Medical Patients with Specific Diagnoses	
Hypertension ²	21.86%
Diabetes ³	15.52%
Asthma	3.64%
HIV	0.05%
Prenatal	
Number of Prenatal Patients	138
Number of Prenatal Patients who delivered	104

GRANTEE

ADJUSTED QUARTILE RANKING ⁵

QUALITY OF CARE/HEALTH OUTCOMES

% Having First Prenatal Visit in 1st Trimester59.42%69.40%% Low and Very Low Birth Weight60.60%60.00%Preventive Screening & Immunizations% of Women with Pap Tests61.42.86%60.00%% of Children and Adolescents with BMI Percentile and Counseling on Nutrition and Physical Activity bocumented11.43%60.00%% of Adults who Received Weight Screening and Follow up if Appropriate60.00%60.00%% of Adults Assessed for Tobacco Use60.00%60.00%% of Adults Assessed for Tobacco Use60.00%60.00%% of Asthmatics Treated with Appropriate Pharmacological Intervention60.00%60.00%% of Two year Olds Immunized ⁴ 60.00%41.20%60.00%Chronic Disease Management	Prenatal			
Preventive Screening & Immunizations% of Women with Pap Tests42.86%3% of Children and Adolescents with BMI Percentile and Counseling on Nutrition and Physical Activity Documented15.71%3% of Adults who Received Weight Screening and Follow up if Appropriate1.43%4% of Adults Assessed for Tobacco Use82.86%3% of Tobacco Users who Received Cessation Advice and/or Medication42.86%1% of Asthmatics Treated with Appropriate Pharmacological Intervention100%1% of Two year Olds Immunized 44.20%4.20%	% Having First Prenatal Visit in 1st Trimester	59.42%	4	
% of Women with Pap Tests42.86%3% of Children and Adolescents with BMI Percentile and Counseling on Nutrition and Physical Activity Documented15.71%15.71%% of Adults who Received Weight Screening and Follow up if Appropriate1.43%4% of Adults Assessed for Tobacco Use82.86%3% of Tobacco Users who Received Cessation Advice and/or Medication42.86%3% of Asthmatics Treated with Appropriate Pharmacological Intervention100%1% of Two year Olds Immunized 44.29%4	% Low and Very Low Birth Weight	5.66%	2	
% of Children and Adolescents with BMI Percentile and Counseling on Nutrition and Physical Activity Documented15.71%15.71%% of Adults who Received Weight Screening and Follow up if Appropriate1.43%4% of Adults Assessed for Tobacco Use82.86%3% of Tobacco Users who Received Cessation Advice and/or Medication42.86%3% of Asthmatics Treated with Appropriate Pharmacological Intervention100%4.29%% of Two year Olds Immunized 44.29%4.29%	Preventive Screening & Immunizations			
Documented15.71%15.71%3% of Adults who Received Weight Screening and Follow up if Appropriate1.43%4% of Adults Assessed for Tobacco Use82.86%3% of Tobacco Users who Received Cessation Advice and/or Medication42.86%3% of Asthmatics Treated with Appropriate Pharmacological Intervention100%1% of Two year Olds Immunized 44.29%4	% of Women with Pap Tests	42.86%	3	
% of Adults Assessed for Tobacco Use82.86%3% of Tobacco Users who Received Cessation Advice and/or Medication42.86%3% of Asthmatics Treated with Appropriate Pharmacological Intervention100%1% of Two year Olds Immunized 44.29%4		15.71%	3	
% of Tobacco Users who Received Cessation Advice and/or Medication42.86%42.86%% of Asthmatics Treated with Appropriate Pharmacological Intervention100%1% of Two year Olds Immunized 44.29%4.29%	% of Adults who Received Weight Screening and Follow up if Appropriate	1.43%	4	
% of Asthmatics Treated with Appropriate Pharmacological Intervention 100% 1 % of Two year Olds Immunized 4 4.29% 4	% of Adults Assessed for Tobacco Use	82.86%	3	
% of Two year Olds Immunized ⁴ 4.29% 4	% of Tobacco Users who Received Cessation Advice and/or Medication	42.86%	3	
	% of Asthmatics Treated with Appropriate Pharmacological Intervention	100%	1	
Chronic Disease Management	% of Two year Olds Immunized $^{\rm 4}$	4.29%	4	
% Hypertensive Patients with Blood Pressure < 140/90 62.86% 3	% Hypertensive Patients with Blood Pressure < 140/90	62.86%	3	
% Diabetic Patients with HbA1c <= 9 48.57%	% Diabetic Patients with HbA1c <= 9	48.57%	4	

'-' - Data Cannot be Calculated

² Hypertensive adults as a percent of estimated adult medical patients of ages 18-85.

³ Diabetic adults as a percent of estimated adult medical patients of ages 18-75.

 $^{\rm 4}$ Measure was revised in 2011 and is not comparable to calendar year 2010 and prior.

⁵ Grantee adjusted quartile results from a statistical model adjusting for special populations, uninsured and minority patients, and EHR use. Clinical performance for each measure is ranked from Quartile 1, highest 25% of reporting grantees, to Quartile 4, lowest 25% of reporting grantees.