UDS Summary Report - 2011 Grantee - Universal

GRANTEE			
PATIENTS			
Total Patients	26,915		
Number/Percent of Patients by Services Utilized			
Medical Services	22,843/84.87%		
Dental Services	7,969/29.61%		
Mental Health Services	264/0.98%		
Substance Abuse Services	0/0.00%		
Vision Services	0/0.00%		
Enabling Services	630/2.34%		
Number/Percent of Patients by Special Populations			
Homeless Patients	771/2.86%		
Farmworker Patients	113/0.42%		
School Based Patients	0/0.00%		
Veteran Patients	7/0.03%		
Number/Percent of Patients by Age			
Children (< 18 years old)	8,907/33.09%		
Adult (18 - 64)	15,568/57.84%		
Geriatric (age 65 and over)	2,440/9.07%		
Number/Percent of Patients by Insurance Status			
Uninsured	16,683/61.98%		
Children Uninsured (age 0-19 years)	3,420/35.72%		
Medicaid/CHIP ¹	5,960/22.14%		
Medicare	2,027/7.53%		
Other Third Party	2,245/8.34%		
Patients by Income Status (% Known)			
Patients at or below 200% of poverty	98.51%		
Patients at or below 100% of poverty (included in above)	76.57%		
Patients by Race & Ethnicity (% Known)			
% Racial and/or Ethnic Minority	99.67%		
% Hispanic/Latino Identity	99.47%		
% African American	0.18%		
% Asian	0.17%		
% American Indian/Alaska Native	0.02%		
% Native Hawaiian/Other Pacific Islander	0.00%		
% More than one race	0.07%		
% Best Served in another language	21.66%		

'-' - Data Cannot be Calculated

¹ Includes Medicaid, Medicaid CHIP, and Other Public Insurance CHIP

	GRANTEE		
PATIENTS			
Percent of Medical Patients with Specific Diagnoses			
Hypertension ²	51.40%		
Diabetes ³	40.46%		
Asthma	1.23%		
HIV	0.00%		
Prenatal			
Number of Prenatal Patients	619		
Number of Prenatal Patients who delivered	367		

GRANTEE

ADJUSTED QUARTILE RANKING ⁵

QUALITY OF CARE/HEALTH OUTCOMES

% Having First Prenatal Visit in 1st Trimester(16.48.47%)(16.48.47%)% Low and Very Low Birth Weight(16.48.47%)(16.48.47%)Preventive Screening & Immunizations% of Women with Pap Tests(16.60.00%)(16.60.00%)% of Children and Adolescents with BMI Percentile and Counseling on Nutrition and Physical Activity(16.60.00%)(16.60.00%)% of Adults who Received Weight Screening and Follow up 1 Appropriate(16.60.00%)(16.60.00%)% of Adults Assessed for Tobacco Use(16.60.00%)(16.60.00%)% of Tobacco Users who Received Cessation Advice and/or Medication(16.60.00%)(16.60.00%)% of Athentics Treated with Appropriate Pharmacological Intervention(16.60.00%)(16.60.00%)% of Tobacco Users Manumized A(16.00.00%)(16.00.00%)% of Tobacen Manumized A(16.00.00%)(16.00.00%)% of Tobacen Manumized A(16.00.00%)(16.00.00%)% Hoperten Swith Blodo Pressure < 140/90(16.00.00%)(16.00.00%)% Diabetic Patients with Blodo Pressure < 140/90(16.00.00%)(16.00.00%)% Diabetic Patients with HbAlt <= 9(16.00.00%)(16.00.00%)	Prenatal			
Preventive Screening & Immunizations % of Women with Pap Tests 60.00% 3 % of Children and Adolescents with BMI Percentile and Counseling on Nutrition and Physical Activity 58.57% 2 % of Adults who Received Weight Screening and Follow up if Appropriate 75.71% 1 % of Adults Assessed for Tobacco Use 98.57% 1 % of Adults Assessed for Tobacco Use 98.57% 1 % of Adults Assessed for Tobacco Use 98.57% 1 % of Adults Assessed for Tobacco Use 98.57% 1 % of Adults Assessed for Tobacco Use 98.57% 1 % of Adults Assessed for Tobacco Use 98.57% 1 % of Asthmatics Treated with Appropriate Pharmacological Intervention 1 1 % of Two year Olds Immunized ⁴ 2 2 Chronic Disease Management 1 2 % Hypertensive Patients with Blood Pressure < 140/90	% Having First Prenatal Visit in 1st Trimester	48.47%	4	
% of Women with Pap Tests60.00%60.00%3% of Children and Adolescents with BMI Percentile and Counseling on Nutrition and Physical Activity Documented58.57%2% of Adults who Received Weight Screening and Follow up if Appropriate75.71%11% of Adults Assessed for Tobacco Use98.57%33% of Tobacco Users who Received Cessation Advice and/or Medication47.14%33% of Asthmatics Treated with Appropriate Pharmacological Intervention97.14%11% of Two year Olds Immunized 447.14%22Chronic Disease Management% Hypertensive Patients with Blod Pressure < 140/90	% Low and Very Low Birth Weight	4.89%	1	
No Chronic Disease ManagementNumber Set	Preventive Screening & Immunizations			
Documented58.57%2% of Adults who Received Weight Screening and Follow up if Appropriate75.71%1% of Adults Assessed for Tobacco Use98.57%1% of Tobacco Users who Received Cessation Advice and/or Medication47.14%3% of Asthmatics Treated with Appropriate Pharmacological Intervention97.14%1% of Two year Olds Immunized 447.14%2Chronic Disease Management% Hypertensive Patients with Blood Pressure < 140/90	% of Women with Pap Tests	60.00%	3	
% of Adults Assessed for Tobacco Use98.57%1% of Tobacco Users who Received Cessation Advice and/or Medication47.14%3% of Asthmatics Treated with Appropriate Pharmacological Intervention97.14%1% of Two year Olds Immunized 447.14%2Chronic Disease Management% Hypertensive Patients with Blood Pressure < 140/90		58.57%	2	
% of Tobacco Users who Received Cessation Advice and/or Medication47.14%3% of Asthmatics Treated with Appropriate Pharmacological Intervention97.14%1% of Two year Olds Immunized 447.14%2Chronic Disease Management% Hypertensive Patients with Blood Pressure < 140/90	% of Adults who Received Weight Screening and Follow up if Appropriate	75.71%	1	
% of Asthmatics Treated with Appropriate Pharmacological Intervention 97.14% 1 % of Two year Olds Immunized ⁴ 47.14% 2 Chronic Disease Management % Hypertensive Patients with Blood Pressure < 140/90	% of Adults Assessed for Tobacco Use	98.57%	1	
% of Two year Olds Immunized 4 47.14% 2 Chronic Disease Management 2 % Hypertensive Patients with Blood Pressure < 140/90	% of Tobacco Users who Received Cessation Advice and/or Medication	47.14%	3	
Chronic Disease Management 74.29% 1	% of Asthmatics Treated with Appropriate Pharmacological Intervention	97.14%	1	
% Hypertensive Patients with Blood Pressure < 140/90 1	% of Two year Olds Immunized ⁴	47.14%	2	
	Chronic Disease Management			
% Diabetic Patients with HbA1c <= 9 77.14% 1	% Hypertensive Patients with Blood Pressure < 140/90	74.29%	1	
	% Diabetic Patients with HbA1c <= 9	77.14%	1	

'-' - Data Cannot be Calculated

² Hypertensive adults as a percent of estimated adult medical patients of ages 18-85.

³ Diabetic adults as a percent of estimated adult medical patients of ages 18-75.

 $^{\rm 4}$ Measure was revised in 2011 and is not comparable to calendar year 2010 and prior.

⁵ Grantee adjusted quartile results from a statistical model adjusting for special populations, uninsured and minority patients, and EHR use. Clinical performance for each measure is ranked from Quartile 1, highest 25% of reporting grantees, to Quartile 4, lowest 25% of reporting grantees.