## UDS Summary Report - 2011 Grantee - Universal

GRANTEE		
PATIENTS		
Total Patients	18,888	
Number/Percent of Patients by Services Utilized		
Medical Services	14,136/74.84%	
Dental Services	3,798/20.11%	
Mental Health Services	1,079/5.71%	
Substance Abuse Services	0/0.00%	
Vision Services	1,609/8.52%	
Enabling Services	1,339/7.09%	
Number/Percent of Patients by Special Populations		
Homeless Patients	521/2.76%	
Farmworker Patients	1/0.01%	
School Based Patients	-/-	
Veteran Patients	30/0.16%	
Number/Percent of Patients by Age		
Children (< 18 years old)	8,644/45.76%	
Adult (18 - 64)	9,525/50.43%	
Geriatric (age 65 and over)	719/3.81%	
Number/Percent of Patients by Insurance Status		
Uninsured	6,825/36.13%	
Children Uninsured (age 0-19 years)	2,486/27.26%	
Medicaid/CHIP <sup>1</sup>	8,342/44.17%	
Medicare	1,241/6.57%	
Other Third Party	2,480/13.13%	
Patients by Income Status (% Known)		
Patients at or below 200% of poverty	95.27%	
Patients at or below 100% of poverty (included in above)	74.22%	
Patients by Race & Ethnicity (% Known)		
% Racial and/or Ethnic Minority	49.62%	
% Hispanic/Latino Identity	7.58%	
% African American	36.04%	
% Asian	3.86%	
% American Indian/Alaska Native	0.63%	
% Native Hawaiian/Other Pacific Islander	0.09%	
% More than one race	2.41%	
% Best Served in another language	10.36%	
11 Date Connect to Coloulated		
Data Cannot be Calculated		

<sup>1</sup> Includes Medicaid, Medicaid CHIP, and Other Public Insurance CHIP

	GRANTEE		
PATIENTS			
Percent of Medical Patients with Specific Diagnoses			
Hypertension <sup>2</sup>	30.64%		
Diabetes <sup>3</sup>	14.07%		
Asthma	3.69%		
HIV	0.03%		
Prenatal			
Number of Prenatal Patients	563		
Number of Prenatal Patients who delivered	302		

GRANTEE

ADJUSTED QUARTILE RANKING <sup>5</sup>

## QUALITY OF CARE/HEALTH OUTCOMES

% Having First Prenatal Visit in 1st Trimester668.21%68% Low and Very Low Birth Weight68.28%3Preventive Screening & Immunizations% of Women with Pap Tests74.29%1% of Children and Adolescents with BMI Percentile and Counseling on Nutrition and Physical Activity Documented65.71%1% of Adults who Received Weight Screening and Follow up if Appropriate444% of Adults Assessed for Tobacco Use91.01%11% of Adults Assessed for Tobacco Use94.29%11% of Athmatics Treated with Appropriate Pharmacological Intervention66.57.1%11% of Two year Olds Immunized 444.29%22% Hypertensive Patients with Blood Pressure < 140/9055.71%22	Prenatal			
Preventive Screening & Immunizations     % of Women with Pap Tests   74.29%   1     % of Children and Adolescents with BMI Percentile and Counseling on Nutrition and Physical Activity Documented   65.71%   1     % of Adults who Received Weight Screening and Follow up if Appropriate   4.29%   4     % of Adults Assessed for Tobacco Use   97.14%   2     % of Adults Assessed for Tobacco Use   94.29%   1     % of Adults Appropriate Pharmacological Intervention   65.71%   1     % of Two year Olds Immunized <sup>4</sup> 4   2     % Hypertensive Patients with Blood Pressure < 140/90	% Having First Prenatal Visit in 1st Trimester	68.21%	3	
% of Women with Pap Tests74.29%74.29%% of Children and Adolescents with BMI Percentile and Counseling on Nutrition and Physical Activity Documented65.71%1% of Adults who Received Weight Screening and Follow up if Appropriate4.29%4% of Adults Assessed for Tobacco Use97.14%2% of Adults Assessed for Tobacco Use94.29%1% of Asthmatics Treated with Appropriate Pharmacological Intervention65.71%3% of Two year Olds Immunized 444.29%3Chronic Disease Management% Hypertensive Patients with Blood Pressure < 140/90	% Low and Very Low Birth Weight	8.28%	3	
No <td colspan="4">Preventive Screening &amp; Immunizations</td>	Preventive Screening & Immunizations			
Documented65.71%1% of Adults who Received Weight Screening and Follow up if Appropriate4.29%4% of Adults Assessed for Tobacco Use97.14%2% of Tobacco Users who Received Cessation Advice and/or Medication94.29%1% of Asthmatics Treated with Appropriate Pharmacological Intervention65.71%3% of Two year Olds Immunized 444.29%2Chronic Disease Management% Hypertensive Patients with Blood Pressure < 140/90	% of Women with Pap Tests	74.29%	1	
% of Adults Assessed for Tobacco Use97.14%2% of Tobacco Users who Received Cessation Advice and/or Medication94.29%1% of Asthmatics Treated with Appropriate Pharmacological Intervention65.71%3% of Two year Olds Immunized 444.29%2Chronic Disease Management% Hypertensive Patients with Blood Pressure < 140/90		65.71%	1	
% of Tobacco Users who Received Cessation Advice and/or Medication94.29%94.29%1% of Asthmatics Treated with Appropriate Pharmacological Intervention65.71%65.71%3% of Two year Olds Immunized 444.29%2Chronic Disease Management% Hypertensive Patients with Blood Pressure < 140/90	% of Adults who Received Weight Screening and Follow up if Appropriate	4.29%	4	
% of Asthmatics Treated with Appropriate Pharmacological Intervention   65.71%   3     % of Two year Olds Immunized <sup>4</sup> 44.29%   2     Chronic Disease Management     % Hypertensive Patients with Blood Pressure < 140/90	% of Adults Assessed for Tobacco Use	97.14%	2	
% of Two year Olds Immunized 4 44.29% 2   Chronic Disease Management  2   % Hypertensive Patients with Blood Pressure < 140/90	% of Tobacco Users who Received Cessation Advice and/or Medication	94.29%	1	
Chronic Disease Management 65.71% 2	% of Asthmatics Treated with Appropriate Pharmacological Intervention	65.71%	3	
% Hypertensive Patients with Blood Pressure < 140/90 65.71% 2	% of Two year Olds Immunized <sup>4</sup>	44.29%	2	
	Chronic Disease Management			
	% Hypertensive Patients with Blood Pressure < 140/90	65.71%	2	
% Diabetic Patients with HbA1c <= 9 78.57% 2	% Diabetic Patients with HbA1c <= 9	78.57%	2	

'-' - Data Cannot be Calculated

<sup>2</sup> Hypertensive adults as a percent of estimated adult medical patients of ages 18-85.

<sup>3</sup> Diabetic adults as a percent of estimated adult medical patients of ages 18-75.

 $^{\rm 4}$  Measure was revised in 2011 and is not comparable to calendar year 2010 and prior.

<sup>5</sup> Grantee adjusted quartile results from a statistical model adjusting for special populations, uninsured and minority patients, and EHR use. Clinical performance for each measure is ranked from Quartile 1, highest 25% of reporting grantees, to Quartile 4, lowest 25% of reporting grantees.