UDS Summary Report - 2011 Grantee - Universal

| GRANTEE | | | |
|--|--------------|--|--|
| PATIENTS | | | |
| Total Patients | 5,668 | | |
| Number/Percent of Patients by Services Utilized | | | |
| Medical Services | 5,668/100% | | |
| Dental Services | 663/11.70% | | |
| Mental Health Services | 42/0.74% | | |
| Substance Abuse Services | 0/0.00% | | |
| Vision Services | 0/0.00% | | |
| Enabling Services | 58/1.02% | | |
| Number/Percent of Patients by Special Populations | | | |
| Homeless Patients | 0/0.00% | | |
| Farmworker Patients | 0/0.00% | | |
| School Based Patients | 0/0.00% | | |
| Veteran Patients | 0/0.00% | | |
| Number/Percent of Patients by Age | | | |
| Children (< 18 years old) | 1,832/32.32% | | |
| Adult (18 - 64) | 3,589/63.32% | | |
| Geriatric (age 65 and over) | 247/4.36% | | |
| Number/Percent of Patients by Insurance Status | | | |
| Uninsured | 5,668/100% | | |
| Children Uninsured (age 0-19 years) | 2,084/100% | | |
| Medicaid/CHIP ¹ | 0/0.00% | | |
| Medicare | 0/0.00% | | |
| Other Third Party | 0/0.00% | | |
| Patients by Income Status (% Known) | | | |
| Patients at or below 200% of poverty | 100% | | |
| Patients at or below 100% of poverty (included in above) | 100% | | |
| Patients by Race & Ethnicity (% Known) | | | |
| % Racial and/or Ethnic Minority | 98.92% | | |
| % Hispanic/Latino Identity | 0.00% | | |
| % African American | 0.00% | | |
| % Asian | 4.20% | | |
| % American Indian/Alaska Native | 0.00% | | |
| % Native Hawaiian/Other Pacific Islander | 94.72% | | |
| % More than one race | 0.00% | | |
| % Best Served in another language | 94.72% | | |
| L' - Data Cannot he Calculated | | | |

'-' - Data Cannot be Calculated

¹ Includes Medicaid, Medicaid CHIP, and Other Public Insurance CHIP

| | GRANTEE |
|---|---------|
| PATIENTS | |
| Percent of Medical Patients with Specific Diagnoses | |
| Hypertension ² | 7.11% |
| Diabetes ³ | 6.79% |
| Asthma | 0.65% |
| HIV | 0.00% |
| Prenatal | |
| Number of Prenatal Patients | 253 |
| Number of Prenatal Patients who delivered | 227 |
| | |

GRANTEE

ADJUSTED QUARTILE RANKING ⁵

QUALITY OF CARE/HEALTH OUTCOMES

| % Having First Prenatal Visit in 1st Trimester(a)% Having First Prenatal Visit in 1st Trimester(a) Preventive Screening & Immunizations % of Women with Pap Tests(a)% of Children and Adolescents with BMI Percentile and Counseling on Nutrition and Physical Activity(b)% of Adults who Received Weight Screening and Follow up 1 Appropriate(b)% of Adults Assessed for Tobacco Use(a)% of Tobacco Users who Received Cessation Advice and/or Medication(b)% of Asthmatics Treated with Appropriate Pharmacological Intervention(b)% of Tobacco Users Manage A(b)% of Tobacco Users Min Billood Pressure < 140/90(b)% of Apprentsive Phatents with Blood Pressure < 140/90(b)% Happentens with Blood Pressure < 140/90(c)% Diabetic Patients with HbA1c < 9(c)% Diabetic Patients with HbA1c < 9(c) | Prenatal | | | |
|--|--|--------|---|--|
| Preventive Screening & Immunizations % of Women with Pap Tests 41.43% 4 % of Children and Adolescents with BMI Percentile and Counseling on Nutrition and Physical Activity 52.86% 2 % of Adults who Received Weight Screening and Follow up if Appropriate 7.14% 4 % of Adults Assessed for Tobacco Use 48.57% 4 % of Adults Assessed for Tobacco Use 37.14% 3 % of Asthmatics Treated with Appropriate Pharmacological Intervention 37.14% 3 % of Two year Olds Immunized ⁴ 0.000% 4 Khypertensive Patients with Blood Pressure < 140/90 | % Having First Prenatal Visit in 1st Trimester | 33.20% | 4 | |
| % of Women with Pap Tests41.43%41.43%% of Children and Adolescents with BMI Percentile and Counseling on Nutrition and Physical Activity Documented52.86%2% of Adults who Received Weight Screening and Follow up if Appropriate7.14%4% of Adults Assessed for Tobacco Use48.57%4% of Tobacco Users who Received Cessation Advice and/or Medication37.14%3% of Asthmatics Treated with Appropriate Pharmacological Intervention100%1% of Two year Olds Immunized 40.00%4Chronic Disease Management% Hypertensive Patients with Blood Pressure < 140/90 | % Low and Very Low Birth Weight | 5.70% | 1 | |
| A constraint of the bill Percentile and Counseling on Nutrition and Physical Activity Documented52.86%Constraint of the bill percentile and Counseling on Nutrition and Physical Activity S2.86%52.86%Constraint of the bill percentile and Counseling on Nutrition and Physical Activity S2.86%S2.86%Constraint of the bill percentile and Counseling on Nutrition and Physical Activity S2.86%S2.86%Constraint of the bill percentile and Counseling on Nutrition and Physical Activity S2.86%S2.86%Constraint of the bill percentile and Counseling on Nutrition and Physical Activity S2.86%S2.86%Constraint of the bill percentile and Counseling on Nutrition and Physical Activity S2.86% <t< td=""><td colspan="4">Preventive Screening & Immunizations</td></t<> | Preventive Screening & Immunizations | | | |
| Documented52.86%2% of Adults who Received Weight Screening and Follow up if Appropriate7.14%4% of Adults Assessed for Tobacco Use48.57%4% of Tobacco Users who Received Cessation Advice and/or Medication37.14%3% of Asthmatics Treated with Appropriate Pharmacological Intervention100%1% of Two year Olds Immunized 40.00%4Chronic Disease Management% Hypertensive Patients with Blood Pressure < 140/90 | % of Women with Pap Tests | 41.43% | 4 | |
| % of Adults Assessed for Tobacco Use48.57%48.57%% of Tobacco Users who Received Cessation Advice and/or Medication37.14%3% of Asthmatics Treated with Appropriate Pharmacological Intervention100%1% of Two year Olds Immunized 40.00%4Chronic Disease Management% Hypertensive Patients with Blood Pressure < 140/90 | | 52.86% | 2 | |
| % of Tobacco Users who Received Cessation Advice and/or Medication 37.14% 33.3 % of Asthmatics Treated with Appropriate Pharmacological Intervention 100% 100% % of Two year Olds Immunized ⁴ 0.00% 4 Chronic Disease Management % Hypertensive Patients with Blood Pressure < 140/90 | % of Adults who Received Weight Screening and Follow up if Appropriate | 7.14% | 4 | |
| % of Asthmatics Treated with Appropriate Pharmacological Intervention 100% 1 % of Two year Olds Immunized ⁴ 0.00% 4 Chronic Disease Management 57.14% 3 | % of Adults Assessed for Tobacco Use | 48.57% | 4 | |
| % of Two year Olds Immunized 4 0.00% 4 Chronic Disease Management 57.14% 3 | % of Tobacco Users who Received Cessation Advice and/or Medication | 37.14% | 3 | |
| Chronic Disease Management % Hypertensive Patients with Blood Pressure < 140/90 | % of Asthmatics Treated with Appropriate Pharmacological Intervention | 100% | 1 | |
| % Hypertensive Patients with Blood Pressure < 140/90 57.14% | % of Two year Olds Immunized ⁴ | 0.00% | 4 | |
| | Chronic Disease Management | | | |
| % Diabetic Patients with HbA1c <= 9 37.14% | % Hypertensive Patients with Blood Pressure < 140/90 | 57.14% | 3 | |
| | % Diabetic Patients with HbA1c <= 9 | 37.14% | 4 | |

'-' - Data Cannot be Calculated

² Hypertensive adults as a percent of estimated adult medical patients of ages 18-85.

³ Diabetic adults as a percent of estimated adult medical patients of ages 18-75.

 $^{\rm 4}$ Measure was revised in 2011 and is not comparable to calendar year 2010 and prior.

⁵ Grantee adjusted quartile results from a statistical model adjusting for special populations, uninsured and minority patients, and EHR use. Clinical performance for each measure is ranked from Quartile 1, highest 25% of reporting grantees, to Quartile 4, lowest 25% of reporting grantees.