UDS Summary Report - 2011 Grantee - Universal

GRANTEE		
PATIENTS		
Total Patients	6,384	
Number/Percent of Patients by Services Utilized		
Medical Services	6,285/98.45%	
Dental Services	-/-	
Mental Health Services	35/0.55%	
Substance Abuse Services	-/-	
Vision Services	-/-	
Enabling Services	721/11.29%	
Number/Percent of Patients by Special Populations		
Homeless Patients	4/0.06%	
Farmworker Patients	0/0.00%	
School Based Patients	-/-	
Veteran Patients	-/-	
Number/Percent of Patients by Age		
Children (< 18 years old)	2,651/41.53%	
Adult (18 - 64)	3,605/56.47%	
Geriatric (age 65 and over)	128/2.01%	
Number/Percent of Patients by Insurance Status		
Uninsured	2,647/41.46%	
Children Uninsured (age 0-19 years)	339/11.78%	
Medicaid/CHIP ¹	3,428/53.70%	
Medicare	96/1.50%	
Other Third Party	213/3.34%	
Patients by Income Status (% Known)		
Patients at or below 200% of poverty	90.53%	
Patients at or below 100% of poverty (included in above)	62.90%	
Patients by Race & Ethnicity (% Known)		
% Racial and/or Ethnic Minority	99.31%	
% Hispanic/Latino Identity	97.32%	
% African American	45.03%	
% Asian	17.22%	
% American Indian/Alaska Native	9.27%	
% Native Hawaiian/Other Pacific Islander	2.65%	
% More than one race	-	
% Best Served in another language	-	
' - Data Cannot be Calculated		

¹ Includes Medicaid, Medicaid CHIP, and Other Public Insurance CHIP

	GRANTEE	
PATIENTS		
Percent of Medical Patients with Specific Diagnoses		
Hypertension ²	16.03%	
Diabetes ³	14.92%	
Asthma	1.30%	
HIV	-	
Prenatal		
Number of Prenatal Patients	741	
Number of Prenatal Patients who delivered	395	

GRANTEE

ADJUSTED QUARTILE RANKING ⁵

QUALITY OF CARE/HEALTH OUTCOMES

% Having First Prenatal Visit in 1st Trimester687.04%6666% Low and Very Low Birth Weight66.6.26%66 <th>Prenatal</th> <th></th> <th></th>	Prenatal			
Preventive Screening & Immunizations % of Women with Pap Tests 88.57% 1 % of Children and Adolescents with BMI Percentile and Counseling on Nutrition and Physical Activity Documented 67.14% (1) % of Adults who Received Weight Screening and Follow up if Appropriate 58.57% (1) % of Adults Assessed for Tobacco Use 78.57% (1) % of Adults Assessed for Tobacco Use (1) (1) % of Adults Assessed for Tobacco Use (1) (1) % of Adults Assessed for Tobacco Use (1) (1) % of Adults Assessed for Tobacco Use (1) (1) % of Adults Appropriate Pharmacological Intervention (1) (1) % of Two year Olds Immunized 4 (1) (1) % of Hypertensive Patients with Blood Pressure < 140/90	% Having First Prenatal Visit in 1st Trimester	87.04%	1	
% of Women with Pap Tests88.57%88.57%1% of Children and Adolescents with BMI Percentile and Counseling on Nutrition and Physical Activity Documented67.14%67.14%1% of Adults who Received Weight Screening and Follow up if Appropriate958.57%22% of Adults Assessed for Tobacco Use967.14%133% of Tobacco Users who Received Cessation Advice and/or Medication100%11133 <td>% Low and Very Low Birth Weight</td> <td>6.28%</td> <td>2</td>	% Low and Very Low Birth Weight	6.28%	2	
A constraint of Children and Adolescents with BMI Percentile and Counseling on Nutrition and Physical Activity Documented67.14%67.14%67.14%% of Adults who Received Weight Screening and Follow up if Appropriate58.57%62% of Adults Assessed for Tobacco Use78.57%33% of Tobacco Users who Received Cessation Advice and/or Medication100%100%1% of Athmatics Treated with Appropriate Pharmacological Intervention40.00%11% of Two year Olds Immunized ⁴ 548.57%22Chronic Disease Management% Hypertensive Patients with Blood Pressure < 140/90	Preventive Screening & Immunizations			
Documented67.14%67.14%1% of Adults who Received Weight Screening and Follow up if Appropriate58.57%2% of Adults Assessed for Tobacco Use78.57%3% of Tobacco Users who Received Cessation Advice and/or Medication100%1% of Asthmatics Treated with Appropriate Pharmacological Intervention40.00%1% of Two year Olds Immunized 448.57%2Chronic Disease Management% Hypertensive Patients with Blood Pressure < 140/90	% of Women with Pap Tests	88.57%	1	
% of Adults Assessed for Tobacco Use78.57%3% of Tobacco Users who Received Cessation Advice and/or Medication100%100%1% of Asthmatics Treated with Appropriate Pharmacological Intervention40.00%-% of Two year Olds Immunized 448.57%2Chronic Disease Management% Hypertensive Patients with Blood Pressure < 140/90		67.14%	1	
% of Tobacco Users who Received Cessation Advice and/or Medication100%100%1% of Asthmatics Treated with Appropriate Pharmacological Intervention40.00%40.00%1% of Two year Olds Immunized 448.57%2Chronic Disease Management% Hypertensive Patients with Blood Pressure < 140/90	% of Adults who Received Weight Screening and Follow up if Appropriate	58.57%	2	
% of Asthmatics Treated with Appropriate Pharmacological Intervention 40.00% % of Two year Olds Immunized ⁴ 48.57% Chronic Disease Management 1 % Hypertensive Patients with Blood Pressure < 140/90	% of Adults Assessed for Tobacco Use	78.57%	3	
% of Two year Olds Immunized 4 48.57% 2 Chronic Disease Management 74.29% 1	% of Tobacco Users who Received Cessation Advice and/or Medication	100%	1	
Chronic Disease Management 74.29% 1	% of Asthmatics Treated with Appropriate Pharmacological Intervention	40.00%	-	
% Hypertensive Patients with Blood Pressure < 140/90 1	% of Two year Olds Immunized ⁴	48.57%	2	
	Chronic Disease Management			
% Diabetic Patients with HbA1c <= 9 75.71% 2	% Hypertensive Patients with Blood Pressure < 140/90	74.29%	1	
	% Diabetic Patients with HbA1c <= 9	75.71%	2	

'-' - Data Cannot be Calculated

² Hypertensive adults as a percent of estimated adult medical patients of ages 18-85.

³ Diabetic adults as a percent of estimated adult medical patients of ages 18-75.

 $^{\rm 4}$ Measure was revised in 2011 and is not comparable to calendar year 2010 and prior.

⁵ Grantee adjusted quartile results from a statistical model adjusting for special populations, uninsured and minority patients, and EHR use. Clinical performance for each measure is ranked from Quartile 1, highest 25% of reporting grantees, to Quartile 4, lowest 25% of reporting grantees.