UDS Summary Report - 2011 Grantee - Universal

GRANTEE			
PATIENTS			
Total Patients	10,263		
Number/Percent of Patients by Services Utilized			
Medical Services	8,733/85.09%		
Dental Services	2,488/24.24%		
Mental Health Services	840/8.18%		
Substance Abuse Services	16/0.16%		
Vision Services	0/0.00%		
Enabling Services	752/7.33%		
Number/Percent of Patients by Special Populations			
Homeless Patients	1,697/16.54%		
Farmworker Patients	4/0.04%		
School Based Patients	0/0.00%		
Veteran Patients	190/1.85%		
Number/Percent of Patients by Age			
Children (< 18 years old)	1,315/12.81%		
Adult (18 - 64)	7,353/71.65%		
Geriatric (age 65 and over)	1,595/15.54%		
Number/Percent of Patients by Insurance Status			
Uninsured	4,372/42.60%		
Children Uninsured (age 0-19 years)	235/16.21%		
Medicaid/CHIP ¹	2,744/26.74%		
Medicare	2,077/20.24%		
Other Third Party	1,070/10.43%		
Patients by Income Status (% Known)			
Patients at or below 200% of poverty	95.59%		
Patients at or below 100% of poverty (included in above)	74.23%		
Patients by Race & Ethnicity (% Known)			
% Racial and/or Ethnic Minority	56.52%		
% Hispanic/Latino Identity	13.60%		
% African American	14.62%		
% Asian	15.97%		
% American Indian/Alaska Native	0.95%		
% Native Hawaiian/Other Pacific Islander	7.27%		
% More than one race	9.90%		
% Best Served in another language	22.74%		
V - Data Cappet he Calculated			

'-' - Data Cannot be Calculated

¹ Includes Medicaid, Medicaid CHIP, and Other Public Insurance CHIP

	GRANTEE		
PATIENTS			
Percent of Medical Patients with Specific Diagnoses			
Hypertension ²	26.37%		
Diabetes ³	15.82%		
Asthma	2.45%		
HIV	1.81%		
Prenatal			
Number of Prenatal Patients	239		
Number of Prenatal Patients who delivered	159		

GRANTEE

ADJUSTED QUARTILE RANKING ⁵

QUALITY OF CARE/HEALTH OUTCOMES

% Having First Prenatal Visit in 1st Trimester6699% Low and Very Low Bith Weight000<	Prenatal			
Preventive Screening & Immunizations % of Women with Pap Tests 42.60% 3 % of Children and Adolescents with BMI Percentile and Counseling on Nutrition and Physical Activity Documented 11.43% 4 % of Adults who Received Weight Screening and Follow up if Appropriate 28.57% 3 % of Adults Assessed for Tobacco Use 65.32% 3 % of Adults Assessed for Tobacco Use 60.00% 2 % of Asthmatics Treated with Appropriate Pharmacological Intervention 48.57% 4 % of Two year Olds Immunized ⁴ 36.90% 3 Chronic Disease Management 53.85% 3	% Having First Prenatal Visit in 1st Trimester	61.92%	3	
% of Women with Pap Tests42.60%42.60%3% of Children and Adolescents with BMI Percentile and Counseling on Nutrition and Physical Activity Documented11.43%11.43%4% of Adults who Received Weight Screening and Follow up if Appropriate28.57%33% of Adults Assessed for Tobacco Use65.32%33% of Adults Assessed for Tobacco Users who Received Cessation Advice and/or Medication60.00%23% of Asthmatics Treated with Appropriate Pharmacological Intervention48.57%34% of Two year Olds Immunized 436.90%33Chronic Disease Management% Hypertensive Patients with Blood Pressure < 140/90	% Low and Very Low Birth Weight	10.87%	4	
No <td colspan="4">Preventive Screening & Immunizations</td>	Preventive Screening & Immunizations			
Documented11.43%11.43%4% of Adults who Received Weight Screening and Follow up if Appropriate28.57%3% of Adults Assessed for Tobacco Use65.32%3% of Tobacco Users who Received Cessation Advice and/or Medication60.00%2% of Asthmatics Treated with Appropriate Pharmacological Intervention48.57%4% of Two year Olds Immunized 436.90%3Chronic Disease Management% Hypertensive Patients with Blood Pressure < 140/90	% of Women with Pap Tests	42.60%	3	
% of Adults Assessed for Tobacco Use65.32%6% of Tobacco Users who Received Cessation Advice and/or Medication60.00%2% of Asthmatics Treated with Appropriate Pharmacological Intervention48.57%4% of Two year Olds Immunized 436.90%3Chronic Disease Management% Hypertensive Patients with Blood Pressure < 140/90	· · · · · · · · · · · · · · · · · · ·	11.43%	4	
% of Tobacco Users who Received Cessation Advice and/or Medication 60.00% 2 % of Asthmatics Treated with Appropriate Pharmacological Intervention 48.57% 4 % of Two year Olds Immunized ⁴ 36.90% 3 Chronic Disease Management % Hypertensive Patients with Blood Pressure < 140/90	% of Adults who Received Weight Screening and Follow up if Appropriate	28.57%	3	
% of Asthmatics Treated with Appropriate Pharmacological Intervention 48.57% 4 % of Two year Olds Immunized ⁴ 36.90% 3 Chronic Disease Management % Hypertensive Patients with Blood Pressure < 140/90	% of Adults Assessed for Tobacco Use	65.32%	3	
% of Two year Olds Immunized 4 36.90% 3 Chronic Disease Management 53.85% 3	% of Tobacco Users who Received Cessation Advice and/or Medication	60.00%	2	
Chronic Disease Management 53.85% % Hypertensive Patients with Blood Pressure < 140/90	% of Asthmatics Treated with Appropriate Pharmacological Intervention	48.57%	4	
% Hypertensive Patients with Blood Pressure < 140/90 53.85% 3	% of Two year Olds Immunized ⁴	36.90%	3	
	Chronic Disease Management			
% Dispatic Patients with $Hh/1c = 0$ 75.26% 2	% Hypertensive Patients with Blood Pressure < 140/90	53.85%	3	
70 Diabelic Fatients with HDATC <= 3 75.50% 2	% Diabetic Patients with HbA1c <= 9	75.36%	2	

'-' - Data Cannot be Calculated

² Hypertensive adults as a percent of estimated adult medical patients of ages 18-85.

³ Diabetic adults as a percent of estimated adult medical patients of ages 18-75.

 $^{\rm 4}$ Measure was revised in 2011 and is not comparable to calendar year 2010 and prior.

⁵ Grantee adjusted quartile results from a statistical model adjusting for special populations, uninsured and minority patients, and EHR use. Clinical performance for each measure is ranked from Quartile 1, highest 25% of reporting grantees, to Quartile 4, lowest 25% of reporting grantees.