

Figure 4 - Male Colorectal Cancer Mortality

Males, Colorectal Cancer, U.S. Death Rates,  
1975-2000 for Whites and Blacks  
1992-2000 for American Indian/Alaska Natives, Asian/Pacific Islanders, and Hispanics

Year of Death	White Joinpoint Regression Line Value	Black Joinpoint Regression Line Value	American Indian/Alaska Native <sup>†</sup> 2 - Year Average Rate	Asian/Pacific Islander <sup>†</sup> 2 - Year Average Rate	Hispanic <sup>†#</sup> 2 - Year Average Rate
1975	33.837	30.495			
1976	33.762	30.866			
1977	33.687	31.242			
1978	33.612	31.623			
1979	33.538	32.008			
1980	33.464	32.397			
1981	33.389	32.792			
1982	33.315	33.191			
1983	33.241	33.595			
1984	33.168	34.004			
1985	33.094	34.418			
1986	32.433	34.837			
1987	31.784	35.261			
1988	31.149	35.691			
1989	30.526	36.125			
1990	29.916	36.565			
1991	29.318	36.341			
1992	28.731	36.119			
1993	28.157	35.898	11.423	18.335	17.614
1994	27.594	35.678	13.525	17.706	17.717
1995	27.042	35.459	15.039	17.202	18.061
1996	26.502	35.242	17.140	16.510	18.574
1997	25.972	35.026	20.635	15.903	18.632
1998	25.453	34.812	19.168	16.252	18.439
1999	24.944	34.599	17.224	15.463	18.319
2000	24.445	34.387	17.314	15.491	18.097

Rates are per 100,000 and age-adjusted to the 2000 U.S. standard.  
<sup>†</sup> Rates listed for each year are the average rate from the year listed and the prior year.  
<sup>#</sup> Hispanic is not mutually exclusive from whites, blacks, Asian/ Pacific Islanders, and American Indians/Alaska Natives. Mortality data for Hispanics is included for all states except Connecticut, Oklahoma, New York and New Hampshire

Figure 4 - Female Colorectal Cancer Mortality

Females, Colorectal Cancer, U.S. Death Rates,  
1975-2000 for Whites and Blacks  
1992-2000 for American Indian/Alaska Natives, Asian/Pacific Islanders, and Hispanics

Year of Death	White Joinpoint Regression Line Value	Black Joinpoint Regression Line Value	American Indian/Alaska Native <sup>†</sup> 2 - Year Average Rate	Asian/Pacific Islander <sup>†</sup> 2 - Year Average Rate	Hispanic <sup>†#</sup> 2 - Year Average Rate
1975	25.605	25.034			
1976	25.305	25.216			
1977	25.009	25.400			
1978	24.716	25.585			
1979	24.426	25.771			
1980	24.140	25.959			
1981	23.857	26.148			
1982	23.578	26.339			
1983	23.301	26.531			
1984	23.028	26.724			
1985	22.575	26.919			
1986	22.130	26.741			
1987	21.695	26.564			
1988	21.268	26.388			
1989	20.849	26.213			
1990	20.438	26.040			
1991	20.036	25.867			
1992	19.641	25.696			
1993	19.255	25.526	11.441	12.380	11.468
1994	18.876	25.357	11.810	12.710	11.643
1995	18.504	25.189	12.956	12.151	11.496
1996	18.140	25.022	13.866	11.794	11.045
1997	17.783	24.857	12.643	11.701	11.074
1998	17.432	24.692	12.818	11.528	11.267
1999	17.089	24.529	12.448	10.993	11.611
2000	16.753	24.366	11.163	10.245	11.723

Rates are per 100,000 and age-adjusted to the 2000 U.S. standard.

<sup>†</sup> Rates listed for each year are the average rate from the year listed and the prior year.

<sup>#</sup> Hispanic is not mutually exclusive from whites, blacks, Asian/ Pacific Islanders, and American Indians/Alaska Natives. Mortality data for Hispanics is included for all states except Connecticut, Oklahoma, New York and New Hampshire

Figure 4 - Female Breast Cancer Mortality

Females, Breast Cancer, U.S. Death Rates,  
1975-2000 for Whites and Blacks  
1992-2000 for American Indian/Alaska Natives, Asian/Pacific Islanders, and Hispanics

Year of Death	White Joinpoint Regression Line Value	Black Joinpoint Regression Line Value	American Indian/Alaska Native <sup>†</sup> 2 - Year Average Rate	Asian/Pacific Islander <sup>†</sup> 2 - Year Average Rate	Hispanic <sup>†#</sup> 2 - Year Average Rate
1975	31.730	30.074			
1976	31.831	30.550			
1977	31.932	31.033			
1978	32.034	31.525			
1979	32.136	32.024			
1980	32.238	32.531			
1981	32.340	33.045			
1982	32.443	33.569			
1983	32.546	34.100			
1984	32.650	34.640			
1985	32.754	35.188			
1986	32.858	35.745			
1987	32.962	36.311			
1988	33.067	36.886			
1989	33.172	37.469			
1990	33.278	38.063			
1991	32.462	38.665			
1992	31.666	38.268			
1993	30.889	37.875	14.498	12.846	18.917
1994	30.132	37.486	14.458	13.723	18.143
1995	29.393	37.101	15.175	14.266	18.301
1996	28.672	36.719	16.629	13.102	18.892
1997	27.969	36.342	15.575	12.302	18.862
1998	27.283	35.969	13.716	12.578	18.430
1999	26.614	35.600	14.945	12.777	17.399
2000	25.962	35.234	14.612	12.488	16.831

Rates are per 100,000 and age-adjusted to the 2000 U.S. standard.

<sup>†</sup> Rates listed for each year are the average rate from the year listed and the prior year.

<sup>#</sup> Hispanic is not mutually exclusive from whites, blacks, Asian/ Pacific Islanders, and American Indians/Alaska Natives. Mortality data for Hispanics is included for all states except Connecticut, Oklahoma, New York and New Hampshire