Temperature Log for Refrigerator and Freezer — Fahrenheit

Month/Year:_____ Days 1–15

Completing this temperature log: Check the temperatures in both the freezer and the refrigerator compartments of your vaccine storage units at least twice each working day. Place an "X" in the box that corresponds with the temperature and record the ambient (room) temperature, the time of the temperature readings, and your initials. Once the month has ended, save each month's completed form for 3 years, unless state or local jurisdictions require a longer time period.

If recorded temperature is in the shaded zone take immediate corrective action:

This represents an unacceptable temperature range. Follow these steps:

- 1. Move vaccine(s) to a working storage unit.
- 2. Ncdgrly g'xceelpg*u+"cu "do not use", do NOT destroy/discard the vaccine(s).
- 5. 'Cevkxcvg" { qwt 'hœkrkkgu'xceekpg'Go gti gpe { "Tgvtkgxcn'cpf "Uqtci g'Rrcp0
- 6. Contact *USAMMA/DOC as well as your MILVAX Regional Analyst (RA) and standby for further instructions on the disposition of the vaccine.
- 5. **Document the action taken** on the reverse side of this log.

	Day of Month		*		*		2	2	3	3	4	ļ	4	5	(5	7		8		9	9	10	1	1	1.	2	1	3	14	4	15	\neg
	Staff Initials																														П		
	Room	Room Temp.																													П		
	Exact Time OF Temp																														П		
			am	pm	am	pm	am	pm	am	pm	am	pm	am	pm	am	pm	am	pm	am	pm	am pm	am	pm	am	pm	am	pm	am	pm	am j	рm		
* E		≥49°																															
war		48°					Ta	ke	mn	ned	iate) CC	orre	ctiv	ve a	cti	on i	f te	m	oera	ature i	s in	sh	ade	ed s	ect	ion	*					
2		47°																															
Ĭ		46°																													\Box		
	ā	45°																													\exists		
	peratur	44°																													1		
	e e	43°																													\Box		
	E G	42°	<u> </u>																												\Box		
	क्	41°																													1		
r 40°	5	40°																													\neg		
	erat	39°																													\neg		
	ge	38°																													コ		
	efri	37°																													\neg		
		36°																													\neg		
		35°																													コ		
*5		34°																															
200		33°					Ta	ke	mn	ned	iate) CC	orre	ctiv	ve a	cti	on i	f te	mr	pera	ature i	s in	sh	ade	ed s	ect	ion	*					
ျို		≤32°																															
																														,			
*=		≥8°																															
Warr	e E						Ta	ke i	mn	ned	iate	- CC	orre	ctiv	VP 3	cti	on i	f te	mr	er	ature i	L in	sh	ade	ad s	ect	ion	*					
ျို	<u> </u>	6°					Ia	NC			iatt		7110	Cti		i C Li			,,,,,	JC1 6	ature i		311	auc	, u s		101						
	Ze –	5°																															
ŀ	— 6 -	4°																		\vdash											\dashv		
ŀ	<u>Ē</u>	<3°				\dashv				-								-													\dashv		
L						_															<u> </u>												

*USAMMA/DOC Emergency Contact: Phone: (301) 619-4318/1197/4198, DSN (343), After hours: (301) 676-1184/0857, E-mail: USAMMADOC@amedd.army.mil

Cf crvgf "d{"\j g"O KNXCZ"Ci gpe{."eqwt vgu{ "qh'\j g"Ko o wpk| cvkqp"Cevkqp"Eqcrlskqp

Vaccine Storage Troubleshooting Record

Use this page to record the details of the vaccine storage incident, including the date and time of the last known temperature within the appropriate vaccine storage range.

Date	Time	Storage Unit Temp	Room Temp	Incident	Action Taken	Results	Initials

Temperature Log for Refrigerator and Freezer — Fahrenheit

Month/Year:_____ Days 16–31

Completing this temperature log: Check the temperatures in both the freezer and the refrigerator compartments of your vaccine storage units at least twice each working day. Place an "X" in the box that corresponds with the temperature and record the ambient (room) temperature, the time of the temperature readings, and your initials. Once the month has ended, save each month's completed form for 3 years, unless state or local jurisdictions require a longer time period.

If recorded temperature is in the shaded zone take immediate corrective action:

This represents an unacceptable temperature range. Follow these steps:

- 1. Move vaccine(s) to a working storage unit.
- 2. Label the vaccine(s) as "do not use", do NOT destroy/discard the vaccine(s).
- 3. Activate your facilities vaccine Emergency Retrieval and Storage Plan.
- 4. Contact *USAMMA/DOC as well as your MILVAX Regional Analyst (RA) standby for further instructions on the disposition of the vaccine.
- 5. **Document the action taken** on the reverse side of this log.

- [Day of Month 1			6	1	7	1	8	1	9	2	0	2	21	22	2	2:	3	24	25		26	2	27	2	28	2	9	3	0	31							
Ī	Staff	aff Initials		taff Initials		aff Initials		Staff Initials																														\neg
İ	Room																														П							
ı	Exact Time																															\neg						
	°F T	am	pm	am	pm	am	pm	am	pm	am	pm	am	pm	am	pm	am	pm	am pm	am p	m	am pm	am	pm	am	pm	am	pm	am	pm	am	pm							
ŧΕ																																						
war	48°						Take immediate corrective action if temperatu						erature is in shaded section*																									
<u>B</u>		47°																																				
7		46°																														\neg						
ı	<u>5</u>	45°																			T											\Box						
ľ	ature	44°																			寸																	
	ā	43°																			╛																	
1	<u>a</u> E	42°																			丁											\Box						
	ē	41°																			寸																	
m for 40°	ō	40°																			丁											\Box						
	erat	39°																			T											\Box						
1	ge	38°																			T																	
l	efri	37°		一																	T											\Box						
ı	Re	36°																														\Box						
1		35°																																				
*		34°																																				
oo col		33°					Ta	ake	im	me	dia	te (cor	rec	tive	ac	tio	n if	temp	eratı	ure	e is in	sh	ade	ed	sec	tior	า*										
ě		≤32°																																				
																						·										_						
*E		≥8°																																				
warı	E 1						Ts	ke	im	me	dia	te (cori	rec	tive	ac	tio	n if	temp	eratı	ıre	is in	sh	ade	he	SPC	tior	*										
ျှို	e	6°					16	ANC	****		uia					a c	.10		temp	Cratt		7 13 111		uuc		300												
7	Ze Z	5°																																				
ŀ	- 66 - 67	4º		\dashv												\dashv					\dashv		+		\vdash						-	一						
	- Ē	<3°		\dashv												\dashv					\dashv							1				\dashv						
L						-				!					_						_			1														

*USAMMA/DOC Emergency Contact: Phone: (301) 619-4318/1197/4198, DSN (343), After hours: (301) 676-1184/0857, E-mail: USAMMADOC@amedd.army.mil

Cf crvgf "d{"\j g"O KNXCZ"Ci gpe{."eqwt vgu{ "qh\' j g"Ko o wpk| cvkqp"Cevkqp"Eqcrhskqp

Vaccine Storage Troubleshooting Record

Use this page to record the details of the vaccine storage incident, including the date and time of the last known temperature within the appropriate vaccine storage range.

Date	Time	Storage Unit Temp	Room Temp	Incident	Action Taken	Results	Initials