										600	onnoutionio	maioatoa				
Depar	tment	Date			Pu	urchase	Order No).	Print Order No.							
Contr	actor					Jacket	No.		Est	timated	Cost		Ship/Del. Date			
Title/F	orm No.					Object	Class S	State Cod	e Co	ontr's. (Code		Program No.	Program No.		
	ERNMENT Manuscript co]				opropria	ition Cha	rgeable	Billing Address	Code (BAC)		
	Custom Form		оппа сору _	_ Will be fur	rnished by	Stocl	k Form	,19								
Descr	iption															
			anta + Da	Contract		0175 (D	L .			
Equip	NTITY nent Prir		sets <u>+</u> Pe				verall):	Burster		inches; Depth inches						
and U								Decolla								
PART	P	APER — T	O BE FURN BASIS 500	ISHED BY SHEETS 17	CONTRACT	or —		TYPE OF CHANGE			C	OLOR OF	INK	PRINTS		
NO.	COLOR			IND		SUB. NO (LATITUD	· ^		ACK	FA	CE	BACK	OVERPRINT	HEAD TO		
(1)																
(2)																
(3)																
(4)																
(5) (6)																
	Warning	∟ □ Co	py designat	ions print i	n	ink.										
MAR	GINS		Head	Foot	Left	Right	JOINI	IG − Se	ts are	to be jo	pined in t	he 🗆 Le	eft 🔲 Right mai	rgin(s) by		
(Inch	ies)	Face						Crimp		П	Firm o	glue	Combin	ation joining		
Fol	low nple/copy				lue			le stub								
	RLEAVING	CARBON	S — □в	lack 🗆 E	Blue 🗆 N	lone	PERFC	RATIO	N —	MARC	SINAL	'	' from □ Left s	ide "		
													ts only 🗌 Nor			
🗆 Na	arrow unpune	ched	🔲 Ma	rginally punc	hed unproces	sed		ean edg	je							
Cover	age: 🗆 F	ull □c	arbon short _	" on	left'	' on right		RATIO ean edg		TEARL	INE. H	orizontal	tearline every _			
NUM	Bering —	Number fr	om					UNCHIN			□ Pa	arts only	Parts	s and carbons		
_							Numbe	1	- 1	Diam.		ŕ	Location -To C			
							0						dimension(a)			
PACK	ING — Pag	ak .		ner sl	hipping contai	iner		holes in F REQU		`			dimension(s)			
		⊐ c		por or	inpping contai					-	s	ets Sei	nd proofs and cop	y to 🗕		
		•	ntainer (splice plices accept	•	able)			withheld								
	Unbro	ken strips (s	plices not ac				ment to	g days, f preceipti	n cont	tractor's	s plant. C	Con-				
	☐ Bar Co ☐ Pallets	0	(a)	(b)				must no to print."		t prior	to receip	t of				
ADDI	TIONAL IN	STRUCTI	ons –													
	TO															
SHIP	10															
	otto-b- I D'	tella star 11	+													
-	e attached Dis															
		_	ate sent to d			LL	Ву									
	FORM 1026A 86) P.57371-0	50								Depa	artmental A	Authority (Si	ignature and Title)			
					F	PART 1 CO	NTRACT	OR						USAPPC V2.0		

Depar	Date				Purchase	Order N	0.	Print Order No.								
Contr	actor					Jacket	t No.			Estimated	Cost		Ship/Del. Date			
Title/I	Form No.					Object	t Class	State	e Code	Contr's.	Code		Program No.	Program No.		
	ERNMENT Manuscript co]		,19)	Appropria	ation Cha	argeable	Billing Address	Code (BAC)		
	Custom Form					☐ Stoc	ck Form						I			
Descr	iption															
0114			to I Do	0												
	NTITY Driv		sets <u>+</u> Pe			SIZE (o	overall)				inche	s; Dep	tn i	nches		
Equip and U									urster ecollator							
	-	APER — 1	TO BE FURN	ISHED BY	CONTRACT	DR —			E OF			COLOR OF				
PART NO.		1		SIS 500 SHEETS 17 X 22"			n		ANGE					PRINTS HEAD TO		
	COLOR		K	IND		SUB. NO		ACE	BAC	K FA	CE	BACK	OVERPRINT			
(1)																
(2)																
(3)																
(4) (5)																
(6)																
	Warning		opy designat	ions print i	า	ink.										
MAR	GINS		Head	Foot	Left	Right	JOIN	ING	— Sets a	are to be j	oined in	the 🗖 L	eft 🔲 Right mai	rgin(s) by		
(Incl	ies)	Face						Crim	n	F	Eirm	glue		ation joining		
🗆 Fo		Back							ip tive glu			ble stub				
	nple/copy RLEAVING		<u> </u> S. — ⊓в	lack 🗆 E	lue □N	lone							_ from □ Left s	•		
		0,	• b										_ from L Left s rts only □ Nor			
			—						n edge					le		
	arrow unpun				hed unproces			orour	lougo							
Cover	age: 🗆 F		arbon short _	" on I	eft"	on right				– TEARL	INE. H	lorizonta	l tearline every _	"		
								Clear	n edge							
NUM	Bering —	Number fr	rom						CHING	1	1	arts only		and carbons		
							Numb	ber	Round	Diam.	Inches	C. to C.	Location —To C	enter of Hole		
							Cente	ar hol	es in				dimension(s)			
PACK	ING — Pa	ck		per sł	nipping contai	ner.				ED			a(c)			
				·				-				sets Se	end proofs and cop	y to 🗕		
		•	ntainer (splice splices accept		able)					more tha						
		•	plices not ac					0		n receipt ontractor'	'					
	Bar Co		(a)	(b)				ormu)Ktop		rint prior	to receip	ot of				
ADD	TIONAL IN	- 71: -														
SHIP	то															
	e attached Dis	tribution Lie	.t													
-						1										
ruk in	IFORMATION	_			A HUNS CA	-L	Rv.									
	FORM 1026A 86) P.57371-0	Da	ate sent to d	Sontractor			_Ву_			Der	artmental	Authority (S	Signature and Title)			
	,			PAR	T 2 CONTRA	CTOR (BI	ILLING (COPY) SEE R	-			Strate S and Thiop	USAPPC V2.0		

Depar	tment	Date				Purchase Order No.			Print Order No.						
Contra	actor					Jacket	t No.			Estimated	l Cost		Ship/Del. Date	Ship/Del. Date	
Title/F	orm No.					Object	Object Class State Code			Contr's.	Code		Program No.	Program No.	
	ERNMENT Manuscript co]		,19		Appropri	ation Ch	argeable	Billing Address	Billing Address Code (BAC)	
	Custom Form				Instica by	☐ Stoc	k Form	7.0							
Descri	ption														
											<u> </u>				
	NTITY		sets <u>+</u> Per	r Contract		SIZE (o	verall):				inche	es; Dep	th i	nches	
Equipn and Us		iter							urster _						
	-	APER — 1	TO BE FURN BASIS 500	ISHED BY	CONTRACT	or —			ecollator PE OF			COLOR OI			
PART NO.			BASIS 500	SHEETS 17	X 22"	SUB. NO	CHANGE							PRINTS HEAD TO	
	COLOR		K	IND		(LATITUE	DE) FA	ACE	BACH	K FA	ACE	BACK	OVERPRINT		
(1)															
(2)															
(3) (4)															
(4)															
(6)															
	Warning		opy designat	ions print i	ו <u> </u>	ink.									
MARC	GINS		Head	Foot	Left	Right	JOINI	NG	– Sets a	are to be j	oined in	the 🗌 L	eft 🛛 Right mar	gin(s) by	
(Inch	es)	Face						Crim	n	F	1 Eirm	glue	🗆 Combin	ation inining	
🗆 Fol		Back							tive glue			ble stub			
	nple/copy RLEAVING	CARBON	<u> </u> S — ⊓в	lack 🗆 E	Blue TIN	lone			-				_" from 🛛 Left s	•	
													rts only INon		
🗆 Na	rrow unpund	ched	🗆 Ma	rginally punc	hed unproces	sed			n edge						
Covera	age: 🗆 Fi	ull 🗆 C	arbon short _	" on l	eft'	' on right				– TEARL	INE. H	lorizonta	I tearline every _	"	
							Image: Clean edge FILE PUNCHING Image: Parts only Image: Parts only Image: Parts and carbons								
NOIVI	Bering —	Number fi	rom											and carbons	
							Numb	01	nound	Diam.	monoo	0. 10 0.			
							Cente	r hole	es in				dimension(s)		
	ING — Pac	ck		per sł	nipping conta	iner.	PROC	of R	EQUIR	ED					
LEVEL	=	☐ C	ntainer (splice	s not accent	ahle)		□ N					sets Se	end proofs and cop	y to	
	Unbrol	ken strips (s	plices accept	able)						more tha n receipt		vern-			
	Unbrol		plices not ac	ceptable)					•	ontractor' rint prior	•				
	Pallets	- type		(b)			an "O			inter prior					
ADDI	TIONAL IN	STRUCTI	ons –												
	T O														
SHIP	10														
See	attached Dis	tribution Lis	st												
FOR IN	FORMATION	ONCER	NING THES	E SPECIFIC	ATIONS CA	LL									
GPO F	ORM 1026A	Da	ate sent to o	contractor			Ву								
(R 11-8	36) P.57371-0				PA	BT 3 GPO		רפר		Dep	artmental	Authority (S	Signature and Title)	USAPPC V2.0	

Depa	rtment		Req. 1	No.		Date			Purchase	order No.	loutou	Print Order No.		
Contr	actor					Jacket	No.		Estimated	d Cost		Ship/Del. Date		
Title/	Form No.					Object	Class St	ate Code	Contr's.	Code		Program No.		
001														
			RNISH — f print copy <u>[</u>			_		19	Appropri	able	Billing Address	Code (BAC)		
	Custom For					Stoc	k Form							
Desci	iption													
QUA	ΝΤΙΤΥ		sets <u>+</u> Per	r Contract	:	SIZE (o	verall): V	Vidth		inches;	Depth	i	nches	
Equip	ment Pri	nter												
and U	•				CONTRACT			Decollato YPE OF	r					
PART	г г		TO BE FURN BASIS 500	SHEETS 17	X 22"	1				COL	OR OF IN	IK	PRINTS HEAD TO	
NO.	COLOR		K	SUB. NO (LATITUD	E) FAC	E BAC	K F/	ACE	BACK	OVERPRINT	HEAD TO			
(1)														
(2)		-												
(3) (4)														
(5)														
(6)														
	Warning	□ Co	opy designat	ions print i	n	ink.								
MAR			Head	Foot	Left	Right	JOINING — Sets are to be joined in the \Box Left \Box Right margin(s) by							
(Incl		Face						imp	Ľ] Firm glu	е	🛛 Combin	ation joining	
□ Fo sa	llow mple/copy	Back					🗆 Fu	igitive glu	ie 🗆	Flexible	stub	□ None re	quired	
INTE	RLEAVING	CARBON	S — □ B	lack 🗆 E	Blue 🗆 N	lone	PERFO	RATION	-MAR	GINAL		from 🛛 Left s	ide"	
							from 🗖 I	Right side	🗌 Parts a	nd carbons	Parts	only 🗌 Non	e	
🗆 Ni	arrow unpur	nched	🛛 Ma	rginally punc	hed unproces	sed	Cle	an edge						
Cove	rage: 🗆 A	=ull □ C	Carbon short _	" on	left'	on right	PERFO	RATION	– TEARI	INE. Horiz	zontal te	earline every _	"	
								an edge				· · · · / _		
NUM	Bering —	Number f	rom				FILE PU	NCHING	3.	Parts	s only	🗆 Parts	and carbons	
							Number	Round	Diam.	Inches C. to	o C. L	ocation —To Ce	enter of Hole	
							Center ł					limension(s)		
PACK	(ING — Pa	ack		per sl	nipping contai	iner.			RED					
LEVEL				pro or				T YES		sets	s Send	proofs and cop	y to —	
	_	•	ntainer (splice splices accept	•	able)			ithheld no			-			
	Unbro	oken strips (s	splices not ac				ment to	receipt in o	contractor	by Govern s plant. Con	-			
	☐ Bar C ☐ Pallet	0	(a)	(b)			tractor an "OK t		print prior	to receipt of	f			
ADD	ITIONAL IN	ISTRUCT	IONS —				1							
SHIP	то													
SHIF	10													
	e attached Di													
FOR IN	FORMATIO		NING THES		ATIONS CA	LL	D							
	FORM 1026A 86) P.57371-0	D	ate sent to o	contractor			Ву		Dat	artmental Auth	hority /Sico	ature and Title)		
						PART 4 G	PO FMC		Del	artmontal Auti	y (oigh		USAPPC V2.0	

									ob.		aloatoa			
Depar	Pepartment Req. No.								Purchase	Order No.		Print Order No.		
Contr	actor					Jacket I	No.		Estimated	l Cost		Ship/Del. Date		
Title/F	Form No.					Object (Class St	tate Code	Contr's.	Code		Program No.		
GOV	ERNMENT		NISH — f	.o.b. contrac	ctor's plant [Appropri	ation Charg	eable	Billing Address Code (BAC)		
	Manuscript co							,19		-				
	Custom Form iption	1				☐ Stock	Form							
2000														
	ΝΤΙΤΥ			Contract			/erall): V			inches;	Depth	i	nches	
Equip and U		ter						Burster Decollator						
PART	•	APER — TC	D BE FURN	ISHED BY	CONTRACT	or —		TYPE OF		CO		NK	PRINTS	
NO.	COLOR			IND	~ 22	SUB. NO.		E BAC	K FA	ACE	BACK	OVERPRINT	HEAD TO	
(1)						(LATITUDE	=)							
(2)														
(3)														
(4) (5)														
(6)														
	Warning	🗆 Сор	y designat	ions print i	n	ink.								
MAR (Inch		_	Head	Foot	Left	Right	JOINING — Sets are to be joined in the 🗆 Left 🔲 Right margin(s) by							
T Fol		Face					□ c	rimp		Firm gl	ue	🛛 Combin	ation joining	
sar	mple/copy	Back								Flexible			•	
INTE	RLEAVING	CARBONS	— ЦВ	lack 🗆 E	Blue ∐ N	None						from 🗆 Left s		
ΠN	arrow unpund	ched	🗍 Ma	rginally punc	hed unproces	sed		Right side I ean edge	Parts a	nd carbons	∟ Parts	only 🗌 Non	ie	
	•				left		DEREO		TEADI		izontol t	earline every _	"	
								ean edge		INE. HUI		eannie every _		
NUM	Bering —	Number fro	m				FILE PL	INCHING	i .	🛛 Par	ts only	🗖 Parts	and carbons	
							Number	Round	Diam.	Inches C.	to C.	Location —To Ce	enter of Hole	
							Center I	noles in				dimension(s)		
	ING — Pag			per sł	nipping conta	iner.		REQUIE						
LEVEL	_	∃ C reak per conta	ainer (splice	s not accept	able)		□ NO will be y	vithheld no		set	ts Send	l proofs and cop	y to —	
		ken strips (spl ken strips (spl					working	days, fro	m receipt	by Gover s plant. Co				
	🔲 🛛 Bar Co	ding] (b)			tractor	•		to receipt of				
ADDI	TIONAL IN	-71						to print.						
SHIP	то													
See	e attached Dis	tribution List												
FOR IN	FORMATION	I CONCERN	ING THESI	E SPECIFIC	ATIONS CA	LL								
	FORM 1026A	Dat	e sent to c	ontractor			Ву		_					
(K 11-	86) P.57371-0				PART 5	GPO CONTE	RACT CC	MPLIANC		artmental Au	thority (Sigr	nature and Title)	USAPPC V2.0	

						Date				Joomoution	o maioatoa	-			
Depar	Department Req. No.								Purchas	e Order N	lo.	Print Order No.			
Contra	actor		I			Jacket	No.		Estimate	d Cost		Ship/Del. Date	Ship/Del. Date		
Title/F	Form No.					Object	Class S	state Code	Contr's.	Code		Program No.	Program No.		
	ERNMENT Manuscript co]		,19	Appropr	iation Ch	argeable	Billing Address	Code (BAC)		
	Custom Form				nished by	☐ Stoc	k Form	,13							
Descr															
	NTITY		sets <u>+</u> Per				verall):			inches; Depth inches					
Equipr		iter						Burster							
and U	•	APER — T	O BE FURN	ISHED BY		or —		Decollat TYPE OF	or						
PART NO.			BASIS 500	SHEETS 17	CONTRACTO X 22"			CHANGE			COLOR OF	· INK	PRINTS HEAD TO		
	COLOR		К	IND		SUB. NO (LATITUD		CE BA	CK F	ACE	BACK	OVERPRINT			
(1)															
(2)															
(3) (4)															
(4)															
(6)															
	Warning	Co 🗆	py designat	ions print i	n	ink.		ľ							
MAR	GINS		Head	Foot	Left	Right	JOININ	IG — Set	s are to be	joined in	the 🗌 Le	eft 🔲 Right mai	rgin(s) by		
(Inch	ies)	Face						Crimp	Ľ	∃ Firm	glue	🗖 Combir	ation joining		
Fol	low nple/copy				ugitive g			ble stub	None re						
	RLEAVING	CARBON	S — □в	lack 🗆 E	Blue 🗆 N	lone	PERFO	RATION	— MAF	GINAL		″ from □ Left s	ide "		
												rts only D Nor			
🗆 Na	arrow unpune	ched	🔲 Ma	rginally punc	hed unproces	sed		ean edg	е						
Cover	age: 🗆 F	uli 🗆 C	arbon short _	" on	left'	' on right	DEREC	PATION			Jorizoptal	tearline every _	"		
								ean edg			10112011101				
NUM	Bering —	Number fr	om								Parts only	Parts	s and carbons		
							Numbe	1	1	1	C. to C.	Location -To C			
								holes in				dimension(s)			
	ING — Pao	sk ⊐ C		per sl	nipping contai	iner.			I RED S		sets Se	nd proofs and cop	v to —		
	One bi	reak per con	tainer (splice	•	able)				ot more th				,		
	_		plices accept plices not acc	-					om receip contractor						
	Bar Co	0	(a)	(b)			tractor	must not	print prio	•					
ADDI	Pallets	- / [(6)			an UK	to print."							
SHIP	то														
	e attached Dis	tribution Lis	t												
-	IFORMATION				ATIONS CA	LL									
			ate sent to d				By								
	FORM 1026A 86) P.57371-0						_ ·		De	partmental	Authority (S	ignature and Title)			
								NIT					USAPPC V2.0		

□ One break per container (splices not acceptable) will be withheld not more than □ Unbroken strips (splices acceptable) working days, from receipt by Govern- ment to receipt in contractor's plant. Con- tractor must not print prior to receipt of an "OK to print." ADDITIONAL INSTRUCTIONS —	Depart	ment		Req. N	No.		Date					Order N		Print Order No.		
	Contra	ictor					Jacke	t No.			Estimated	l Cost		Ship/Del. Date	Ship/Del. Date	
Image: Intervent Copy Will be furnished by .10 Outsom Finance Stock Farm Description Buster Buster OUDANTITY sets ? Per Contract SIZE (overall): Wildth inches: DUADNITY sets ? Per Contract SIZE (overall): Wildth inches: Depth inches: QUANTITY sets ? Per Contract SIZE (overall): Wildth inches: Depth inches: PARE PARE TO BE FURNISHED BY CONTRACTOR Development PERFORMENT PERFORMENT No. COLOR KBD ISAIN DO INTO PERFORMENT FACE BACK OVERPRINT PERFORMENT QUADITY Color RK KBD ISAIN DO INTO PERFORMENT FACE BACK OVERPRINT PERFORMENT QUADITY Color RK FACE Intervention of the Interven	Title/F	orm No.					Objec	Object Class State Code			Contr's.	Code		Program No.	Program No.	
Cutation Form]		19	9	Appropri	ation Cha	argeable	Billing Address	Billing Address Code (BAC)	
Description				print 00p) <u>r</u>		Instied by	☐ Stoo	ck Form		0						
Equipment Printer Burster and Usage: Decollator ND. COLOR KIND USABLE SUD SHEETS 17 X 227 ND. COLOR KIND USABLE SUD SHEETS 17 X 227 ND. COLOR KIND USABLE SUD SHEETS 17 X 227 ND. COLOR KIND USABLE SUD SHEETS 17 X 227 ND. COLOR KIND USABLE SUD SHEETS 17 X 227 ND. COLOR KIND USABLE SUD SHEETS 17 X 227 ND. COLOR KIND USABLE SUD SHEETS 17 X 227 ND. COLOR OF INK PAPER POINTS INTERLEXTINCT KIND USABLE SUD SUD SHEETS 17 X 227 POINTS INTERLEXTINCT Marring Copy designations print in																
Equipment Printer Burster and Usage: Decollator ND. COLOR KIND USABLE SUD SHEETS 17 X 227 ND. COLOR KIND USABLE SUD SHEETS 17 X 227 ND. COLOR KIND USABLE SUD SHEETS 17 X 227 ND. COLOR KIND USABLE SUD SHEETS 17 X 227 ND. COLOR KIND USABLE SUD SHEETS 17 X 227 ND. COLOR KIND USABLE SUD SHEETS 17 X 227 ND. COLOR KIND USABLE SUD SHEETS 17 X 227 ND. COLOR OF INK PAPER POINTS INTERLEXTINCT KIND USABLE SUD SUD SHEETS 17 X 227 POINTS INTERLEXTINCT Marring Copy designations print in																
and Usage:								overall)				inche	s; Dept	th i	nches	
PAREN PAPER TO BE FURNISHED BY CONTRACTOR TYPE OF COLOR OF INK PRINTS NO. COLOR KIND ILATITUDE FACE BACK OVERPRINT HEAD TO 11 IND ILATITUDE FACE BACK FACE BACK OVERPRINT HEAD TO 12 IND ILATITUDE FACE BACK FACE BACK OVERPRINT HEAD TO 13 INTERLEAVING CARBONS INTERLEAVING CARBONS Interleaving Interleaving </td <td></td> <td></td> <td>iter</td> <td></td>			iter													
NO. COLOR KIND USB.NO. FACE BACK CVERPRIN HEAD TO (1) INTUDE FACE BACK OVERPRIN HEAD TO (2) INTERLATION INTERLATION </td <td></td> <td>-</td> <td>APER —</td> <td>TO BE FURN</td> <td>ISHED BY (</td> <td></td> <td>or —</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>		-	APER —	TO BE FURN	ISHED BY (or —									
COLOR KIND (LXTITUGE) FACE BACK FACE BACK OVERPRINT (1) Image: Color of the state of the stat			[BASIS 500	SHEETS 17 2	X 22"	1	0	CH	ANGE						
(2)		COLOR		K	IND		(LATITUI	DE) F	ACE	BACH	K F/	ACE	BACK	OVERPRINT		
13	(1)															
(4) (5) (6) (7) (6) (7) (7) (7) (7) (7) (7) (7) (8) Face (7) (7) (7) (9) (7) (7) (7) (7) (7) (9) (7) (7) (7) (7) (7) (7) (7) (10) (7) <td< td=""><td>-</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></td<>	-															
(6)	F															
(6)	F															
MARGINS Head Foot Left Right JOINING Sets are to be joined in the l Left Right margin(s) by Inchest Face Image: Component of the state of the s	F															
Incremental incremental incrementation incrementat		Warning	□ Co	opy designat	ions print ir	۱	ink.					I				
Profew ample/copy Back Combination joining Sample/copy Back Black Blue None INTERLEAVING CARBONS Black Blue None "from "fight side Parts only None Narrow unpunched Marginally punched unprocessed Clean edge Clean edge PERFORATION TEARLINE. Horizontal tearline every " NUMBERING Number from from FillE PUNCHING Parts only Parts and carbons NUMBERING Number from FILE PUNCHING Parts only Parts and carbons Number from personplantion (splices not acceptable) None recuired Mimension(s) PACKING Pack per solutions (splices not acceptable) Send proofs and copy to - Unbroken strips (splices not acceptable) working days, from recipit to contractor's plant. ADDITIONAL INSTRUCTIONS –	MARG	SINS		Head	Foot	Left	Right	JOIN	IING	– Sets a	are to be j	oined in t	the 🗆 Le	eft 🔲 Right mar	gin(s) by	
Bellow Back Image: Sample/copy Back Image: Sample/copy Image: Sample/c	(Inche	es)	Face						Crin	nn	г	1 Firm	alue		ation inining	
Sampledopy INTERLAVING CARBONS Black Black <td></td> <td></td> <td>Back</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>-</td> <td></td> <td></td> <td></td> <td></td> <td></td>			Back							-						
Image:			CARBON	 S — ⊟ в	lack 🗆 E	lue □N	None	PFRF	OR/		-MAR	GINAI		" fram. □ Loft o	ido "	
□ Narrow unpunched □ Marginally punched unprocessed □ Clean edge Coverage: □ Full □ Carbon short* on left* on right □ PERFORATION - TEARLINE. Horizontal tearline every* □ Clean edge NUMBERING - Number from																
Coverage: Full Carbon short * on left * on right PERFORATION - TEARLINE. Horizontal tearline every * " MUMBERING - Number from FILE PUNCHING Parts only Parts and carbons Number Round Diam. Inches C. to C. LocationTo Center of Hole Number Number Round Diam. Inches C. to C. LocationTo Center of Hole Center holes in dimension(s) PACKING - Pack	🗆 Na	rrow unpund	ched	🗍 Ma	rginally punc	hed unproces	sed							, _		
PERFORM TWO - IEARUNE. Horizontal tearline every		· — -			• • •					-						
Number Round Diam. Inches C. to C. Location —To Center of Hole Land Land Land Land Land PACKING — Pack per shipping container. Center holes in dimension(s) PROOF REQUIRED	Covert	ige.					<u>-</u>				– TEARL	INE. H	lorizontal	tearline every _		
ACKING Pack	NUME	Bering —	Number f	rom				FILE	FILE PUNCHING Parts only Parts						and carbons	
PACKING - Pack per shipping container.								Num	ber	Round	Diam.	Inches (C. to C.	Location —To C	enter of Hole	
PACKING - Pack per shipping container.																
PACKING - Pack per shipping container.																
LEVEL B C Image: No	DACK				por ok	inning contai	iner							dimension(s)		
Unbroken strips (splices acceptable) working days, from receipt by Government to receipt in contractor's plant. Contractor must not print prior to receipt of an "OK to print." ADDITIONAL INSTRUCTIONS —	LEVEL		-		per si	iippilig contai	iner.					:	sets Se	end proofs and cop	v to —	
Unbroken strips (splices not acceptable) Bar Coding Pallets - type			•		•	able)										
Pallets - type (a) (b) an "OK to print." ADDITIONAL INSTRUCTIONS - SHIP TO SHIP TO SHIP T		_	•	• •					-		•					
ADDITIONAL INSTRUCTIONS —			0	⊢ (a) ⊢	Т (b)					•	rint prior	to receip	ot of			
See attached Distribution List FOR INFORMATION CONCERNING THESE SPECIFICATIONS CALL GPO FORM 1026A Date sent to contractor (R 11-86) P.57371-0 Departmental Authority (Signature and Title)	ADDI		•/		(8)					print.						
See attached Distribution List FOR INFORMATION CONCERNING THESE SPECIFICATIONS CALL GPO FORM 1026A Date sent to contractor (R 11-86) P.57371-0 Departmental Authority (Signature and Title)																
FOR INFORMATION CONCERNING THESE SPECIFICATIONS CALLByBy	SHIP	то														
FOR INFORMATION CONCERNING THESE SPECIFICATIONS CALLByBy																
FOR INFORMATION CONCERNING THESE SPECIFICATIONS CALLByBy																
FOR INFORMATION CONCERNING THESE SPECIFICATIONS CALLByBy																
FOR INFORMATION CONCERNING THESE SPECIFICATIONS CALLByBy																
FOR INFORMATION CONCERNING THESE SPECIFICATIONS CALLByBy		attached Dis	tribution Lis	st												
GPO FORM 1026A Date sent to contractor By						ATIONS CA	11									
(R 11-86) P.57371-0 Departmental Authority (Signature and Title)								Βv								
										-	Dep	artmental	Authority (S	Signature and Title)	USAPPC V2.0	