

Index of Section 1 Tables: Illicit Drug Use (1.1 to 1.92)

Illicit Drug Use Tables	Table Number	Standard Errors
Lifetime, past year, and past month illicit drug use, by selected age categories and gender	1.1 to 1.10	SE
Selected illicit drugs, by detailed age categories	1.11 to 1.18	SE
Selected illicit drugs, by demographic characteristics	1.19 to 1.58	
Illicit drugs	1.19 to 1.23	SE
Marijuana	1.24 to 1.28	SE
Cocaine	1.29 to 1.33	SE
Crack	1.34 to 1.38	SE
Hallucinogens	1.39 to 1.43	SE
Inhalants	1.44 to 1.48	SE
Nonmedical use of prescription-type psychotherapeutics	1.49 to 1.53	SE
Nonmedical use of pain relievers	1.54 to 1.58	SE
Selected illicit drugs, by geographic characteristics	1.59 to 1.87	
Illicit drugs	1.59 to 1.63	SE
Marijuana	1.64 to 1.68	SE
Cocaine	1.69 to 1.73	SE
Crack	1.74	SE
Hallucinogens	1.75	SE
Inhalants	1.76 to 1.77	SE
Nonmedical use of prescription-type psychotherapeutics	1.78 to 1.82	SE
Nonmedical use of pain relievers	1.83 to 1.87	SE
Specific hallucinogen, inhalant, needle, heroin, pain reliever, tranquilizer, stimulant, and sedative use, by age categories	1.88 to 1.92	SE

Index of Section 2 Tables: Tobacco Product and Alcohol Use (2.1 to 2.84)

Tobacco Product and Alcohol Use Tables	Table Number	Standard Errors
Lifetime, past year, and past month tobacco product and alcohol use, by selected age categories and gender	2.1 to 2.10	SE
Selected tobacco product and alcohol use, by detailed age categories	2.11 to 2.16	SE
Selected tobacco product and alcohol use, by demographic characteristics	2.17 to 2.46	
Tobacco products	2.17 to 2.21	SE
Cigarettes	2.22 to 2.26	SE
Smokeless tobacco	2.27 to 2.31	SE
Cigars	2.32 to 2.36	SE
Alcohol	2.37 to 2.46	SE
Selected tobacco product and alcohol use, by geographic characteristics	2.47 to 2.76	
Tobacco products	2.47 to 2.51	SE
Cigarettes	2.52 to 2.56	SE
Smokeless tobacco	2.57 to 2.61	SE
Cigars	2.62 to 2.66	SE
Alcohol	2.67 to 2.76	SE
Alcohol use, by underage and legal drinkers	2.77 to 2.84	SE

Index of Section 3 Tables: Risk and Protective Factors (3.1 to 3.24)

Risk and Protective Factor Tables	Table Number	Standard Errors
Perceived risk and availability of substances	3.1 to 3.5	
Perceived risk and availability by selected age categories	3.1	SE
Perceived risk by demographic and geographic characteristics	3.2 to 3.4	SE
Perceived availability by demographic and geographic characteristics	3.5	SE
Risk and protective factors, by demographic and geographic characteristics	3.6 to 3.18	
Disapproval of substance use behavior	3.6 to 3.8	SE
Prevention programs/messages	3.9 to 3.10	SE
Delinquent behavior	3.11 to 3.12	SE
Selected youth behavior	3.13	SE
Religious beliefs	3.14	SE
Parental involvement in specific behaviors	3.15	SE
Student characteristics	3.16	SE
Parental involvement in specific school-related behaviors	3.17	SE
Substance use of students in grade level	3.18	SE
Past month substance use, by risk and protective factors	3.19 to 3.24	
Perceived risk and perceived availability of substances	3.19	SE
Disapproval of substance use behavior	3.20 to 3.21	SE
Prevention programs/messages and delinquent behavior	3.22	SE
Selected youth behavior, religious beliefs, and parental involvement in specific behaviors	3.23	SE
Student characteristics, parental involvement in specific school-related behaviors, and substance use of students in grade level	3.24	SE

Index of Section 4 Tables: Incidence (4.1 to 4.16)

Incidence Tables	Table Number	Standard Errors
Past year initiate tables	4.1 to 4.16	
Selected substances, by selected age categories and gender	4.1 to 4.4	SE
Initiation, by selected age categories	4.5 to 4.8	SE
Initiation, by gender	4.9	SE
Initiation, by age at first substance use and gender	4.10 to 4.11	SE
Initiation among persons aged 12 to 49, by gender	4.12	SE
Mean age at first substance use, by gender	4.13	SE
Mean age at first substance use, by age at first substance use and gender	4.14 to 4.15	SE
Mean age at first substance use among persons aged 12 to 49, by gender	4.16	SE

Index of Section 5 Tables: Dependence, Abuse, and Treatment (5.1 to 5.56)

Dependence, Abuse, and Treatment Tables	Table Number	Standard Errors
Substance dependence or abuse	5.1 to 5.13	SE
Substance dependence	5.14	SE
Received substance use treatment	5.15 to 5.26	
Treatment, by demographic or geographic characteristics	5.15 to 5.21	SE
Specific substance for last or current treatment	5.22	SE
Location of treatment	5.23 to 5.25	SE
Treatment, by dependence and/or abuse	5.26	SE
Received substance use treatment at specialty facility	5.27 to 5.42	
Treatment, by demographic or geographic characteristics	5.27 to 5.33	SE
Specific substance for last or current treatment	5.34	SE
Source of payment for last or current treatment	5.35 to 5.37	SE
Location of treatment	5.38 to 5.40	SE
Treatment, by dependence and/or abuse	5.41 to 5.42	SE
Needed and received treatment or perceived need for treatment	5.43 to 5.53	
Illicit drug	5.43 to 5.47	SE
Alcohol	5.48 to 5.50	SE
Illicit drug or alcohol	5.51 to 5.53	SE
Reasons for not receiving substance use treatment	5.54 to 5.56	SE

Index of Section 6 Tables: Mental Health (6.1 to 6.41)

Mental Health Tables	Table Number	Standard Errors
Serious psychological distress (SPD)	6.1 to 6.11	
SPD, by demographic characteristics	6.1 to 6.2	SE
Substance use, by SPD	6.3 to 6.4	SE
Substance dependence or abuse, by SPD	6.5 to 6.7	SE
Received mental health treatment/counseling, by SPD	6.8	SE
Specific types of mental health treatment/counseling	6.9	SE
Location of outpatient mental health treatment/counseling	6.10	SE
Mental health treatment/substance use treatment at a specialty facility/SPD/dependence or abuse	6.11	SE
Adult mental health treatment/counseling	6.12 to 6.19	
Specific types of treatment	6.12 to 6.13	SE
Substance dependence or abuse, by receipt of treatment	6.14	SE
Location of outpatient treatment	6.15	SE
Source of payment for outpatient treatment	6.16	SE
Unmet need for treatment, by receipt of treatment	6.17 to 6.18	SE
Reasons for not receiving treatment, by receipt of treatment	6.19	SE
Adolescent mental health treatment/counseling	6.20 to 6.26	
Received mental health treatment	6.20 to 6.21	SE
Source of mental health treatment	6.22	SE
Reasons for receiving treatment	6.23	SE
Substance use, by receipt of treatment	6.24 to 6.25	SE
Substance dependence or abuse, by receipt of treatment	6.26	SE
Major depressive episode (MDE)	6.27 to 6.41	
MDE and receipt of treatment for depression	6.27 to 6.33	SE
Substance use, by MDE	6.34 to 6.35	SE
Substance dependence or abuse, by MDE	6.36 to 6.37	SE
Type of professional seen	6.38 to 6.39	SE
Type of treatment received for depression	6.40 to 6.41	SE

Index of Section 7 Tables: Miscellaneous (7.1 to 7.93)

Miscellaneous Tables	Table Number	Standard Errors
Frequency of use	7.1 to 7.6	SE
Illicit drugs, by cigarette use	7.7 to 7.10	SE
Illicit drugs, by alcohol use	7.11 to 7.14	SE
Illicit drugs, by cigarette and alcohol use	7.15 to 7.19	SE
Tobacco product and alcohol, by cigarette use	7.20 to 7.23	SE
Tobacco product, by alcohol use	7.24 to 7.27	SE
Prior year and past year marijuana use status	7.28	SE
Nicotine (cigarette) dependence	7.29 to 7.33	SE
Substance dependence or abuse, by age of first use and demographic characteristics	7.34 to 7.39	SE
Obtaining marijuana	7.40 to 7.42	SE
Source for most recent nonmedical drug use (pain relievers, tranquilizers, stimulants, and sedatives)	7.43 to 7.50	SE
Pregnancy	7.51 to 7.58	SE
College enrollment	7.59 to 7.70	SE
Driving under the influence	7.71 to 7.74	SE
Probation	7.75 to 7.79	SE
Parole/supervised release	7.80 to 7.84	SE
Healthy people 2010	7.85 to 7.91	SE
Source for most recent nonmedical methamphetamine use ¹	7.92 to 7.93	SE

¹ The 2005 estimates in these tables may differ from and are not comparable with estimates presented in prior NSDUH reports. In 2006, estimates on the source of methamphetamine are based on responses to questions from respondents who reported methamphetamine use in the core Stimulants module and from respondents who reported methamphetamine use in the noncore Special Drugs module and initially did not report methamphetamine use in the core module because they did not consider it to be a prescription drug. For 2005, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with the 2006 estimates. See Section B.4.6 in Appendix B of the *Results from the 2006 National Survey on Drug Use and Health: National Findings*.

Index of Section 8 Tables: Trend (8.1 to 8.46)

Trend Tables	Table Number	Standard Errors
Substance use	8.1 to 8.27	
Lifetime, past year, and past month illicit drug use, by selected age categories and gender	8.1 to 8.21	SE
Past month tobacco product and alcohol use, by selected age categories and gender	8.22 to 8.26	SE
Lifetime, past year, and past month alcohol use, by underage drinkers and gender	8.27	SE
Perceived risk and availability of substances	8.28	SE
Past year initiation of substance use	8.29	SE
Substance dependence or abuse	8.30 to 8.31	
Dependence or abuse	8.30	SE
Dependence	8.31	SE
Substance treatment	8.32 to 8.33	
Received treatment at any location or at a specialty facility	8.32	SE
Needed and received treatment at a specialty facility	8.33	SE
Mental Health	8.34 to 8.36	
Serious psychological distress (SPD) ¹	8.34	SE
Received treatment/counseling and had a major depressive episode (MDE) ^{2,3}	8.35 to 8.36	SE
Past year and frequency of stimulant use	8.37	SE
1971-2006 past month marijuana and past year cocaine use	8.38 to 8.39	SE
Nonmedical use of methamphetamine	8.40 to 8.46	
Lifetime, past year, and past month methamphetamine use, by demographic and geographic characteristics ⁴	8.40 to 8.45	SE
Past year initiation and mean age of methamphetamine use	8.46	SE

NOTE: Estimates for 2002-2006 are presented in these tables except in select cases where data is not available for each of these years.

¹ Estimates for 2004 in this table are based on a subsample of respondents aged 18 or older. See Sections B.4.4 in Appendix B of the *Results from the 2006 National Survey on Drug Use and Health: National Findings*.

² Due to revised editing of 2003 and 2004 outpatient adult mental health treatment/counseling data, the received adult mental health treatment/counseling estimates found in table 8.35 differ slightly from 2003 estimates published in prior NSDUH reports. See Section B.5.2 in Appendix B of the *Results from the 2004 National Survey on Drug Use and Health: National Findings*.

³ Estimates for MDE for 2004 in table 8.35 are based on a subsample of respondents aged 18 or older, while 2005 and 2006 estimates are based on all respondents aged 18 or older. See Section B.4.5 in Appendix B of the *Results from the 2006 National Survey on Drug Use and Health: National Finding*.

⁴ The 2002 through 2005 estimates in these tables may differ from and are not comparable with estimates presented in prior NSDUH reports. In 2006, estimates of lifetime, past year, and past month methamphetamine use are based on responses to questions in the core Stimulants module, as well as additional questions in the noncore Special Drugs module for respondents who initially did not report methamphetamine use in the core module because they did not consider it to be a prescription drug. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with the 2006 estimates. See Section B.4.6 in Appendix B of the *Results from the 2006 National Survey on Drug Use and Health: National Findings*.

Index of Section 9 Tables: Sample Size and Population Estimates (9.1 to 9.13)

Sample Size and Population Tables	Table Number	Standard Errors
Demographic characteristics	9.1 to 9.5	SE
Geographic characteristics	9.6 to 9.9	SE
Pregnancy	9.10	SE
College enrollment	9.11	SE
Probation	9.12	SE
Parole/supervised release	9.13	SE