

Table 3.58A Parents Always or Sometimes Checked Whether Youths' Homework Was Done in the Past Year, by Demographic Characteristics (I), and Selected Drug Use, by How Often Parents Checked Whether Youths' Homework Was Done (II) among Persons Aged 12 to 17 Enrolled in School in the Past Year: Numbers in Thousands, 2002

(I) Demographic Characteristic	Parents Checked Whether Youths' Homework Was Done ¹		(II) Drug Use	Parents Checked Whether Youths' Homework Was Done ¹	
	Always/Sometimes			Always/Sometimes	Seldom/Never
TOTAL	17,553		PAST MONTH		
AGE			Any Illicit Drug ²	1,649	971
12-13	6,376		Marijuana	1,153	736
14-15	6,147		Any Illicit Drug Other Than Marijuana ²	783	478
16-17	5,030		Cigarettes	1,818	1,113
GENDER			Alcohol	2,617	1,457
Male	9,262		Binge Alcohol ³	1,508	923
Female	8,291		PAST YEAR		
HISPANIC ORIGIN AND RACE			Any Illicit Drug ²	3,309	1,749
Not Hispanic or Latino	14,924		Marijuana	2,315	1,349
White	11,372		Any Illicit Drug Other Than Marijuana ²	1,946	1,098
Black or African American	2,415		Cigarettes	3,007	1,622
American Indian or Alaska Native	*		Alcohol	5,428	2,580
Native Hawaiian or Other Pacific Islander	*		LIFETIME		
Asian	674		Any Illicit Drug ²	4,706	2,261
Two or More Races	276		Marijuana	3,064	1,693
Hispanic or Latino	2,630		Any Illicit Drug Other Than Marijuana ²	3,194	1,593
COUNTY TYPE			Cigarettes	5,174	2,396
Large Metro	8,824		Alcohol	6,912	3,049
Small Metro	5,198				
Nonmetro	3,531				

*Low precision; no estimate reported.

NOTE: Youths who did not report their school enrollment status or reported not being enrolled in school in the past 12 months were excluded from this analysis. Youths reporting that they were "home-schooled" in the past 12 months were considered to be enrolled in school.

¹ Respondents with missing data were excluded.

² Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

Table 3.58B Parents Always or Sometimes Checked Whether Youths' Homework Was Done in the Past Year, by Demographic Characteristics (I), and Selected Drug Use, by How Often Parents Checked Whether Youths' Homework Was Done (II) among Persons Aged 12 to 17 Enrolled in School in the Past Year: Percentages, 2002

(I) Demographic Characteristic	Parents Checked Whether Youths' Homework Was Done ¹	(II) Drug Use	Parents Checked Whether Youths' Homework Was Done ¹	
	Always/Sometimes		Always/Sometimes	Seldom/Never
TOTAL	78.4	PAST MONTH		
AGE		Any Illicit Drug ²	9.4	20.1
12-13	89.0	Marijuana	6.6	15.3
14-15	78.8	Any Illicit Drug Other Than Marijuana ²	4.5	9.9
16-17	67.9	Cigarettes	10.4	23.1
GENDER		Alcohol	14.9	30.2
Male	81.0	Binge Alcohol ³	8.6	19.1
Female	75.8	PAST YEAR		
HISPANIC ORIGIN AND RACE		Any Illicit Drug ²	18.9	36.2
Not Hispanic or Latino	78.4	Marijuana	13.2	28.0
White	78.1	Any Illicit Drug Other Than Marijuana ²	11.1	22.8
Black or African American	80.0	Cigarettes	17.1	33.6
American Indian or Alaska Native	*	Alcohol	30.9	53.5
Native Hawaiian or Other Pacific Islander	*	LIFETIME		
Asian	77.4	Any Illicit Drug ²	26.8	46.9
Two or More Races	76.8	Marijuana	17.5	35.1
Hispanic or Latino	78.7	Any Illicit Drug Other Than Marijuana ²	18.2	33.0
COUNTY TYPE		Cigarettes	29.5	49.7
Large Metro	78.7	Alcohol	39.4	63.2
Small Metro	77.7			
Nonmetro	79.0			

*Low precision; no estimate reported.

NOTE: Youths who did not report their school enrollment status or reported not being enrolled in school in the past 12 months were excluded from this analysis. Youths reporting that they were "home-schooled" in the past 12 months were considered to be enrolled in school.

¹ Respondents with missing data were excluded.

² Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

Table 3.59A Parents Always or Sometimes Provided Help with Youths' Homework in the Past Year, by Demographic Characteristics (I), and Selected Drug Use, by How Often Parents Provided Help with Youths' Homework (II) among Persons Aged 12 to 17 Enrolled in School in the Past Year: Numbers in Thousands, 2002

(I) Demographic Characteristic	Parents Provided Help with Youths' Homework ¹	(II) Drug Use	Parents Provided Help with Youths' Homework ¹	
	Always/Sometimes		Always/Sometimes	Seldom/Never
TOTAL	18,204	PAST MONTH		
AGE		Any Illicit Drug ²	1,802	814
12-13	6,549	Marijuana	1,259	628
14-15	6,295	Any Illicit Drug Other Than Marijuana ²	887	373
16-17	5,360	Cigarettes	2,009	921
GENDER		Alcohol	2,876	1,195
Male	9,370	Binge Alcohol ³	1,681	745
Female	8,834	PAST YEAR		
HISPANIC ORIGIN AND RACE		Any Illicit Drug ²	3,593	1,458
Not Hispanic or Latino	15,738	Marijuana	2,509	1,151
White	12,229	Any Illicit Drug Other Than Marijuana ²	2,167	871
Black or African American	2,422	Cigarettes	3,289	1,335
American Indian or Alaska Native	122	Alcohol	5,807	2,188
Native Hawaiian or Other Pacific Islander	*	LIFETIME		
Asian	633	Any Illicit Drug ²	5,002	1,954
Two or More Races	287	Marijuana	3,298	1,451
Hispanic or Latino	2,466	Any Illicit Drug Other Than Marijuana ²	3,412	1,368
COUNTY TYPE		Cigarettes	5,518	2,042
Large Metro	9,082	Alcohol	7,309	2,638
Small Metro	5,411			
Nonmetro	3,711			

*Low precision; no estimate reported.

NOTE: Youths who did not report their school enrollment status or reported not being enrolled in school in the past 12 months were excluded from this analysis. Youths reporting that they were "home-schooled" in the past 12 months were considered to be enrolled in school.

¹ Respondents with missing data were excluded.

² Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

Table 3.59B Parents Always or Sometimes Provided Help with Youths' Homework in the Past Year, by Demographic Characteristics (I), and Selected Drug Use, by How Often Parents Provided Help with Youths' Homework (II) among Persons Aged 12 to 17 Enrolled in School in the Past Year: Percentages, 2002

(I) Demographic Characteristic	Parents Provided Help with Youths' Homework ¹	(II) Drug Use	Parents Provided Help with Youths' Homework ¹	
	Always/Sometimes		Always/Sometimes	Seldom/Never
TOTAL	81.4	PAST MONTH		
AGE		Any Illicit Drug ²	9.9	19.6
12-13	91.3	Marijuana	6.9	15.2
14-15	80.8	Any Illicit Drug Other Than Marijuana ²	4.9	9.0
16-17	72.5	Cigarettes	11.0	22.2
GENDER		Alcohol	15.8	28.8
Male	82.1	Binge Alcohol ³	9.2	18.0
Female	80.8	PAST YEAR		
HISPANIC ORIGIN AND RACE		Any Illicit Drug ²	19.7	35.2
Not Hispanic or Latino	82.8	Marijuana	13.8	27.7
White	84.1	Any Illicit Drug Other Than Marijuana ²	11.9	21.0
Black or African American	80.2	Cigarettes	18.1	32.2
American Indian or Alaska Native	77.9	Alcohol	31.9	52.7
Native Hawaiian or Other Pacific Islander	*	LIFETIME		
Asian	73.3	Any Illicit Drug ²	27.5	47.1
Two or More Races	79.6	Marijuana	18.1	35.0
Hispanic or Latino	73.9	Any Illicit Drug Other Than Marijuana ²	18.7	33.0
COUNTY TYPE		Cigarettes	30.3	49.2
Large Metro	81.1	Alcohol	40.2	63.6
Small Metro	80.9			
Nonmetro	83.1			

*Low precision; no estimate reported.

NOTE: Youths who did not report their school enrollment status or reported not being enrolled in school in the past 12 months were excluded from this analysis. Youths reporting that they were "home-schooled" in the past 12 months were considered to be enrolled in school.

¹ Respondents with missing data were excluded.

² Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

Table 3.60A Parents Always or Sometimes Limited the Amount of Time Youths Spent Out with Friends on School Nights in the Past Year, by Demographic Characteristics (I), and Selected Drug Use, by How Often Parents Limited the Amount of Time Youths Spent Out with Friends on School Nights in the Past Year (II) among Persons Aged 12 to 17 Enrolled in School in the Past Year: Numbers in Thousands, 2002

(I) Demographic Characteristic	Parents Limited Amount of Time Youths Spent Out With Friends on School Nights ¹	(II) Drug Use	Parents Limited Amount of Time Youths Spent Out With Friends on School Nights ¹	
	Always/Sometimes		Always/Sometimes	Seldom/Never
TOTAL	15,731	PAST MONTH		
AGE		Any Illicit Drug ²	1,647	976
12-13	5,295	Marijuana	1,163	730
14-15	5,581	Any Illicit Drug Other Than Marijuana ²	788	474
16-17	4,855	Cigarettes	1,897	1,034
GENDER		Alcohol	2,560	1,513
Male	7,860	Binge Alcohol ³	1,489	944
Female	7,871	PAST YEAR		
HISPANIC ORIGIN AND RACE		Any Illicit Drug ²	3,320	1,730
Not Hispanic or Latino	13,334	Marijuana	2,366	1,296
White	10,133	Any Illicit Drug Other Than Marijuana ²	1,963	1,077
Black or African American	2,163	Cigarettes	3,045	1,578
American Indian or Alaska Native	105	Alcohol	5,316	2,675
Native Hawaiian or Other Pacific Islander	*	LIFETIME		
Asian	626	Any Illicit Drug ²	4,573	2,377
Two or More Races	261	Marijuana	3,088	1,665
Hispanic or Latino	2,397	Any Illicit Drug Other Than Marijuana ²	3,081	1,688
COUNTY TYPE		Cigarettes	5,073	2,475
Large Metro	7,857	Alcohol	6,637	3,301
Small Metro	4,749			
Nonmetro	3,125			

*Low precision; no estimate reported.

NOTE: Youths who did not report their school enrollment status or reported not being enrolled in school in the past 12 months were excluded from this analysis. Youths reporting that they were "home-schooled" in the past 12 months were considered to be enrolled in school.

¹ Respondents with missing data were excluded.

² Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

Table 3.60B Parents Always or Sometimes Limited the Amount of Time Youths Spent Out with Friends on School Nights in the Past Year, by Demographic Characteristics (I), and Selected Drug Use, by How Often Parents Limited the Amount of Time Youths Spent Out with Friends on School Nights in the Past Year (II) among Persons Aged 12 to 17 Enrolled in School in the Past Year: Percentages, 2002

(I) Demographic Characteristic	Parents Limited Amount of Time Youths Spent Out With Friends on School Nights ¹	(II) Drug Use	Parents Limited Amount of Time Youths Spent Out With Friends on School Nights ¹	
	Always/Sometimes		Always/Sometimes	Seldom/Never
TOTAL	70.7	PAST MONTH		
AGE		Any Illicit Drug ²	10.5	15.0
12-13	74.9	Marijuana	7.4	11.2
14-15	71.8	Any Illicit Drug Other Than Marijuana ²	5.0	7.3
16-17	65.6	Cigarettes	12.1	15.9
GENDER		Alcohol	16.3	23.2
Male	69.3	Binge Alcohol ³	9.5	14.5
Female	72.3	PAST YEAR		
HISPANIC ORIGIN AND RACE		Any Illicit Drug ²	21.1	26.6
Not Hispanic or Latino	70.5	Marijuana	15.0	19.9
White	70.0	Any Illicit Drug Other Than Marijuana ²	12.5	16.5
Black or African American	72.1	Cigarettes	19.4	24.2
American Indian or Alaska Native	67.7	Alcohol	33.8	41.1
Native Hawaiian or Other Pacific Islander	*	LIFETIME		
Asian	72.2	Any Illicit Drug ²	29.1	36.5
Two or More Races	72.7	Marijuana	19.6	25.6
Hispanic or Latino	72.3	Any Illicit Drug Other Than Marijuana ²	19.6	25.9
COUNTY TYPE		Cigarettes	32.2	38.0
Large Metro	70.4	Alcohol	42.2	50.7
Small Metro	71.4			
Nonmetro	70.5			

*Low precision; no estimate reported.

NOTE: Youths who did not report their school enrollment status or reported not being enrolled in school in the past 12 months were excluded from this analysis. Youths reporting that they were "home-schooled" in the past 12 months were considered to be enrolled in school.

¹ Respondents with missing data were excluded.

² Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

Table 3.61A Parents Always or Sometimes Made Youths Do Chores Around the House in the Past Year, by Demographic Characteristics (I), and Selected Drug Use, by How Often Parents Made Youths Do Chores Around the House (II) among Persons Aged 12 to 17: Numbers in Thousands, 2002

(I) Demographic Characteristic	Parents Made Youths Do Chores Around the House ¹	(II) Drug Use	Parents Made Youths Do Chores Around the House ¹	
	Always/Sometimes		Always/Sometimes	Seldom/Never
TOTAL	21,561	PAST MONTH		
AGE		Any Illicit Drug ²	2,418	450
12-13	7,316	Marijuana	1,697	321
14-15	7,465	Any Illicit Drug Other Than Marijuana ²	1,187	228
16-17	6,780	Cigarettes	2,694	509
GENDER		Alcohol	3,668	682
Male	10,999	Binge Alcohol ³	2,174	463
Female	10,562	PAST YEAR		
HISPANIC ORIGIN AND RACE		Any Illicit Drug ²	4,683	796
Not Hispanic or Latino	18,259	Marijuana	3,313	584
White	13,572	Any Illicit Drug Other Than Marijuana ²	2,815	511
Black or African American	3,287	Cigarettes	4,265	765
American Indian or Alaska Native	160	Alcohol	7,299	1,244
Native Hawaiian or Other Pacific Islander	*	LIFETIME		
Asian	820	Any Illicit Drug ²	6,492	1,122
Two or More Races	345	Marijuana	4,349	741
Hispanic or Latino	3,302	Any Illicit Drug Other Than Marijuana ²	4,448	816
COUNTY TYPE		Cigarettes	7,036	1,186
Large Metro	10,717	Alcohol	9,182	1,541
Small Metro	6,473			
Nonmetro	4,371			

*Low precision; no estimate reported.

¹ Respondents with missing data were excluded.

² Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

Table 3.61B Parents Always or Sometimes Made Youths Do Chores Around the House in the Past Year, by Demographic Characteristics (I), and Selected Drug Use, by How Often Parents Made Youths Do Chores Around the House (II) among Persons Aged 12 to 17: Percentages, 2002

(I) Demographic Characteristic	Parents Made Youths Do Chores Around the House ¹	(II) Drug Use	Parents Made Youths Do Chores Around the House ¹	
	Always/Sometimes		Always/Sometimes	Seldom/Never
TOTAL	87.4	PAST MONTH		
AGE		Any Illicit Drug ²	11.2	14.4
12-13	88.6	Marijuana	7.9	10.3
14-15	88.4	Any Illicit Drug Other Than Marijuana ²	5.5	7.3
16-17	85.0	Cigarettes	12.5	16.3
GENDER		Alcohol	17.0	21.9
Male	87.3	Binge Alcohol ³	10.1	14.9
Female	87.5	PAST YEAR		
HISPANIC ORIGIN AND RACE		Any Illicit Drug ²	21.7	25.5
Not Hispanic or Latino	87.9	Marijuana	15.4	18.7
White	87.6	Any Illicit Drug Other Than Marijuana ²	13.1	16.4
Black or African American	91.2	Cigarettes	19.8	24.5
American Indian or Alaska Native	85.0	Alcohol	33.9	39.9
Native Hawaiian or Other Pacific Islander	*	LIFETIME		
Asian	81.3	Any Illicit Drug ²	30.1	36.0
Two or More Races	88.3	Marijuana	20.2	23.8
Hispanic or Latino	84.3	Any Illicit Drug Other Than Marijuana ²	20.6	26.2
COUNTY TYPE		Cigarettes	32.6	38.0
Large Metro	86.6	Alcohol	42.6	49.4
Small Metro	88.0			
Nonmetro	88.4			

*Low precision; no estimate reported.

¹ Respondents with missing data were excluded.

² Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

Table 3.62A Parents Always or Sometimes Limited the Amount of Time Youths Watched TV in the Past Year, by Demographic Characteristics (I), and Selected Drug Use, by How Often Parents Limited the Amount of Time Youths Watched TV (II) among Persons Aged 12 to 17: Numbers in Thousands, 2002

(I) Demographic Characteristic	Parents Limited Amount of Time Youths Watched TV ¹	(II) Drug Use	Parents Limited Amount of Time Youths Watched TV ¹	
	Always/Sometimes		Always/Sometimes	Seldom/Never
TOTAL	9,089	PAST MONTH		
AGE		Any Illicit Drug ²	644	2,220
12-13	4,002	Marijuana	380	1,632
14-15	2,983	Any Illicit Drug Other Than Marijuana ²	361	1,056
16-17	2,104	Cigarettes	647	2,549
GENDER		Alcohol	921	3,423
Male	4,638	Binge Alcohol ³	518	2,117
Female	4,451	PAST YEAR		
HISPANIC ORIGIN AND RACE		Any Illicit Drug ²	1,322	4,144
Not Hispanic or Latino	7,510	Marijuana	772	3,118
White	5,379	Any Illicit Drug Other Than Marijuana ²	860	2,457
Black or African American	1,383	Cigarettes	1,168	3,853
American Indian or Alaska Native	76	Alcohol	2,075	6,458
Native Hawaiian or Other Pacific Islander	*	LIFETIME		
Asian	506	Any Illicit Drug ²	1,924	5,674
Two or More Races	129	Marijuana	1,038	4,045
Hispanic or Latino	1,579	Any Illicit Drug Other Than Marijuana ²	1,404	3,850
COUNTY TYPE		Cigarettes	2,006	6,200
Large Metro	4,798	Alcohol	2,758	7,950
Small Metro	2,599			
Nonmetro	1,692			

*Low precision; no estimate reported.

¹ Respondents with missing data were excluded.

² Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

Table 3.62B Parents Always or Sometimes Limited the Amount of Time Youths Watched TV in the Past Year, by Demographic Characteristics (I), and Selected Drug Use, by How Often Parents Limited the Amount of Time Youths Watched TV (II) among Persons Aged 12 to 17: Percentages, 2002

(I) Demographic Characteristic	Parents Limited Amount of Time Youths Watched TV ¹	(II) Drug Use	Parents Limited Amount of Time Youths Watched TV ¹	
	Always/Sometimes		Always/Sometimes	Seldom/Never
TOTAL	36.9	PAST MONTH		
AGE		Any Illicit Drug ²	7.1	14.3
12-13	48.6	Marijuana	4.2	10.5
14-15	35.3	Any Illicit Drug Other Than Marijuana ²	4.0	6.8
16-17	26.4	Cigarettes	7.1	16.4
GENDER		Alcohol	10.1	22.0
Male	36.9	Binge Alcohol ³	5.7	13.6
Female	36.9	PAST YEAR		
HISPANIC ORIGIN AND RACE		Any Illicit Drug ²	14.5	26.7
Not Hispanic or Latino	36.2	Marijuana	8.5	20.1
White	34.8	Any Illicit Drug Other Than Marijuana ²	9.5	15.8
Black or African American	38.5	Cigarettes	12.9	24.8
American Indian or Alaska Native	40.1	Alcohol	22.8	41.6
Native Hawaiian or Other Pacific Islander	*	LIFETIME		
Asian	50.0	Any Illicit Drug ²	21.2	36.5
Two or More Races	33.2	Marijuana	11.4	26.0
Hispanic or Latino	40.4	Any Illicit Drug Other Than Marijuana ²	15.4	24.8
COUNTY TYPE		Cigarettes	22.1	39.9
Large Metro	38.8	Alcohol	30.3	51.1
Small Metro	35.4			
Nonmetro	34.3			

*Low precision; no estimate reported.

¹ Respondents with missing data were excluded.

² Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

Table 3.63A Parents Always or Sometimes Let Youths Know in the Past Year They Had Done a Good Job, by Demographic Characteristics (I), and Selected Drug Use, by How Often Parents Let Youths Know They Had Done a Good Job (II) among Persons Aged 12 to 17: Numbers in Thousands, 2002

(I) Demographic Characteristic	Parents Let Youths Know Youths Had Done a Good Job ¹	(II) Drug Use	Parents Let Youths Know Youths Had Done a Good Job ¹	
	Always/Sometimes		Always/Sometimes	Seldom/Never
TOTAL	21,175	PAST MONTH		
AGE		Any Illicit Drug ²	2,170	702
12-13	7,454	Marijuana	1,535	485
14-15	7,178	Any Illicit Drug Other Than Marijuana ²	1,057	362
16-17	6,542	Cigarettes	2,455	743
GENDER		Alcohol	3,396	959
Male	11,003	Binge Alcohol ³	2,059	578
Female	10,171	PAST YEAR		
HISPANIC ORIGIN AND RACE		Any Illicit Drug ²	4,291	1,184
Not Hispanic or Latino	17,945	Marijuana	3,019	874
White	13,574	Any Illicit Drug Other Than Marijuana ²	2,554	773
Black or African American	3,008	Cigarettes	3,918	1,106
American Indian or Alaska Native	163	Alcohol	6,871	1,671
Native Hawaiian or Other Pacific Islander	*	LIFETIME		
Asian	803	Any Illicit Drug ²	6,010	1,604
Two or More Races	332	Marijuana	3,963	1,124
Hispanic or Latino	3,230	Any Illicit Drug Other Than Marijuana ²	4,088	1,176
COUNTY TYPE		Cigarettes	6,584	1,634
Large Metro	10,577	Alcohol	8,628	2,093
Small Metro	6,299			
Nonmetro	4,299			

*Low precision; no estimate reported.

¹ Respondents with missing data were excluded.

² Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

Table 3.63B Parents Always or Sometimes Let Youths Know in the Past Year They Had Done a Good Job, by Demographic Characteristics (I), and Selected Drug Use, by How Often Parents Let Youths Know They Had Done a Good Job (II) among Persons Aged 12 to 17: Percentages, 2002

(I) Demographic Characteristic	Parents Let Youths Know Youths Had Done a Good Job ¹	(II) Drug Use	Parents Let Youths Know Youths Had Done a Good Job ¹	
	Always/Sometimes		Always/Sometimes	Seldom/Never
TOTAL	85.8	PAST MONTH		
AGE		Any Illicit Drug ²	10.2	20.0
12-13	90.3	Marijuana	7.2	13.8
14-15	85.0	Any Illicit Drug Other Than Marijuana ²	5.0	10.3
16-17	81.9	Cigarettes	11.6	21.1
GENDER		Alcohol	16.0	27.3
Male	87.2	Binge Alcohol ³	9.7	16.4
Female	84.3	PAST YEAR		
HISPANIC ORIGIN AND RACE		Any Illicit Drug ²	20.3	33.7
Not Hispanic or Latino	86.4	Marijuana	14.3	24.9
White	87.6	Any Illicit Drug Other Than Marijuana ²	12.1	22.0
Black or African American	83.4	Cigarettes	18.5	31.5
American Indian or Alaska Native	86.4	Alcohol	32.4	47.5
Native Hawaiian or Other Pacific Islander	*	LIFETIME		
Asian	79.4	Any Illicit Drug ²	28.4	45.6
Two or More Races	84.7	Marijuana	18.7	32.0
Hispanic or Latino	82.4	Any Illicit Drug Other Than Marijuana ²	19.3	33.5
COUNTY TYPE		Cigarettes	31.1	46.5
Large Metro	85.3	Alcohol	40.7	59.5
Small Metro	85.7			
Nonmetro	87.0			

*Low precision; no estimate reported.

¹ Respondents with missing data were excluded.

² Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

Table 3.64A Parents Always or Sometimes Told Youths in the Past Year They Were Proud of Something Youths Had Done, by Demographic Characteristics (I), and Selected Drug Use, by How Often Parents Said They Were Proud of Something Youths Had Done (II) among Persons Aged 12 to 17: Numbers in Thousands, 2002

(I) Demographic Characteristic	Parents Told Youths They Were Proud of Something Youths Had Done ¹	(II) Drug Use	Parents Told Youths They Were Proud of Something Youths Had Done ¹	
	Always/Sometimes		Always/Sometimes	Seldom/Never
TOTAL	21,012	PAST MONTH		
AGE		Any Illicit Drug ²	2,144	727
12-13	7,468	Marijuana	1,520	497
14-15	7,081	Any Illicit Drug Other Than Marijuana ²	1,049	370
16-17	6,463	Cigarettes	2,434	767
GENDER		Alcohol	3,394	961
Male	10,930	Binge Alcohol ³	2,031	605
Female	10,082	PAST YEAR		
HISPANIC ORIGIN AND RACE		Any Illicit Drug ²	4,214	1,267
Not Hispanic or Latino	17,759	Marijuana	2,973	923
White	13,410	Any Illicit Drug Other Than Marijuana ²	2,517	812
Black or African American	3,004	Cigarettes	3,862	1,166
American Indian or Alaska Native	167	Alcohol	6,784	1,760
Native Hawaiian or Other Pacific Islander	*	LIFETIME		
Asian	787	Any Illicit Drug ²	5,928	1,688
Two or More Races	327	Marijuana	3,905	1,185
Hispanic or Latino	3,253	Any Illicit Drug Other Than Marijuana ²	4,050	1,217
COUNTY TYPE		Cigarettes	6,459	1,763
Large Metro	10,484	Alcohol	8,572	2,152
Small Metro	6,269			
Nonmetro	4,259			

*Low precision; no estimate reported.

¹ Respondents with missing data were excluded.

² Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

Table 3.64B Parents Always or Sometimes Told Youths in the Past Year They Were Proud of Something Youths Had Done, by Demographic Characteristics (I), and Selected Drug Use, by How Often Parents Said They Were Proud of Something Youths Had Done (II) among Persons Aged 12 to 17: Percentages, 2002

(I) Demographic Characteristic	Parents Told Youths They Were Proud of Something Youths Had Done ¹	(II) Drug Use	Parents Told Youths They Were Proud of Something Youths Had Done ¹	
	Always/Sometimes		Always/Sometimes	Seldom/Never
TOTAL	85.1	PAST MONTH		
AGE		Any Illicit Drug ²	10.2	19.8
12-13	90.4	Marijuana	7.2	13.5
14-15	83.9	Any Illicit Drug Other Than Marijuana ²	5.0	10.1
16-17	81.0	Cigarettes	11.6	20.9
GENDER		Alcohol	16.2	26.1
Male	86.7	Binge Alcohol ³	9.7	16.5
Female	83.5	PAST YEAR		
HISPANIC ORIGIN AND RACE		Any Illicit Drug ²	20.1	34.5
Not Hispanic or Latino	85.5	Marijuana	14.2	25.1
White	86.5	Any Illicit Drug Other Than Marijuana ²	12.0	22.1
Black or African American	83.4	Cigarettes	18.4	31.7
American Indian or Alaska Native	89.0	Alcohol	32.3	47.9
Native Hawaiian or Other Pacific Islander	*	LIFETIME		
Asian	78.1	Any Illicit Drug ²	28.2	45.9
Two or More Races	83.5	Marijuana	18.6	32.3
Hispanic or Latino	83.0	Any Illicit Drug Other Than Marijuana ²	19.3	33.1
COUNTY TYPE		Cigarettes	30.7	48.0
Large Metro	84.6	Alcohol	40.8	58.6
Small Metro	85.3			
Nonmetro	86.2			

*Low precision; no estimate reported.

¹ Respondents with missing data were excluded.

² Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

Table 3.65A Argued or Had a Fight with at Least One Parent Nine or Fewer Times in the Past Year, by Demographic Characteristics (I), and Selected Drug Use, by Number of Times Youths Argued or Had a Fight with at Least One Parent (II) among Persons Aged 12 to 17: Numbers in Thousands, 2002

(I) Demographic Characteristic	Times Argued or Had a Fight with at Least One Parent ¹	(II) Drug Use	Times Argued or Had a Fight with at Least One Parent ¹	
	9 or Fewer		9 or Fewer	10 or More
TOTAL	18,983	PAST MONTH		
AGE		Any Illicit Drug ²	1,792	1,074
12-13	6,918	Marijuana	1,217	799
14-15	6,225	Any Illicit Drug Other Than Marijuana ²	872	545
16-17	5,840	Cigarettes	2,000	1,191
GENDER		Alcohol	2,795	1,547
Male	10,242	Binge Alcohol ³	1,693	940
Female	8,741	PAST YEAR		
HISPANIC ORIGIN AND RACE		Any Illicit Drug ²	3,510	1,960
Not Hispanic or Latino	15,819	Marijuana	2,393	1,495
White	11,295	Any Illicit Drug Other Than Marijuana ²	2,091	1,234
Black or African American	3,172	Cigarettes	3,223	1,789
American Indian or Alaska Native	*	Alcohol	5,691	2,825
Native Hawaiian or Other Pacific Islander	*	LIFETIME		
Asian	848	Any Illicit Drug ²	5,115	2,472
Two or More Races	296	Marijuana	3,303	1,774
Hispanic or Latino	3,164	Any Illicit Drug Other Than Marijuana ²	3,472	1,778
COUNTY TYPE		Cigarettes	5,548	2,646
Large Metro	9,512	Alcohol	7,368	3,318
Small Metro	5,673			
Nonmetro	3,797			

*Low precision; no estimate reported.

¹ Respondents with missing data were excluded.

² Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

Table 3.65B Argued or Had a Fight with at Least One Parent Nine or Fewer Times in the Past Year, by Demographic Characteristics (I), and Selected Drug Use, by Number of Times Youths Argued or Had a Fight with at Least One Parent (II) among Persons Aged 12 to 17: Percentages, 2002

(I) Demographic Characteristic	Times Argued or Had a Fight with at Least One Parent ¹	(II) Drug Use	Times Argued or Had a Fight with at Least One Parent ¹	
	9 or Fewer		9 or Fewer	10 or More
TOTAL	77.4	PAST MONTH		
AGE		Any Illicit Drug ²	9.4	19.4
12-13	84.8	Marijuana	6.4	14.4
14-15	74.1	Any Illicit Drug Other Than Marijuana ²	4.6	9.8
16-17	73.4	Cigarettes	10.5	21.5
GENDER		Alcohol	14.7	28.0
Male	81.8	Binge Alcohol ³	8.9	17.0
Female	72.8	PAST YEAR		
HISPANIC ORIGIN AND RACE		Any Illicit Drug ²	18.5	35.4
Not Hispanic or Latino	76.7	Marijuana	12.6	27.0
White	73.5	Any Illicit Drug Other Than Marijuana ²	11.0	22.3
Black or African American	88.4	Cigarettes	17.0	32.3
American Indian or Alaska Native	*	Alcohol	30.0	51.1
Native Hawaiian or Other Pacific Islander	*	LIFETIME		
Asian	84.2	Any Illicit Drug ²	26.9	44.7
Two or More Races	77.0	Marijuana	17.4	32.1
Hispanic or Latino	81.2	Any Illicit Drug Other Than Marijuana ²	18.3	32.1
COUNTY TYPE		Cigarettes	29.2	47.8
Large Metro	77.3	Alcohol	38.8	60.0
Small Metro	77.7			
Nonmetro	77.3			

*Low precision; no estimate reported.

¹ Respondents with missing data were excluded.

² Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.