HYBRID-ELECTRIC VEHICLES

It's no accident the most fuel-efficient vehicles in some classes for the 2005 model year are hybrid-electric vehicles (HEVs). Hybrids can be configured in many different ways to achieve a variety of different objectives. They combine the best features of the internal combustion engine with an electric motor and can significantly improve fuel economy without sacrificing performance or driving range. HEVs may also be configured to provide electrical power to auxiliary loads such as power tools.

HEVs are primarily propelled by an internal combustion engine, just like conventional vehicles. However, they also convert energy normally wasted during coasting and braking into electricity, which is stored in a battery until needed by the electric motor. The electric motor is used to assist the engine when accelerat-

ing or hill climbing and in low-speed driving conditions where internal combustion engines are least efficient. Unlike all-electric vehicles, HEVs now being offered do not need to be plugged into an external source of electricity to be recharged; conventional gasoline and regenerative braking provide all the energy the vehicle needs.

Potential buyers should also be aware that the federal government is currently offering tax incentives for HEVs and other alternative fuel vehicles. Some states also offer incentives.

Additional information on HEVs, including tax incentives, can be found at www.fueleconomy.gov/feg/hybrid_sbs.shtml. Annual fuel cost is estimated assuming 15,000 miles of travel each year (55% city and 45% highway) and a gasoline fuel cost of \$1.80 per gallon (regular unleaded).

Trans Type / Speeds	Eng Size / Cylinders	MPG City / Hwy	Annual Fuel Cost	Battery Size
- 47.7 /	n ei	-7.4 -1 -	D.C	

I WO SEATER

н	0	N	ח	Δ
• •	U		_	_

COMPACT CARS

HONDA

Civic Hybrid (LB)	AV	1.3/4	48/47	 \$562	144	V, Ni-MH
Civic Hybrid	AV	1.3/4	47/48	 \$575	144	V, Ni-MH
Civic Hybrid (LB)	M5	1.3/4	46/51	 \$562	144	V, Ni-MH
Civic Hybrid	M5	1.3/4	45/51	 \$575	144	V, Ni-MH

MIDSIZE CARS

HONDA

Accord Hybrid A5 3.0/6 ..29/37 \$842 ...

TOYOTA

Prius AV 1.5/4 ..60/51 \$491 ...202 V, Ni-MH

STANDARD PICKUP TRUCKS 2WD

CHEVROLET

C15 Silverado Hybrid 2WD A4 5.3/8 ..18/21 \$1,420 ... Lead Acid

GMC

C15 Sierra Hybrid 2WD A4 5.3/8 ..18/21 \$1,420 ... Lead Acid

Trans Type / Speeds Eng Size / Cylinders MPG City / Hwy Annual Fuel Cost

STANDARD PICKUP TRUCKS 4WD

CHEVROLET

K15 Silverado Hybrid 4WD. A4 5.3/8 .. 17/19 \$1,501 ... Lead Acid

GMC

K15 Sierra Hybrid 4WD A4 5.3/8 .. 17/19 \$1,501 ... Lead Acid

SPORT UTILITY VEHICLES 2WD

FORD

SPORT UTILITY VEHICLES 4WD

FORD

ABBREVIATIONS:

A...... Automatic Transmission
A-S Automatic Transmission-Select Shift
AV Continuously Variable Transmission
City MPG on City Test Procedure
CNG Compressed Natural Gas

Conv Convertible

LB Lean Burn Fuel System

ETHANOL FLEXIBLE-FUEL VEHICLES

This section contains the driving range and fuel economy values for ethanol flexible-fuel passenger cars and light trucks. Ethanol flexible-fuel vehicles are designed to operate on gasoline, E85 (a mixture of 85% ethanol and 15% gasoline), or any mixture of the two fuels. Annual fuel cost is estimated assuming 15,000 miles of travel each year (55% city and 45% highway) and an average fuel cost of \$1.65 per gallon of E85, \$1.80 per gallon of regular unleaded gasoline, and \$1.95 per gallon of premium unleaded gasoline.

The driving range and fuel economy values are shown for both gasoline and E85. When operating your FFV on mixtures of gasoline and E85, such as when alternating between using these fuels, your driving range and fuel economy values will be somewhere between those listed for the two fuels, depending on the actual percentage of gasoline and E85 in the tank.

	Trans Type / Speeds	Eng Size / Cylinders	MPG City / Hwy	Annual Fuel Cost	Fuel	Range (miles)		Trans Type / Speeds	Eng Size / Cylinders	MPG City / Hwy	Annual Fuel Cost	Fuel	Range (miles)
		PAC	T CA				FORD						
							Explorer 2WD FFV	A-5	4.0/6		\$1,903 . \$1,588 .		
CHRYSLER Sebring Conv	Δ-4	2 7/6	15/20	\$1 <i>4</i> 55	F85	270				10/20	ψ1,000 .	003	500
9			21/28	. \$1,174	Gas	390	GMC C1500 Yukon 2WD	Λ.4	5 2/9	11/15	¢1 003	E95	310/540*
Sebring Conv (2-Mode)	A-4	2.7/6 .		. \$1,455 . \$1,174 .			C1300 Tukon 2000	A-4	3.3/0				410/690*
				,			C1500 Yukon XL 2WD	A-4	5.3/8				310/540*
MERCEDES-BENZ C240 FFV	۸ ۶	2 6/6	1.4/10	¢1 517	EOE	210				14/13	ф1,000 .	Gas	410/090
			20/25	. \$1.331	P	420	MERCURY	۸.5	4.0/0	44/45	04.000	F05	000
C320 FFV	A-5	3.2/6 .		. \$1,547 . \$1,331			Mountaineer 2WD	A-5	4.0/6		\$1,903 . \$1,588 .		
C320 Sports Coupe FFV	A-5	3.2/6 .	. 14/18	. \$1,651	E85	300		MIN	IVAI	NS 2	WD		
		017F		. \$1,392	P	400							
	MILE	SIZE	CA	K5			CHRYSLER						
CHRYSLER							Town & Country 2WD	A-4	3.3/6		\$1,651 . \$1,285 .		
Sebring 4-dr	A-4	2.7/6 .	. 15/20	. \$1,455	E85	270					. ,		
Sebring 4-dr (2-Mode)	Δ_1	2 7/6		. \$1,174 . \$1,455			DODGE Caravan	Λ 4	2.2/6	10/17	¢4 ce4	F0F	200
Sebiling 4-di (2-Mode)		2.170 .		. \$1,174			Caravan	A-4	3.3/0		\$1,651 . \$1,285 .		
DODGE							SPORT U	JTIL	ITY	VEH	ICLE	S 4 \	VD
Stratus 4-dr	A-4	2.7/6 .	. 15/20	. \$1,455	E85	270							
0	۸.4	0.7/0		. \$1,174			CHEVROLET		F 0/0	44/44	# 0.000	F05	040/400*
Stratus 4-dr (2-Mode)	A-4	2.7/6 .		. \$1,455 . \$1,174			K1500 Avalanche 4WD	A-4	5.3/8				310/460^ 410/620*
MEDOLIDY							K1500 Suburban 4WD	A-4	5.3/8				310/460* 410/620*
MERCURY Sable	A-4	3 0/6	15/20	\$1 455	F85	310	K1500 Suburban AWD	A-4	5.3/8				
Gabio	. , 、	0.0, 0 .		. \$1,228			K1500 Tahoe 4WD	Λ 1	E 2/0				410/620*
	LA	RGE	CAR	RS						14/18	\$1.688 .	Gas	410/620*
							K1500 Tahoe AWD	A-4	5.3/8				310/460° 410/620°
FORD Taurus	Δ_1	3.0/6	15/20	\$1 <i>15</i> 5	E85	310				14/10	ф1,000 .	Gas	410/020
raurus	^-4	5.0/0 .		. \$1,228			FORD						
MIDSIZ	E S	TAT	ION	WAG	ONS	5	Explorer 4WD FFV	A-5	4.0/6		\$2,062 . \$1,688 .		
											* ,		
FORD Taurus Wagon	Λ 1	3 0/6	1//10	¢1 5/17	E95	200	GMC K1500 Yukon 4WD	Δ-4	5 3/8	11/14	\$2,062	F85	310/460*
Taurus Wagori	^-4	3.0/0 .		. \$1,285						14/18	\$1,688 .	Gas	410/620*
MEDCLIDY							K1500 Yukon AWD	A-4	5.3/8		\$2,062 . \$1,688		310/460* 410/620*
MERCURY Sable Wagon	A-4	3.0/6 .	. 14/19	. \$1,547	E85	290	K1500 Yukon XL 4WD	A-4	5.3/8	11/14	\$2,062 .	E85	310/460*
-				. \$1,285		380	K1500 Yukon XL AWD	A-4	5.3/8				410/620* 310/460*
SMAL	<u>L ST</u>	ATI	<u>on v</u>	VAG	<u>ONS</u>								410/620*
MEDOEDEC DENZ							MERCURY						
MERCEDES-BENZ C240 Wagon FFV	A-5	2 6/6	14/19	\$1 547	F85	310	Mountaineer 4WD FFV	A-5	4.0/6	10/14	\$2,062 .	E85	270
g			20/25	. \$1,331	P	420		_			\$1,688 .		
SPORT U	TIL	ITY '	VEH	ICLE	S 2 V	ND	STANDAR	RD P	ICK	JP T	RUC	AS 2	WD
CUEVBOLET							CHEVROLET						
CHEVROLET C1500 Avalanche 2WD	A-4	5 3/8	. 11/14	. \$2 062	E85	310/540*	C1500 Silverado 2WD	A-4	5.3/8				
			14/19	. \$1,688	Gas	410/690*				16/20	\$1,501 .	Gas	410/690*
C1500 Suburban 2WD	A-4	5.3/8 .				310/540* 410/690*	DODGE						
C1500 Tahoe 2WD	A-4	5.3/8 .	. 11/15	. \$1,903	E85	310/540*	Ram 1500 2WD	A-5	4.7/8				
			15/19	. \$1,588	Gas	410/690*				12/15	\$2,076 .	Gas	340

10									V	V V V V V .	OLLL	CONTON	11.00 V
	Trans Type / Speeds	Eng Size / Cylinders	MPG City / Hwy	Annual Fuel Cost	Fuel	Range (miles)		Trans Type / Speeds	Eng Size / Cylinders	MPG City / Hwy	Annual Fuel Cost	Fuel	Range (miles)
FORD Explorer Sport Trac 2WD FFV	. A-5	4.0/6					DODGE Ram 1500 4WD	A-5	4.7/8				
0140			15/20	\$1,588	. Gas	380				12/15	. \$2,076 .	Gas	340
GMC C1500 Sierra 2WD	A-4	5.3/8				310/540*	FORD Explorer Sport Trac 4WD FFV	A-5	4.0/6			E85 Gas	
NISSAN			10/20	Ψ1,501	. Oas	410/030	GMC			14/20	. ф1,000 .	Gas	300
Titan 2WD	. A-5 A-5					310/330 420/450	K1500 Sierra 4WD	A-4	5.3/8			E85 Gas	
STANDAR	D PI	CKI	JP T	RUCI	(S 4	WD	NISSAN						
CHEVROLET K1500 Silverado 4WD	Λ.4	5 2/Q	11/1/	\$2.062	E95	310/460*	Titan 4WD	A-5 A-5			. ,	E85 Gas	
K1000 Silverado 4WD	. A-+	5.5/6		. ,		410/620*	* Vahiala is available with	variou	e tank ei	zoe Driv	ing range	se ara ebaw	n for the

^{*} Vehicle is available with various tank sizes. Driving ranges are shown for the smallest and largest available fuel tanks.

DIESEL VEHICLES

This section contains fuel economy values for diesel-fueled vehicles. Diesel fuel contains approximately 10% more energy per gallon than gasoline. In addition, diesel engines have higher compression ratios, run "lean," and are unthrottled, giving them a substantial fuel economy advantage over gasoline engines. Annual fuel cost is estimated assuming 15,000 miles of travel each year (55% city and 45% highway) and a diesel fuel cost of \$1.55 per gallon.

	Trans Type / Speeds Eng Size	Cylinders MPG City / Hwy	Annual Fuel Cost	Notes / Abbreviations		Trans Type / Speeds	Eng Size / Cylinders	MPG City / Hwy	Annual Fuel Cost	
VOLKSWAGEN New Beetle	M-5 1.9			т	VOLKSWAGEN Passat SMALL S1					. Т
	OMPACT (9/4 35/42	\$611	Ť	VOLKSWAGEN Jetta Wagon	A-S5 .	1.9/4	32/43	\$646	
VOLKSWAGEN Golf Jetta	A-S5 1.9 M-5 1.9 A-S5 1.9	9/4 32/43 9/4 38/46 9/4 32/43	\$646 \$567 \$646	T T T	WIDSIZE S VOLKSWAGEN Passat Wagon SPORT UTIL	A-S5 .	2.0/4	27/38	\$751	
MERCEDES-BENZ E320 CDI	AIDSIZE C.		\$774	Т	JEEP LibertyLiberty/Cherokee 4WD	A-4 A-5	2.8/4 2.8/4	NA 21/26	NA \$1,011	. T

ABBREVIATION	IQ.

A...... Automatic Transmission
A-S Automatic Transmission-Select Shift
AV Continuously Variable Transmission
City MPG on City Test Procedure
CNG Compressed Natural Gas

Conv Convertible
E85 85% Ethanol/15% Gasoline
Eng Size .. Engine Volume in Liters
FFV Flexible Fuel Vehicle
Hwy MPG on Highway Test Procedure
LB Lean Burn Fuel System

M Manual Transmission

NA Not Available at Press Time

Ni-MH Nickel-metal hydride

T Turbocharger

Trans Transmission

V Volts

COMPRESSED NATURAL GAS VEHICLES

This section supplies the driving range and fuel economy values for vehicles that operate on compressed natural gas (CNG). CNG fuel is normally dispensed in "equivalent gallons," where one equivalent gallon is equal to 121.5 cubic feet of CNG. Therefore, the fuel economy values are shown in miles per gallon-equivalent. Annual fuel cost estimates are based on an average fuel price of \$1.05 per gasoline equivalent gallon of CNG.

The driving range is shown in miles and represents the distance the vehicle can travel on a full tank (or tanks) of fuel during combined city and highway driving (55% city and 45% highway).

С	Trans Type / Speeds	Engine Size / Cylinders	MPG City/Hwy	S Annual Fuel Cost	Fuel	Range	
HONDA Civic	A V	1.7/4	30/34	\$491			
CHEVROLET C2500 HD Silverado 2WD	A-4	6.0/8	9/12	\$1,575	CNG	180	

	Trans Type / Speeds	Engine Size	MPG City/Hwy	Annual Fuel Cost	Fuel	Range	
GMC							
C2500 HD Sierra 2WD	A-4	. 6.0/8	9/12	\$1,575	CNG	180	
STANDAR	D PI	CKU	P TR	UCK	S 4W	/D	
CHEVROLET K2500 HD Silverado 4WD	. A-4	. 6.0/8	9/12	\$1,575 (CNG	180	
GMC K2500 HD Sierra 4WD	. A-4	. 6.0/8	9/12	\$1,575 (CNG	180	

ABBREVIATIONS:

A...... Automatic Transmission
A-S Automatic Transmission-Select Shift
AV Continuously Variable Transmission
City MPG on City Test Procedure
CNG Compressed Natural Gas

Conv Convertible
E85 85% Ethanol/15% Gasoline
Eng Size .. Engine Volume in Liters
FFV Flexible Fuel Vehicle
Hwy MPG on Highway Test Procedure

LB Lean Burn Fuel System

M Manual Transmission

NA Not Available at Press Time

Ni-MH Nickel-metal hydride

T Turbocharger

Trans Transmission

V Volts

FUEL CELL VEHICLES

Advanced Transportation Technology

Although fuel cell vehicles (FCVs) are not expected to reach the mass market for at least a decade, a limited number will be available for sale or lease in 2004-2005 to demonstration fleets in parts of the country with a readily accessible hydrogen supply.

FCVs represent a radical departure from conventional vehicles with internal combustion engines. They use emerging technology with the potential to reduce harmful emissions substantially, as well as energy use and our dependence on foreign oil.

FCVs are propelled by electric motors powered by fuel cells, which produce electricity from the chemical energy of hydrogen. They are more efficient than conventional vehicles, and the only by-product of a hydrogen fuel cell is water. FCVs may also incorporate other advanced automotive technologies to increase efficiency.

The Challenges Ahead

Much work remains before FCVs can be mass-marketed and sold at local dealerships. Significant research and development is required to reduce costs and improve performance in areas such as driving range, cold-weather operation, and durability. A new refueling infrastructure may also be required to make hydrogen fuel widely available to consumers.


Automakers, fuel cell and component developers, government agencies, and others are working hard to accelerate the introduction of FCVs. In fact, partnerships such as the DOE-led FreedomCAR Initiative and the California Fuel Cell Partnership have been formed to encourage private companies and government agencies to work together to prove this technology's viability and move FCVs toward widespread commercialization. For more information about FCVs and links to fuel cell websites, please visit www.fueleconomy.gov/feg/fuelcell.shtml.

	Motor	Energy Storage Device	Fuel	Miles per kilogram (City/Hwy)	Range (mi)					
SUBCOMPACT										
HONDA FCX	80 kW DC* Brushless	9.2 Farad Ultra Capacitor	Hydrogen	62/51	190					
	COMPACT									
FORD Focus, 2WD	65 kW AC*	Ni-MH Battery*	Hydrogen	NA**	NA**					

^{*} kw = kilowatts; DC = direct current; AC = alternating current; Ni-MH = nickel metal hydride

SAMPLE FUEL ECONOMY LABEL

(Attached to New Vehicle Window)



Check the fuel economy label on the vehicle at the dealer showroom for its specific fuel economy (mpg) ratings. The ratings may vary slightly from the values in this guide because of engine and fuel system differences not listed here.

^{**} The fuel economy values and driving range were not available at press time. See www.fueleconomy.gov for updated information.