

Series	Effective Start Date	Effective End Date	Type of Change	Publication	Schedule	Edit Type	Edit Number	Target Item	MDRM Number	Comparison Series	Edit Test	Boolean algebra
FFIEC101	20081231	99991231	Added	Published	Cover	Quality	0761	ADDRESS	AAXX9110		Mailing address of bank should not be null.	aaxx9110 ne null
FFIEC101	20081231	99991231	Added	Published	Cover	Quality	0762	CITY	AAXX9130		City of bank should not be null.	aaxx9130 ne null
FFIEC101	20081231	99991231	Added	Published	Cover	Quality	0768	CONTACTE	AAXX4086		Contact person e-mail address should not be null.	aaxx4086 ne null
FFIEC101	20081231	99991231	Added	Published	Cover	Quality	0767	CONTACTF	AAXX9116		Contact person fax number should not be null.	aaxx9116 ne null
FFIEC101	20081231	99991231	Added	Published	Cover	Quality	0765	CONTACTN	AAXX8901		Contact person and title should not be null.	aaxx8901 ne null
FFIEC101	20081231	99991231	Added	Published	Cover	Quality	0766	CONTACTP	AAXX8902		Contact person phone number should not be null.	aaxx8902 ne null
FFIEC101	20081231	99991231	Added	Published	Cover	Quality	0759	DATESIGN	AAXXJ196		Date of signature should not be null.	aaxxj196 ne null
FFIEC101	20081231	99991231	Added	Published	Cover	Quality	0760	LGLNM	AAXXJ197		Legal title of bank should not be null.	aaxxj197 ne null
FFIEC101	20081231	99991231	Added	Published	Cover	Quality	0757	SROFFRNM	AAXXC490		Printed name of senior officer should not be null.	aaxxc490 ne null
FFIEC101	20081231	99991231	Added	Published	Cover	Quality	0763	STATE	AAXX9200		State abbreviation of bank should not be null.	aaxx9200 ne null
FFIEC101	20081231	99991231	Added	Published	Cover	Quality	0758	TITLEOFF	AAXXC491		Title of officer should not be null.	aaxxc491 ne null
FFIEC101	20081231	99991231	Added	Published	Cover	Quality	0764	ZIPCODE	AAXX9220		Zip code of bank should not be null.	aaxx9220 ne null
FFIEC101	20110331	99991231	Revised	Published	A	Interseries	0001	A1	AAAB3210	FRY9C	For BHCs only, A1 should equal HC-27a.	for bhcs only aaab3210 eq bhck3210
FFIEC101	20110331	99991231	Revised	Published	A	Quality	0001	A1	AAAB3210		A1 should not be null or negative.	aaab3210 ne null and aaab3210 ge 0
FFIEC101	20110331	99991231	Revised	Published	A	Quality	0016	A10a	AAABJ188		For BHCs only, A10a should not be negative.	for bhcs only, aaabj188 eq null or aaabj188 ge 0
FFIEC101	20110331	99991231	Revised	Published	A	Quality	0017	A10b	AAABJ189		A10b should not be null.	aaabj189 ne null
FFIEC101	20110331	99991231	Revised	Published	A	Quality	0018	A10b	AAABJ189		For Banks only, if A23a is not null or zero, then A10b should not equal A23a.	for banks only if (aaabc228 ne null and aaabc228 ne 0) then aaabj189 ne aaabc228
FFIEC101	20110331	99991231	Revised	Published	A	Quality	0019	A11	AAABJ169		A11 should not be null or negative.	aaabj169 ne null and aaabj169 ge 0
FFIEC101	20110331	99991231	Revised	Published	A	Quality	0020	A12	AAAB5306		A12 should not be null or negative.	aaab5306 ne null and aaab5306 ge 0
FFIEC101	20110331	99991231	Revised	Published	A	Quality	0021	A13	AAABB593		A13 should not be null or negative.	aaabb593 ne null and aaabb593 ge 0
FFIEC101	20110331	99991231	Revised	Published	A	Quality	0022	A14	AAABJ173		If A27 is greater than A28, then A14 should be greater than zero and less than or equal to 0.60% of B28G.	if aaabj183 gt aaabj184 then (aaabj173 gt 0 and aaabj173 le (0.0060 * aabj151))
FFIEC101	20110331	99991231	Revised	Published	A	Quality	0023	A14	AAABJ173		A14 should not be null or negative.	aaabj173 ne null and aaabj173 ge 0
FFIEC101	20110331	99991231	Revised	Published	A	Interseries	0038	A15	AAAB2221	FRY9C	For BHCs only, A15 should equal HC-R15.	for bhcs only aaab2221 eq bhck2221
FFIEC101	20110331	99991231	Revised	Published	A	Quality	0024	A15	AAAB2221		A15 should not be null or negative.	aaab2221 ne null and aaab2221 ge 0
FFIEC101	20110331	99991231	Revised	Published	A	Quality	0025	A16a	AAABJ190		For BHCs only, A16a should not be null or negative.	for bhcs only, aaabj190 ne null and aaabj190 ge 0
FFIEC101	20110331	99991231	Revised	Published	A	Quality	0026	A16b	AAABJ191		A16b should not be null.	aaabj191 ne null
FFIEC101	20110331	99991231	Revised	Published	A	Quality	0027	A17a	AAABJ175		A17a should not be null or negative.	aaabj175 ne null and aaabj175 ge 0
FFIEC101	20110331	99991231	Revised	Published	A	Quality	0028	A17b	AAABJ176		A17b should not be null or negative.	aaabj176 ne null and aaabj176 ge 0
FFIEC101	20110331	99991231	Revised	Published	A	Quality	0029	A17c	AAABJ177		A17c should not be null or negative.	aaabj177 ne null and aaabj177 ge 0
FFIEC101	20110331	99991231	Revised	Published	A	Quality	0030	A18	AAABJ178		A18 should not be null or negative.	aaabj178 ne null and aaabj178 ge 0
FFIEC101	20110331	99991231	Revised	Published	A	Interseries	0004	A2	AAAB8434	FRY9C	For BHCs only, A2 should equal HC-R2.	for bhcs only aaab8434 eq bhck8434
FFIEC101	20110331	99991231	Revised	Published	A	Quality	0002	A2	AAAB8434		A2 should not be null.	aaab8434 ne null
FFIEC101	20110331	99991231	Revised	Published	A	Interseries	0041	A20	AAAB1395	FRY9C	For BHCs only, A20 should equal HC-R19.	for bhcs only aaab1395 eq bhck1395
FFIEC101	20110331	99991231	Revised	Published	A	Quality	0031	A20	AAAB1395		A20 should not be null or negative.	aaab1395 ne null and aaab1395 ge 0
FFIEC101	20110331	99991231	Revised	Published	A	Interseries	0044	A21	AAABB595	FRY9C	For BHCs only, A21 should equal HC-R20.	for bhcs only aaabb595 eq bhckb595
FFIEC101	20110331	99991231	Revised	Published	A	Quality	0032	A21	AAABB595		A21 should not be null or negative.	aaabb595 ne null and aaabb595 ge 0
FFIEC101	20110331	99991231	Revised	Published	A	Quality	0033	A22	AAABJ182		A22 should not be null.	aaabj182 ne null
FFIEC101	20081231	20101231	Ended	Published	A	Quality	0034	A(I)25A	AAABJ192		For BHCs only, A(I)25A should be null.	for bhcs only, aaabj192 eq null
FFIEC101	20110331	99991231	Revised	Published	A	Quality	0035	A25A	AAABJ192		For Banks only, if A23a, A23b, or A24 is not equal to null or zero and (B33G minus A24) is not equal to null or zero, then A25A should equal (A11 minus A23a) divided by (B33G minus A24) (+/-0.01%).	for banks only if (((aaabc228 ne null and aaabc228 ne 0) or (aaabb503 ne null and aaabb503 ne 0) or (aaabb504 ne null and aaabb504 ne 0)) and (aabj155 - aaabb504) ne null and (aabj155 - aaabb504) ne 0) then (aaabj192 le (((aaabj169 - aaabc228) / (aabj155 - aaabb504)) * 100) + 0.01) and (aaabj192 ge (((aaabj169 - aaabc228) / (aabj155 - aaabb504)) * 100) - 0.01)

Series	Effective Start Date	Effective End Date	Type of Change	Publication	Schedule	Edit Type	Edit Number	Target Item	MDRM Number	Comparison Series	Edit Test	Boolean algebra
FFIEC101	20110331	99991231	Revised	Published	A	Quality	0036	A25B	AAABJ194		If B33G is not equal to null or zero, then A25B should equal A11 divided by B33G (+/- .1%).	if aabgj155 ne null and aabgj155 ne 0 then (aaabj194 le ((aaabj169 / aabgj155) * 100) + .1) and (aaabj194 ge ((aaabj169 / aabgj155) * 100) - .1)
FFIEC101	20081231	20101231	Ended	Published	A	Quality	0037	A(I)26A	AAABJ193		For BHCs only, A(I)26A should be null.	for bhcs only, aaabj193 eq null
FFIEC101	20110331	99991231	Revised	Published	A	Quality	0038	A26A	AAABJ193		For Banks only, if A23a, A23b, or A24 is not equal to null or zero and (B33G minus A24) is not equal to null or zero, then A26A should equal (A22 minus A23b) divided by (B33G minus A24) (+/-0.01%).	for banks only if (((aaabc228 ne null and aaabc228 ne 0) or (aaabb503 ne null and aaabb503 ne 0) or (aaabb504 ne null and aaabb504 ne 0)) and (aaabj155 - aaabb504) ne null and (aabgj155 - aaabb504) ne 0) then (aaabj193 le (((aaabj182 - aaabb503) / (aabgj155 - aaabb504)) * 100) + 0.01) and (aaabj193 ge (((aaabj182 - aaabb503) / (aabgj155 - aaabb504)) * 100) - 0.01)
FFIEC101	20110331	99991231	Revised	Published	A	Quality	0039	A26B	AAABJ195		If B33G is not equal to null or zero, then A26B should equal A22 divided by B33G (+/- .1%).	if aabgj155 ne null and aabgj155 ne 0 then (aaabj195 le ((aaabj182 / aabgj155) * 100) + .1) and (aaabj195 ge ((aaabj182 / aabgj155) * 100) - .1)
FFIEC101	20110331	99991231	Revised	Published	A	Quality	0040	A27	AAABJ183		A27 should not be null.	aaabj183 ne null
FFIEC101	20110331	99991231	Revised	Published	A	Quality	0041	A28	AAABJ184		A28 should not be null.	aaabj184 ne null
FFIEC101	20110331	99991231	Revised	Published	A	Interseries	0007	A3	AAABA221	FRY9C	For BHCs only, A3 should equal HC-R3.	for bhcs only aaaba221 eq bhcka221
FFIEC101	20110331	99991231	Revised	Published	A	Quality	0003	A3	AAABA221		A3 should not be null or negative.	aaaba221 ne null and aaaba221 ge 0
FFIEC101	20110331	99991231	Revised	Published	A	Interseries	0010	A4	AAAB4336	FRY9C	For BHCs only, A4 should equal HC-R4.	for bhcs only aaab4336 eq bhck4336
FFIEC101	20110331	99991231	Revised	Published	A	Quality	0004	A4	AAAB4336		A4 should not be null.	aaab4336 ne null
FFIEC101	20110331	99991231	Revised	Published	A	Interseries	0013	A5	AAABB588	FRY9C	For BHCs only, A5 should equal HC-R5.	for bhcs only aaabb588 eq bhckb588
FFIEC101	20110331	99991231	Revised	Published	A	Quality	0005	A5	AAABB588		A5 should not be null or negative.	aaabb588 ne null and aaabb588 ge 0
FFIEC101	20110331	99991231	Revised	Published	A	Quality	0006	A6a	AAABB589		A6a should not be null or negative.	aaabb589 ne null and aaabb589 ge 0
FFIEC101	20110331	99991231	Added	Published	A	Interseries	0045	A6a	AAABB589	FRY9C	For BHCs only, A6a should equal HC-R6a.	for bhcs only aaabb589 eq bhckg214
FFIEC101	20110331	99991231	Revised	Published	A	Interseries	0019	A6b	AAABG215	FRY9C	For BHCs only, A6b should equal HC-R6b.	for bhcs only aaabg215 eq bhckg215
FFIEC101	20110331	99991231	Revised	Published	A	Quality	0007	A6b	AAABG215		For BHCs only, A6b should not be negative.	for bhcs only, aaabg215 eq null or aaabg215 ge 0
FFIEC101	20110331	99991231	Added	Published	A	Interseries	0046	A6c	AAABG216	FRY9C	For BHCs only, A6c should equal HC-R6c.	for bhcs only aaabg216 eq bhckg216
FFIEC101	20110331	99991231	Added	Published	A	Quality	0816	A6c	AAABG216		For BHCs only, A6c should not be negative.	for bhcs only aaabg216 eq null or aaabg216 ge 0
FFIEC101	20110331	99991231	Revised	Published	A	Interseries	0020	A7a	AAABB590	FRY9C	For BHCs only, A7a should equal HC-R7a.	for bhcs only aaabb590 eq bhckb590
FFIEC101	20110331	99991231	Revised	Published	A	Quality	0008	A7a	AAABB590		A7a should not be null or negative.	aaabb590 ne null and aaabb590 ge 0
FFIEC101	20110331	99991231	Revised	Published	A	Interseries	0023	A7b	AAABF264	FRY9C	For BHCs only, A7b should equal HC-R7b.	for bhcs only aaabf264 eq bhckf264
FFIEC101	20110331	99991231	Revised	Published	A	Quality	0009	A7b	AAABF264		A7b should not be null.	aaabf264 ne null
FFIEC101	20110331	99991231	Revised	Published	A	Interseries	0026	A9a	AAABB591	FRY9C	For BHCs only, A9a should equal HC-R9a.	for bhcs only aaabb591 eq bhckb591
FFIEC101	20110331	99991231	Revised	Published	A	Quality	0010	A9a	AAABB591		A9a should not be null or negative.	aaabb591 ne null and aaabb591 ge 0
FFIEC101	20110331	99991231	Revised	Published	A	Interseries	0029	A9b	AAAB5610	FRY9C	For BHCs only, A9b should equal HC-R9b.	for bhcs only aaab5610 eq bhck5610
FFIEC101	20110331	99991231	Revised	Published	A	Quality	0011	A9b	AAAB5610		A9b should not be null or negative.	aaab5610 ne null and aaab5610 ge 0
FFIEC101	20110331	99991231	Revised	Published	A	Quality	0012	A9c	AAABJ160		A9c should not be null or negative.	aaabj160 ne null and aaabj160 ge 0
FFIEC101	20110331	99991231	Revised	Published	A	Quality	0013	A9d	AAABJ161		A9d should not be null or negative.	aaabj161 ne null and aaabj161 ge 0
FFIEC101	20110331	99991231	Revised	Published	A	Quality	0014	A9e	AAABJ162		A9e should not be null or negative.	aaabj162 ne null and aaabj162 ge 0
FFIEC101	20110331	99991231	Revised	Published	A	Quality	0015	A9f	AAABJ163		A9f should not be null or negative.	aaabj163 ne null and aaabj163 ge 0
FFIEC101	20081231	20101231	Ended	Published	A	Quality	0042	A(II)1	AAATJ156		A(II)1 should not be negative.	aaatj156 ge 0 or aaatj156 eq null
FFIEC101	20081231	20101231	Ended	Published	A	Intraserries	0005	A(II)10	AAATJ165		If A(II)10 (previous) is greater than zero, then A(II)10 (current) should be greater than zero.	if aaatj165-q2 gt 0 then aaatj165-q1 gt 0
FFIEC101	20081231	20101231	Ended	Published	A	Intraserries	0006	A(II)11	AAATJ166		If A(II)11 (previous) is greater than zero, then A(II)11 (current) should be greater than zero.	if aaatj166-q2 gt 0 then aaatj166-q1 gt 0
FFIEC101	20081231	20101231	Ended	Published	A	Intraserries	0007	A(II)12	AAATJ167		If A(II)12 (previous) is greater than zero, then A(II)12 (current) should be greater than zero.	if aaatj167-q2 gt 0 then aaatj167-q1 gt 0
FFIEC101	20081231	20101231	Ended	Published	A	Intraserries	0008	A(II)13	AAATJ168		If A(II)13 (previous) is greater than zero, then A(II)13 (current) should be greater than zero.	if aaatj168-q2 gt 0 then aaatj168-q1 gt 0

Series	Effective Start Date	Effective End Date	Type of Change	Publication	Schedule	Edit Type	Edit Number	Target Item	MDRM Number	Comparison Series	Edit Test	Boolean algebra
FFIEC101	20081231	20101231	Ended	Published	A	Quality	0044	A(II)15	AAATJ170		A(II)15 should not be negative.	aaatj170 ge 0 or aaatj170 eq null
FFIEC101	20081231	20101231	Ended	Published	A	Intraserries	0001	A(II)2	AAATJ157		If A(II)2 (previous) is greater than zero, then A(II)2 (current) should be greater than zero.	if aaatj157-q2 gt 0 then aaatj157-q1 gt 0
FFIEC101	20081231	20101231	Ended	Published	A	Intraserries	0002	A(II)3	AAATJ158		If A(II)3 (previous) is greater than zero, then A(II)3 (current) should be greater than zero.	if aaatj158-q2 gt 0 then aaatj158-q1 gt 0
FFIEC101	20081231	20101231	Ended	Published	A	Quality	0045	A(II)31	AAATJ186		If A(II)30 is not equal to null or zero, then A(II)31 should equal A(II)27 divided by A(II)30 (+/- .1%).	if aaatj185 ne null and aaatj185 ne 0 then (aaatj186 le ((aaatj182 / aaatj185) * 100) + .1) and (aaatj186 ge ((aaatj182 / aaatj185) * 100) - .1)
FFIEC101	20081231	20101231	Ended	Published	A	Quality	0047	A(II)32	AAATJ187		If A(II)30 is not equal to null or zero, then A(II)32 should equal A(II)14 divided by A(II)30 (+/- .1%).	if aaatj185 ne null and aaatj185 ne 0 then (aaatj187 le ((aaatj169 / aaatj185) * 100) + .1) and (aaatj187 ge ((aaatj169 / aaatj185) * 100) - .1)
FFIEC101	20081231	20101231	Ended	Published	A	Intraserries	0003	A(II)4	AAATJ159		If A(II)4 (previous) is greater than zero, then A(II)4 (current) should be greater than zero.	if aaatj159-q2 gt 0 then aaatj159-q1 gt 0
FFIEC101	20081231	20101231	Ended	Published	A	Intraserries	0004	A(II)9	AAATJ164		If A(II)9 (previous) is greater than zero, then A(II)9 (current) should be greater than zero.	if aaatj164-q2 gt 0 then aaatj164-q1 gt 0
FFIEC101	20081231	99991231	Added	Published	B	Quality	0813	B27G	AABGJ150		B27G should equal sum of B1G through B26G.	aabgj150 eq (aabgj124 + aabgj125 + aabgj126 + aabgj127 + aabgj128 + aabgj129 + aabgj130 + aabgj131 + aabgj132 + aabgj133 + aabgj134 + aabgj135 + aabgj136 + aabgj137 + aabgj138 + aabgj139 + aabgj140 + aabgj141 + aabgj142 + aabgj143 + aabgj144 + aabgj145 + aabgj146 + aabgj147 + aabgj148 + aabgj149)
FFIEC101	20081231	99991231	Added	Published	B	Quality	0814	B28G	AABGJ151		B28G should equal B27G * 1.06. (±\$1K)	((aabgj151 ge (aabgj150 * 1.06) - 1) and (aabgj151 le (aabgj150 * 1.06) + 1))
FFIEC101	20081231	99991231	Added	Published	B	Quality	0815	B33G	AABGJ155		B33G should equal sum of B28G, B29G, B31G and B32G minus B30G.	aabgj155 eq ((aabgj151 + aabgj198 + aabgj153 + aabgj154) - aabgj152)
FFIEC101	20081231	99991231	Added	Published	C	Quality	0075	C10A	AACAJ031		If C10A is not equal to null, then C10B, C10C, C10D, C10E, C10F, C10G, C10H, C10K and C10L should not equal null.	if aacaj031 ne null then aacb031 ne null and aacc031 ne null and aacd031 ne null and aacej031 ne null and aacf031 ne null and aacgj031 ne null and aachj031 ne null and aackj031 ne null and aacj031 ne null
FFIEC101	20081231	99991231	Added	Published	C	Quality	0076	C10A	AACAJ031		If C10A is equal to null, then C10B, C10C, C10D, C10E, C10F, C10G, C10H, C10I, C10J, C10K and C10L should be equal to null.	if aacaj031 eq null then aacb031 eq null and aacc031 eq null and aacd031 eq null and aacej031 eq null and aacf031 eq null and aacgj031 eq null and aachj031 eq null and aackj031 eq null and aacj031 eq null
FFIEC101	20081231	99991231	Added	Published	C	Quality	0077	C10A	AACAJ031		If C10A is not equal to null, then C10A should be greater than or equal to 10.00% and less than 20.00%.	if aacaj031 ne null then aacaj031 ge 10.00 and aacaj031 lt 20.00
FFIEC101	20081231	99991231	Added	Published	C	Quality	0078	C11A	AACAJ033		If C11A is not equal to null, then C11B, C11C, C11D, C11E, C11F, C11G, C11H, C11K and C11L should not equal null.	if aacaj033 ne null then aacb033 ne null and aacc033 ne null and aacd033 ne null and aacej033 ne null and aacf033 ne null and aacgj033 ne null and aachj033 ne null and aackj033 ne null and aacj033 ne null
FFIEC101	20081231	99991231	Added	Published	C	Quality	0079	C11A	AACAJ033		If C11A is equal to null, then C11B, C11C, C11D, C11E, C11F, C11G, C11H, C11I, C11J, C11K and C11L should be equal to null.	if aacaj033 eq null then aacb033 eq null and aacc033 eq null and aacd033 eq null and aacej033 eq null and aacf033 eq null and aacgj033 eq null and aachj033 eq null and aackj033 eq null and aacj033 eq null

Series	Effective Start Date	Effective End Date	Type of Change	Publication	Schedule	Edit Type	Edit Number	Target Item	MDRM Number	Comparison Series	Edit Test	Boolean algebra
FFIEC101	20081231	99991231	Added	Published	C	Quality	0080	C11A	AACAJ033		If C11A is not equal to null, then C11A should be greater than or equal to 20.00% and less than 100.00%.	if aacaj033 ne null then aacaj033 ge 20.00 and aacaj033 lt 100.00
FFIEC101	20081231	99991231	Added	Published	C	Quality	0081	C12B	AACBJ034		If C12B is not equal to null, then C12C, C12D, C12E, C12F, C12G, C12H, C12K and C12L should not equal null.	if aacbj034 ne null then aacbj034 ne null and aacdj034 ne null and aacej034 ne null and aacfj034 ne null and aacgj034 ne null and aachj034 ne null and aackj034 ne null and aaclj034 ne null
FFIEC101	20081231	99991231	Added	Published	C	Quality	0082	C12B	AACBJ034		If C12B is equal to null, then C12C, C12D, C12E, C12F, C12G, C12H, C12I, C12J, C12K and C12L should be equal to null.	if aacbj034 eq null then aacbj034 eq null and aacdj034 eq null and aacej034 eq null and aacfj034 eq null and aacgj034 eq null and aachj034 eq null and aacj034 eq null and aackj034 eq null and aaclj034 eq null
FFIEC101	20081231	99991231	Added	Published	C	Quality	0048	C1A	AACAJ005		If C1A is not equal to null, then C1B, C1C, C1D, C1E, C1F, C1G, C1H, C1K and C1L should not equal null.	if aacaj005 ne null then aacbj005 ne null and aacdj005 ne null and aacej005 ne null and aacfj005 ne null and aacgj005 ne null and aachj005 ne null and aackj005 ne null and aaclj005 ne null
FFIEC101	20081231	99991231	Added	Published	C	Quality	0049	C1A	AACAJ005		If C1A is equal to null, then C1B, C1C, C1D, C1E, C1F, C1G, C1H, C1I, C1J, C1K and C1L should be equal to null.	if aacaj005 eq null then aacbj005 eq null and aacdj005 eq null and aacej005 eq null and aacfj005 eq null and aacgj005 eq null and aachj005 eq null and aacj005 eq null and aackj005 eq null and aaclj005 eq null
FFIEC101	20081231	99991231	Added	Published	C	Quality	0050	C1A	AACAJ005		If C1A is not equal to null, then C1A should be greater than or equal to 0.00% and less than 0.15%.	if aacaj005 ne null then aacaj005 ge 0.00 and aacaj005 lt 0.15
FFIEC101	20081231	99991231	Added	Published	C	Quality	0051	C2A	AACAJ008		If C2A is not equal to null, then C2B, C2C, C2D, C2E, C2F, C2G, C2H, C2K and C2L should not equal null.	if aacaj008 ne null then aacbj008 ne null and aacdj008 ne null and aacej008 ne null and aacfj008 ne null and aacgj008 ne null and aachj008 ne null and aackj008 ne null and aaclj008 ne null
FFIEC101	20081231	99991231	Added	Published	C	Quality	0052	C2A	AACAJ008		If C2A is equal to null, then C2B, C2C, C2D, C2E, C2F, C2G, C2H, C2I, C2J, C2K and C2L should be equal to null.	if aacaj008 eq null then aacbj008 eq null and aacdj008 eq null and aacej008 eq null and aacfj008 eq null and aacgj008 eq null and aachj008 eq null and aacj008 eq null and aackj008 eq null and aaclj008 eq null
FFIEC101	20081231	99991231	Added	Published	C	Quality	0053	C2A	AACAJ008		If C2A is not equal to null, then C2A should be greater than or equal to 0.15% and less than 0.25%.	if aacaj008 ne null then aacaj008 ge 0.15 and aacaj008 lt 0.25
FFIEC101	20081231	99991231	Added	Published	C	Quality	0054	C3A	AACAJ010		If C3A is not equal to null, then C3B, C3C, C3D, C3E, C3F, C3G, C3H, C3K and C3L should not equal null.	if aacaj010 ne null then aacbj010 ne null and aacdj010 ne null and aacej010 ne null and aacfj010 ne null and aacgj010 ne null and aachj010 ne null and aackj010 ne null and aaclj010 ne null
FFIEC101	20081231	99991231	Added	Published	C	Quality	0055	C3A	AACAJ010		If C3A is equal to null, then C3B, C3C, C3D, C3E, C3F, C3G, C3H, C3I, C3J, C3K and C3L should be equal to null.	if aacaj010 eq null then aacbj010 eq null and aacdj010 eq null and aacej010 eq null and aacfj010 eq null and aacgj010 eq null and aachj010 eq null and aacj010 eq null and aackj010 eq null and aaclj010 eq null

Series	Effective Start Date	Effective End Date	Type of Change	Publication	Schedule	Edit Type	Edit Number	Target Item	MDRM Number	Comparison Series	Edit Test	Boolean algebra
FFIEC101	20081231	99991231	Added	Published	C	Quality	0056	C3A	AACAJ010		If C3A is not equal to null, then C3A should be greater than or equal to 0.25% and less than 0.35%.	if aacaj010 ne null then aacaj010 ge 0.25 and aacaj010 lt 0.35
FFIEC101	20081231	99991231	Added	Published	C	Quality	0057	C4A	AACAJ013		If C4A is not equal to null, then C4B, C4C, C4D, C4E, C4F, C4G, C4H, C4K and C4L should not equal null.	if aacaj013 ne null then aacbj013 ne null and aaccj013 ne null and aacdj013 ne null and aacej013 ne null and aacfj013 ne null and aacgj013 ne null and aachj013 ne null and aackj013 ne null and aaclj013 ne null
FFIEC101	20081231	99991231	Added	Published	C	Quality	0058	C4A	AACAJ013		If C4A is equal to null, then C4B, C4C, C4D, C4E, C4F, C4G, C4H, C4I, C4J, C4K and C4L should be equal to null.	if aacaj013 eq null then aacbj013 eq null and aaccj013 eq null and aacdj013 eq null and aacej013 eq null and aacfj013 eq null and aacgj013 eq null and aachj013 eq null and aacj013 eq null and aacj013 eq null and aackj013 eq null and aaclj013 eq null
FFIEC101	20081231	99991231	Added	Published	C	Quality	0059	C4A	AACAJ013		If C4A is not equal to null, then C4A should be greater than or equal to 0.35% and less than 0.50%.	if aacaj013 ne null then aacaj013 ge 0.35 and aacaj013 lt 0.50
FFIEC101	20081231	99991231	Added	Published	C	Quality	0060	C5A	AACAJ014		If C5A is not equal to null, then C5B, C5C, C5D, C5E, C5F, C5G, C5H, C5K and C5L should not equal null.	if aacaj014 ne null then aacbj014 ne null and aaccj014 ne null and aacdj014 ne null and aacej014 ne null and aacfj014 ne null and aacgj014 ne null and aachj014 ne null and aackj014 ne null and aaclj014 ne null
FFIEC101	20081231	99991231	Added	Published	C	Quality	0061	C5A	AACAJ014		If C5A is equal to null, then C5B, C5C, C5D, C5E, C5F, C5G, C5H, C5I, C5J, C5K and C5L should be equal to null.	if aacaj014 eq null then aacbj014 eq null and aaccj014 eq null and aacdj014 eq null and aacej014 eq null and aacfj014 eq null and aacgj014 eq null and aachj014 eq null and aacj014 eq null and aacj014 eq null and aackj014 eq null and aaclj014 eq null
FFIEC101	20081231	99991231	Added	Published	C	Quality	0062	C5A	AACAJ014		If C5A is not equal to null, then C5A should be greater than or equal to 0.50% and less than 0.75%.	if aacaj014 ne null then aacaj014 ge 0.50 and aacaj014 lt 0.75
FFIEC101	20081231	99991231	Added	Published	C	Quality	0063	C6A	AACAJ016		If C6A is not equal to null, then C6B, C6C, C6D, C6E, C6F, C6G, C6H, C6K and C6L should not equal null.	if aacaj016 ne null then aacbj016 ne null and aaccj016 ne null and aacdj016 ne null and aacej016 ne null and aacfj016 ne null and aacgj016 ne null and aachj016 ne null and aackj016 ne null and aaclj016 ne null
FFIEC101	20081231	99991231	Added	Published	C	Quality	0064	C6A	AACAJ016		If C6A is equal to null, then C6B, C6C, C6D, C6E, C6F, C6G, C6H, C6I, C6J, C6K and C6L should be equal to null.	if aacaj016 eq null then aacbj016 eq null and aaccj016 eq null and aacdj016 eq null and aacej016 eq null and aacfj016 eq null and aacgj016 eq null and aachj016 eq null and aacj016 eq null and aacj016 eq null and aackj016 eq null and aaclj016 eq null
FFIEC101	20081231	99991231	Added	Published	C	Quality	0065	C6A	AACAJ016		If C6A is not equal to null, then C6A should be greater than or equal to 0.75% and less than 1.35%.	if aacaj016 ne null then aacaj016 ge 0.75 and aacaj016 lt 1.35
FFIEC101	20081231	99991231	Added	Published	C	Quality	0066	C7A	AACAJ019		If C7A is not equal to null, then C7B, C7C, C7D, C7E, C7F, C7G, C7H, C7K and C7L should not equal null.	if aacaj019 ne null then aacbj019 ne null and aaccj019 ne null and aacdj019 ne null and aacej019 ne null and aacfj019 ne null and aacgj019 ne null and aachj019 ne null and aackj019 ne null and aaclj019 ne null

Series	Effective Start Date	Effective End Date	Type of Change	Publication	Schedule	Edit Type	Edit Number	Target Item	MDRM Number	Comparison Series	Edit Test	Boolean algebra
FFIEC101	20081231	99991231	Added	Published	C	Quality	0067	C7A	AACAJ019		If C7A is equal to null, then C7B, C7C, C7D, C7E, C7F, C7G, C7H, C7I, C7J, C7K and C7L should be equal to null.	if aacaj019 eq null then aacbj019 eq null and aaccj019 eq null and aacdj019 eq null and aacej019 eq null and aacfj019 eq null and aacgj019 eq null and aachj019 eq null and aacj019 eq null and aacj019 eq null and aackj019 eq null and aacj019 eq null
FFIEC101	20081231	99991231	Added	Published	C	Quality	0068	C7A	AACAJ019		If C7A is not equal to null, then C7A should be greater than or equal to 1.35% and less than 2.50%.	if aacaj019 ne null then aacaj019 ge 1.35 and aacaj019 lt 2.50
FFIEC101	20100630	99991231	Revised	Published	C	Quality	0069	C8A	AACAJ025		If C8A is not equal to null, then C8B, C8C, C8D, C8E, C8F, C8G, C8H, C8K and C8L should not equal null.	if aacaj025 ne null then aacbj025 ne null and aaccj025 ne null and aacdj025 ne null and aacej025 ne null and aacfj025 ne null and aacgj025 ne null and aachj025 ne null and aackj025 ne null and aacj025 ne null
FFIEC101	20081231	99991231	Added	Published	C	Quality	0070	C8A	AACAJ025		If C8A is equal to null, then C8B, C8C, C8D, C8E, C8F, C8G, C8H, C8I, C8J, C8K and C8L should be equal to null.	if aacaj025 eq null then aacbj025 eq null and aaccj025 eq null and aacdj025 eq null and aacej025 eq null and aacfj025 eq null and aacgj025 eq null and aachj025 eq null and aacj025 eq null and aacj025 eq null and aackj025 eq null and aacj025 eq null
FFIEC101	20081231	99991231	Added	Published	C	Quality	0071	C8A	AACAJ025		If C8A is not equal to null, then C8A should be greater than or equal to 2.50% and less than 5.50%.	if aacaj025 ne null then aacaj025 ge 2.50 and aacaj025 lt 5.50
FFIEC101	20081231	99991231	Added	Published	C	Quality	0072	C9A	AACAJ029		If C9A is not equal to null, then C9B, C9C, C9D, C9E, C9F, C9G, C9H, C9K and C9L should not equal null.	if aacaj029 ne null then aacbj029 ne null and aaccj029 ne null and aacdj029 ne null and aacej029 ne null and aacfj029 ne null and aacgj029 ne null and aachj029 ne null and aackj029 ne null and aacj029 ne null
FFIEC101	20081231	99991231	Added	Published	C	Quality	0073	C9A	AACAJ029		If C9A is equal to null, then C9B, C9C, C9D, C9E, D9F, C9G, C9H, C9I, C9J, C9K and C9L should be equal to null.	if aacaj029 eq null then aacbj029 eq null and aaccj029 eq null and aacdj029 eq null and aacej029 eq null and aacfj029 eq null and aacgj029 eq null and aachj029 eq null and aacj029 eq null and aacj029 eq null and aackj029 eq null and aacj029 eq null
FFIEC101	20081231	99991231	Added	Published	C	Quality	0074	C9A	AACAJ029		If C9A is not equal to null, then C9A should be greater than or equal to 5.50% and less than 10.00%.	if aacaj029 ne null then aacaj029 ge 5.50 and aacaj029 lt 10.00
FFIEC101	20081231	99991231	Added	Published	D	Quality	0110	D10A	AADAJ031		If D10A is not equal to null, then D10B, D10C, D10D, D10E, D10F, D10G, D10H, D10I and D10K should not equal null.	if aadaj031 ne null then aadbj031 ne null and aadcj031 ne null and aaddj031 ne null and aadej031 ne null and aadfj031 ne null and aadgj031 ne null and aadhj031 ne null and aadjj031 ne null and aadki031 ne null
FFIEC101	20081231	99991231	Added	Published	D	Quality	0111	D10A	AADAJ031		If D10A is equal to null, then D10B, D10C, D10D, D10E, D10F, D10G, D10H, D10I, D10J and D10K should be equal to null.	if aadaj031 eq null then aadbj031 eq null and aadcj031 eq null and aaddj031 eq null and aadej031 eq null and aadfj031 eq null and aadgj031 eq null and aadhj031 eq null and aadjj031 eq null and aadki031 eq null
FFIEC101	20081231	99991231	Added	Published	D	Quality	0112	D10A	AADAJ031		If D10A is not equal to null, then D10A should be greater than or equal to 10.00% and less than 20.00%.	if aadaj031 ne null then aadaj031 ge 10.00 and aadaj031 lt 20.00

Series	Effective Start Date	Effective End Date	Type of Change	Publication	Schedule	Edit Type	Edit Number	Target Item	MDRM Number	Comparison Series	Edit Test	Boolean algebra
FFIEC101	20081231	99991231	Added	Published	D	Quality	0113	D11A	AADAJ033		If D11A is not equal to null, then D11B, D11C, D11D, D11E, D11F, D11G, D11H, D11J and D11K should not equal null.	if aadaj033 ne null then aadbj033 ne null and aadcj033 ne null and aaddj033 ne null and aadej033 ne null and aadfj033 ne null and aadjj033 ne null and aadhj033 ne null and aadki033 ne null
FFIEC101	20081231	99991231	Added	Published	D	Quality	0114	D11A	AADAJ033		If D11A is equal to null, then D11B, D11C, D11D, D11E, D11F, D11G, D11H, D11I, D11J and D11K should be equal to null.	if aadaj033 eq null then aadbj033 eq null and aadcj033 eq null and aaddj033 eq null and aadej033 eq null and aadfj033 eq null and aadjj033 eq null and aadhj033 eq null and aadki033 eq null
FFIEC101	20081231	99991231	Added	Published	D	Quality	0115	D11A	AADAJ033		If D11A is not equal to null, then D11A should be greater than or equal to 20.00% and less than 100.00%.	if aadaj033 ne null then aadaj033 ge 20.00 and aadaj033 lt 100.00
FFIEC101	20081231	99991231	Added	Published	D	Quality	0116	D12B	AADBJ034		If D12B is not equal to null, then D12C, D12D, D12E, D12F, D12G, D12H, D12J and D12K should not equal null.	if aadbj034 ne null then aadcj034 ne null and aaddj034 ne null and aadej034 ne null and aadfj034 ne null and aadjj034 ne null and aadhj034 ne null and aadki034 ne null
FFIEC101	20081231	99991231	Added	Published	D	Quality	0117	D12B	AADBJ034		If D12B is equal to null, then D12C, D12D, D12E, D12F, D12G, D12H, D12I, D12J and D12K should be equal to null.	if aadbj034 eq null then aadcj034 eq null and aaddj034 eq null and aadej034 eq null and aadfj034 eq null and aadjj034 eq null and aadhj034 eq null and aadki034 eq null
FFIEC101	20081231	99991231	Added	Published	D	Quality	0083	D1A	AADAJ005		If D1A is not equal to null, then D1B, D1C, D1D, D1E, D1F, D1G, D1H, D1J and D1K should not equal null.	if aadaj005 ne null then aadbj005 ne null and aadcj005 ne null and aaddj005 ne null and aadej005 ne null and aadfj005 ne null and aadjj005 ne null and aadhj005 ne null and aadki005 ne null
FFIEC101	20081231	99991231	Added	Published	D	Quality	0084	D1A	AADAJ005		If D1A is equal to null, then D1B, D1C, D1D, D1E, D1F, D1G, D1H, D1I, D1J and D1K should be equal to null.	if aadaj005 eq null then aadbj005 eq null and aadcj005 eq null and aaddj005 eq null and aadej005 eq null and aadfj005 eq null and aadjj005 eq null and aadhj005 eq null and aadki005 eq null
FFIEC101	20081231	99991231	Added	Published	D	Quality	0085	D1A	AADAJ005		If D1A is not equal to null, then D1A should be greater than or equal to 0.00% and less than 0.15%.	if aadaj005 ne null then aadaj005 ge 0.00 and aadaj005 lt 0.15
FFIEC101	20081231	99991231	Added	Published	D	Quality	0086	D2A	AADAJ008		If D2A is not equal to null, then D2B, D2C, D2D, D2E, D2F, D2G, D2H, D2J and D2K should not equal null.	if aadaj008 ne null then aadbj008 ne null and aadcj008 ne null and aaddj008 ne null and aadej008 ne null and aadfj008 ne null and aadjj008 ne null and aadhj008 ne null and aadki008 ne null
FFIEC101	20081231	99991231	Added	Published	D	Quality	0087	D2A	AADAJ008		If D2A is equal to null, then D2B, D2C, D2D, D2E, D2F, D2G, D2H, D2I, D2J and D2K should be equal to null.	if aadaj008 eq null then aadbj008 eq null and aadcj008 eq null and aaddj008 eq null and aadej008 eq null and aadfj008 eq null and aadjj008 eq null and aadhj008 eq null and aadki008 eq null
FFIEC101	20081231	99991231	Added	Published	D	Quality	0088	D2A	AADAJ008		If D2A is not equal to null, then D2A should be greater than or equal to 0.15% and less than 0.25%.	if aadaj008 ne null then aadaj008 ge 0.15 and aadaj008 lt 0.25

Series	Effective Start Date	Effective End Date	Type of Change	Publication	Schedule	Edit Type	Edit Number	Target Item	MDRM Number	Comparison Series	Edit Test	Boolean algebra
FFIEC101	20081231	99991231	Added	Published	D	Quality	0089	D3A	AADAJ010		If D3A is not equal to null, then D3B, D3C, D3D, D3E, D3F, D3G, D3H, D3J and D3K should not equal null.	if aadaj010 ne null then aadbj010 ne null and aadcj010 ne null and aaddj010 ne null and aadej010 ne null and aadfj010 ne null and aadgj010 ne null and aadhj010 ne null and aadjj010 ne null and aadki010 ne null
FFIEC101	20081231	99991231	Added	Published	D	Quality	0090	D3A	AADAJ010		If D3A is equal to null, then D3B, D3C, D3D, D3E, D3F, D3G, D3H, D3I, D3J and D3K should be equal to null.	if aadaj010 eq null then aadbj010 eq null and aadcj010 eq null and aaddj010 eq null and aadej010 eq null and aadfj010 eq null and aadgj010 eq null and aadhj010 eq null and aadjj010 eq null and aadki010 eq null
FFIEC101	20081231	99991231	Added	Published	D	Quality	0091	D3A	AADAJ010		If D3A is not equal to null, then D3A should be greater than or equal to 0.25% and less than 0.35%.	if aadaj010 ne null then aadaj010 ge 0.25 and aadaj010 lt 0.35
FFIEC101	20081231	99991231	Added	Published	D	Quality	0092	D4A	AADAJ013		If D4A is not equal to null, then D4B, D4C, D4D, D4E, D4F, D4G, D4H, D4J and D4K should not equal null.	if aadaj013 ne null then aadbj013 ne null and aadcj013 ne null and aaddj013 ne null and aadej013 ne null and aadfj013 ne null and aadgj013 ne null and aadhj013 ne null and aadjj013 ne null and aadki013 ne null
FFIEC101	20081231	99991231	Added	Published	D	Quality	0093	D4A	AADAJ013		If D4A is equal to null, then D4B, D4C, D4D, D4E, D4F, D4G, D4H, D4I, D4J and D4K should be equal to null.	if aadaj013 eq null then aadbj013 eq null and aadcj013 eq null and aaddj013 eq null and aadej013 eq null and aadfj013 eq null and aadgj013 eq null and aadhj013 eq null and aadjj013 eq null and aadki013 eq null
FFIEC101	20081231	99991231	Added	Published	D	Quality	0094	D4A	AADAJ013		If D4A is not equal to null, then D4A should be greater than or equal to 0.35% and less than 0.50%.	if aadaj013 ne null then aadaj013 ge 0.35 and aadaj013 lt 0.50
FFIEC101	20081231	99991231	Added	Published	D	Quality	0095	D5A	AADAJ014		If D5A is not equal to null, then D5B, D5C, D5D, D5E, D5F, D5G, D5H, D5J and D5K should not equal null.	if aadaj014 ne null then aadbj014 ne null and aadcj014 ne null and aaddj014 ne null and aadej014 ne null and aadfj014 ne null and aadgj014 ne null and aadhj014 ne null and aadjj014 ne null and aadki014 ne null
FFIEC101	20081231	99991231	Added	Published	D	Quality	0096	D5A	AADAJ014		If D5A is equal to null, then D5B, D5C, D5D, D5E, D5F, D5G, D5H, D5I, D5J and D5K should be equal to null.	if aadaj014 eq null then aadbj014 eq null and aadcj014 eq null and aaddj014 eq null and aadej014 eq null and aadfj014 eq null and aadgj014 eq null and aadhj014 eq null and aadjj014 eq null and aadki014 eq null
FFIEC101	20081231	99991231	Added	Published	D	Quality	0097	D5A	AADAJ014		If D5A is not equal to null, then D5A should be greater than or equal to 0.50% and less than 0.75%.	if aadaj014 ne null then aadaj014 ge 0.50 and aadaj014 lt 0.75
FFIEC101	20081231	99991231	Added	Published	D	Quality	0098	D6A	AADAJ016		If D6A is not equal to null, then D6B, D6C, D6D, D6E, D6F, D6G, D6H, D6J and D6K should not equal null.	if aadaj016 ne null then aadbj016 ne null and aadcj016 ne null and aaddj016 ne null and aadej016 ne null and aadfj016 ne null and aadgj016 ne null and aadhj016 ne null and aadjj016 ne null and aadki016 ne null
FFIEC101	20081231	99991231	Added	Published	D	Quality	0099	D6A	AADAJ016		If D6A is equal to null, then D6B, D6C, D6D, D6E, D6F, D6G, D6H, D6I, D6J and D6K should be equal to null.	if aadaj016 eq null then aadbj016 eq null and aadcj016 eq null and aaddj016 eq null and aadej016 eq null and aadfj016 eq null and aadgj016 eq null and aadhj016 eq null and aadjj016 eq null and aadki016 eq null

Series	Effective Start Date	Effective End Date	Type of Change	Publication	Schedule	Edit Type	Edit Number	Target Item	MDRM Number	Comparison Series	Edit Test	Boolean algebra
FFIEC101	20081231	99991231	Added	Published	D	Quality	0100	D6A	AADAJ016		If D6A is not equal to null, then D6A should be greater than or equal to 0.75% and less than 1.35%.	if aadaj016 ne null then aadaj016 ge 0.75 and aadaj016 lt 1.35
FFIEC101	20081231	99991231	Added	Published	D	Quality	0101	D7A	AADAJ019		If D7A is not equal to null, then D7B, D7C, D7D, D7E, D7F, D7G, D7H, D7J and D7K should not equal null.	if aadaj019 ne null then aadbj019 ne null and aadcj019 ne null and aaddj019 ne null and aadej019 ne null and aadfj019 ne null and aadgj019 ne null and aadhj019 ne null and aadjj019 ne null and aadki019 ne null
FFIEC101	20081231	99991231	Added	Published	D	Quality	0102	D7A	AADAJ019		If D7A is equal to null, then D7B, D7C, D7D, D7E, D7F, D7G, D7H, D7I, D7J and D7K should be equal to null.	if aadaj019 eq null then aadbj019 eq null and aadcj019 eq null and aaddj019 eq null and aadej019 eq null and aadfj019 eq null and aadgj019 eq null and aadhj019 eq null and aadjj019 eq null and aadki019 eq null
FFIEC101	20081231	99991231	Added	Published	D	Quality	0103	D7A	AADAJ019		If D7A is not equal to null, then D7A should be greater than or equal to 1.35% and less than 2.50%.	if aadaj019 ne null then aadaj019 ge 1.35 and aadaj019 lt 2.50
FFIEC101	20081231	99991231	Added	Published	D	Quality	0104	D8A	AADAJ025		If D8A is not equal to null, then D8B, D8C, D8D, D8E, D8F, D8G, D8H, D8J and D8K should not equal null.	if aadaj025 ne null then aadbj025 ne null and aadcj025 ne null and aaddj025 ne null and aadej025 ne null and aadfj025 ne null and aadgj025 ne null and aadhj025 ne null and aadjj025 ne null and aadki025 ne null
FFIEC101	20081231	99991231	Added	Published	D	Quality	0105	D8A	AADAJ025		If D8A is equal to null, then D8B, D8C, D8D, D8E, D8F, D8G, D8H, D8I, D8J and D8K should be equal to null.	if aadaj025 eq null then aadbj025 eq null and aadcj025 eq null and aaddj025 eq null and aadej025 eq null and aadfj025 eq null and aadgj025 eq null and aadhj025 eq null and aadjj025 eq null and aadki025 eq null
FFIEC101	20081231	99991231	Added	Published	D	Quality	0106	D8A	AADAJ025		If D8A is not equal to null, then D8A should be greater than or equal to 2.50% and less than 5.50%.	if aadaj025 ne null then aadaj025 ge 2.50 and aadaj025 lt 5.50
FFIEC101	20081231	99991231	Added	Published	D	Quality	0107	D9A	AADAJ029		If D9A is not equal to null, then D9B, D9C, D9D, D9E, D9F, D9G, D9H, D9J and D9K should not equal null.	if aadaj029 ne null then aadbj029 ne null and aadcj029 ne null and aaddj029 ne null and aadej029 ne null and aadfj029 ne null and aadgj029 ne null and aadhj029 ne null and aadjj029 ne null and aadki029 ne null
FFIEC101	20081231	99991231	Added	Published	D	Quality	0108	D9A	AADAJ029		If D9A is equal to null, then D9B, D9C, D9D, D9E, D9F, D9G, D9H, D9I, D9J and D9K should be equal to null.	if aadaj029 eq null then aadbj029 eq null and aadcj029 eq null and aaddj029 eq null and aadej029 eq null and aadfj029 eq null and aadgj029 eq null and aadhj029 eq null and aadjj029 eq null and aadki029 eq null
FFIEC101	20081231	99991231	Added	Published	D	Quality	0109	D9A	AADAJ029		If D9A is not equal to null, then D9A should be greater than or equal to 5.50% and less than 10.00%.	if aadaj029 ne null then aadaj029 ge 5.50 and aadaj029 lt 10.00
FFIEC101	20081231	99991231	Added	Published	E	Quality	0145	E10A	AAEAJ031		If E10A is not equal to null, then E10B, E10C, E10D, E10E, E10F, E10G, E10H, E10J and E10K should not equal null.	if aaeaj031 ne null then aaeaj031 ne null and aaeaj031 ne null and aaeaj031 ne null and aaeaj031 ne null and aaeaj031 ne null and aaeaj031 ne null and aaeaj031 ne null and aaeaj031 ne null and aaeaj031 ne null

Series	Effective Start Date	Effective End Date	Type of Change	Publication	Schedule	Edit Type	Edit Number	Target Item	MDRM Number	Comparison Series	Edit Test	Boolean algebra
FFIEC101	20081231	99991231	Added	Published	E	Quality	0122	E2A	AAEAJ008		If E2A is equal to null, then E2B, E2C, E2D, E2E, E2F, E2G, E2H, E2I, E2J and E2K should be equal to null.	if aaeaj008 eq null then aaebj008 eq null and aaecj008 eq null and aaedj008 eq null and aaeaj008 eq null and aaeaj008 eq null and aaeaj008 eq null and aaeaj008 eq null and aaeaj008 eq null and aaeaj008 eq null
FFIEC101	20081231	99991231	Added	Published	E	Quality	0123	E2A	AAEAJ008		If E2A is not equal to null, then E2A should be greater than or equal to 0.15% and less than 0.25%.	if aaeaj008 ne null then aaeaj008 ge 0.15 and aaeaj008 lt 0.25
FFIEC101	20081231	99991231	Added	Published	E	Quality	0124	E3A	AAEAJ010		If E3A is not equal to null, then E3B, E3C, E3D, E3E, E3F, E3G, E3H, E3J and E3K should not equal null.	if aaeaj010 ne null then aaebj010 ne null and aaecj010 ne null and aaedj010 ne null and aaeaj010 ne null and aaeaj010 ne null and aaeaj010 ne null and aaeaj010 ne null and aaeaj010 ne null and aaeaj010 ne null
FFIEC101	20081231	99991231	Added	Published	E	Quality	0125	E3A	AAEAJ010		If E3A is equal to null, then E3B, E3C, E3D, E3E, E3F, E3G, E3H, E3I, E3J and E3K should be equal to null.	if aaeaj010 eq null then aaebj010 eq null and aaecj010 eq null and aaedj010 eq null and aaeaj010 eq null and aaeaj010 eq null and aaeaj010 eq null and aaeaj010 eq null and aaeaj010 eq null and aaeaj010 eq null
FFIEC101	20081231	99991231	Added	Published	E	Quality	0126	E3A	AAEAJ010		If E3A is not equal to null, then E3A should be greater than or equal to 0.25% and less than 0.35%.	if aaeaj010 ne null then aaeaj010 ge 0.25 and aaeaj010 lt 0.35
FFIEC101	20081231	99991231	Added	Published	E	Quality	0127	E4A	AAEAJ013		If E4A is not equal to null, then E4B, E4C, E4D, E4E, E4F, E4G, E4H, E4J and E4K should not equal null.	if aaeaj013 ne null then aaebj013 ne null and aaecj013 ne null and aaedj013 ne null and aaeaj013 ne null and aaeaj013 ne null and aaeaj013 ne null and aaeaj013 ne null and aaeaj013 ne null and aaeaj013 ne null
FFIEC101	20081231	99991231	Added	Published	E	Quality	0128	E4A	AAEAJ013		If E4A is equal to null, then E4B, E4C, E4D, E4E, E4F, E4G, E4H, E4I, E4J and E4K should be equal to null.	if aaeaj013 eq null then aaebj013 eq null and aaecj013 eq null and aaedj013 eq null and aaeaj013 eq null and aaeaj013 eq null and aaeaj013 eq null and aaeaj013 eq null and aaeaj013 eq null and aaeaj013 eq null
FFIEC101	20081231	99991231	Added	Published	E	Quality	0129	E4A	AAEAJ013		If E4A is not equal to null, then E4A should be greater than or equal to 0.35% and less than 0.50%.	if aaeaj013 ne null then aaeaj013 ge 0.35 and aaeaj013 lt 0.50
FFIEC101	20081231	99991231	Added	Published	E	Quality	0130	E5A	AAEAJ014		If E5A is not equal to null, then E5B, E5C, E5D, E5E, E5F, E5G, E5H, E5J and E5K should not equal null.	if aaeaj014 ne null then aaebj014 ne null and aaecj014 ne null and aaedj014 ne null and aaeaj014 ne null and aaeaj014 ne null and aaeaj014 ne null and aaeaj014 ne null and aaeaj014 ne null and aaeaj014 ne null
FFIEC101	20081231	99991231	Added	Published	E	Quality	0131	E5A	AAEAJ014		If E5A is equal to null, then E5B, E5C, E5D, E5E, E5F, E5G, E5H, E5I, E5J and E5K should be equal to null.	if aaeaj014 eq null then aaebj014 eq null and aaecj014 eq null and aaedj014 eq null and aaeaj014 eq null and aaeaj014 eq null and aaeaj014 eq null and aaeaj014 eq null and aaeaj014 eq null and aaeaj014 eq null
FFIEC101	20081231	99991231	Added	Published	E	Quality	0132	E5A	AAEAJ014		If E5A is not equal to null, then E5A should be greater than or equal to 0.50% and less than 0.75%.	if aaeaj014 ne null then aaeaj014 ge 0.50 and aaeaj014 lt 0.75

Series	Effective Start Date	Effective End Date	Type of Change	Publication	Schedule	Edit Type	Edit Number	Target Item	MDRM Number	Comparison Series	Edit Test	Boolean algebra
FFIEC101	20081231	99991231	Added	Published	E	Quality	0144	E9A	AAEAJ029		If E9A is not equal to null, then E9A should be greater than or equal to 5.50% and less than 10.00%.	if aaeaj029 ne null then aaeaj029 ge 5.50 and aaeaj029 lt 10.00
FFIEC101	20081231	99991231	Added	Published	F	Quality	0180	F10A	AAFAJ031		If F10A is not equal to null, then F10B, F10C, F10D, F10E, F10F, F10G, F10H, F10K and F10L should not equal null.	if aafaj031 ne null then aafbj031 ne null and aafcj031 ne null and aafdj031 ne null and aafej031 ne null and aaffj031 ne null and aafgj031 ne null and aafhj031 ne null and aafkj031 ne null and aaflj031 ne null
FFIEC101	20081231	99991231	Added	Published	F	Quality	0181	F10A	AAFAJ031		If F10A is equal to null, then F10B, F10C, F10D, F10E, F10F, F10G, F10H, F10I, F10J, F10K and F10L should be equal to null.	if aafaj031 eq null then aafbj031 eq null and aafcj031 eq null and aafdj031 eq null and aafej031 eq null and aaffj031 eq null and aafgj031 eq null and aafhj031 eq null and aafij031 eq null and aafjj031 eq null and aafkj031 eq null and aaflj031 eq null
FFIEC101	20081231	99991231	Added	Published	F	Quality	0182	F10A	AAFAJ031		If F10A is not equal to null, then F10A should be greater than or equal to 10.00% and less than 20.00%.	if aafaj031 ne null then aafaj031 ge 10.00 and aafaj031 lt 20.00
FFIEC101	20081231	99991231	Added	Published	F	Quality	0183	F11A	AAFAJ033		If F11A is not equal to null, then F11B, F11C, F11D, F11E, F11F, F11G, F11H, F11I, F11J, F11K and F11L should not equal null.	if aafaj033 ne null then aafbj033 ne null and aafcj033 ne null and aafdj033 ne null and aafej033 ne null and aaffj033 ne null and aafgj033 ne null and aafhj033 ne null and aafij033 ne null and aafjj033 ne null and aafkj033 ne null and aaflj033 ne null
FFIEC101	20081231	99991231	Added	Published	F	Quality	0184	F11A	AAFAJ033		If F11A is equal to null, then F11B, F11C, F11D, F11E, F11F, F11G, F11H, F11I, F11J, F11K and F11L should be equal to null.	if aafaj033 eq null then aafbj033 eq null and aafcj033 eq null and aafdj033 eq null and aafej033 eq null and aaffj033 eq null and aafgj033 eq null and aafhj033 eq null and aafij033 eq null and aafjj033 eq null and aafkj033 eq null and aaflj033 eq null
FFIEC101	20081231	99991231	Added	Published	F	Quality	0185	F11A	AAFAJ033		If F11A is not equal to null, then F11A should be greater than or equal to 20.00% and less than 100.00%.	if aafaj033 ne null then aafaj033 ge 20.00 and aafaj033 lt 100.00
FFIEC101	20081231	99991231	Added	Published	F	Quality	0186	F12B	AAFBJ034		If F12B is not equal to null, then F12C, F12D, F12E, F12F, F12G, F12H, F12I, F12J, F12K and F12L should not equal null.	if aafbj034 ne null then aafcj034 ne null and aafdj034 ne null and aafej034 ne null and aaffj034 ne null and aafgj034 ne null and aafhj034 ne null and aafij034 ne null and aafjj034 ne null and aafkj034 ne null and aaflj034 ne null
FFIEC101	20081231	99991231	Added	Published	F	Quality	0187	F12B	AAFBJ034		If F12B is equal to null, then F12C, F12D, F12E, F12F, F12G, F12H, F12I, F12J, F12K and F12L should be equal to null.	if aafbj034 eq null then aafcj034 eq null and aafdj034 eq null and aafej034 eq null and aaffj034 eq null and aafgj034 eq null and aafhj034 eq null and aafij034 eq null and aafjj034 eq null and aafkj034 eq null and aaflj034 eq null
FFIEC101	20081231	99991231	Added	Published	F	Quality	0153	F1A	AAFAJ005		If F1A is not equal to null, then F1B, F1C, F1D, F1E, F1F, F1G, F1H, F1I, F1K and F1L should not equal null.	if aafaj005 ne null then aafbj005 ne null and aafcj005 ne null and aafdj005 ne null and aafej005 ne null and aaffj005 ne null and aafgj005 ne null and aafhj005 ne null and aafij005 ne null and aafjj005 ne null and aafkj005 ne null and aaflj005 ne null
FFIEC101	20081231	99991231	Added	Published	F	Quality	0154	F1A	AAFAJ005		If F1A is equal to null, then F1B, F1C, F1D, F1E, F1F, F1G, F1H, F1I, F1J, F1K and F1L should be equal to null.	if aafaj005 eq null then aafbj005 eq null and aafcj005 eq null and aafdj005 eq null and aafej005 eq null and aaffj005 eq null and aafgj005 eq null and aafhj005 eq null and aafij005 eq null and aafjj005 eq null and aafkj005 eq null and aaflj005 eq null

Series	Effective Start Date	Effective End Date	Type of Change	Publication	Schedule	Edit Type	Edit Number	Target Item	MDRM Number	Comparison Series	Edit Test	Boolean algebra
FFIEC101	20081231	99991231	Added	Published	F	Quality	0155	F1A	AAFAJ005		If F1A is not equal to null, then F1A should be greater than or equal to 0.00% and less than 0.15%.	if aafaj005 ne null then aafaj005 ge 0.00 and aafaj005 lt 0.15
FFIEC101	20081231	99991231	Added	Published	F	Quality	0156	F2A	AAFAJ008		If F2A is not equal to null, then F2B, F2C, F2D, F2E, F2F, F2G, F2H, F2K and F2L should not equal null.	if aafaj008 ne null then aafbj008 ne null and aafcj008 ne null and aafdj008 ne null and aafej008 ne null and aaffj008 ne null and aafgj008 ne null and aafhj008 ne null and aafkj008 ne null and aaflj008 ne null
FFIEC101	20081231	99991231	Added	Published	F	Quality	0157	F2A	AAFAJ008		If F2A is equal to null, then F2B, F2C, F2D, F2E, F2F, F2G, F2H, F2I, F2J, F2K and F2L should be equal to null.	if aafaj008 eq null then aafbj008 eq null and aafcj008 eq null and aafdj008 eq null and aafej008 eq null and aaffj008 eq null and aafgj008 eq null and aafhj008 eq null and aafij008 eq null and aafjj008 eq null and aafkj008 eq null and aaflj008 eq null
FFIEC101	20081231	99991231	Added	Published	F	Quality	0158	F2A	AAFAJ008		If F2A is not equal to null, then F2A should be greater than or equal to 0.15% and less than 0.25%.	if aafaj008 ne null then aafaj008 ge 0.15 and aafaj008 lt 0.25
FFIEC101	20081231	99991231	Added	Published	F	Quality	0159	F3A	AAFAJ010		If F3A is not equal to null, then F3B, F3C, F3D, F3E, F3F, F3G, F3H, F3K and F3L should not equal null.	if aafaj010 ne null then aafbj010 ne null and aafcj010 ne null and aafdj010 ne null and aafej010 ne null and aaffj010 ne null and aafgj010 ne null and aafhj010 ne null and aafij010 ne null and aafjj010 ne null
FFIEC101	20081231	99991231	Added	Published	F	Quality	0160	F3A	AAFAJ010		If F3A is equal to null, then F3B, F3C, F3D, F3E, F3F, F3G, F3H, F3I, F3J, F3K and F3L should be equal to null.	if aafaj010 eq null then aafbj010 eq null and aafcj010 eq null and aafdj010 eq null and aafej010 eq null and aaffj010 eq null and aafgj010 eq null and aafhj010 eq null and aafij010 eq null and aafjj010 eq null and aafkj010 eq null and aaflj010 eq null
FFIEC101	20081231	99991231	Added	Published	F	Quality	0161	F3A	AAFAJ010		If F3A is not equal to null, then F3A should be greater than or equal to 0.25% and less than 0.35%.	if aafaj010 ne null then aafaj010 ge 0.25 and aafaj010 lt 0.35
FFIEC101	20081231	99991231	Added	Published	F	Quality	0162	F4A	AAFAJ013		If F4A is not equal to null, then F4B, F4C, F4D, F4E, F4F, F4G, F4H, F4K and F4L should not equal null.	if aafaj013 ne null then aafbj013 ne null and aafcj013 ne null and aafdj013 ne null and aafej013 ne null and aaffj013 ne null and aafgj013 ne null and aafhj013 ne null and aafij013 ne null and aafjj013 ne null
FFIEC101	20081231	99991231	Added	Published	F	Quality	0163	F4A	AAFAJ013		If F4A is equal to null, then F4B, F4C, F4D, F4E, F4F, F4G, F4H, F4I, F4J, F4K and F4L should be equal to null.	if aafaj013 eq null then aafbj013 eq null and aafcj013 eq null and aafdj013 eq null and aafej013 eq null and aaffj013 eq null and aafgj013 eq null and aafhj013 eq null and aafij013 eq null and aafjj013 eq null and aafkj013 eq null and aaflj013 eq null
FFIEC101	20081231	99991231	Added	Published	F	Quality	0164	F4A	AAFAJ013		If F4A is not equal to null, then F4A should be greater than or equal to 0.35% and less than 0.50%.	if aafaj013 ne null then aafaj013 ge 0.35 and aafaj013 lt 0.50
FFIEC101	20081231	99991231	Added	Published	F	Quality	0165	F5A	AAFAJ014		If F5A is not equal to null, then F5B, F5C, F5D, F5E, F5F, F5G, F5H, F5K and F5L should not equal null.	if aafaj014 ne null then aafbj014 ne null and aafcj014 ne null and aafdj014 ne null and aafej014 ne null and aaffj014 ne null and aafgj014 ne null and aafhj014 ne null and aafij014 ne null and aafjj014 ne null and aafkj014 ne null and aaflj014 ne null

Series	Effective Start Date	Effective End Date	Type of Change	Publication	Schedule	Edit Type	Edit Number	Target Item	MDRM Number	Comparison Series	Edit Test	Boolean algebra
FFIEC101	20081231	99991231	Added	Published	F	Quality	0166	F5A	AAFAJ014		If F5A is equal to null, then F5B, F5C, F5D, F5E, F5F, F5G, F5H, F5I, F5J, F5K and F5L should be equal to null.	if aafaj014 eq null then aafbj014 eq null and aafcj014 eq null and aafdj014 eq null and aafej014 eq null and aaffj014 eq null and aafgj014 eq null and aafhj014 eq null and aafij014 eq null and aafjj014 eq null and aafkj014 eq null and aaflj014 eq null
FFIEC101	20081231	99991231	Added	Published	F	Quality	0167	F5A	AAFAJ014		If F5A is not equal to null, then F5A should be greater than or equal to 0.50% and less than 0.75%.	if aafaj014 ne null then aafaj014 ge 0.50 and aafaj014 lt 0.75
FFIEC101	20081231	99991231	Added	Published	F	Quality	0168	F6A	AAFAJ016		If F6A is not equal to null, then F6B, F6C, F6D, F6E, F6F, F6G, F6H, F6K and F6L should not equal null.	if aafaj016 ne null then aafbj016 ne null and aafcj016 ne null and aafdj016 ne null and aafej016 ne null and aaffj016 ne null and aafgj016 ne null and aafhj016 ne null and aafij016 ne null and aafjj016 ne null and aafkj016 ne null and aaflj016 ne null
FFIEC101	20081231	99991231	Added	Published	F	Quality	0169	F6A	AAFAJ016		If F6A is equal to null, then F6B, F6C, F6D, F6E, F6F, F6G, F6H, F6I, F6J, F6K and F6L should be equal to null.	if aafaj016 eq null then aafbj016 eq null and aafcj016 eq null and aafdj016 eq null and aafej016 eq null and aaffj016 eq null and aafgj016 eq null and aafhj016 eq null and aafij016 eq null and aafjj016 eq null and aafkj016 eq null and aaflj016 eq null
FFIEC101	20081231	99991231	Added	Published	F	Quality	0170	F6A	AAFAJ016		If F6A is not equal to null, then F6A should be greater than or equal to 0.75% and less than 1.35%.	if aafaj016 ne null then aafaj016 ge 0.75 and aafaj016 lt 1.35
FFIEC101	20081231	99991231	Added	Published	F	Quality	0171	F7A	AAFAJ019		If F7A is not equal to null, then F7B, F7C, F7D, F7E, F7F, F7G, F7H, F7K and F7L should not equal null.	if aafaj019 ne null then aafbj019 ne null and aafcj019 ne null and aafdj019 ne null and aafej019 ne null and aaffj019 ne null and aafgj019 ne null and aafhj019 ne null and aafij019 ne null and aafjj019 ne null and aafkj019 ne null and aaflj019 ne null
FFIEC101	20081231	99991231	Added	Published	F	Quality	0172	F7A	AAFAJ019		If F7A is equal to null, then F7B, F7C, F7D, F7E, F7F, F7G, F7H, F7I, F7J, F7K and F7L should be equal to null.	if aafaj019 eq null then aafbj019 eq null and aafcj019 eq null and aafdj019 eq null and aafej019 eq null and aaffj019 eq null and aafgj019 eq null and aafhj019 eq null and aafij019 eq null and aafjj019 eq null and aafkj019 eq null and aaflj019 eq null
FFIEC101	20081231	99991231	Added	Published	F	Quality	0173	F7A	AAFAJ019		If F7A is not equal to null, then F7A should be greater than or equal to 1.35% and less than 2.50%.	if aafaj019 ne null then aafaj019 ge 1.35 and aafaj019 lt 2.50
FFIEC101	20081231	99991231	Added	Published	F	Quality	0174	F8A	AAFAJ025		If F8A is not equal to null, then F8B, F8C, F8D, F8E, F8F, F8G, F8H, F8K and F8L should not equal null.	if aafaj025 ne null then aafbj025 ne null and aafcj025 ne null and aafdj025 ne null and aafej025 ne null and aaffj025 ne null and aafgj025 ne null and aafhj025 ne null and aafij025 ne null and aafjj025 ne null and aafkj025 ne null and aaflj025 ne null
FFIEC101	20081231	99991231	Added	Published	F	Quality	0175	F8A	AAFAJ025		If F8A is equal to null, then F8B, F8C, F8D, F8E, F8F, F8G, F8H, F8I, F8J, F8K and F8L should be equal to null.	if aafaj025 eq null then aafbj025 eq null and aafcj025 eq null and aafdj025 eq null and aafej025 eq null and aaffj025 eq null and aafgj025 eq null and aafhj025 eq null and aafij025 eq null and aafjj025 eq null and aafkj025 eq null and aaflj025 eq null
FFIEC101	20081231	99991231	Added	Published	F	Quality	0176	F8A	AAFAJ025		If F8A is not equal to null, then F8A should be greater than or equal to 2.50% and less than 5.50%.	if aafaj025 ne null then aafaj025 ge 2.50 and aafaj025 lt 5.50

Series	Effective Start Date	Effective End Date	Type of Change	Publication	Schedule	Edit Type	Edit Number	Target Item	MDRM Number	Comparison Series	Edit Test	Boolean algebra
FFIEC101	20081231	99991231	Added	Published	F	Quality	0177	F9A	AAFAJ029		If F9A is not equal to null, then F9B, F9C, F9D, F9E, F9F, F9G, F9H, F9K and F9L should not equal null.	if aafaj029 ne null then aafbj029 ne null and aafcj029 ne null and aafdj029 ne null and aafej029 ne null and aaffj029 ne null and aafgj029 ne null and aafh029 ne null and aafkj029 ne null and aaflj029 ne null
FFIEC101	20081231	99991231	Added	Published	F	Quality	0178	F9A	AAFAJ029		If F9A is equal to null, then F9B, F9C, F9D, F9E, F9F, F9G, F9H, F9I, F9J, F9K and F9L should be equal to null.	if aafaj029 eq null then aafbj029 eq null and aafcj029 eq null and aafdj029 eq null and aafej029 eq null and aaffj029 eq null and aafgj029 eq null and aafh029 eq null and aafkj029 eq null and aaflj029 eq null
FFIEC101	20081231	99991231	Added	Published	F	Quality	0179	F9A	AAFAJ029		If F9A is not equal to null, then F9A should be greater than or equal to 5.50% and less than 10.00%.	if aafaj029 ne null then aafaj029 ge 5.50 and aafaj029 lt 10.00
FFIEC101	20081231	99991231	Added	Published	G	Quality	0215	G10A	AAGAJ031		If G10A is equal to null, then G10B, G10C, G10D, G10E, G10F, G10G, G10H, G10I, G10J, G10K and G10L should be equal to null.	if aagaj031 eq null then aagbj031 eq null and aagcj031 eq null and aagd031 eq null and aagej031 eq null and aagfj031 eq null and aaggj031 eq null and aaghj031 eq null and aagij031 eq null and aagjj031 eq null and aagkj031 eq null and aagl031 eq null
FFIEC101	20081231	99991231	Added	Published	G	Quality	0216	G10A	AAGAJ031		If G10A is not equal to null, then G10B, G10C, G10D, G10E, G10F, G10G, G10H, G10K and G10L should not be equal to null.	if aagaj031 ne null then aagbj031 ne null and aagcj031 ne null and aagd031 ne null and aagej031 ne null and aagfj031 ne null and aaggj031 ne null and aaghj031 ne null and aagij031 ne null and aagjj031 ne null
FFIEC101	20081231	99991231	Added	Published	G	Quality	0217	G10A	AAGAJ031		If G10A is not equal to null, then G10A should be greater than or equal to 10.00% and less than 20.00%.	if aagaj031 ne null then aagaj031 ge 10.00 and aagaj031 lt 20.00
FFIEC101	20081231	99991231	Added	Published	G	Quality	0218	G11A	AAGAJ033		If G11A is equal to null, then G11B, G11C, G11D, G11E, G11F, G11G, G11H, G11I, G11J, G11K and G11L should be equal to null.	if aagaj033 eq null then aagbj033 eq null and aagcj033 eq null and aagd033 eq null and aagej033 eq null and aagfj033 eq null and aaggj033 eq null and aaghj033 eq null and aagij033 eq null and aagjj033 eq null and aagkj033 eq null and aagl033 eq null
FFIEC101	20081231	99991231	Added	Published	G	Quality	0219	G11A	AAGAJ033		If G11A is not equal to null, then G11B, G11C, G11D, G11E, G11F, G11G, G11H, G11K and G11L should not be equal to null.	if aagaj033 ne null then aagbj033 ne null and aagcj033 ne null and aagd033 ne null and aagej033 ne null and aagfj033 ne null and aaggj033 ne null and aaghj033 ne null and aagij033 ne null and aagjj033 ne null
FFIEC101	20081231	99991231	Added	Published	G	Quality	0220	G11A	AAGAJ033		If G11A is not equal to null, then G11A should be greater than or equal to 20.00% and less than 100.00%.	if aagaj033 ne null then aagaj033 ge 20.00 and aagaj033 lt 100.00
FFIEC101	20081231	99991231	Added	Published	G	Quality	0221	G12B	AAGBJ034		If G12B is equal to null, then G12C, G12D, G12E, G12F, G12G, G12H, G12I, G12J, G12K and G12L should be equal to null.	if aagbj034 eq null then aagcj034 eq null and aagd034 eq null and aagej034 eq null and aagfj034 eq null and aaggj034 eq null and aaghj034 eq null and aagij034 eq null and aagjj034 eq null and aagkj034 eq null and aagl034 eq null
FFIEC101	20081231	99991231	Added	Published	G	Quality	0222	G12B	AAGBJ034		If G12B is not equal to null, then G12C, G12D, G12E, G12F, G12G, G12H, G12K and G12L should not be equal to null.	if aagbj034 ne null then aagcj034 ne null and aagd034 ne null and aagej034 ne null and aagfj034 ne null and aaggj034 ne null and aaghj034 ne null and aagij034 ne null and aagjj034 ne null and aagkj034 ne null and aagl034 ne null

Series	Effective Start Date	Effective End Date	Type of Change	Publication	Schedule	Edit Type	Edit Number	Target Item	MDRM Number	Comparison Series	Edit Test	Boolean algebra
FFIEC101	20081231	99991231	Added	Published	G	Quality	0188	G1A	AAGAJ005		If G1A is equal to null, then G1B, G1C, G1D, G1E, G1F, G1G, G1H, G1I, G1J, G1K and G1L should be equal to null.	if aagaj005 eq null then aagbj005 eq null and aagcj005 eq null and aagd005 eq null and aagej005 eq null and aagfj005 eq null and aaggj005 eq null and aaghj005 eq null and aagij005 eq null and aagjj005 eq null and aagkj005 eq null and aagl005 eq null
FFIEC101	20081231	99991231	Added	Published	G	Quality	0189	G1A	AAGAJ005		If G1A is not equal to null, then G1B, G1C, G1D, G1E, G1F, G1G, G1H, G1K and G1L should not be equal to null.	if aagaj005 ne null then aagbj005 ne null and aagcj005 ne null and aagd005 ne null and aagej005 ne null and aagfj005 ne null and aaggj005 ne null and aaghj005 ne null and aagij005 ne null and aagjj005 ne null and aagkj005 ne null and aagl005 ne null
FFIEC101	20081231	99991231	Added	Published	G	Quality	0190	G1A	AAGAJ005		If G1A is not equal to null, then G1A should be greater than or equal to 0.00% and less than 0.15%.	if aagaj005 ne null then aagaj005 ge 0.00 and aagaj005 lt 0.15
FFIEC101	20081231	99991231	Added	Published	G	Quality	0191	G2A	AAGAJ008		If G2A is equal to null, then G2B, G2C, G2D, G2E, G2F, G2G, G2H, G2I, G2J, G2K and G2L should be equal to null.	if aagaj008 eq null then aagbj008 eq null and aagcj008 eq null and aagd008 eq null and aagej008 eq null and aagfj008 eq null and aaggj008 eq null and aaghj008 eq null and aagij008 eq null and aagjj008 eq null and aagkj008 eq null and aagl008 eq null
FFIEC101	20100630	99991231	Revised	Published	G	Quality	0192	G2A	AAGAJ008		If G2A is not equal to null, then G2B, G2C, G2D, G2E, G2F, G2G, G2H, G2K and G2L should not be equal to null.	if aagaj008 ne null then aagbj008 ne null and aagcj008 ne null and aagd008 ne null and aagej008 ne null and aagfj008 ne null and aaggj008 ne null and aaghj008 ne null and aagij008 ne null and aagjj008 ne null and aagkj008 ne null and aagl008 ne null
FFIEC101	20081231	99991231	Added	Published	G	Quality	0193	G2A	AAGAJ008		If G2A is not equal to null, then G2A should be greater than or equal to 0.15% and less than 0.25%.	if aagaj008 ne null then aagaj008 ge 0.15 and aagaj008 lt 0.25
FFIEC101	20081231	99991231	Added	Published	G	Quality	0194	G3A	AAGAJ010		If G3A is equal to null, then G3B, G3C, G3D, G3E, G3F, G3G, G3H, G3I, G3J, G3K and G3L should be equal to null.	if aagaj010 eq null then aagbj010 eq null and aagcj010 eq null and aagd010 eq null and aagej010 eq null and aagfj010 eq null and aaggj010 eq null and aaghj010 eq null and aagij010 eq null and aagjj010 eq null and aagkj010 eq null and aagl010 eq null
FFIEC101	20081231	99991231	Added	Published	G	Quality	0195	G3A	AAGAJ010		If G3A is not equal to null, then G3B, G3C, G3D, G3E, G3F, G3G, G3H, G3K and G3L should not be equal to null.	if aagaj010 ne null then aagbj010 ne null and aagcj010 ne null and aagd010 ne null and aagej010 ne null and aagfj010 ne null and aaggj010 ne null and aaghj010 ne null and aagij010 ne null and aagjj010 ne null and aagkj010 ne null and aagl010 ne null
FFIEC101	20081231	99991231	Added	Published	G	Quality	0196	G3A	AAGAJ010		If G3A is not equal to null, then G3A should be greater than or equal to 0.25% and less than 0.35%.	if aagaj010 ne null then aagaj010 ge 0.25 and aagaj010 lt 0.35
FFIEC101	20081231	99991231	Added	Published	G	Quality	0197	G4A	AAGAJ013		If G4A is equal to null, then G4B, G4C, G4D, G4E, G4F, G4G, G4H, G4I, G4J, G4K and G4L should be equal to null.	if aagaj013 eq null then aagbj013 eq null and aagcj013 eq null and aagd013 eq null and aagej013 eq null and aagfj013 eq null and aaggj013 eq null and aaghj013 eq null and aagij013 eq null and aagjj013 eq null and aagkj013 eq null and aagl013 eq null
FFIEC101	20081231	99991231	Added	Published	G	Quality	0198	G4A	AAGAJ013		If G4A is not equal to null, then G4B, G4C, G4D, G4E, G4F, G4G, G4H, G4K and G4L should not be equal to null.	if aagaj013 ne null then aagbj013 ne null and aagcj013 ne null and aagd013 ne null and aagej013 ne null and aagfj013 ne null and aaggj013 ne null and aaghj013 ne null and aagij013 ne null and aagjj013 ne null and aagkj013 ne null and aagl013 ne null

Series	Effective Start Date	Effective End Date	Type of Change	Publication	Schedule	Edit Type	Edit Number	Target Item	MDRM Number	Comparison Series	Edit Test	Boolean algebra
FFIEC101	20081231	99991231	Added	Published	G	Quality	0199	G4A	AAGAJ013		If G4A is not equal to null, then G4A should be greater than or equal to 0.35% and less than 0.50%.	if aagaj013 ne null then aagaj013 ge 0.35 and aagaj013 lt 0.50
FFIEC101	20081231	99991231	Added	Published	G	Quality	0200	G5A	AAGAJ014		If G5A is equal to null, then G5B, G5C, G5D, G5E, G5F, G5G, G5H, G5I, G5J, G5K and G5L should be equal to null.	if aagaj014 eq null then aagbj014 eq null and aagcj014 eq null and aagdj014 eq null and aagej014 eq null and aagfj014 eq null and aaggj014 eq null and aaghj014 eq null and aagij014 eq null and aaglj014 eq null
FFIEC101	20081231	99991231	Added	Published	G	Quality	0201	G5A	AAGAJ014		If G5A is not equal to null, then G5B, G5C, G5D, G5E, G5F, G5G, G5H, G5K and G5L should not be equal to null.	if aagaj014 ne null then aagbj014 ne null and aagcj014 ne null and aagdj014 ne null and aagej014 ne null and aagfj014 ne null and aaggj014 ne null and aaghj014 ne null and aagij014 ne null and aaglj014 ne null
FFIEC101	20081231	99991231	Added	Published	G	Quality	0202	G5A	AAGAJ014		If G5A is not equal to null, then G5A should be greater than or equal to 0.50% and less than 0.75%.	if aagaj014 ne null then aagaj014 ge 0.50 and aagaj014 lt 0.75
FFIEC101	20081231	99991231	Added	Published	G	Quality	0203	G6A	AAGAJ016		If G6A is equal to null, then G6B, G6C, G6D, G6E, G6F, G6G, G6H, G6I, G6J, G6K and G6L should be equal to null.	if aagaj016 eq null then aagbj016 eq null and aagcj016 eq null and aagdj016 eq null and aagej016 eq null and aagfj016 eq null and aaggj016 eq null and aaghj016 eq null and aagij016 eq null and aaglj016 eq null
FFIEC101	20081231	99991231	Added	Published	G	Quality	0204	G6A	AAGAJ016		If G6A is not equal to null, then G6B, G6C, G6D, G6E, G6F, G6G, G6H, G6K and G6L should not be equal to null.	if aagaj016 ne null then aagbj016 ne null and aagcj016 ne null and aagdj016 ne null and aagej016 ne null and aagfj016 ne null and aaggj016 ne null and aaghj016 ne null and aagij016 ne null and aaglj016 ne null
FFIEC101	20081231	99991231	Added	Published	G	Quality	0205	G6A	AAGAJ016		If G6A is not equal to null, then G6A should be greater than or equal to 0.75% and less than 1.35%.	if aagaj016 ne null then aagaj016 ge 0.75 and aagaj016 lt 1.35
FFIEC101	20081231	99991231	Added	Published	G	Quality	0206	G7A	AAGAJ019		If G7A is equal to null, then G7B, G7C, G7D, G7E, G7F, G7G, G7H, G7I, G7J, G7K and G7L should be equal to null.	if aagaj019 eq null then aagbj019 eq null and aagcj019 eq null and aagdj019 eq null and aagej019 eq null and aagfj019 eq null and aaggj019 eq null and aaghj019 eq null and aagij019 eq null and aaglj019 eq null
FFIEC101	20081231	99991231	Added	Published	G	Quality	0207	G7A	AAGAJ019		If G7A is not equal to null, then G7B, G7C, G7D, G7E, G7F, G7G, G7H, G7K and G7L should not be equal to null.	if aagaj019 ne null then aagbj019 ne null and aagcj019 ne null and aagdj019 ne null and aagej019 ne null and aagfj019 ne null and aaggj019 ne null and aaghj019 ne null and aagij019 ne null and aaglj019 ne null
FFIEC101	20081231	99991231	Added	Published	G	Quality	0208	G7A	AAGAJ019		If G7A is not equal to null, then G7A should be greater than or equal to 1.35% and less than 2.50%.	if aagaj019 ne null then aagaj019 ge 1.35 and aagaj019 lt 2.50
FFIEC101	20081231	99991231	Added	Published	G	Quality	0209	G8A	AAGAJ025		If G8A is equal to null, then G8B, G8C, G8D, G8E, G8F, G8G, G8H, G8I, G8J, G8K and G8L should be equal to null.	if aagaj025 eq null then aagbj025 eq null and aagcj025 eq null and aagdj025 eq null and aagej025 eq null and aagfj025 eq null and aaggj025 eq null and aaghj025 eq null and aagij025 eq null and aaglj025 eq null

Series	Effective Start Date	Effective End Date	Type of Change	Publication	Schedule	Edit Type	Edit Number	Target Item	MDRM Number	Comparison Series	Edit Test	Boolean algebra
FFIEC101	20081231	99991231	Added	Published	G	Quality	0210	G8A	AAGAJ025		If G8A is not equal to null, then G8B, G8C, G8D, G8E, G8F, G8G, G8H, G8K and G8L should not be equal to null.	if aagaj025 ne null then aagbj025 ne null and aagcj025 ne null and aagd025 ne null and aagej025 ne null and aagfj025 ne null and aaggj025 ne null and aaghj025 ne null and aagkj025 ne null and aagl025 ne null
FFIEC101	20081231	99991231	Added	Published	G	Quality	0211	G8A	AAGAJ025		If G8A is not equal to null, then G8A should be greater than or equal to 2.50% and less than 5.50%.	if aagaj025 ne null then aagaj025 ge 2.50 and aagaj025 lt 5.50
FFIEC101	20081231	99991231	Added	Published	G	Quality	0212	G9A	AAGAJ029		If G9A is equal to null, then G9B, G9C, G9D, G9E, G9F, G9G, G9H, G9I, G9J, G9K and G9L should be equal to null.	if aagaj029 eq null then aagbj029 eq null and aagcj029 eq null and aagd029 eq null and aagej029 eq null and aagfj029 eq null and aaggj029 eq null and aaghj029 eq null and aagij029 eq null and aagjj029 eq null and aagkj029 eq null and aagl029 eq null
FFIEC101	20081231	99991231	Added	Published	G	Quality	0213	G9A	AAGAJ029		If G9A is not equal to null, then G9B, G9C, G9D, G9E, G9F, G9G, G9H, G9K and G9L should not be equal to null.	if aagaj029 ne null then aagbj029 ne null and aagcj029 ne null and aagd029 ne null and aagej029 ne null and aagfj029 ne null and aaggj029 ne null and aaghj029 ne null and aagkj029 ne null and aagl029 ne null
FFIEC101	20081231	99991231	Added	Published	G	Quality	0214	G9A	AAGAJ029		If G9A is not equal to null, then G9A should be greater than or equal to 5.50% and less than 10.00%.	if aagaj029 ne null then aagaj029 ge 5.50 and aagaj029 lt 10.00
FFIEC101	20081231	99991231	Added	Published	H	Quality	0250	H10A	AAHAJ029		If H10A is equal to null, then H10B, H10C, H10D, H10E and H10F should be equal to null.	if aahaj029 eq null then aahbj029 eq null and aahcj029 eq null and aahdj029 eq null and aahej029 eq null and aahfi029 eq null
FFIEC101	20081231	99991231	Added	Published	H	Quality	0251	H10A	AAHAJ029		If H10A is not equal to null, then H10B, H10C, H10D, H10E and H10F should not be equal to null.	if aahaj029 ne null then aahbj029 ne null and aahcj029 ne null and aahdj029 ne null and aahej029 ne null and aahfi029 ne null
FFIEC101	20081231	99991231	Added	Published	H	Quality	0252	H10A	AAHAJ029		If H10A is not equal to null, then H10A should be greater than or equal to 5.50% and less than 10.00%.	if aahaj029 ne null then aahaj029 ge 5.50 and aahaj029 lt 10.00
FFIEC101	20081231	99991231	Added	Published	H	Quality	0285	H10G	AAHGJ029		If H10G is equal to null, then H10H, H10I, H10J, H10K and H10L should be equal to null.	if aahgj029 eq null then aahhj029 eq null and aahij029 eq null and aahjj029 eq null and aahkj029 eq null and aahl029 eq null
FFIEC101	20081231	99991231	Added	Published	H	Quality	0286	H10G	AAHGJ029		If H10G is not equal to null, then H10H, H10I, H10J, H10K and H10L should not be equal to null.	if aahgj029 ne null then aahhj029 ne null and aahij029 ne null and aahjj029 ne null and aahkj029 ne null and aahl029 ne null
FFIEC101	20081231	99991231	Added	Published	H	Quality	0287	H10G	AAHGJ029		If H10G is not equal to null, then H10G should be greater than or equal to 5.50% and less than 10.00%.	if aahgj029 ne null then aahgj029 ge 5.50 and aahgj029 lt 10.00
FFIEC101	20081231	99991231	Added	Published	H	Quality	0253	H11A	AAHAJ032		If H11A is equal to null, then H11B, H11C, H11D, H11E and H11F should be equal to null.	if aahaj032 eq null then aahbj032 eq null and aahcj032 eq null and aahdj032 eq null and aahej032 eq null and aahfi032 eq null
FFIEC101	20081231	99991231	Added	Published	H	Quality	0254	H11A	AAHAJ032		If H11A is not equal to null, then H11B, H11C, H11D, H11E and H11F should not be equal to null.	if aahaj032 ne null then aahbj032 ne null and aahcj032 ne null and aahdj032 ne null and aahej032 ne null and aahfi032 ne null
FFIEC101	20081231	99991231	Added	Published	H	Quality	0255	H11A	AAHAJ032		If H11A is not equal to null, then H11A should be greater than or equal to 10.00% and less than 100.00%.	if aahaj032 ne null then aahaj032 ge 10.00 and aahaj032 lt 100.00
FFIEC101	20081231	99991231	Added	Published	H	Quality	0288	H11G	AAHGJ032		If H11G is equal to null, then H11H, H11I, H11J, H11K and H11L should be equal to null.	if aahgj032 eq null then aahhj032 eq null and aahij032 eq null and aahjj032 eq null and aahkj032 eq null and aahl032 eq null

Series	Effective Start Date	Effective End Date	Type of Change	Publication	Schedule	Edit Type	Edit Number	Target Item	MDRM Number	Comparison Series	Edit Test	Boolean algebra
FFIEC101	20081231	99991231	Added	Published	H	Quality	0289	H11G	AAHGJ032		If H11G is not equal to null, then H11H, H11I, H11J, H11K and H11L should not be equal to null.	if aahgj032 ne null then aahhj032 ne null and aahij032 ne null and aahjj032 ne null and aahkj032 ne null and aahlj032 ne null
FFIEC101	20081231	99991231	Added	Published	H	Quality	0290	H11G	AAHGJ032		If H11G is not equal to null, then H11G should be greater than or equal to 10.00% and less than 100.00%.	if aahgj032 ne null then aahgj032 ge 10.00 and aahgj032 lt 100.00
FFIEC101	20081231	99991231	Added	Published	H	Quality	0256	H12B	AAHBJ034		If H12B is equal to null, then H12C, H12D, H12E and H12F should be equal to null.	if aahbj034 eq null then aahcj034 eq null and aahdj034 eq null and aaej034 eq null and aahfj034 eq null
FFIEC101	20081231	99991231	Added	Published	H	Quality	0257	H12B	AAHBJ034		If H12B is not equal to null, then H12C, H12D, H12E and H12F should not be equal to null.	if aahbj034 ne null then aahcj034 ne null and aahdj034 ne null and aaej034 ne null and aahfj034 ne null
FFIEC101	20081231	99991231	Added	Published	H	Quality	0291	H12H	AAHHJ034		If H12H is equal to null, then H12I, H12J, H12K and H12L should be equal to null.	if aahhj034 eq null then aahij034 eq null and aahjj034 eq null and aahkj034 eq null and aahlj034 eq null
FFIEC101	20081231	99991231	Added	Published	H	Quality	0292	H12H	AAHHJ034		If H12H is not equal to null, then H12I, H12J, H12K and H12L should not be equal to null.	if aahhj034 ne null then aahij034 ne null and aahjj034 ne null and aahkj034 ne null and aahlj034 ne null
FFIEC101	20081231	99991231	Added	Published	H	Quality	0223	H1A	AAHAJ001		If H1A is equal to null, then H1B, H1C, H1D, H1E and H1F should be equal to null.	if aahaj001 eq null then aahbj001 eq null and aahcj001 eq null and aahdj001 eq null and aaej001 eq null and aahfi001 eq null
FFIEC101	20081231	99991231	Added	Published	H	Quality	0224	H1A	AAHAJ001		If H1A is not equal to null, then H1B, H1C, H1D, H1E and H1F should not be equal to null.	if aahaj001 ne null then aahbj001 ne null and aahcj001 ne null and aahdj001 ne null and aaej001 ne null and aahfi001 ne null
FFIEC101	20081231	99991231	Added	Published	H	Quality	0225	H1A	AAHAJ001		If H1A is not equal to null, then H1A should be greater than or equal to 0.00% and less than 0.03%.	if aahaj001 ne null then aahaj001 ge 0.00 and aahaj001 lt 0.03
FFIEC101	20081231	99991231	Added	Published	H	Quality	0258	H1G	AAHGJ001		If H1G is equal to null, then H1H, H1I, H1J, H1K and H1L should be equal to null.	if aahgj001 eq null then aahhj001 eq null and aahij001 eq null and aahjj001 eq null and aahkj001 eq null and aahlj001 eq null
FFIEC101	20081231	99991231	Added	Published	H	Quality	0259	H1G	AAHGJ001		If H1G is not equal to null, then H1H, H1I, H1J, H1K and H1L should not be equal to null.	if aahgj001 ne null then aahhj001 ne null and aahij001 ne null and aahjj001 ne null and aahkj001 ne null and aahlj001 ne null
FFIEC101	20081231	99991231	Added	Published	H	Quality	0260	H1G	AAHGJ001		If H1G is not equal to null, then H1G should be greater than or equal to 0.00% and less than 0.03%.	if aahgj001 ne null then aahgj001 ge 0.00 and aahgj001 lt 0.03
FFIEC101	20081231	99991231	Added	Published	H	Quality	0226	H2A	AAHAJ003		If H2A is equal to null, then H2B, H2C, H2D, H2E and H2F should be equal to null.	if aahaj003 eq null then aahbj003 eq null and aahcj003 eq null and aahdj003 eq null and aaej003 eq null and aahfi003 eq null
FFIEC101	20081231	99991231	Added	Published	H	Quality	0227	H2A	AAHAJ003		If H2A is not equal to null, then H2B, H2C, H2D, H2E and H2F should not be equal to null.	if aahaj003 ne null then aahbj003 ne null and aahcj003 ne null and aahdj003 ne null and aaej003 ne null and aahfi003 ne null
FFIEC101	20081231	99991231	Added	Published	H	Quality	0228	H2A	AAHAJ003		If H2A is not equal to null, then H2A should be greater than or equal to 0.03% and less than 0.10%.	if aahaj003 ne null then aahaj003 ge 0.03 and aahaj003 lt 0.10
FFIEC101	20081231	99991231	Added	Published	H	Quality	0261	H2G	AAHGJ003		If H2G is equal to null, then H2H, H2I, H2J, H2K and H2L should be equal to null.	if aahgj003 eq null then aahhj003 eq null and aahij003 eq null and aahjj003 eq null and aahkj003 eq null and aahlj003 eq null
FFIEC101	20081231	99991231	Added	Published	H	Quality	0262	H2G	AAHGJ003		If H2G is not equal to null, then H2H, H2I, H2J, H2K and H2L should not be equal to null.	if aahgj003 ne null then aahhj003 ne null and aahij003 ne null and aahjj003 ne null and aahkj003 ne null and aahlj003 ne null
FFIEC101	20081231	99991231	Added	Published	H	Quality	0263	H2G	AAHGJ003		If H2G is not equal to null, then H2G should be greater than or equal to 0.03% and less than 0.10%.	if aahgj003 ne null then aahgj003 ge 0.03 and aahgj003 lt 0.10

Series	Effective Start Date	Effective End Date	Type of Change	Publication	Schedule	Edit Type	Edit Number	Target Item	MDRM Number	Comparison Series	Edit Test	Boolean algebra
FFIEC101	20081231	99991231	Added	Published	H	Quality	0229	H3A	AAHAJ006		If H3A is equal to null, then H3B, H3C, H3D, H3E and H3F should be equal to null.	if aahaj006 eq null then aahbj006 eq null and aahcj006 eq null and aahdj006 eq null and aahj006 eq null and aahfi006 eq null
FFIEC101	20081231	99991231	Added	Published	H	Quality	0230	H3A	AAHAJ006		If H3A is not equal to null, then H3B, H3C, H3D, H3E and H3F should not be equal to null.	if aahaj006 ne null then aahbj006 ne null and aahcj006 ne null and aahdj006 ne null and aahj006 ne null and aahfi006 ne null
FFIEC101	20081231	99991231	Added	Published	H	Quality	0231	H3A	AAHAJ006		If H3A is not equal to null, then H3A should be greater than or equal to 0.10% and less than 0.15%.	if aahaj006 ne null then aahaj006 ge 0.10 and aahaj006 lt 0.15
FFIEC101	20081231	99991231	Added	Published	H	Quality	0264	H3G	AAHGJ006		If H3G is equal to null, then H3H, H3I, H3J, H3K and H3L should be equal to null.	if aahgj006 eq null then aahhj006 eq null and aahij006 eq null and aahjj006 eq null and aahkj006 eq null and aahli006 eq null
FFIEC101	20081231	99991231	Added	Published	H	Quality	0265	H3G	AAHGJ006		If H3G is not equal to null, then H3H, H3I, H3J, H3K and H3L should not be equal to null.	if aahgj006 ne null then aahhj006 ne null and aahij006 ne null and aahjj006 ne null and aahkj006 ne null and aahli006 ne null
FFIEC101	20081231	99991231	Added	Published	H	Quality	0266	H3G	AAHGJ006		If H3G is not equal to null, then H3G should be greater than or equal to 0.10% and less than 0.15%.	if aahgj006 ne null then aahgj006 ge 0.10 and aahgj006 lt 0.15
FFIEC101	20081231	99991231	Added	Published	H	Quality	0232	H4A	AAHAJ008		If H4A is equal to null, then H4B, H4C, H4D, H4E and H4F should be equal to null.	if aahaj008 eq null then aahbj008 eq null and aahcj008 eq null and aahdj008 eq null and aahj008 eq null and aahfi008 eq null
FFIEC101	20081231	99991231	Added	Published	H	Quality	0233	H4A	AAHAJ008		If H4A is not equal to null, then H4B, H4C, H4D, H4E and H4F should not be equal to null.	if aahaj008 ne null then aahbj008 ne null and aahcj008 ne null and aahdj008 ne null and aahj008 ne null and aahfi008 ne null
FFIEC101	20081231	99991231	Added	Published	H	Quality	0234	H4A	AAHAJ008		If H4A is not equal to null, then H4A should be greater than or equal to 0.15% and less than 0.25%.	if aahaj008 ne null then aahaj008 ge 0.15 and aahaj008 lt 0.25
FFIEC101	20081231	99991231	Added	Published	H	Quality	0267	H4G	AAHGJ008		If H4G is equal to null, then H4H, H4I, H4J, H4K and H4L should be equal to null.	if aahgj008 eq null then aahhj008 eq null and aahij008 eq null and aahjj008 eq null and aahkj008 eq null and aahli008 eq null
FFIEC101	20081231	99991231	Added	Published	H	Quality	0268	H4G	AAHGJ008		If H4G is not equal to null, then H4H, H4I, H4J, H4K and H4L should not be equal to null.	if aahgj008 ne null then aahhj008 ne null and aahij008 ne null and aahjj008 ne null and aahkj008 ne null and aahli008 ne null
FFIEC101	20081231	99991231	Added	Published	H	Quality	0269	H4G	AAHGJ008		If H4G is not equal to null, then H4G should be greater than or equal to 0.15% and less than 0.25%.	if aahgj008 ne null then aahgj008 ge 0.15 and aahgj008 lt 0.25
FFIEC101	20081231	99991231	Added	Published	H	Quality	0235	H5A	AAHAJ012		If H5A is equal to null, then H5B, H5C, H5D, H5E and H5F should be equal to null.	if aahaj012 eq null then aahbj012 eq null and aahcj012 eq null and aahdj012 eq null and aahj012 eq null and aahfi012 eq null
FFIEC101	20081231	99991231	Added	Published	H	Quality	0236	H5A	AAHAJ012		If H5A is not equal to null, then H5B, H5C, H5D, H5E and H5F should not be equal to null.	if aahaj012 ne null then aahbj012 ne null and aahcj012 ne null and aahdj012 ne null and aahj012 ne null and aahfi012 ne null
FFIEC101	20081231	99991231	Added	Published	H	Quality	0237	H5A	AAHAJ012		If H5A is not equal to null, then H5A should be greater than or equal to 0.25% and less than 0.50%.	if aahaj012 ne null then aahaj012 ge 0.25 and aahaj012 lt 0.50
FFIEC101	20081231	99991231	Added	Published	H	Quality	0270	H5G	AAHGJ012		If H5G is equal to null, then H5H, H5I, H5J, H5K and H5L should be equal to null.	if aahgj012 eq null then aahhj012 eq null and aahij012 eq null and aahjj012 eq null and aahkj012 eq null and aahli012 eq null
FFIEC101	20081231	99991231	Added	Published	H	Quality	0271	H5G	AAHGJ012		If H5G is not equal to null, then H5H, H5I, H5J, H5K and H5L should not be null.	if aahgj012 ne null then aahhj012 ne null and aahij012 ne null and aahjj012 ne null and aahkj012 ne null and aahli012 ne null
FFIEC101	20081231	99991231	Added	Published	H	Quality	0272	H5G	AAHGJ012		If H5G is not equal to null, then H5G should be greater than or equal to 0.25% and less than 0.50%.	if aahgj012 ne null then aahgj012 ge 0.25 and aahgj012 lt 0.50

Series	Effective Start Date	Effective End Date	Type of Change	Publication	Schedule	Edit Type	Edit Number	Target Item	MDRM Number	Comparison Series	Edit Test	Boolean algebra
FFIEC101	20081231	99991231	Added	Published	H	Quality	0238	H6A	AAHAJ014		If H6A is equal to null, then H6B, H6C, H6D, H6E and H6F should be equal to null.	if aahaj014 eq null then aahbj014 eq null and aahcj014 eq null and aahdj014 eq null and aahj014 eq null and aahfi014 eq null
FFIEC101	20081231	99991231	Added	Published	H	Quality	0239	H6A	AAHAJ014		If H6A is not equal to null, then H6B, H6C, H6D, H6E and H6F should not be equal to null.	if aahaj014 ne null then aahbj014 ne null and aahcj014 ne null and aahdj014 ne null and aahj014 ne null and aahfi014 ne null
FFIEC101	20081231	99991231	Added	Published	H	Quality	0240	H6A	AAHAJ014		If H6A is not equal to null, then H6A should be greater than or equal to 0.50% and less than 0.75%.	if aahaj014 ne null then aahaj014 ge 0.50 and aahaj014 lt 0.75
FFIEC101	20081231	99991231	Added	Published	H	Quality	0273	H6G	AAHGJ014		If H6G is equal to null, then H6H, H6I, H6J, H6K and H6L should be equal to null.	if aahgj014 eq null then aahhj014 eq null and aahij014 eq null and aahjj014 eq null and aahkj014 eq null and aahli014 eq null
FFIEC101	20081231	99991231	Added	Published	H	Quality	0274	H6G	AAHGJ014		If H6G is not equal to null, then H6H, H6I, H6J, H6K and H6L should not be equal to null.	if aahgj014 ne null then aahhj014 ne null and aahij014 ne null and aahjj014 ne null and aahkj014 ne null and aahli014 ne null
FFIEC101	20081231	99991231	Added	Published	H	Quality	0275	H6G	AAHGJ014		If H6G is not equal to null, then H6G should be greater than or equal to 0.50% and less than 0.75%.	if aahgj014 ne null then aahgj014 ge 0.50 and aahgj014 lt 0.75
FFIEC101	20081231	99991231	Added	Published	H	Quality	0241	H7A	AAHAJ016		If H7A is equal to null, then H7B, H7C, H7D, H7E and H7F should be equal to null.	if aahaj016 eq null then aahbj016 eq null and aahcj016 eq null and aahdj016 eq null and aahj016 eq null and aahfi016 eq null
FFIEC101	20081231	99991231	Added	Published	H	Quality	0242	H7A	AAHAJ016		If H7A is not equal to null, then H7B, H7C, H7D, H7E and H7F should not be equal to null.	if aahaj016 ne null then aahbj016 ne null and aahcj016 ne null and aahdj016 ne null and aahj016 ne null and aahfi016 ne null
FFIEC101	20081231	99991231	Added	Published	H	Quality	0243	H7A	AAHAJ016		If H7A is not equal to null, then H7A should be greater than or equal to 0.75% and less than 1.35%.	if aahaj016 ne null then aahaj016 ge 0.75 and aahaj016 lt 1.35
FFIEC101	20081231	99991231	Added	Published	H	Quality	0276	H7G	AAHGJ016		If H7G is equal to null, then H7H, H7I, H7J, H7K and H7L should be equal to null.	if aahgj016 eq null then aahhj016 eq null and aahij016 eq null and aahjj016 eq null and aahkj016 eq null and aahli016 eq null
FFIEC101	20081231	99991231	Added	Published	H	Quality	0277	H7G	AAHGJ016		If H7G is not equal to null, then H7H, H7I, H7J, H7K and H7L should not be equal to null.	if aahgj016 ne null then aahhj016 ne null and aahij016 ne null and aahjj016 ne null and aahkj016 ne null and aahli016 ne null
FFIEC101	20081231	99991231	Added	Published	H	Quality	0278	H7G	AAHGJ016		If H7G is not equal to null, then H7G should be greater than or equal to 0.75% and less than 1.35%.	if aahgj016 ne null then aahgj016 ge 0.75 and aahgj016 lt 1.35
FFIEC101	20081231	99991231	Added	Published	H	Quality	0244	H8A	AAHAJ019		If H8A is equal to null, then H8B, H8C, H8D, H8E and H8F should be equal to null.	if aahaj019 eq null then aahbj019 eq null and aahcj019 eq null and aahdj019 eq null and aahj019 eq null and aahfi019 eq null
FFIEC101	20081231	99991231	Added	Published	H	Quality	0245	H8A	AAHAJ019		If H8A is not equal to null, then H8B, H8C, H8D, H8E and H8F should not be equal to null.	if aahaj019 ne null then aahbj019 ne null and aahcj019 ne null and aahdj019 ne null and aahj019 ne null and aahfi019 ne null
FFIEC101	20081231	99991231	Added	Published	H	Quality	0246	H8A	AAHAJ019		If H8A is not equal to null, then H8A should be greater than or equal to 1.35% and less than 2.50%.	if aahaj019 ne null then aahaj019 ge 1.35 and aahaj019 lt 2.50
FFIEC101	20081231	99991231	Added	Published	H	Quality	0279	H8G	AAHGJ019		If H8G is equal to null, then H8H, H8I, H8J, H8K and H8L should be equal to null.	if aahgj019 eq null then aahhj019 eq null and aahij019 eq null and aahjj019 eq null and aahkj019 eq null and aahli019 eq null
FFIEC101	20081231	99991231	Added	Published	H	Quality	0280	H8G	AAHGJ019		If H8G is not equal to null, then H8H, H8I, H8J, H8K and H8L should not be equal to null.	if aahgj019 ne null then aahhj019 ne null and aahij019 ne null and aahjj019 ne null and aahkj019 ne null and aahli019 ne null
FFIEC101	20081231	99991231	Added	Published	H	Quality	0281	H8G	AAHGJ019		If H8G is not equal to null, then H8G should be greater than or equal to 1.35% and less than 2.50%.	if aahgj019 ne null then aahgj019 ge 1.35 and aahgj019 lt 2.50

Series	Effective Start Date	Effective End Date	Type of Change	Publication	Schedule	Edit Type	Edit Number	Target Item	MDRM Number	Comparison Series	Edit Test	Boolean algebra
FFIEC101	20081231	99991231	Added	Published	H	Quality	0247	H9A	AAHAJ025		If H9A is equal to null, then H9B, H9C, H9D, H9E and H9F should be equal to null.	if aahaj025 eq null then aahbj025 eq null and aahcj025 eq null and aahdj025 eq null and aahej025 eq null and aahfi025 eq null
FFIEC101	20081231	99991231	Added	Published	H	Quality	0248	H9A	AAHAJ025		If H9A is not equal to null, then H9B, H9C, H9D, H9E and H9F should not be equal to null.	if aahaj025 ne null then aahbj025 ne null and aahcj025 ne null and aahdj025 ne null and aahej025 ne null and aahfi025 ne null
FFIEC101	20081231	99991231	Added	Published	H	Quality	0249	H9A	AAHAJ025		If H9A is not equal to null, then H9A should be greater than or equal to 2.50% and less than 5.50%.	if aahaj025 ne null then aahaj025 ge 2.50 and aahaj025 lt 5.50
FFIEC101	20081231	99991231	Added	Published	H	Quality	0282	H9G	AAHGJ025		If H9G is equal to null, then H9H, H9I, H9J, H9K and H9L should be equal to null.	if aahgj025 eq null then aahhj025 eq null and aahij025 eq null and aahjj025 eq null and aahkj025 eq null and aahlj025 eq null
FFIEC101	20081231	99991231	Added	Published	H	Quality	0283	H9G	AAHGJ025		If H9G is not equal to null, then H9H, H9I, H9J, H9K and H9L should not be equal to null.	if aahgj025 ne null then aahhj025 ne null and aahij025 ne null and aahjj025 ne null and aahkj025 ne null and aahlj025 ne null
FFIEC101	20081231	99991231	Added	Published	H	Quality	0284	H9G	AAHGJ025		If H9G is not equal to null, then H9G should be greater than or equal to 2.50% and less than 5.50%.	if aahgj025 ne null then aahgj025 ge 2.50 and aahgj025 lt 5.50
FFIEC101	20081231	99991231	Added	Published	I	Quality	0320	I10A	AAIAJ029		If I10A is equal to null, then I10B, I10C, I10D, I10E and I10F should be equal to null.	if aaiaj029 eq null then aaijb029 eq null and aaijc029 eq null and aaidj029 eq null and aaiej029 eq null and aaijf029 eq null
FFIEC101	20081231	99991231	Added	Published	I	Quality	0321	I10A	AAIAJ029		If I10A is not equal to null, then I10B, I10C, I10D, I10E and I10F should not be equal to null.	if aaiaj029 ne null then aaijb029 ne null and aaijc029 ne null and aaidj029 ne null and aaiej029 ne null and aaijf029 ne null
FFIEC101	20081231	99991231	Added	Published	I	Quality	0322	I10A	AAIAJ029		If I10A is not equal to null, then I10A should be greater than or equal to 5.50% and less than 10.00%.	if aaiaj029 ne null then aaiaj029 ge 5.50 and aaiaj029 lt 10.00
FFIEC101	20081231	99991231	Added	Published	I	Quality	0355	I10G	AAIGJ029		If I10G is equal to null, then I10H, I10I, I10J, I10K and I10L should be equal to null.	if aaigj029 eq null then aaihj029 eq null and aaiij029 eq null and aaijj029 eq null and aaijk029 eq null and aailj029 eq null
FFIEC101	20081231	99991231	Added	Published	I	Quality	0356	I10G	AAIGJ029		If I10G is not equal to null, then I10H, I10I, I10J, I10K and I10L should not be equal to null.	if aaigj029 ne null then aaihj029 ne null and aaiij029 ne null and aaijj029 ne null and aaijk029 ne null and aailj029 ne null
FFIEC101	20081231	99991231	Added	Published	I	Quality	0357	I10G	AAIGJ029		If I10G is not equal to null, then I10G should be greater than or equal to 5.50% and less than 10.00%.	if aaigj029 ne null then aaigj029 ge 5.50 and aaigj029 lt 10.00
FFIEC101	20081231	99991231	Added	Published	I	Quality	0323	I11A	AAIAJ032		If I11A is equal to null, then I11B, I11C, I11D, I11E and I11F should be equal to null.	if aaiaj032 eq null then aaijb032 eq null and aaijc032 eq null and aaidj032 eq null and aaiej032 eq null and aaijf032 eq null
FFIEC101	20081231	99991231	Added	Published	I	Quality	0324	I11A	AAIAJ032		If I11A is not equal to null, then I11B, I11C, I11D, I11E and I11F should not be equal to null.	if aaiaj032 ne null then aaijb032 ne null and aaijc032 ne null and aaidj032 ne null and aaiej032 ne null and aaijf032 ne null
FFIEC101	20081231	99991231	Added	Published	I	Quality	0325	I11A	AAIAJ032		If I11A is not equal to null, then I11A should be greater than or equal to 10.00% and less than 100.00%.	if aaiaj032 ne null then aaiaj032 ge 10.00 and aaiaj032 lt 100.00
FFIEC101	20081231	99991231	Added	Published	I	Quality	0358	I11G	AAIGJ032		If I11G is equal to null, then I11H, I11I, I11J, I11K and I11L should be equal to null.	if aaigj032 eq null then aaihj032 eq null and aaiij032 eq null and aaijj032 eq null and aaijk032 eq null and aailj032 eq null
FFIEC101	20081231	99991231	Added	Published	I	Quality	0359	I11G	AAIGJ032		If I11G is not equal to null, then I11H, I11I, I11J, I11K and I11L should not be equal to null.	if aaigj032 ne null then aaihj032 ne null and aaiij032 ne null and aaijj032 ne null and aaijk032 ne null and aailj032 ne null
FFIEC101	20081231	99991231	Added	Published	I	Quality	0360	I11G	AAIGJ032		If I11G is not equal to null, then I11G should be greater than or equal to 10.00% and less than 100.00%.	if aaigj032 ne null then aaigj032 ge 10.00 and aaigj032 lt 100.00

Series	Effective Start Date	Effective End Date	Type of Change	Publication	Schedule	Edit Type	Edit Number	Target Item	MDRM Number	Comparison Series	Edit Test	Boolean algebra
FFIEC101	20081231	99991231	Added	Published	I	Quality	0326	I12B	AAIBJ034		If I12B is not equal to null, then I12C, I12D, I12E and I12F should not be equal to null.	if aaijb034 ne null then aaijc034 ne null and aaidj034 ne null and aaiej034 ne null and aaijf034 ne null
FFIEC101	20081231	99991231	Added	Published	I	Quality	0327	I12B	AAIBJ034		If I12B is equal to null, then I12C, I12D, I12E and I12F should be equal to null.	if aaijb034 eq null then aaijc034 eq null and aaidj034 eq null and aaiej034 eq null and aaijf034 eq null
FFIEC101	20081231	99991231	Added	Published	I	Quality	0362	I12H	AAIHJ034		If I12H is not equal to null, then I12I, I12J, I12K and I12L should not be equal to null.	if aaijh034 ne null then aaiij034 ne null and aaijj034 ne null and aaijk034 ne null and aailj034 ne null
FFIEC101	20081231	99991231	Added	Published	I	Quality	0361	I12H	AAIHJ034		If I12H is equal to null, then I12I, I12J, I12K and I12L should be equal to null.	if aaijh034 eq null then aaiij034 eq null and aaijj034 eq null and aaijk034 eq null and aailj034 eq null
FFIEC101	20081231	99991231	Added	Published	I	Quality	0293	I1A	AAIAJ001		If I1A is equal to null, then I1B, I1C, I1D, I1E and I1F should be equal to null.	if aaiaj001 eq null then aaijb001 eq null and aaijc001 eq null and aaidj001 eq null and aaiej001 eq null and aaiji001 eq null
FFIEC101	20081231	99991231	Added	Published	I	Quality	0294	I1A	AAIAJ001		If I1A is not equal to null, then I1B, I1C, I1D, I1E and I1F should not be equal to null.	if aaiaj001 ne null then aaijb001 ne null and aaijc001 ne null and aaidj001 ne null and aaiej001 ne null and aaiji001 ne null
FFIEC101	20081231	99991231	Added	Published	I	Quality	0295	I1A	AAIAJ001		If I1A is not equal to null, then I1A should be greater than or equal to 0.00% and less than 0.03%.	if aaiaj001 ne null then aaiaj001 ge 0.00 and aaiaj001 lt 0.03
FFIEC101	20081231	99991231	Added	Published	I	Quality	0328	I1G	AAIGJ001		If I1G is equal to null, then I1H, I1I, I1J, I1K and I1L should be equal to null.	if aaigj001 eq null then aaijh001 eq null and aaiij001 eq null and aaijj001 eq null and aaijk001 eq null and aaili001 eq null
FFIEC101	20081231	99991231	Added	Published	I	Quality	0329	I1G	AAIGJ001		If I1G is not equal to null, then I1H, I1I, I1J, I1K and I1L should not be equal to null.	if aaigj001 ne null then aaijh001 ne null and aaiij001 ne null and aaijj001 ne null and aaijk001 ne null and aaili001 ne null
FFIEC101	20081231	99991231	Added	Published	I	Quality	0330	I1G	AAIGJ001		If I1G is not equal to null, then I1G should be greater than or equal to 0.00% and less than 0.03%.	if aaigj001 ne null then aaigj001 ge 0.00 and aaigj001 lt 0.03
FFIEC101	20081231	99991231	Added	Published	I	Quality	0296	I2A	AAIAJ003		If I2A is equal to null, then I2B, I2C, I2D, I2E and I2F should be equal to null.	if aaiaj003 eq null then aaijb003 eq null and aaijc003 eq null and aaidj003 eq null and aaiej003 eq null and aaiji003 eq null
FFIEC101	20081231	99991231	Added	Published	I	Quality	0297	I2A	AAIAJ003		If I2A is not equal to null, then I2B, I2C, I2D, I2E and I2F should not be equal to null.	if aaiaj003 ne null then aaijb003 ne null and aaijc003 ne null and aaidj003 ne null and aaiej003 ne null and aaiji003 ne null
FFIEC101	20081231	99991231	Added	Published	I	Quality	0298	I2A	AAIAJ003		If I2A is not equal to null, then I2A should be greater than or equal to 0.03% and less than 0.10%.	if aaiaj003 ne null then aaiaj003 ge 0.03 and aaiaj003 lt 0.10
FFIEC101	20081231	99991231	Added	Published	I	Quality	0331	I2G	AAIGJ003		If I2G is equal to null, then I2H, I2I, I2J, I2K and I2L should be equal to null.	if aaigj003 eq null then aaijh003 eq null and aaiij003 eq null and aaijj003 eq null and aaijk003 eq null and aaili003 eq null
FFIEC101	20081231	99991231	Added	Published	I	Quality	0332	I2G	AAIGJ003		If I2G is not equal to null, then I2H, I2I, I2J, I2K and I2L should not be equal to null.	if aaigj003 ne null then aaijh003 ne null and aaiij003 ne null and aaijj003 ne null and aaijk003 ne null and aaili003 ne null
FFIEC101	20081231	99991231	Added	Published	I	Quality	0333	I2G	AAIGJ003		If I2G is not equal to null, then I2G should be greater than or equal to 0.03% and less than 0.10%.	if aaigj003 ne null then aaigj003 ge 0.03 and aaigj003 lt 0.10
FFIEC101	20081231	99991231	Added	Published	I	Quality	0299	I3A	AAIAJ006		If I3A is equal to null, then I3B, I3C, I3D, I3E and I3F should be equal to null.	if aaiaj006 eq null then aaijb006 eq null and aaijc006 eq null and aaidj006 eq null and aaiej006 eq null and aaiji006 eq null
FFIEC101	20081231	99991231	Added	Published	I	Quality	0300	I3A	AAIAJ006		If I3A is not equal to null, then I3B, I3C, I3D, I3E and I3F should not be equal to null.	if aaiaj006 ne null then aaijb006 ne null and aaijc006 ne null and aaidj006 ne null and aaiej006 ne null and aaiji006 ne null

Series	Effective Start Date	Effective End Date	Type of Change	Publication	Schedule	Edit Type	Edit Number	Target Item	MDRM Number	Comparison Series	Edit Test	Boolean algebra
FFIEC101	20081231	99991231	Added	Published	I	Quality	0301	I3A	AAIAJ006		If I3A is not equal to null, then I3A should be greater than or equal to 0.10% and less than 0.15%.	if aaiaj006 ne null then aaiaj006 ge 0.10 and aaiaj006 lt 0.15
FFIEC101	20081231	99991231	Added	Published	I	Quality	0334	I3G	AAIGJ006		If I3G is equal to null, then I3H, I3I, I3J, I3K and I3L should be equal to null.	if aaigj006 eq null then aaihj006 eq null and aaiaj006 eq null and aaiaj006 eq null and aaiaj006 eq null and aaiaj006 eq null
FFIEC101	20081231	99991231	Added	Published	I	Quality	0335	I3G	AAIGJ006		If I3G is not equal to null, then I3H, I3I, I3J, I3K and I3L should not be equal to null.	if aaigj006 ne null then aaihj006 ne null and aaiaj006 ne null and aaiaj006 ne null and aaiaj006 ne null and aaiaj006 ne null
FFIEC101	20081231	99991231	Added	Published	I	Quality	0336	I3G	AAIGJ006		If I3G is not equal to null, then I3G should be greater than or equal to 0.10% and less than 0.15%.	if aaigj006 ne null then aaigj006 ge 0.10 and aaigj006 lt 0.15
FFIEC101	20081231	99991231	Added	Published	I	Quality	0302	I4A	AAIAJ008		If I4A is equal to null, then I4B, I4C, I4D, I4E and I4F should be equal to null.	if aaiaj008 eq null then aaijb008 eq null and aaicj008 eq null and aaidj008 eq null and aaiej008 eq null and aaifi008 eq null
FFIEC101	20081231	99991231	Added	Published	I	Quality	0303	I4A	AAIAJ008		If I4A is not equal to null, then I4B, I4C, I4D, I4E and I4F should not be equal to null.	if aaiaj008 ne null then aaijb008 ne null and aaicj008 ne null and aaidj008 ne null and aaiej008 ne null and aaifi008 ne null
FFIEC101	20081231	99991231	Added	Published	I	Quality	0304	I4A	AAIAJ008		If I4A is not equal to null, then I4A should be greater than or equal to 0.15% and less than 0.25%.	if aaiaj008 ne null then aaiaj008 ge 0.15 and aaiaj008 lt 0.25
FFIEC101	20081231	99991231	Added	Published	I	Quality	0337	I4G	AAIGJ008		If I4G is equal to null, then I4H, I4I, I4J, I4K and I4L should be equal to null.	if aaigj008 eq null then aaihj008 eq null and aaiaj008 eq null and aaiaj008 eq null and aaiaj008 eq null and aaiaj008 eq null
FFIEC101	20081231	99991231	Added	Published	I	Quality	0338	I4G	AAIGJ008		If I4G is not equal to null, then I4H, I4I, I4J, I4K and I4L should not be equal to null.	if aaigj008 ne null then aaihj008 ne null and aaiaj008 ne null and aaiaj008 ne null and aaiaj008 ne null and aaiaj008 ne null
FFIEC101	20081231	99991231	Added	Published	I	Quality	0339	I4G	AAIGJ008		If I4G is not equal to null, then I4G should be greater than or equal to 0.15% and less than 0.25%.	if aaigj008 ne null then aaigj008 ge 0.15 and aaigj008 lt 0.25
FFIEC101	20081231	99991231	Added	Published	I	Quality	0305	I5A	AAIAJ012		If I5A is equal to null, then I5B, I5C, I5D, I5E and I5F should be equal to null.	if aaiaj012 eq null then aaijb012 eq null and aaicj012 eq null and aaidj012 eq null and aaiej012 eq null and aaifi012 eq null
FFIEC101	20081231	99991231	Added	Published	I	Quality	0306	I5A	AAIAJ012		If I5A is not equal to null, then I5B, I5C, I5D, I5E and I5F should not be equal to null.	if aaiaj012 ne null then aaijb012 ne null and aaicj012 ne null and aaidj012 ne null and aaiej012 ne null and aaifi012 ne null
FFIEC101	20081231	99991231	Added	Published	I	Quality	0307	I5A	AAIAJ012		If I5A is not equal to null, then I5A should be greater than or equal to 0.25% and less than 0.50%.	if aaiaj012 ne null then aaiaj012 ge 0.25 and aaiaj012 lt 0.50
FFIEC101	20081231	99991231	Added	Published	I	Quality	0340	I5G	AAIGJ012		If I5G is equal to null, then I5H, I5I, I5J, I5K and I5L should be equal to null.	if aaigj012 eq null then aaihj012 eq null and aaiaj012 eq null and aaiaj012 eq null and aaiaj012 eq null and aaiaj012 eq null
FFIEC101	20081231	99991231	Added	Published	I	Quality	0341	I5G	AAIGJ012		If I5G is not equal to null, then I5H, I5I, I5J, I5K and I5L should not be equal to null.	if aaigj012 ne null then aaihj012 ne null and aaiaj012 ne null and aaiaj012 ne null and aaiaj012 ne null and aaiaj012 ne null
FFIEC101	20081231	99991231	Added	Published	I	Quality	0342	I5G	AAIGJ012		If I5G is not equal to null, then I5G should be greater than or equal to 0.25% and less than 0.50%.	if aaigj012 ne null then aaigj012 ge 0.25 and aaigj012 lt 0.50
FFIEC101	20081231	99991231	Added	Published	I	Quality	0308	I6A	AAIAJ014		If I6A is equal to null, then I6B, I6C, I6D, I6E and I6F should be equal to null.	if aaiaj014 eq null then aaijb014 eq null and aaicj014 eq null and aaidj014 eq null and aaiej014 eq null and aaifi014 eq null
FFIEC101	20081231	99991231	Added	Published	I	Quality	0309	I6A	AAIAJ014		If I6A is not equal to null, then I6B, I6C, I6D, I6E and I6F should not be equal to null.	if aaiaj014 ne null then aaijb014 ne null and aaicj014 ne null and aaidj014 ne null and aaiej014 ne null and aaifi014 ne null

Series	Effective Start Date	Effective End Date	Type of Change	Publication	Schedule	Edit Type	Edit Number	Target Item	MDRM Number	Comparison Series	Edit Test	Boolean algebra
FFIEC101	20081231	99991231	Added	Published	I	Quality	0310	I6A	AAIAJ014		If I6A is not equal to null, then I6A should be greater than or equal to 0.50% and less than 0.75%.	if aaiaj014 ne null then aaiaj014 ge 0.50 and aaiaj014 lt 0.75
FFIEC101	20081231	99991231	Added	Published	I	Quality	0343	I6G	AAIGJ014		If I6G is equal to null, then I6H, I6I, I6J, I6K and I6L should be equal to null.	if aaig014 eq null then aaihj014 eq null and aaiaj014 eq null and aaiaj014 eq null and aaiaj014 eq null and aaiaj014 eq null
FFIEC101	20081231	99991231	Added	Published	I	Quality	0344	I6G	AAIGJ014		If I6G is not equal to null, then I6H, I6I, I6J, I6K and I6L should not be equal to null.	if aaig014 ne null then aaihj014 ne null and aaiaj014 ne null and aaiaj014 ne null and aaiaj014 ne null and aaiaj014 ne null
FFIEC101	20081231	99991231	Added	Published	I	Quality	0345	I6G	AAIGJ014		If I6G is not equal to null, then I6G should be greater than or equal to 0.50% and less than 0.75%.	if aaig014 ne null then aaig014 ge 0.50 and aaig014 lt 0.75
FFIEC101	20081231	99991231	Added	Published	I	Quality	0311	I7A	AAIAJ016		If I7A is equal to null, then I7B, I7C, I7D, I7E and I7F should be equal to null.	if aaiaj016 eq null then aabjb016 eq null and aaicj016 eq null and aaidj016 eq null and aaiej016 eq null and aaifi016 eq null
FFIEC101	20081231	99991231	Added	Published	I	Quality	0312	I7A	AAIAJ016		If I7A is not equal to null, then I7B, I7C, I7D, I7E and I7F should not be equal to null.	if aaiaj016 ne null then aabjb016 ne null and aaicj016 ne null and aaidj016 ne null and aaiej016 ne null and aaifi016 ne null
FFIEC101	20081231	99991231	Added	Published	I	Quality	0313	I7A	AAIAJ016		If I7A is not equal to null, then I7A should be greater than or equal to 0.75% and less than 1.35%.	if aaiaj016 ne null then aaiaj016 ge 0.75 and aaiaj016 lt 1.35
FFIEC101	20081231	99991231	Added	Published	I	Quality	0346	I7G	AAIGJ016		If I7G is equal to null, then I7H, I7I, I7J, I7K and I7L should be equal to null.	if aaig016 eq null then aaihj016 eq null and aaiaj016 eq null and aaiaj016 eq null and aaiaj016 eq null and aaiaj016 eq null
FFIEC101	20081231	99991231	Added	Published	I	Quality	0347	I7G	AAIGJ016		If I7G is not equal to null, then I7H, I7I, I7J, I7K and I7L should not be equal to null.	if aaig016 ne null then aaihj016 ne null and aaiaj016 ne null and aaiaj016 ne null and aaiaj016 ne null and aaiaj016 ne null
FFIEC101	20081231	99991231	Added	Published	I	Quality	0348	I7G	AAIGJ016		If I7G is not equal to null, then I7G should be greater than or equal to 0.75% and less than 1.35%.	if aaig016 ne null then aaig016 ge 0.75 and aaig016 lt 1.35
FFIEC101	20081231	99991231	Added	Published	I	Quality	0314	I8A	AAIAJ019		If I8A is equal to null, then I8B, I8C, I8D, I8E and I8F should be equal to null.	if aaiaj019 eq null then aabjb019 eq null and aaicj019 eq null and aaidj019 eq null and aaiej019 eq null and aaifi019 eq null
FFIEC101	20081231	99991231	Added	Published	I	Quality	0315	I8A	AAIAJ019		If I8A is not equal to null, then I8B, I8C, I8D, I8E and I8F should not be equal to null.	if aaiaj019 ne null then aabjb019 ne null and aaicj019 ne null and aaidj019 ne null and aaiej019 ne null and aaifi019 ne null
FFIEC101	20081231	99991231	Added	Published	I	Quality	0316	I8A	AAIAJ019		If I8A is not equal to null, then I8A should be greater than or equal to 1.35% and less than 2.50%.	if aaiaj019 ne null then aaiaj019 ge 1.35 and aaiaj019 lt 2.50
FFIEC101	20081231	99991231	Added	Published	I	Quality	0349	I8G	AAIGJ019		If I8G is equal to null, then I8H, I8I, I8J, I8K and I8L should be equal to null.	if aaig019 eq null then aaihj019 eq null and aaiaj019 eq null and aaiaj019 eq null and aaiaj019 eq null and aaiaj019 eq null
FFIEC101	20081231	99991231	Added	Published	I	Quality	0350	I8G	AAIGJ019		If I8G is not equal to null, then I8H, I8I, I8J, I8K and I8L should not be equal to null.	if aaig019 ne null then aaihj019 ne null and aaiaj019 ne null and aaiaj019 ne null and aaiaj019 ne null and aaiaj019 ne null
FFIEC101	20081231	99991231	Added	Published	I	Quality	0351	I8G	AAIGJ019		If I8G is not equal to null, then I8G should be greater than or equal to 1.35% and less than 2.50%.	if aaig019 ne null then aaig019 ge 1.35 and aaig019 lt 2.50
FFIEC101	20081231	99991231	Added	Published	I	Quality	0317	I9A	AAIAJ025		If I9A is equal to null, then I9B, I9C, I9D, I9E and I9F should be equal to null.	if aaiaj025 eq null then aabjb025 eq null and aaicj025 eq null and aaidj025 eq null and aaiej025 eq null and aaifi025 eq null
FFIEC101	20081231	99991231	Added	Published	I	Quality	0318	I9A	AAIAJ025		If I9A is not equal to null, then I9B, I9C, I9D, I9E and I9F should not be equal to null.	if aaiaj025 ne null then aabjb025 ne null and aaicj025 ne null and aaidj025 ne null and aaiej025 ne null and aaifi025 ne null

Series	Effective Start Date	Effective End Date	Type of Change	Publication	Schedule	Edit Type	Edit Number	Target Item	MDRM Number	Comparison Series	Edit Test	Boolean algebra
FFIEC101	20081231	99991231	Added	Published	I	Quality	0319	I9A	AAIAJ025		If I9A is not equal to null, then I9A should be greater than or equal to 2.50% and less than 5.50%.	if aaiaj025 ne null then aaiaj025 ge 2.50 and aaiaj025 lt 5.50
FFIEC101	20081231	99991231	Added	Published	I	Quality	0352	I9G	AAIGJ025		If I9G is equal to null, then I9H, I9I, I9J, I9K and I9L should be equal to null.	if aaig025 eq null then aaihj025 eq null and aaiaj025 eq null and aaiaj025 eq null and aaiaj025 eq null and aaiaj025 eq null
FFIEC101	20081231	99991231	Added	Published	I	Quality	0353	I9G	AAIGJ025		If I9G is not equal to null, then I9H, I9I, I9J, I9K and I9L should not be equal to null.	if aaig025 ne null then aaihj025 ne null and aaiaj025 ne null and aaiaj025 ne null and aaiaj025 ne null and aaiaj025 ne null
FFIEC101	20081231	99991231	Added	Published	I	Quality	0354	I9G	AAIGJ025		If I9G is not equal to null, then I9G should be greater than or equal to 2.50% and less than 5.50%.	if aaig025 ne null then aaig025 ge 2.50 and aaig025 lt 5.50
FFIEC101	20081231	99991231	Added	Published	J	Quality	0390	J10A	AAAJ029		If J10A is equal to null, then J10B, J10C, J10D, J10E and J10F should be equal to null.	if aaja029 eq null then aajbj029 eq null and aajcj029 eq null and aajdj029 eq null and aajej029 eq null and aajfj029 eq null
FFIEC101	20081231	99991231	Added	Published	J	Quality	0391	J10A	AAAJ029		If J10A is not equal to null, then J10B, J10C, J10D, J10E and J10F should not be equal to null.	if aaja029 ne null then aajbj029 ne null and aajcj029 ne null and aajdj029 ne null and aajej029 ne null and aajfj029 ne null
FFIEC101	20081231	99991231	Added	Published	J	Quality	0392	J10A	AAAJ029		If J10A is not equal to null, then J10A should be greater than or equal to 5.50% and less than 10.00%.	if aaja029 ne null then aaja029 ge 5.50 and aaja029 lt 10.00
FFIEC101	20081231	99991231	Added	Published	J	Quality	0425	J10G	AAJGJ029		If J10G is equal to null, then J10H, J10I, J10J, J10K and J10L should be equal to null.	if aajg029 eq null then aajhj029 eq null and aajij029 eq null and aajjj029 eq null and aajkj029 eq null and aajli029 eq null
FFIEC101	20081231	99991231	Added	Published	J	Quality	0426	J10G	AAJGJ029		If J10G is not equal to null, then J10H, J10I, J10J, J10K and J10L should not be equal to null.	if aajg029 ne null then aajhj029 ne null and aajij029 ne null and aajjj029 ne null and aajkj029 ne null and aajli029 ne null
FFIEC101	20081231	99991231	Added	Published	J	Quality	0427	J10G	AAJGJ029		If J10G is not equal to null, then J10G should be greater than or equal to 5.50% and less than 10.00%.	if aajg029 ne null then aajg029 ge 5.50 and aajg029 lt 10.00
FFIEC101	20081231	99991231	Added	Published	J	Quality	0393	J11A	AAAJ032		If J11A is equal to null, then J11B, J11C, J11D, J11E and J11F should be equal to null.	if aaja032 eq null then aajbj032 eq null and aajcj032 eq null and aajdj032 eq null and aajej032 eq null and aajfj032 eq null
FFIEC101	20081231	99991231	Added	Published	J	Quality	0394	J11A	AAAJ032		If J11A is not equal to null, then J11B, J11C, J11D, J11E and J11F should not be equal to null.	if aaja032 ne null then aajbj032 ne null and aajcj032 ne null and aajdj032 ne null and aajej032 ne null and aajfj032 ne null
FFIEC101	20081231	99991231	Added	Published	J	Quality	0395	J11A	AAAJ032		If J11A is not equal to null, then J11A should be greater than or equal to 10.00% and less than 100.00%.	if aaja032 ne null then aaja032 ge 10.00 and aaja032 lt 100.00
FFIEC101	20081231	99991231	Added	Published	J	Quality	0428	J11G	AAJGJ032		If J11G is equal to null, then J11H, J11I, J11J, J11K and J11L should be equal to null.	if aajg032 eq null then aajhj032 eq null and aajij032 eq null and aajjj032 eq null and aajkj032 eq null and aajli032 eq null
FFIEC101	20081231	99991231	Added	Published	J	Quality	0429	J11G	AAJGJ032		If J11G is not equal to null, then J11H, J11I, J11J, J11K and J11L should not be equal to null.	if aajg032 ne null then aajhj032 ne null and aajij032 ne null and aajjj032 ne null and aajkj032 ne null and aajli032 ne null
FFIEC101	20081231	99991231	Added	Published	J	Quality	0430	J11G	AAJGJ032		If J11G is not equal to null, then J11G should be greater than or equal to 10.00% and less than 100.00%.	if aajg032 ne null then aajg032 ge 10.00 and aajg032 lt 100.00
FFIEC101	20081231	99991231	Added	Published	J	Quality	0396	J12B	AAJBJ034		If J12B is equal to null, then J12C, J12D, J12E and J12F should be equal to null.	if aajbj034 eq null then aajcj034 eq null and aajdj034 eq null and aajej034 eq null and aajfj034 eq null
FFIEC101	20081231	99991231	Added	Published	J	Quality	0397	J12B	AAJBJ034		If J12B is not equal to null, then J12C, J12D, J12E and J12F should not be equal to null.	if aajbj034 ne null then aajcj034 ne null and aajdj034 ne null and aajej034 ne null and aajfj034 ne null

Series	Effective Start Date	Effective End Date	Type of Change	Publication	Schedule	Edit Type	Edit Number	Target Item	MDRM Number	Comparison Series	Edit Test	Boolean algebra
FFIEC101	20081231	99991231	Added	Published	J	Quality	0431	J12H	AAJHJ034		If J12H is not equal to null, then J12I, J12J, J12K and J12L should not be equal to null.	if aajhj034 ne null then aajjj034 ne null and aajjj034 ne null and aajkj034 ne null and aajlj034 ne null
FFIEC101	20081231	99991231	Added	Published	J	Quality	0432	J12H	AAJHJ034		If J12H is equal to null, then J12I, J12J, J12K and J12L should be equal to null.	if aajhj034 eq null then aajjj034 eq null and aajjj034 eq null and aajkj034 eq null and aajlj034 eq null
FFIEC101	20100630	99991231	Revised	Published	J	Quality	0363	J1A	AAAJ001		If J1A is equal to null, then J1B, J1C, J1D, J1E and J1F should be equal to null.	if aajaj001 eq null then aajbj001 eq null and aajcj001 eq null and aajdj001 eq null and aajej001 eq null and aajfi001 eq null
FFIEC101	20081231	99991231	Added	Published	J	Quality	0364	J1A	AAAJ001		If J1A is not equal to null, then J1B, J1C, J1D, J1E and J1F should not be equal to null.	if aajaj001 ne null then aajbj001 ne null and aajcj001 ne null and aajdj001 ne null and aajej001 ne null and aajfi001 ne null
FFIEC101	20081231	99991231	Added	Published	J	Quality	0365	J1A	AAAJ001		If J1A is not equal to null, then J1A should be greater than or equal to 0.00% and less than 0.03%.	if aajaj001 ne null then aajaj001 ge 0.00 and aajaj001 lt 0.03
FFIEC101	20081231	99991231	Added	Published	J	Quality	0398	J1G	AAJGJ001		If J1G is equal to null, then J1H, J1I, J1J, J1K and J1L should be equal to null.	if aajgj001 eq null then aajhj001 eq null and aajjj001 eq null and aajjj001 eq null and aajkj001 eq null and aajli001 eq null
FFIEC101	20081231	99991231	Added	Published	J	Quality	0399	J1G	AAJGJ001		If J1G is not equal to null, then J1H, J1I, J1J, J1K and J1L should not be equal to null.	if aajgj001 ne null then aajhj001 ne null and aajjj001 ne null and aajjj001 ne null and aajkj001 ne null and aajli001 ne null
FFIEC101	20081231	99991231	Added	Published	J	Quality	0400	J1G	AAJGJ001		If J1G is not equal to null, then J1G should be greater than or equal to 0.00% and less than 0.03%.	if aajgj001 ne null then aajgj001 ge 0.00 and aajgj001 lt 0.03
FFIEC101	20081231	99991231	Added	Published	J	Quality	0366	J2A	AAAJ003		If J2A is equal to null, then J2B, J2C, J2D, J2E and J2F should be equal to null.	if aajaj003 eq null then aajbj003 eq null and aajcj003 eq null and aajdj003 eq null and aajej003 eq null and aajfi003 eq null
FFIEC101	20081231	99991231	Added	Published	J	Quality	0367	J2A	AAAJ003		If J2A is not equal to null, then J2B, J2C, J2D, J2E and J2F should not be equal to null.	if aajaj003 ne null then aajbj003 ne null and aajcj003 ne null and aajdj003 ne null and aajej003 ne null and aajfi003 ne null
FFIEC101	20081231	99991231	Added	Published	J	Quality	0368	J2A	AAAJ003		If J2A is not equal to null, then J2A should be greater than or equal to 0.03% and less than 0.10%.	if aajaj003 ne null then aajaj003 ge 0.03 and aajaj003 lt 0.10
FFIEC101	20081231	99991231	Added	Published	J	Quality	0401	J2G	AAJGJ003		If J2G is equal to null, then J2H, J2I, J2J, J2K and J2L should be equal to null.	if aajgj003 eq null then aajhj003 eq null and aajjj003 eq null and aajjj003 eq null and aajkj003 eq null and aajli003 eq null
FFIEC101	20081231	99991231	Added	Published	J	Quality	0402	J2G	AAJGJ003		If J2G is not equal to null, then J2H, J2I, J2J, J2K and J2L should not be equal to null.	if aajgj003 ne null then aajhj003 ne null and aajjj003 ne null and aajjj003 ne null and aajkj003 ne null and aajli003 ne null
FFIEC101	20081231	99991231	Added	Published	J	Quality	0403	J2G	AAJGJ003		If J2G is not equal to null, then J2G should be greater than or equal to 0.03% and less than 0.10%.	if aajgj003 ne null then aajgj003 ge 0.03 and aajgj003 lt 0.10
FFIEC101	20081231	99991231	Added	Published	J	Quality	0369	J3A	AAAJ006		If J3A is equal to null, then J3B, J3C, J3D, J3E and J3F should be equal to null.	if aajaj006 eq null then aajbj006 eq null and aajcj006 eq null and aajdj006 eq null and aajej006 eq null and aajfi006 eq null
FFIEC101	20081231	99991231	Added	Published	J	Quality	0370	J3A	AAAJ006		If J3A is not equal to null, then J3B, J3C, J3D, J3E and J3F should not be equal to null.	if aajaj006 ne null then aajbj006 ne null and aajcj006 ne null and aajdj006 ne null and aajej006 ne null and aajfi006 ne null
FFIEC101	20081231	99991231	Added	Published	J	Quality	0371	J3A	AAAJ006		If J3A is not equal to null, then J3A should be greater than or equal to 0.10% and less than 0.15%.	if aajaj006 ne null then aajaj006 ge 0.10 and aajaj006 lt 0.15
FFIEC101	20081231	99991231	Added	Published	J	Quality	0404	J3G	AAJGJ006		If J3G is equal to null, then J3H, J3I, J3J, J3K and J3L should be equal to null.	if aajgj006 eq null then aajhj006 eq null and aajjj006 eq null and aajjj006 eq null and aajkj006 eq null and aajli006 eq null

Series	Effective Start Date	Effective End Date	Type of Change	Publication	Schedule	Edit Type	Edit Number	Target Item	MDRM Number	Comparison Series	Edit Test	Boolean algebra
FFIEC101	20081231	99991231	Added	Published	J	Quality	0405	J3G	AAJGJ006		If J3G is not equal to null, then J3H, J3I, J3J, J3K and J3L should not be equal to null.	if aajgj006 ne null then aajhj006 ne null and aajjj006 ne null and aajjj006 ne null and aajkj006 ne null and aaili006 ne null
FFIEC101	20081231	99991231	Added	Published	J	Quality	0406	J3G	AAJGJ006		If J3G is not equal to null, then J3G should be greater than or equal to 0.10% and less than 0.15%.	if aajgj006 ne null then aajgj006 ge 0.10 and aajgj006 lt 0.15
FFIEC101	20081231	99991231	Added	Published	J	Quality	0372	J4A	AAAJ008		If J4A is equal to null, then J4B, J4C, J4D, J4E and J4F should be equal to null.	if aajaj008 eq null then aajbj008 eq null and aajcj008 eq null and aajdj008 eq null and aajej008 eq null and aafif008 eq null
FFIEC101	20081231	99991231	Added	Published	J	Quality	0373	J4A	AAAJ008		If J4A is not equal to null, then J4B, J4C, J4D, J4E and J4F should not be equal to null.	if aajaj008 ne null then aajbj008 ne null and aajcj008 ne null and aajdj008 ne null and aajej008 ne null and aafif008 ne null
FFIEC101	20081231	99991231	Added	Published	J	Quality	0374	J4A	AAAJ008		If J4A is not equal to null, then J4A should be greater than or equal to 0.15% and less than 0.25%.	if aajaj008 ne null then aajaj008 ge 0.15 and aajaj008 lt 0.25
FFIEC101	20081231	99991231	Added	Published	J	Quality	0407	J4G	AAJGJ008		If J4G is equal to null, then J4H, J4I, J4J, J4K and J4L should be equal to null.	if aajgj008 eq null then aajhj008 eq null and aajjj008 eq null and aajjj008 eq null and aajkj008 eq null and aaili008 eq null
FFIEC101	20081231	99991231	Added	Published	J	Quality	0408	J4G	AAJGJ008		If J4G is not equal to null, then J4H, J4I, J4J, J4K and J4L should not be equal to null.	if aajgj008 ne null then aajhj008 ne null and aajjj008 ne null and aajjj008 ne null and aajkj008 ne null and aaili008 ne null
FFIEC101	20081231	99991231	Added	Published	J	Quality	0409	J4G	AAJGJ008		If J4G is not equal to null, then J4G should be greater than or equal to 0.15% and less than 0.25%.	if aajgj008 ne null then aajgj008 ge 0.15 and aajgj008 lt 0.25
FFIEC101	20081231	99991231	Added	Published	J	Quality	0375	J5A	AAAJ012		If J5A is equal to null, then J5B, J5C, J5D, J5E and J5F should be equal to null.	if aajaj012 eq null then aajbj012 eq null and aajcj012 eq null and aajdj012 eq null and aajej012 eq null and aafif012 eq null
FFIEC101	20081231	99991231	Added	Published	J	Quality	0376	J5A	AAAJ012		If J5A is not equal to null, then J5B, J5C, J5D, J5E and J5F should not be equal to null.	if aajaj012 ne null then aajbj012 ne null and aajcj012 ne null and aajdj012 ne null and aajej012 ne null and aafif012 ne null
FFIEC101	20081231	99991231	Added	Published	J	Quality	0377	J5A	AAAJ012		If J5A is not equal to null, then J5A should be greater than or equal to 0.25% and less than 0.50%.	if aajaj012 ne null then aajaj012 ge 0.25 and aajaj012 lt 0.50
FFIEC101	20081231	99991231	Added	Published	J	Quality	0410	J5G	AAJGJ012		If J5G is equal to null, then J5H, J5I, J5J, J5K and J5L should be equal to null.	if aajgj012 eq null then aajhj012 eq null and aajjj012 eq null and aajjj012 eq null and aajkj012 eq null and aaili012 eq null
FFIEC101	20100630	99991231	Revised	Published	J	Quality	0411	J5G	AAJGJ012		If J5G is not equal to null, then J5H, J5I, J5J, J5K and J5L should not be equal to null.	if aajgj012 ne null then aajhj012 ne null and aajjj012 ne null and aajjj012 ne null and aajkj012 ne null and aaili012 ne null
FFIEC101	20081231	99991231	Added	Published	J	Quality	0412	J5G	AAJGJ012		If J5G is not equal to null, then J5G should be greater than or equal to 0.25% and less than 0.50%.	if aajgj012 ne null then aajgj012 ge 0.25 and aajgj012 lt 0.50
FFIEC101	20081231	99991231	Added	Published	J	Quality	0378	J6A	AAAJ014		If J6A is equal to null, then J6B, J6C, J6D, J6E and J6F should be equal to null.	if aajaj014 eq null then aajbj014 eq null and aajcj014 eq null and aajdj014 eq null and aajej014 eq null and aafif014 eq null
FFIEC101	20081231	99991231	Added	Published	J	Quality	0379	J6A	AAAJ014		If J6A is not equal to null, then J6B, J6C, J6D, J6E and J6F should not be equal to null.	if aajaj014 ne null then aajbj014 ne null and aajcj014 ne null and aajdj014 ne null and aajej014 ne null and aafif014 ne null
FFIEC101	20081231	99991231	Added	Published	J	Quality	0380	J6A	AAAJ014		If J6A is not equal to null, then J6A should be greater than or equal to 0.50% and less than 0.75%.	if aajaj014 ne null then aajaj014 ge 0.50 and aajaj014 lt 0.75
FFIEC101	20081231	99991231	Added	Published	J	Quality	0413	J6G	AAJGJ014		If J6G is equal to null, then J6H, J6I, J6J, J6K and J6L should be equal to null.	if aajgj014 eq null then aajhj014 eq null and aajjj014 eq null and aajjj014 eq null and aajkj014 eq null and aaili014 eq null

Series	Effective Start Date	Effective End Date	Type of Change	Publication	Schedule	Edit Type	Edit Number	Target Item	MDRM Number	Comparison Series	Edit Test	Boolean algebra
FFIEC101	20081231	99991231	Added	Published	J	Quality	0414	J6G	AAJGJ014		If J6G is not equal to null, then J6H, J6I, J6J, J6K and J6L should not be equal to null.	if aajgj014 ne null then aajhj014 ne null and aajjj014 ne null and aajkk014 ne null and aajll014 ne null
FFIEC101	20081231	99991231	Added	Published	J	Quality	0415	J6G	AAJGJ014		If J6G is not equal to null, then J6G should be greater than or equal to 0.50% and less than 0.75%.	if aajgj014 ne null then aajgj014 ge 0.50 and aajgj014 lt 0.75
FFIEC101	20081231	99991231	Added	Published	J	Quality	0381	J7A	AAJAJ016		If J7A is equal to null, then J7B, J7C, J7D, J7E and J7F should be equal to null.	if aajaj016 eq null then aajbj016 eq null and aajcj016 eq null and aajdj016 eq null and aajej016 eq null and aajff016 eq null
FFIEC101	20081231	99991231	Added	Published	J	Quality	0382	J7A	AAJAJ016		If J7A is not equal to null, then J7B, J7C, J7D, J7E and J7F should not be equal to null.	if aajaj016 ne null then aajbj016 ne null and aajcj016 ne null and aajdj016 ne null and aajej016 ne null and aajff016 ne null
FFIEC101	20081231	99991231	Added	Published	J	Quality	0383	J7A	AAJAJ016		If J7A is not equal to null, then J7A should be greater than or equal to 0.75% and less than 1.35%.	if aajaj016 ne null then aajaj016 ge 0.75 and aajaj016 lt 1.35
FFIEC101	20081231	99991231	Added	Published	J	Quality	0416	J7G	AAJGJ016		If J7G is equal to null, then J7H, J7I, J7J, J7K and J7L should be equal to null.	if aajgj016 eq null then aajhj016 eq null and aajjj016 eq null and aajkk016 eq null and aajll016 eq null
FFIEC101	20081231	99991231	Added	Published	J	Quality	0417	J7G	AAJGJ016		If J7G is not equal to null, then J7H, J7I, J7J, J7K and J7L should not be equal to null.	if aajgj016 ne null then aajhj016 ne null and aajjj016 ne null and aajkk016 ne null and aajll016 ne null
FFIEC101	20081231	99991231	Added	Published	J	Quality	0418	J7G	AAJGJ016		If J7G is not equal to null, then J7G should be greater than or equal to 0.75% and less than 1.35%.	if aajgj016 ne null then aajgj016 ge 0.75 and aajgj016 lt 1.35
FFIEC101	20081231	99991231	Added	Published	J	Quality	0384	J8A	AAJAJ019		If J8A is equal to null, then J8B, J8C, J8D, J8E and J8F should be equal to null.	if aajaj019 eq null then aajbj019 eq null and aajcj019 eq null and aajdj019 eq null and aajej019 eq null and aajff019 eq null
FFIEC101	20081231	99991231	Added	Published	J	Quality	0385	J8A	AAJAJ019		If J8A is not equal to null, then J8B, J8C, J8D, J8E and J8F should not be equal to null.	if aajaj019 ne null then aajbj019 ne null and aajcj019 ne null and aajdj019 ne null and aajej019 ne null and aajff019 ne null
FFIEC101	20081231	99991231	Added	Published	J	Quality	0386	J8A	AAJAJ019		If J8A is not equal to null, then J8A should be greater than or equal to 1.35% and less than 2.50%.	if aajaj019 ne null then aajaj019 ge 1.35 and aajaj019 lt 2.50
FFIEC101	20081231	99991231	Added	Published	J	Quality	0419	J8G	AAJGJ019		If J8G is equal to null, then J8H, J8I, J8J, J8K and J8L should be equal to null.	if aajgj019 eq null then aajhj019 eq null and aajjj019 eq null and aajkk019 eq null and aajll019 eq null
FFIEC101	20081231	99991231	Added	Published	J	Quality	0420	J8G	AAJGJ019		If J8G is not equal to null, then J8H, J8I, J8J, J8K and J8L should not be equal to null.	if aajgj019 ne null then aajhj019 ne null and aajjj019 ne null and aajkk019 ne null and aajll019 ne null
FFIEC101	20081231	99991231	Added	Published	J	Quality	0421	J8G	AAJGJ019		If J8G is not equal to null, then J8G should be greater than or equal to 1.35% and less than 2.50%.	if aajgj019 ne null then aajgj019 ge 1.35 and aajgj019 lt 2.50
FFIEC101	20081231	99991231	Added	Published	J	Quality	0387	J9A	AAJAJ025		If J9A is equal to null, then J9B, J9C, J9D, J9E and J9F should be equal to null.	if aajaj025 eq null then aajbj025 eq null and aajcj025 eq null and aajdj025 eq null and aajej025 eq null and aajff025 eq null
FFIEC101	20081231	99991231	Added	Published	J	Quality	0388	J9A	AAJAJ025		If J9A is not equal to null, then J9B, J9C, J9D, J9E and J9F should not be equal to null.	if aajaj025 ne null then aajbj025 ne null and aajcj025 ne null and aajdj025 ne null and aajej025 ne null and aajff025 ne null
FFIEC101	20081231	99991231	Added	Published	J	Quality	0389	J9A	AAJAJ025		If J9A is not equal to null, then J9A should be greater than or equal to 2.50% and less than 5.50%.	if aajaj025 ne null then aajaj025 ge 2.50 and aajaj025 lt 5.50
FFIEC101	20081231	99991231	Added	Published	J	Quality	0422	J9G	AAJGJ025		If J9G is equal to null, then J9H, J9I, J9J, J9K and J9L should be equal to null.	if aajgj025 eq null then aajhj025 eq null and aajjj025 eq null and aajkk025 eq null and aajll025 eq null

Series	Effective Start Date	Effective End Date	Type of Change	Publication	Schedule	Edit Type	Edit Number	Target Item	MDRM Number	Comparison Series	Edit Test	Boolean algebra
FFIEC101	20081231	99991231	Added	Published	J	Quality	0423	J9G	AAJGJ025		If J9G is not equal to null, then J9H, J9I, J9J, J9K and J9L should not be equal to null.	if aajgj025 ne null then aajhj025 ne null and aajji025 ne null and aajjj025 ne null and aajkj025 ne null and aaili025 ne null
FFIEC101	20081231	99991231	Added	Published	J	Quality	0424	J9G	AAJGJ025		If J9G is not equal to null, then J9G should be greater than or equal to 2.50% and less than 5.50%.	if aajgj025 ne null then aajgj025 ge 2.50 and aajgj025 lt 5.50
FFIEC101	20081231	99991231	Added	Published	K	Quality	0469	K10A	AAKAJ019		If K10A is equal to null, then K10B, K10C, K10D, K10E, K10F, K10G, K10H, K10I, K10J, K10K, K10L, K10M, K10N, K10O and K10P should be equal to null.	if aakaj019 eq null then aakbj019 eq null and aakcj019 eq null and aakdj019 eq null and aakej019 eq null and aakfj019 eq null and aakgj019 eq null and aakhj019 eq null and aakij019 eq null and aakjj019 eq null and aakkj019 eq null and aaklj019 eq null and aakmj019 eq null and aaknj019 eq null and aakoj019 eq null and aakpj019 eq null
FFIEC101	20081231	99991231	Added	Published	K	Quality	0470	K10A	AAKAJ019		If K10A is not equal to null, then K10B, K10C, K10D, K10E, K10F, K10G, K10H and K10I should not be equal to null.	if aakaj019 ne null then aakbj019 ne null and aakcj019 ne null and aakdj019 ne null and aakej019 ne null and aakfj019 ne null and aakgj019 ne null and aakhj019 ne null and aakij019 ne null
FFIEC101	20081231	99991231	Added	Published	K	Quality	0471	K10A	AAKAJ019		If K10A is not equal to null, then K10A should be greater than or equal to 1.35% and less than 2.50%.	if aakaj019 ne null then aakaj019 ge 1.35 and aakaj019 lt 2.50
FFIEC101	20081231	99991231	Added	Published	K	Quality	0472	K10A	AAKAJ019		If K10A is not equal to null, then K10J, K10K, K10L, K10M or K10N should not be equal to null.	if aakaj019 ne null then aakj019 ne null or aakkj019 ne null or aakj019 ne null or aakj019 ne null or aakmj019 ne null or aaknj019 ne null
FFIEC101	20081231	99991231	Added	Published	K	Quality	0473	K11A	AAKAJ025		If K11A is equal to null, then K11B, K11C, K11D, K11E, K11F, K11G, K11H, K11I, K11J, K11K, K11L, K11M, K11N, K11O and K11P should be equal to null.	if aakaj025 eq null then aakbj025 eq null and aakcj025 eq null and aakdj025 eq null and aakej025 eq null and aakfj025 eq null and aakgj025 eq null and aakhj025 eq null and aakij025 eq null and aakjj025 eq null and aakkj025 eq null and aaklj025 eq null and aakmj025 eq null and aaknj025 eq null and aakoj025 eq null and aakpj025 eq null
FFIEC101	20081231	99991231	Added	Published	K	Quality	0474	K11A	AAKAJ025		If K11A is not equal to null, then K11B, K11C, K11D, K11E, K11F, K11G, K11H and K11I should not be equal to null.	if aakaj025 ne null then aakbj025 ne null and aakcj025 ne null and aakdj025 ne null and aakej025 ne null and aakfj025 ne null and aakgj025 ne null and aakhj025 ne null and aakij025 ne null
FFIEC101	20081231	99991231	Added	Published	K	Quality	0475	K11A	AAKAJ025		If K11A is not equal to null, then K11A should be greater than or equal to 2.50% and less than 5.50%.	if aakaj025 ne null then aakaj025 ge 2.50 and aakaj025 lt 5.50
FFIEC101	20081231	99991231	Added	Published	K	Quality	0476	K11A	AAKAJ025		If K11A is not equal to null, then K11J, K11K, K11L, K11M or K11N should not be equal to null.	if aakaj025 ne null then aakj025 ne null or aakkj025 ne null or aakj025 ne null or aakj025 ne null or aakmj025 ne null or aaknj025 ne null
FFIEC101	20081231	99991231	Added	Published	K	Quality	0477	K12A	AAKAJ029		If K12A is equal to null, then K12B, K12C, K12D, K12E, K12F, K12G, K12H, K12I, K12J, K12K, K12L, K12M, K12N, K12O and K12P should be equal to null.	if aakaj029 eq null then aakbj029 eq null and aakcj029 eq null and aakdj029 eq null and aakej029 eq null and aakfj029 eq null and aakgj029 eq null and aakhj029 eq null and aakij029 eq null and aakjj029 eq null and aakkj029 eq null and aaklj029 eq null and aakmj029 eq null and aaknj029 eq null and aakoj029 eq null and aakpj029 eq null

Series	Effective Start Date	Effective End Date	Type of Change	Publication	Schedule	Edit Type	Edit Number	Target Item	MDRM Number	Comparison Series	Edit Test	Boolean algebra
FFIEC101	20081231	99991231	Added	Published	K	Quality	0478	K12A	AAKAJ029		If K12A is not equal to null, then K12B, K12C, K12D, K12E, K12F, K12G, K12H and K12I should not be equal to null.	if aakaj029 ne null then aakbj029 ne null and aackj029 ne null and aakdj029 ne null and aakej029 ne null and aakfj029 ne null and aakgj029 ne null and aakhj029 ne null and aakij029 ne null
FFIEC101	20081231	99991231	Added	Published	K	Quality	0479	K12A	AAKAJ029		If K12A is not equal to null, then K12A should be greater than or equal to 5.50% and less than 10.00%.	if aakaj029 ne null then aakaj029 ge 5.50 and aakaj029 lt 10.00
FFIEC101	20081231	99991231	Added	Published	K	Quality	0480	K12A	AAKAJ029		If K12A is not equal to null, then K12J, K12K, K12L, K12M or K12N should not be equal to null.	if aakaj029 ne null then aakjj029 ne null or aackj029 ne null or aakjj029 ne null or aakmj029 ne null or aakni029 ne null
FFIEC101	20081231	99991231	Added	Published	K	Quality	0481	K13A	AAKAJ031		If K13A is equal to null, then K13B, K13C, K13D, K13E, K13F, K13G, K13H, K13I, K13J, K13K, K13L, K13M, K13N, K13O, and K13P should be equal to null.	if aakaj031 eq null then aakbj031 eq null and aackj031 eq null and aakdj031 eq null and aakej031 eq null and aakfj031 eq null and aakgj031 eq null and aakhj031 eq null and aakij031 eq null and aakjj031 eq null and aakmj031 eq null and aakni031 eq null and aakoj031 eq null and aakpj031 eq null
FFIEC101	20081231	99991231	Added	Published	K	Quality	0482	K13A	AAKAJ031		If K13A is not equal to null, then K13B, K13C, K13D, K13E, K13F, K13G, K13H and K13I should not be equal to null.	if aakaj031 ne null then aakbj031 ne null and aackj031 ne null and aakdj031 ne null and aakej031 ne null and aakfj031 ne null and aakgj031 ne null and aakhj031 ne null and aakij031 ne null
FFIEC101	20081231	99991231	Added	Published	K	Quality	0483	K13A	AAKAJ031		If K13A is not equal to null, then K13A should be greater than or equal to 10.00% and less than 20.00%.	if aakaj031 ne null then aakaj031 ge 10.00 and aakaj031 lt 20.00
FFIEC101	20081231	99991231	Added	Published	K	Quality	0484	K13A	AAKAJ031		If K13A is not equal to null, then K13J, K13K, K13L, K13M or K13N should not be equal to null.	if aakaj031 ne null then aakjj031 ne null or aackj031 ne null or aakjj031 ne null or aakmj031 ne null or aakni031 ne null
FFIEC101	20081231	99991231	Added	Published	K	Quality	0485	K14A	AAKAJ033		If K14A is equal to null, then K14B, K14C, K14D, K14E, K14F, K14G, K14H, K14I, K14J, K14K, K14L, K14M, K14N, K14O and K14P should be equal to null.	if aakaj033 eq null then aakbj033 eq null and aackj033 eq null and aakdj033 eq null and aakej033 eq null and aakfj033 eq null and aakgj033 eq null and aakhj033 eq null and aakij033 eq null and aakjj033 eq null and aakmj033 eq null and aakni033 eq null and aakoj033 eq null and aakpj033 eq null
FFIEC101	20081231	99991231	Added	Published	K	Quality	0486	K14A	AAKAJ033		If K14A is not equal to null, then K14B, K14C, K14D, K14E, K14F, K14G, K14H and K14I should not be equal to null.	if aakaj033 ne null then aakbj033 ne null and aackj033 ne null and aakdj033 ne null and aakej033 ne null and aakfj033 ne null and aakgj033 ne null and aakhj033 ne null and aakij033 ne null
FFIEC101	20081231	99991231	Added	Published	K	Quality	0487	K14A	AAKAJ033		If K14A is not equal to null, then K14A should be greater than or equal to 20.00% and less than 100.00%.	if aakaj033 ne null then aakaj033 ge 20.00 and aakaj033 lt 100.00
FFIEC101	20081231	99991231	Added	Published	K	Quality	0488	K14A	AAKAJ033		If K14A is not equal to null, then K14J, K14K, K14L, K14M or K14N should not be equal to null.	if aakaj033 ne null then aakjj033 ne null or aackj033 ne null or aakjj033 ne null or aakmj033 ne null or aakni033 ne null

Series	Effective Start Date	Effective End Date	Type of Change	Publication	Schedule	Edit Type	Edit Number	Target Item	MDRM Number	Comparison Series	Edit Test	Boolean algebra
FFIEC101	20081231	99991231	Added	Published	K	Quality	0489	K15B	AAKBJ034		If K15B is equal to null, then K15C, K15D, K15E, K15F, K15G, K15H, K15I, K15J, K15K, K15L, K15M, K15N, K15O and K15P should be equal to null.	if aakbj034 eq null then aakcj034 eq null and aakdj034 eq null and aakej034 eq null and aakfj034 eq null and aakgj034 eq null and aakhj034 eq null and aakij034 eq null and aakjj034 eq null and aakkj034 eq null and aaklj034 eq null and aakmj034 eq null and aaknj034 eq null and aako034 eq null and aakpj034 eq null
FFIEC101	20081231	99991231	Added	Published	K	Quality	0490	K15B	AAKBJ034		If K15B is not equal to null, then K15C, K15D, K15E, K15F, K15G, K15H and K15I should not be equal to null.	if aakbj034 ne null then aakcj034 ne null and aakdj034 ne null and aakej034 ne null and aakfj034 ne null and aakgj034 ne null and aakhj034 ne null and aakij034 ne null
FFIEC101	20100630	99991231	Revised	Published	K	Quality	0779	K15B	AAKBJ034		If K15B is not equal to null, then K15J, K15K, K15L, K15M, or K15N should not be equal to null.	if aakbj034 ne null then aakjj034 ne null or aakkj034 ne null or aaklj034 ne null or aakmj034 ne null or aakni034 ne null
FFIEC101	20081231	99991231	Added	Published	K	Quality	0506	K160	AAKOJ035		If K10, K20, K30, K40, K50, K60, K70, K80, K90, K100, K110, K120, K130, K140 or K150 are not equal to null then K160 should not equal null.	if aako002 ne null or aako004 ne null or aako006 ne null or aako007 ne null or aako009 ne null or aako010 ne null or aako013 ne null or aako014 ne null or aako016 ne null or aako019 ne null or aako025 ne null or aako029 ne null or aako031 ne null or aako033 ne null or aako034 ne null then aako035 ne null
FFIEC101	20081231	99991231	Added	Published	K	Quality	0507	K160	AAKOJ035		If K160 is not equal to null then K10, K20, K30, K40, K50, K60, K70, K80, K90, K100, K110, K120, K130, K140 or K150 should not equal null.	if aako035 ne null then aako002 ne null or aako004 ne null or aako006 ne null or aako007 ne null or aako009 ne null or aako010 ne null or aako013 ne null or aako014 ne null or aako016 ne null or aako019 ne null or aako025 ne null or aako029 ne null or aako031 ne null or aako033 ne null or aako034 ne null
FFIEC101	20081231	99991231	Added	Published	K	Quality	0508	K18	AAKXJ041		If K160 is not equal to null then K18 should not equal null.	if aako035 ne null then aakxj041 ne null
FFIEC101	20081231	99991231	Added	Published	K	Quality	0433	K1A	AAKAJ002		If K1A is equal to null, then K1B, K1C, K1D, K1E, K1F, K1G, K1H, K1I, K1J, K1K, K1L, K1M, K1N, K1O and K1P should be equal to null.	if aakaj002 eq null then aakbj002 eq null and aakcj002 eq null and aakdj002 eq null and aakej002 eq null and aakfj002 eq null and aakgj002 eq null and aakhj002 eq null and aakij002 eq null and aakjj002 eq null and aakkj002 eq null and aaklj002 eq null and aakmj002 eq null and aaknj002 eq null and aako002 eq null and aakpj002 eq null
FFIEC101	20081231	99991231	Added	Published	K	Quality	0434	K1A	AAKAJ002		If K1A is not equal to null, then K1B, K1C, K1D, K1E, K1F, K1G, K1H and K1I should not be equal to null.	if aakaj002 ne null then aakbj002 ne null and aakcj002 ne null and aakdj002 ne null and aakej002 ne null and aakfj002 ne null and aakgj002 ne null and aakhj002 ne null and aakij002 ne null
FFIEC101	20081231	99991231	Added	Published	K	Quality	0435	K1A	AAKAJ002		If K1A is not equal to null, then K1A should be greater than or equal to 0.00% and less than 0.05%.	if aakaj002 ne null then aakaj002 ge 0.00 and aakaj002 lt 0.05
FFIEC101	20081231	99991231	Added	Published	K	Quality	0436	K1A	AAKAJ002		If K1A is not equal to null, then K1J, K1K, K1L, K1M or K1N should not be equal to null.	if aakaj002 ne null then aakjj002 ne null or aakkj002 ne null or aaklj002 ne null or aakmj002 ne null or aakni002 ne null

Series	Effective Start Date	Effective End Date	Type of Change	Publication	Schedule	Edit Type	Edit Number	Target Item	MDRM Number	Comparison Series	Edit Test	Boolean algebra
FFIEC101	20081231	99991231	Added	Published	K	Quality	0437	K2A	AAKAJ004		If K2A is equal to null, then K2B, K2C, K2D, K2E, K2F, K2G, K2H, K2I, K2J, K2K, K2L, K2M, K2N, K2O and K2P should be equal to null.	if aakaj004 eq null then aakbj004 eq null and aakcj004 eq null and aakdj004 eq null and aakej004 eq null and aakfj004 eq null and aakgj004 eq null and aakhj004 eq null and aakij004 eq null and aakj004 eq null and aakmj004 eq null and aaknj004 eq null and aakoj004 eq null and aakpj004 eq null
FFIEC101	20081231	99991231	Added	Published	K	Quality	0438	K2A	AAKAJ004		If K2A is not equal to null, then K2B, K2C, K2D, K2E, K2F, K2G, K2H and K2I should not be equal to null.	if aakaj004 ne null then aakbj004 ne null and aakcj004 ne null and aakdj004 ne null and aakej004 ne null and aakfj004 ne null and aakgj004 ne null and aakhj004 ne null and aakij004 ne null
FFIEC101	20081231	99991231	Added	Published	K	Quality	0439	K2A	AAKAJ004		If K2A is not equal to null, then K2A should be greater than or equal to 0.05% and less than 0.10%.	if aakaj004 ne null then aakaj004 ge 0.05 and aakaj004 lt 0.10
FFIEC101	20081231	99991231	Added	Published	K	Quality	0440	K2A	AAKAJ004		If K2A is not equal to null, then K2J, K2K, K2L, K2M or K2N should not be equal to null.	if aakaj004 ne null then aakj004 ne null or aakkj004 ne null or aaklj004 ne null or aakm004 ne null or aakni004 ne null
FFIEC101	20081231	99991231	Added	Published	K	Quality	0441	K3A	AAKAJ006		If K3A is equal to null, then K3B, K3C, K3D, K3E, K3F, K3G, K3H, K3I, K3J, K3K, K3L, K3M, K3N, K3O and K3P should be equal to null.	if aakaj006 eq null then aakbj006 eq null and aakcj006 eq null and aakdj006 eq null and aakej006 eq null and aakfj006 eq null and aakgj006 eq null and aakhj006 eq null and aakij006 eq null and aakj006 eq null and aakmj006 eq null and aaknj006 eq null and aakoj006 eq null and aakpj006 eq null
FFIEC101	20081231	99991231	Added	Published	K	Quality	0442	K3A	AAKAJ006		If K3A is not equal to null, then K3B, K3C, K3D, K3E, K3F, K3G, K3H and K3I should not be equal to null.	if aakaj006 ne null then aakbj006 ne null and aakcj006 ne null and aakdj006 ne null and aakej006 ne null and aakfj006 ne null and aakgj006 ne null and aakhj006 ne null and aakij006 ne null
FFIEC101	20081231	99991231	Added	Published	K	Quality	0443	K3A	AAKAJ006		If K3A is not equal to null, then K3A should be greater than or equal to 0.10% and less than 0.15%.	if aakaj006 ne null then aakaj006 ge 0.10 and aakaj006 lt 0.15
FFIEC101	20081231	99991231	Added	Published	K	Quality	0444	K3A	AAKAJ006		If K3A is not equal to null, then K3J, K3K, K3L, K3M or K3N should not be equal to null.	if aakaj006 ne null then aakj006 ne null or aakkj006 ne null or aaklj006 ne null or aakm006 ne null or aakni006 ne null
FFIEC101	20081231	99991231	Added	Published	K	Quality	0445	K4A	AAKAJ007		If K4A is equal to null, then K4B, K4C, K4D, K4E, K4F, K4G, K4H, K4I, K4J, K4K, K4L, K4M, K4N, K4O and K4P should be equal to null.	if aakaj007 eq null then aakbj007 eq null and aakcj007 eq null and aakdj007 eq null and aakej007 eq null and aakfj007 eq null and aakgj007 eq null and aakhj007 eq null and aakij007 eq null and aakj007 eq null and aakmj007 eq null and aaknj007 eq null and aakoj007 eq null and aakpj007 eq null
FFIEC101	20081231	99991231	Added	Published	K	Quality	0446	K4A	AAKAJ007		If K4A is not equal to null, then K4B, K4C, K4D, K4E, K4F, K4G, K4H and K4I should not be equal to null.	if aakaj007 ne null then aakbj007 ne null and aakcj007 ne null and aakdj007 ne null and aakej007 ne null and aakfj007 ne null and aakgj007 ne null and aakhj007 ne null and aakij007 ne null
FFIEC101	20081231	99991231	Added	Published	K	Quality	0447	K4A	AAKAJ007		If K4A is not equal to null, then K4A should be greater than or equal to 0.15% and less than 0.20%.	if aakaj007 ne null then aakaj007 ge 0.15 and aakaj007 lt 0.20

Series	Effective Start Date	Effective End Date	Type of Change	Publication	Schedule	Edit Type	Edit Number	Target Item	MDRM Number	Comparison Series	Edit Test	Boolean algebra
FFIEC101	20081231	99991231	Added	Published	K	Quality	0448	K4A	AAKAJ007		If K4A is not equal to null, then K4J, K4K, K4L, K4M or K4N should not be equal to null.	if aakaj007 ne null then aakjj007 ne null or aakkj007 ne null or aakj007 ne null or aakm007 ne null or aakni007 ne null
FFIEC101	20081231	99991231	Added	Published	K	Quality	0449	K5A	AAKAJ009		If K5A is equal to null, then K5B, K5C, K5D, K5E, K5F, K5G, K5H, K5I, K5J, K5K, K5L, K5M, K5N, K5O and K5P should be equal to null.	if aakaj009 eq null then aakbj009 eq null and aakcj009 eq null and aakdj009 eq null and aakej009 eq null and aakfj009 eq null and aakgj009 eq null and aakhj009 eq null and aakij009 eq null and aakjj009 eq null and aakkj009 eq null and aaklj009 eq null and aakmj009 eq null and aaknj009 eq null and aakoj009 eq null and aakpj009 eq null
FFIEC101	20081231	99991231	Added	Published	K	Quality	0450	K5A	AAKAJ009		If K5A is not equal to null, then K5B, K5C, K5D, K5E, K5F, K5G, K5H and K5I should not be equal to null.	if aakaj009 ne null then aakbj009 ne null and aakcj009 ne null and aakdj009 ne null and aakej009 ne null and aakfj009 ne null and aakgj009 ne null and aakhj009 ne null and aakij009 ne null
FFIEC101	20081231	99991231	Added	Published	K	Quality	0451	K5A	AAKAJ009		If K5A is not equal to null, then K5A should be greater than or equal to 0.20% and less than 0.25%.	if aakaj009 ne null then aakaj009 ge 0.20 and aakaj009 lt 0.25
FFIEC101	20081231	99991231	Added	Published	K	Quality	0452	K5A	AAKAJ009		If K5A is not equal to null, then K5J, K5K, K5L, K5M or K5N should not be equal to null.	if aakaj009 ne null then aakjj009 ne null or aakkj009 ne null or aakj009 ne null or aakm009 ne null or aakni009 ne null
FFIEC101	20081231	99991231	Added	Published	K	Quality	0453	K6A	AAKAJ010		If K6A is equal to null, then K6B, K6C, K6D, K6E, K6F, K6G, K6H, K6I, K6J, K6K, K6L, K6M, K6N, K6O and K6P should be equal to null.	if aakaj010 eq null then aakbj010 eq null and aakcj010 eq null and aakdj010 eq null and aakej010 eq null and aakfj010 eq null and aakgj010 eq null and aakhj010 eq null and aakij010 eq null and aakjj010 eq null and aakkj010 eq null and aaklj010 eq null and aakmj010 eq null and aaknj010 eq null and aakoj010 eq null and aakpj010 eq null
FFIEC101	20081231	99991231	Added	Published	K	Quality	0454	K6A	AAKAJ010		If K6A is not equal to null, then K6B, K6C, K6D, K6E, K6F, K6G, K6H and K6I should not be equal to null.	if aakaj010 ne null then aakbj010 ne null and aakcj010 ne null and aakdj010 ne null and aakej010 ne null and aakfj010 ne null and aakgj010 ne null and aakhj010 ne null and aakij010 ne null
FFIEC101	20081231	99991231	Added	Published	K	Quality	0455	K6A	AAKAJ010		If K6A is not equal to null, then K6A should be greater than or equal to 0.25% and less than 0.35%.	if aakaj010 ne null then aakaj010 ge 0.25 and aakaj010 lt 0.35
FFIEC101	20081231	99991231	Added	Published	K	Quality	0456	K6A	AAKAJ010		If K6A is not equal to null, then K6J, K6K, K6L, K6M or K6N should not be equal to null.	if aakaj010 ne null then aakjj010 ne null or aakkj010 ne null or aakj010 ne null or aakm010 ne null or aakni010 ne null
FFIEC101	20081231	99991231	Added	Published	K	Quality	0457	K7A	AAKAJ013		If K7A is equal to null, then K7B, K7C, K7D, K7E, K7F, K7G, K7H, K7I, K7J, K7K, K7L, K7M, K7N, K7O and K7P should be equal to null.	if aakaj013 eq null then aakbj013 eq null and aakcj013 eq null and aakdj013 eq null and aakej013 eq null and aakfj013 eq null and aakgj013 eq null and aakhj013 eq null and aakij013 eq null and aakjj013 eq null and aakkj013 eq null and aaklj013 eq null and aakmj013 eq null and aaknj013 eq null and aakoj013 eq null and aakpj013 eq null
FFIEC101	20081231	99991231	Added	Published	K	Quality	0458	K7A	AAKAJ013		If K7A is not equal to null, then K7B, K7C, K7D, K7E, K7F, K7G, K7H and K7I should not be equal to null.	if aakaj013 ne null then aakbj013 ne null and aakcj013 ne null and aakdj013 ne null and aakej013 ne null and aakfj013 ne null and aakgj013 ne null and aakhj013 ne null and aakij013 ne null

Series	Effective Start Date	Effective End Date	Type of Change	Publication	Schedule	Edit Type	Edit Number	Target Item	MDRM Number	Comparison Series	Edit Test	Boolean algebra
FFIEC101	20081231	99991231	Added	Published	K	Quality	0459	K7A	AAKAJ013		If K7A is not equal to null, then K7A should be greater than or equal to 0.35% and less than 0.50%.	if aakaj013 ne null then aakaj013 ge 0.35 and aakaj013 lt 0.50
FFIEC101	20081231	99991231	Added	Published	K	Quality	0460	K7A	AAKAJ013		If K7A is not equal to null, then K7J, K7K, K7L, K7M or K7N should not be equal to null.	if aakaj013 ne null then aakj013 ne null or aakj013 ne null or aakj013 ne null or aakj013 ne null or aakj013 ne null
FFIEC101	20081231	99991231	Added	Published	K	Quality	0461	K8A	AAKAJ014		If K8A is equal to null, then K8B, K8C, K8D, K8E, K8F, K8G, K8H, K8I, K8J, K8K, K8L, K8M, K8N, K8O and K8P should be equal to null.	if aakaj014 eq null then aakbj014 eq null and aakcj014 eq null and aakdj014 eq null and aakej014 eq null and aakfj014 eq null and aakgj014 eq null and aakhj014 eq null and aakij014 eq null and aakjj014 eq null and aakkj014 eq null and aaklj014 eq null and aakmj014 eq null and aaknj014 eq null and aakoj014 eq null and aakpj014 eq null
FFIEC101	20081231	99991231	Added	Published	K	Quality	0462	K8A	AAKAJ014		If K8A is not equal to null, then K8B, K8C, K8D, K8E, K8F, K8G, K8H and K8I should not be equal to null.	if aakaj014 ne null then aakbj014 ne null and aakcj014 ne null and aakdj014 ne null and aakej014 ne null and aakfj014 ne null and aakgj014 ne null and aakhj014 ne null and aakij014 ne null
FFIEC101	20081231	99991231	Added	Published	K	Quality	0463	K8A	AAKAJ014		If K8A is not equal to null, then K8A should be greater than or equal to 0.50% and less than 0.75%.	if aakaj014 ne null then aakaj014 ge 0.50 and aakaj014 lt 0.75
FFIEC101	20081231	99991231	Added	Published	K	Quality	0464	K8A	AAKAJ014		If K8A is not equal to null, then K8J, K8K, K8L, K8M or K8N should not be equal to null.	if aakaj014 ne null then aakj014 ne null or aakj014 ne null or aakj014 ne null or aakj014 ne null
FFIEC101	20081231	99991231	Added	Published	K	Quality	0465	K9A	AAKAJ016		If K9A is equal to null, then K9B, K9C, K9D, K9E, K9F, K9G, K9H, K9I, K9J, K9K, K9L, K9M, K9N, K9O and K9P should be equal to null.	if aakaj016 eq null then aakbj016 eq null and aakcj016 eq null and aakdj016 eq null and aakej016 eq null and aakfj016 eq null and aakgj016 eq null and aakhj016 eq null and aakij016 eq null and aakjj016 eq null and aakkj016 eq null and aaklj016 eq null and aakmj016 eq null and aaknj016 eq null and aakoj016 eq null and aakpj016 eq null
FFIEC101	20081231	99991231	Added	Published	K	Quality	0466	K9A	AAKAJ016		If K9A is not equal to null, then K9B, K9C, K9D, K9E, K9F, K9G, K9H and K9I should not be equal to null.	if aakaj016 ne null then aakbj016 ne null and aakcj016 ne null and aakdj016 ne null and aakej016 ne null and aakfj016 ne null and aakgj016 ne null and aakhj016 ne null and aakij016 ne null
FFIEC101	20081231	99991231	Added	Published	K	Quality	0467	K9A	AAKAJ016		If K9A is not equal to null, then K9A should be greater than or equal to 0.75% and less than 1.35%.	if aakaj016 ne null then aakaj016 ge 0.75 and aakaj016 lt 1.35
FFIEC101	20081231	99991231	Added	Published	K	Quality	0468	K9A	AAKAJ016		If K9A is not equal to null, then K9J, K9K, K9L, K9M or K9N should not be equal to null.	if aakaj016 ne null then aakj016 ne null or aakj016 ne null or aakj016 ne null or aakj016 ne null
FFIEC101	20081231	99991231	Added	Published	L	Quality	0545	L10A	AALAJ019		If L10A is equal to null, then L10B, L10C, L10D, L10E, L10F, L10G, L10H, L10I, L10J, L10K, L10L, L10M, L10N, L10O and L10P should be equal to null.	if aalaj019 eq null then aalbj019 eq null and aalcj019 eq null and aaldj019 eq null and aalej019 eq null and aalfj019 eq null and aalgj019 eq null and aalhj019 eq null and aalij019 eq null and aaljj019 eq null and aal kj019 eq null and aal lj019 eq null and aalmj019 eq null and aal nj019 eq null and aal oj019 eq null and aal pj019 eq null

Series	Effective Start Date	Effective End Date	Type of Change	Publication	Schedule	Edit Type	Edit Number	Target Item	MDRM Number	Comparison Series	Edit Test	Boolean algebra
FFIEC101	20081231	99991231	Added	Published	L	Quality	0546	L10A	AALAJ019		If L10A is not equal to null, then L10B, L10C, L10D, L10E, L10F, L10G, L10H and L10I should not be equal to null.	if aalaj019 ne null then aalbj019 ne null and aalcj019 ne null and aaldj019 ne null and aalej019 ne null and aalfj019 ne null and aalgj019 ne null and aalhj019 ne null and aalij019 ne null
FFIEC101	20081231	99991231	Added	Published	L	Quality	0547	L10A	AALAJ019		If L10A is not equal to null, then L10A should be greater than or equal to 1.35% and less than 2.50%.	if aalaj019 ne null then aalaj019 ge 1.35 and aalaj019 lt 2.50
FFIEC101	20081231	99991231	Added	Published	L	Quality	0548	L10A	AALAJ019		If L10A is not equal to null, then L10J, L10K, L10L, L10M or L10N should not be equal to null.	if aalaj019 ne null then aaljj019 ne null or aalkj019 ne null or aallj019 ne null or aalmj019 ne null or aalni019 ne null
FFIEC101	20081231	99991231	Added	Published	L	Quality	0549	L11A	AALAJ025		If L11A is equal to null, then L11B, L11C, L11D, L11E, L11F, L11G, L11H, L11I, L11J, L11K, L11L, L11M, L11N, L11O and L11P should be equal to null.	if aalaj025 eq null then aalbj025 eq null and aalcj025 eq null and aaldj025 eq null and aalej025 eq null and aalfj025 eq null and aalgj025 eq null and aalhj025 eq null and aalij025 eq null and aaljj025 eq null and aalkj025 eq null and aallj025 eq null and aalmj025 eq null and aalni025 eq null and aalpj025 eq null
FFIEC101	20081231	99991231	Added	Published	L	Quality	0550	L11A	AALAJ025		If L11A is not equal to null, then L11B, L11C, L11D, L11E, L11F, L11G, L11H and L11I should not be equal to null.	if aalaj025 ne null then aalbj025 ne null and aalcj025 ne null and aaldj025 ne null and aalej025 ne null and aalfj025 ne null and aalgj025 ne null and aalhj025 ne null and aalij025 ne null
FFIEC101	20081231	99991231	Added	Published	L	Quality	0551	L11A	AALAJ025		If L11A is not equal to null, then L11A should be greater than or equal to 2.50% and less than 5.50%.	if aalaj025 ne null then aalaj025 ge 2.50 and aalaj025 lt 5.50
FFIEC101	20081231	99991231	Added	Published	L	Quality	0552	L11A	AALAJ025		If L11A is not equal to null, then L11J, L11K, L11L, L11M or L11N should not be equal to null.	if aalaj025 ne null then aaljj025 ne null or aalkj025 ne null or aallj025 ne null or aalmj025 ne null or aalni025 ne null
FFIEC101	20081231	99991231	Added	Published	L	Quality	0553	L12A	AALAJ029		If L12A is equal to null, then L12B, L12C, L12D, L12E, L12F, L12G, L12H, L12I, L12J, L12K, L12L, L12M, L12N, L12O and L12P should be equal to null.	if aalaj029 eq null then aalbj029 eq null and aalcj029 eq null and aaldj029 eq null and aalej029 eq null and aalfj029 eq null and aalgj029 eq null and aalhj029 eq null and aalij029 eq null and aaljj029 eq null and aalkj029 eq null and aallj029 eq null and aalmj029 eq null and aalni029 eq null and aalpj029 eq null
FFIEC101	20081231	99991231	Added	Published	L	Quality	0554	L12A	AALAJ029		If L12A is not equal to null, then L12B, L12C, L12D, L12E, L12F, L12G, L12H and L12I should not be equal to null.	if aalaj029 ne null then aalbj029 ne null and aalcj029 ne null and aaldj029 ne null and aalej029 ne null and aalfj029 ne null and aalgj029 ne null and aalhj029 ne null and aalij029 ne null
FFIEC101	20081231	99991231	Added	Published	L	Quality	0555	L12A	AALAJ029		If L12A is not equal to null, then L12A should be greater than or equal to 5.50% and less than 10.00%.	if aalaj029 ne null then aalaj029 ge 5.50 and aalaj029 lt 10.00
FFIEC101	20081231	99991231	Added	Published	L	Quality	0556	L12A	AALAJ029		If L12A is not equal to null, then L12J, L12K, L12L, L12M or L12N should not be equal to null.	if aalaj029 ne null then aaljj029 ne null or aalkj029 ne null or aallj029 ne null or aalmj029 ne null or aalni029 ne null

Series	Effective Start Date	Effective End Date	Type of Change	Publication	Schedule	Edit Type	Edit Number	Target Item	MDRM Number	Comparison Series	Edit Test	Boolean algebra
FFIEC101	20081231	99991231	Added	Published	L	Quality	0557	L13A	AALAJ031		If L13A is equal to null, then L13B, L13C, L13D, L13E, L13F, L13G, L13H, L13I, L13J, L13K, L13L, L13M, L13N, L13O and L13P should be equal to null.	if aalaj031 eq null then aalbj031 eq null and aalcj031 eq null and aaldj031 eq null and aalej031 eq null and aalfj031 eq null and aalgj031 eq null and aalhj031 eq null and aalij031 eq null and aaljj031 eq null and aalkj031 eq null and aallj031 eq null and aalmj031 eq null and aalnj031 eq null and aalpj031 eq null
FFIEC101	20081231	99991231	Added	Published	L	Quality	0558	L13A	AALAJ031		If L13A is not equal to null, then L13B, L13C, L13D, L13E, L13F, L13G, L13H and L13I should not be equal to null.	if aalaj031 ne null then aalbj031 ne null and aalcj031 ne null and aaldj031 ne null and aalej031 ne null and aalfj031 ne null and aalgj031 ne null and aalhj031 ne null and aalij031 ne null
FFIEC101	20081231	99991231	Added	Published	L	Quality	0559	L13A	AALAJ031		If L13A is not equal to null, then L13A should be greater than or equal to 10.00% and less than 20.00%.	if aalaj031 ne null then aalaj031 ge 10.00 and aalaj031 lt 20.00
FFIEC101	20081231	99991231	Added	Published	L	Quality	0560	L13A	AALAJ031		If L13A is not equal to null, then L13J, L13K, L13L, L13M or L13N should not be equal to null.	if aalaj031 ne null then aaljj031 ne null or aalkj031 ne null or aaljj031 ne null or aalmj031 ne null or aalnj031 ne null
FFIEC101	20081231	99991231	Added	Published	L	Quality	0561	L14A	AALAJ033		If L14A is equal to null, then L14B, L14C, L14D, L14E, L14F, L14G, L14H, L14I, L14J, L14K, L14L, L14M, L14N, L14O and L14P should be equal to null.	if aalaj033 eq null then aalbj033 eq null and aalcj033 eq null and aaldj033 eq null and aalej033 eq null and aalfj033 eq null and aalgj033 eq null and aalhj033 eq null and aalij033 eq null and aaljj033 eq null and aalkj033 eq null and aallj033 eq null and aalmj033 eq null and aalnj033 eq null and aalpj033 eq null
FFIEC101	20081231	99991231	Added	Published	L	Quality	0562	L14A	AALAJ033		If L14A is not equal to null, then L14B, L14C, L14D, L14E, L14F, L14G, L14H and L14I should not be equal to null.	if aalaj033 ne null then aalbj033 ne null and aalcj033 ne null and aaldj033 ne null and aalej033 ne null and aalfj033 ne null and aalgj033 ne null and aalhj033 ne null and aalij033 ne null
FFIEC101	20081231	99991231	Added	Published	L	Quality	0563	L14A	AALAJ033		If L14A is not equal to null, then L14A should be greater than or equal to 20.00% and less than 100.00%.	if aalaj033 ne null then aalaj033 ge 20.00 and aalaj033 lt 100.00
FFIEC101	20081231	99991231	Added	Published	L	Quality	0564	L14A	AALAJ033		If L14A is not equal to null, then L14J, L14K, L14L, L14M or L14N should not be equal to null.	if aalaj033 ne null then aaljj033 ne null or aalkj033 ne null or aaljj033 ne null or aalmj033 ne null or aalnj033 ne null
FFIEC101	20081231	99991231	Added	Published	L	Quality	0565	L15B	AALBJ034		If L15B is equal to null, then L15C, L15D, L15E, L15F, L15G, L15H, L15I, L15J, L15K, L15L, L15M, L15N, L15O and L15P should be equal to null.	if aalbj034 eq null then aalcj034 eq null and aaldj034 eq null and aalej034 eq null and aalfj034 eq null and aalgj034 eq null and aalhj034 eq null and aalij034 eq null and aaljj034 eq null and aalkj034 eq null and aallj034 eq null and aalmj034 eq null and aalnj034 eq null and aalpj034 eq null
FFIEC101	20081231	99991231	Added	Published	L	Quality	0566	L15B	AALBJ034		If L15B is not equal to null, then L15C, L15D, L15E, L15F, L15G, L15H and L15I should not be equal to null.	if aalbj034 ne null then aalcj034 ne null and aaldj034 ne null and aalej034 ne null and aalfj034 ne null and aalgj034 ne null and aalhj034 ne null and aalij034 ne null
FFIEC101	20100630	99991231	Revised	Published	L	Quality	0780	L15B	AALBJ034		If L15B is not equal to null, then L15J, L15K, L15L, L15M, or L15N should not be equal to null.	if aalbj034 ne null then aaljj034 ne null or aalkj034 ne null or aaljj034 ne null or aalmj034 ne null or aalnj034 ne null

Series	Effective Start Date	Effective End Date	Type of Change	Publication	Schedule	Edit Type	Edit Number	Target Item	MDRM Number	Comparison Series	Edit Test	Boolean algebra
FFIEC101	20081231	99991231	Added	Published	L	Quality	0582	L160	AAL0J035		if L10, L20, L30, L40, L50, L60, L70, L80, L90, L100, L110, L120, L130, L140 or L150 are not equal to null then L160 should not equal null.	if aal0j002 ne null or aal0j004 ne null or aal0j006 ne null or aal0j007 ne null or aal0j009 ne null or aal0j010 ne null or aal0j013 ne null or aal0j014 ne null or aal0j016 ne null or aal0j019 ne null or aal0j025 ne null or aal0j029 ne null or aal0j031 ne null or aal0j033 ne null or aal0j034 ne null then aal0j035 ne null
FFIEC101	20081231	99991231	Added	Published	L	Quality	0583	L160	AAL0J035		If L160 is not equal to null then L10, L20, L30, L40, L50, L60, L70, L80, L90, L100, L110, L120, L130, L140 or L150 should not equal null.	if aal0j035 ne null then aal0j002 ne null or aal0j004 ne null or aal0j006 ne null or aal0j007 ne null or aal0j009 ne null or aal0j010 ne null or aal0j013 ne null or aal0j014 ne null or aal0j016 ne null or aal0j019 ne null or aal0j025 ne null or aal0j029 ne null or aal0j031 ne null or aal0j033 ne null or aal0j034 ne null
FFIEC101	20081231	99991231	Added	Published	L	Quality	0584	L18	AALXJ041		If L160 is not equal to null then L18 should not equal null.	if aal0j035 ne null then aalxj041 ne null
FFIEC101	20081231	99991231	Added	Published	L	Quality	0509	L1A	AALAJ002		If L1A is equal to null, then L1B, L1C, L1D, L1E, L1F, L1G, L1H, L1I, L1J, L1K, L1L, L1M, L1N, L1O and L1P should be equal to null.	if aalaj002 eq null then aalbj002 eq null and aalcj002 eq null and aaldj002 eq null and aalej002 eq null and aalfj002 eq null and aalgj002 eq null and aalhj002 eq null and aalij002 eq null and aaljj002 eq null and aalkj002 eq null and aalnj002 eq null and aalmj002 eq null and aalpj002 eq null
FFIEC101	20081231	99991231	Added	Published	L	Quality	0510	L1A	AALAJ002		If L1A is not equal to null, then L1B, L1C, L1D, L1E, L1F, L1G, L1H and L1I should not be equal to null.	if aalaj002 ne null then aalbj002 ne null and aalcj002 ne null and aaldj002 ne null and aalej002 ne null and aalfj002 ne null and aalgj002 ne null and aalhj002 ne null and aalij002 ne null
FFIEC101	20081231	99991231	Added	Published	L	Quality	0511	L1A	AALAJ002		if L1A is not equal to null, then L1A should be greater than or equal to 0.00% and less than 0.05%.	if aalaj002 ne null then aalaj002 ge 0.00 and aalaj002 lt 0.05
FFIEC101	20081231	99991231	Added	Published	L	Quality	0512	L1A	AALAJ002		If L1A is not equal to null, then L1J, L1K, L1L, L1M or L1N should not be equal to null.	if aalaj002 ne null then aaljj002 ne null or aalkj002 ne null or aalnj002 ne null or aalmj002 ne null or aalpj002 ne null
FFIEC101	20081231	99991231	Added	Published	L	Quality	0513	L2A	AALAJ004		If L2A is equal to null, then L2B, L2C, L2D, L2E, L2F, L2G, L2H, L2I, L2J, L2K, L2L, L2M, L2N, L2O and L2P should be equal to null.	if aalaj004 eq null then aalbj004 eq null and aalcj004 eq null and aaldj004 eq null and aalej004 eq null and aalfj004 eq null and aalgj004 eq null and aalhj004 eq null and aalij004 eq null and aaljj004 eq null and aalkj004 eq null and aalnj004 eq null and aalmj004 eq null and aalpj004 eq null
FFIEC101	20081231	99991231	Added	Published	L	Quality	0514	L2A	AALAJ004		If L2A is not equal to null, then L2B, L2C, L2D, L2E, L2F, L2G, L2H and L2I should not be equal to null.	if aalaj004 ne null then aalbj004 ne null and aalcj004 ne null and aaldj004 ne null and aalej004 ne null and aalfj004 ne null and aalgj004 ne null and aalhj004 ne null and aalij004 ne null
FFIEC101	20081231	99991231	Added	Published	L	Quality	0515	L2A	AALAJ004		if L2A is not equal to null, then L2A should be greater than or equal to 0.05% and less than 0.10%.	if aalaj004 ne null then aalaj004 ge 0.05 and aalaj004 lt 0.10
FFIEC101	20081231	99991231	Added	Published	L	Quality	0516	L2A	AALAJ004		If L2A is not equal to null, then L2J, L2K, L2L, L2M or L2N should not be equal to null.	if aalaj004 ne null then aaljj004 ne null or aalkj004 ne null or aalnj004 ne null or aalmj004 ne null or aalpj004 ne null

Series	Effective Start Date	Effective End Date	Type of Change	Publication	Schedule	Edit Type	Edit Number	Target Item	MDRM Number	Comparison Series	Edit Test	Boolean algebra
FFIEC101	20081231	99991231	Added	Published	L	Quality	0517	L3A	AALAJ006		If L3A is equal to null, then L3B, L3C, L3D, L3E, L3F, L3G, L3H, L3I, L3J, L3K, L3L, L3M, L3N, L3O and L3P should be equal to null.	if aalaj006 eq null then aalbj006 eq null and aalcj006 eq null and aaldj006 eq null and aalej006 eq null and aalfj006 eq null and aalgj006 eq null and aalhj006 eq null and aalij006 eq null and aaljj006 eq null and aalkj006 eq null and aallj006 eq null and aalmj006 eq null and aalnj006 eq null and aalpj006 eq null
FFIEC101	20081231	99991231	Added	Published	L	Quality	0518	L3A	AALAJ006		If L3A is not equal to null, then L3B, L3C, L3D, L3E, L3F, L3G, L3H and L3I should not be equal to null.	if aalaj006 ne null then aalbj006 ne null and aalcj006 ne null and aaldj006 ne null and aalej006 ne null and aalfj006 ne null and aalgj006 ne null and aalhj006 ne null and aalij006 ne null
FFIEC101	20081231	99991231	Added	Published	L	Quality	0519	L3A	AALAJ006		If L3A is not equal to null, then L3A should be greater than or equal to 0.10% and less than 0.15%.	if aalaj006 ne null then aalaj006 ge 0.10 and aalaj006 lt 0.15
FFIEC101	20081231	99991231	Added	Published	L	Quality	0520	L3A	AALAJ006		If L3A is not equal to null, then L3J, L3K, L3L, L3M or L3N should not be equal to null.	if aalaj006 ne null then aaljj006 ne null or aalkj006 ne null or aaljj006 ne null or aalmj006 ne null or aalnj006 ne null
FFIEC101	20081231	99991231	Added	Published	L	Quality	0521	L4A	AALAJ007		If L4A is equal to null, then L4B, L4C, L4D, L4E, L4F, L4G, L4H, L4I, L4J, L4K, L4L, L4M, L4N, L4O and L4P should be equal to null.	if aalaj007 eq null then aalbj007 eq null and aalcj007 eq null and aaldj007 eq null and aalej007 eq null and aalfj007 eq null and aalgj007 eq null and aalhj007 eq null and aalij007 eq null and aaljj007 eq null and aalkj007 eq null and aallj007 eq null and aalmj007 eq null and aalnj007 eq null and aalpj007 eq null
FFIEC101	20081231	99991231	Added	Published	L	Quality	0522	L4A	AALAJ007		If L4A is not equal to null, then L4B, L4C, L4D, L4E, L4F, L4G, L4H and L4I should not be equal to null.	if aalaj007 ne null then aalbj007 ne null and aalcj007 ne null and aaldj007 ne null and aalej007 ne null and aalfj007 ne null and aalgj007 ne null and aalhj007 ne null and aalij007 ne null
FFIEC101	20081231	99991231	Added	Published	L	Quality	0523	L4A	AALAJ007		If L4A is not equal to null, then L4A should be greater than or equal to 0.15% and less than 0.20%.	if aalaj007 ne null then aalaj007 ge 0.15 and aalaj007 lt 0.20
FFIEC101	20081231	99991231	Added	Published	L	Quality	0524	L4A	AALAJ007		If L4A is not equal to null, then L4J, L4K, L4L, L4M or L4N should not be equal to null.	if aalaj007 ne null then aaljj007 ne null or aalkj007 ne null or aaljj007 ne null or aalmj007 ne null or aalnj007 ne null
FFIEC101	20081231	99991231	Added	Published	L	Quality	0525	L5A	AALAJ009		If L5A is equal to null, then L5B, L5C, L5D, L5E, L5F, L5G, L5H, L5I, L5J, L5K, L5L, L5M, L5N, L5O and L5P should be equal to null.	if aalaj009 eq null then aalbj009 eq null and aalcj009 eq null and aaldj009 eq null and aalej009 eq null and aalfj009 eq null and aalgj009 eq null and aalhj009 eq null and aalij009 eq null and aaljj009 eq null and aalkj009 eq null and aallj009 eq null and aalmj009 eq null and aalnj009 eq null and aalpj009 eq null
FFIEC101	20081231	99991231	Added	Published	L	Quality	0526	L5A	AALAJ009		If L5A is not equal to null, then L5B, L5C, L5D, L5E, L5F, L5G, L5H and L5I should not be equal to null.	if aalaj009 ne null then aalbj009 ne null and aalcj009 ne null and aaldj009 ne null and aalej009 ne null and aalfj009 ne null and aalgj009 ne null and aalhj009 ne null and aalij009 ne null
FFIEC101	20081231	99991231	Added	Published	L	Quality	0527	L5A	AALAJ009		If L5A is not equal to null, then L5A should be greater than or equal to 0.20% and less than 0.25%.	if aalaj009 ne null then aalaj009 ge 0.20 and aalaj009 lt 0.25

Series	Effective Start Date	Effective End Date	Type of Change	Publication	Schedule	Edit Type	Edit Number	Target Item	MDRM Number	Comparison Series	Edit Test	Boolean algebra
FFIEC101	20081231	99991231	Added	Published	L	Quality	0528	L5A	AALAJ009		If L5A is not equal to null, then L5J, L5K, L5L, L5M or L5N should not be equal to null.	if aalaj009 ne null then aaljj009 ne null or aalkj009 ne null or aallj009 ne null or aalmj009 ne null or aalni009 ne null
FFIEC101	20081231	99991231	Added	Published	L	Quality	0529	L6A	AALAJ010		If L6A is equal to null, then L6B, L6C, L6D, L6E, L6F, L6G, L6H, L6I, L6J, L6K, L6L, L6M, L6N, L6O and L6P should be equal to null.	if aalaj010 eq null then aalbj010 eq null and aalcj010 eq null and aaldj010 eq null and aalej010 eq null and aalfj010 eq null and aalgj010 eq null and aalhj010 eq null and aalij010 eq null and aaljj010 eq null and aalkj010 eq null and aallj010 eq null and aalmj010 eq null and aalnj010 eq null and aalpj010 eq null and aaloj010 eq null
FFIEC101	20081231	99991231	Added	Published	L	Quality	0530	L6A	AALAJ010		If L6A is not equal to null, then L6B, L6C, L6D, L6E, L6F, L6G, L6H and L6I should not be equal to null.	if aalaj010 ne null then aalbj010 ne null and aalcj010 ne null and aaldj010 ne null and aalej010 ne null and aalfj010 ne null and aalgj010 ne null and aalhj010 ne null and aalij010 ne null
FFIEC101	20081231	99991231	Added	Published	L	Quality	0531	L6A	AALAJ010		If L6A is not equal to null, then L6A should be greater than or equal to 0.25% and less than 0.35%.	if aalaj010 ne null then aalaj010 ge 0.25 and aalaj010 lt 0.35
FFIEC101	20081231	99991231	Added	Published	L	Quality	0532	L6A	AALAJ010		If L6A is not equal to null, then L6J, L6K, L6L, L6M or L6N should not be equal to null.	if aalaj010 ne null then aaljj010 ne null or aalkj010 ne null or aallj010 ne null or aalmj010 ne null or aalni010 ne null
FFIEC101	20081231	99991231	Added	Published	L	Quality	0533	L7A	AALAJ013		If L7A is equal to null, then L7B, L7C, L7D, L7E, L7F, L7G, L7H, L7I, L7J, L7K, L7L, L7M, L7N, L7O and L7P should be equal to null.	if aalaj013 eq null then aalbj013 eq null and aalcj013 eq null and aaldj013 eq null and aalej013 eq null and aalfj013 eq null and aalgj013 eq null and aalhj013 eq null and aalij013 eq null and aaljj013 eq null and aalkj013 eq null and aallj013 eq null and aalmj013 eq null and aalnj013 eq null and aalpj013 eq null and aaloj013 eq null
FFIEC101	20081231	99991231	Added	Published	L	Quality	0534	L7A	AALAJ013		If L7A is not equal to null, then L7B, L7C, L7D, L7E, L7F, L7G, L7H and L7I should not be equal to null.	if aalaj013 ne null then aalbj013 ne null and aalcj013 ne null and aaldj013 ne null and aalej013 ne null and aalfj013 ne null and aalgj013 ne null and aalhj013 ne null and aalij013 ne null
FFIEC101	20081231	99991231	Added	Published	L	Quality	0535	L7A	AALAJ013		If L7A is not equal to null, then L7A should be greater than or equal to 0.35% and less than 0.50%.	if aalaj013 ne null then aalaj013 ge 0.35 and aalaj013 lt 0.50
FFIEC101	20081231	99991231	Added	Published	L	Quality	0536	L7A	AALAJ013		If L7A is not equal to null, then L7J, L7K, L7L, L7M or L7N should not be equal to null.	if aalaj013 ne null then aaljj013 ne null or aalkj013 ne null or aallj013 ne null or aalmj013 ne null or aalni013 ne null
FFIEC101	20081231	99991231	Added	Published	L	Quality	0537	L8A	AALAJ014		If L8A is equal to null, then L8B, L8C, L8D, L8E, L8F, L8G, L8H, L8I, L8J, L8K, L8L, L8M, L8N, L8O and L8P should be equal to null.	if aalaj014 eq null then aalbj014 eq null and aalcj014 eq null and aaldj014 eq null and aalej014 eq null and aalfj014 eq null and aalgj014 eq null and aalhj014 eq null and aalij014 eq null and aaljj014 eq null and aalkj014 eq null and aallj014 eq null and aalmj014 eq null and aalnj014 eq null and aalpj014 eq null and aaloj014 eq null
FFIEC101	20081231	99991231	Added	Published	L	Quality	0538	L8A	AALAJ014		If L8A is not equal to null, then L8B, L8C, L8D, L8E, L8F, L8G, L8H and L8I should not be equal to null.	if aalaj014 ne null then aalbj014 ne null and aalcj014 ne null and aaldj014 ne null and aalej014 ne null and aalfj014 ne null and aalgj014 ne null and aalhj014 ne null and aalij014 ne null

Series	Effective Start Date	Effective End Date	Type of Change	Publication	Schedule	Edit Type	Edit Number	Target Item	MDRM Number	Comparison Series	Edit Test	Boolean algebra
FFIEC101	20081231	99991231	Added	Published	L	Quality	0539	L8A	AALAJ014		If L8A is not equal to null, then L8A should be greater than or equal to 0.50% and less than 0.75%.	if aalaj014 ne null then aalaj014 ge 0.50 and aalaj014 lt 0.75
FFIEC101	20081231	99991231	Added	Published	L	Quality	0540	L8A	AALAJ014		If L8A is not equal to null, then L8J, L8K, L8L, L8M or L8N should not be equal to null.	if aalaj014 ne null then aaljj014 ne null or aalkj014 ne null or aaljj014 ne null or aalmj014 ne null or aaln014 ne null
FFIEC101	20081231	99991231	Added	Published	L	Quality	0541	L9A	AALAJ016		If L9A is equal to null, then L9B, L9C, L9D, L9E, L9F, L9G, L9H, L9I, L9J, L9K, L9L, L9M, L9N, L9O and L9P should be equal to null.	if aalaj016 eq null then aalbj016 eq null and aalcj016 eq null and aaldj016 eq null and aalej016 eq null and aalfj016 eq null and aalgj016 eq null and aalhj016 eq null and aalij016 eq null and aaljj016 eq null and aalkj016 eq null and aaljm016 eq null and aaljn016 eq null and aalok016 eq null and aalpj016 eq null
FFIEC101	20081231	99991231	Added	Published	L	Quality	0542	L9A	AALAJ016		If L9A is not equal to null, then L9B, L9C, L9D, L9E, L9F, L9G, L9H and L9I should not be equal to null.	if aalaj016 ne null then aalbj016 ne null and aalcj016 ne null and aaldj016 ne null and aalej016 ne null and aalfj016 ne null and aalgj016 ne null and aalhj016 ne null and aalij016 ne null
FFIEC101	20081231	99991231	Added	Published	L	Quality	0543	L9A	AALAJ016		If L9A is not equal to null, then L9A should be greater than or equal to 0.75% and less than 1.35%.	if aalaj016 ne null then aalaj016 ge 0.75 and aalaj016 lt 1.35
FFIEC101	20081231	99991231	Added	Published	L	Quality	0544	L9A	AALAJ016		If L9A is not equal to null, then L9J, L9K, L9L, L9M or L9N should not be equal to null.	if aalaj016 ne null then aaljj016 ne null or aalkj016 ne null or aaljj016 ne null or aalmj016 ne null or aaln016 ne null
FFIEC101	20081231	99991231	Added	Published	M	Quality	0621	M10A	AAMAJ019		If M10A is equal to null, then M10B, M10C, M10D, M10E, M10F, M10G, M10H, M10I, M10J, M10K, M10L, M10M, M10N, M10O and M10P should be equal to null.	if aamaj019 eq null then aambj019 eq null and aamcj019 eq null and aamdj019 eq null and aamej019 eq null and aamfj019 eq null and aamgj019 eq null and aamhj019 eq null and aamij019 eq null and aamjj019 eq null and aamkj019 eq null and aamlj019 eq null and aammj019 eq null and aamn019 eq null and aamoj019 eq null and aampj019 eq null
FFIEC101	20081231	99991231	Added	Published	M	Quality	0622	M10A	AAMAJ019		If M10A is not equal to null, then M10B, M10C, M10D, M10E, M10F, M10G, M10H and M10I should not be equal to null.	if aamaj019 ne null then aambj019 ne null and aamcj019 ne null and aamdj019 ne null and aamej019 ne null and aamfj019 ne null and aamgj019 ne null and aamhj019 ne null and aamij019 ne null
FFIEC101	20081231	99991231	Added	Published	M	Quality	0623	M10A	AAMAJ019		If M10A is not equal to null, then M10A should be greater than or equal to 1.35% and less than 2.50%.	if aamaj019 ne null then aamaj019 ge 1.35 and aamaj019 lt 2.50
FFIEC101	20081231	99991231	Added	Published	M	Quality	0624	M10A	AAMAJ019		If M10A is not equal to null, then M10J, M10K, M10L, M10M or M10N should not be equal to null.	if aamaj019 ne null then aamjj019 ne null or aamkj019 ne null or aamlj019 ne null or aammj019 ne null or aamn019 ne null
FFIEC101	20081231	99991231	Added	Published	M	Quality	0625	M11A	AAMAJ025		If M11A is equal to null, then M11B, M11C, M11D, M11E, M11F, M11G, M11H, M11I, M11J, M11K, M11L, M11M, M11N, M11O and M11P should be equal to null.	if aamaj025 eq null then aambj025 eq null and aamcj025 eq null and aamdj025 eq null and aamej025 eq null and aamfj025 eq null and aamgj025 eq null and aamhj025 eq null and aamij025 eq null and aamjj025 eq null and aamkj025 eq null and aamlj025 eq null and aammj025 eq null and aamn025 eq null and aamoj025 eq null and aampj025 eq null

Series	Effective Start Date	Effective End Date	Type of Change	Publication	Schedule	Edit Type	Edit Number	Target Item	MDRM Number	Comparison Series	Edit Test	Boolean algebra
FFIEC101	20081231	99991231	Added	Published	M	Quality	0626	M11A	AAMAJ025		If M11A is not equal to null, then M11B, M11C, M11D, M11E, M11F, M11G, M11H and M11I should not be equal to null.	if aamaj025 ne null then aambj025 ne null and aamcj025 ne null and aamdj025 ne null and aamej025 ne null and aamfj025 ne null and aamgj025 ne null and aamhj025 ne null and aamij025 ne null
FFIEC101	20081231	99991231	Added	Published	M	Quality	0627	M11A	AAMAJ025		If M11A is not equal to null, then M11A should be greater than or equal to 2.50% and less than 5.50%.	if aamaj025 ne null then aamaj025 ge 2.50 and aamaj025 lt 5.50
FFIEC101	20081231	99991231	Added	Published	M	Quality	0628	M11A	AAMAJ025		If M11A is not equal to null, then M11J, M11K, M11L, M11M or M11N should not be equal to null.	if aamaj025 ne null then aamjj025 ne null or aamkj025 ne null or aamlj025 ne null or aammj025 ne null or aamni025 ne null
FFIEC101	20081231	99991231	Added	Published	M	Quality	0629	M12A	AAMAJ029		If M12A is equal to null, then M12B, M12C, M12D, M12E, M12F, M12G, M12H, M12I, M12J, M12K, M12L, M12M, M12N, M12O and M12P should be equal to null.	if aamaj029 eq null then aambj029 eq null and aamcj029 eq null and aamdj029 eq null and aamej029 eq null and aamfj029 eq null and aamgj029 eq null and aamhj029 eq null and aamij029 eq null and aamjj029 eq null and aamkj029 eq null and aamlj029 eq null and aammj029 eq null and aamnj029 eq null and aamoj029 eq null and aampj029 eq null
FFIEC101	20081231	99991231	Added	Published	M	Quality	0630	M12A	AAMAJ029		If M12A is not equal to null, then M12B, M12C, M12D, M12E, M12F, M12G, M12H and M12I should not be equal to null.	if aamaj029 ne null then aambj029 ne null and aamcj029 ne null and aamdj029 ne null and aamej029 ne null and aamfj029 ne null and aamgj029 ne null and aamhj029 ne null and aamij029 ne null
FFIEC101	20081231	99991231	Added	Published	M	Quality	0631	M12A	AAMAJ029		If M12A is not equal to null, then M12A should be greater than or equal to 5.50% and less than 10.00%	if aamaj029 ne null then aamaj029 ge 5.50 and aamaj029 lt 10.00
FFIEC101	20081231	99991231	Added	Published	M	Quality	0632	M12A	AAMAJ029		If M12A is not equal to null, then M12J, M12K, M12L, M12M or M12N should not be equal to null.	if aamaj029 ne null then aamjj029 ne null or aamkj029 ne null or aamlj029 ne null or aammj029 ne null or aamni029 ne null
FFIEC101	20081231	99991231	Added	Published	M	Quality	0633	M13A	AAMAJ031		If M13A is equal to null, then M13B, M13C, M13D, M13E, M13F, M13G, M13H, M13I, M13J, M13K, M13L, M13M, M13N, M13O and M13P should be equal to null.	if aamaj031 eq null then aambj031 eq null and aamcj031 eq null and aamdj031 eq null and aamej031 eq null and aamfj031 eq null and aamgj031 eq null and aamhj031 eq null and aamij031 eq null and aamjj031 eq null and aamkj031 eq null and aamlj031 eq null and aammj031 eq null and aamnj031 eq null and aamoj031 eq null and aampj031 eq null
FFIEC101	20081231	99991231	Added	Published	M	Quality	0634	M13A	AAMAJ031		If M13A is not equal to null, then M13B, M13C, M13D, M13E, M13F, M13G, M13H and M13I should not be equal to null.	if aamaj031 ne null then aambj031 ne null and aamcj031 ne null and aamdj031 ne null and aamej031 ne null and aamfj031 ne null and aamgj031 ne null and aamhj031 ne null and aamij031 ne null
FFIEC101	20081231	99991231	Added	Published	M	Quality	0635	M13A	AAMAJ031		If M13A is not equal to null, then M13A should be greater than or equal to 10.00% and less than 20.00%.	if aamaj031 ne null then aamaj031 ge 10.00 and aamaj031 lt 20.00
FFIEC101	20081231	99991231	Added	Published	M	Quality	0636	M13A	AAMAJ031		If M13A is not equal to null, then M13J, M13K, M13L, M13M or M13N should not be equal to null.	if aamaj031 ne null then aamjj031 ne null or aamkj031 ne null or aamlj031 ne null or aammj031 ne null or aamni031 ne null

Series	Effective Start Date	Effective End Date	Type of Change	Publication	Schedule	Edit Type	Edit Number	Target Item	MDRM Number	Comparison Series	Edit Test	Boolean algebra
FFIEC101	20081231	99991231	Added	Published	M	Quality	0637	M14A	AAMAJ033		If M14A is equal to null, then M14B, M14C, M14D, M14E, M14F, M14G, M14H, M14I, M14J, M14K, M14L, M14M, M14N, M14O and M14P should be equal to null.	if aamaj033 eq null then aambj033 eq null and aamcj033 eq null and aamdj033 eq null and aamej033 eq null and aamfj033 eq null and aamgj033 eq null and aamhj033 eq null and aamij033 eq null and aamjj033 eq null and aamkj033 eq null and aamlj033 eq null and aammj033 eq null and aamn033 eq null and aamoj033 eq null and aampj033 eq null
FFIEC101	20081231	99991231	Added	Published	M	Quality	0638	M14A	AAMAJ033		If M14A is not equal to null, then M14B, M14C, M14D, M14E, M14F, M14G, M14H and M14I should not be equal to null.	if aamaj033 ne null then aambj033 ne null and aamcj033 ne null and aamdj033 ne null and aamej033 ne null and aamfj033 ne null and aamgj033 ne null and aamhj033 ne null and aamij033 ne null and aamjj033 ne null and aamkj033 ne null and aamlj033 ne null and aammj033 ne null and aamn033 ne null and aamoj033 ne null and aampj033 ne null
FFIEC101	20081231	99991231	Added	Published	M	Quality	0639	M14A	AAMAJ033		If M14A is not equal to null, then M14A should be greater than or equal to 20.00% and less than 100.00%.	if aamaj033 ne null then aamaj033 ge 20.00 and aamaj033 lt 100.00
FFIEC101	20081231	99991231	Added	Published	M	Quality	0640	M14A	AAMAJ033		If M14A is not equal to null, then M14J, M14K, M14L, M14M or M14N should not be equal to null.	if aamaj033 ne null then aamj033 ne null or aamk033 ne null or aamlj033 ne null or aammj033 ne null or aamni033 ne null
FFIEC101	20081231	99991231	Added	Published	M	Quality	0641	M15B	AAMBJ034		If M15B is equal to null, then M15C, M15D, M15E, M15F, M15G, M15H, M15I, M15J, M15K, M15L, M15M, M15N, M15O and M15P should be equal to null.	if aambj034 eq null then aamcj034 eq null and aamdj034 eq null and aamej034 eq null and aamfj034 eq null and aamgj034 eq null and aamhj034 eq null and aamij034 eq null and aamjj034 eq null and aamkj034 eq null and aamlj034 eq null and aammj034 eq null and aamn034 eq null and aamoj034 eq null and aampj034 eq null
FFIEC101	20081231	99991231	Added	Published	M	Quality	0642	M15B	AAMBJ034		If M15B is not equal to null, then M15C, M15D, M15E, M15F, M15G, M15H and M15I should not be equal to null.	if aambj034 ne null then aamcj034 ne null and aamdj034 ne null and aamej034 ne null and aamfj034 ne null and aamgj034 ne null and aamhj034 ne null and aamij034 ne null and aamjj034 ne null and aamkj034 ne null and aamlj034 ne null and aammj034 ne null and aamn034 ne null and aamoj034 ne null and aampj034 ne null
FFIEC101	20100630	99991231	Revised	Published	M	Quality	0781	M15B	AAMBJ034		If M15B is not equal to null, then M15J, M15K, M15L, M15M, or M15N should not be equal to null.	if aambj034 ne null then aamj034 ne null or aamk034 ne null or aamlj034 ne null or aammj034 ne null or aamni034 ne null
FFIEC101	20081231	99991231	Added	Published	M	Quality	0658	M160	AAMOJ035		If M10, M20, M30, M40, M50, M60, M70, M80, M90, M100, M110, M120, M130, M140 or M150 are not equal to null then M160 should not equal null.	if aamoj002 ne null or aamoj004 ne null or aamoj006 ne null or aamoj007 ne null or aamoj009 ne null or aamoj010 ne null or aamoj013 ne null or aamoj014 ne null or aamoj016 ne null or aamoj019 ne null or aamoj025 ne null or aamoj029 ne null or aamoj031 ne null or aamoj033 ne null or aamoj034 ne null then aamoj035 ne null
FFIEC101	20081231	99991231	Added	Published	M	Quality	0659	M160	AAMOJ035		If M160 is not equal to null then M10, M20, M30, M40, M50, M60, M70, M80, M90, M100, M110, M120, M130, M140 or M150 should not equal null.	if aamoj035 ne null then aamoj002 ne null or aamoj004 ne null or aamoj006 ne null or aamoj007 ne null or aamoj009 ne null or aamoj010 ne null or aamoj013 ne null or aamoj014 ne null or aamoj016 ne null or aamoj019 ne null or aamoj025 ne null or aamoj029 ne null or aamoj031 ne null or aamoj033 ne null or aamoj034 ne null
FFIEC101	20081231	99991231	Added	Published	M	Quality	0660	M18	AAMXJ041		If M160 is not equal to null then M18 should not equal null.	if aamoj035 ne null then aamxj041 ne null

Series	Effective Start Date	Effective End Date	Type of Change	Publication	Schedule	Edit Type	Edit Number	Target Item	MDRM Number	Comparison Series	Edit Test	Boolean algebra
FFIEC101	20081231	99991231	Added	Published	M	Quality	0585	M1A	AAMAJ002		If M1A is equal to null, then M1B, M1C, M1D, M1E, M1F, M1G, M1H, M1I, M1J, M1K, M1L, M1M, M1N, M1O and M1P should be equal to null.	if aamaj002 eq null then aambj002 eq null and aamcj002 eq null and aamdj002 eq null and aamej002 eq null and aamfj002 eq null and aamgj002 eq null and aamhj002 eq null and aamij002 eq null and aamjj002 eq null and aamkj002 eq null and aamlj002 eq null and aammj002 eq null and aamn002 eq null and aamoj002 eq null and aampj002 eq null
FFIEC101	20081231	99991231	Added	Published	M	Quality	0586	M1A	AAMAJ002		If M1A is not equal to null, then M1B, M1C, M1D, M1E, M1F, M1G, M1H and M1I should not be equal to null.	if aamaj002 ne null then aambj002 ne null and aamcj002 ne null and aamdj002 ne null and aamej002 ne null and aamfj002 ne null and aamgj002 ne null and aamhj002 ne null and aamij002 ne null
FFIEC101	20081231	99991231	Added	Published	M	Quality	0587	M1A	AAMAJ002		If M1A is not equal to null, then M1A should be greater than or equal to 0.00% and less than 0.05%.	if aamaj002 ne null then aamaj002 ge 0.00 and aamaj002 lt 0.05
FFIEC101	20081231	99991231	Added	Published	M	Quality	0588	M1A	AAMAJ002		If M1A is not equal to null, then M1J, M1K, M1L, M1M or M1N should not be equal to null.	if aamaj002 ne null then aamjj002 ne null or aamkj002 ne null or aamlj002 ne null or aammj002 ne null or aamni002 ne null
FFIEC101	20081231	99991231	Added	Published	M	Quality	0589	M2A	AAMAJ004		If M2A is equal to null, then M2B, M2C, M2D, M2E, M2F, M2G, M2H, M2I, M2J, M2K, M2L, M2M, M2N, M2O and M2P should be equal to null.	if aamaj004 eq null then aambj004 eq null and aamcj004 eq null and aamdj004 eq null and aamej004 eq null and aamfj004 eq null and aamgj004 eq null and aamhj004 eq null and aamij004 eq null and aamjj004 eq null and aamkj004 eq null and aamlj004 eq null and aammj004 eq null and aamn004 eq null and aamoj004 eq null and aampj004 eq null
FFIEC101	20081231	99991231	Added	Published	M	Quality	0590	M2A	AAMAJ004		If M2A is not equal to null, then M2B, M2C, M2D, M2E, M2F, M2G, M2H and M2I should not be equal to null.	if aamaj004 ne null then aambj004 ne null and aamcj004 ne null and aamdj004 ne null and aamej004 ne null and aamfj004 ne null and aamgj004 ne null and aamhj004 ne null and aamij004 ne null
FFIEC101	20081231	99991231	Added	Published	M	Quality	0591	M2A	AAMAJ004		If M2A is not equal to null, then M2A should be greater than or equal to 0.05% and less than 0.10%.	if aamaj004 ne null then aamaj004 ge 0.05 and aamaj004 lt 0.10
FFIEC101	20081231	99991231	Added	Published	M	Quality	0592	M2A	AAMAJ004		If M2A is not equal to null, then M2J, M2K, M2L, M2M or M2N should not be equal to null.	if aamaj004 ne null then aamjj004 ne null or aamkj004 ne null or aamlj004 ne null or aammj004 ne null or aamni004 ne null
FFIEC101	20081231	99991231	Added	Published	M	Quality	0593	M3A	AAMAJ006		If M3A is equal to null, then M3B, M3C, M3D, M3E, M3F, M3G, M3H, M3I, M3J, M3K, M3L, M3M, M3N, M3O and M3P should be equal to null.	if aamaj006 eq null then aambj006 eq null and aamcj006 eq null and aamdj006 eq null and aamej006 eq null and aamfj006 eq null and aamgj006 eq null and aamhj006 eq null and aamij006 eq null and aamjj006 eq null and aamkj006 eq null and aamlj006 eq null and aammj006 eq null and aamn006 eq null and aamoj006 eq null and aampj006 eq null
FFIEC101	20081231	99991231	Added	Published	M	Quality	0594	M3A	AAMAJ006		If M3A is not equal to null, then M3B, M3C, M3D, M3E, M3F, M3G, M3H and M3I should not be equal to null.	if aamaj006 ne null then aambj006 ne null and aamcj006 ne null and aamdj006 ne null and aamej006 ne null and aamfj006 ne null and aamgj006 ne null and aamhj006 ne null and aamij006 ne null
FFIEC101	20081231	99991231	Added	Published	M	Quality	0595	M3A	AAMAJ006		If M3A is not equal to null, then M3A should be greater than or equal to 0.10% and less than 0.15%.	if aamaj006 ne null then aamaj006 ge 0.10 and aamaj006 lt 0.15

Series	Effective Start Date	Effective End Date	Type of Change	Publication	Schedule	Edit Type	Edit Number	Target Item	MDRM Number	Comparison Series	Edit Test	Boolean algebra
FFIEC101	20081231	99991231	Added	Published	M	Quality	0596	M3A	AAMAJ006		If M3A is not equal to null, then M3J, M3K, M3L, M3M or M3N should not be equal to null.	if aamaj006 ne null then aamjj006 ne null or aamkj006 ne null or aamlj006 ne null or aammj006 ne null or aamni006 ne null
FFIEC101	20081231	99991231	Added	Published	M	Quality	0597	M4A	AAMAJ007		If M4A is equal to null, then M4B, M4C, M4D, M4E, M4F, M4G, M4H, M4I, M4J, M4K, M4L, M4M, M4N, M4O and M4P should be equal to null.	if aamaj007 eq null then aambj007 eq null and aamcj007 eq null and aamdj007 eq null and aamej007 eq null and aamfj007 eq null and aamgj007 eq null and aamhj007 eq null and aamij007 eq null and aamjj007 eq null and aamkj007 eq null and aamlj007 eq null and aammj007 eq null and aamnj007 eq null and aamoj007 eq null and aampj007 eq null
FFIEC101	20081231	99991231	Added	Published	M	Quality	0598	M4A	AAMAJ007		If M4A is not equal to null, then M4B, M4C, M4D, M4E, M4F, M4G, M4H and M4I should not be equal to null.	if aamaj007 ne null then aambj007 ne null and aamcj007 ne null and aamdj007 ne null and aamej007 ne null and aamfj007 ne null and aamgj007 ne null and aamhj007 ne null and aamij007 ne null
FFIEC101	20081231	99991231	Added	Published	M	Quality	0599	M4A	AAMAJ007		If M4A is not equal to null, then M4A should be greater than or equal to 0.15% and less than 0.20%.	if aamaj007 ne null then aamaj007 ge 0.15 and aamaj007 lt 0.20
FFIEC101	20081231	99991231	Added	Published	M	Quality	0600	M4A	AAMAJ007		If M4A is not equal to null, then M4J, M4K, M4L, M4M or M4N should not be equal to null.	if aamaj007 ne null then aamjj007 ne null or aamkj007 ne null or aamlj007 ne null or aammj007 ne null or aamni007 ne null
FFIEC101	20081231	99991231	Added	Published	M	Quality	0601	M5A	AAMAJ009		If M5A is equal to null, then M5B, M5C, M5D, M5E, M5F, M5G, M5H, M5I, M5J, M5K, M5L, M5M, M5N, M5O and M5P should be equal to null.	if aamaj009 eq null then aambj009 eq null and aamcj009 eq null and aamdj009 eq null and aamej009 eq null and aamfj009 eq null and aamgj009 eq null and aamhj009 eq null and aamij009 eq null and aamjj009 eq null and aamkj009 eq null and aamlj009 eq null and aammj009 eq null and aamnj009 eq null and aamoj009 eq null and aampj009 eq null
FFIEC101	20081231	99991231	Added	Published	M	Quality	0602	M5A	AAMAJ009		If M5A is not equal to null, then M5B, M5C, M5D, M5E, M5F, M5G, M5H and M5I should not be equal to null.	if aamaj009 ne null then aambj009 ne null and aamcj009 ne null and aamdj009 ne null and aamej009 ne null and aamfj009 ne null and aamgj009 ne null and aamhj009 ne null and aamij009 ne null
FFIEC101	20081231	99991231	Added	Published	M	Quality	0603	M5A	AAMAJ009		If M5A is not equal to null, then M5A should be greater than or equal to 0.20% and less than 0.25%.	if aamaj009 ne null then aamaj009 ge 0.20 and aamaj009 lt 0.25
FFIEC101	20081231	99991231	Added	Published	M	Quality	0604	M5A	AAMAJ009		If M5A is not equal to null, then M5J, M5K, M5L, M5M or M5N should not be equal to null.	if aamaj009 ne null then aamjj009 ne null or aamkj009 ne null or aamlj009 ne null or aammj009 ne null or aamni009 ne null
FFIEC101	20081231	99991231	Added	Published	M	Quality	0605	M6A	AAMAJ010		If M6A is equal to null, then M6B, M6C, M6D, M6E, M6F, M6G, M6H, M6I, M6J, M6K, M6L, M6M, M6N, M6O and M6P should be equal to null.	if aamaj010 eq null then aambj010 eq null and aamcj010 eq null and aamdj010 eq null and aamej010 eq null and aamfj010 eq null and aamgj010 eq null and aamhj010 eq null and aamij010 eq null and aamjj010 eq null and aamkj010 eq null and aamlj010 eq null and aammj010 eq null and aamnj010 eq null and aamoj010 eq null and aampj010 eq null
FFIEC101	20081231	99991231	Added	Published	M	Quality	0606	M6A	AAMAJ010		If M6A is not equal to null, then M6B, M6C, M6D, M6E, M6F, M6G, M6H and M6I should not be equal to null.	if aamaj010 ne null then aambj010 ne null and aamcj010 ne null and aamdj010 ne null and aamej010 ne null and aamfj010 ne null and aamgj010 ne null and aamhj010 ne null and aamij010 ne null

Series	Effective Start Date	Effective End Date	Type of Change	Publication	Schedule	Edit Type	Edit Number	Target Item	MDRM Number	Comparison Series	Edit Test	Boolean algebra
FFIEC101	20081231	99991231	Added	Published	M	Quality	0607	M6A	AAMAJ010		If M6A is not equal to null, then M6A should be greater than or equal to 0.25% and less than 0.35%.	if aamaj010 ne null then aamaj010 ge 0.25 and aamaj010 lt 0.35
FFIEC101	20081231	99991231	Added	Published	M	Quality	0608	M6A	AAMAJ010		If M6A is not equal to null, then M6J, M6K, M6L, M6M or M6N should not be equal to null.	if aamaj010 ne null then aamj010 ne null or aamkj010 ne null or aamlj010 ne null or aammj010 ne null or aamni010 ne null
FFIEC101	20081231	99991231	Added	Published	M	Quality	0609	M7A	AAMAJ013		If M7A is equal to null, then M7B, M7C, M7D, M7E, M7F, M7G, M7H, M7I, M7J, M7K, M7L, M7M, M7N, M7O and M7P should be equal to null.	if aamaj013 eq null then aambj013 eq null and aamcj013 eq null and aamdj013 eq null and aamej013 eq null and aamfj013 eq null and aamgj013 eq null and aamhj013 eq null and aamij013 eq null and aamjj013 eq null and aamkj013 eq null and aamlj013 eq null and aammj013 eq null and aamn013 eq null and aamnj013 eq null and aamoj013 eq null and aampj013 eq null
FFIEC101	20081231	99991231	Added	Published	M	Quality	0610	M7A	AAMAJ013		If M7A is not equal to null, then M7B, M7C, M7D, M7E, M7F, M7G, M7H and M7I should not be equal to null.	if aamaj013 ne null then aambj013 ne null and aamcj013 ne null and aamdj013 ne null and aamej013 ne null and aamfj013 ne null and aamgj013 ne null and aamhj013 ne null and aamij013 ne null
FFIEC101	20081231	99991231	Added	Published	M	Quality	0611	M7A	AAMAJ013		If M7A is not equal to null, then M7A should be greater than or equal to 0.35% and less than 0.50%.	if aamaj013 ne null then aamaj013 ge 0.35 and aamaj013 lt 0.50
FFIEC101	20081231	99991231	Added	Published	M	Quality	0612	M7A	AAMAJ013		If M7A is not equal to null, then M7J, M7K, M7L, M7M or M7N should not be equal to null.	if aamaj013 ne null then aamj013 ne null or aamkj013 ne null or aamlj013 ne null or aammj013 ne null or aamni013 ne null
FFIEC101	20081231	99991231	Added	Published	M	Quality	0613	M8A	AAMAJ014		If M8A is equal to null, then M8B, M8C, M8D, M8E, M8F, M8G, M8H, M8I, M8J, M8K, M8L, M8M, M8N, M8O and M8P should be equal to null.	if aamaj014 eq null then aambj014 eq null and aamcj014 eq null and aamdj014 eq null and aamej014 eq null and aamfj014 eq null and aamgj014 eq null and aamhj014 eq null and aamij014 eq null and aamjj014 eq null and aamkj014 eq null and aamlj014 eq null and aammj014 eq null and aamn014 eq null and aamnj014 eq null and aamoj014 eq null and aampj014 eq null
FFIEC101	20081231	99991231	Added	Published	M	Quality	0614	M8A	AAMAJ014		If M8A is not equal to null, then M8B, M8C, M8D, M8E, M8F, M8G, M8H and M8I should not be equal to null.	if aamaj014 ne null then aambj014 ne null and aamcj014 ne null and aamdj014 ne null and aamej014 ne null and aamfj014 ne null and aamgj014 ne null and aamhj014 ne null and aamij014 ne null
FFIEC101	20081231	99991231	Added	Published	M	Quality	0615	M8A	AAMAJ014		If M8A is not equal to null, then M8A should be greater than or equal to 0.50% and less than 0.75%.	if aamaj014 ne null then aamaj014 ge 0.50 and aamaj014 lt 0.75
FFIEC101	20081231	99991231	Added	Published	M	Quality	0616	M8A	AAMAJ014		If M8A is not equal to null, then M8J, M8K, M8L, M8M or M8N should not be equal to null.	if aamaj014 ne null then aamj014 ne null or aamkj014 ne null or aamlj014 ne null or aammj014 ne null or aamni014 ne null
FFIEC101	20081231	99991231	Added	Published	M	Quality	0617	M9A	AAMAJ016		If M9A is equal to null, then M9B, M9C, M9D, M9E, M9F, M9G, M9H, M9I, M9J, M9K, M9L, M9M, M9N, M9O and M9P should be equal to null.	if aamaj016 eq null then aambj016 eq null and aamcj016 eq null and aamdj016 eq null and aamej016 eq null and aamfj016 eq null and aamgj016 eq null and aamhj016 eq null and aamij016 eq null and aamjj016 eq null and aamkj016 eq null and aamlj016 eq null and aammj016 eq null and aamn016 eq null and aamnj016 eq null and aamoj016 eq null and aampj016 eq null

Series	Effective Start Date	Effective End Date	Type of Change	Publication	Schedule	Edit Type	Edit Number	Target Item	MDRM Number	Comparison Series	Edit Test	Boolean algebra
FFIEC101	20081231	99991231	Added	Published	M	Quality	0618	M9A	AAMAJ016		If M9A is not equal to null, then M9B, M9C, M9D, M9E, M9F, M9G, M9H and M9I should not be equal to null.	if aamaj016 ne null then aambj016 ne null and aamcj016 ne null and aamdj016 ne null and aamej016 ne null and aamfj016 ne null and aamgj016 ne null and aamhj016 ne null and aamij016 ne null
FFIEC101	20081231	99991231	Added	Published	M	Quality	0619	M9A	AAMAJ016		If M9A is not equal to null, then M9A should be greater than or equal to 0.75% and less than 1.35%.	if aamaj016 ne null then aamaj016 ge 0.75 and aamaj016 lt 1.35
FFIEC101	20081231	99991231	Added	Published	M	Quality	0620	M9A	AAMAJ016		If M9A is not equal to null, then M9J, M9K, M9L, M9M or M9N should not be equal to null.	if aamaj016 ne null then aamjj016 ne null or aamkj016 ne null or aamlj016 ne null or aammj016 ne null or aamni016 ne null
FFIEC101	20081231	99991231	Added	Published	N	Quality	0679	N10A	AANAJ026		If N10A is not equal to null, then N10A should be greater than or equal to 5.00% and less than 6.00%.	if aanaj026 ne null then aanaj026 ge 5.00 and aanaj026 lt 6.00
FFIEC101	20081231	99991231	Added	Published	N	Quality	0680	N10A	AANAJ026		If N10A is not equal to null, then N10B, N10C, N10D, N10E, N10G, N10H and N10I should not be equal to null.	if aanaj026 ne null then aanbj026 ne null and aancj026 ne null and aandj026 ne null and aanej026 ne null and aangj026 ne null and aanhj026 ne null and aanii026 ne null
FFIEC101	20100630	99991231	Revised	Published	N	Quality	0792	N10A	AANAJ026		If N10A is equal to null, then N10B, N10C, N10D, N10E, N10F, N10G, N10H, N10I, and N10J should be equal to null.	if aanaj026 eq null then aanbj026 eq null and aancj026 eq null and aandj026 eq null and aanej026 eq null and aanfj026 eq null and aangj026 eq null and aanhj026 eq null and aanii026 eq null and aanj026 eq null
FFIEC101	20081231	99991231	Added	Published	N	Quality	0681	N11A	AANAJ027		If N11A is not equal to null, then N11A should be greater than or equal to 6.00% and less than 7.00%.	if aanaj027 ne null then aanaj027 ge 6.00 and aanaj027 lt 7.00
FFIEC101	20081231	99991231	Added	Published	N	Quality	0682	N11A	AANAJ027		If N11A is not equal to null, then N11B, N11C, N11D, N11E, N11G, N11H and N11I should not be equal to null.	if aanaj027 ne null then aanbj027 ne null and aancj027 ne null and aandj027 ne null and aanej027 ne null and aangj027 ne null and aanhj027 ne null and aanii027 ne null
FFIEC101	20100630	99991231	Revised	Published	N	Quality	0793	N11A	AANAJ027		If N11A is equal to null, then N11B, N11C, N11D, N11E, N11F, N11G, N11H, N11I, and N11J should be equal to null.	if aanaj027 eq null then aanbj027 eq null and aancj027 eq null and aandj027 eq null and aanej027 eq null and aanfj027 eq null and aangj027 eq null and aanhj027 eq null and aanii027 eq null and aanj027 eq null
FFIEC101	20081231	99991231	Added	Published	N	Quality	0683	N12A	AANAJ028		If N12A is not equal to null, then N12A should be greater than or equal to 7.00% and less than 8.00%.	if aanaj028 ne null then aanaj028 ge 7.00 and aanaj028 lt 8.00
FFIEC101	20081231	99991231	Added	Published	N	Quality	0684	N12A	AANAJ028		If N12A is not equal to null, then N12B, N12C, N12D, N12E, N12G, N12H and N12I should not be equal to null.	if aanaj028 ne null then aanbj028 ne null and aancj028 ne null and aandj028 ne null and aanej028 ne null and aangj028 ne null and aanhj028 ne null and aanii028 ne null
FFIEC101	20100630	99991231	Revised	Published	N	Quality	0794	N12A	AANAJ028		If N12A is equal to null, then N12B, N12C, N12D, N12E, N12F, N12G, N12H, N12I, and N12J should be equal to null.	if aanaj028 eq null then aanbj028 eq null and aancj028 eq null and aandj028 eq null and aanej028 eq null and aanfj028 eq null and aangj028 eq null and aanhj028 eq null and aanii028 eq null and aanj028 eq null
FFIEC101	20081231	99991231	Added	Published	N	Quality	0685	N13A	AANAJ030		If N13A is not equal to null, then N13A should be greater than or equal to 8.00% and less than 10.00%.	if aanaj030 ne null then aanaj030 ge 8.00 and aanaj030 lt 10.00
FFIEC101	20081231	99991231	Added	Published	N	Quality	0686	N13A	AANAJ030		If N13A is not equal to null, then N13B, N13C, N13D, N13E, N13G, N13H and N13I should not be equal to null.	if aanaj030 ne null then aanbj030 ne null and aancj030 ne null and aandj030 ne null and aanej030 ne null and aangj030 ne null and aanhj030 ne null and aanii030 ne null

Series	Effective Start Date	Effective End Date	Type of Change	Publication	Schedule	Edit Type	Edit Number	Target Item	MDRM Number	Comparison Series	Edit Test	Boolean algebra
FFIEC101	20100630	99991231	Revised	Published	N	Quality	0795	N13A	AANAJ030		If N13A is equal to null, then N13B, N13C, N13D, N13E, N13F, N13G, N13H, N13I, and N13J should be equal to null.	if aanaj030 eq null then aanbj030 eq null and aancj030 eq null and aandj030 eq null and aanej030 eq null and aanfj030 eq null and aangj030 eq null and aanhj030 eq null and aanij030 eq null and aanjj030 eq null
FFIEC101	20081231	99991231	Added	Published	N	Quality	0687	N14A	AANAJ032		If N14A is not equal to null, then N14A should be greater than or equal to 10.00% and less than 100.00%.	if aanaj032 ne null then aanaj032 ge 10.00 and aanaj032 lt 100.00
FFIEC101	20081231	99991231	Added	Published	N	Quality	0688	N14A	AANAJ032		If N14A is not equal to null, then N14B, N14C, N14D, N14E, N14G, N14H and N14I should not be equal to null.	if aanaj032 ne null then aanbj032 ne null and aancj032 ne null and aandj032 ne null and aanej032 ne null and aanfj032 ne null and aangj032 ne null and aanhj032 ne null and aanij032 ne null and aanjj032 ne null
FFIEC101	20100630	99991231	Revised	Published	N	Quality	0796	N14A	AANAJ032		If N14A is equal to null, then N14B, N14C, N14D, N14E, N14F, N14G, N14H, N14I, and N14J should be equal to null.	if aanaj032 eq null then aanbj032 eq null and aancj032 eq null and aandj032 eq null and aanej032 eq null and aanfj032 eq null and aangj032 eq null and aanhj032 eq null and aanij032 eq null and aanjj032 eq null
FFIEC101	20081231	99991231	Added	Published	N	Quality	0689	N15B	AANBJ034		If N15B is not equal to null, then N15C, N15D, N15E, N15G, N15H and N15I should not be equal to null.	if aanbj034 ne null then aancj034 ne null and aandj034 ne null and aanej034 ne null and aangj034 ne null and aanhj034 ne null and aanij034 ne null
FFIEC101	20081231	99991231	Added	Published	N	Quality	0769	N15B	AANBJ034		If N15B is equal to null, then N15C, N15D, N15E, N15F, N15G, N15H, N15I and N15J should be equal to null.	if aanbj034 eq null then aancj034 eq null and aandj034 eq null and aanej034 eq null and aanfj034 eq null and aangj034 eq null and aanhj034 eq null and aanij034 eq null and aanjj034 eq null
FFIEC101	20081231	99991231	Added	Published	N	Quality	0690	N16J	AANJJ035		If N1J, N2J, N3J, N4J, N5J, N6J, N7J, N8J, N9J, N10J, N11J, N12J, N13J, N14J or N15J are not equal to null then N16J should not equal null.	if aanjj011 ne null or aanjj015 ne null or aanjj017 ne null or aanjj018 ne null or aanjj020 ne null or aanjj021 ne null or aanjj022 ne null or aanjj023 ne null or aanjj024 ne null or aanjj026 ne null or aanjj027 ne null or aanjj028 ne null or aanjj030 ne null or aanjj032 ne null or aanjj034 ne null then aanjj035 ne null
FFIEC101	20081231	99991231	Added	Published	N	Quality	0691	N16J	AANJJ035		If N16J is not equal to null then N1J, N2J, N3J, N4J, N5J, N6J, N7J, N8J, N9J, N10J, N11J, N12J, N13J, N14J or N15J should not equal null.	if aanjj035 ne null then aanjj011 ne null or aanjj015 ne null or aanjj017 ne null or aanjj018 ne null or aanjj020 ne null or aanjj021 ne null or aanjj022 ne null or aanjj023 ne null or aanjj024 ne null or aanjj026 ne null or aanjj027 ne null or aanjj028 ne null or aanjj030 ne null or aanjj032 ne null or aanjj034 ne null
FFIEC101	20100630	99991231	Revised	Published	N	Quality	0692	N18	AANXJ041		If N16J is not equal to null then N18 should not equal null.	if aanjj035 ne null then aanxj041 ne null
FFIEC101	20081231	99991231	Added	Published	N	Quality	0661	N1A	AANAJ011		If N1A is not equal to null, then N1A should be greater than or equal to 0.00% and less than 0.50%.	if aanaj011 ne null then aanaj011 ge 0.00 and aanaj011 lt 0.50
FFIEC101	20081231	99991231	Added	Published	N	Quality	0662	N1A	AANAJ011		If N1A is not equal to null, then N1B, N1C, N1D, N1E, N1G, N1H and N1I should not be equal to null.	if aanaj011 ne null then aanbj011 ne null and aancj011 ne null and aandj011 ne null and aanej011 ne null and aangj011 ne null and aanhj011 ne null and aanij011 ne null
FFIEC101	20100630	99991231	Revised	Published	N	Quality	0783	N1A	AANAJ011		If N1A is equal to null, then N1B, N1C, N1D, N1E, N1F, N1G, N1H, N1I, and N1J should be equal to null.	if aanaj011 eq null then aanbj011 eq null and aancj011 eq null and aandj011 eq null and aanej011 eq null and aanfj011 eq null and aangj011 eq null and aanhj011 eq null and aanij011 eq null and aanjj011 eq null

Series	Effective Start Date	Effective End Date	Type of Change	Publication	Schedule	Edit Type	Edit Number	Target Item	MDRM Number	Comparison Series	Edit Test	Boolean algebra
FFIEC101	20081231	99991231	Added	Published	N	Quality	0663	N2A	AANAJO15		If N2A is not equal to null, then N2A should be greater than or equal to 0.50% and less than 1.00%.	if aanaj015 ne null then aanaj015 ge 0.50 and aanaj015 lt 1.00
FFIEC101	20081231	99991231	Added	Published	N	Quality	0664	N2A	AANAJO15		If N2A is not equal to null, then N2B, N2C, N2D, N2E, N2G, N2H and N2I should not be equal to null.	if aanaj015 ne null then aanbj015 ne null and aancj015 ne null and aandj015 ne null and aanej015 ne null and aangj015 ne null and aanhj015 ne null and aanij015 ne null
FFIEC101	20100630	99991231	Revised	Published	N	Quality	0784	N2A	AANAJO15		If N2A is equal to null, then N2B, N2C, N2D, N2E, N2F, N2G, N2H, N2I, and N2J should be equal to null.	if aanaj015 eq null then aanbj015 eq null and aancj015 eq null and aandj015 eq null and aanej015 eq null and aanfj015 eq null and aangj015 eq null and aanhj015 eq null and aanij015 eq null and aanjj015 eq null
FFIEC101	20081231	99991231	Added	Published	N	Quality	0665	N3A	AANAJO17		If N3A is not equal to null, then N3A should be greater than or equal to 1.00% and less than 1.50%.	if aanaj017 ne null then aanaj017 ge 1.00 and aanaj017 lt 1.50
FFIEC101	20081231	99991231	Added	Published	N	Quality	0666	N3A	AANAJO17		If N3A is not equal to null, then N3B, N3C, N3D, N3E, N3G, N3H and N3I should not be equal to null.	if aanaj017 ne null then aanbj017 ne null and aancj017 ne null and aandj017 ne null and aanej017 ne null and aangj017 ne null and aanhj017 ne null and aanij017 ne null
FFIEC101	20100630	99991231	Revised	Published	N	Quality	0785	N3A	AANAJO17		If N3A is equal to null, then N3B, N3C, N3D, N3E, N3F, N3G, N3H, N3I, and N3J should be equal to null.	if aanaj017 eq null then aanbj017 eq null and aancj017 eq null and aandj017 eq null and aanej017 eq null and aanfj017 eq null and aangj017 eq null and aanhj017 eq null and aanij017 eq null and aanjj017 eq null
FFIEC101	20081231	99991231	Added	Published	N	Quality	0667	N4A	AANAJO18		If N4A is not equal to null, then N4A should be greater than or equal to 1.50% and less than 2.00%.	if aanaj018 ne null then aanaj018 ge 1.50 and aanaj018 lt 2.00
FFIEC101	20081231	99991231	Added	Published	N	Quality	0668	N4A	AANAJO18		If N4A is not equal to null, then N4B, N4C, N4D, N4E, N4G, N4H and N4I should not be equal to null.	if aanaj018 ne null then aanbj018 ne null and aancj018 ne null and aandj018 ne null and aanej018 ne null and aangj018 ne null and aanhj018 ne null and aanij018 ne null
FFIEC101	20100630	99991231	Revised	Published	N	Quality	0786	N4A	AANAJO18		If N4A is equal to null, then N4B, N4C, N4D, N4E, N4F, N4G, N4H, N4I, and N4J should be equal to null.	if aanaj018 eq null then aanbj018 eq null and aancj018 eq null and aandj018 eq null and aanej018 eq null and aanfj018 eq null and aangj018 eq null and aanhj018 eq null and aanij018 eq null and aanjj018 eq null
FFIEC101	20081231	99991231	Added	Published	N	Quality	0669	N5A	AANAJO20		If N5A is not equal to null, then N5A should be greater than or equal to 2.00% and less than 2.50%.	if aanaj020 ne null then aanaj020 ge 2.00 and aanaj020 lt 2.50
FFIEC101	20081231	99991231	Added	Published	N	Quality	0670	N5A	AANAJO20		If N5A is not equal to null, then N5B, N5C, N5D, N5E, N5G, N5H and N5I should not be equal to null.	if aanaj020 ne null then aanbj020 ne null and aancj020 ne null and aandj020 ne null and aanej020 ne null and aangj020 ne null and aanhj020 ne null and aanij020 ne null
FFIEC101	20100630	99991231	Revised	Published	N	Quality	0787	N5A	AANAJO20		If N5A is equal to null, then N5B, N5C, N5D, N5E, N5F, N5G, N5H, N5I, and N5J should be equal to null.	if aanaj020 eq null then aanbj020 eq null and aancj020 eq null and aandj020 eq null and aanej020 eq null and aanfj020 eq null and aangj020 eq null and aanhj020 eq null and aanij020 eq null and aanjj020 eq null
FFIEC101	20081231	99991231	Added	Published	N	Quality	0671	N6A	AANAJO21		If N6A is not equal to null, then N6A should be greater than or equal to 2.50% and less than 3.00%.	if aanaj021 ne null then aanaj021 ge 2.50 and aanaj021 lt 3.00

Series	Effective Start Date	Effective End Date	Type of Change	Publication	Schedule	Edit Type	Edit Number	Target Item	MDRM Number	Comparison Series	Edit Test	Boolean algebra
FFIEC101	20081231	99991231	Added	Published	N	Quality	0672	N6A	AANAJO21		If N6A is not equal to null, then N6B, N6C, N6D, N6E, N6G, N6H and N6I should not be equal to null.	if aanaj021 ne null then aanbj021 ne null and aancj021 ne null and aandj021 ne null and aanej021 ne null and aangj021 ne null and aanhj021 ne null and aanij021 ne null
FFIEC101	20100630	99991231	Revised	Published	N	Quality	0788	N6A	AANAJO21		If N6A is equal to null, then N6B, N6C, N6D, N6E, N6F, N6G, N6H, N6I, and N6J should be equal to null.	if aanaj021 eq null then aanbj021 eq null and aancj021 eq null and aandj021 eq null and aanej021 eq null and aanfj021 eq null and aangj021 eq null and aanhj021 eq null and aanij021 eq null and aanjj021 eq null
FFIEC101	20081231	99991231	Added	Published	N	Quality	0673	N7A	AANAJO22		If N7A is not equal to null, then N7A should be greater than or equal to 3.00% and less than 3.50%.	if aanaj022 ne null then aanaj022 ge 3.00 and aanaj022 lt 3.50
FFIEC101	20081231	99991231	Added	Published	N	Quality	0674	N7A	AANAJO22		If N7A is not equal to null, then N7B, N7C, N7D, N7E, N7G, N7H and N7I should not be equal to null.	if aanaj022 ne null then aanbj022 ne null and aancj022 ne null and aandj022 ne null and aanej022 ne null and aangj022 ne null and aanhj022 ne null and aanij022 ne null
FFIEC101	20100630	99991231	Revised	Published	N	Quality	0789	N7A	AANAJO22		If N7A is equal to null, then N7B, N7C, N7D, N7E, N7F, N7G, N7H, N7I, and N7J should be equal to null.	if aanaj022 eq null then aanbj022 eq null and aancj022 eq null and aandj022 eq null and aanej022 eq null and aanfj022 eq null and aangj022 eq null and aanhj022 eq null and aanij022 eq null and aanjj022 eq null
FFIEC101	20081231	99991231	Added	Published	N	Quality	0675	N8A	AANAJO23		If N8A is not equal to null, then N8A should be greater than or equal to 3.50% and less than 4.00%.	if aanaj023 ne null then aanaj023 ge 3.50 and aanaj023 lt 4.00
FFIEC101	20081231	99991231	Added	Published	N	Quality	0676	N8A	AANAJO23		If N8A is not equal to null, then N8B, N8C, N8D, N8E, N8G, N8H and N8I should not be equal to null.	if aanaj023 ne null then aanbj023 ne null and aancj023 ne null and aandj023 ne null and aanej023 ne null and aangj023 ne null and aanhj023 ne null and aanij023 ne null
FFIEC101	20100630	99991231	Revised	Published	N	Quality	0790	N8A	AANAJO23		If N8A is equal to null, then N8B, N8C, N8D, N8E, N8F, N8G, N8H, N8I, and N8J should be equal to null.	if aanaj023 eq null then aanbj023 eq null and aancj023 eq null and aandj023 eq null and aanej023 eq null and aanfj023 eq null and aangj023 eq null and aanhj023 eq null and aanij023 eq null and aanjj023 eq null
FFIEC101	20110331	99991231	Revised	Published	N	Quality	0677	N9A	AANAJO24		If N9A is not equal to null, then N9A should be greater than or equal to 4.00% and less than 5.00%.	if aanaj024 ne null then aanaj024 ge 4.00 and aanaj024 lt 5.00
FFIEC101	20081231	99991231	Added	Published	N	Quality	0678	N9A	AANAJO24		If N9A is not equal to null, then N9B, N9C, N9D, N9E, N9G, N9H and N9I should not be equal to null.	if aanaj024 ne null then aanbj024 ne null and aancj024 ne null and aandj024 ne null and aanej024 ne null and aangj024 ne null and aanhj024 ne null and aanij024 ne null
FFIEC101	20081231	99991231	Added	Published	N	Quality	0791	N9A	AANAJO24		If N9A is equal to null, then N9B, N9C, N9D, N9E, N9F, N9G, N9H, N9I, and N9J should be equal to null.	if aanaj024 eq null then aanbj024 eq null and aancj024 eq null and aandj024 eq null and aanej024 eq null and aanfj024 eq null and aangj024 eq null and aanhj024 eq null and aanij024 eq null and aanjj024 eq null
FFIEC101	20081231	99991231	Added	Published	O	Quality	0711	O10A	AAOAJ026		If O10A is not equal to null, then O10A should be greater than or equal to 5.00% and less than 6.00%.	if aaoaj026 ne null then aaoaj026 ge 5.00 and aaoaj026 lt 6.00
FFIEC101	20081231	99991231	Added	Published	O	Quality	0712	O10A	AAOAJ026		If O10A is not equal to null, then O10B, O10C, O10D, O10E, O10G, O10H and O10I should not be equal to null.	if aaoaj026 ne null then aaoaj026 ne null and aaoaj026 ne null and aaoaj026 ne null and aaoaj026 ne null and aaoaj026 ne null and aaoaj026 ne null and aaoaj026 ne null and aaoaj026 ne null

Series	Effective Start Date	Effective End Date	Type of Change	Publication	Schedule	Edit Type	Edit Number	Target Item	MDRM Number	Comparison Series	Edit Test	Boolean algebra
FFIEC101	20100630	99991231	Revised	Published	O	Quality	0806	O10A	AAOAJ026		If O10A is equal to null, then O10B, O10C, O10D, O10E, O10F, O10G, O10H, O10I, and O10J should be equal to null.	if aaoaj026 eq null then aaoaj026 eq null and aaoaj026 eq null and aaoaj026 eq null and aaoaj026 eq null and aaoaj026 eq null and aaoaj026 eq null and aaoaj026 eq null and aaoaj026 eq null
FFIEC101	20081231	99991231	Added	Published	O	Quality	0713	O11A	AAOAJ027		If O11A is not equal to null, then O11A should be greater than or equal to 6.00% and less than 7.00%.	if aaoaj027 ne null then aaoaj027 ge 6.00 and aaoaj027 lt 7.00
FFIEC101	20081231	99991231	Added	Published	O	Quality	0714	O11A	AAOAJ027		If O11A is not equal to null, then O11B, O11C, O11D, O11E, O11G, O11H and O11I should not be equal to null.	if aaoaj027 ne null then aaoaj027 ne null and aaoaj027 ne null and aaoaj027 ne null and aaoaj027 ne null and aaoaj027 ne null and aaoaj027 ne null and aaoaj027 ne null and aaoaj027 ne null
FFIEC101	20100630	99991231	Revised	Published	O	Quality	0807	O11A	AAOAJ027		If O11A is equal to null, then O11B, O11C, O11D, O11E, O11F, O11G, O11H, O11I, and O11J should be equal to null.	if aaoaj027 eq null then aaoaj027 eq null and aaoaj027 eq null and aaoaj027 eq null and aaoaj027 eq null and aaoaj027 eq null and aaoaj027 eq null and aaoaj027 eq null and aaoaj027 eq null
FFIEC101	20081231	99991231	Added	Published	O	Quality	0715	O12A	AAOAJ028		If O12A is not equal to null, then O12A should be greater than or equal to 7.00% and less than 8.00%.	if aaoaj028 ne null then aaoaj028 ge 7.00 and aaoaj028 lt 8.00
FFIEC101	20081231	99991231	Added	Published	O	Quality	0716	O12A	AAOAJ028		If O12A is not equal to null, then O12B, O12C, O12D, O12E, O12G, O12H and O12I should not be equal to null.	if aaoaj028 ne null then aaoaj028 ne null and aaoaj028 ne null and aaoaj028 ne null and aaoaj028 ne null and aaoaj028 ne null and aaoaj028 ne null and aaoaj028 ne null and aaoaj028 ne null
FFIEC101	20100630	99991231	Revised	Published	O	Quality	0808	O12A	AAOAJ028		If O12A is equal to null, then O12B, O12C, O12D, O12E, O12F, O12G, O12H, O12I, and O12J should be equal to null.	if aaoaj028 eq null then aaoaj028 eq null and aaoaj028 eq null and aaoaj028 eq null and aaoaj028 eq null and aaoaj028 eq null and aaoaj028 eq null and aaoaj028 eq null and aaoaj028 eq null
FFIEC101	20081231	99991231	Added	Published	O	Quality	0717	O13A	AAOAJ030		If O13A is not equal to null, then O13A should be greater than or equal to 8.00% and less than 10.00%.	if aaoaj030 ne null then aaoaj030 ge 8.00 and aaoaj030 lt 10.00
FFIEC101	20081231	99991231	Added	Published	O	Quality	0718	O13A	AAOAJ030		If O13A is not equal to null, then O13B, O13C, O13D, O13E, O13G, O13H and O13I should not be equal to null.	if aaoaj030 ne null then aaoaj030 ne null and aaoaj030 ne null and aaoaj030 ne null and aaoaj030 ne null and aaoaj030 ne null and aaoaj030 ne null and aaoaj030 ne null and aaoaj030 ne null
FFIEC101	20100630	99991231	Revised	Published	O	Quality	0809	O13A	AAOAJ030		If O13A is equal to null, then O13B, O13C, O13D, O13E, O13F, O13G, O13H, O13I, and O13J should be equal to null.	if aaoaj030 eq null then aaoaj030 eq null and aaoaj030 eq null and aaoaj030 eq null and aaoaj030 eq null and aaoaj030 eq null and aaoaj030 eq null and aaoaj030 eq null and aaoaj030 eq null
FFIEC101	20081231	99991231	Added	Published	O	Quality	0719	O14A	AAOAJ032		If O14A is not equal to null, then O14A should be greater than or equal to 10.00% and less than 100.00%.	if aaoaj032 ne null then aaoaj032 ge 10.00 and aaoaj032 lt 100.00
FFIEC101	20081231	99991231	Added	Published	O	Quality	0720	O14A	AAOAJ032		If O14A is not equal to null, then O14B, O14C, O14D, O14E, O14G, O14H and O14I should not be equal to null.	if aaoaj032 ne null then aaoaj032 ne null and aaoaj032 ne null and aaoaj032 ne null and aaoaj032 ne null and aaoaj032 ne null and aaoaj032 ne null and aaoaj032 ne null and aaoaj032 ne null
FFIEC101	20100630	99991231	Revised	Published	O	Quality	0810	O14A	AAOAJ032		If O14A is equal to null, then O14B, O14C, O14D, O14E, O14F, O14G, O14H, O14I, and O14J should be equal to null.	if aaoaj032 eq null then aaoaj032 eq null and aaoaj032 eq null and aaoaj032 eq null and aaoaj032 eq null and aaoaj032 eq null and aaoaj032 eq null and aaoaj032 eq null and aaoaj032 eq null

Series	Effective Start Date	Effective End Date	Type of Change	Publication	Schedule	Edit Type	Edit Number	Target Item	MDRM Number	Comparison Series	Edit Test	Boolean algebra
FFIEC101	20081231	99991231	Added	Published	O	Quality	0721	O15B	AAOBJ034		If O15B is not equal to null, then O15C, O15D, O15E, O15G, O15H and O15I should not be equal to null.	if aaoj034 ne null then aaoj034 ne null and aaoj034 ne null and aaoj034 ne null and aaoj034 ne null and aaoj034 ne null and aaoj034 ne null
FFIEC101	20081231	99991231	Added	Published	O	Quality	0770	O15B	AAOBJ034		If O15B is equal to null, then O15C, O15D, O15E, O15F, O15G, O15H, O15I and O15J should be equal to null.	if aaoj034 eq null then aaoj034 eq null and aaoj034 eq null and aaoj034 eq null and aaoj034 eq null and aaoj034 eq null and aaoj034 eq null and aaoj034 eq null
FFIEC101	20081231	99991231	Added	Published	O	Quality	0722	O16J	AAOJJ035		If O1J, O2J, O3J, O4J, O5J, O6J, O7J, O8J, O9J, O10J, O11J, O12J, O13J, O14J or O15J are not equal to null then O16J should not equal null.	if aaoj011 ne null or aaoj015 ne null or aaoj017 ne null or aaoj018 ne null or aaoj020 ne null or aaoj021 ne null or aaoj022 ne null or aaoj023 ne null or aaoj024 ne null or aaoj026 ne null or aaoj027 ne null or aaoj028 ne null or aaoj030 ne null or aaoj032 ne null or aaoj034 ne null then aaoj035 ne null
FFIEC101	20081231	99991231	Added	Published	O	Quality	0723	O16J	AAOJJ035		If O16J is not equal to null then O1J, O2J, O3J, O4J, O5J, O6J, O7J, O8J, O9J, O10J, O11J, O12J, O13J, O14J or O15J should not equal null.	if aaoj035 ne null then aaoj011 ne null or aaoj015 ne null or aaoj017 ne null or aaoj018 ne null or aaoj020 ne null or aaoj021 ne null or aaoj022 ne null or aaoj023 ne null or aaoj024 ne null or aaoj026 ne null or aaoj027 ne null or aaoj028 ne null or aaoj030 ne null or aaoj032 ne null or aaoj034 ne null
FFIEC101	20100630	99991231	Revised	Published	O	Quality	0724	O18	AAOXJ041		If O16J is not equal to null then O18 should not equal null.	if aaoj035 ne null then aaoj041 ne null
FFIEC101	20081231	99991231	Added	Published	O	Quality	0693	O1A	AAOAJ011		If O1A is not equal to null, then O1A should be greater than or equal to 0.00% and less than 0.50%.	if aaoj011 ne null then aaoj011 ge 0.00 and aaoj011 lt 0.50
FFIEC101	20081231	99991231	Added	Published	O	Quality	0694	O1A	AAOAJ011		If O1A is not equal to null, then O1B, O1C, O1D, O1E, O1G, O1H and O1I should not be equal to null.	if aaoj011 ne null then aaoj011 ne null and aaoj011 ne null and aaoj011 ne null and aaoj011 ne null and aaoj011 ne null and aaoj011 ne null and aaoj011 ne null
FFIEC101	20100630	99991231	Revised	Published	O	Quality	0797	O1A	AAOAJ011		If O1A is equal to null, then O1B, O1C, O1D, O1E, O1F, O1G, O1H, O1I, and O1J should be equal to null.	if aaoj011 eq null then aaoj011 eq null and aaoj011 eq null and aaoj011 eq null and aaoj011 eq null and aaoj011 eq null and aaoj011 eq null and aaoj011 eq null and aaoj011 eq null and aaoj011 eq null
FFIEC101	20081231	99991231	Added	Published	O	Quality	0695	O2A	AAOAJ015		If O2A is not equal to null, then O2A should be greater than or equal to 0.50% and less than 1.00%.	if aaoj015 ne null then aaoj015 ge 0.50 and aaoj015 lt 1.00
FFIEC101	20081231	99991231	Added	Published	O	Quality	0696	O2A	AAOAJ015		If O2A is not equal to null, then O2B, O2C, O2D, O2E, O2G, O2H and O2I should not be equal to null.	if aaoj015 ne null then aaoj015 ne null and aaoj015 ne null and aaoj015 ne null and aaoj015 ne null and aaoj015 ne null and aaoj015 ne null and aaoj015 ne null
FFIEC101	20100630	99991231	Revised	Published	O	Quality	0798	O2A	AAOAJ015		If O2A is equal to null, then O2B, O2C, O2D, O2E, O2F, O2G, O2H, O2I, and O2J should be equal to null.	if aaoj015 eq null then aaoj015 eq null and aaoj015 eq null and aaoj015 eq null and aaoj015 eq null and aaoj015 eq null and aaoj015 eq null and aaoj015 eq null and aaoj015 eq null and aaoj015 eq null
FFIEC101	20081231	99991231	Added	Published	O	Quality	0697	O3A	AAOAJ017		If O3A is not equal to null, then O3A should be greater than or equal to 1.00% and less than 1.50%.	if aaoj017 ne null then aaoj017 ge 1.00 and aaoj017 lt 1.50

Series	Effective Start Date	Effective End Date	Type of Change	Publication	Schedule	Edit Type	Edit Number	Target Item	MDRM Number	Comparison Series	Edit Test	Boolean algebra
FFIEC101	20081231	99991231	Added	Published	O	Quality	0698	O3A	AAOAJ017		If O3A is not equal to null, then O3B, O3C, O3D, O3E, O3G, O3H and O3I should not be equal to null.	if aaoaj017 ne null then aaoaj017 ne null and aaoaj017 ne null and aaoaj017 ne null and aaoaj017 ne null and aaoaj017 ne null and aaoaj017 ne null
FFIEC101	20100630	99991231	Revised	Published	O	Quality	0799	O3A	AAOAJ017		If O3A is equal to null, then O3B, O3C, O3D, O3E, O3F, O3G, O3H, O3I, and O3J should be equal to null.	if aaoaj017 eq null then aaoaj017 eq null and aaoaj017 eq null and aaoaj017 eq null and aaoaj017 eq null and aaoaj017 eq null and aaoaj017 eq null and aaoaj017 eq null and aaoaj017 eq null and aaoaj017 eq null and aaoaj017 eq null
FFIEC101	20081231	99991231	Added	Published	O	Quality	0699	O4A	AAOAJ018		If O4A is not equal to null, then O4A should be greater than or equal to 1.50% and less than 2.00%.	if aaoaj018 ne null then aaoaj018 ge 1.50 and aaoaj018 lt 2.00
FFIEC101	20081231	99991231	Added	Published	O	Quality	0700	O4A	AAOAJ018		If O4A is not equal to null, then O4B, O4C, O4D, O4E, O4G, O4H and O4I should not be equal to null.	if aaoaj018 ne null then aaoaj018 ne null and aaoaj018 ne null and aaoaj018 ne null and aaoaj018 ne null and aaoaj018 ne null and aaoaj018 ne null and aaoaj018 ne null and aaoaj018 ne null and aaoaj018 ne null and aaoaj018 ne null
FFIEC101	20100630	99991231	Revised	Published	O	Quality	0800	O4A	AAOAJ018		If O4A is equal to null, then O4B, O4C, O4D, O4E, O4F, O4G, O4H, O4I, and O4J should be equal to null.	if aaoaj018 eq null then aaoaj018 eq null and aaoaj018 eq null and aaoaj018 eq null and aaoaj018 eq null and aaoaj018 eq null and aaoaj018 eq null and aaoaj018 eq null and aaoaj018 eq null and aaoaj018 eq null and aaoaj018 eq null
FFIEC101	20081231	99991231	Added	Published	O	Quality	0701	O5A	AAOAJ020		If O5A is not equal to null, then O5A should be greater than or equal to 2.00% and less than 2.50%.	if aaoaj020 ne null then aaoaj020 ge 2.00 and aaoaj020 lt 2.50
FFIEC101	20081231	99991231	Added	Published	O	Quality	0702	O5A	AAOAJ020		If O5A is not equal to null, then O5B, O5C, O5D, O5E, O5G, O5H and O5I should not be equal to null.	if aaoaj020 ne null then aaoaj020 ne null and aaoaj020 ne null and aaoaj020 ne null and aaoaj020 ne null and aaoaj020 ne null and aaoaj020 ne null and aaoaj020 ne null and aaoaj020 ne null and aaoaj020 ne null and aaoaj020 ne null
FFIEC101	20100630	99991231	Revised	Published	O	Quality	0801	O5A	AAOAJ020		If O5A is equal to null, then O5B, O5C, O5D, O5E, O5F, O5G, O5H, O5I, and O5J should be equal to null.	if aaoaj020 eq null then aaoaj020 eq null and aaoaj020 eq null and aaoaj020 eq null and aaoaj020 eq null and aaoaj020 eq null and aaoaj020 eq null and aaoaj020 eq null and aaoaj020 eq null and aaoaj020 eq null and aaoaj020 eq null
FFIEC101	20081231	99991231	Added	Published	O	Quality	0703	O6A	AAOAJ021		If O6A is not equal to null, then O6A should be greater than or equal to 2.50% and less than 3.00%.	if aaoaj021 ne null then aaoaj021 ge 2.50 and aaoaj021 lt 3.00
FFIEC101	20081231	99991231	Added	Published	O	Quality	0704	O6A	AAOAJ021		If O6A is not equal to null, then O6B, O6C, O6D, O6E, O6G, O6H and O6I should not be equal to null.	if aaoaj021 ne null then aaoaj021 ne null and aaoaj021 ne null and aaoaj021 ne null and aaoaj021 ne null and aaoaj021 ne null and aaoaj021 ne null and aaoaj021 ne null and aaoaj021 ne null and aaoaj021 ne null and aaoaj021 ne null
FFIEC101	20100630	99991231	Revised	Published	O	Quality	0802	O6A	AAOAJ021		If O6A is equal to null, then O6B, O6C, O6D, O6E, O6F, O6G, O6H, O6I, and O6J should be equal to null.	if aaoaj021 eq null then aaoaj021 eq null and aaoaj021 eq null and aaoaj021 eq null and aaoaj021 eq null and aaoaj021 eq null and aaoaj021 eq null and aaoaj021 eq null and aaoaj021 eq null and aaoaj021 eq null and aaoaj021 eq null
FFIEC101	20081231	99991231	Added	Published	O	Quality	0705	O7A	AAOAJ022		If O7A is not equal to null, then O7A should be greater than or equal to 3.00% and less than 3.50%.	if aaoaj022 ne null then aaoaj022 ge 3.00 and aaoaj022 lt 3.50
FFIEC101	20081231	99991231	Added	Published	O	Quality	0706	O7A	AAOAJ022		If O7A is not equal to null, then O7B, O7C, O7D, O7E, O7G, O7H and O7I should not be equal to null.	if aaoaj022 ne null then aaoaj022 ne null and aaoaj022 ne null and aaoaj022 ne null and aaoaj022 ne null and aaoaj022 ne null and aaoaj022 ne null and aaoaj022 ne null and aaoaj022 ne null and aaoaj022 ne null and aaoaj022 ne null

Series	Effective Start Date	Effective End Date	Type of Change	Publication	Schedule	Edit Type	Edit Number	Target Item	MDRM Number	Comparison Series	Edit Test	Boolean algebra
FFIEC101	20100630	99991231	Revised	Published	O	Quality	0803	O7A	AAOAJ022		If O7A is equal to null, then O7B, O7C, O7D, O7E, O7F, O7G, O7H, O7I, and O7J should be equal to null.	if aaoaj022 eq null then aaoaj022 eq null and aaoaj022 eq null and aaoaj022 eq null and aaoaj022 eq null and aaoaj022 eq null and aaoaj022 eq null and aaoaj022 eq null and aaoaj022 eq null and aaoaj022 eq null and aaoaj022 eq null
FFIEC101	20081231	99991231	Added	Published	O	Quality	0707	O8A	AAOAJ023		If O8A is not equal to null, then O8A should be greater than or equal to 3.50% and less than 4.00%.	if aaoaj023 ne null then aaoaj023 ge 3.50 and aaoaj023 lt 4.00
FFIEC101	20081231	99991231	Added	Published	O	Quality	0708	O8A	AAOAJ023		If O8A is not equal to null, then O8B, O8C, O8D, O8E, O8G, O8H and O8I should not be equal to null.	if aaoaj023 ne null then aaoaj023 ne null and aaoaj023 ne null and aaoaj023 ne null and aaoaj023 ne null and aaoaj023 ne null and aaoaj023 ne null and aaoaj023 ne null and aaoaj023 ne null and aaoaj023 ne null and aaoaj023 ne null
FFIEC101	20100630	99991231	Revised	Published	O	Quality	0804	O8A	AAOAJ023		If O8A is equal to null, then O8B, O8C, O8D, O8E, O8F, O8G, O8H, O8I, and O8J should be equal to null.	if aaoaj023 eq null then aaoaj023 eq null and aaoaj023 eq null and aaoaj023 eq null and aaoaj023 eq null and aaoaj023 eq null and aaoaj023 eq null and aaoaj023 eq null and aaoaj023 eq null and aaoaj023 eq null and aaoaj023 eq null
FFIEC101	20110331	99991231	Revised	Published	O	Quality	0709	O9A	AAOAJ024		If O9A is not equal to null, then O9A should be greater than or equal to 4.00% and less than 5.00%.	if aaoaj024 ne null then aaoaj024 ge 4.00 and aaoaj024 lt 5.00
FFIEC101	20081231	99991231	Added	Published	O	Quality	0710	O9A	AAOAJ024		If O9A is not equal to null, then O9B, O9C, O9D, O9E, O9G, O9H and O9I should not be equal to null.	if aaoaj024 ne null then aaoaj024 ne null and aaoaj024 ne null and aaoaj024 ne null and aaoaj024 ne null and aaoaj024 ne null and aaoaj024 ne null and aaoaj024 ne null and aaoaj024 ne null and aaoaj024 ne null and aaoaj024 ne null
FFIEC101	20100630	99991231	Revised	Published	O	Quality	0805	O9A	AAOAJ024		If O9A is equal to null, then O9B, O9C, O9D, O9E, O9F, O9G, O9H, O9I, and O9J should be equal to null.	if aaoaj024 eq null then aaoaj024 eq null and aaoaj024 eq null and aaoaj024 eq null and aaoaj024 eq null and aaoaj024 eq null and aaoaj024 eq null and aaoaj024 eq null and aaoaj024 eq null and aaoaj024 eq null and aaoaj024 eq null
FFIEC101	20081231	99991231	Added	Published	P	Quality	0771	P1C	AAPCJ042		P1C should be less than or equal to 25% of the sum P1A and P1B.	aapcj042 le (0.25 * (aapaj042 + aapbj042))
FFIEC101	20081231	99991231	Added	Published	P	Quality	0772	P2C	AAPCJ043		P2C should be less than or equal to 35% of the sum P2A and P2B.	aapcj043 le (0.35 * (aapaj043 + aapbj043))
FFIEC101	20081231	99991231	Added	Published	P	Quality	0773	P3C	AAPCJ044		P3C should be less than or equal to the sum of P3A and P3B.	aapcj044 le (aapaj044 + aapbj044)
FFIEC101	20081231	99991231	Added	Published	P	Quality	0774	P4C	AAPCJ045		P4C should be less than or equal to 650% of the sum P4A and P4B.	aapcj045 le (6.5 * (aapaj045 + aapbj045))
FFIEC101	20081231	99991231	Added	Published	P	Quality	0725	P5C	AAPCJ046		Sum of B17G and B18G should equal P5C.	(aabgj140 + aabgj141) eq aapcj046
FFIEC101	20081231	99991231	Added	Published	Q	Quality	0775	Q3B	AAQBJ049		If Q3C is less than Q3A, then Q3B should not equal null.	if aaqcj049 lt aaqaj049 then aaqbj049 ne null
FFIEC101	20081231	99991231	Added	Published	Q	Quality	0776	Q3C	AAQBJ049		Q3C should be less than or equal to Q3A.	aaqcj049 le aaqaj049
FFIEC101	20081231	99991231	Added	Published	Q	Quality	0777	Q4B	AAQBJ050		If Q4C is less than Q4A, then Q4B should not equal null.	if aaqcj050 lt aaqaj050 then aaqbj050 ne null
FFIEC101	20081231	99991231	Added	Published	Q	Quality	0778	Q4C	AAQBJ050		Q4C should be less than or equal to Q4A.	aaqcj050 le aaqaj050
FFIEC101	20081231	99991231	Added	Published	R	Quality	0734	R14B	AARBJ066		R14B should equal 7% of R14A (+/- \$1K).	aarb066 ge ((0.07 * aaraj066) - 1) and aarb066 le ((0.07 * aaraj066) + 1)
FFIEC101	20110331	99991231	Added	Published	R	Quality	0817	R14D	AARDJ066		R14D should equal 7% of R14C (+/- \$1K).	aard066 ge ((0.07 * aarcj066) - 1) and aard066 le ((0.07 * aarcj066) + 1)
FFIEC101	20110331	99991231	Added	Published	R	Quality	0818	R14F	AARFJ066		R14F should equal 7% of R14E (+/- \$1K).	aarf066 ge ((0.07 * aarej066) - 1) and aarf066 le ((0.07 * aarej066) + 1)
FFIEC101	20110331	99991231	Revised	Published	R	Quality	0782	R17D	AARDJ069		R17D should equal R17C multiplied by 12.5 (+/- \$1K).	aard069 ge ((aarcj069 * 12.5) - 1) and aard069 le ((aarcj069 * 12.5) + 1)
FFIEC101	20110331	99991231	Revised	Published	R	Quality	0735	R18D	AARDJ070		R18D should equal 200% of R18C.	aard070 eq (2.00 * aarcj070)
FFIEC101	20110331	99991231	Revised	Published	R	Quality	0736	R19D	AARDJ071		R19D should equal 300% of R19C.	aard071 eq (3.00 * aarcj071)

Series	Effective Start Date	Effective End Date	Type of Change	Publication	Schedule	Edit Type	Edit Number	Target Item	MDRM Number	Comparison Series	Edit Test	Boolean algebra
FFIEC101	20081231	99991231	Added	Published	R	Quality	0726	R1A	AARAJ053		If R2A, R3A, or R4A is not equal to null, then R1A should not equal null.	if (aaraj054 ne null or aaraj055 ne null or aaraj056 ne null) then aaraj053 ne null
FFIEC101	20110331	99991231	Added	Published	R	Quality	0819	R1C	AARCJ053		If R2C, R3C, or R4C is not equal to null, then R1C should not equal null.	if (aarcj054 ne null or aarcj055 ne null or aarcj056 ne null) then aarcj053 ne null
FFIEC101	20110331	99991231	Added	Published	R	Quality	0820	R1E	AAREJ053		If R2E, R3E, or R4E is not equal to null, then R1E should not equal null.	if (aarej054 ne null or aarej055 ne null or aarej056 ne null) then aarej053 ne null
FFIEC101	20110331	99991231	Revised	Published	R	Quality	0737	R23F	AARFJ075		R23F should equal R23E multiplied by 12.5 (+/- \$1K).	aarfj075 ge ((aarej075 * 12.5) - 1) and aarfj075 le ((aarej075 * 12.5) + 1)
FFIEC101	20110331	99991231	Revised	Published	R	Quality	0738	R24F	AARFJ076		R24F should equal 200% of R24E.	aarfj076 eq (2.00 * aarej076)
FFIEC101	20081231	99991231	Added	Published	R	Quality	0739	R2B	AARBJ054		R2B should equal 0% of R2A.	aarb054 eq (0.00 * aaraj054)
FFIEC101	20110331	99991231	Added	Published	R	Quality	0821	R2D	AARDJ054		R2D should equal 0% of R2C.	aardj054 eq (0.00 * aarcj054)
FFIEC101	20110331	99991231	Added	Published	R	Quality	0822	R2F	AARFJ054		R2F should equal 0% of R2E.	aarfj054 eq (0.00 * aarej054)
FFIEC101	20081231	99991231	Added	Published	R	Quality	0740	R3B	AARBJ055		R3B should equal 20% of R3A (+/- \$1K).	aarb055 ge ((0.20 * aaraj055) - 1) and aarb055 le ((0.20 * aaraj055) + 1)
FFIEC101	20110331	99991231	Added	Published	R	Quality	0823	R3D	AARDJ055		R3D should equal 20% of R3C (+/- \$1K).	aardj055 ge ((0.20 * aarcj055) - 1) and aardj055 le ((0.20 * aarcj055) + 1)
FFIEC101	20110331	99991231	Added	Published	R	Quality	0824	R3F	AARFJ055		R3F should equal 20% of R3E (+/- \$1K).	aarfj055 ge ((0.20 * aarej055) - 1) and aarfj055 le ((0.20 * aarej055) + 1)
FFIEC101	20081231	99991231	Added	Published	R	Quality	0727	R4A	AARAJ056		If R1A is not equal to null, then R2A, R3A, and R4A should not equal null.	if aaraj053 ne null then aaraj054 ne null and aaraj055 ne null and aaraj056 ne null
FFIEC101	20081231	99991231	Added	Published	R	Quality	0741	R4B	AARBJ056		R4B should equal 100% of R4A.	aarb056 eq (1.00 * aaraj056)
FFIEC101	20110331	99991231	Added	Published	R	Quality	0825	R4C	AARCJ056		If R1C is not equal to null, then R2C, R3C, and R4C should not equal null.	if aarcj053 ne null then aarcj054 ne null and aarcj055 ne null and aarcj056 ne null
FFIEC101	20110331	99991231	Added	Published	R	Quality	0827	R4D	AARDJ056		R4D should equal 100% of R4C.	aardj056 eq (1.00 * aarcj056)
FFIEC101	20110331	99991231	Added	Published	R	Quality	0826	R4E	AAREJ056		If R1E is not equal to null, then R2E, R3E, and R4E should not equal null.	if aarej053 ne null then aarej054 ne null and aarej055 ne null and aarej056 ne null
FFIEC101	20110331	99991231	Added	Published	R	Quality	0828	R4F	AARFJ056		R4F should equal 100% of R4E.	aarfj056 eq (1.00 * aarej056)
FFIEC101	20081231	99991231	Added	Published	R	Quality	0742	R5B	AARBJ057		R5B should equal 100% of R5A.	aarb057 eq (1.00 * aaraj057)
FFIEC101	20110331	99991231	Revised	Published	R	Quality	0730	R6A	AARAJ058		R6A should be less than or equal to 10% of the sum of A11 and A18.	aaraj058 le (0.10 * (aaabj169 + aaabj178))
FFIEC101	20100630	20101231	Ended	Published	R	Quality	0731	R6A	AARAJ058		R6A should be less than or equal to 10% of the sum of A(II)14 and A(II)23.	aaraj058 le (0.10 * (aaatj169 + aaatj178))
FFIEC101	20081231	99991231	Added	Published	R	Quality	0743	R6B	AARBJ058		R6B should equal 100% of R6A.	aarb058 eq (1.00 * aaraj058)
FFIEC101	20081231	99991231	Added	Published	R	Quality	0744	R7B	AARBJ059		R7B should equal 300% of R7A.	aarb059 eq (3.00 * aaraj059)
FFIEC101	20081231	20101231	Ended	Published	R	Quality	0811	R8A	AARAJ060		R8A should not be null.	aaraj060 ne null
FFIEC101	20081231	99991231	Added	Published	R	Quality	0745	R8B	AARBJ060		R8B should equal 400% of R8A.	aarb060 eq (4.00 * aaraj060)
FFIEC101	20110331	99991231	Added	Published	R	Quality	0829	R8F	AARFJ060		R8F should equal 400% of R8E.	aarfj060 eq (4.00 * aarej060)
FFIEC101	20081231	20101231	Ended	Published	R	Quality	0812	R9A	AARAJ061		R9A should not be null.	aaraj061 ne null
FFIEC101	20081231	99991231	Added	Published	R	Quality	0746	R9B	AARBJ061		R9B should equal 600% of R9A.	aarb061 eq (6.00 * aaraj061)
FFIEC101	20110331	99991231	Added	Published	R	Quality	0830	R9F	AARFJ061		R9F should equal 600% of R9E.	aarfj061 eq (6.00 * aarej061)
FFIEC101	20081231	99991231	Added	Published	S	Quality	0747	S11	AASAJ093		If S12 is not equal to null, then S11 should not be null.	if aasaj094 ne null then aasaj093 ne null
FFIEC101	20081231	99991231	Added	Published	S	Quality	0748	S11	AASAJ093		If S11 is not equal to null, then S14a, S14b, S14c, S14d, S14e, S14f, or S14g should not be null.	if aasaj093 ne null then aasaj096 ne null or aasaj097 ne null or aasaj098 ne null or aasaj099 ne null or aasaj100 ne null or aasaj101 ne null or aasaj102 ne null
FFIEC101	20081231	99991231	Added	Published	S	Quality	0749	S11	AASAJ093		If S14a, S14b, S14c, S14d, S14e, S14f, or S14g is not equal to null, then S11 should not be null.	if aasaj096 ne null or aasaj097 ne null or aasaj098 ne null or aasaj099 ne null or aasaj100 ne null or aasaj101 ne null or aasaj102 ne null then aasaj093 ne null
FFIEC101	20081231	99991231	Added	Published	S	Quality	0750	S12	AASAJ094		If S11 is not equal to null, then S12 should not be null.	if aasaj093 ne null then aasaj094 ne null

Series	Effective Start Date	Effective End Date	Type of Change	Publication	Schedule	Edit Type	Edit Number	Target Item	MDRM Number	Comparison Series	Edit Test	Boolean algebra
FFIEC101	20081231	99991231	Added	Published	S	Quality	0751	S12	AASAJ094		If S12 is not equal to null, then S15a, S15b, S15c, S15d, S15e, S15f, or S15g should not be null.	if aasaj094 ne null then aasaj103 ne null or aasaj104 ne null or aasaj105 ne null or aasaj106 ne null or aasaj107 ne null or aasaj108 ne null or aasaj109 ne null
FFIEC101	20081231	99991231	Added	Published	S	Quality	0752	S12	AASAJ094		If S15a, S15b, S15c, S15d, S15e, S15f, or S15g is not equal to null, then S12 should not be null.	if aasaj103 ne null or aasaj104 ne null or aasaj105 ne null or aasaj106 ne null or aasaj107 ne null or aasaj108 ne null or aasaj109 ne null then aasaj094 ne null
FFIEC101	20081231	99991231	Added	Published	S	Quality	0753	S12	AASAJ094		S12 should be greater than or equal to S13.	aasaj094 ge aasaj095
FFIEC101	20081231	99991231	Added	Published	S	Quality	0754	S13	AASAJ095		If S12 is not equal to null, then S13 should not be null.	if aasaj094 ne null then aasaj095 ne null
FFIEC101	20081231	99991231	Added	Published	S	Quality	0755	S16	AASAJ110		If S16 is not equal to null then S18a, S18b, S18c, S18d, S18e or S18f should not equal null.	if aasaj110 ne null then aasaj112 ne null or aasaj113 ne null or aasaj114 ne null or aasaj115 ne null or aasaj116 ne null or aasaj117 ne null
FFIEC101	20081231	99991231	Added	Published	S	Quality	0756	S16	AASAJ110		If S18a, S18b, S18c, S18d, S18e or S18f is not equal to null then S16 should not equal null.	if aasaj112 ne null or aasaj113 ne null or aasaj114 ne null or aasaj115 ne null or aasaj116 ne null or aasaj117 ne null then aasaj110 ne null