































2. Stepped Care       Support medication Rx       difficult cases         2. Stepped Care       Support medication Rx       Consultation focused on patients not improving as expected         - Change treatment according to evidence-based algorithm if patient is not improving       Brief counseling       Consultation focused on patients not improving as expected         - Relapse prevention once patient is improved       Brief counseling       Recommendations for additional treatment / referral according to evidence-based guidelines		SAMHSA-HRS Genter for	<sup>A</sup> Integrated Health Solution:
TWO PROCESSESCare Manager/BHCConsulting Mental Health Expert1. Systematic diagnosis and outcomes tracking e.g., PHQ-9 to facilitate diagnosis and track depression outcomes- Patient education / self management support - Close follow-up to 	<b>IMPACT</b> Collabor	ative Care in	Primary Care
Care Manager/BHCConsulting Mental Health Expert1. Systematic diagnosis and outcomes tracking e.g., PHQ-9 to facilitate diagnosis and track depression outcomes- Patient education / self management support - Close follow-up to make sure pts don't 'fall through the cracks- Caseload consultation for care manager and PCP (population-based) - Diagnostic consultation on difficult cases2. Stepped Care - Change treatment according to evidence-based algorithm if patient is not improving - Relapse prevention once patient is improved- Support medication Rx by PCP - Brief counseling (behavioral activation, PST-PC, CBT, IPT) - Facilitate treatment change / referral to mental health- Consultation for care manager and PCP (population-based) - Diagnostic consultation on difficult cases		TWO NEW '1	EAM MEMBERS'
outcomes tracking e.g., PHQ-9 to facilitate diagnosis and track depression outcomesmanagement support - Close follow-up to make sure pts don't 'fall through the crackscare manager and PCP (population-based) - Diagnostic consultation on difficult cases2. Stepped Care - Change treatment according to evidence-based algorithm if patient is not improving - Relapse prevention once patient is improved- Support medication Rx by PCP - Brief counseling (behavioral activation, PST-PC, CBT, IPT) - Facilitate treatment change / referral to mental health- Consultation on difficult cases	Two Processes	Care Manager/BHC	-
<ul> <li>Change treatment according to evidence-based algorithm if patient is not improving</li> <li>Relapse prevention once patient is improved</li> <li>Brief counseling (behavioral activation, PST-PC, CBT, IPT)</li> <li>Facilitate treatment change / referral to mental health</li> <li>patients not improving as expected</li> <li>Recommendations for additional treatment / referral according to evidence-based guidelines</li> </ul>	outcomes tracking e.g., PHQ-9 to facilitate diagnosis	management support - Close follow-up to make sure pts don't 'fall	care manager and PCP (population-based) - Diagnostic consultation or
	Change treatment according to evidence-based algorithm if patient is not improving     Relapse prevention once patient	by PCP - Brief counseling (behavioral activation, PST-PC, CBT, IPT) - Facilitate treatment change / referral to	patients not improving as expected - Recommendations for additional treatment / referral according to
		57 <b>********</b>	v.CenterforIntegratedHealthSolutions.











































