

Table 1.26  
Age-Adjusted U.S. Death Rates and Trends for the Top 15 Cancer Sites<sup>a</sup> by Race/Ethnicity  
Both Sexes

	All Races		White		Black	
	Rate <sup>b</sup> 2005-2009	APC <sup>c</sup> 2000-2009	Rate <sup>b</sup> 2005-2009	APC <sup>c</sup> 2000-2009	Rate <sup>b</sup> 2005-2009	APC <sup>c</sup> 2000-2009
All Sites	178.7	-1.5*	177.6	-1.5*	216.4	-2.0*
Lung and Bronchus	50.6	-1.6*	51.2	-1.4*	55.4	-2.2*
Colon and Rectum	16.7	-3.0*	16.2	-3.1*	23.7	-2.6*
Breast	12.9	-2.2*	12.5	-2.3*	18.8	-1.5*
Pancreas	10.8	0.4*	10.7	0.5*	18.4	-3.6*
Prostate <sup>f</sup>	9.1	-2.9*	8.4	-2.8*	13.8	0.0
Leukemia	7.1	-1.1*	7.3	-1.0*	7.3	2.7*
Non-Hodgkin Lymphoma	6.6	-3.0*	6.8	-3.0*	6.9	-3.3*
Liver & IBD <sup>g</sup>	5.5	2.4*	5.0	2.5*	6.4	-2.1*
Ovary <sup>f</sup>	4.6	-1.7*	4.8	-1.7*	6.2	-1.2*
Urinary Bladder	4.4	0.0	4.6	-0.5*	4.6	-4.8*
Esophagus	4.3	-0.5*	4.5	0.2	4.6	-2.4*
Brain and ONS <sup>g</sup>	4.3	-0.6*	4.4	0.1	4.4	0.3
Kidney and Renal Pelvis	4.0	-0.9*	4.1	-0.9*	4.1	-1.5*
Stomach	3.6	-3.1*	3.2	-1.8*	4.0	-0.6*
Myeloma	3.4	-1.8*	3.1	-3.3*	3.7	-0.6
	Asian/Pacific Islander		American Indian/Alaska Native <sup>d</sup>		Hispanic <sup>e</sup>	
	Rate <sup>b</sup> 2005-2009	APC <sup>c</sup> 2000-2009	Rate <sup>b</sup> 2005-2009	APC <sup>c</sup> 2000-2009	Rate <sup>b</sup> 2005-2009	APC <sup>c</sup> 2000-2009
All Sites	109.5	-1.3*	156.2	-0.7	119.3	-1.8*
Lung and Bronchus	25.8	-1.1*	39.6	-0.2	21.2	-2.3*
Colon and Rectum	11.1	-2.2*	16.4	-0.4	12.4	-1.9*
Liver & IBD <sup>g</sup>	9.9	-1.4*	9.3	0.4	8.3	-0.1
Pancreas	7.5	0.4	8.8	1.8	8.3	1.5*
Stomach	6.8	-3.7*	8.6	0.7	8.2	-1.9*
Breast	6.6	-1.3*	7.8	-2.5	7.1	-3.1*
Non-Hodgkin Lymphoma	4.2	-2.5*	6.2	-0.7	5.6	-3.4*
Prostate <sup>f</sup>	4.0	-3.1*	5.7	-4.6*	5.2	-2.2*
Leukemia	3.9	-0.3	4.7	-3.7	4.8	-1.4*
Ovary <sup>f</sup>	2.8	-0.1	4.6	-1.0	3.5	-1.0
Oral Cavity and Pharynx	2.0	-2.8*	3.8	-1.6	3.3	-1.5*
Kidney and Renal Pelvis	2.0	1.8	3.6	-1.1	2.8	-0.5
Brain and ONS <sup>g</sup>	1.9	-0.8	3.0	-3.9	2.7	-2.6*
Esophagus	1.8	0.0	2.4	2.6	2.3	-1.1*
Myeloma	1.7	0.1	2.2	-2.9*	2.3	-1.3*

Source: US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention.

<sup>a</sup> Top 15 cancer sites selected based on 2005-2009 age-adjusted rates for the race/ethnic group.

<sup>b</sup> Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).

<sup>c</sup> The APC is the Annual Percent Change over the time interval.

Trends are based on rates age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).

<sup>d</sup> Rates for American Indian/Alaska Native are based on the CHSDA (Contract Health Service Delivery Area) counties.

<sup>e</sup> Hispanic is not mutually exclusive from whites, blacks, Asian/Pacific Islanders, and American Indians/Alaska Natives.

The 2005-2009 Hispanic death rates do not include deaths from the District of Columbia, North Dakota and South Carolina.

The 2000-2009 Hispanic mortality trends do not include deaths from the District of Columbia, Minnesota, New Hampshire, North Dakota and South Carolina.

<sup>f</sup> The rates for sex-specific cancer sites are calculated using the population for both sexes combined.

<sup>g</sup> IBD = Intrahepatic Bile Duct. ONS = Other Nervous System.

\* The APC is significantly different from zero (p<.05).

- Statistic not shown. Rate based on less than 16 cases for the time interval. Trend based on less than 10 cases for at least one year within the time interval.

Table 1.27  
Age-Adjusted U.S. Death Rates and Trends for the Top 15 Cancer Sites<sup>a</sup> by Race/Ethnicity

			Males					
All Races			White			Black		
	Rate <sup>b</sup>	APC <sup>c</sup>		Rate <sup>b</sup>	APC <sup>c</sup>		Rate <sup>b</sup>	APC <sup>c</sup>
	2005-2009	2000-2009		2005-2009	2000-2009		2005-2009	2000-2009
All Sites	219.4	-1.8*	All Sites	216.7	-1.7*	All Sites	288.3	-2.4*
Lung and Bronchus	65.7	-2.3*	Lung and Bronchus	65.3	-2.2*	Lung and Bronchus	82.6	-3.0*
Prostate	23.6	-3.5*	Prostate	21.7	-3.4*	Prostate	53.1	-3.7*
Colon and Rectum	20.2	-3.1*	Colon and Rectum	19.5	-3.2*	Colon and Rectum	29.8	-2.3*
Pancreas	12.5	0.4*	Pancreas	12.4	0.5*	Pancreas	15.5	-0.1
Leukemia	9.6	-0.9*	Leukemia	9.9	-0.9*	Liver & IBD <sup>f</sup>	11.9	3.4*
Non-Hodgkin Lymphoma	8.4	-2.7*	Non-Hodgkin Lymphoma	8.7	-2.7*	Stomach	10.3	-2.9*
Liver & IBD <sup>f</sup>	8.1	2.6*	Urinary Bladder	8.0	0.2	Leukemia	8.5	-0.8
Esophagus	7.7	-0.3	Esophagus	7.9	0.3	Esophagus	8.2	-4.5*
Urinary Bladder	7.7	0.1	Liver & IBD <sup>f</sup>	7.4	2.6*	Myeloma	8.0	-1.2*
Kidney and Renal Pelvis	5.8	-0.9*	Kidney and Renal Pelvis	5.9	-0.9*	Non-Hodgkin Lymphoma	6.1	-1.8*
Brain and ONS <sup>f</sup>	5.2	-0.7*	Brain and ONS <sup>f</sup>	5.6	-0.6*	Kidney and Renal Pelvis	6.0	-0.7
Stomach	5.0	-3.3*	Melanoma of the Skin	4.6	1.1*	Oral Cavity and Pharynx	5.7	-3.6*
Myeloma	4.4	-1.2*	Stomach	4.3	-3.5*	Urinary Bladder	5.6	-0.1
Melanoma of the Skin	4.1	1.0*	Myeloma	4.1	-1.2*	Larynx	4.2	-3.4*
Oral Cavity and Pharynx	3.8	-1.3*	Oral Cavity and Pharynx	3.6	-0.8*	Brain and ONS <sup>f</sup>	3.1	-0.8
<hr/>			<hr/>			<hr/>		
Asian/Pacific Islander			American Indian/Alaska Native <sup>d</sup>			Hispanic <sup>e</sup>		
	Rate <sup>b</sup>	APC <sup>c</sup>		Rate <sup>b</sup>	APC <sup>c</sup>		Rate <sup>b</sup>	APC <sup>c</sup>
	2005-2009	2000-2009		2005-2009	2000-2009		2005-2009	2000-2009
All Sites	132.6	-1.5*	All Sites	184.9	-0.8	All Sites	146.3	-2.3*
Lung and Bronchus	35.9	-1.5*	Lung and Bronchus	48.3	-0.4	Lung and Bronchus	30.8	-3.3*
Liver & IBD <sup>f</sup>	14.5	-1.2*	Prostate	19.7	-2.9*	Prostate	17.8	-3.8*
Colon and Rectum	13.1	-2.8*	Colon and Rectum	18.8	-2.3	Colon and Rectum	15.3	-2.1*
Prostate	10.0	-2.8*	Liver & IBD <sup>f</sup>	11.9	1.6	Liver & IBD <sup>f</sup>	11.8	1.5*
Stomach	9.0	-3.6*	Pancreas	10.1	3.8	Pancreas	9.2	0.2
Pancreas	8.4	1.0*	Kidney and Renal Pelvis	8.8	-1.1	Stomach	7.3	-4.0*
Non-Hodgkin Lymphoma	5.2	-2.2*	Stomach	8.3	-3.7	Non-Hodgkin Lymphoma	6.3	-2.3*
Leukemia	4.9	-0.9	Esophagus	6.4	-1.0	Leukemia	5.9	-2.0*
Esophagus	3.0	-0.2	Leukemia	6.3	1.9	Kidney and Renal Pelvis	5.0	-1.5
Oral Cavity and Pharynx	3.0	-2.8*	Non-Hodgkin Lymphoma	5.0	-4.0	Esophagus	4.1	-0.7
Kidney and Renal Pelvis	2.9	2.7	Myeloma	3.8	-1.7	Urinary Bladder	3.8	-1.5
Urinary Bladder	2.7	-0.7	Urinary Bladder	3.6	-	Myeloma	3.3	-2.5*
Brain and ONS <sup>f</sup>	2.3	-1.4	Oral Cavity and Pharynx	3.5	-3.1	Brain and ONS <sup>f</sup>	3.3	-1.0
Myeloma	2.1	2.5*	Brain and ONS <sup>f</sup>	2.9	2.7	Oral Cavity and Pharynx	2.4	-2.9*
Soft Tissue including Heart	1.0	1.5	Larynx	2.0	-	Larynx	1.6	-3.2*

Source: US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention.

<sup>a</sup> Top 15 cancer sites selected based on 2005-2009 age-adjusted rates for the race/ethnic group.

<sup>b</sup> Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).

<sup>c</sup> The APC is the Annual Percent Change over the time interval.

Trends are based on rates age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).

<sup>d</sup> Rates for American Indian/Alaska Native are based on the CHSDA (Contract Health Service Delivery Area) counties.

<sup>e</sup> Hispanic is not mutually exclusive from whites, blacks, Asian/Pacific Islanders, and American Indians/Alaska Natives.

The 2005-2009 Hispanic death rates do not include deaths from the District of Columbia, North Dakota and South Carolina.

The 2000-2009 Hispanic mortality trends do not include deaths from the District of Columbia, Minnesota, New Hampshire, North Dakota and South Carolina.

<sup>f</sup> IBD = Intrahepatic Bile Duct. ONS = Other Nervous System.

\* The APC is significantly different from zero (p<.05).

- Statistic not shown. Rate based on less than 16 cases for the time interval. Trend based on less than 10 cases for at least one year within the time interval.

Table 1.28  
Age-Adjusted U.S. Death Rates and Trends for the Top 15 Cancer Sites<sup>a</sup> by Race/Ethnicity

## Females

All Races	Rate <sup>b</sup>		APC <sup>c</sup>	All Sites	Rate <sup>b</sup>		APC <sup>c</sup>	All Sites	Rate <sup>b</sup>		APC <sup>c</sup>
	2005-2009	2000-2009			2005-2009	2000-2009			2005-2009	2000-2009	
All Sites	151.1	-1.4*		All Sites	150.8	-1.4*		All Sites	174.6	-1.6*	
Lung and Bronchus	39.6	-0.7*		Lung and Bronchus	40.8	-0.6*		Lung and Bronchus	38.0	-1.0*	
Breast	23.0	-2.1*		Breast	22.4	-2.1*		Breast	31.6	-1.4*	
Colon and Rectum	14.1	-3.1*		Colon and Rectum	13.6	-3.1*		Colon and Rectum	19.8	-3.0*	
Pancreas	9.5	0.4*		Pancreas	9.3	0.5*		Pancreas	12.6	0.0	
Ovary	8.2	-1.6*		Ovary	8.6	-1.5*		Corpus and Uterus, NOS	7.3	0.5	
Leukemia	5.3	-1.4*		Leukemia	5.5	-1.4*		Ovary	6.8	-1.4*	
Non-Hodgkin Lymphoma	5.2	-3.4*		Non-Hodgkin Lymphoma	5.4	-3.4*		Myeloma	5.4	-2.9*	
Corpus and Uterus, NOS	4.2	0.2		Corpus and Uterus, NOS	3.9	0.1		Leukemia	4.8	-1.6*	
Brain and ONS <sup>f</sup>	3.5	-0.5*		Brain and ONS <sup>f</sup>	3.8	-0.4		Stomach	4.8	-3.8*	
Liver & IBD <sup>f</sup>	3.3	1.5*		Liver & IBD <sup>f</sup>	3.1	1.7*		Cervix Uteri	4.3	-2.6*	
Myeloma	2.7	-2.6*		Kidney and Renal Pelvis	2.7	-1.2*		Liver & IBD <sup>f</sup>	4.0	1.0	
Kidney and Renal Pelvis	2.6	-1.2*		Myeloma	2.5	-2.5*		Non-Hodgkin Lymphoma	3.6	-2.9*	
Stomach	2.6	-3.1*		Stomach	2.2	-3.2*		Kidney and Renal Pelvis	2.6	-0.8	
Cervix Uteri	2.4	-1.7*		Urinary Bladder	2.2	-0.5		Urinary Bladder	2.6	-1.4	
Urinary Bladder	2.2	-0.7*		Cervix Uteri	2.2	-1.6*		Esophagus	2.2	-5.3*	

Asian/Pacific Islander	Rate <sup>b</sup>		APC <sup>c</sup>	All Sites	Rate <sup>b</sup>		APC <sup>c</sup>	All Sites	Rate <sup>b</sup>		APC <sup>c</sup>
	2005-2009	2000-2009			2005-2009	2000-2009			2005-2009	2000-2009	
All Sites	93.2	-1.1*		All Sites	135.9	-0.8		All Sites	100.5	-1.4*	
Lung and Bronchus	18.5	-0.3		Lung and Bronchus	33.2	0.0		Breast	14.9	-1.6*	
Breast	11.9	-1.3*		Breast	16.6	0.4		Lung and Bronchus	14.0	-1.0*	
Colon and Rectum	9.6	-1.6*		Colon and Rectum	14.6	1.1		Colon and Rectum	10.2	-2.0*	
Pancreas	6.9	-0.2		Pancreas	7.9	0.1		Pancreas	7.5	-0.3	
Liver & IBD <sup>f</sup>	6.1	-2.1*		Ovary	6.8	-1.5		Ovary	5.9	-1.1*	
Stomach	5.3	-3.9*		Liver & IBD <sup>f</sup>	5.9	-0.5		Liver & IBD <sup>f</sup>	5.3	1.0*	
Ovary	5.0	-0.1		Non-Hodgkin Lymphoma	4.5	-3.3		Non-Hodgkin Lymphoma	4.3	-2.3*	
Non-Hodgkin Lymphoma	3.4	-2.7*		Kidney and Renal Pelvis	4.1	0.1		Stomach	4.3	-3.0*	
Leukemia	3.1	0.5		Stomach	3.8	-6.4*		Leukemia	3.9	-0.8	
Corpus and Uterus, NOS	2.6	1.5*		Cervix Uteri	3.5	-0.6		Corpus and Uterus, NOS	3.3	0.6	
Cervix Uteri	2.0	-4.4*		Leukemia	3.3	-3.8		Cervix Uteri	3.0	-2.6*	
Brain and ONS <sup>f</sup>	1.5	-0.2		Corpus and Uterus, NOS	3.0	-		Brain and ONS <sup>f</sup>	2.4	-0.1	
Myeloma	1.4	-2.3		Myeloma	2.5	-5.1		Myeloma	2.3	-2.9*	
Kidney and Renal Pelvis	1.3	0.4		Gallbladder	2.1	-3.1		Kidney and Renal Pelvis	2.3	-0.7	
Oral Cavity and Pharynx	1.3	-2.8		Brain and ONS <sup>f</sup>	2.0	-		Gallbladder	1.3	-2.1	

American Indian/Alaska Native <sup>d</sup>	Rate <sup>b</sup>		APC <sup>c</sup>	All Sites	Rate <sup>b</sup>		APC <sup>c</sup>	All Sites	Rate <sup>b</sup>		APC <sup>c</sup>
	2005-2009	2000-2009			2005-2009	2000-2009			2005-2009	2000-2009	
All Sites	93.2	-1.1*		All Sites	135.9	-0.8		All Sites	100.5	-1.4*	
Lung and Bronchus	18.5	-0.3		Lung and Bronchus	33.2	0.0		Breast	14.9	-1.6*	
Breast	11.9	-1.3*		Breast	16.6	0.4		Lung and Bronchus	14.0	-1.0*	
Colon and Rectum	9.6	-1.6*		Colon and Rectum	14.6	1.1		Colon and Rectum	10.2	-2.0*	
Pancreas	6.9	-0.2		Pancreas	7.9	0.1		Pancreas	7.5	-0.3	
Liver & IBD <sup>f</sup>	6.1	-2.1*		Ovary	6.8	-1.5		Ovary	5.9	-1.1*	
Stomach	5.3	-3.9*		Liver & IBD <sup>f</sup>	5.9	-0.5		Liver & IBD <sup>f</sup>	5.3	1.0*	
Ovary	5.0	-0.1		Non-Hodgkin Lymphoma	4.5	-3.3		Non-Hodgkin Lymphoma	4.3	-2.3*	
Non-Hodgkin Lymphoma	3.4	-2.7*		Kidney and Renal Pelvis	4.1	0.1		Stomach	4.3	-3.0*	
Leukemia	3.1	0.5		Stomach	3.8	-6.4*		Leukemia	3.9	-0.8	
Corpus and Uterus, NOS	2.6	1.5*		Cervix Uteri	3.5	-0.6		Corpus and Uterus, NOS	3.3	0.6	
Cervix Uteri	2.0	-4.4*		Leukemia	3.3	-3.8		Cervix Uteri	3.0	-2.6*	
Brain and ONS <sup>f</sup>	1.5	-0.2		Corpus and Uterus, NOS	3.0	-		Brain and ONS <sup>f</sup>	2.4	-0.1	
Myeloma	1.4	-2.3		Myeloma	2.5	-5.1		Myeloma	2.3	-2.9*	
Kidney and Renal Pelvis	1.3	0.4		Gallbladder	2.1	-3.1		Kidney and Renal Pelvis	2.3	-0.7	
Oral Cavity and Pharynx	1.3	-2.8		Brain and ONS <sup>f</sup>	2.0	-		Gallbladder	1.3	-2.1	

Hispanic <sup>e</sup>	Rate <sup>b</sup>		APC <sup>c</sup>	All Sites	Rate <sup>b</sup>		APC <sup>c</sup>	All Sites	Rate <sup>b</sup>		APC <sup>c</sup>
	2005-2009	2000-2009			2005-2009	2000-2009			2005-2009	2000-2009	
All Sites	93.2	-1.1*		All Sites	135.9	-0.8		All Sites	100.5	-1.4*	
Lung and Bronchus	18.5	-0.3		Lung and Bronchus	33.2	0.0		Breast	14.9	-1.6*	
Breast	11.9	-1.3*		Breast	16.6	0.4		Lung and Bronchus	14.0	-1.0*	
Colon and Rectum	9.6	-1.6*		Colon and Rectum	14.6	1.1		Colon and Rectum	10.2	-2.0*	
Pancreas	6.9	-0.2		Pancreas	7.9	0.1		Pancreas	7.5	-0.3	
Liver & IBD <sup>f</sup>	6.1	-2.1*		Ovary	6.8	-1.5		Ovary	5.9	-1.1*	
Stomach	5.3	-3.9*		Liver & IBD <sup>f</sup>	5.9	-0.5		Liver & IBD <sup>f</sup>	5.3	1.0*	
Ovary	5.0	-0.1		Non-Hodgkin Lymphoma	4.5	-3.3		Non-Hodgkin Lymphoma	4.3	-2.3*	
Non-Hodgkin Lymphoma	3.4	-2.7*		Kidney and Renal Pelvis	4.1	0.1		Stomach	4.3	-3.0*	
Leukemia	3.1	0.5		Stomach	3.8	-6.4*		Leukemia	3.9	-0.8	
Corpus and Uterus, NOS	2.6	1.5*		Cervix Uteri	3.5	-0.6		Corpus and Uterus, NOS	3.3	0.6	
Cervix Uteri	2.0	-4.4*		Leukemia	3.3	-3.8		Cervix Uteri	3.0	-2.6*	
Brain and ONS <sup>f</sup>	1.5	-0.2		Corpus and Uterus, NOS	3.0	-		Brain and ONS <sup>f</sup>	2.4	-0.1	
Myeloma	1.4	-2.3		Myeloma	2.5	-5.1		Myeloma	2.3	-2.9*	
Kidney and Renal Pelvis	1.3	0.4		Gallbladder	2.1	-3.1		Kidney and Renal Pelvis	2.3	-0.7	
Oral Cavity and Pharynx	1.3	-2.8		Brain and ONS <sup>f</sup>	2.0	-		Gallbladder	1.3	-2.1	

Source: US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention.

<sup>a</sup> Top 15 cancer sites selected based on 2005-2009 age-adjusted rates for the race/ethnic group.

<sup>b</sup> Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).

<sup>c</sup> The APC is the Annual Percent Change over the time interval.

Trends are based on rates age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).

<sup>d</sup> Rates for American Indian/Alaska Native are based on the CHSDA (Contract Health Service Delivery Area) counties.

<sup>e</sup> Hispanic is not mutually exclusive from whites, blacks, Asian/Pacific Islanders, and American Indians/Alaska Natives.

The 2005-2009 Hispanic death rates do not include deaths from the District of Columbia, North Dakota and South Carolina.

The 2000-2009 Hispanic mortality trends do not include deaths from the District of Columbia, Minnesota, New Hampshire,

North Dakota and South Carolina.

<sup>f</sup> IBD = Intrahepatic Bile Duct. ONS = Other Nervous System.

\* The APC is significantly different from zero (p<.05).

- Statistic not shown. Rate based on less than 16 cases for the time interval. Trend based on less than 10 cases for at least one year within the time interval.

# US Mortality 2000-2009 Males by Race/Ethnicity




Figure 1.15

Source: US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention.

Rates are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1103).

Regression lines are calculated using the Joinpoint Regression Program Version 3.5, April 2011, National Cancer Institute.

<sup>a</sup> Mortality rates for American Indian/Alaska Native (AI/AN) are based on the CHSDA (Contract Health Service Delivery Area) counties.

<sup>b</sup> Hispanic is not mutually exclusive from whites, blacks, Asian/Pacific Islanders, and American Indians/Alaska Natives. Mortality data for Hispanics excludes cases from the District of Columbia, Maine, Minnesota, New Hampshire, North Dakota, and Oklahoma.

# US Mortality 2000-2009 Females by Race/Ethnicity




Figure 1.16

Source: US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention.

Rates are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1103).

Regression lines are calculated using the Joinpoint Regression Program Version 3.5, April 2011, National Cancer Institute.

<sup>a</sup> Mortality rates for American Indian/Alaska Native (AI/AN) are based on the CHSDA (Contract Health Service Delivery Area) counties.

<sup>b</sup> Hispanic is not mutually exclusive from whites, blacks, Asian/Pacific Islanders, and American Indians/Alaska Natives. Mortality data for Hispanics excludes cases from the District of Columbia, Maine, Minnesota, New Hampshire, North Dakota, and Oklahoma.