

Table A.1

Number of Incidence Cases, 2005-2009

By Primary Cancer Site, Race and Sex  
18 SEER Geographic Areas

Site	All Races			Whites			Blacks		
	Both Sexes	Males	Females	Both Sexes	Males	Females	Both Sexes	Males	Females
Oral Cavity & Pharynx	45,554	31,466	14,088	37,612	26,186	11,426	4,192	2,857	1,335
Esophagus	18,572	14,319	4,253	15,510	12,157	3,353	2,088	1,466	622
Stomach	30,963	18,757	12,206	21,884	13,641	8,243	4,386	2,486	1,900
Colon & Rectum	190,152	97,551	92,601	152,032	78,535	73,497	21,745	10,569	11,176
Colon	135,590	66,497	69,093	108,807	53,749	55,058	16,103	7,592	8,511
Rectum	54,562	31,054	23,508	43,225	24,786	18,439	5,642	2,977	2,665
Liver & IBD <sup>a</sup>	31,640	22,636	9,004	22,136	15,915	6,221	3,825	2,801	1,024
Pancreas	49,621	24,666	24,955	40,149	20,154	19,995	5,831	2,752	3,079
Larynx	14,427	11,587	2,840	11,759	9,421	2,338	2,104	1,692	412
Lung & Bronchus	253,634	134,760	118,874	211,951	110,996	100,955	26,886	15,319	11,567
Melanoma of the skin	87,406	50,531	36,875	82,359	47,917	34,442	378	171	207
Breast	281,249	2,215	279,034	229,220	1,810	227,410	28,997	264	28,733
Cervix uteri	17,257	-	17,257	13,022	-	13,022	2,386	-	2,386
Corpus & Uterus, NOS	54,867	-	54,867	45,159	-	45,159	5,025	-	5,025
Ovary <sup>b</sup>	28,761	-	28,761	24,160	-	24,160	2,260	-	2,260
Prostate	287,904	287,904	-	224,485	224,485	-	38,968	38,968	-
Testis	11,401	11,401	-	10,365	10,365	-	313	313	-
Urinary bladder	83,931	63,276	20,655	74,760	56,758	18,002	4,464	2,989	1,475
Kidney & Renal pelvis	62,832	39,233	23,599	51,990	32,616	19,374	6,957	4,237	2,720
Brain & ONS <sup>a</sup>	26,898	14,988	11,910	23,411	13,174	10,237	1,822	926	896
Thyroid	48,798	11,701	37,097	40,049	9,940	30,109	3,141	619	2,522
Hodgkin lymphoma	11,714	6,417	5,297	9,655	5,297	4,358	1,366	735	631
Non-Hodgkin lymphoma	80,714	43,762	36,952	68,359	37,084	31,275	6,003	3,258	2,745
Myeloma	23,885	13,205	10,680	17,868	10,154	7,714	4,432	2,218	2,214
Leukemia	51,124	29,131	21,993	43,195	24,819	18,376	3,891	2,089	1,802
Acute lymphocytic	6,820	3,846	2,974	5,696	3,198	2,498	500	307	193
Chronic lymphocytic	17,066	10,172	6,894	14,933	8,905	6,028	1,030	605	425
Acute myeloid	14,620	7,791	6,829	12,097	6,577	5,520	1,239	589	650
Chronic myeloid	6,460	3,763	2,697	5,240	3,070	2,170	620	332	288
All others	6,158	3,559	2,599	5,229	3,069	2,160	502	256	246
Kaposi Sarcoma	2,337	2,122	215	1,617	1,471	146	536	485	51
Mesothelioma	4,187	3,197	990	3,840	2,945	895	208	151	57
All Sites	1,922,239	992,678	929,561	1,577,573	813,839	763,734	194,295	102,813	91,482

Source: SEER 18 areas (San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, Utah, Atlanta, San Jose-Monterey, Los Angeles, Alaska Native Registry, Rural Georgia, California excluding SF/SJM/LA, Kentucky, Louisiana, New Jersey and Georgia excluding ATL/RG).

<sup>a</sup> IBD = Intrahepatic Bile Duct. ONS = Other Nervous System.

<sup>b</sup> Ovary excludes borderline cases or histologies 8442, 8451, 8462, 8472, and 8473.

- Count not shown due to fewer than 16 cases during the time period.

Table A.1

Number of Incidence Cases, 2005-2009

By Primary Cancer Site, Race and Sex  
18 SEER Geographic Areas

Site	Asian/Pacific Islander			American Indian/Alaska Native <sup>a</sup>			Hispanic <sup>b</sup>		
	Both Sexes	Males	Females	Both Sexes	Males	Females	Both Sexes	Males	Females
Oral Cavity & Pharynx	2,888	1,857	1,031	178	118	60	3,227	2,123	1,104
Esophagus	781	562	219	84	53	31	1,250	1,007	243
Stomach	4,256	2,368	1,888	212	130	82	5,082	2,926	2,156
Colon & Rectum	13,584	6,941	6,643	875	445	430	17,275	9,376	7,899
Colon	8,951	4,257	4,694	601	287	314	11,686	6,033	5,653
Rectum	4,633	2,684	1,949	274	158	116	5,589	3,343	2,246
Liver & IBD <sup>c</sup>	5,143	3,546	1,597	291	197	94	5,604	3,988	1,616
Pancreas	3,181	1,537	1,644	223	107	116	4,645	2,238	2,407
Larynx	398	348	50	51	38	-	1,082	931	151
Lung & Bronchus	12,977	7,491	5,486	856	443	413	13,248	7,190	6,058
Melanoma of the skin	510	260	250	97	44	53	2,485	1,085	1,400
Breast	19,353	113	19,240	1,042	-	1,036	26,618	146	26,472
Cervix uteri	1,471	-	1,471	115	-	115	3,894	-	3,894
Corpus & Uterus, NOS	3,860	-	3,860	254	-	254	5,481	-	5,481
Ovary <sup>d</sup>	1,995	-	1,995	139	-	139	3,252	-	3,252
Prostate	12,628	12,628	-	706	706	-	24,286	24,286	-
Testis	397	397	-	75	75	-	2,395	2,395	-
Urinary bladder	3,029	2,275	754	167	133	34	4,672	3,428	1,244
Kidney & Renal pelvis	2,841	1,738	1,103	439	256	183	7,405	4,454	2,951
Brain & ONS <sup>c</sup>	1,312	704	608	107	54	53	3,437	1,890	1,547
Thyroid	4,624	947	3,677	194	39	155	6,872	1,281	5,591
Hodgkin lymphoma	514	283	231	29	-	-	1,807	990	817
Non-Hodgkin lymphoma	4,617	2,498	2,119	273	149	124	8,708	4,655	4,053
Myeloma	1,174	625	549	95	48	47	2,436	1,291	1,145
Leukemia	2,631	1,411	1,220	193	107	86	6,402	3,563	2,839
Acute lymphocytic	501	278	223	40	24	16	2,423	1,335	1,088
Chronic lymphocytic	330	188	142	30	22	-	776	436	340
Acute myeloid	1,103	545	558	65	28	37	1,761	937	824
Chronic myeloid	387	241	146	33	18	-	786	459	327
All others	310	159	151	25	-	-	656	396	260
Kaposi Sarcoma	70	66	-	-	-	-	534	493	41
Mesothelioma	109	79	30	17	-	-	394	275	119
All Sites	111,376	51,928	59,448	7,255	3,433	3,822	175,955	86,124	89,831

Source: SEER 18 areas (San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, Utah, Atlanta, San Jose-Monterey, Los Angeles, Alaska Native Registry, Rural Georgia, California excluding SF/SJM/LA, Kentucky, Louisiana, New Jersey and Georgia excluding ATL/RG).

<sup>a</sup> Incidence data for American Indian/Alaska Native are based on the CHSDA (Contract Health Service Delivery Area) counties.

<sup>b</sup> Hispanic is not mutually exclusive from whites, blacks, Asian/Pacific Islanders, and American Indians/Alaska Natives.

<sup>c</sup> Incidence data for Hispanics are based on NHIA and exclude cases from the Alaska Native Registry.

<sup>d</sup> IBD = Intrahepatic Bile Duct. ONS = Other Nervous System.

<sup>e</sup> Ovary excludes borderline cases or histologies 8442, 8451, 8462, 8472, and 8473.

- Count not shown due to fewer than 16 cases during the time period.

Table A.3

Number of Deaths, 2005-2009

By Primary Cancer Site, Race and Sex  
United States

Site	All Races			Whites			Blacks		
	Both Sexes	Males	Females	Both Sexes	Males	Females	Both Sexes	Males	Females
Oral Cavity & Pharynx	39,501	27,009	12,492	32,914	22,211	10,703	5,129	3,823	1,306
Esophagus	68,398	53,959	14,439	59,896	47,772	12,124	7,163	5,195	1,968
Stomach	56,783	33,562	23,221	42,660	25,371	17,289	9,904	5,805	4,099
Colon & Rectum	264,125	134,325	129,800	222,413	113,438	108,975	34,207	17,048	17,159
Liver & IBD <sup>a</sup>	87,311	57,987	29,324	69,055	45,391	23,664	11,760	8,248	3,512
Pancreas	171,192	85,223	85,969	146,368	73,611	72,757	20,027	9,279	10,748
Larynx	18,641	14,679	3,962	15,087	11,790	3,297	3,245	2,625	620
Lung & Bronchus	793,172	443,946	349,226	693,512	384,844	308,668	82,088	48,849	33,239
Melanoma of the skin	43,069	27,930	15,139	42,104	27,444	14,660	642	309	333
Breast	205,771	1,972	203,799	171,464	1,645	169,819	29,294	299	28,995
Cervix uteri	19,838	-	19,838	14,963	-	14,963	3,993	-	3,993
Corpus & Uterus, NOS	37,324	-	37,324	29,959	-	29,959	6,370	-	6,370
Ovary	73,063	-	73,063	65,050	-	65,050	6,022	-	6,022
Prostate	142,929	142,929	-	116,604	116,604	-	23,810	23,810	-
Testis	1,777	1,777	-	1,602	1,602	-	114	114	-
Urinary bladder	68,807	48,079	20,728	62,807	44,608	18,199	4,977	2,781	2,196
Kidney & Renal pelvis	63,489	39,973	23,516	55,911	35,239	20,672	5,986	3,696	2,290
Brain & ONS <sup>a</sup>	67,172	37,374	29,798	61,673	34,411	27,262	4,061	2,159	1,902
Thyroid	7,898	3,337	4,561	6,753	2,976	3,777	725	215	510
Hodgkin lymphoma	6,291	3,489	2,802	5,494	3,026	2,468	671	386	285
Non-Hodgkin lymphoma	102,751	55,235	47,516	93,026	49,960	43,066	7,063	3,854	3,209
Myeloma	53,638	28,823	24,815	43,344	23,679	19,665	9,103	4,503	4,600
Leukemia	110,779	62,909	47,870	98,945	56,476	42,469	9,200	4,970	4,230
Acute lymphocytic	7,118	4,034	3,084	6,258	3,522	2,736	597	362	235
Chronic lymphocytic	22,312	13,276	9,036	20,297	12,045	8,252	1,829	1,108	721
Acute myeloid	43,559	24,456	19,103	38,894	22,092	16,802	3,348	1,646	1,702
Chronic myeloid	5,131	2,871	2,260	4,410	2,448	1,962	585	341	244
All others	32,659	18,272	14,387	29,086	16,369	12,717	2,841	1,513	1,328
All Sites	2,815,124	1,465,345	1,349,779	2,421,504	1,261,999	1,159,505	318,884	164,805	154,079

Source: US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention.

<sup>a</sup> IBD = Intrahepatic Bile Duct. ONS = Other Nervous System.

- Count not shown due to fewer than 16 cases during the time period.

Table A.3

Number of Deaths, 2005-2009

By Primary Cancer Site, Race and Sex  
United States

Site	Asian/Pacific Islander			American Indian/Alaska Native <sup>a</sup>			Hispanic <sup>b</sup>		
	Both Sexes	Males	Females	Both Sexes	Males	Females	Both Sexes	Males	Females
Oral Cavity & Pharynx	1,241	824	417	134	94	40	1,765	1,299	466
Esophagus	1,024	749	275	216	166	50	2,615	2,126	489
Stomach	3,797	2,123	1,674	339	213	126	6,660	3,807	2,853
Colon & Rectum	6,184	3,152	3,032	949	489	460	14,040	7,630	6,410
Liver & IBD <sup>c</sup>	5,782	3,884	1,898	517	333	184	9,834	6,525	3,309
Pancreas	4,120	1,993	2,127	500	253	247	9,241	4,653	4,588
Larynx	215	185	30	57	51	-	914	806	108
Lung & Bronchus	14,153	8,392	5,761	2,241	1,189	1,052	22,950	14,357	8,593
Melanoma of the skin	228	119	109	72	46	26	957	562	395
Breast	4,170	22	4,148	575	-	570	10,498	59	10,439
Cervix uteri	698	-	698	130	-	130	2,339	-	2,339
Corpus & Uterus, NOS	857	-	857	99	-	99	2,146	-	2,146
Ovary	1,667	-	1,667	220	-	220	3,871	-	3,871
Prostate	1,949	1,949	-	375	375	-	6,957	6,957	-
Testis	45	45	-	-	-	-	319	319	-
Urinary bladder	842	568	274	110	80	30	2,304	1,597	707
Kidney & Renal pelvis	1,114	723	391	364	229	135	4,054	2,601	1,453
Brain & ONS <sup>c</sup>	1,205	676	529	162	91	71	4,053	2,221	1,832
Thyroid	389	130	259	23	-	-	673	274	399
Hodgkin lymphoma	108	61	47	-	-	-	582	336	246
Non-Hodgkin lymphoma	2,287	1,232	1,055	268	128	140	5,996	3,275	2,721
Myeloma	934	498	436	176	94	82	3,037	1,608	1,429
Leukemia	2,244	1,234	1,010	284	174	110	6,562	3,658	2,904
Acute lymphocytic	211	120	91	40	21	19	1,426	797	629
Chronic lymphocytic	133	88	45	33	23	-	498	281	217
Acute myeloid	1,161	623	538	113	72	41	2,421	1,331	1,090
Chronic myeloid	105	59	46	24	18	-	324	191	133
All others	634	344	290	74	40	34	1,893	1,058	835
All Sites	61,826	31,849	29,977	9,034	4,634	4,400	138,810	73,077	65,733

Source: US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention.

<sup>a</sup> Mortality data for American Indian/Alaska Native are based on the CHSDA(Contract Health Service Delivery Area) counties.<sup>b</sup> Hispanic is not mutually exclusive from whites, blacks, Asian/Pacific Islanders, and American Indians/Alaska Natives.

Mortality data for Hispanics excludes deaths from District of Columbia, North Dakota and South Carolina.

<sup>c</sup> IBD = Intrahepatic Bile Duct. ONS = Other Nervous System.

- Count not shown due to fewer than 16 cases during the time period.