

Table 1.11
 Median Age of Cancer Patients at Diagnosis^a, 2005-2009
 By Primary Cancer Site, Race and Sex

| Site | All Races | | | Whites | | | Blacks | | |
|------------------------------------|-----------|-------|---------|--------|-------|---------|--------|-------|---------|
| | Total | Males | Females | Total | Males | Females | Total | Males | Females |
| All Sites | 66.0 | 66.0 | 65.0 | 66.0 | 67.0 | 65.0 | 62.0 | 63.0 | 62.0 |
| Oral Cavity & Pharynx: | 62.0 | 61.0 | 65.0 | 62.0 | 61.0 | 66.0 | 58.0 | 58.0 | 57.0 |
| Lip | 69.0 | 68.0 | 73.0 | 70.0 | 68.0 | 74.0 | 57.0 | 60.0 | 56.5 |
| Tongue | 61.0 | 60.0 | 63.0 | 61.0 | 61.0 | 64.0 | 59.0 | 60.0 | 57.0 |
| Salivary gland | 64.0 | 67.0 | 61.0 | 66.0 | 68.0 | 63.0 | 54.0 | 56.5 | 51.0 |
| Floor of mouth | 62.0 | 61.0 | 67.0 | 63.0 | 61.0 | 68.0 | 58.0 | 58.0 | 60.0 |
| Gum & other oral cavity | 67.0 | 64.0 | 70.0 | 68.0 | 65.0 | 72.0 | 59.0 | 58.0 | 59.0 |
| Nasopharynx | 55.0 | 54.0 | 56.0 | 58.0 | 57.0 | 61.0 | 51.0 | 51.0 | 51.0 |
| Tonsil | 57.0 | 57.0 | 59.0 | 57.0 | 57.0 | 60.0 | 57.0 | 57.0 | 55.0 |
| Oropharynx | 62.0 | 61.0 | 65.0 | 63.0 | 61.0 | 67.0 | 59.0 | 59.0 | 58.5 |
| Hypopharynx | 65.0 | 64.0 | 67.0 | 65.0 | 65.0 | 68.0 | 61.0 | 61.0 | 59.5 |
| Other oral cavity & pharynx | 65.0 | 64.0 | 69.0 | 65.0 | 64.0 | 70.0 | 61.0 | 60.0 | 67.0 |
| Digestive System: | 69.0 | 67.0 | 71.0 | 70.0 | 68.0 | 72.0 | 64.0 | 63.0 | 66.0 |
| Esophagus | 68.0 | 66.0 | 72.0 | 68.0 | 67.0 | 74.0 | 63.0 | 63.0 | 65.0 |
| Stomach | 70.0 | 69.0 | 72.0 | 70.0 | 69.0 | 73.0 | 67.0 | 66.0 | 69.0 |
| Small intestine | 66.0 | 65.0 | 67.0 | 66.0 | 65.0 | 68.0 | 63.0 | 63.0 | 63.0 |
| Colon & Rectum: | 69.0 | 67.0 | 71.0 | 70.0 | 68.0 | 73.0 | 65.0 | 64.0 | 66.0 |
| Colon | 71.0 | 69.0 | 73.0 | 72.0 | 70.0 | 74.0 | 66.0 | 65.0 | 67.0 |
| Rectum | 65.0 | 64.0 | 66.0 | 65.0 | 65.0 | 67.0 | 60.0 | 60.0 | 61.0 |
| Anus, anal canal & anorectum | 60.0 | 58.0 | 61.0 | 61.0 | 59.0 | 61.0 | 54.0 | 51.0 | 58.0 |
| Liver & intrahep. bile duct: | 63.0 | 61.0 | 69.0 | 64.0 | 62.0 | 70.0 | 59.0 | 58.0 | 62.0 |
| Liver | 62.0 | 61.0 | 69.0 | 63.0 | 61.0 | 69.0 | 59.0 | 58.0 | 62.0 |
| Intrahepatic bile duct | 70.0 | 68.0 | 71.0 | 70.0 | 68.0 | 72.0 | 66.0 | 63.0 | 67.0 |
| Gallbladder | 72.0 | 72.0 | 73.0 | 73.0 | 73.0 | 74.0 | 68.0 | 69.0 | 67.0 |
| Other biliary | 73.0 | 71.0 | 74.0 | 73.0 | 72.0 | 75.0 | 67.0 | 66.0 | 69.0 |
| Pancreas | 71.0 | 69.0 | 74.0 | 72.0 | 69.0 | 74.0 | 67.0 | 64.0 | 70.0 |
| Retroperitoneum | 60.0 | 60.0 | 61.0 | 61.0 | 61.0 | 62.0 | 56.0 | 54.0 | 58.0 |
| Peritoneum, omentum & mesentery | 68.0 | 64.0 | 68.0 | 68.0 | 65.5 | 68.0 | 65.0 | 54.0 | 66.0 |
| Other digestive system | 72.0 | 70.0 | 74.0 | 73.0 | 70.0 | 76.0 | 67.0 | 66.5 | 67.0 |
| Respiratory System: | 70.0 | 70.0 | 71.0 | 71.0 | 70.0 | 71.0 | 66.0 | 65.0 | 66.0 |
| Nose, nasal cavity & middle ear | 64.0 | 63.0 | 66.0 | 65.0 | 64.0 | 67.0 | 58.0 | 57.0 | 60.0 |
| Larynx | 65.0 | 65.0 | 64.0 | 65.0 | 65.0 | 64.0 | 62.0 | 62.0 | 61.0 |
| Lung & bronchus | 70.0 | 70.0 | 71.0 | 71.0 | 71.0 | 71.0 | 66.0 | 66.0 | 67.0 |
| Pleura | 69.5 | 73.0 | 67.5 | 73.0 | 73.0 | 71.0 | - | - | - |
| Trachea & other respiratory organs | 47.0 | 38.0 | 59.0 | 48.0 | 36.5 | 62.0 | 48.5 | 45.0 | 53.0 |
| Bones & joints | 41.0 | 38.0 | 43.0 | 42.0 | 40.0 | 44.0 | 33.5 | 31.0 | 37.0 |
| Soft tissue (including heart) | 58.0 | 59.0 | 58.0 | 60.0 | 61.0 | 59.0 | 50.0 | 47.0 | 53.0 |
| Skin (excl. basal & squamous): | 61.0 | 64.0 | 57.0 | 62.0 | 64.0 | 57.0 | 55.0 | 56.0 | 53.0 |
| Melanoma of the skin | 61.0 | 64.0 | 56.0 | 61.0 | 64.0 | 56.0 | 63.0 | 63.0 | 62.0 |
| Other non-epithelial skin | 71.0 | 72.0 | 69.0 | 73.0 | 73.0 | 71.0 | 48.0 | 49.0 | 48.0 |
| Breast | 61.0 | 68.0 | 61.0 | 62.0 | 69.0 | 62.0 | 57.0 | 63.0 | 57.0 |
| Breast (<i>in situ</i>) | 58.0 | 64.0 | 58.0 | 58.0 | 64.0 | 58.0 | 58.0 | 67.0 | 58.0 |

^a SEER 18 areas (San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, Utah, Atlanta, San Jose-Monterey, Los Angeles, Alaska Native Registry, Rural Georgia, California excluding SF/SJM/LA, Kentucky, Louisiana, New Jersey and Georgia excluding ATL/RG).
 - Statistic could not be calculated. Less than 16 cases were diagnosed during the time interval.

Table 1.11 - continued
 Median Age of Cancer Patients at Diagnosis^a, 2005-2009
 By Primary Cancer Site, Race and Sex

| Site | All Races | | | Whites | | | Blacks | | |
|---------------------------------------|-----------|-------|---------|--------|-------|---------|--------|-------|---------|
| | Total | Males | Females | Total | Males | Females | Total | Males | Females |
| Female Genital System: | 61.0 | - | 61.0 | 61.0 | - | 61.0 | 60.0 | - | 60.0 |
| Cervix uteri | 48.0 | - | 48.0 | 48.0 | - | 48.0 | 51.0 | - | 51.0 |
| Corpus uteri | 61.0 | - | 61.0 | 62.0 | - | 62.0 | 63.0 | - | 63.0 |
| Uterus, NOS | 67.0 | - | 67.0 | 69.0 | - | 69.0 | 64.0 | - | 64.0 |
| Ovary ^b | 63.0 | - | 63.0 | 63.0 | - | 63.0 | 61.0 | - | 61.0 |
| Vagina | 68.0 | - | 68.0 | 69.0 | - | 69.0 | 61.0 | - | 61.0 |
| Vulva | 68.0 | - | 68.0 | 70.0 | - | 70.0 | 56.0 | - | 56.0 |
| Other female genital system | 63.0 | - | 63.0 | 64.0 | - | 64.0 | 59.0 | - | 59.0 |
| Male Genital System: | 66.0 | 66.0 | - | 66.0 | 66.0 | - | 64.0 | 64.0 | - |
| Prostate | 67.0 | 67.0 | - | 67.0 | 67.0 | - | 64.0 | 64.0 | - |
| Testis | 33.0 | 33.0 | - | 33.0 | 33.0 | - | 35.0 | 35.0 | - |
| Penis | 68.0 | 68.0 | - | 68.0 | 68.0 | - | 65.0 | 65.0 | - |
| Other male genital system | 66.0 | 66.0 | - | 67.0 | 67.0 | - | 55.0 | 55.0 | - |
| Urinary System: | 69.0 | 69.0 | 70.0 | 70.0 | 70.0 | 70.0 | 65.0 | 64.0 | 67.0 |
| Urinary bladder | 73.0 | 72.0 | 74.0 | 73.0 | 73.0 | 74.0 | 70.0 | 68.0 | 73.0 |
| Kidney & renal pelvis | 64.0 | 63.0 | 65.0 | 65.0 | 64.0 | 66.0 | 61.0 | 60.0 | 63.0 |
| Ureter | 75.0 | 74.0 | 76.0 | 75.0 | 74.0 | 77.0 | 69.0 | 69.0 | 68.0 |
| Other urinary system | 74.0 | 74.0 | 72.0 | 75.0 | 75.0 | 74.0 | 68.0 | 69.0 | 65.5 |
| Eye & Orbit | 61.0 | 61.0 | 61.0 | 62.0 | 62.0 | 61.5 | 3.0 | 2.5 | 3.0 |
| Brain & Nervous System: | 57.0 | 56.0 | 58.0 | 58.0 | 57.0 | 59.0 | 50.0 | 51.0 | 50.0 |
| Brain | 57.0 | 57.0 | 58.0 | 58.0 | 57.0 | 59.0 | 51.0 | 51.0 | 50.0 |
| Cranial nerves & other nervous system | 47.0 | 45.0 | 49.0 | 47.0 | 45.0 | 50.0 | 47.0 | 42.0 | 48.5 |
| Endocrine System: | 50.0 | 54.0 | 48.0 | 50.0 | 54.0 | 48.0 | 51.0 | 53.0 | 50.0 |
| Thyroid | 50.0 | 54.0 | 48.0 | 50.0 | 54.0 | 48.0 | 51.0 | 55.0 | 50.0 |
| Other endocrine & thymus | 52.0 | 51.0 | 54.0 | 53.0 | 52.0 | 55.0 | 51.0 | 50.0 | 52.0 |
| Lymphoma: | 64.0 | 63.0 | 66.0 | 65.0 | 64.0 | 67.0 | 54.0 | 52.0 | 56.0 |
| Hodgkin lymphoma | 38.0 | 40.0 | 36.0 | 39.0 | 41.0 | 37.0 | 35.0 | 38.0 | 34.0 |
| Non-Hodgkin lymphoma | 66.0 | 65.0 | 68.0 | 67.0 | 66.0 | 70.0 | 57.0 | 55.0 | 60.0 |
| Myeloma | 69.0 | 68.0 | 70.0 | 70.0 | 69.0 | 71.0 | 66.0 | 65.0 | 67.0 |
| Leukemia: | 66.0 | 65.0 | 67.0 | 67.0 | 66.0 | 68.0 | 60.0 | 59.0 | 62.0 |
| Lymphocytic: | 65.0 | 64.0 | 67.0 | 66.0 | 65.0 | 68.0 | 62.0 | 60.0 | 66.0 |
| Acute lymphocytic | 14.0 | 14.0 | 13.0 | 14.0 | 14.0 | 13.0 | 13.0 | 12.0 | 14.0 |
| Chronic lymphocytic | 72.0 | 70.0 | 74.0 | 72.0 | 71.0 | 74.0 | 69.0 | 68.0 | 72.0 |
| Other lymphocytic | 62.0 | 61.0 | 68.0 | 62.0 | 61.0 | 69.0 | 67.0 | 65.0 | 75.0 |
| Myeloid & Monocytic: | 66.0 | 66.0 | 66.0 | 67.0 | 67.0 | 67.0 | 57.0 | 57.0 | 58.0 |
| Acute myeloid | 66.0 | 67.0 | 66.0 | 68.0 | 68.0 | 68.0 | 59.0 | 58.0 | 59.0 |
| Chronic myeloid | 64.0 | 63.0 | 65.0 | 66.0 | 65.0 | 67.0 | 56.0 | 55.5 | 56.0 |
| Acute monocytic | 62.0 | 63.0 | 60.5 | 63.0 | 64.0 | 62.0 | 50.0 | 56.0 | 50.0 |
| Other myeloid & monocytic | 69.0 | 69.0 | 69.0 | 70.0 | 70.0 | 70.0 | 64.0 | 65.0 | 61.0 |
| Other leukemia: | 75.0 | 73.0 | 77.0 | 77.0 | 74.0 | 79.0 | 66.0 | 61.5 | 70.0 |
| Other acute leukemia | 75.0 | 71.0 | 78.0 | 76.0 | 73.0 | 79.5 | 65.0 | 58.5 | 70.0 |
| Aleukemic, subleukemic & NOS | 75.0 | 73.0 | 77.0 | 77.0 | 75.0 | 79.0 | 67.0 | 62.0 | 70.0 |
| Kaposi Sarcoma | 44.0 | 43.0 | 75.0 | 46.0 | 45.0 | 80.0 | 39.5 | 39.0 | 44.0 |
| Mesothelioma | 74.0 | 74.0 | 71.0 | 74.0 | 74.0 | 72.0 | 70.0 | 71.0 | 64.0 |
| Ill-defined & unspecified | 73.0 | 70.0 | 76.0 | 74.0 | 71.0 | 77.0 | 67.0 | 64.0 | 69.0 |

^a SEER 18 areas (San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, Utah, Atlanta, San Jose-Monterey, Los Angeles, Alaska Native Registry, Rural Georgia, California excluding SF/SJM/LA, Kentucky, Louisiana, New Jersey and Georgia excluding ATL/RG).

^b Ovary excludes borderline cases or histologies 8442, 8451, 8462, 8472, and 8473.

- Statistic could not be calculated. Less than 16 cases were diagnosed during the time interval.

Table 1.13
 Median Age of Cancer Patients at Death^a, 2005-2009
 By Primary Cancer Site, Race and Sex

| Site | All Races | | | Whites | | | Blacks | | |
|------------------------------------|-----------|-------|---------|--------|-------|---------|--------|-------|---------|
| | Total | Males | Females | Total | Males | Females | Total | Males | Females |
| All Sites | 72.0 | 72.0 | 73.0 | 73.0 | 73.0 | 74.0 | 68.0 | 67.0 | 68.0 |
| Oral Cavity & Pharynx: | 67.0 | 65.0 | 73.0 | 69.0 | 66.0 | 75.0 | 61.0 | 61.0 | 63.0 |
| Lip | 79.0 | 75.0 | 85.0 | 79.0 | 76.0 | 85.0 | - | - | - |
| Tongue | 66.0 | 64.0 | 72.0 | 67.0 | 65.0 | 73.0 | 61.0 | 61.0 | 60.0 |
| Salivary gland | 74.0 | 73.0 | 76.0 | 75.0 | 74.0 | 77.0 | 64.0 | 62.0 | 65.5 |
| Floor of mouth | 66.0 | 63.0 | 71.0 | 67.0 | 64.0 | 71.0 | 59.0 | 57.0 | - |
| Gum & other oral cavity | 73.0 | 68.0 | 80.0 | 75.0 | 69.0 | 81.0 | 64.0 | 62.0 | 68.0 |
| Nasopharynx | 62.0 | 60.0 | 67.0 | 65.0 | 63.0 | 71.0 | 57.0 | 56.0 | 60.0 |
| Tonsil | 62.0 | 61.0 | 66.0 | 62.0 | 61.0 | 67.0 | 60.0 | 60.0 | 61.0 |
| Oropharynx | 66.0 | 64.0 | 74.0 | 67.0 | 65.0 | 75.0 | 62.0 | 62.0 | 60.0 |
| Hypopharynx | 66.0 | 65.0 | 70.0 | 67.0 | 66.0 | 70.0 | 61.0 | 60.0 | 66.0 |
| Other oral cavity & pharynx | 67.0 | 66.0 | 71.0 | 68.0 | 67.0 | 71.0 | 63.0 | 62.0 | 66.0 |
| Digestive System: | 73.0 | 70.0 | 76.0 | 73.0 | 71.0 | 77.0 | 68.0 | 65.0 | 71.0 |
| Esophagus | 69.0 | 68.0 | 74.0 | 70.0 | 68.0 | 75.0 | 64.0 | 64.0 | 67.0 |
| Stomach | 73.0 | 71.0 | 76.0 | 74.0 | 72.0 | 77.0 | 70.0 | 68.0 | 73.0 |
| Small intestine | 72.0 | 70.0 | 74.0 | 73.0 | 71.0 | 76.0 | 66.0 | 64.0 | 67.0 |
| Colon & Rectum | 74.0 | 72.0 | 77.0 | 75.0 | 73.0 | 78.0 | 69.0 | 67.0 | 71.0 |
| Anus, anal canal & anorectum | 64.0 | 62.0 | 66.0 | 65.0 | 64.0 | 66.0 | 57.0 | 52.0 | 60.5 |
| Liver & intrahep. bile duct: | 68.0 | 65.0 | 74.0 | 70.0 | 67.0 | 75.0 | 61.0 | 59.0 | 68.0 |
| Liver | 67.0 | 64.0 | 74.0 | 69.0 | 65.0 | 76.0 | 60.0 | 59.0 | 68.0 |
| Intrahepatic bile duct | 72.0 | 70.0 | 73.0 | 72.0 | 71.0 | 74.0 | 68.0 | 66.0 | 69.0 |
| Gallbladder | 74.0 | 73.0 | 74.0 | 75.0 | 74.0 | 75.0 | 70.0 | 71.0 | 69.0 |
| Other biliary | 76.0 | 75.0 | 78.0 | 77.0 | 75.0 | 79.0 | 72.0 | 69.5 | 75.0 |
| Pancreas | 73.0 | 70.0 | 75.0 | 73.0 | 71.0 | 76.0 | 69.0 | 66.0 | 72.0 |
| Retroperitoneum | 70.0 | 68.0 | 73.0 | 71.0 | 68.0 | 73.0 | 62.0 | 58.5 | 64.0 |
| Peritoneum, omentum & mesentery | 72.0 | 68.0 | 73.0 | 72.0 | 68.5 | 73.0 | 68.0 | 66.0 | 69.0 |
| Other digestive system | 76.0 | 73.0 | 79.0 | 77.0 | 74.0 | 80.0 | 68.0 | 65.0 | 73.0 |
| Respiratory System: | 72.0 | 71.0 | 72.0 | 72.0 | 72.0 | 73.0 | 67.0 | 67.0 | 68.0 |
| Nose, nasal cavity & middle ear | 69.0 | 66.0 | 75.0 | 70.0 | 67.0 | 75.0 | 62.0 | 61.0 | 65.5 |
| Larynx | 68.0 | 68.0 | 70.0 | 69.0 | 69.0 | 71.0 | 65.0 | 64.0 | 65.0 |
| Lung & bronchus | 72.0 | 71.0 | 72.0 | 72.0 | 72.0 | 73.0 | 68.0 | 67.0 | 69.0 |
| Pleura | 75.0 | 75.0 | 75.0 | 75.0 | 75.0 | 75.0 | 69.0 | 68.5 | 71.0 |
| Trachea & other respiratory organs | 70.0 | 67.0 | 74.0 | 71.0 | 67.0 | 75.0 | 64.0 | 64.0 | 65.0 |
| Bones & joints | 58.0 | 56.0 | 63.0 | 60.0 | 57.0 | 65.0 | 51.0 | 49.0 | 53.0 |
| Soft tissue (including heart) | 65.0 | 65.0 | 65.0 | 66.0 | 66.0 | 67.0 | 56.0 | 54.0 | 58.0 |
| Skin (excl. basal & squamous): | 70.0 | 70.0 | 72.0 | 71.0 | 70.0 | 72.0 | 63.0 | 61.0 | 70.0 |
| Melanoma of the skin | 68.0 | 68.0 | 69.0 | 69.0 | 68.0 | 69.0 | 68.0 | 64.0 | 72.0 |
| Other non-epithelial skin | 77.0 | 75.0 | 81.0 | 78.0 | 76.0 | 82.0 | 61.0 | 59.0 | 69.5 |
| Breast | 68.0 | 71.0 | 68.0 | 70.0 | 72.0 | 70.0 | 61.0 | 65.0 | 61.0 |

^a US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention.
 - Statistic could not be calculated. Less than 16 deaths occurred during the time interval.

Table 1.13 - continued
 Median Age of Cancer Patients at Death^a, 2005-2009
 By Primary Cancer Site, Race and Sex

| Site | All Races | | | Whites | | | Blacks | | |
|------------------------------|-----------|-------|---------|--------|-------|---------|--------|-------|---------|
| | Total | Males | Females | Total | Males | Females | Total | Males | Females |
| Female Genital System: | 70.0 | - | 70.0 | 70.0 | - | 70.0 | 66.0 | - | 66.0 |
| Cervix uteri | 57.0 | - | 57.0 | 57.0 | - | 57.0 | 56.0 | - | 56.0 |
| Corpus uteri | 71.0 | - | 71.0 | 72.0 | - | 72.0 | 69.0 | - | 69.0 |
| Uterus, NOS | 71.0 | - | 71.0 | 73.0 | - | 73.0 | 68.0 | - | 68.0 |
| Ovary | 71.0 | - | 71.0 | 71.0 | - | 71.0 | 68.0 | - | 68.0 |
| Vagina | 77.0 | - | 77.0 | 78.0 | - | 78.0 | 71.0 | - | 71.0 |
| Vulva | 79.0 | - | 79.0 | 79.0 | - | 79.0 | 68.5 | - | 68.5 |
| Other female genital system | 71.0 | - | 71.0 | 72.0 | - | 72.0 | 65.0 | - | 65.0 |
| Male Genital System: | 80.0 | 80.0 | - | 81.0 | 81.0 | - | 77.0 | 77.0 | - |
| Prostate | 80.0 | 80.0 | - | 81.0 | 81.0 | - | 77.0 | 77.0 | - |
| Testis | 41.0 | 41.0 | - | 41.0 | 41.0 | - | 38.5 | 38.5 | - |
| Penis | 71.0 | 71.0 | - | 71.0 | 71.0 | - | 65.0 | 65.0 | - |
| Other male genital system | 73.0 | 73.0 | - | 74.5 | 74.5 | - | 69.0 | 69.0 | - |
| Urinary System: | 76.0 | 75.0 | 78.0 | 76.0 | 75.0 | 78.0 | 70.0 | 68.0 | 74.0 |
| Urinary bladder | 79.0 | 78.0 | 80.0 | 79.0 | 78.0 | 81.0 | 75.0 | 73.0 | 77.0 |
| Kidney & renal pelvis | 71.0 | 69.0 | 75.0 | 72.0 | 70.0 | 75.0 | 66.0 | 64.0 | 71.0 |
| Ureter | 78.0 | 77.0 | 80.0 | 78.0 | 77.0 | 80.0 | 74.0 | 75.0 | 73.0 |
| Other urinary system | 77.0 | 77.0 | 78.0 | 78.0 | 77.0 | 79.0 | 67.0 | 68.0 | 66.0 |
| Eye & Orbit | 70.0 | 69.0 | 71.0 | 70.0 | 70.0 | 71.0 | 54.5 | 54.0 | 58.0 |
| Brain & Nervous System | 64.0 | 62.0 | 66.0 | 64.0 | 63.0 | 67.0 | 59.0 | 58.0 | 60.0 |
| Endocrine System: | 69.0 | 66.0 | 71.0 | 70.0 | 67.0 | 73.0 | 63.0 | 57.0 | 66.0 |
| Thyroid | 73.0 | 71.0 | 76.0 | 74.0 | 71.0 | 76.0 | 70.0 | 66.0 | 72.0 |
| Other endocrine & thymus | 57.0 | 56.0 | 59.0 | 59.0 | 57.0 | 61.0 | 50.0 | 48.0 | 54.0 |
| Lymphoma: | 75.0 | 73.0 | 77.0 | 76.0 | 74.0 | 78.0 | 63.0 | 60.0 | 67.0 |
| Hodgkin lymphoma | 64.0 | 61.0 | 68.0 | 66.0 | 63.0 | 70.0 | 49.0 | 48.0 | 51.0 |
| Non-Hodgkin lymphoma | 75.0 | 73.0 | 78.0 | 76.0 | 74.0 | 78.0 | 64.0 | 62.0 | 68.0 |
| Myeloma | 74.0 | 73.0 | 76.0 | 75.0 | 74.0 | 77.0 | 70.0 | 69.0 | 72.0 |
| Leukemia: | 75.0 | 73.0 | 76.0 | 75.0 | 74.0 | 77.0 | 68.0 | 66.0 | 70.0 |
| Lymphocytic: | 76.0 | 74.0 | 79.0 | 77.0 | 75.0 | 80.0 | 69.0 | 67.0 | 73.0 |
| Acute lymphocytic | 51.0 | 46.0 | 55.0 | 52.0 | 49.0 | 56.0 | 41.0 | 34.0 | 49.0 |
| Chronic lymphocytic | 79.0 | 77.0 | 82.0 | 80.0 | 78.0 | 83.0 | 73.0 | 71.0 | 76.0 |
| Other lymphocytic | 78.0 | 76.0 | 81.0 | 78.0 | 76.0 | 81.0 | 72.0 | 67.0 | 77.0 |
| Myeloid & Monocytic: | 72.0 | 72.0 | 73.0 | 73.0 | 73.0 | 74.0 | 65.0 | 64.0 | 66.0 |
| Acute myeloid | 72.0 | 72.0 | 72.0 | 72.0 | 72.0 | 73.0 | 65.0 | 65.0 | 66.0 |
| Chronic myeloid | 75.0 | 72.0 | 78.0 | 77.0 | 74.0 | 79.0 | 62.0 | 60.0 | 62.0 |
| Acute monocytic | 76.0 | 76.0 | 76.0 | 76.0 | 77.0 | 76.0 | 68.0 | - | - |
| Other myeloid & monocytic | 76.0 | 75.0 | 78.0 | 77.0 | 76.0 | 78.0 | 68.0 | 65.5 | 72.5 |
| Other leukemia: | 77.0 | 76.0 | 79.0 | 78.0 | 76.0 | 79.0 | 71.0 | 69.0 | 73.0 |
| Other acute leukemia | 77.0 | 76.0 | 78.0 | 77.0 | 76.0 | 79.0 | 72.0 | 69.5 | 73.0 |
| Aleukemic, subleukemic & NOS | 77.0 | 76.0 | 79.0 | 78.0 | 76.0 | 80.0 | 70.5 | 69.0 | 72.0 |
| Ill-defined & unspecified | 74.0 | 72.0 | 76.0 | 75.0 | 73.0 | 77.0 | 68.0 | 66.0 | 70.0 |

^a US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention.
 - Statistic could not be calculated. Less than 16 deaths occurred during the time interval.