


Partition of Trends in Incidence Rates For the Time Period 2000-2009 All Races, Both Sexes

Overall Decreasing Regression Coefficient : -2.64




Source: SEER 18 areas (San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, Utah, Atlanta, San Jose-Monterey, Los Angeles, Alaska Native Registry, Rural Georgia, California excluding SF/SJM/LA, Kentucky, Louisiana, New Jersey and Georgia excluding ATL/RG).

^a Ovary excludes borderline cases or histologies 8442, 8451, 8462, 8472, and 8473.
Percents may not add to 100 due to rounding.

Figure 1.26

Partition of Trends in Incidence Rates For the Time Period 2000-2009 All Races, Males


Overall Decreasing Regression Coefficient : -5.38



Source: SEER 18 areas (San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, Utah, Atlanta, San Jose-Monterey, Los Angeles, Alaska Native Registry, Rural Georgia, California excluding SF/SJM/LA, Kentucky, Louisiana, New Jersey and Georgia excluding ATL/RG). Percents may not add to 100 due to rounding.

Partition of Trends in Incidence Rates For the Time Period 2000-2009 All Races, Females

Overall Decreasing Regression Coefficient : -0.95




Source: SEER 18 areas (San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, Utah, Atlanta, San Jose-Monterey, Los Angeles, Alaska Native Registry, Rural Georgia, California excluding SF/SJM/LA, Kentucky, Louisiana, New Jersey and Georgia excluding ATL/RG).

^a Ovary excludes borderline cases or histologies 8442, 8451, 8462, 8472, and 8473.
Percents may not add to 100 due to rounding.

Figure 1.28

Partition of Trend in Death Rates For the Time Period 2000-2009 All Races, Both Sexes

Overall Decreasing Regression Coefficient : -2.9




Source: US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention. Percents may not add to 100 due to rounding.

Figure 1.29

Partition of Trend in Death Rates For the Time Period 2000-2009 All Races, Males

Overall Decreasing Regression Coefficient : -4.14




Source: US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention. Percents may not add to 100 due to rounding.

Figure 1.30

Partition of Trend in Death Rates For the Time Period 2000-2009 All Races, Females

Overall Decreasing Regression Coefficient : -2.27



Source: US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention. Percents may not add to 100 due to rounding.