

NATIONAL INSTITUTES OF HEALTH Diet History Questionnaire

GENERAL INSTRUCTIONS

- Answer each question as best you can. Estimate if you are not sure. A guess is better than leaving a blank.
- Use only a No. 2 pencil.
- Be certain to completely blacken in each of the answers.
- Erase completely if you make any changes.
- Do not make any stray marks on this form.
- If you blacken NEVER or NO for a question, please follow any arrows or instructions that direct you to the next question.

Statement of Confidentiality

Collection of this information is authorized by the Public Health Service Act, Section 412 (42 USC 285 a-1). Rights of study participants are protected by the Privacy Act of 1974. Participation is voluntary and there are no penalties for not participating or withdrawing from the study at any time. Participation will not influence a person's relationship with any provider of medical care or any federal program such as Social Security or Medicare. The information collected in this study will be kept confidential, and will not be disclosed to anyone but the researchers conducting this study, except as otherwise required by law. Names and other identifiers will be separated from information provided and will not appear in any report of the study. Information provided will be combined for all study participants and reported as statistical summaries. Study records will be kept for approximately 2 years past the end of the study, and then destroyed.

Public reporting burden for this collection of information is estimated to average 58 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to: NIH, Project Clearance Branch, 6705 Rockledge Drive, MSC 7974, Bethesda, MD 20892-7974. ATTN: PRA (0925-0407). Do not return the completed form to this address.

BEFORE TURNING THE PAGE, PLEASE COMPLETE THE FOLLOWING QUESTIONS.

Today's date:

MONTH	DAY	YEAR
<input type="radio"/> JAN		<input type="radio"/> 1998
<input type="radio"/> FEB		<input type="radio"/> 1999
<input type="radio"/> MAR	<input type="radio"/> 0	<input type="radio"/> 2000
<input type="radio"/> APR	<input type="radio"/> 1	<input type="radio"/> 2001
<input type="radio"/> MAY	<input type="radio"/> 2	<input type="radio"/> 2002
<input type="radio"/> JUN	<input type="radio"/> 3	<input type="radio"/> 2003
<input type="radio"/> JUL	<input type="radio"/> 4	<input type="radio"/> 2004
<input type="radio"/> AUG	<input type="radio"/> 5	<input type="radio"/> 2005
<input type="radio"/> SEP	<input type="radio"/> 6	<input type="radio"/> 2006
<input type="radio"/> OCT	<input type="radio"/> 7	
<input type="radio"/> NOV	<input type="radio"/> 8	
<input type="radio"/> DEC	<input type="radio"/> 9	

In what month were you born?

JAN
 FEB
 MAR
 APR
 MAY
 JUN
 JUL
 AUG
 SEP
 OCT
 NOV
 DEC

In what year were you born?

1 9

Are you male or female?

Male
 Female

PASTE
 PID
 LABEL
 HERE

PLEASE DO NOT WRITE IN THIS AREA



174642

1. Over the past 12 months, how often did you drink **tomato juice** or **vegetable juice**?

- NEVER (GO TO QUESTION 2)
- | | |
|--|---|
| <input type="radio"/> 1 time per month or less | <input type="radio"/> 1 time per day |
| <input type="radio"/> 2–3 times per month | <input type="radio"/> 2–3 times per day |
| <input type="radio"/> 1–2 times per week | <input type="radio"/> 4–5 times per day |
| <input type="radio"/> 3–4 times per week | <input type="radio"/> 6 or more times per day |
| <input type="radio"/> 5–6 times per week | |

1a. Each time you drank **tomato juice** or **vegetable juice**, how much did you usually drink?

- Less than $\frac{3}{4}$ cup (6 ounces)
 $\frac{3}{4}$ to $1\frac{1}{4}$ cups (6 to 10 ounces)
 More than $1\frac{1}{4}$ cups (10 ounces)

2. Over the past 12 months, how often did you drink **orange juice** or **grapefruit juice**?

- NEVER (GO TO QUESTION 3)
- | | |
|--|---|
| <input type="radio"/> 1 time per month or less | <input type="radio"/> 1 time per day |
| <input type="radio"/> 2–3 times per month | <input type="radio"/> 2–3 times per day |
| <input type="radio"/> 1–2 times per week | <input type="radio"/> 4–5 times per day |
| <input type="radio"/> 3–4 times per week | <input type="radio"/> 6 or more times per day |
| <input type="radio"/> 5–6 times per week | |

2a. Each time you drank **orange juice** or **grapefruit juice**, how much did you usually drink?

- Less than $\frac{3}{4}$ cup (6 ounces)
 $\frac{3}{4}$ to $1\frac{1}{4}$ cups (6 to 10 ounces)
 More than $1\frac{1}{4}$ cups (10 ounces)

3. Over the past 12 months, how often did you drink **other 100% fruit juice** or **100% fruit juice mixtures** (such as apple, grape, pineapple, or others)?

- NEVER (GO TO QUESTION 4)
- | | |
|--|---|
| <input type="radio"/> 1 time per month or less | <input type="radio"/> 1 time per day |
| <input type="radio"/> 2–3 times per month | <input type="radio"/> 2–3 times per day |
| <input type="radio"/> 1–2 times per week | <input type="radio"/> 4–5 times per day |
| <input type="radio"/> 3–4 times per week | <input type="radio"/> 6 or more times per day |
| <input type="radio"/> 5–6 times per week | |

3a. Each time you drank **other fruit juice** or **fruit juice mixtures**, how much did you usually drink?

- Less than $\frac{3}{4}$ cup (6 ounces)
 $\frac{3}{4}$ to $1\frac{1}{2}$ cups (6 to 12 ounces)
 More than $1\frac{1}{2}$ cups (12 ounces)

Question 4 appears in the next column.

Over the past 12 months...

4. How often did you drink other **fruit drinks** (such as cranberry cocktail, Hi-C, lemonade, or Kool-Aid, diet or regular)?

- NEVER (GO TO QUESTION 5)
- | | |
|--|---|
| <input type="radio"/> 1 time per month or less | <input type="radio"/> 1 time per day |
| <input type="radio"/> 2–3 times per month | <input type="radio"/> 2–3 times per day |
| <input type="radio"/> 1–2 times per week | <input type="radio"/> 4–5 times per day |
| <input type="radio"/> 3–4 times per week | <input type="radio"/> 6 or more times per day |
| <input type="radio"/> 5–6 times per week | |

4a. Each time you drank **fruit drinks**, how much did you usually drink?

- Less than 1 cup (8 ounces)
 1 to 2 cups (8 to 16 ounces)
 More than 2 cups (16 ounces)

4b. How often were your fruit drinks **diet** or **sugar-free drinks**?

- Almost never or never
 About $\frac{1}{4}$ of the time
 About $\frac{1}{2}$ of the time
 About $\frac{3}{4}$ of the time
 Almost always or always

5. How often did you drink **milk as a beverage** (NOT in coffee, NOT in cereal)? (Please include chocolate milk and hot chocolate.)

- NEVER (GO TO QUESTION 6)
- | | |
|--|---|
| <input type="radio"/> 1 time per month or less | <input type="radio"/> 1 time per day |
| <input type="radio"/> 2–3 times per month | <input type="radio"/> 2–3 times per day |
| <input type="radio"/> 1–2 times per week | <input type="radio"/> 4–5 times per day |
| <input type="radio"/> 3–4 times per week | <input type="radio"/> 6 or more times per day |
| <input type="radio"/> 5–6 times per week | |

5a. Each time you drank **milk as a beverage**, how much did you usually drink?

- Less than 1 cup (8 ounces)
 1 to $1\frac{1}{2}$ cups (8 to 12 ounces)
 More than $1\frac{1}{2}$ cups (12 ounces)

5b. What kind of **milk** did you usually drink?

- Whole milk
 2% fat milk
 1% fat milk
 Skim, nonfat, or $\frac{1}{2}$ % fat milk
 Soy milk
 Rice milk
 Other

Question 6 appears on the next page.

Over the past 12 months...

6. How often did you drink **meal replacement, energy, or high-protein beverages** such as Instant Breakfast, Ensure, Slimfast, Sustacal or others?

NEVER (GO TO QUESTION 7)

- | | |
|--|---|
| <input type="radio"/> 1 time per month or less | <input type="radio"/> 1 time per day |
| <input type="radio"/> 2-3 times per month | <input type="radio"/> 2-3 times per day |
| <input type="radio"/> 1-2 times per week | <input type="radio"/> 4-5 times per day |
| <input type="radio"/> 3-4 times per week | <input type="radio"/> 6 or more times |
| <input type="radio"/> 5-6 times per week | per day |

6a. Each time you drank **meal replacement beverages**, how much did you usually drink?

- Less than 1 cup (8 ounces)
 1 to 1½ cups (8 to 12 ounces)
 More than 1½ cups (12 ounces)

7. Over the past 12 months, did you drink **soft drinks, soda, or pop**?

NO (GO TO QUESTION 8)

YES

7a. How often did you drink **soft drinks, soda, or pop IN THE SUMMER**?

- NEVER
- | | |
|--|---|
| <input type="radio"/> 1 time per month or less | <input type="radio"/> 1 time per day |
| <input type="radio"/> 2-3 times per month | <input type="radio"/> 2-3 times per day |
| <input type="radio"/> 1-2 times per week | <input type="radio"/> 4-5 times per day |
| <input type="radio"/> 3-4 times per week | <input type="radio"/> 6 or more times |
| <input type="radio"/> 5-6 times per week | per day |

7b. How often did you drink **soft drinks, soda, or pop DURING THE REST OF THE YEAR**?

- NEVER
- | | |
|--|---|
| <input type="radio"/> 1 time per month or less | <input type="radio"/> 1 time per day |
| <input type="radio"/> 2-3 times per month | <input type="radio"/> 2-3 times per day |
| <input type="radio"/> 1-2 times per week | <input type="radio"/> 4-5 times per day |
| <input type="radio"/> 3-4 times per week | <input type="radio"/> 6 or more times |
| <input type="radio"/> 5-6 times per week | per day |

7c. Each time you drank **soft drinks, soda, or pop**, how much did you usually drink?

- Less than 12 ounces or less than 1 can or bottle
 12 to 16 ounces or 1 can or bottle
 More than 16 ounces or more than 1 can or bottle

Question 8 appears in the next column.

7d. How often were these soft drinks, soda, or pop **diet or sugar-free**?

- Almost never or never
 About ¼ of the time
 About ½ of the time
 About ¾ of the time
 Almost always or always

7e. How often were these soft drinks, soda, or pop **caffeine-free**?

- Almost never or never
 About ¼ of the time
 About ½ of the time
 About ¾ of the time
 Almost always or always

8. Over the past 12 months, did you drink **beer**?

NO (GO TO QUESTION 9)

YES

8a. How often did you drink **beer IN THE SUMMER**?

- NEVER
- | | |
|--|---|
| <input type="radio"/> 1 time per month or less | <input type="radio"/> 1 time per day |
| <input type="radio"/> 2-3 times per month | <input type="radio"/> 2-3 times per day |
| <input type="radio"/> 1-2 times per week | <input type="radio"/> 4-5 times per day |
| <input type="radio"/> 3-4 times per week | <input type="radio"/> 6 or more times |
| <input type="radio"/> 5-6 times per week | per day |

8b. How often did you drink **beer DURING THE REST OF THE YEAR**?

- NEVER
- | | |
|--|---|
| <input type="radio"/> 1 time per month or less | <input type="radio"/> 1 time per day |
| <input type="radio"/> 2-3 times per month | <input type="radio"/> 2-3 times per day |
| <input type="radio"/> 1-2 times per week | <input type="radio"/> 4-5 times per day |
| <input type="radio"/> 3-4 times per week | <input type="radio"/> 6 or more times |
| <input type="radio"/> 5-6 times per week | per day |

8c. Each time you drank **beer**, how much did you usually drink?

- Less than a 12-ounce can or bottle
 1 to 3 12-ounce cans or bottles
 More than 3 12-ounce cans or bottles



Question 9 appears on the next page.

Over the past 12 months...

9. How often did you drink **wine** or **wine coolers**?

- NEVER (GO TO QUESTION 10)
- 1 time per month or less
- 2-3 times per month
- 1-2 times per week
- 3-4 times per week
- 5-6 times per week
- 1 time per day
- 2-3 times per day
- 4-5 times per day
- 6 or more times per day

9a. Each time you drank **wine** or **wine coolers**, how much did you usually drink?

- Less than 5 ounces or less than 1 glass
- 5 to 12 ounces or 1 to 2 glasses
- More than 12 ounces or more than 2 glasses

10. How often did you drink **liquor** or **mixed drinks**?

- NEVER (GO TO QUESTION 11)
- 1 time per month or less
- 2-3 times per month
- 1-2 times per week
- 3-4 times per week
- 5-6 times per week
- 1 time per day
- 2-3 times per day
- 4-5 times per day
- 6 or more times per day

10a. Each time you drank **liquor** or **mixed drinks**, how much did you usually drink?

- Less than 1 shot of liquor
- 1 to 3 shots of liquor
- More than 3 shots of liquor

11. Over the past 12 months, did you eat **oatmeal, grits, or other cooked cereal**?

- NO (GO TO QUESTION 12)
- YES

11a. How often did you eat **oatmeal, grits, or other cooked cereal IN THE WINTER**?

- NEVER
- 1-6 times per winter
- 7-11 times per winter
- 1 time per month
- 2-3 times per month
- 1 time per week
- 2 times per week
- 3-4 times per week
- 5-6 times per week
- 1 time per day
- 2 or more times per day

Question 12 appears in the next column.

11b. How often did you eat **oatmeal, grits, or other cooked cereal DURING THE REST OF THE YEAR**?

- NEVER
- 1-6 times per year
- 7-11 times per year
- 1 time per month
- 2-3 times per month
- 1 time per week
- 2 times per week
- 3-4 times per week
- 5-6 times per week
- 1 time per day
- 2 or more times per day

11c. Each time you ate **oatmeal, grits, or other cooked cereal**, how much did you usually eat?

- Less than $\frac{3}{4}$ cup
- $\frac{3}{4}$ to $1\frac{1}{4}$ cups
- More than $1\frac{1}{4}$ cups

12. How often did you eat **cold cereal**?

- NEVER (GO TO QUESTION 13)
- 1-6 times per year
- 7-11 times per year
- 1 time per month
- 2-3 times per month
- 1 time per week
- 2 times per week
- 3-4 times per week
- 5-6 times per week
- 1 time per day
- 2 or more times per day

12a. Each time you ate **cold cereal**, how much did you usually eat?

- Less than 1 cup
- 1 to $2\frac{1}{2}$ cups
- More than $2\frac{1}{2}$ cups

12b. How often was the cold cereal you ate **Total, Product 19, or Right Start**?

- Almost never or never
- About $\frac{1}{4}$ of the time
- About $\frac{1}{2}$ of the time
- About $\frac{3}{4}$ of the time
- Almost always or always

12c. How often was the cold cereal you ate **All Bran, Fiber One, 100% Bran, or Bran Buds**?

- Almost never or never
- About $\frac{1}{4}$ of the time
- About $\frac{1}{2}$ of the time
- About $\frac{3}{4}$ of the time
- Almost always or always

Question 13 appears on the next page.

Over the past 12 months...

12d. How often was the cold cereal you ate **some other bran or fiber cereal** (such as Cheerios, Shredded Wheat, Raisin Bran, Bran Flakes, Grape-Nuts, Granola, Wheaties, or Healthy Choice)?

- Almost never or never
- About 1/4 of the time
- About 1/2 of the time
- About 3/4 of the time
- Almost always or always

12e. How often was the cold cereal you ate any **other type of cold cereal** (such as Corn Flakes, Rice Krispies, Frosted Flakes, Special K, Froot Loops, Cap'n Crunch, or others)?

- Almost never or never
- About 1/4 of the time
- About 1/2 of the time
- About 3/4 of the time
- Almost always or always

12f. Was **milk** added to your cold cereal?

NO (GO TO QUESTION 13)

YES

12g. What kind of **milk** was usually added?

- Whole milk
- 2% fat milk
- 1% fat milk
- Skim, nonfat, or 1/2% fat milk
- Soy milk
- Rice milk
- Other

12h. Each time **milk was added to your cold cereal**, how much was usually added?

- Less than 1/2 cup
- 1/2 to 1 cup
- More than 1 cup

13. How often did you eat **applesauce**?

NEVER (GO TO QUESTION 14)

- 1-6 times per year
- 7-11 times per year
- 1 time per month
- 2-3 times per month
- 1 time per week
- 2 times per week
- 3-4 times per week
- 5-6 times per week
- 1 time per day
- 2 or more times per day

Question 14 appears in the next column.

13a. Each time you ate **applesauce**, how much did you usually eat?

- Less than 1/2 cup
- 1/2 to 1 cup
- More than 1 cup

14. How often did you eat **apples**?

NEVER (GO TO QUESTION 15)

- 1-6 times per year
- 7-11 times per year
- 1 time per month
- 2-3 times per month
- 1 time per week
- 2 times per week
- 3-4 times per week
- 5-6 times per week
- 1 time per day
- 2 or more times per day

14a. Each time you ate **apples**, how many did you usually eat?

- Less than 1 apple
- 1 apple
- More than 1 apple

15. How often did you eat **pears** (fresh, canned, or frozen)?

NEVER (GO TO QUESTION 16)

- 1-6 times per year
- 7-11 times per year
- 1 time per month
- 2-3 times per month
- 1 time per week
- 2 times per week
- 3-4 times per week
- 5-6 times per week
- 1 time per day
- 2 or more times per day

15a. Each time you ate **pears**, how much did you usually eat?

- Less than 1 pear
- 1 pear
- More than 1 pear

16. How often did you eat **bananas**?

NEVER (GO TO QUESTION 17)

- 1-6 times per year
- 7-11 times per year
- 1 time per month
- 2-3 times per month
- 1 time per week
- 2 times per week
- 3-4 times per week
- 5-6 times per week
- 1 time per day
- 2 or more times per day

Question 17 appears on the next page.

Over the past 12 months...

16a. Each time you ate **bananas**, how many did you usually eat?

- Less than 1 banana
- 1 banana
- More than 1 banana

17. How often did you eat **dried fruit**, such as prunes or raisins (not including dried apricots)?

- NEVER (GO TO QUESTION 18)
- 1–6 times per year
- 7–11 times per year
- 1 time per month
- 2–3 times per month
- 1 time per week
- 2 times per week
- 3–4 times per week
- 5–6 times per week
- 1 time per day
- 2 or more times per day

17a. Each time you ate **dried fruit**, how much did you usually eat (not including dried apricots)?

- Less than 2 tablespoons
- 2 to 5 tablespoons
- More than 5 tablespoons

18. Over the past 12 months, did you eat **peaches, nectarines, or plums**?

- NO (GO TO QUESTION 19)
- YES

18a. How often did you eat **fresh peaches, nectarines, or plums** WHEN IN SEASON?

- NEVER
- 1–6 times per season
- 7–11 times per season
- 1 time per month
- 2–3 times per month
- 1 time per week
- 2 times per week
- 3–4 times per week
- 5–6 times per week
- 1 time per day
- 2 or more times per day

18b. How often did you eat **peaches, nectarines, or plums** (fresh, canned, or frozen) **DURING THE REST OF THE YEAR**?

- NEVER
- 1–6 times per year
- 7–11 times per year
- 1 time per month
- 2–3 times per month
- 1 time per week
- 2 times per week
- 3–4 times per week
- 5–6 times per week
- 1 time per day
- 2 or more times per day

Question 19 appears in the next column.

18c. Each time you ate **peaches, nectarines, or plums**, how much did you usually eat?

- Less than 1 fruit or less than $\frac{1}{2}$ cup
- 1 to 2 fruits or $\frac{1}{2}$ to $\frac{3}{4}$ cup
- More than 2 fruits or more than $\frac{3}{4}$ cup

19. How often did you eat **grapes**?

- NEVER (GO TO QUESTION 20)
- 1–6 times per year
- 7–11 times per year
- 1 time per month
- 2–3 times per month
- 1 time per week
- 2 times per week
- 3–4 times per week
- 5–6 times per week
- 1 time per day
- 2 or more times per day

19a. Each time you ate **grapes**, how much did you usually eat?

- Less than $\frac{1}{2}$ cup or less than 10 grapes
- $\frac{1}{2}$ to 1 cup or 10 to 30 grapes
- More than 1 cup or more than 30 grapes

20. Over the past 12 months, did you eat **cantaloupe**?

- NO (GO TO QUESTION 21)
- YES

20a. How often did you eat **fresh cantaloupe** **WHEN IN SEASON**?

- NEVER
- 1–6 times per season
- 7–11 times per season
- 1 time per month
- 2–3 times per month
- 1 time per week
- 2 times per week
- 3–4 times per week
- 5–6 times per week
- 1 time per day
- 2 or more times per day

20b. How often did you eat **fresh or frozen cantaloupe** **DURING THE REST OF THE YEAR**?

- NEVER
- 1–6 times per year
- 7–11 times per year
- 1 time per month
- 2–3 times per month
- 1 time per week
- 2 times per week
- 3–4 times per week
- 5–6 times per week
- 1 time per day
- 2 or more times per day

Question 21 appears on the next page.

Over the past 12 months...

20c. Each time you ate **cantaloupe**, how much did you usually eat?

- Less than $\frac{1}{4}$ melon or less than $\frac{1}{2}$ cup
- $\frac{1}{4}$ melon or $\frac{1}{2}$ to 1 cup
- More than $\frac{1}{4}$ melon or more than 1 cup

21. Over the past 12 months, did you eat **melon, other than cantaloupe** (such as watermelon or honeydew)?

NO (GO TO QUESTION 22)

YES

21a. How often did you eat **fresh melon, other than cantaloupe**, (such as watermelon or honeydew) **WHEN IN SEASON?**

- NEVER
- 1–6 times per season
- 7–11 times per season
- 1 time per month
- 2–3 times per month
- 1 time per week
- 2 times per week
- 3–4 times per week
- 5–6 times per week
- 1 time per day
- 2 or more times per day

21b. How often did you eat **fresh or frozen melon, other than cantaloupe** (such as watermelon or honeydew) **DURING THE REST OF THE YEAR?**

- NEVER
- 1–6 times per year
- 7–11 times per year
- 1 time per month
- 2–3 times per month
- 1 time per week
- 2 times per week
- 3–4 times per week
- 5–6 times per week
- 1 time per day
- 2 or more times per day

21c. Each time you ate **melon other than cantaloupe**, how much did you usually eat?

- Less than $\frac{1}{2}$ cup or 1 small wedge
- $\frac{1}{2}$ to 2 cups or 1 medium wedge
- More than 2 cups or 1 large wedge



Question 22 appears in the next column.

22. Over the past 12 months, did you eat **strawberries**?

NO (GO TO QUESTION 23)

YES

22a. How often did you eat **fresh strawberries** **WHEN IN SEASON?**

- NEVER
- 1–6 times per season
- 7–11 times per season
- 1 time per month
- 2–3 times per month
- 1 time per week
- 2 times per week
- 3–4 times per week
- 5–6 times per week
- 1 time per day
- 2 or more times per day

22b. How often did you eat **fresh or frozen strawberries** **DURING THE REST OF THE YEAR?**

- NEVER
- 1–6 times per year
- 7–11 times per year
- 1 time per month
- 2–3 times per month
- 1 time per week
- 2 times per week
- 3–4 times per week
- 5–6 times per week
- 1 time per day
- 2 or more times per day

22c. Each time you ate **strawberries**, how much did you usually eat?

- Less than $\frac{1}{4}$ cup or less than 3 berries
- $\frac{1}{4}$ to $\frac{3}{4}$ cup or 3 to 8 berries
- More than $\frac{3}{4}$ cup or more than 8 berries

23. Over the past 12 months, did you eat **oranges, tangerines, or tangelos**?

NO (GO TO QUESTION 24)

YES

23a. How often did you eat **fresh oranges, tangerines, or tangelos** **WHEN IN SEASON?**

- NEVER
- 1–6 times per season
- 7–11 times per season
- 1 time per month
- 2–3 times per month
- 1 time per week
- 2 times per week
- 3–4 times per week
- 5–6 times per week
- 1 time per day
- 2 or more times per day

Question 24 appears on the next page.

Over the past 12 months...

23b. How often did you eat **oranges, tangerines, or tangelos** (fresh or canned) **DURING THE REST OF THE YEAR?**

- NEVER
- 1–6 times per year
- 7–11 times per year
- 1 time per month
- 2–3 times per month
- 1 time per week
- 2 times per week
- 3–4 times per week
- 5–6 times per week
- 1 time per day
- 2 or more times per day

23c. Each time you ate **oranges, tangerines, or tangelos**, how many did you usually eat?

- Less than 1 fruit
- 1 fruit
- More than 1 fruit

24. Over the past 12 months, did you eat **grapefruit**?

NO (GO TO QUESTION 25)

YES

24a. How often did you eat **fresh grapefruit** **WHEN IN SEASON?**

- NEVER
- 1–6 times per season
- 7–11 times per season
- 1 time per month
- 2–3 times per month
- 1 time per week
- 2 times per week
- 3–4 times per week
- 5–6 times per week
- 1 time per day
- 2 or more times per day

24b. How often did you eat **grapefruit** (fresh or canned) **DURING THE REST OF THE YEAR?**

- Never
- 1–6 times per year
- 7–11 times per year
- 1 time per month
- 2–3 times per month
- 1 time per week
- 2 times per week
- 3–4 times per week
- 5–6 times per week
- 1 time per day
- 2 or more times per day

24c. Each time you ate **grapefruit**, how much did you usually eat?

- Less than 1/2 grapefruit
- 1/2 grapefruit
- More than 1/2 grapefruit

Question 25 appears in the next column.

25. How often did you eat **other kinds of fruit**?

- NEVER (GO TO QUESTION 26)
- 1–6 times per year
- 7–11 times per year
- 1 time per month
- 2–3 times per month
- 1 time per week
- 2 times per week
- 3–4 times per week
- 5–6 times per week
- 1 time per day
- 2 or more times per day

25a. Each time you ate **other kinds of fruit**, how much did you usually eat?

- Less than 1/4 cup
- 1/4 to 3/4 cup
- More than 3/4 cup

26. How often did you eat **COOKED greens** (such as spinach, turnip, collard, mustard, chard, or kale)?

- NEVER (GO TO QUESTION 27)
- 1–6 times per year
- 7–11 times per year
- 1 time per month
- 2–3 times per month
- 1 time per week
- 2 times per week
- 3–4 times per week
- 5–6 times per week
- 1 time per day
- 2 or more times per day

26a. Each time you ate **COOKED greens**, how much did you usually eat?

- Less than 1/2 cup
- 1/2 to 1 cup
- More than 1 cup

27. How often did you eat **RAW greens** (such as spinach, turnip, collard, mustard, chard, or kale)? (*We will ask about lettuce later.*)

- NEVER (GO TO QUESTION 28)
- 1–6 times per year
- 7–11 times per year
- 1 time per month
- 2–3 times per month
- 1 time per week
- 2 times per week
- 3–4 times per week
- 5–6 times per week
- 1 time per day
- 2 or more times per day

27a. Each time you ate **RAW greens**, how much did you usually eat?

- Less than 1/2 cup
- 1/2 to 1 cup
- More than 1 cup

Question 28 appears on the next page.

Over the past 12 months...

28. How often did you eat **coleslaw**?

- NEVER (GO TO QUESTION 29)
- 1–6 times per year 2 times per week
- 7–11 times per year 3–4 times per week
- 1 time per month 5–6 times per week
- 2–3 times per month 1 time per day
- 1 time per week 2 or more times per day

28a. Each time you ate **coleslaw**, how much did you usually eat?

- Less than 1/4 cup
- 1/4 to 3/4 cup
- More than 3/4 cup

29. How often did you eat **sauerkraut** or **cabbage** (other than coleslaw)?

- NEVER (GO TO QUESTION 30)
- 1–6 times per year 2 times per week
- 7–11 times per year 3–4 times per week
- 1 time per month 5–6 times per week
- 2–3 times per month 1 time per day
- 1 time per week 2 or more times per day

29a. Each time you ate **cabbage** or **sauerkraut**, how much did you usually eat?

- Less than 1/4 cup
- 1/4 to 1 cup
- More than 1 cup

30. How often did you eat **carrots** (fresh, canned, or frozen)?

- NEVER (GO TO QUESTION 31)
- 1–6 times per year 2 times per week
- 7–11 times per year 3–4 times per week
- 1 time per month 5–6 times per week
- 2–3 times per month 1 time per day
- 1 time per week 2 or more times per day

30a. Each time you ate **carrots**, how much did you usually eat?

- Less than 1/4 cup or less than 2 baby carrots
- 1/4 to 1/2 cup or 2 to 5 baby carrots
- More than 1/2 cup or more than 5 baby carrots

31. How often did you eat **string beans** or **green beans** (fresh, canned, or frozen)?

- NEVER (GO TO QUESTION 32)
- 1–6 times per year 2 times per week
- 7–11 times per year 3–4 times per week
- 1 time per month 5–6 times per week
- 2–3 times per month 1 time per day
- 1 time per week 2 or more times per day

31a. Each time you ate **string beans** or **green beans**, how much did you usually eat?

- Less than 1/2 cup
- 1/2 to 1 cup
- More than 1 cup

32. How often did you eat **peas** (fresh, canned, or frozen)?

- NEVER (GO TO QUESTION 33)
- 1–6 times per year 2 times per week
- 7–11 times per year 3–4 times per week
- 1 time per month 5–6 times per week
- 2–3 times per month 1 time per day
- 1 time per week 2 or more times per day

32a. Each time you ate **peas**, how much did you usually eat?

- Less than 1/4 cup
- 1/4 to 3/4 cup
- More than 3/4 cup

33. Over the past 12 months, did you eat **corn**?

- NO (GO TO QUESTION 34)
- YES

33a. How often did you eat **fresh corn** WHEN IN SEASON?

- NEVER
- 1–6 times per season 2 times per week
- 7–11 times per season 3–4 times per week
- 1 time per month 5–6 times per week
- 2–3 times per month 1 time per day
- 1 time per week 2 or more times per day

Question 31 appears in the next column.

Question 34 appears on the next page.

Over the past 12 months...

33b. How often did you eat **corn** (fresh, canned, or frozen) **DURING THE REST OF THE YEAR**?

- NEVER
- 1–6 times per year 2 times per week
- 7–11 times per year 3–4 times per week
- 1 time per month 5–6 times per week
- 2–3 times per month 1 time per day
- 1 time per week 2 or more times per day

33c. Each time you ate **corn**, how much did you usually eat?

- Less than 1 ear or less than 1/2 cup
- 1 ear or 1/2 to 1 cup
- More than 1 ear or more than 1 cup

34. Over the past 12 months, how often did you eat **broccoli** (fresh or frozen)?

- NEVER (GO TO QUESTION 35)
- 1–6 times per year 2 times per week
- 7–11 times per year 3–4 times per week
- 1 time per month 5–6 times per week
- 2–3 times per month 1 time per day
- 1 time per week 2 or more times per day

34a. Each time you ate **broccoli**, how much did you usually eat?

- Less than 1/4 cup
- 1/4 to 1 cup
- More than 1 cup

35. How often did you eat **cauliflower** or **Brussels sprouts** (fresh or frozen)?

- NEVER (GO TO QUESTION 36)
- 1–6 times per year 2 times per week
- 7–11 times per year 3–4 times per week
- 1 time per month 5–6 times per week
- 2–3 times per month 1 time per day
- 1 time per week 2 or more times per day

35a. Each time you ate **cauliflower** or **Brussels sprouts**, how much did you usually eat?

- Less than 1/4 cup
- 1/4 to 1/2 cup
- More than 1/2 cup

Question 36 appears in the next column.

36. How often did you eat **mixed vegetables**?

- NEVER (GO TO QUESTION 37)
- 1–6 times per year 2 times per week
- 7–11 times per year 3–4 times per week
- 1 time per month 5–6 times per week
- 2–3 times per month 1 time per day
- 1 time per week 2 or more times per day

36a. Each time you ate **mixed vegetables**, how much did you usually eat?

- Less than 1/2 cup
- 1/2 to 1 cup
- More than 1 cup

37. How often did you eat **onions**?

- NEVER (GO TO QUESTION 38)
- 1–6 times per year 2 times per week
- 7–11 times per year 3–4 times per week
- 1 time per month 5–6 times per week
- 2–3 times per month 1 time per day
- 1 time per week 2 or more times per day

37a. Each time you ate **onions**, how much did you usually eat?

- Less than 1 slice or less than 1 tablespoon
- 1 slice or 1 to 4 tablespoons
- More than 1 slice or more than 4 tablespoons

38. Now think about all the **cooked vegetables** you ate in the past 12 months and how they were prepared. How often were your vegetables **COOKED WITH** some sort of **fat**, including oil spray? (*Please do not include potatoes.*)

- NEVER (GO TO QUESTION 39)
- 1–6 times per year 2 times per week
- 7–11 times per year 3–4 times per week
- 1 time per month 5–6 times per week
- 2–3 times per month 1 time per day
- 1 time per week 2 or more times per day



Question 39 appears on the next page.

Over the past 12 months...

38a. Which fats were usually added to your vegetables **DURING COOKING**? (Please do not include potatoes. Mark as many as apply.)

- Margarine (including low-fat)
- Butter (including low-fat)
- Lard, fatback, or bacon fat
- Olive oil
- Corn oil
- Canola or rapeseed oil
- Oil spray, such as Pam or others
- Other kinds of oils
- None of the above

39. Now, thinking again about all the **cooked vegetables** you ate in the past 12 months, how often was some sort of fat, sauce, or dressing added **AFTER COOKING OR AT THE TABLE**? (Please do not include potatoes.)

- NEVER (GO TO QUESTION 40)
- 1-6 times per year
- 7-11 times per year
- 1 time per month
- 2-3 times per month
- 1-2 times per week
- 3-4 times per week
- 5-6 times per week
- 1 time per day
- 2 times per day
- 3 or more times per day

39a. Which fats, sauces, or dressings were usually added **AFTER COOKING OR AT THE TABLE**? (Please do not include potatoes. Mark as many as apply.)

- Margarine (including low-fat)
- Butter (including low-fat)
- Lard, fatback, or bacon fat
- Salad dressing
- Cheese sauce
- White sauce
- Other

39b. If margarine, butter, lard, fatback, or bacon fat was added to your cooked vegetables **AFTER COOKING OR AT THE TABLE**, how much did you usually add?

- Did not usually add these
- Less than 1 teaspoon
- 1 to 3 teaspoons
- More than 3 teaspoons

39c. If salad dressing, cheese sauce, or white sauce was added to your cooked vegetables **AFTER COOKING OR AT THE TABLE**, how much did you usually add?

- Did not usually add these
- Less than 1 tablespoon
- 1 to 3 tablespoons
- More than 3 tablespoons

Question 40 appears in the next column.

40. Over the past 12 months, how often did you eat **sweet peppers** (green, red, or yellow)?

- NEVER (GO TO QUESTION 41)
- 1-6 times per year
- 7-11 times per year
- 1 time per month
- 2-3 times per month
- 1 time per week
- 2 times per week
- 3-4 times per week
- 5-6 times per week
- 1 time per day
- 2 or more times per day

40a. Each time you ate **sweet peppers**, how much did you usually eat?

- Less than 1/8 pepper
- 1/8 to 1/4 pepper
- More than 1/4 pepper

41. Over the past 12 months, did you eat **fresh tomatoes** (including those in salads)?

- NO (GO TO QUESTION 42)
- YES

41a. How often did you eat **fresh tomatoes** (including those in salads) **WHEN IN SEASON**?

- NEVER
- 1-6 times per season
- 7-11 times per season
- 1 time per month
- 2-3 times per month
- 1 time per week
- 2 times per week
- 3-4 times per week
- 5-6 times per week
- 1 time per day
- 2 or more times per day

41b. How often did you eat **fresh tomatoes** (including those in salads) **DURING THE REST OF THE YEAR**?

- NEVER
- 1-6 times per year
- 7-11 times per year
- 1 time per month
- 2-3 times per month
- 1 time per week
- 2 times per week
- 3-4 times per week
- 5-6 times per week
- 1 time per day
- 2 or more times per day

41c. Each time you ate **fresh tomatoes**, how much did you usually eat?

- Less than 1/4 tomato
- 1/4 to 1/2 tomato
- More than 1/2 tomato

Question 42 appears on the next page.

Over the past 12 months...

42. How often did you eat **lettuce salads** (with or without other vegetables)?

- NEVER (GO TO QUESTION 43)
- | | |
|---|---|
| <input type="radio"/> 1–6 times per year | <input type="radio"/> 2 times per week |
| <input type="radio"/> 7–11 times per year | <input type="radio"/> 3–4 times per week |
| <input type="radio"/> 1 time per month | <input type="radio"/> 5–6 times per week |
| <input type="radio"/> 2–3 times per month | <input type="radio"/> 1 time per day |
| <input type="radio"/> 1 time per week | <input type="radio"/> 2 or more times per day |

42a. Each time you ate **lettuce salads**, how much did you usually eat?

- Less than $\frac{1}{4}$ cup
 $\frac{1}{4}$ to $1\frac{1}{4}$ cups
 More than $1\frac{1}{4}$ cups

43. How often did you eat **salad dressing** (including low-fat) on salads?

- NEVER (GO TO QUESTION 44)
- | | |
|---|---|
| <input type="radio"/> 1–6 times per year | <input type="radio"/> 2 times per week |
| <input type="radio"/> 7–11 times per year | <input type="radio"/> 3–4 times per week |
| <input type="radio"/> 1 time per month | <input type="radio"/> 5–6 times per week |
| <input type="radio"/> 2–3 times per month | <input type="radio"/> 1 time per day |
| <input type="radio"/> 1 time per week | <input type="radio"/> 2 or more times per day |

43a. Each time you ate **salad dressing** on salads, how much did you usually eat?

- Less than 2 tablespoons
 2 to 4 tablespoons
 More than 4 tablespoons

44. How often did you eat **sweet potatoes** or **yams**?

- NEVER (GO TO QUESTION 45)
- | | |
|---|---|
| <input type="radio"/> 1–6 times per year | <input type="radio"/> 2 times per week |
| <input type="radio"/> 7–11 times per year | <input type="radio"/> 3–4 times per week |
| <input type="radio"/> 1 time per month | <input type="radio"/> 5–6 times per week |
| <input type="radio"/> 2–3 times per month | <input type="radio"/> 1 time per day |
| <input type="radio"/> 1 time per week | <input type="radio"/> 2 or more times per day |

44a. Each time you ate **sweet potatoes** or **yams**, how much did you usually eat?

- 1 small potato or less than $\frac{1}{4}$ cup
 1 medium potato or $\frac{1}{4}$ to $\frac{3}{4}$ cup
 1 large potato or more than $\frac{3}{4}$ cup

Question 45 appears in the next column.

45. How often did you eat **French fries, home fries, hash browned potatoes, or tater tots**?

- NEVER (GO TO QUESTION 46)
- | | |
|---|---|
| <input type="radio"/> 1–6 times per year | <input type="radio"/> 2 times per week |
| <input type="radio"/> 7–11 times per year | <input type="radio"/> 3–4 times per week |
| <input type="radio"/> 1 time per month | <input type="radio"/> 5–6 times per week |
| <input type="radio"/> 2–3 times per month | <input type="radio"/> 1 time per day |
| <input type="radio"/> 1 time per week | <input type="radio"/> 2 or more times per day |

45a. Each time you ate **French fries, home fries, hash browned potatoes, or tater tots** how much did you usually eat?

- Less than 10 fries or less than $\frac{1}{2}$ cup
 10 to 25 fries or $\frac{1}{2}$ to 1 cup
 More than 25 fries or more than 1 cup

46. How often did you eat **potato salad**?

- NEVER (GO TO QUESTION 47)
- | | |
|---|---|
| <input type="radio"/> 1–6 times per year | <input type="radio"/> 2 times per week |
| <input type="radio"/> 7–11 times per year | <input type="radio"/> 3–4 times per week |
| <input type="radio"/> 1 time per month | <input type="radio"/> 5–6 times per week |
| <input type="radio"/> 2–3 times per month | <input type="radio"/> 1 time per day |
| <input type="radio"/> 1 time per week | <input type="radio"/> 2 or more times per day |

46a. Each time you ate **potato salad**, how much did you usually eat?

- Less than $\frac{1}{2}$ cup
 $\frac{1}{2}$ to 1 cup
 More than 1 cup

47. How often did you eat **baked, boiled, or mashed potatoes**?

- NEVER (GO TO QUESTION 48)
- | | |
|---|---|
| <input type="radio"/> 1–6 times per year | <input type="radio"/> 2 times per week |
| <input type="radio"/> 7–11 times per year | <input type="radio"/> 3–4 times per week |
| <input type="radio"/> 1 time per month | <input type="radio"/> 5–6 times per week |
| <input type="radio"/> 2–3 times per month | <input type="radio"/> 1 time per day |
| <input type="radio"/> 1 time per week | <input type="radio"/> 2 or more times per day |

47a. Each time you ate **baked, boiled, or mashed potatoes**, how much did you usually eat?

- 1 small potato or less than $\frac{1}{2}$ cup
 1 medium potato or $\frac{1}{2}$ to 1 cup
 1 large potato or more than 1 cup

Question 48 appears on the next page.

Over the past 12 months...

47b. How often was **sour cream** (including low-fat) added to your potatoes, **EITHER IN COOKING OR AT THE TABLE?**

- Almost never or never (GO TO QUESTION 47d)
- About $\frac{1}{4}$ of the time
- About $\frac{1}{2}$ of the time
- About $\frac{3}{4}$ of the time
- Almost always or always

47c. Each time **sour cream** was added to your potatoes, how much was usually added?

- Less than 1 tablespoon
- 1 to 3 tablespoons
- More than 3 tablespoons

47d. How often was **margarine** (including low-fat) added to your potatoes, **EITHER IN COOKING OR AT THE TABLE?**

- Almost never or never
- About $\frac{1}{4}$ of the time
- About $\frac{1}{2}$ of the time
- About $\frac{3}{4}$ of the time
- Almost always or always

47e. How often was **butter** (including low-fat) added to your potatoes, **EITHER IN COOKING OR AT THE TABLE?**

- Almost never or never
- About $\frac{1}{4}$ of the time
- About $\frac{1}{2}$ of the time
- About $\frac{3}{4}$ of the time
- Almost always or always

47f. Each time **margarine** or **butter** was added to your potatoes, how much was usually added?

- Never added
- Less than 1 teaspoon
- 1 to 3 teaspoons
- More than 3 teaspoons

47g. How often was **cheese** or **cheese sauce** added to your potatoes, **EITHER IN COOKING OR AT THE TABLE?**

- Almost never or never (GO TO QUESTION 48)
- About $\frac{1}{4}$ of the time
- About $\frac{1}{2}$ of the time
- About $\frac{3}{4}$ of the time
- Almost always or always

47h. Each time **cheese** or **cheese sauce** was added to your potatoes, how much was usually added?

- Less than 1 tablespoon
- 1 to 3 tablespoons
- More than 3 tablespoons

48. How often did you eat **salsa**?

NEVER (GO TO QUESTION 49)

- 1–6 times per year
- 7–11 times per year
- 1 time per month
- 2–3 times per month
- 1 time per week
- 2 times per week
- 3–4 times per week
- 5–6 times per week
- 1 time per day
- 2 or more times per day

48a. Each time you ate **salsa**, how much did you usually eat?

- Less than 1 tablespoon
- 1 to 5 tablespoons
- More than 5 tablespoons

49. How often did you eat **catsup**?

NEVER (GO TO QUESTION 50)

- 1–6 times per year
- 7–11 times per year
- 1 time per month
- 2–3 times per month
- 1 time per week
- 2 times per week
- 3–4 times per week
- 5–6 times per week
- 1 time per day
- 2 or more times per day

49a. Each time you ate **catsup**, how much did you usually eat?

- Less than 1 teaspoon
- 1 to 6 teaspoons
- More than 6 teaspoons

50. How often did you eat **stuffing, dressing, or dumplings**?

NEVER (GO TO QUESTION 51)

- 1–6 times per year
- 7–11 times per year
- 1 time per month
- 2–3 times per month
- 1 time per week
- 2 times per week
- 3–4 times per week
- 5–6 times per week
- 1 time per day
- 2 or more times per day

50a. Each time you ate **stuffing, dressing, or dumplings**, how much did you usually eat?

- Less than $\frac{1}{2}$ cup
- $\frac{1}{2}$ to 1 cup
- More than 1 cup

Question 48 appears in the next column.

Question 51 appears on the next page.

Over the past 12 months...

51. How often did you eat **chili**?

- NEVER (GO TO QUESTION 52)
- | | |
|---|---|
| <input type="radio"/> 1–6 times per year | <input type="radio"/> 2 times per week |
| <input type="radio"/> 7–11 times per year | <input type="radio"/> 3–4 times per week |
| <input type="radio"/> 1 time per month | <input type="radio"/> 5–6 times per week |
| <input type="radio"/> 2–3 times per month | <input type="radio"/> 1 time per day |
| <input type="radio"/> 1 time per week | <input type="radio"/> 2 or more times per day |

51a. Each time you ate **chili**, how much did you usually eat?

- Less than $\frac{1}{2}$ cup
 $\frac{1}{2}$ to $1\frac{3}{4}$ cups
 More than $1\frac{3}{4}$ cups

52. How often did you eat **Mexican foods** (such as tacos, tostados, burritos, tamales, fajitas, enchiladas, quesadillas, and chimichangas)?

- NEVER (GO TO QUESTION 53)
- | | |
|---|---|
| <input type="radio"/> 1–6 times per year | <input type="radio"/> 2 times per week |
| <input type="radio"/> 7–11 times per year | <input type="radio"/> 3–4 times per week |
| <input type="radio"/> 1 time per month | <input type="radio"/> 5–6 times per week |
| <input type="radio"/> 2–3 times per month | <input type="radio"/> 1 time per day |
| <input type="radio"/> 1 time per week | <input type="radio"/> 2 or more times per day |

52a. Each time you ate **Mexican foods**, how much did you usually eat?

- Less than 1 taco, burrito, etc.
 1 to 2 tacos, burritos, etc.
 More than 2 tacos, burritos, etc.

53. How often did you eat **cooked dried beans** (such as baked beans, pintos, kidney, blackeyed peas, lima, lentils, soybeans, or refried beans)? *(Please don't include bean soups or chili.)*

- NEVER (GO TO QUESTION 54)
- | | |
|---|---|
| <input type="radio"/> 1–6 times per year | <input type="radio"/> 2 times per week |
| <input type="radio"/> 7–11 times per year | <input type="radio"/> 3–4 times per week |
| <input type="radio"/> 1 time per month | <input type="radio"/> 5–6 times per week |
| <input type="radio"/> 2–3 times per month | <input type="radio"/> 1 time per day |
| <input type="radio"/> 1 time per week | <input type="radio"/> 2 or more times per day |

53a. Each time you ate **beans**, how much did you usually eat?

- Less than $\frac{1}{2}$ cup
 $\frac{1}{2}$ to 1 cup
 More than 1 cup

Question 54 appears in the next column.

53b. How often were the beans you ate **refried beans, beans prepared with any type of fat, or with meat added**?

- Almost never or never
 About $\frac{1}{4}$ of the time
 About $\frac{1}{2}$ of the time
 About $\frac{3}{4}$ of the time
 Almost always or always

54. How often did you eat **other kinds of vegetables**?

- NEVER (GO TO QUESTION 55)
- | | |
|---|---|
| <input type="radio"/> 1–6 times per year | <input type="radio"/> 2 times per week |
| <input type="radio"/> 7–11 times per year | <input type="radio"/> 3–4 times per week |
| <input type="radio"/> 1 time per month | <input type="radio"/> 5–6 times per week |
| <input type="radio"/> 2–3 times per month | <input type="radio"/> 1 time per day |
| <input type="radio"/> 1 time per week | <input type="radio"/> 2 or more times per day |

54a. Each time you ate **other kinds of vegetables**, how much did you usually eat?

- Less than $\frac{1}{4}$ cup
 $\frac{1}{4}$ to $\frac{1}{2}$ cup
 More than $\frac{1}{2}$ cup

55. How often did you eat **rice or other cooked grains** (such as bulgur, cracked wheat, or millet)?

- NEVER (GO TO QUESTION 56)
- | | |
|---|---|
| <input type="radio"/> 1–6 times per year | <input type="radio"/> 2 times per week |
| <input type="radio"/> 7–11 times per year | <input type="radio"/> 3–4 times per week |
| <input type="radio"/> 1 time per month | <input type="radio"/> 5–6 times per week |
| <input type="radio"/> 2–3 times per month | <input type="radio"/> 1 time per day |
| <input type="radio"/> 1 time per week | <input type="radio"/> 2 or more times per day |

55a. Each time you ate **rice or other cooked grains**, how much did you usually eat?

- Less than $\frac{1}{2}$ cup
 $\frac{1}{2}$ to $1\frac{1}{2}$ cups
 More than $1\frac{1}{2}$ cups

55b. How often was **butter, margarine, or oil** added to your rice **IN COOKING OR AT THE TABLE**?

- Almost never or never
 About $\frac{1}{4}$ of the time
 About $\frac{1}{2}$ of the time
 About $\frac{3}{4}$ of the time
 Almost always or always

Question 56 appears on the next page.

Over the past 12 months...

56. How often did you eat **pancakes, waffles, or French toast**?

- NEVER (GO TO QUESTION 57)
- 1–6 times per year 2 times per week
- 7–11 times per year 3–4 times per week
- 1 time per month 5–6 times per week
- 2–3 times per month 1 time per day
- 1 time per week 2 or more times per day

56a. Each time you ate **pancakes, waffles, or French toast**, how much did you usually eat?

- Less than 1 medium piece
- 1 to 3 medium pieces
- More than 3 medium pieces

56b. How often was **margarine** (including low-fat) added to your pancakes, waffles, or French toast **AFTER COOKING OR AT THE TABLE**?

- Almost never or never
- About $\frac{1}{4}$ of the time
- About $\frac{1}{2}$ of the time
- About $\frac{3}{4}$ of the time
- Almost always or always

56c. How often was **butter** (including low-fat) added to your pancakes, waffles, or French toast **AFTER COOKING OR AT THE TABLE**?

- Almost never or never
- About $\frac{1}{4}$ of the time
- About $\frac{1}{2}$ of the time
- About $\frac{3}{4}$ of the time
- Almost always or always

56d. Each time **margarine** or **butter** was added to your pancakes, waffles, or French toast, how much was usually added?

- Never added
- Less than 1 teaspoon
- 1 to 3 teaspoons
- More than 3 teaspoons

56e. How often was **syrup** added to your pancakes, waffles, or French toast?

- Almost never or never (GO TO QUESTION 57)
- About $\frac{1}{4}$ of the time
- About $\frac{1}{2}$ of the time
- About $\frac{3}{4}$ of the time
- Almost always or always

Question 57 appears in the next column.

56f. Each time **syrup** was added to your pancakes, waffles, or French toast, how much was usually added?

- Less than 1 tablespoon
- 1 to 4 tablespoons
- More than 4 tablespoons

57. How often did you eat **lasagna, stuffed shells, stuffed manicotti, ravioli, or tortellini**? (Please do not include spaghetti or other pasta.)

- NEVER (GO TO QUESTION 58)
- 1–6 times per year 2 times per week
- 7–11 times per year 3–4 times per week
- 1 time per month 5–6 times per week
- 2–3 times per month 1 time per day
- 1 time per week 2 or more times per day

57a. Each time you ate **lasagna, stuffed shells, stuffed manicotti, ravioli, or tortellini**, how much did you usually eat?

- Less than 1 cup
- 1 to 2 cups
- More than 2 cups

58. How often did you eat **macaroni and cheese**?

- NEVER (GO TO QUESTION 59)
- 1–6 times per year 2 times per week
- 7–11 times per year 3–4 times per week
- 1 time per month 5–6 times per week
- 2–3 times per month 1 time per day
- 1 time per week 2 or more times per day

58a. Each time you ate **macaroni and cheese**, how much did you usually eat?

- Less than 1 cup
- 1 to $1\frac{1}{2}$ cups
- More than $1\frac{1}{2}$ cups

59. How often did you eat **pasta salad or macaroni salad**?

- NEVER (GO TO QUESTION 60)
- 1–6 times per year 2 times per week
- 7–11 times per year 3–4 times per week
- 1 time per month 5–6 times per week
- 2–3 times per month 1 time per day
- 1 time per week 2 or more times per day

Question 60 appears on the next page.

Over the past 12 months...

59a. Each time you ate **pasta salad** or **macaroni salad**, how much did you usually eat?

- Less than 1/2 cup
- 1/2 to 1 cup
- More than 1 cup

60. Other than the pastas listed in Questions 57, 58, and 59, how often did you eat **pasta, spaghetti, or other noodles**?

NEVER (GO TO QUESTION 61)

- 1–6 times per year
- 7–11 times per year
- 1 time per month
- 2–3 times per month
- 1 time per week
- 2 times per week
- 3–4 times per week
- 5–6 times per week
- 1 time per day
- 2 or more times per day

60a. Each time you ate **pasta, spaghetti, or other noodles**, how much did you usually eat?

- Less than 1 cup
- 1 to 3 cups
- More than 3 cups

60b. How often did you eat your pasta, spaghetti, or other noodles with **tomato sauce** or **spaghetti sauce made WITH meat**?

- Almost never or never
- About 1/4 of the time
- About 1/2 of the time
- About 3/4 of the time
- Almost always or always

60c. How often did you eat your pasta, spaghetti, or other noodles with **tomato sauce** or **spaghetti sauce made WITHOUT meat**?

- Almost never or never
- About 1/4 of the time
- About 1/2 of the time
- About 3/4 of the time
- Almost always or always

60d. How often did you eat your pasta, spaghetti, or other noodles with **margarine, butter, oil, or cream sauce**?

- Almost never or never
- About 1/4 of the time
- About 1/2 of the time
- About 3/4 of the time
- Almost always or always

Question 61 appears in the next column.

61. How often did you eat **bagels** or **English muffins**?

- NEVER (GO TO INTRODUCTION TO QUESTION 62)
- 1–6 times per year
- 7–11 times per year
- 1 time per month
- 2–3 times per month
- 1 time per week
- 2 times per week
- 3–4 times per week
- 5–6 times per week
- 1 time per day
- 2 or more times per day

61a. Each time you ate **bagels** or **English muffins**, how many did you usually eat?

- Less than 1 bagel or English muffin
- 1 bagel or English muffin
- More than 1 bagel or English muffin

61b. How often was **margarine** (including low-fat) added to your bagels or English muffins?

- Almost never or never
- About 1/4 of the time
- About 1/2 of the time
- About 3/4 of the time
- Almost always or always

61c. How often was **butter** (including low-fat) added to your bagels or English muffins?

- Almost never or never
- About 1/4 of the time
- About 1/2 of the time
- About 3/4 of the time
- Almost always or always

61d. Each time **margarine** or **butter** was added to your bagels or English muffins, how much was usually added?

- Never added
- Less than 1 teaspoon
- 1 to 2 teaspoons
- More than 2 teaspoons

61e. How often was **cream cheese** (including low-fat) spread on your bagels or English muffins?

- Almost never or never (GO TO INTRODUCTION TO QUESTION 62)
- About 1/4 of the time
- About 1/2 of the time
- About 3/4 of the time
- Almost always or always



Introduction to Question 62 appears on the next page.

Over the past 12 months...

61f. Each time **cream cheese** was added to your bagels or English muffins, how much was usually added?

- Less than 1 tablespoon
- 1 to 2 tablespoons
- More than 2 tablespoons

The next questions ask about your intake of breads other than bagels or English muffins. First, we will ask about bread you ate as part of sandwiches only. Then we will ask about all other bread you ate.

62. How often did you eat **breads or rolls AS PART OF SANDWICHES** (including burger and hot dog rolls)?

- NEVER (GO TO QUESTION 63)
- 1–6 times per year
- 7–11 times per year
- 1 time per month
- 2–3 times per month
- 1 time per week
- 2 times per week
- 3–4 times per week
- 5–6 times per week
- 1 time per day
- 2 or more times per day

62a. Each time you ate **breads or rolls AS PART OF SANDWICHES**, how many did you usually eat?

- 1 slice or 1/2 roll
- 2 slices or 1 roll
- More than 2 slices or more than 1 roll

62b. How often were the breads or rolls that you used for your sandwiches **white bread** (including burger and hot dog rolls)?

- Almost never or never
- About 1/4 of the time
- About 1/2 of the time
- About 3/4 of the time
- Almost always or always

62c. How often was **mayonnaise or mayonnaise-type dressing** (including low-fat) added to your sandwich bread or rolls?

- Almost never or never (GO TO QUESTION 62e)
- About 1/4 of the time
- About 1/2 of the time
- About 3/4 of the time
- Almost always or always

Question 62e appears in the next column.
Question 63 appears in the next column.

62d. Each time **mayonnaise or mayonnaise-type dressing** was added to your sandwich breads or rolls, how much was usually added?

- Less than 1 teaspoon
- 1 to 3 teaspoons
- More than 3 teaspoons

62e. How often was **margarine** (including low-fat) added to your sandwich bread or rolls?

- Almost never or never
- About 1/4 of the time
- About 1/2 of the time
- About 3/4 of the time
- Almost always or always

62f. How often was **butter** (including low-fat) added to your sandwich bread or rolls?

- Almost never or never
- About 1/4 of the time
- About 1/2 of the time
- About 3/4 of the time
- Almost always or always

62g. Each time **margarine or butter** was added to your sandwich breads or rolls, how much was usually added?

- Never added
- Less than 1 teaspoon
- 1 to 2 teaspoons
- More than 2 teaspoons

63. How often did you eat **breads or dinner rolls, NOT AS PART OF SANDWICHES**?

- NEVER (GO TO QUESTION 64)
- 1–6 times per year
- 7–11 times per year
- 1 time per month
- 2–3 times per month
- 1 time per week
- 2 times per week
- 3–4 times per week
- 5–6 times per week
- 1 time per day
- 2 or more times per day

63a. Each time you ate **breads or dinner rolls, NOT AS PART OF SANDWICHES**, how much did you usually eat?

- 1 slice or 1 dinner roll
- 2 slices or 2 dinner rolls
- More than 2 slices or 2 dinner rolls



Question 64 appears on the next page.

Over the past 12 months...

63b. How often were the breads or rolls you ate **white bread**?

- Almost never or never
- About 1/4 of the time
- About 1/2 of the time
- About 3/4 of the time
- Almost always or always

63c. How often was **margarine** (including low-fat) added to your breads or rolls?

- Almost never or never
- About 1/4 of the time
- About 1/2 of the time
- About 3/4 of the time
- Almost always or always

63d. How often was **butter** (including low-fat) added to your breads or rolls?

- Almost never or never
- About 1/4 of the time
- About 1/2 of the time
- About 3/4 of the time
- Almost always or always

63e. Each time **margarine** or **butter** was added to your breads or rolls, how much was usually added?


- Never added
- Less than 1 teaspoon
- 1 to 2 teaspoons
- More than 2 teaspoons

63f. How often was **cream cheese** (including low-fat) added to your breads or rolls?

- Almost never or never (GO TO QUESTION 64)
- About 1/4 of the time
- About 1/2 of the time
- About 3/4 of the time
- Almost always or always

63g. Each time **cream cheese** was added to your breads or rolls, how much was usually added?

- Less than 1 tablespoon
- 1 to 2 tablespoons
- More than 2 tablespoons



Question 64 appears in the next column.

64. How often did you eat **jam, jelly, or honey** on bagels, muffins, bread, rolls, or crackers?

- NEVER (GO TO QUESTION 65)
- 1-6 times per year
- 7-11 times per year
- 1 time per month
- 2-3 times per month
- 1 time per week
- 2 times per week
- 3-4 times per week
- 5-6 times per week
- 1 time per day
- 2 or more times per day

64a. Each time you ate **jam, jelly, or honey**, how much did you usually eat?

- Less than 1 teaspoon
- 1 to 3 teaspoons
- More than 3 teaspoons

65. How often did you eat **peanut butter or other nut butter**?

- NEVER (GO TO QUESTION 66)
- 1-6 times per year
- 7-11 times per year
- 1 time per month
- 2-3 times per month
- 1 time per week
- 2 times per week
- 3-4 times per week
- 5-6 times per week
- 1 time per day
- 2 or more times per day

65a. Each time you ate **peanut butter or other nut butter**, how much did you usually eat?

- Less than 1 tablespoon
- 1 to 2 tablespoons
- More than 2 tablespoons

66. How often did you eat **roast beef or steak IN SANDWICHES**?

- NEVER (GO TO QUESTION 67)
- 1-6 times per year
- 7-11 times per year
- 1 time per month
- 2-3 times per month
- 1 time per week
- 2 times per week
- 3-4 times per week
- 5-6 times per week
- 1 time per day
- 2 or more times per day

66a. Each time you ate **roast beef or steak IN SANDWICHES**, how much did you usually eat?

- Less than 1 slice or less than 2 ounces
- 1 to 2 slices or 2 to 4 ounces
- More than 2 slices or more than 4 ounces

Question 67 appears on the next page.

Over the past 12 months...

67. How often did you eat **turkey or chicken cold CUTS** (such as loaf, luncheon meat, turkey ham, turkey salami, or turkey pastrami)? (We will ask about other turkey or chicken later.)

- NEVER (GO TO QUESTION 68)
- | | |
|---|---|
| <input type="radio"/> 1–6 times per year | <input type="radio"/> 2 times per week |
| <input type="radio"/> 7–11 times per year | <input type="radio"/> 3–4 times per week |
| <input type="radio"/> 1 time per month | <input type="radio"/> 5–6 times per week |
| <input type="radio"/> 2–3 times per month | <input type="radio"/> 1 time per day |
| <input type="radio"/> 1 time per week | <input type="radio"/> 2 or more times per day |

67a. Each time you ate **turkey or chicken COLD CUTS**, how much did you usually eat?

- Less than 1 slice
 1 to 3 slices
 More than 3 slices

68. How often did you eat **luncheon or deli-style ham**? (We will ask about other ham later.)

- NEVER (GO TO QUESTION 69)
- | | |
|---|---|
| <input type="radio"/> 1–6 times per year | <input type="radio"/> 2 times per week |
| <input type="radio"/> 7–11 times per year | <input type="radio"/> 3–4 times per week |
| <input type="radio"/> 1 time per month | <input type="radio"/> 5–6 times per week |
| <input type="radio"/> 2–3 times per month | <input type="radio"/> 1 time per day |
| <input type="radio"/> 1 time per week | <input type="radio"/> 2 or more times per day |

68a. Each time you ate **luncheon or deli-style ham**, how much did you usually eat?

- Less than 1 slice
 1 to 3 slices
 More than 3 slices

68b. How often was the luncheon or deli-style ham you ate **light, low-fat, or fat-free**?

- Almost never or never
 About 1/4 of the time
 About 1/2 of the time
 About 3/4 of the time
 Almost always or always



Question 69 appears in the next column.

69. How often did you eat **other cold cuts or luncheon meats** (such as bologna, salami, corned beef, pastrami, or others, including low-fat)? (Please do not include ham, turkey, or chicken cold cuts.)

- NEVER (GO TO QUESTION 70)
- | | |
|---|---|
| <input type="radio"/> 1–6 times per year | <input type="radio"/> 2 times per week |
| <input type="radio"/> 7–11 times per year | <input type="radio"/> 3–4 times per week |
| <input type="radio"/> 1 time per month | <input type="radio"/> 5–6 times per week |
| <input type="radio"/> 2–3 times per month | <input type="radio"/> 1 time per day |
| <input type="radio"/> 1 time per week | <input type="radio"/> 2 or more times per day |

69a. Each time you ate **other cold cuts or luncheon meats**, how much did you usually eat?

- Less than 1 slice
 1 to 3 slices
 More than 3 slices

69b. How often were the other cold cuts or luncheon meats you ate **light, low-fat, or fat-free cold cuts or luncheon meats**? (Please do not include ham, turkey, or chicken cold cuts.)

- Almost never or never
 About 1/4 of the time
 About 1/2 of the time
 About 3/4 of the time
 Almost always or always

70. How often did you eat **canned tuna** (including in salads, sandwiches, or casseroles)?

- NEVER (GO TO QUESTION 71)
- | | |
|---|---|
| <input type="radio"/> 1–6 times per year | <input type="radio"/> 2 times per week |
| <input type="radio"/> 7–11 times per year | <input type="radio"/> 3–4 times per week |
| <input type="radio"/> 1 time per month | <input type="radio"/> 5–6 times per week |
| <input type="radio"/> 2–3 times per month | <input type="radio"/> 1 time per day |
| <input type="radio"/> 1 time per week | <input type="radio"/> 2 or more times per day |

70a. Each time you ate **canned tuna**, how much did you usually eat?

- Less than 1/4 cup or less than 2 ounces
 1/4 to 1/2 cup or 2 to 3 ounces
 More than 1/2 cup or more than 3 ounces

70b. How often was the canned tuna you ate **water-packed tuna**?

- Almost never or never
 About 1/4 of the time
 About 1/2 of the time
 About 3/4 of the time
 Almost always or always

Question 71 appears on the next page.

Over the past 12 months...

70c. How often was the canned tuna you ate prepared with mayonnaise or other dressing (including low-fat)?

- Almost never or never
- About 1/4 of the time
- About 1/2 of the time
- About 3/4 of the time
- Almost always or always

71. How often did you eat **GROUND** chicken or turkey? (We will ask about other chicken and turkey later.)

- NEVER (GO TO QUESTION 72)
- 1–6 times per year
- 7–11 times per year
- 1 time per month
- 2–3 times per month
- 1 time per week
- 2 times per week
- 3–4 times per week
- 5–6 times per week
- 1 time per day
- 2 or more times per day

71a. Each time you ate **GROUND** chicken or turkey, how much did you usually eat?

- Less than 2 ounces or less than 1/2 cup
- 2 to 4 ounces or 1/2 to 1 cup
- More than 4 ounces or more than 1 cup

72. How often did you eat **beef hamburgers** or **cheeseburgers**?

- NEVER (GO TO QUESTION 73)
- 1–6 times per year
- 7–11 times per year
- 1 time per month
- 2–3 times per month
- 1 time per week
- 2 times per week
- 3–4 times per week
- 5–6 times per week
- 1 time per day
- 2 or more times per day

72a. Each time you ate **beef hamburgers** or **cheeseburgers**, how much did you usually eat?

- Less than 1 patty or less than 2 ounces
- 1 patty or 2 to 4 ounces
- More than 1 patty or more than 4 ounces

72b. How often were the beef hamburgers or cheeseburgers you ate made with **lean ground beef**?

- Almost never or never
- About 1/4 of the time
- About 1/2 of the time
- About 3/4 of the time
- Almost always or always

Question 73 appears in the next column.

73. How often did you eat **ground beef in mixtures** (such as meatballs, casseroles, chili, or meatloaf)?

- NEVER (GO TO QUESTION 74)
- 1–6 times per year
- 7–11 times per year
- 1 time per month
- 2–3 times per month
- 1 time per week
- 2 times per week
- 3–4 times per week
- 5–6 times per week
- 1 time per day
- 2 or more times per day

73a. Each time you ate **ground beef in mixtures**, how much did you usually eat?

- Less than 3 ounces or less than 1/2 cup
- 3 to 8 ounces or 1/2 to 1 cup
- More than 8 ounces or more than 1 cup

74. How often did you eat **hot dogs** or **frankfurters**? (Please do not include sausages or vegetarian hot dogs.)

- NEVER (GO TO QUESTION 75)
- 1–6 times per year
- 7–11 times per year
- 1 time per month
- 2–3 times per month
- 1 time per week
- 2 times per week
- 3–4 times per week
- 5–6 times per week
- 1 time per day
- 2 or more times per day

74a. Each time you ate **hot dogs** or **frankfurters**, how many did you usually eat?

- Less than 1 hot dog
- 1 to 2 hot dogs
- More than 2 hot dogs

74b. How often were the hot dogs or frankfurters you ate **light** or **low-fat hot dogs**?

- Almost never or never
- About 1/4 of the time
- About 1/2 of the time
- About 3/4 of the time
- Almost always or always



Question 75 appears on the next page.

Over the past 12 months...

75. How often did you eat beef mixtures such as **beef stew, beef pot pie, beef and noodles, or beef and vegetables**?

- NEVER (GO TO QUESTION 76)
- 1–6 times per year 2 times per week
- 7–11 times per year 3–4 times per week
- 1 time per month 5–6 times per week
- 2–3 times per month 1 time per day
- 1 time per week 2 or more times per day

75a. Each time you ate **beef stew, beef pot pie, beef and noodles, or beef and vegetables**, how much did you usually eat?

- Less than 1 cup
- 1 to 2 cups
- More than 2 cups

76. How often did you eat **roast beef or pot roast**? (Please do not include roast beef or pot roast in sandwiches.)

- NEVER (GO TO QUESTION 77)
- 1–6 times per year 2 times per week
- 7–11 times per year 3–4 times per week
- 1 time per month 5–6 times per week
- 2–3 times per month 1 time per day
- 1 time per week 2 or more times per day

76a. Each time you ate **roast beef or pot roast** (including in mixtures), how much did you usually eat?

- Less than 2 ounces
- 2 to 5 ounces
- More than 5 ounces

77. How often did you eat **steak** (beef)? (Do not include steak in sandwiches)

- NEVER (GO TO QUESTION 78)
- 1–6 times per year 2 times per week
- 7–11 times per year 3–4 times per week
- 1 time per month 5–6 times per week
- 2–3 times per month 1 time per day
- 1 time per week 2 or more times per day

77a. Each time you ate **steak** (beef), how much did you usually eat?

- Less than 3 ounces
- 3 to 7 ounces
- More than 7 ounces

Question 78 appears in the next column.

77b. How often was the steak you ate **lean steak**?

- Almost never or never
- About 1/4 of the time
- About 1/2 of the time
- About 3/4 of the time
- Almost always or always

78. How often did you eat **pork or beef spareribs**?

- NEVER (GO TO QUESTION 79)
- 1–6 times per year 2 times per week
- 7–11 times per year 3–4 times per week
- 1 time per month 5–6 times per week
- 2–3 times per month 1 time per day
- 1 time per week 2 or more times per day

78a. Each time you ate **pork or beef spareribs**, how much did you usually eat?

- Less than 4 ribs
- 4 to 12 ribs
- More than 12 ribs

79. How often did you eat **roast turkey, turkey cutlets, or turkey nuggets** (including in sandwiches)?

- NEVER (GO TO QUESTION 80)
- 1–6 times per year 2 times per week
- 7–11 times per year 3–4 times per week
- 1 time per month 5–6 times per week
- 2–3 times per month 1 time per day
- 1 time per week 2 or more times per day

79a. Each time you ate **roast turkey, turkey cutlets, or turkey nuggets**, how much did you usually eat? (Please note: 4–8 turkey nuggets = 3 ounces.)

- Less than 2 ounces
- 2 to 4 ounces
- More than 4 ounces

80. How often did you eat **chicken** as part of **salads, sandwiches, casseroles, stews, or other mixtures**?

- NEVER (GO TO QUESTION 81)
- 1–6 times per year 2 times per week
- 7–11 times per year 3–4 times per week
- 1 time per month 5–6 times per week
- 2–3 times per month 1 time per day
- 1 time per week 2 or more times per day

Question 81 appears on the next page.

Over the past 12 months...

80a. Each time you ate **chicken** as part of **salads, sandwiches, casseroles, stews, or other mixtures**, how much did you usually eat?

- Less than 1/2 cup
- 1/2 to 1 1/2 cups
- More than 1 1/2 cups

81. How often did you eat **baked, broiled, roasted, stewed, or fried chicken** (including nuggets)? *(Please do not include chicken in mixtures.)*

- NEVER (GO TO QUESTION 82)
- 1-6 times per year
- 7-11 times per year
- 1 time per month
- 2-3 times per month
- 1 time per week
- 2 times per week
- 3-4 times per week
- 5-6 times per week
- 1 time per day
- 2 or more times per day

81a. Each time you ate **baked, broiled, roasted, stewed, or fried chicken** (including nuggets), how much did you usually eat?

- Less than 2 drumsticks or wings, 1 breast or thigh, or less than 4 nuggets
- 2 drumsticks or wings, 1 breast or thigh, or 4 to 8 nuggets
- More than 2 drumsticks or wings, 1 breast or thigh, or more than 8 nuggets

81b. How often was the chicken you ate **fried chicken** (including deep fried) or **chicken nuggets**?

- Almost never or never
- About 1/4 of the time
- About 1/2 of the time
- About 3/4 of the time
- Almost always or always

81c. How often was the chicken you ate **WHITE meat**?

- Almost never or never
- About 1/4 of the time
- About 1/2 of the time
- About 3/4 of the time
- Almost always or always

81d. How often did you eat chicken **WITH skin**?

- Almost never or never
- About 1/4 of the time
- About 1/2 of the time
- About 3/4 of the time
- Almost always or always

Question 82 appears in the next column.

82. How often did you eat **baked ham or ham steak**?

- NEVER (GO TO QUESTION 83)
- 1-6 times per year
- 7-11 times per year
- 1 time per month
- 2-3 times per month
- 1 time per week
- 2 times per week
- 3-4 times per week
- 5-6 times per week
- 1 time per day
- 2 or more times per day

82a. Each time you ate **baked ham or ham steak**, how much did you usually eat?

- Less than 1 ounce
- 1 to 3 ounces
- More than 3 ounces

83. How often did you eat **pork** (including chops, roasts, and in mixed dishes)? *(Please do not include ham, ham steak, or sausage.)*

- NEVER (GO TO QUESTION 84)
- 1-6 times per year
- 7-11 times per year
- 1 time per month
- 2-3 times per month
- 1 time per week
- 2 times per week
- 3-4 times per week
- 5-6 times per week
- 1 time per day
- 2 or more times per day

83a. Each time you ate **pork**, how much did you usually eat?

- Less than 2 ounces or less than 1 chop
- 2 to 5 ounces or 1 chop
- More than 5 ounces or more than 1 chop

84. How often did you eat **gravy** on meat, chicken, potatoes, rice, etc.?

- NEVER (GO TO QUESTION 85)
- 1-6 times per year
- 7-11 times per year
- 1 time per month
- 2-3 times per month
- 1 time per week
- 2 times per week
- 3-4 times per week
- 5-6 times per week
- 1 time per day
- 2 or more times per day

84a. Each time you ate **gravy** on meat, chicken, potatoes, or rice, etc., how much did you usually eat?

- Less than 1/8 cup
- 1/8 to 1/2 cup
- More than 1/2 cup

Question 85 appears on the next page.

Over the past 12 months...

85. How often did you eat **liver** (all kinds) or **liverwurst**?

- NEVER (GO TO QUESTION 86)
- 1–6 times per year 2 times per week
- 7–11 times per year 3–4 times per week
- 1 time per month 5–6 times per week
- 2–3 times per month 1 time per day
- 1 time per week 2 or more times per day

85a. Each time you ate **liver** or **liverwurst**, how much did you usually eat?

- Less than 1 ounce
- 1 to 4 ounces
- More than 4 ounces

86. How often did you eat **bacon** (including low-fat)?

- NEVER (GO TO QUESTION 87)
- 1–6 times per year 2 times per week
- 7–11 times per year 3–4 times per week
- 1 time per month 5–6 times per week
- 2–3 times per month 1 time per day
- 1 time per week 2 or more times per day

86a. Each time you ate **bacon**, how much did you usually eat?

- Fewer than 2 slices
- 2 to 3 slices
- More than 3 slices

86b. How often was the bacon you ate **light, low-fat, or lean bacon**?

- Almost never or never
- About 1/4 of the time
- About 1/2 of the time
- About 3/4 of the time
- Almost always or always

87. How often did you eat **sausage** (including low-fat)?

- NEVER (GO TO QUESTION 88)
- 1–6 times per year 2 times per week
- 7–11 times per year 3–4 times per week
- 1 time per month 5–6 times per week
- 2–3 times per month 1 time per day
- 1 time per week 2 or more times per day

87a. Each time you ate **sausage**, how much did you usually eat?

- Less than 1 patty or 2 links
- 1 to 3 patties or 2 to 5 links
- More than 3 patties or 5 links

87b. How often was the sausage you ate **light, low-fat, or lean sausage**?

- Almost never or never
- About 1/4 of the time
- About 1/2 of the time
- About 3/4 of the time
- Almost always or always

88. How often did you eat **fish sticks** or **fried fish** (including fried seafood or shellfish)?

- NEVER (GO TO QUESTION 89)
- 1–6 times per year 2 times per week
- 7–11 times per year 3–4 times per week
- 1 time per month 5–6 times per week
- 2–3 times per month 1 time per day
- 1 time per week 2 or more times per day

88a. Each time you ate **fish sticks** or **fried fish**, how much did you usually eat?

- Less than 2 ounces or less than 1 fillet
- 2 to 7 ounces or 1 fillet
- More than 7 ounces or more than 1 fillet

89. How often did you eat **fish** or **seafood that was NOT FRIED** (including shellfish)?

- NEVER (GO TO THE INTRODUCTION TO QUESTION 90)
- 1–6 times per year 2 times per week
- 7–11 times per year 3–4 times per week
- 1 time per month 5–6 times per week
- 2–3 times per month 1 time per day
- 1 time per week 2 or more times per day

89a. Each time you ate **fish** or **seafood that was not fried**, how much did you usually eat?

- Less than 2 ounces or less than 1 fillet
- 2 to 5 ounces or 1 fillet
- More than 5 ounces or more than 1 fillet



Question 88 appears in the next column.

Introduction to Question 90 appears on the next page.

Over the past 12 months...

Now think about all the meat, poultry, and fish you ate in the past 12 months and how they were prepared.

90. How often was oil, butter, margarine, or other fat used to **FRY, SAUTE, BASTE, OR MARINATE** any meat, poultry, or fish you ate? (Please do not include deep frying.)

- NEVER (GO TO QUESTION 91)
- | | |
|---|---|
| <input type="radio"/> 1–6 times per year | <input type="radio"/> 2 times per week |
| <input type="radio"/> 7–11 times per year | <input type="radio"/> 3–4 times per week |
| <input type="radio"/> 1 time per month | <input type="radio"/> 5–6 times per week |
| <input type="radio"/> 2–3 times per month | <input type="radio"/> 1 time per day |
| <input type="radio"/> 1 time per week | <input type="radio"/> 2 or more times per day |

90a. Which of the following **fats** were regularly used to prepare your meat, poultry, or fish? (Mark all that apply.)

- | | |
|---|--|
| <input type="radio"/> Margarine (including low-fat) | <input type="radio"/> Corn oil |
| <input type="radio"/> Butter (including low-fat) | <input type="radio"/> Canola or rapeseed oil |
| <input type="radio"/> Lard, fatback, or bacon fat | <input type="radio"/> Oil spray, such as Pam or others |
| <input type="radio"/> Olive oil | <input type="radio"/> Other kinds of oils |
| | <input type="radio"/> None of the above |

91. How often did you eat **tofu, soy burgers, or soy meat-substitutes**?

- NEVER (GO TO QUESTION 92)
- | | |
|---|---|
| <input type="radio"/> 1–6 times per year | <input type="radio"/> 2 times per week |
| <input type="radio"/> 7–11 times per year | <input type="radio"/> 3–4 times per week |
| <input type="radio"/> 1 time per month | <input type="radio"/> 5–6 times per week |
| <input type="radio"/> 2–3 times per month | <input type="radio"/> 1 time per day |
| <input type="radio"/> 1 time per week | <input type="radio"/> 2 or more times per day |

91a. Each time you ate **tofu, soy burgers, or soy meat-substitutes**, how much did you usually eat?

- Less than $\frac{1}{4}$ cup or less than 2 ounces
- $\frac{1}{4}$ to $\frac{1}{2}$ cup or 2 to 4 ounces
- More than $\frac{1}{2}$ cup or more than 4 ounces



Question 92 appears in the next column.

92. Over the past 12 months, did you eat **soups**?

- NO (GO TO QUESTION 93)
- YES

92a. How often did you eat **soup DURING THE WINTER**?

- NEVER
- | | |
|---|---|
| <input type="radio"/> 1–6 times per winter | <input type="radio"/> 2 times per week |
| <input type="radio"/> 7–11 times per winter | <input type="radio"/> 3–4 times per week |
| <input type="radio"/> 1 time per month | <input type="radio"/> 5–6 times per week |
| <input type="radio"/> 2–3 times per month | <input type="radio"/> 1 time per day |
| <input type="radio"/> 1 time per week | <input type="radio"/> 2 or more times per day |

92b. How often did you eat **soup DURING THE REST OF THE YEAR**?

- NEVER
- | | |
|---|---|
| <input type="radio"/> 1–6 times per year | <input type="radio"/> 2 times per week |
| <input type="radio"/> 7–11 times per year | <input type="radio"/> 3–4 times per week |
| <input type="radio"/> 1 time per month | <input type="radio"/> 5–6 times per week |
| <input type="radio"/> 2–3 times per month | <input type="radio"/> 1 time per day |
| <input type="radio"/> 1 time per week | <input type="radio"/> 2 or more times per day |

92c. Each time you ate **soup**, how much did you usually eat?

- Less than 1 cup
- 1 to 2 cups
- More than 2 cups

92d. How often were the soups you ate **bean soups**?

- Almost never or never
- Almost $\frac{1}{4}$ of the time
- Almost $\frac{1}{2}$ of the time
- Almost $\frac{3}{4}$ of the time
- Almost always or always

92e. How often were the soups you ate **cream soups** (including chowders)?

- Almost never or never
- Almost $\frac{1}{4}$ of the time
- Almost $\frac{1}{2}$ of the time
- Almost $\frac{3}{4}$ of the time
- Almost always or always

Question 93 appears on the next page.

Over the past 12 months...

92f. How often were the soups you ate **tomato** or **vegetable soups**?

- Almost never or never
- Almost 1/4 of the time
- Almost 1/2 of the time
- Almost 3/4 of the time
- Almost always or always

92g. How often were the soups you ate **broth soups** (including chicken) **with** or **without noodles** or **rice**?

- Almost never or never
- Almost 1/4 of the time
- Almost 1/2 of the time
- Almost 3/4 of the time
- Almost always or always

93. How often did you eat **pizza**?

NEVER (GO TO QUESTION 94)

- 1–6 times per year
- 7–11 times per year
- 1 time per month
- 2–3 times per month
- 1 time per week
- 2 times per week
- 3–4 times per week
- 5–6 times per week
- 1 time per day
- 2 or more times per day

93a. Each time you ate **pizza**, how much did you usually eat?

- Less than 1 slice or less than 1 mini pizza
- 1 to 3 slices or 1 mini pizza
- More than 3 slices or more than 1 mini pizza

93b. How often did you eat pizza with **pepperoni**, **sausage**, or **other meat**?

- Almost never or never
- Almost 1/4 of the time
- Almost 1/2 of the time
- Almost 3/4 of the time
- Almost always or always

94. How often did you eat **crackers**?

NEVER (GO TO QUESTION 95)

- 1–6 times per year
- 7–11 times per year
- 1 time per month
- 2–3 times per month
- 1 time per week
- 2 times per week
- 3–4 times per week
- 5–6 times per week
- 1 time per day
- 2 or more times per day

94a. Each time you ate **crackers**, how many did you usually eat?

- Fewer than 4 crackers
- 4 to 10 crackers
- More than 10 crackers

95. How often did you eat **corn bread** or **corn muffins**?

NEVER (GO TO QUESTION 96)

- 1–6 times per year
- 7–11 times per year
- 1 time per month
- 2–3 times per month
- 1 time per week
- 2 times per week
- 3–4 times per week
- 5–6 times per week
- 1 time per day
- 2 or more times per day

95a. Each time you ate **corn bread** or **corn muffins**, how much did you usually eat?

- Less than 1 piece or muffin
- 1 to 2 pieces or muffins
- More than 2 pieces or muffins

96. How often did you eat **biscuits**?

NEVER (GO TO QUESTION 97)

- 1–6 times per year
- 7–11 times per year
- 1 time per month
- 2–3 times per month
- 1 time per week
- 2 times per week
- 3–4 times per week
- 5–6 times per week
- 1 time per day
- 2 or more times per day

96a. Each time you ate **biscuits**, how many did you usually eat?

- Fewer than 1 biscuit
- 1 to 2 biscuits
- More than 2 biscuits

97. How often did you eat **potato chips**, **tortilla chips**, or **corn chips** (including low-fat, fat-free, or low-salt)?

NEVER (GO TO QUESTION 98)

- 1–6 times per year
- 7–11 times per year
- 1 time per month
- 2–3 times per month
- 1 time per week
- 2 times per week
- 3–4 times per week
- 5–6 times per week
- 1 time per day
- 2 or more times per day

Question 95 appears in the next column.

Question 98 appears on the next page.

Over the **past 12 months...**

97a. Each time you ate **potato chips, tortilla chips, or corn chips**, how much did you usually eat?

- Fewer than 10 chips or less than 1 cup
- 10 to 25 chips or 1 to 2 cups
- More than 25 chips or more than 2 cups

97b. How often were the chips you ate **Wow chips** or other **chips** made with fat substitute (Olean or Olestra)?

- Almost never or never
- Almost 1/4 of the time
- Almost 1/2 of the time
- Almost 3/4 of the time
- Almost always or always

97c. How often were the chips you ate other **low-fat or fat-free chips**?

- Almost never or never
- Almost 1/4 of the time
- Almost 1/2 of the time
- Almost 3/4 of the time
- Almost always or always

98. How often did you eat **popcorn** (including low-fat)?

- NEVER (GO TO QUESTION 99)
- 1–6 times per year
- 7–11 times per year
- 1 time per month
- 2–3 times per month
- 1 time per week
- 2 times per week
- 3–4 times per week
- 5–6 times per week
- 1 time per day
- 2 or more times per day

98a. Each time you ate **popcorn**, how much did you usually eat?

- Less than 2 cups, popped
- 2 to 5 cups, popped
- More than 5 cups, popped

99. How often did you eat **pretzels**?

- NEVER (GO TO QUESTION 100)
- 1–6 times per year
- 7–11 times per year
- 1 time per month
- 2–3 times per month
- 1 time per week
- 2 times per week
- 3–4 times per week
- 5–6 times per week
- 1 time per day
- 2 or more times per day

Question 100 appears in the next column.

99a. Each time you ate **pretzels**, how many did you usually eat?

- Fewer than 5 average twists
- 5 to 20 average twists
- More than 20 average twists

100. How often did you eat **peanuts, walnuts, seeds, or other nuts**?

- NEVER (GO TO QUESTION 101)
- 1–6 times per year
- 7–11 times per year
- 1 time per month
- 2–3 times per month
- 1 time per week
- 2 times per week
- 3–4 times per week
- 5–6 times per week
- 1 time per day
- 2 or more times per day

100a. Each time you ate **peanuts, walnuts, seeds, or other nuts**, how much did you usually eat?

- Less than 1/4 cup
- 1/4 to 1/2 cup
- More than 1/2 cup

101. How often did you eat **energy, high-protein, or breakfast bars** such as **Power Bars, Balance, Clif, or others**?

- NEVER (GO TO QUESTION 102)
- 1–6 times per year
- 7–11 times per year
- 1 time per month
- 2–3 times per month
- 1 time per week
- 2 times per week
- 3–4 times per week
- 5–6 times per week
- 1 time per day
- 2 or more times per day

101a. Each time you ate **energy, high-protein, or breakfast bars**, how much did you usually eat?

- Less than 1 bar
- 1 bar
- More than 1 bar

102. How often did you eat **yogurt** (NOT including frozen yogurt)?

- NEVER (GO TO QUESTION 103)
- 1–6 times per year
- 7–11 times per year
- 1 time per month
- 2–3 times per month
- 1 time per week
- 2 times per week
- 3–4 times per week
- 5–6 times per week
- 1 time per day
- 2 or more times per day

Question 103 appears on the next page.

Over the past 12 months...

102a. Each time you ate **yogurt**, how much did you usually eat?

- Less than 1/2 cup or less than 1 container
- 1/2 to 1 cup or 1 container
- More than 1 cup or more than 1 container

103. How often did you eat **cottage cheese** (including low-fat)?

- NEVER (GO TO QUESTION 104)
- 1–6 times per year
- 7–11 times per year
- 1 time per month
- 2–3 times per month
- 1 time per week
- 2 times per week
- 3–4 times per week
- 5–6 times per week
- 1 time per day
- 2 or more times per day

103a. Each time you ate **cottage cheese**, how much did you usually eat?

- Less than 1/4 cup
- 1/4 to 1 cup
- More than 1 cup

104. How often did you eat **cheese** (including low-fat; including on cheeseburgers or in sandwiches or subs)?

- NEVER (GO TO QUESTION 105)
- 1–6 times per year
- 7–11 times per year
- 1 time per month
- 2–3 times per month
- 1 time per week
- 2 times per week
- 3–4 times per week
- 5–6 times per week
- 1 time per day
- 2 or more times per day

104a. Each time you ate **cheese**, how much did you usually eat?

- Less than 1/2 ounce or less than 1 slice
- 1/2 to 1 1/2 ounces or 1 slice
- More than 1 1/2 ounces or more than 1 slice

104b. How often was the cheese you ate **light** or **low-fat** cheese?

- Almost never or never
- Almost 1/4 of the time
- Almost 1/2 of the time
- Almost 3/4 of the time
- Almost always or always

104c. How often was the **cheese** you ate **fat-free** cheese?

- Almost never or never
- Almost 1/4 of the time
- Almost 1/2 of the time
- Almost 3/4 of the time
- Almost always or always

105. How often did you eat **frozen yogurt, sorbet, or ices** (including low-fat or fat-free)?

- NEVER (GO TO QUESTION 106)
- 1–6 times per year
- 7–11 times per year
- 1 time per month
- 2–3 times per month
- 1 time per week
- 2 times per week
- 3–4 times per week
- 5–6 times per week
- 1 time per day
- 2 or more times per day

105a. Each time you ate **frozen yogurt, sorbet, or ices**, how much did you usually eat?

- Less than 1/2 cup or less than 1 scoop
- 1/2 to 1 cup or 1 to 2 scoops
- More than 1 cup or more than 2 scoops

106. How often did you eat **ice cream, ice cream bars, or sherbet** (including low-fat or fat-free)?

- NEVER (GO TO QUESTION 107)
- 1–6 times per year
- 7–11 times per year
- 1 time per month
- 2–3 times per month
- 1 time per week
- 2 times per week
- 3–4 times per week
- 5–6 times per week
- 1 time per day
- 2 or more times per day

106a. Each time you ate **ice cream, ice cream bars, or sherbet**, how much did you usually eat?

- Less than 1/2 cup or less than 1 scoop
- 1/2 to 1 1/2 cups or 1 to 2 scoops
- More than 1 1/2 cups or more than 2 scoops

106b. How often was the ice cream you ate **light, low-fat, or fat-free** ice cream or sherbet?

- Almost never or never
- Almost 1/4 of the time
- Almost 1/2 of the time
- Almost 3/4 of the time
- Almost always or always

Question 105 appears in the next column.

Question 107 appears on the next page.

Over the past 12 months...

107. How often did you eat **cake** (including low-fat or fat-free)?

- NEVER (GO TO QUESTION 108)
- | | |
|---|---|
| <input type="radio"/> 1–6 times per year | <input type="radio"/> 2 times per week |
| <input type="radio"/> 7–11 times per year | <input type="radio"/> 3–4 times per week |
| <input type="radio"/> 1 time per month | <input type="radio"/> 5–6 times per week |
| <input type="radio"/> 2–3 times per month | <input type="radio"/> 1 time per day |
| <input type="radio"/> 1 time per week | <input type="radio"/> 2 or more times per day |

107a. Each time you ate **cake**, how much did you usually eat?

- Less than 1 medium piece
 1 medium piece
 More than 1 medium piece

107b. How often was the cake you ate **light, low-fat, or fat-free cake**?

- Almost never or never
 About $\frac{1}{4}$ of the time
 About $\frac{1}{2}$ of the time
 About $\frac{3}{4}$ of the time
 Almost always or always

108. How often did you eat **cookies or brownies** (including low-fat or fat-free)?

- NEVER (GO TO QUESTION 109)
- | | |
|---|---|
| <input type="radio"/> 1–6 times per year | <input type="radio"/> 2 times per week |
| <input type="radio"/> 7–11 times per year | <input type="radio"/> 3–4 times per week |
| <input type="radio"/> 1 time per month | <input type="radio"/> 5–6 times per week |
| <input type="radio"/> 2–3 times per month | <input type="radio"/> 1 time per day |
| <input type="radio"/> 1 time per week | <input type="radio"/> 2 or more times per day |

108a. Each time you ate **cookies or brownies**, how much did you usually eat?

- Less than 2 cookies or 1 small brownie
 2 to 4 cookies or 1 medium brownie
 More than 4 cookies or 1 large brownie

108b. How often were the cookies or brownies you ate **light, low-fat, or fat-free cookies or brownies**?

- Almost never or never
 About $\frac{1}{4}$ of the time
 About $\frac{1}{2}$ of the time
 About $\frac{3}{4}$ of the time
 Almost always or always

Question 109 appears in the next column.

109. How often did you eat **doughnuts, sweet rolls, Danish, or pop-tarts**?

- NEVER (GO TO QUESTION 110)
- | | |
|---|---|
| <input type="radio"/> 1–6 times per year | <input type="radio"/> 2 times per week |
| <input type="radio"/> 7–11 times per year | <input type="radio"/> 3–4 times per week |
| <input type="radio"/> 1 time per month | <input type="radio"/> 5–6 times per week |
| <input type="radio"/> 2–3 times per month | <input type="radio"/> 1 time per day |
| <input type="radio"/> 1 time per week | <input type="radio"/> 2 or more times per day |

109a. Each time you ate **doughnuts, sweet rolls, Danish, or pop-tarts**, how much did you usually eat?

- Less than 1 piece
 1 to 2 pieces
 More than 2 pieces

110. How often did you eat **sweet muffins or dessert breads** (including low-fat or fat-free)?

- NEVER (GO TO QUESTION 111)
- | | |
|---|---|
| <input type="radio"/> 1–6 times per year | <input type="radio"/> 2 times per week |
| <input type="radio"/> 7–11 times per year | <input type="radio"/> 3–4 times per week |
| <input type="radio"/> 1 time per month | <input type="radio"/> 5–6 times per week |
| <input type="radio"/> 2–3 times per month | <input type="radio"/> 1 time per day |
| <input type="radio"/> 1 time per week | <input type="radio"/> 2 or more times per day |

110a. Each time you ate **sweet muffins or dessert breads**, how much did you usually eat?

- Less than 1 medium piece
 1 medium piece
 More than 1 medium piece

110b. How often were the sweet muffins or dessert breads you ate **light, low-fat, or fat-free sweet muffins or dessert breads**?

- Almost never or never
 About $\frac{1}{4}$ of the time
 About $\frac{1}{2}$ of the time
 About $\frac{3}{4}$ of the time
 Almost always or always

111. How often did you eat **fruit crisp, cobbler, or strudel**?

- NEVER (GO TO QUESTION 112)
- | | |
|---|---|
| <input type="radio"/> 1–6 times per year | <input type="radio"/> 2 times per week |
| <input type="radio"/> 7–11 times per year | <input type="radio"/> 3–4 times per week |
| <input type="radio"/> 1 time per month | <input type="radio"/> 5–6 times per week |
| <input type="radio"/> 2–3 times per month | <input type="radio"/> 1 time per day |
| <input type="radio"/> 1 time per week | <input type="radio"/> 2 or more times per day |

Question 112 appears on the next page.

Over the past 12 months...

111a. Each time you ate **fruit crisp, cobbler, or strudel** how much did you usually eat?

- Less than 1/2 cup
- 1/2 to 1 cup
- More than 1 cup

112. How often did you eat **pie**?

- NEVER (GO TO QUESTION 113)
- 1–6 times per year
- 7–11 times per year
- 1 time per month
- 2–3 times per month
- 1 time per week
- 2 times per week
- 3–4 times per week
- 5–6 times per week
- 1 time per day
- 2 or more times per day

112a. Each time you ate **pie**, how much did you usually eat?

- Less than 1/8 of a pie
- About 1/8 of a pie
- More than 1/8 of a pie

The next four questions ask about the kinds of pie you ate. Please read all four questions before answering.

112b. How often were the pies you ate **fruit pie** (such as apple, blueberry, others)?

- Almost never or never
- About 1/4 of the time
- About 1/2 of the time
- About 3/4 of the time
- Almost always or always

112c. How often were the pies you ate **cream, pudding, custard, or meringue pie**?

- Almost never or never
- About 1/4 of the time
- About 1/2 of the time
- About 3/4 of the time
- Almost always or always

112d. How often were the pies you ate **pumpkin or sweet potato pie**?

- Almost never or never
- About 1/4 of the time
- About 1/2 of the time
- About 3/4 of the time
- Almost always or always

112e. How often were the pies you ate **pecan pie**?

- Almost never or never
- About 1/4 of the time
- About 1/2 of the time
- About 3/4 of the time
- Almost always or always

113. How often did you eat **chocolate candy**?

- NEVER (GO TO QUESTION 114)
- 1–6 times per year
- 7–11 times per year
- 1 time per month
- 2–3 times per month
- 1 time per week
- 2 times per week
- 3–4 times per week
- 5–6 times per week
- 1 time per day
- 2 or more times per day

113a. Each time you ate **chocolate candy**, how much did you usually eat?

- Less than 1 average bar or less than 1 ounce
- 1 average bar or 1 to 2 ounces
- More than 1 average bar or more than 2 ounces

114. How often did you eat **other candy**?

- NEVER (GO TO QUESTION 115)
- 1–6 times per year
- 7–11 times per year
- 1 time per month
- 2–3 times per month
- 1 time per week
- 2 times per week
- 3–4 times per week
- 5–6 times per week
- 1 time per day
- 2 or more times per day

114a. Each time you ate **other candy**, how much did you usually eat?

- Fewer than 2 pieces
- 2 to 9 pieces
- More than 9 pieces

115. How often did you eat **eggs, egg whites, or egg substitutes** (NOT counting eggs in baked goods and desserts)? (Please include eggs in salads, quiche, and souffles.)

- NEVER (GO TO QUESTION 116)
- 1–6 times per year
- 7–11 times per year
- 1 time per month
- 2–3 times per month
- 1 time per week
- 2 times per week
- 3–4 times per week
- 5–6 times per week
- 1 time per day
- 2 or more times per day

Question 113 appears in the next column.

Question 116 appears on the next page.

Over the past 12 months...

115a. Each time you ate **eggs**, how many did you usually eat?

- 1 egg
- 2 eggs
- 3 or more eggs

115b. How often were the eggs you ate **egg substitutes**?

- Almost never or never
- About 1/4 of the time
- About 1/2 of the time
- About 3/4 of the time
- Almost always or always

115c. How often were the eggs you ate **egg whites only**?

- Almost never or never
- About 1/4 of the time
- About 1/2 of the time
- About 3/4 of the time
- Almost always or always

115d. How often were the eggs you ate **regular whole eggs**?

- Almost never or never
- About 1/4 of the time
- About 1/2 of the time
- About 3/4 of the time
- Almost always or always

115e. How often were the eggs you ate **cooked in oil, butter, or margarine**?

- Almost never or never
- About 1/4 of the time
- About 1/2 of the time
- About 3/4 of the time
- Almost always or always

115f. How often were the eggs you ate part of **egg salad**?

- Almost never or never
- About 1/4 of the time
- About 1/2 of the time
- About 3/4 of the time
- Almost always or always



Question 116 appears in the next column.

116. How many cups of **coffee**, caffeinated or decaffeinated, did you drink?

- NONE (GO TO QUESTION 117)
- Less than 1 cup per month
- 1–3 cups per month
- 1 cup per week
- 2–4 cups per week
- 5–6 cups per week
- 1 cup per day
- 2–3 cups per day
- 4–5 cups per day
- 6 or more cups per day

116a. How often was the coffee you drank **decaffeinated**?

- Almost never or never
- About 1/4 of the time
- About 1/2 of the time
- About 3/4 of the time
- Almost always or always

117. How many glasses of **ICED tea**, caffeinated or decaffeinated, did you drink?

- NONE (GO TO QUESTION 118)
- Less than 1 cup per month
- 1–3 cups per month
- 1 cup per week
- 2–4 cups per week
- 5–6 cups per week
- 1 cup per day
- 2–3 cups per day
- 4–5 cups per day
- 6 or more cups per day

117a. How often was the iced tea you drank **decaffeinated or herbal tea**?

- Almost never or never
- About 1/4 of the time
- About 1/2 of the time
- About 3/4 of the time
- Almost always or always

118. How many cups of **HOT tea**, caffeinated or decaffeinated, did you drink?

- NONE (GO TO QUESTION 119)
- Less than 1 cup per month
- 1–3 cups per month
- 1 cup per week
- 2–4 cups per week
- 5–6 cups per week
- 1 cup per day
- 2–3 cups per day
- 4–5 cups per day
- 6 or more cups per day

118a. How often was the hot tea you drank **decaffeinated or herbal tea**?

- Almost never or never
- About 1/4 of the time
- About 1/2 of the time
- About 3/4 of the time
- Almost always or always

Question 119 appears on the next page.

Over the past 12 months...

119. How often did you add **sugar** or **honey** to your coffee or tea?

- NEVER (GO TO QUESTION 120)
- Less than 1 time per month
- 1–3 times per month
- 1 time per week
- 2–4 times per week
- 5–6 times per week
- 1 time per day
- 2–3 times per day
- 4–5 times per day
- 6 or more times per day

119a. Each time **sugar** or **honey** was added to your coffee or tea, how much was usually added?

- Less than 1 teaspoon
- 1 to 3 teaspoons
- More than 3 teaspoons

120. How often did you add **artificial sweetener** to your coffee or tea?

- NEVER (GO TO QUESTION 121)
- Less than 1 time per month
- 1–3 times per month
- 1 time per week
- 2–4 times per week
- 5–6 times per week
- 1 time per day
- 2–3 times per day
- 4–5 times per day
- 6 or more times per day

120a. What kind of **artificial sweetener** do you usually use?

- Equal or aspartame
- Sweet N Low or saccharin

121. How often was **non-dairy creamer** added to your coffee or tea?

- NEVER (GO TO QUESTION 122)
- Less than 1 time per month
- 1–3 times per month
- 1 time per week
- 2–4 times per week
- 5–6 times per week
- 1 time per day
- 2–3 times per day
- 4–5 times per day
- 6 or more times per day

121a. Each time **non-dairy creamer** was added to your coffee or tea, how much was usually used?

- Less than 1 teaspoon
- 1 to 3 teaspoons
- More than 3 teaspoons

Question 122 appears in the next column.

121b. What kind of **non-dairy creamer** did you usually use?

- Regular powdered
- Low-fat or fat-free powdered
- Regular liquid
- Low-fat or fat-free liquid

122. How often was **cream** or **half and half** added to your coffee or tea?

- NEVER (GO TO QUESTION 123)
- Less than 1 time per month
- 1–3 times per month
- 1 time per week
- 2–4 times per week
- 5–6 times per week
- 1 time per day
- 2–3 times per day
- 4–5 times per day
- 6 or more times per day

122a. Each time **cream** or **half and half** was added to your coffee or tea, how much was usually added?

- Less than 1 tablespoon
- 1 to 2 tablespoons
- More than 2 tablespoons

123. How often was **milk** added to your coffee or tea?

- NEVER (GO TO QUESTION 124)
- Less than 1 time per month
- 1–3 times per month
- 1 time per week
- 2–4 times per week
- 5–6 times per week
- 1 time per day
- 2–3 times per day
- 4–5 times per day
- 6 or more times per day

123a. Each time **milk** was added to your coffee or tea, how much was usually added?

- Less than 1 tablespoon
- 1 to 3 tablespoons
- More than 3 tablespoons

123b. What kind of **milk** was usually added to your coffee or tea?

- Whole milk
- 2% milk
- 1% milk
- Skim, nonfat, or 1/2% milk
- Evaporated or condensed (canned) milk
- Soy milk
- Rice milk
- Other

Question 124 appears on the next page.

Over the past 12 months...

124. How often was **sugar** or **honey** added to foods you ate? (Please do not include sugar in coffee, tea, other beverages, or baked goods.)

NEVER (GO TO INTRODUCTION TO QUESTION 125)

- | | |
|---|---|
| <input type="radio"/> 1–6 times per year | <input type="radio"/> 2 times per week |
| <input type="radio"/> 7–11 times per year | <input type="radio"/> 3–4 times per week |
| <input type="radio"/> 1 time per month | <input type="radio"/> 5–6 times per week |
| <input type="radio"/> 2–3 times per month | <input type="radio"/> 1 time per day |
| <input type="radio"/> 1 time per week | <input type="radio"/> 2 or more times per day |

124a. Each time **sugar** or **honey** was added to foods you ate, how much was usually added?

- Less than 1 teaspoon
- 1 to 3 teaspoons
- More than 3 teaspoons

The following questions are about the kinds of margarine, mayonnaise, sour cream, cream cheese, and salad dressing that you eat. If possible, please check the labels of these foods to help you answer.

125. Over the past 12 months, did you eat **margarine**?

NO (GO TO QUESTION 126)

YES

125a. How often was the margarine you ate **regular-fat margarine** (stick or tub)?

- Almost never or never
- About 1/4 of the time
- About 1/2 of the time
- About 3/4 of the time
- Almost always or always

125b. How often was the margarine you ate **light or low-fat margarine** (stick or tub)?

- Almost never or never
- About 1/4 of the time
- About 1/2 of the time
- About 3/4 of the time
- Almost always or always



Question 126 appears in the next column.

125c. How often was the margarine you ate **fat-free margarine**?

- Almost never or never
- About 1/4 of the time
- About 1/2 of the time
- About 3/4 of the time
- Almost always or always

126. Over the past 12 months, did you eat **butter**?

NO (GO TO QUESTION 127)

YES

126a. How often was the butter you ate **light or low-fat butter**?

- Almost never or never
- About 1/4 of the time
- About 1/2 of the time
- About 3/4 of the time
- Almost always or always

127. Over the past 12 months, did you eat **mayonnaise** or **mayonnaise-type dressing**?

NO (GO TO QUESTION 128)

YES

127a. How often was the mayonnaise you ate **regular-fat mayonnaise**?

- Almost never or never
- About 1/4 of the time
- About 1/2 of the time
- About 3/4 of the time
- Almost always or always

127b. How often was the mayonnaise you ate **light or low-fat mayonnaise**?

- Almost never or never
- About 1/4 of the time
- About 1/2 of the time
- About 3/4 of the time
- Almost always or always



Question 128 appears on the next page.

Over the past 12 months...

127c. How often was the mayonnaise you ate **fat-free mayonnaise**?

- Almost never or never
- About 1/4 of the time
- About 1/2 of the time
- About 3/4 of the time
- Almost always or always

128. Over the past 12 months, did you eat **sour cream**?

NO (GO TO QUESTION 129)

YES

128a. How often was the sour cream you ate **regular-fat sour cream**?

- Almost never or never
- About 1/4 of the time
- About 1/2 of the time
- About 3/4 of the time
- Almost always or always

128b. How often was the sour cream you ate **light, low-fat, or fat-free sour cream**?

- Almost never or never
- About 1/4 of the time
- About 1/2 of the time
- About 3/4 of the time
- Almost always or always

129. Over the past 12 months, did you eat **cream cheese**?

NO (GO TO QUESTION 130)

YES

129a. How often was the cream cheese you ate **regular-fat cream cheese**?

- Almost never or never
- About 1/4 of the time
- About 1/2 of the time
- About 3/4 of the time
- Almost always or always

129b. How often was the cream cheese you ate **light, low-fat, or fat-free cream cheese**?

- Almost never or never
- About 1/4 of the time
- About 1/2 of the time
- About 3/4 of the time
- Almost always or always

130. Over the past 12 months, did you eat **salad dressing**?

NO (GO TO INTRODUCTION TO QUESTION 131)

YES

130a. How often was the salad dressing you ate **regular-fat salad dressing** (including oil and vinegar dressing)?

- Almost never or never
- About 1/4 of the time
- About 1/2 of the time
- About 3/4 of the time
- Almost always or always

130b. How often was the salad dressing you ate **light or low-fat salad dressing**?

- Almost never or never
- About 1/4 of the time
- About 1/2 of the time
- About 3/4 of the time
- Almost always or always

130c. How often was the salad dressing you ate **fat-free salad dressing**?

- Almost never or never
- About 1/4 of the time
- About 1/2 of the time
- About 3/4 of the time
- Almost always or always

The following two questions ask you to summarize your usual intake of vegetables and fruits. Please do not include salads, potatoes, or juices.

131. Over the past 12 months, how many servings of **vegetables** (not including salad or potatoes) did you eat per week or per day?

- Less than 1 per week
- 1–2 per week
- 3–4 per week
- 5–6 per week
- 1 per day
- 2 per day
- 3 per day
- 4 per day
- 5 or more per day

Question 130 appears in the next column.

Over the past 12 months...

132. Over the past 12 months, how many servings of **fruit** (not including juices) did you eat per week or per day?

- Less than 1 per week
- 1–2 per week
- 3–4 per week
- 5–6 per week
- 1 per day
- 2 per day
- 3 per day
- 4 per day
- 5 or more per day

133. Over the past month, which of the following foods did you eat **AT LEAST THREE TIMES**? (*Mark as many as apply.*)

- Avocado, guacamole
- Cheesecake
- Chocolate, fudge, or butterscotch toppings or syrups
- Chow mein noodles
- Croissants
- Dried apricots
- Egg rolls
- Granola bars
- Hot peppers
- Jello, gelatin
- Milkshakes or ice-cream sodas
- Olives
- Oysters
- Pickles or pickled vegetables or fruit
- Plantains
- Pork neckbones, hock, head, feet
- Pudding or custard
- Veal, venison, lamb
- Whipped cream, regular
- Whipped cream, substitute
- NONE

134. For **ALL** of the past 12 months, have you followed any type of **vegetarian diet**?

- NO (GO TO INTRODUCTION TO QUESTION 135)
- YES

134a. Which of the following foods did you **TOTALLY EXCLUDE** from your diet? (*Mark all that apply.*)

- Meat (beef, pork, lamb, etc.)
- Poultry (chicken, turkey, duck)
- Fish and seafood
- Eggs
- Dairy products (milk, cheese, etc.)



Introduction to Question 135 appears in the next column.

The next questions are about your use of fiber supplements or vitamin pills.

135. Over the past 12 months, did you take any of the following types of **fiber or fiber supplements** on a regular basis (more than once per week for at least 6 of the last 12 months)? (*Mark all that apply.*)

- NO, didn't take any fiber supplements on a regular basis (GO TO QUESTION 136)
- YES, psyllium products (such as Metamucil, Fiberall, Serutan, Perdiem, Correctol)
- YES, methylcellulose/cellulose products (such as Citrucel, Unifiber)
- YES, Fibercon
- YES, Bran (such as wheat bran, oat bran, or bran wafers)

136. Over the past 12 months, did you take any **multivitamins**, such as One-a-Day-, Theragran-, or Centrum-type multivitamins (as pills, liquids, or packets)?

- NO (GO TO INTRODUCTION TO QUESTION 138)
- YES

137. How often did you take **One-a-day-, Theragran-, or Centrum-type** multivitamins?

- Less than 1 day per month
- 1–3 days per month
- 1–3 days per week
- 4–6 days per week
- Every day

137a. Does your **multivitamin** usually contain **minerals** (such as iron, zinc, etc.)?

- NO
- YES
- Don't know

137b. For how many years have you taken **multivitamins**?

- Less than 1 year
- 1–4 years
- 5–9 years
- 10 or more years



Introduction to Question 138 appears on the next page.

Over the past 12 months...

137c. Over the past 12 months, did you take any vitamins, minerals, or other herbal supplements other than your multivitamin?

- NO (GO TO QUESTION 143.)
- YES (GO TO INTRODUCTION TO QUESTION 138.)

These last questions are about the vitamins, minerals, or herbal supplements you took that are **NOT** part of a One-a-day-, Theragra-, or Centrum-type of multivitamin.

Please include vitamins taken as part of an antioxidant supplement.

138. How often did you take **Beta-carotene** (NOT as part of a multivitamin in Question 137)?

- NEVER (GO TO QUESTION 139)
- Less than 1 day per month
- 1–3 days per month
- 1–3 days per week
- 4–6 days per week
- Every day

138a. When you took Beta-carotene, about how much did you take in one day?

- Less than 10,000 IU
- 10,000–14,999 IU
- 15,000–19,999 IU
- 20,000–24,999 IU
- 25,000 IU or more
- Don't know

138b. For how many years have you taken **Beta-carotene**?

- Less than 1 year
- 1–4 years
- 5–9 years
- 10 or more years

Question 139 appears in the next column.

139. How often did you take **Vitamin A** (NOT as part of a multivitamin in Question 137)?

- NEVER (GO TO QUESTION 140)
- Less than 1 day per month
- 1–3 days per month
- 1–3 days per week
- 4–6 days per week
- Every day

139a. When you took **Vitamin A**, about how much did you take in one day?

- Less than 8,000 IU
- 8,000–9,999 IU
- 10,000–14,999 IU
- 15,000–24,999 IU
- 25,000 IU or more
- Don't know

139b. For how many years have you taken **Vitamin A**?

- Less than 1 year
- 1–4 years
- 5–9 years
- 10 or more years

140. How often did you take **Vitamin C** (NOT as part of a multivitamin in Question 137)?

- NEVER (GO TO QUESTION 141)
- Less than 1 day per month
- 1–3 days per month
- 1–3 days per week
- 4–6 days per week
- Every day

140a. When you took **Vitamin C**, about how much did you take in one day?

- Less than 500 mg
- 500–999 mg
- 1,000–1,499 mg
- 1,500–1,999 mg
- 2,000 mg or more
- Don't know

140b. For how many years have you taken **Vitamin C**?

- Less than 1 year
- 1–4 years
- 5–9 years
- 10 or more years

Question 141 appears on the next page.

Over the past 12 months...

141. How often did you take **Vitamin E** (NOT as part of a multivitamin in Question 137)?

- NEVER (GO TO QUESTION 142)
- Less than 1 day per month
- 1–3 days per month
- 1–3 days per week
- 4–6 days per week
- Every day

141a. When you took **Vitamin E**, about how much did you take in one day?

- Less than 400 IU
- 400–799 IU
- 800–999 IU
- 1,000 IU or more
- Don't know

141b. For how many years have you taken **Vitamin E**?

- Less than 1 year
- 1–4 years
- 5–9 years
- 10 or more years

Question 142 appears in the next column.

142. How often did you take **Calcium** or **Calcium-containing antacids** (NOT as part of a multivitamin in Question 137)?

- NEVER (GO TO QUESTION 143)
- Less than 1 day per month
- 1–3 days per month
- 1–3 days per week
- 4–6 days per week
- Every day

142a. When you took **Calcium** or **Calcium-containing antacids**, about how much elemental calcium did you take in one day? (If possible, please check the label for elemental calcium.)

- Less than 500 mg
- 500–599 mg
- 600–999 mg
- 1,000 mg or more
- Don't know

142b. For how many years have you taken **Calcium** or **Calcium-containing antacids**?

- Less than 1 year
- 1–4 years
- 5–9 years
- 10 or more years

Question 143 appears below.

143. In the grid below, **FIRST**, mark the number of years you have taken each of the following botanical or herbal supplements **AT LEAST 25 TIMES**. Mark **NEVER** for each botanical or herbal supplement that you did not take at least 25 times in a single year, and then go on to the next supplement. **SECOND**, to the right, mark the approximate number of months during each year that you took the supplement.

	NUMBER OF YEARS SUPPLEMENT TAKEN AT LEAST 25 TIMES				NUMBER OF MONTHS DURING EACH YEAR YOU TOOK THE SUPPLEMENT		
	NEVER	1–2 YEARS	3–4 YEARS	5+ YEARS	1–3 MONTHS/YEAR	4–6 MONTHS/YEAR	7–12 MONTHS/YEAR
Aloe (tablets/pills)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Echinacea	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Garlic (tablets/pills)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Ginko	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Ginseng (American or Asian)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Goldenseal	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Saw palmetto	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
St. John's wort	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

The next two questions ask you about other supplements you took more than once per week.

Over the past 12 months...

144. Please mark any of the following **single supplements** you took more than once per week (NOT as part of a multivitamin in Question 137):

- | | |
|--------------------------------------|---|
| <input type="radio"/> B-6 | <input type="radio"/> Folic acid/folate |
| <input type="radio"/> B-complex | <input type="radio"/> Glucosamine |
| <input type="radio"/> Brewer's yeast | <input type="radio"/> Hydroxytryptophan (HTP) |
| <input type="radio"/> Cod liver oil | <input type="radio"/> Iron |
| <input type="radio"/> Coenzyme Q | <input type="radio"/> Niacin |
| <input type="radio"/> Fish oil | <input type="radio"/> Selenium |
| (Omega-3 fatty acids) | <input type="radio"/> Zinc |

145. Please mark any of the following **herbal or botanical supplements** you took more than once per week.

- | | |
|--|---|
| <input type="radio"/> Astragalus | <input type="radio"/> Feverfew |
| <input type="radio"/> Bilberry | <input type="radio"/> Ginger |
| <input type="radio"/> Cascara sagrada | <input type="radio"/> Grapeseed extract |
| <input type="radio"/> Cat's claw | <input type="radio"/> Kava, kava |
| <input type="radio"/> Cayenne | <input type="radio"/> Milk thistle |
| <input type="radio"/> Cranberry | <input type="radio"/> Siberian ginseng |
| <input type="radio"/> Dong Kuai (Tangkwai) | <input type="radio"/> Valerian |
| <input type="radio"/> Evening primrose oil | <input type="radio"/> Other |

The next questions ask about how you cook your meat, fish, or poultry. Over the past 12 months...

146. When you ate **steak**, what was the most common way it was cooked?

- NEVER ATE STEAK (GO TO QUESTION 147)
- Pan-fried
- Oven-broiled
- Grilled or barbecued
- Don't know

146a. What was the second most common way it was cooked?

- Pan-fried
- Oven-broiled
- Grilled or barbecued
- Don't know



Question 147 appears in the next column.

146b. Which of the following best describes how you like your steak cooked?

- Rare
- Medium rare
- Medium
- Medium well done
- Well done
- Very well done
- Don't know

147. When you ate **hamburger or cheeseburger patties**, how often did you get them from fast food restaurants?

- NEVER ATE HAMBURGER OR CHEESEBURGER PATTIES (GO TO QUESTION 148)
- Almost never or never
- About 1/4 of the time
- About 1/2 of the time
- About 3/4 of the time
- Always or almost always

147a. Not including from fast food restaurants, when you ate **hamburger or cheeseburger patties**, what was the most common way they were cooked?

- Pan-fried
- Oven-broiled
- Grilled or barbecued
- Don't know

147b. What was the second most common way they were cooked?

- Pan-fried
- Oven-broiled
- Grilled or barbecued
- Don't know

147c. Which of the following best describes how you like your **hamburger or cheeseburger patties** cooked?

- Rare
- Medium rare
- Medium
- Medium well done
- Well done
- Very well done
- Don't know

Question 148 appears in the next column.

Over the past 12 months...

148. When you ate **chicken**, what was the most common way it was cooked?

- NEVER ATE CHICKEN (GO TO QUESTION 149)
- Breaded and fried
- Pan-fried
- Roasted or baked
- Grilled or barbecued
- Oven-broiled
- Stewed or boiled
- Don't know

148a. When you ate **chicken**, what was the second most common way it was cooked?

- Breaded and fried
- Pan-fried
- Roasted or baked
- Grilled or barbecued
- Oven-broiled
- Stewed or boiled
- Don't know

148b. Which of the following best describes how you like your **chicken** cooked?

- Well done
- Very well done

149. When you ate **pork roast** or **chops**, what was the most common way it was cooked?

- NEVER ATE PORK ROAST OR CHOPS
- Baked
- Grilled or barbecued
- Breaded and fried
- Pan-fried (unbreaded)
- Oven-broiled
- Don't know

150. Which of the following best describes how you like your **bacon** cooked?

- NEVER EAT BACON
- Just until done
- Well done or crisp
- Well done or charred
- Don't know

151. Which of the following best describes how you like your **sausage** cooked?

- NEVER EAT SAUSAGE
- Just until done
- Well done or crisp
- Very well done or charred
- Don't know

152. During the summer, how often did you eat meat, fish, or poultry that was **grilled** or **barbecued** over coals, an open fire, or ceramic briquettes?

- NEVER
- 1–6 times per season
- 7–11 times per season
- 1 time per month
- 2–3 times per month
- 1 time per week
- 2 times per week
- 3–4 times per week
- 5–6 times per week
- 1 time per day
- 2 or more times per day

153. During the rest of the year, how often did you eat meat, fish, or poultry that was **grilled** or **barbecued** over coals, an open fire, or ceramic briquettes?

- NEVER
- 1–6 times per season
- 7–11 times per season
- 1 time per month
- 2–3 times per month
- 1 time per week
- 2 times per week
- 3–4 times per week
- 5–6 times per week
- 1 time per day
- 2 or more times per day

154. When you ate grilled or barbecued meat, fish, or poultry, how often was it **charred** on the surface?

- NEVER ATE MEAT, FISH, OR POULTRY
- Almost never or never
- About $\frac{1}{4}$ of the time
- About $\frac{1}{2}$ of the time
- About $\frac{3}{4}$ of the time
- Almost always or always


155. When you ate pan-fried or oven-broiled meat, how often was it **well-browned** on the surface?

- NEVER ATE MEAT
- Almost never or never
- About $\frac{1}{4}$ of the time
- About $\frac{1}{2}$ of the time
- About $\frac{3}{4}$ of the time
- Almost always or always

156. When you were the ages described below, how many drinks per day, week, or month did you have? First, we ask about beer, then wine, then liquor, including liquor in mixed drinks. (Count sherry and wine coolers as wine; count brandy as liquor.) For those ages when you did not consume beer or wine or liquor, please mark NEVER for the specific beverage. When you are finished with this section, there should be one response in each line.

	NEVER	1 drink per month or fewer	2-3 drinks per month	1-2 drinks per week	3-4 drinks per week	5-6 drinks per week	1 drink per day	2-3 drinks per day	4-5 drinks per day	6 or more drinks per day
18-24 years of age										
12 ounce bottle or can of beer	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
5 ounce glass of wine	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
1.5 ounce shot of liquor (including mixed drinks)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
25-39 years of age										
12 ounce bottle or can of beer	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
5 ounce glass of wine	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
1.5 ounce shot of liquor (including mixed drinks)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
40-54 years of age										
12 ounce bottle or can of beer	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
5 ounce glass of wine	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
1.5 ounce shot of liquor (including mixed drinks)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
55 years of age or older										
12 ounce bottle or can of beer	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
5 ounce glass of wine	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
1.5 ounce shot of liquor (including mixed drinks)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

**Thank you very much for completing this questionnaire.
Please return it in the self-addressed postage-paid envelope.**



NATIONAL INSTITUTES OF HEALTH
Washington, DC

