

**Malignant Colorectal Cancer by Sex
1973-2002, SEER 9 Registries**

Session Type: Rate

Suggested Citation

Software: Surveillance Research Program, National Cancer Institute SEER*Stat software
(www.seer.cancer.gov/seerstat) version 6.1.4.

Data: Surveillance, Epidemiology, and End Results (SEER) Program (www.seer.cancer.gov) SEER*Stat Database:
Incidence - SEER 9 Regs Public-Use, Nov 2004 Sub (1973-2002), National Cancer Institute, DCCPS, Surveillance
Research Program, Cancer Statistics Branch, released April 2005, based on the November 2004 submission.

Data

Database: Incidence - SEER 9 Regs Public-Use, Nov 2004 Sub (1973-2002)

Statistic

Statistic: Age-Adjusted Rates (Age recode with <1 year olds) (2000 US Std Population (19 age groups - Census
P25-1130) standard)

P-Values: .05

Options: Display Confidence Intervals and Standard Errors

Selection

Case Only: {Site and Morphology.Site recode} = 'Colon and Rectum'

Option: Select only malignant behavior

Table

Row: Sex
Year of diagnosis (1973-2002 w/o total) [Year of diagnosis]

User Definitions

Year of diagnosis (1973-2002 w/o total) [Year of diagnosis]

1973 = 1973

1974 = 1974

1975 = 1975

1976 = 1976

1977 = 1977

1978 = 1978

1979 = 1979

1980 = 1980

1981 = 1981

1982 = 1982

1983 = 1983

1984 = 1984

1985 = 1985

1986 = 1986

1987 = 1987

1988 = 1988

1989 = 1989

1990 = 1990

1991 = 1991

1992 = 1992

1993 = 1993

1994 = 1994

1995 = 1995

1996 = 1996

1997 = 1997

1998 = 1998

1999 = 1999

**Malignant Colorectal Cancer by Sex
1973-2002, SEER 9 Registries**

User Defs. (cont'd) 2000 = 2000
 2001 = 2001
 2002 = 2002

Output

Title: Malignant Colorectal Cancer by Sex
 1973-2002, SEER 9 Registries
Display Rates as: Cases per 100,000
Precision: 9 decimal places (default)

**Malignant Colorectal Cancer by Sex
1973-2002, SEER 9 Registries**

		Rate	SE	Lower CI	Upper CI	Count	Pop
Male and female	1973	57.750211251	0.687524923	56.410456362	59.118190324	7,440	16,383,240
	1974	59.657499637	0.647338291	58.395405833	60.943218539	8,912	18,804,226
	1975	59.471268192	0.622134620	58.258082673	60.706076609	9,589	20,491,638
	1976	61.337721953	0.625751030	60.117330113	62.579275903	10,078	20,645,967
	1977	62.361158896	0.625955191	61.140271102	63.602527045	10,381	20,824,399
	1978	61.989592239	0.615510321	60.789013069	63.209895730	10,582	21,035,770
	1979	62.345749014	0.611746407	61.152443511	63.558175666	10,824	21,272,552
	1980	63.689368494	0.611054241	62.497286632	64.899983302	11,308	21,526,796
	1981	64.209108219	0.608031940	63.022850404	65.413476518	11,584	21,689,241
	1982	62.765707543	0.594678031	61.605505727	63.943639592	11,551	21,822,466
	1983	63.650297522	0.592934899	62.493406882	64.824577328	11,913	21,998,396
	1984	64.786512784	0.592118301	63.631116414	65.958916599	12,352	22,197,735
	1985	66.252305088	0.592634172	65.095792608	67.425482128	12,877	22,423,982
	1986	64.193560912	0.577937644	63.065760196	65.337659267	12,693	22,644,373
	1987	62.747347249	0.565915216	61.643015900	63.867635657	12,607	22,872,669
	1988	61.404227833	0.554982821	60.321240178	62.502884657	12,521	23,111,066
	1989	61.719158933	0.551362601	60.643180877	62.810507933	12,786	23,349,445
	1990	60.679270416	0.541287941	59.622946295	61.750687596	12,799	23,657,474
	1991	59.495847885	0.530406754	58.460755644	60.545659469	12,772	23,998,620
	1992	58.005522613	0.516411876	56.997735497	59.027534716	12,767	24,368,037
	1993	56.847034683	0.506156179	55.859262310	57.848524515	12,723	24,713,120
	1994	55.687051941	0.495953794	54.719190687	56.668233470	12,686	25,022,087
	1995	54.012614935	0.483457420	53.069161092	54.969017003	12,539	25,339,972
	1996	54.691092610	0.482357900	53.749724308	55.645137073	12,895	25,652,964
1997	56.350328577	0.485100337	55.403510915	57.309489854	13,514	25,969,420	
1998	56.586545443	0.481928041	55.645877341	57.539218591	13,799	26,263,552	
1999	55.300377761	0.472827916	54.377487113	56.235122992	13,693	26,520,657	
2000	53.713175033	0.462291955	52.810873840	54.627225305	13,524	26,791,099	
2001	52.717552371	0.454319141	51.830817436	53.615924252	13,511	27,041,676	
2002	51.866151430	0.446886010	50.993923584	52.749947143	13,551	27,219,888	
Male	1973	66.730067795	1.171708853	64.453109013	69.085060886	3,668	8,028,965
	1974	70.488486034	1.115386104	68.319133932	72.723191964	4,490	9,225,043
	1975	68.320892215	1.068360019	66.242813098	70.460065555	4,629	10,035,168
	1976	71.718000685	1.076409259	69.623620703	73.871616099	4,990	10,109,252
	1977	73.461078465	1.088719828	71.342550227	75.637782187	5,125	10,190,444
	1978	72.328885821	1.068262124	70.250114270	74.464122789	5,157	10,288,056
	1979	74.142577708	1.074448056	72.051484458	76.288851979	5,351	10,400,768
	1980	74.473865900	1.064298887	72.402321578	76.599213545	5,499	10,522,213
	1981	75.810528026	1.064036377	73.739235761	77.934750491	5,686	10,600,394
	1982	75.162111543	1.050293589	73.117509895	77.258780311	5,727	10,664,150
	1983	75.597041713	1.040901968	73.570519942	77.674530270	5,869	10,751,949
	1984	77.637688984	1.041223363	75.610186927	79.715009208	6,154	10,851,660
	1985	79.013238557	1.037242718	76.993207703	81.082104881	6,408	10,963,253
	1986	77.836150984	1.020499252	75.848711765	79.871433145	6,396	11,074,773
	1987	77.579769474	1.010698737	75.611337006	79.595056495	6,450	11,186,897
	1988	75.258552259	0.984717767	73.340773336	77.222300813	6,364	11,306,487
	1989	74.947989368	0.971041452	73.056727122	76.884053752	6,454	11,424,312
	1990	74.366887517	0.957231432	72.502445606	76.275078005	6,511	11,582,818
	1991	72.965227588	0.934300213	71.145390268	74.827326381	6,526	11,754,761
	1992	70.463253429	0.902644250	68.705080480	72.262236494	6,483	11,945,461
1993	68.514437337	0.878081294	66.804113049	70.264190364	6,427	12,121,185	
1994	66.395694314	0.852425565	64.735360514	68.094144243	6,360	12,278,910	

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

**Malignant Colorectal Cancer by Sex
1973-2002, SEER 9 Registries**

		Rate	SE	Lower CI	Upper CI	Count	Pop
Male	1995	63.757409702	0.826115853	62.148414555	65.403287612	6,218	12,443,019
	1996	65.449316675	0.826640462	63.839042475	67.095295127	6,514	12,601,642
	1997	68.000445829	0.835278173	66.373070147	69.662513048	6,864	12,762,338
	1998	66.774039257	0.818583726	65.179170392	68.402550506	6,869	12,912,848
	1999	65.402744355	0.800184784	63.843704110	66.994374363	6,872	13,049,559
	2000	63.190351143	0.776614135	61.677275721	64.734876455	6,799	13,193,992
	2001	61.872418214	0.759277129	60.393107135	63.382015797	6,812	13,326,546
	2002	59.914290066	0.738038099	58.476392011	61.381416445	6,763	13,421,869
Female	1973	51.614392674	0.850849016	49.960083522	53.314326348	3,772	8,354,275
	1974	52.123284364	0.792538096	50.581383314	53.704390997	4,422	9,579,183
	1975	53.644306544	0.769881184	52.145859375	55.179017663	4,960	10,456,470
	1976	54.119368170	0.767202368	52.626006709	55.648735764	5,088	10,536,715
	1977	54.900445509	0.765222736	53.410764208	56.425695868	5,256	10,633,955
	1978	55.183411753	0.756714460	53.710131237	56.691559416	5,425	10,747,714
	1979	54.516928425	0.744357914	53.067663599	56.000407388	5,473	10,871,784
	1980	56.482096683	0.748391444	55.024691076	57.972974701	5,809	11,004,583
	1981	56.449965487	0.742440880	55.004078755	57.928652241	5,898	11,088,847
	1982	54.491153550	0.721076727	53.086928416	55.927422002	5,824	11,158,316
	1983	55.559987229	0.721354436	54.155049918	56.996393445	6,044	11,246,447
	1984	56.040713591	0.718860530	54.640526957	57.471770814	6,198	11,346,075
	1985	57.369231626	0.720246059	55.966159232	58.802580005	6,469	11,460,729
	1986	54.679662447	0.695786720	53.324350651	56.064548068	6,297	11,569,600
	1987	52.648903981	0.677006668	51.330259888	53.996428442	6,157	11,685,772
	1988	51.800461078	0.665644791	50.503941629	53.125346820	6,157	11,804,579
	1989	52.474835413	0.664706079	51.180028601	53.797509416	6,332	11,925,133
	1990	51.221360176	0.651186717	49.952916817	52.517223033	6,288	12,074,656
	1991	50.014697024	0.637746387	48.772457080	51.283718439	6,246	12,243,859
	1992	49.179242012	0.624424959	47.962918040	50.421473953	6,284	12,422,576
	1993	48.332649140	0.612600312	47.139345604	49.550891440	6,296	12,591,935
	1994	47.724242532	0.603254418	46.549124500	48.923582948	6,326	12,743,177
	1995	46.917887683	0.593230986	45.762296975	48.097062006	6,321	12,896,953
	1996	46.635483105	0.586934732	45.492124678	47.801940349	6,381	13,051,322
1997	47.911931578	0.590395867	46.761682975	49.084649874	6,650	13,207,082	
1998	49.162354921	0.593343706	48.006220079	50.340254239	6,930	13,350,704	
1999	47.809729829	0.581762600	46.676215735	48.964728980	6,821	13,471,098	
2000	46.381855010	0.568829252	45.273592283	47.511387593	6,725	13,597,107	
2001	45.538280926	0.559994376	44.447249059	46.650413309	6,699	13,715,130	
2002	45.557300413	0.557101276	44.471868753	46.663681993	6,788	13,798,019	

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.