

NAACCR Data Item Name	Item Number	NAACCR 12.2 Column	November 2012	
Record Type	10	1-1	Y	
Patient ID Number	20	42-49	Y	
Registry ID	40	30-39	Y	
NAACCR Version Number	50	17-19	Y	
Tumor Record Number	60	40-41	Y	required if already maintained by registry
			<b>Los Angeles, San Francisco, San Jose &amp; Louisiana submit their legacy SEERid here</b>	
Patient System ID-Hosp	21	50-57		
Addr at DX-State	80	145-146	1995+	not required by SEER, requested by NAACCR
County at DX	90	156-158	Y	
Census Tract 1970/80/90	110	159-164	1973-1999	later years where available
Census Cod Sys 1970/80/90	120	166-166	1973-1999	later years where available
Census Tract 2000	130	168-173	1996+	
Census Tr Cert 1970/80/90	364	167-167	1973-1999	later years where available
Census Tr Certainty 2000	365	175-175	1996+	
Marital Status at DX	150	176-176	Y	
Race 1	160	177-178	Y	
Race 2	161	179-180	2000+	required 2000+, valid earlier
Race 3	162	181-182	2000+	required 2000+, valid earlier
Race 4	163	183-184	2000+	required 2000+, valid earlier
Race 5	164	185-186	2000+	required 2000+, valid earlier
Spanish/Hispanic Origin	190	189-189	Y	
Computed Ethnicity	200	190-190	1994+	required 1994+, valid earlier
Computed Ethnicity Source	210	191-191	1994+	required 1994+, valid earlier
Sex	220	192-192	Y	
Age at Diagnosis	230	193-195	Y	
Birth Date - year	240	196-199	Y	
Birth Date - month	240	200-201	Y	

NAACCR Data Item Name	Item Number	NAACCR 12.2 Column	November 2012	
Birth Date - day (blank for SEER)	240	202-203	Y	
Date of birth flag	241	204-205	Y	
Birthplace	250	206-208	Y	
NHIA Derived Hisp Origin	191	418-418	Y	
IHS Link	192	421-421	Y	
Race-NAPIIA	193	419-420	Y	
Census Tract 2010	135	428-433	2006+	if available
Census Tr Certainty 2010	367	435-435	2006+	if available
Sequence Number--Central	380	528-529	Y	
Date of Diagnosis - year	390	530-533	Y	
Date of Diagnosis - month	390	534-535	Y	
Date of Diagnosis - day ^*	390	536-537	Y	required, depending on method
Date of Diagnosis Flag	391	538-539	Y	
Primary Site	400	540-543	Y	
Laterality	410	544-544	Y	
Histology (92-00) ICD-O-2	420	545-548	1973-2000	
Behavior (92-00) ICD-O-2	430	549-549	1973-2000	
Histologic Type ICD-O-3	522	550-553	1973+	
Behavior Code ICD-O-3	523	554-554	1973+	
Grade	440	555-555	Y	
Grade Path Value	441	556-556	2010+	2010+ if available, valid earlier
Grade Path System	449	557-557	2010+	2010+ if available, valid earlier
Diagnostic Confirmation	490	562-562	Y	
Type of Reporting Source	500	563-563	Y	
Ambiguous Terminology	442	566-566	2007+	
Year of Conclusive DX	443	567-570	2007+	
Month of Conclusive DX	443	571-572	2007+	
Day of Conclusive DX	443	573-574	2007+	
Date of Conclusive DX Flag	448	575-576	2007+	
Mult Tum Rpt as One Prim	444	577-578	2007+	
Year of Multiple Tumors	445	579-582	2007+	
Month of Multiple Tumors	445	583-584	2007+	

NAACCR Data Item Name	Item Number	NAACCR 12.2 Column	November 2012	
Day of Multiple Tumors	445	585-586	2007+	
Date of Multiple Tumors Flag	439	587-588	2007+	
Multiplicity Counter	446	589-590	2007+	
Primary Payer at DX	630	778-779	2007+	
SEER Summary Stage 2000	759	904-904	1998-2003	not required by SEER, requested by NAACCR
SEER Summary Stage 1977	760	905-905	1988-2003	not required by SEER, requested by NAACCR
EOD--Tumor Size	780	906-908	1988-2003	
EOD--Extension	790	909-910	1988-2003	
EOD--Extension Prost Path	800	911-912	1988-2003	
EOD--Lymph Node Involv	810	913-913	1988-2003	
Regional Nodes Positive	820	914-915	1988+	
Regional Nodes Examined	830	916-917	1988+	
EOD--Old 13 digit	840	918-930	1973-1982	
EOD--Old 2 digit	850	931-932	1973-1982	
EOD--Old 4 digit	860	933-936	1983-1987	
Coding System for EOD	870	937-937	1973-2003	
AJCC TNM Path Stage Group (as available)^	910	952-955		not required by SEER, requested by NAACCR
AJCC TNM Clinical Stage Group (as available)^	970	970-973		not required by SEER, requested by NAACCR
Tumor Marker 1	1150	981-981	1973-2003	
Tumor Marker 2	1160	982-982	1973-2003	
Tumor Marker 3	1170	983-983	1973-2003	
Lymph-vascular Invasion	1182	984-984	CSv02+	Required for penis and testis for CSv02+, valid earlier and for other schemas
CS Tumor Size	2800	985-987	2004+	
CS Extension	2810	988-990	2004+	
CS Tumor Size/Ext Eval	2820	991-991	2008+	required 2008+, valid earlier
CS Lymph Nodes	2830	992-994	2004+	
CS Lymph Node Eval	2840	995-995	2008+	required 2008+, valid earlier
CS Mets at DX	2850	996-997	2004+	
CS Mets Eval	2860	998-998	2008+	required 2008+, valid earlier
CS Mets at DX--Bone	2851	999-999	2010+	2010+ if available, valid earlier
CS Mets at DX--Brain	2852	1000-1000	2010+	2010+ if available, valid earlier

NAACCR Data Item Name	Item Number	NAACCR 12.2 Column	November 2012	
CS Mets at DX--Liver	2853	1001-1001	<b>2010+</b>	2010+ if available, valid earlier
CS Mets at DX--Lung	2854	1002-1002	<b>2010+</b>	2010+ if available, valid earlier
CS Site Specific Factor 1	2880	1003-1005	<b>2004+</b>	
CS Site Specific Factor 2	2890	1006-1008	<b>2004+</b>	
CS Site Specific Factor 3	2900	1009-1011	<b>2004+</b>	
CS Site Specific Factor 4	2910	1012-1014	<b>2004+</b>	
CS Site Specific Factor 5	2920	1015-1017	<b>2004+</b>	
CS Site Specific Factor 6	2930	1018-1020	<b>2004+</b>	
CS Site Specific Factor 7	2861	1021-1023	<b>CSv02+</b>	Required for CSv02+ & 2010+
CS Site Specific Factor 8	2862	1024-1026	<b>CSv02+</b>	Required for CSv02+ & 2010+
CS Site Specific Factor 9	2863	1027-1029	<b>CSv02+</b>	Required for CSv02+ & 2010+
CS Site Specific Factor 10	2864	1030-1032	<b>CSv02+</b>	Required for CSv02+ & 2010+
CS Site Specific Factor 11	2865	1033-1035	<b>CSv02+</b>	Required for CSv02+ & 2010+
CS Site Specific Factor 12	2866	1036-1038	<b>CSv02+</b>	Required for CSv02+ & 2010+
CS Site Specific Factor 13	2867	1039-1041	<b>CSv02+</b>	Required for CSv02+ & 2010+
CS Site Specific Factor 14	2868	1042-1044	<b>CSv02+</b>	Required for CSv02+ & 2010+
CS Site Specific Factor 15	2869	1045-1047	<b>CSv02+</b>	Required for CSv02+ & 2010+
CS Site Specific Factor 16	2870	1048-1050	<b>CSv02+</b>	Required for CSv02+ & 2010+
CS Site Specific Factor 17	2871	1051-1053	<b>CSv02+</b>	Required for CSv02+ & 2010+
CS Site Specific Factor 18	2872	1054-1056	<b>CSv02+</b>	Required for CSv02+ & 2010+
CS Site Specific Factor 19	2873	1057-1059	<b>CSv02+</b>	Required for CSv02+ & 2010+
CS Site Specific Factor 20	2874	1060-1062	<b>CSv02+</b>	Required for CSv02+ & 2010+
CS Site Specific Factor 21	2875	1063-1065	<b>CSv02+</b>	Required for CSv02+ & 2010+
CS Site Specific Factor 22	2876	1066-1068	<b>CSv02+</b>	Required for CSv02+ & 2010+
CS Site Specific Factor 23	2877	1069-1071	<b>CSv02+</b>	Required for CSv02+ & 2010+
CS Site Specific Factor 24	2878	1072-1074	<b>CSv02+</b>	Required for CSv02+ & 2010+
CS Site Specific Factor 25	2879	1075-1077	<b>CSv02+</b>	Required for CSv02+ & 2010+
Derived AJCC-6 T	2940	1103-1104	<b>2004+</b>	
Derived AJCC-6 T Descript	2950	1105-1105	<b>2008+</b>	
Derived AJCC-6 N	2960	1106-1107	<b>2004+</b>	
Derived AJCC-6 N Descript	2970	1108-1108	<b>2008+</b>	
Derived AJCC-6 M	2980	1109-1110	<b>2004+</b>	

NAACCR Data Item Name	Item Number	NAACCR 12.2 Column	November 2012	
Derived AJCC-6 M Descript	2990	1111-1111	2008+	
Derived AJCC-6 Stage Grp	3000	1112-1113	2004+	
Derived AJCC-7 T	3400	1114-1116	2010+	2010+ if available, not valid earlier
Derived AJCC-7 T Descript	3402	1117-1117	2010+	2010+ if available, not valid earlier
Derived AJCC-7 N	3410	1118-1120	2010+	2010+ if available, not valid earlier
Derived AJCC-7 N Descript	3412	1121-1121	2010+	2010+ if available, not valid earlier
Derived AJCC-7 M	3420	1122-1124	2010+	2010+ if available, not valid earlier
Derived AJCC-7 M Descript	3422	1125-1125	2010+	2010+ if available, not valid earlier
Derived AJCC-7 Stage Grp	3430	1126-1128	2010+	2010+ if available, not valid earlier
Derived SS1977	3010	1155-1155	2004+	
Derived SS2000	3020	1156-1156	2004+	
Derived AJCC--Flag	3030	1158-1158	2004+	
Derived SS1977--Flag	3040	1159-1159	2004+	
Derived SS2000-Flag	3050	1160-1160	2004+	
CS Version Input Current	2937	1161-1166	2004+	
CS Version Input Original	2935	1167-1172	2004+	
CS Version Derived	2936	1173-1178	2004+	
Date of Initial RX--SEER - year	1260	1436-1439	Y	
Date of Initial RX--SEER - month	1260	1440-1441	Y	
Date of Initial RX--SEER - day (blank for SEER)	1260	1442-1443	Y	
Date of intial RX--SEER flag	1261	1444-1445	Y	
Date of 1st Crs RX--COC	1270	1446-1453	1995+	not required by SEER, requested by NAACCR
Date of 1st Crs RX Flag	1271	1454-1455	1995+	not required by SEER, requested by NAACCR
RX Summ--Treatment Status	1285	1566-1566	2010+	2010+ if available, valid earlier
RX Summ--Surg Prim Site	1290	1567-1568	1998+	
RX Summ--Scope Reg LN Sur	1292	1569-1569	2003+	
RX Summ--Surg Oth Reg/Dis	1294	1570-1570	2003+	
RX Summ--Reg LN Examined	1296	1571-1572	1998-2002	
RX Summ--Reconstruct 1 <sup>st</sup>	1330	1575-1575	1998-2002	
Reason for No Surgery	1340	1576-1576	Y	
RX Summ--Radiation	1360	1580-1580	Y	
RX Summ--Rad to CNS	1370	1581-1581	Y	

NAACCR Data Item Name	Item Number	NAACCR 12.2 Column	November 2012	
RX Summ--Surg/Rad Seq	1380	1582-1582	Y	
RX Summ--Transplnt/Endocr	3250	1583-1584	Y	
RX Summ--Chemo	1390	1585-1586	Y	
RX Summ--Hormone	1400	1587-1588	Y	
RX Summ--BRM	1410	1589-1590	Y	
RX Summ--Other	1420	1591-1591	Y	
Rad-Regional RX Modality	1570	1607-1608	1995+	not required by SEER, requested by NAACCR
RX Summ--Systemic/Sur Seq	1639	1616-1616	2007+	
RX Summ--Surgery Type	1640	1617-1618	1973-1997	
RX Summ--Surg Site 98-02	1646	1620-1621	1998-2002	
RX Summ--Scope Reg 98-02	1647	1622-1622	1998-2002	
RX Summ--Surg Oth 98-02	1648	1623-1623	1998-2002	
Over-ride Age/Site/Morph	1990	1896-1896	Y	
Over-ride SeqNo/DxConf	2000	1897-1897	Y	
Over-ride Site/Lat/SeqNo	2010	1898-1898	Y	
Over-ride Surg/DxConf	2020	1899-1899	Y	
Over-ride Site/Type	2030	1900-1900	Y	
Over-ride Histology	2040	1901-1901	Y	
Over-ride Report Source	2050	1902-1902	Y	
Over-ride Ill-def Site	2060	1903-1903	Y	
Over-ride Leuk, Lymphoma	2070	1904-1904	Y	
Over-ride Site/Behavior	2071	1905-1905	Y	
Over-Ride Site/EOD/DX DT	2072	1906-1906	Y	
Over-Ride SITE/LAT/EOD	2073	1907-1907	Y	
Over-Ride SITE/LAT/MORPH	2074	1908-1908	Y	
Site (73-91) ICD-O-1	1960	1909-1912	1973-1991	
Histology (73-91) ICD-O-1	1971	1913-1916	1973-1991	
Behavior (73-91) ICD-O-1	1972	1917-1917	1973-1991	
Grade (73-91) ICD-O-1	1973	1918-1918	1973-1991	
ICD-O-2 Conversion flag	1980	1919-1919	Y	
SEER Coding Sys--Current	2120	1930-1930	Y	
SEER Coding Sys--Original	2130	1931-1931	Y	

NAACCR Data Item Name	Item Number	NAACCR 12.2 Column	November 2012	
SEER Type of Follow-Up	2180	1946-1946	Y	
SEER Record Number	2190	1947-1948	Y	
Diagnostic Proc 73-87	2200	1949-1950	<b>1973-1987</b>	
ICD-O-3 Conversion flag	2116	2015-2015	Y	
Date of Last Contact - year	1750	2116-2119	Y	
Date of Last Contact - month	1750	2120-2121	Y	
Date of Last Contact - day <sup>^*</sup>	1750	2122-2123	Y	required, depending on method
Date of Last Contact Flag	1751	2124-2125	Y	
Vital Status	1760	2126-2126	Y	
Follow-up Source	1790	2129-2129	<b>1995+</b>	not required by SEER, requested by NAACCR
Cause of Death	1910	2269-2272	Y	
ICD Revision Number	1920	2273-2273	Y	
Follow-up Source Central	1791	2278-2279	<b>1995+</b>	not required by SEER, requested by NAACCR
Census Tract Poverty Category	2220	2344	<b>1995+</b>	not required by SEER, requested by NAACCR
Survival Months <sup>^*</sup>		2593-2596		required, depending on method
Survival Months Flag <sup>^*</sup>		2597		required, depending on method
Survival Months (Presumed Alive) <sup>^*</sup>		2598 - 2601		required, depending on method
Survival Months Flag (Presumed Alive) <sup>^*</sup>		2602		required, depending on method
	<sup>^</sup> New data item. <sup>*</sup> See Attachment D			