

**National Admissions to Substance Abuse Treatment Services** 

#### **ACKNOWLEDGMENTS**

This report was prepared for the Substance Abuse and Mental Health Services Administration (SAMHSA), U.S. Department of Health and Human Services (HHS), by Synectics for Management Decisions, Inc., Arlington, Virginia. Work was performed under Task Order HHSS28320070048I/HHSS28343001T, Reference No. 283-07-4803 (Cathie Alderks, Task Order Officer). At Synectics, Bea Blacklow, Doren Walker, Sarbajit Sinha, and Leigh Henderson were responsible for the content, analysis, and writing of the report.

#### Public Domain Notice

All material appearing in this report is in the public domain and may be reproduced or copied without permission from SAMHSA. Citation of the source is appreciated. However, this publication may not be reproduced or distributed for a fee without the specific, written authorization of the Office of Communications, SAMHSA, U.S. Department of Health and Human Services.

### RECOMMENDED CITATION

Substance Abuse and Mental Health Services Administration, Center for Behavioral Health Statistics and Quality. *Treatment Episode Data Set (TEDS): 2000-2010. National Admissions to Substance Abuse Treatment Services.* DASIS Series S-61, HHS Publication No. (SMA) 12-4701. Rockville, MD: Substance Abuse and Mental Health Services Administration, 2012.

### **ELECTRONIC ACCESS TO PUBLICATION**

This publication may be downloaded from http://store.samhsa.gov/home.

Hard copies may be obtained from SAMHSA at 1-877-SAMHSA-7 (1-877-726-4727)

(English and Español).

### **ORIGINATING OFFICE**

Center for Behavioral Health Statistics and Quality
Substance Abuse and Mental Health Services Administration
1 Choke Cherry Road, Room 7-1044
Rockville, Maryland 20857

June 2012

### TABLE OF CONTENTS

List of Tables	v
List of Figures	xi
Highlights	1
List of Figures	5
Trends in Primary Substance of Abuse: 2000-2010	5
Trends in the Co-Abuse of Alcohol and Drugs	7
Trends in Demographic Characteristics	8
Trends in Employment Status	10
Chapter 2. Characteristics of Admissions by Primary Substance: 2010	11
All Admissions Aged 12 and Older	12
Alcohol Only	13
Alcohol with Secondary Drug Abuse	14
Heroin	15
Opiates Other than Heroin	16
Smoked Cocaine (Crack)	17
Non-Smoked Cocaine	18
Marijuana/Hashish	19
Methamphetamine/Amphetamines	20
Tranquilizers	21
Sedatives	22
Hallucinogens	23
Phencyclidine (PCP)	24
Inhalants	25

# TABLE OF CONTENTS (CONTINUED)

Chapter 3. Topics of Special Interest	27
Adolescent Admissions to Substance Abuse Treatment	27
Trends in Heroin Admissions and Medication-Assisted Opioid Therapy	30
Polydrug Abuse	33
Racial/Ethnic Subgroups	34
Chapter 4. Type of Service: 2010	39
Tables	41
Appendix A. About the Treatment Episode Data Set (TEDS)	93
Appendix B. TEDS Data Elements	107
TEDS Minimum Data Set	107
TEDS Supplemental Data Set	115

### LIST OF TABLES

### Click on text to go to link

### **Trends 2000-2010**

1.1a	Admissions aged 12 and older, by primary substance of abuse: 2000-2010.  Number	43
1.1b	Admissions aged 12 and older, by primary substance of abuse: 2000-2010.  Percent distribution	44
1.2	Admissions aged 12 and older, by alcohol/drug co-abuse: 2000-2010.  Number and percent distribution	45
1.3a	Admissions aged 12 and older, by gender and age at admission: 2000-2010.  Number and average age at admission.	46
1.3b	Admissions aged 12 and older, by gender and age at admission: TEDS 2000-2010 and U.S. population aged 12 and older 2010.  Percent distribution	47
1.4	Admissions aged 12 and older, by race/ethnicity: TEDS 2000-2010 and U.S. population aged 12 and older 2010  Number and percent distribution	48
1.5	Admissions aged 16 and older by employment status: TEDS 2000-2010 and U.S. population aged 16 and older 2010.  Percent distribution	49
Cha	racteristics of Admissions 2010	
2.1a	Admissions aged 12 and older, by gender and age at admission according to primary substance of abuse: 2010.  Column percent distribution and average age at admission	50
2.1b	Admissions aged 12 and older, by gender and age at admission according to primary substance of abuse: 2010.  Row percent distribution	51
2.2	Admissions aged 12 and older, by race/ethnicity according to primary substance of abuse: 2010.  Column and row percent distribution	52

2.3a	Admissions aged 12 and older, by selected race/ethnicity/gender/age group according to primary substance of abuse: 2010.  Column percent distribution	53
2.3b	Admissions aged 12 and older, by selected race/ethnicity/gender/age group according to primary substance of abuse: 2010.  Row percent distribution	57
2.4	Admissions aged 12 and older, by frequency of use and usual route of administration according to primary substance of abuse: 2010.  Percent distribution	61
2.5	Admissions aged 12 and older, by age of first use and number of prior treatment episodes according to primary substance of abuse: 2010.  Percent distribution	62
2.6	Admissions aged 12 and older, by treatment referral source and detailed criminal justice referral according to primary substance of abuse: 2010.  Percent distribution	63
2.7	Admissions aged 12 and older, by type of service at admission and medication-assisted opioid therapy according to primary substance of abuse: 2010.  Percent distribution	64
2.8	Admissions aged 16 and older, by employment status and detailed not-in-labor-force category according to primary substance of abuse: 2010.  Percent distribution	65
2.9	Admissions aged 18 and older, by education according to primary substance of abuse: 2010.  Percent distribution	66
2.10	Admissions aged 12 and older, by marital status, living arrangements, pregnancy status, and veteran status according to primary substance of abuse: 2010.  Percent distribution	67
2.11	Admissions aged 12 and older, by psychiatric problem in addition to substance abuse problem and DSM criteria diagnosis according to primary substance of abuse: 2010.	60
	Percent distribution	68

2.12	Admissions aged 16 and older, by source of income support according to primary substance of abuse: 2010.  Percent distribution	69
2.13	Admissions aged 12 and older, by type of health insurance and expected/actual primary source of payment according to primary substance of abuse: 2010.  Percent distribution	70
2.14	Admissions aged 12 and older, by arrests in 30 days prior to admission and days waiting to enter treatment according to primary substance of abuse: 2010.  Percent distribution	71
2.15	Admissions aged 12 and older, by primary, secondary, and tertiary detailed drug: 2010.  Number and percent distribution	72
Topi	cs of Special Interest	
3.1a	Admissions aged 12 to 17, by primary substance of abuse: 2000-2010.  Number	74
3.1b	Admissions aged 12 to 17, by primary substance of abuse: 2000-2010.  Percent distribution	75
3.2	Admissions aged 12 to 17, by gender and race/ethnicity according to primary substance of abuse: 2010.  Percent distribution	76
3.3	Admissions aged 12 to 17, by age at admission and treatment referral source according to primary substance of abuse: 2010.  Percent distribution	77
3.4	Admissions aged 12 to 17, by marijuana involvement and treatment referral source: 2000-2010.  Percent distribution	78
3.5	Heroin admissions aged 12 and older, by age group and race/ethnicity: 2000-2010.  Percent distribution	79

3.6	Heroin admissions aged 12 and older, by usual route of administration, age group, and characteristics of first treatment episode: 2000-2010.  Percent distribution	80
3.7	Heroin admissions aged 12 and older with planned medication-assisted opioid therapy, by usual route of administration and age group: 2000-2010.  Percent distribution	81
3.8	Admissions aged 12 and older, by primary substance of abuse according to additional substance abuse: 2010.  Percent distribution	82
3.9	Substance abuse combinations, by selected primary substance of abuse: 2010.  Number and percent distribution	83
Туре	e of Service 2010	
4.1a	Admissions aged 12 and older, by type of service according to primary substance of abuse and age at admission: 2010.  Column percent distribution	86
4.1b	Admissions aged 12 and older, by type of service according to primary substance of abuse and age at admission: 2010.  Row percent distribution	87
4.2a	Admissions aged 12 and older, by type of service according to gender and race/ethnicity: 2010.  Column percent distribution	88
4.2b	Admissions aged 12 and older, by type of service according to gender and race/ethnicity: 2010.  Row percent distribution	89
4.3a	Admissions aged 12 and older, by type of service according to treatment referral source, frequency of use, and number of prior treatment episodes: 2010.  Column percent distribution	90
4.3b	Admissions aged 12 and older, by type of service according to treatment referral source, frequency of use, and number of prior treatment episodes: 2010.  Row percent distribution	91

Appendix A. About the Treatment Episode Data Set (TEDS)	
Appendix Table 1. State data system reporting characteristics: 2010	98
Appendix Table 2. Item percentage response rate by State or jurisdiction: TEDS Minimum Data Set 2010	102
Appendix Table 3. Item percentage response rate by State or jurisdiction: TEDS Supplemental Data Set 2010	104



### LIST OF FIGURES

Figure 1	Primary substance of abuse at admission: 2000-2010	7
Figure 2	Age at admission: TEDS 2000-2010 and U.S. population 2010	8
Figure 3	Race/ethnicity of admissions: TEDS 2000-2010 and U.S. population 2010	9
Figure 4	Employment status at admission, aged 16 and older: 2000-2010	10
Figure 5	All admissions, by gender, age, and race/ethnicity: 2010	12
Figure 6	Alcohol-only admissions, by gender, age, and race/ethnicity: 2010	13
Figure 7	Alcohol admissions with secondary drug abuse, by gender, age, and race/ethnicity: 2010	14
Figure 8	Heroin admissions, by gender, age, and race/ethnicity: 2010	15
Figure 9	Non-heroin opiate admissions, by gender, age, and race/ethnicity: 2010	16
Figure 10	Smoked cocaine (crack) admissions, by gender, age, and race/ethnicity: 2010	17
Figure 11	Non-smoked cocaine admissions, by gender, age, and race/ethnicity: 2010	18
Figure 12	Marijuana/hashish admissions, by gender, age, and race/ethnicity: 2010	19
Figure 13	Methamphetamine/amphetamine admissions, by gender, age, and race/ethnicity: 2010	20
Figure 14	Tranquilizer admissions, by gender, age, and race/ethnicity: 2010	21
Figure 15	Sedative admissions, by gender, age, and race/ethnicity: 2010	22
Figure 16	Hallucinogen admissions, by gender, age, and race/ethnicity: 2010	23
Figure 17	Phencyclidine (PCP) admissions, by gender, age, and race/ethnicity: 2010	24
Figure 18	Inhalant admissions, by gender, age, and race/ethnicity: 2010	25
Figure 19	Adolescent admissions aged 12 to 17, by primary substance: 2000-2010	28
Figure 20	Adolescent admissions aged 12 to 17, by marijuana involvement and criminal justice referral: 2000-2010.	29

# LIST OF FIGURES (CONTINUED)

Figure 21	Heroin admissions aged 12 and older, by age group and race/ethnicity: 2000-2010	.30
Figure 22	Heroin admissions aged 12 and older, by route of administration and age group: 2000-2010	31
Figure 23	Heroin admissions aged 12 and older receiving medication-assisted opioid therapy, by route of heroin administration: 2000-2010	.32
Figure 24	Heroin admissions aged 12 and older receiving medication-assisted opioid therapy, by age group: 2000-2010	32
Figure 25	Primary and secondary/tertiary substance of abuse: 2010	.33
Figure 26	White (non-Hispanic) admissions, by gender, primary substance, and age: 2010	.36
Figure 27	Black (non-Hispanic) admissions, by gender, primary substance, and age: 2010	.36
Figure 28	Mexican origin admissions, by gender, primary substance, and age: 2010	.37
Figure 29	Puerto Rican origin admissions, by gender, primary substance, and age: 2010	.37
Figure 30	American Indian/Alaska Native admissions, by gender, primary substance, and age: 2010	38
Figure 31	Asian/Pacific Islander admissions, by gender, primary substance, and age: 2010	38

### HIGHLIGHTS

This report presents national-level data from the Treatment Episode Data Set (TEDS) for admissions in 2010 and trend data for 2000 to 2010. The report provides information on the demographic and substance abuse characteristics of admissions to treatment aged 12 and older for abuse of alcohol and/or drugs in facilities that report to individual State administrative data systems.

For 2010, 1,820,737 substance abuse treatment admissions aged 12 and older were reported to TEDS by 48 States and Puerto Rico. (Georgia, Mississippi, and the District of Columbia had submitted no data or incomplete data for 2010 by October 10, 2011, and are excluded from this report.)

#### **Major Substances of Abuse**

• Five substance groups accounted for 96 percent of the primary substances reported by the 1,820,737 TEDS admissions aged 12 and older in 2010: alcohol (41 percent), opiates (23 percent), marijuana (18 percent), cocaine (8 percent), and methamphetamine/amphetamines (6 percent) [Table 1.1b].

#### Alcohol

- Primary alcohol admissions declined steadily from 46 percent of admissions aged 12 and older in 2000 to 39 percent in 2005, but then increased steadily to 42 percent in 2009, and then fell slightly to 41 percent in 2010. In 2010, 45 percent of primary alcohol admissions aged 12 and older reported secondary drug abuse as well [Table 1.1b].
- Admissions for abuse of alcohol alone represented 23 percent of TEDS admissions aged 12 and older in 2010, while admissions for primary alcohol abuse with secondary drug abuse represented 18 percent [Table 1.1b].
- Almost three-quarters of admissions for abuse of alcohol alone and for abuse of alcohol with secondary drug abuse were male (73 percent each) [Table 2.1a].
- The average age at admission among alcohol-only admissions was 40 years compared with 36 years among admissions for primary alcohol with secondary drug abuse [Table 2.1a].
- More than two-thirds (68 percent) of alcohol-only admissions were non-Hispanic White, followed by admissions of non-Hispanic Blacks (13 percent) and admissions of Hispanic origin (12 percent). Among admissions for primary alcohol with secondary drug abuse, 59 percent were non-Hispanic White, 23 percent were non-Hispanic Black, and 12 percent were of Hispanic origin [Table 2.2].

#### Heroin

- Admissions for primary heroin were fairly steady over this time period: they were 15 percent of admissions aged 12 and older in 2000, 16 percent in 2001, 15 percent again from 2002 to 2004 and 14 percent from 2005 to 2010 [Table 1.1b].
- Heroin represented 91 percent of all opiate admissions in 2000 but declined steadily to 62 percent in 2010 [Table 1.1a].
- About two-thirds (67 percent) of primary heroin admissions were male [Table 2.1a].
- For primary heroin admissions, the average age at admission was 35 years [Table 2.1a].
- More than half (62 percent) of primary heroin admissions were non-Hispanic White, followed by 18 percent who were of Hispanic origin and 17 percent who were non-Hispanic Black [Table 2.2].
- Seventy percent of primary heroin admissions reported injection as the route of administration, and 25 percent reported inhalation [Table 2.4].

#### Opiates Other than Heroin<sup>1</sup>

- Admissions for primary opiates other than heroin increased steadily from 2 percent of admissions aged 12 and older in 2000 to 9 percent in 2010 [Table 1.1b].
- Opiates other than heroin represented 9 percent of all opiate admissions in 2000 but rose steadily to 38 percent in 2010 [Table 1.1a].
- Just over half (54 percent) of primary non-heroin opiate admissions were male [Table 2.1a].
- For primary non-heroin opiate admissions, the average age at admission was 31 years [Table 2.1a].
- Most primary non-heroin opiate admissions (88 percent) were non-Hispanic White [Table 2.2].
- Almost two-thirds (62 percent) of primary non-heroin opiate admissions reported oral as the route of administration, while 20 percent reported inhalation and 14 percent reported injection [Table 2.4].

#### Marijuana/Hashish

- Admissions for primary marijuana increased from 14 percent of admissions aged 12 or older in 2000 to 18 percent in 2010 [Table 1.1b].
- Nearly three-quarters (74 percent) of primary marijuana admissions were male [Table 2.1a].
- For primary marijuana admissions, the average age at admission was 25 years [Table 2.1a].
- Almost half (47 percent) of primary marijuana admissions were non-Hispanic White, 31 percent were non-Hispanic Black, and 16 percent were of Hispanic origin [Table 2.2].

<sup>&</sup>lt;sup>1</sup> These drugs include methadone, codeine, hydrocodone, hydromorphone, meperidine, morphine, opium, oxycodone, pentazocine, propoxyphene, tramadol, and any other drug with morphine-like effects.

#### Cocaine/Crack

- Admissions for primary cocaine declined from 14 percent of admissions aged 12 or older in 2000 to 8 percent in 2010. Smoked cocaine (crack) represented 71 percent of all primary cocaine admissions in 2010, down from 73 percent in 2000 [Tables 1.1a-b].
- Fifty-seven percent of primary smoked cocaine admissions were male compared with 68 percent of primary non-smoked cocaine admissions [Table 2.1a].
- The average age at admission among smoked cocaine admissions was 41 years compared with 36 years among non-smoked cocaine admissions [Table 2.1a].
- Among primary smoked cocaine admissions, 53 percent were non-Hispanic Black, 35 percent were non-Hispanic White, and 8 percent were of Hispanic origin. Among primary non-smoked cocaine admissions, 47 percent were non-Hispanic White, followed by non-Hispanic Blacks (29 percent) and admissions of Hispanic origin (19 percent) [Table 2.2].
- Eighty percent of primary non-smoked cocaine admissions reported inhalation as their route of administration, and 11 percent reported injection [Table 2.4].

#### Methamphetamine/Amphetamines

- Admissions for primary methamphetamine/amphetamine increased from 5 percent of admissions aged 12 or older in 2000 to 9 percent in 2005, but then decreased to 6 percent in 2010 [Table 1.1b].
- For primary methamphetamine/amphetamine admissions, the average age at admission was 33 years [Table 2.1a].
- Fifty-three percent of primary methamphetamine/amphetamine admissions were male [Table 2.1a].
- About two-thirds (68 percent) of primary methamphetamine/amphetamine admissions were non-Hispanic White, followed by 19 percent who were of Hispanic origin [Table 2.2].
- Sixty-four percent of primary methamphetamine/amphetamine admissions reported smoking as the route of administration, 22 percent reported injection, and 8 percent reported inhalation [Table 2.4].

#### **Adolescent Admissions to Substance Abuse Treatment**

- TEDS data indicate that the number of admissions to substance abuse treatment aged 12 to 17 increased by 15 percent between 2000 and 2002, but declined by 2 percent between 2002 and 2010 [Table 3.1a].
- Almost half (46 percent) of adolescent treatment admissions were referred to treatment through the criminal justice system [Table 3.3].
- About 6 in 7 (87 percent) of adolescent treatment admissions involved marijuana as a primary or secondary substance [Table 3.4].

#### Trends in Heroin Admissions and Medication-Assisted Opioid Therapy

- The proportion of non-Hispanic Whites aged 20 to 34 among heroin admissions increased from just over 1 in 5 (22 percent) in 2000 to more than 2 in 5 (42 percent) in 2010 [Table 3.5].
- The proportion of injectors aged 20 to 34 among heroin admissions increased from almost 1 in 4 (24 percent) in 2000 to more than 2 in 5 (41 percent) in 2010. During that period, the proportion of injectors aged 35 to 44 fell from 22 percent to 13 percent [Table 3.6].
- The proportion of heroin admissions with treatment plans that included receiving medication-assisted opioid therapy fell from 37 percent in 2000 to 28 percent in 2010 [Table 3.7].

#### **Polydrug Abuse**

Polydrug abuse was reported by 55 percent of all TEDS admissions aged 12 and older in 2010 [Table 3.8].

- Alcohol, opiates, and methamphetamine/amphetamines were reported more often as primary substances than as secondary or tertiary substances (alcohol: 41 vs. 19 percent; opiates: 23 vs. 9 percent; methamphetamine/amphetamines: 6 vs. 4 percent).
- Marijuana and cocaine were reported less often as primary substances than as secondary or tertiary substances (marijuana 18 vs. 21 percent; cocaine 8 vs. 14 percent).

#### Race/Ethnicity

Alcohol was the most frequently reported primary substance at treatment admission among all racial/ethnic groups except admissions of Puerto Rican origin. However, the proportions reporting primary use of the other four major substance groups varied considerably by racial/ethnic group [Table 2.2].

- Among non-Hispanic Whites, alcohol (43 percent) was followed by opiates (27 percent), marijuana (14 percent), methamphetamine/amphetamines (7 percent), and cocaine (5 percent).
- Among non-Hispanic Blacks, alcohol (35 percent) was followed by marijuana (28 percent), cocaine (19 percent), opiates (14 percent), and methamphetamine/amphetamines (1 percent).
- Among persons of Mexican origin, alcohol (39 percent) was followed by marijuana (25 percent), methamphetamine/amphetamines (18 percent), opiates (13 percent), and cocaine (4 percent).
- Among persons of Puerto Rican origin, opiates (39 percent) were followed by alcohol (30 percent), marijuana (18 percent), cocaine (9 percent), and methamphetamine/amphetamines (1 percent).
- Among American Indians/Alaska Natives, alcohol (65 percent) was followed by marijuana (13 percent), opiates (10 percent), methamphetamine/amphetamines (6 percent), and cocaine (3 percent).
- Among Asians/Pacific Islanders, alcohol (44 percent) was followed by marijuana (20 percent), methamphetamine/amphetamines (19 percent), opiates (10 percent), and cocaine (5 percent).

### CHAPTER 1

# TRENDS IN SUBSTANCE ABUSE TREATMENT ADMISSIONS AGED 12 AND OLDER: 2000-2010

This report presents national-level data from the Treatment Episode Data Set (TEDS) for admissions in 2010 and trend data for 2000 to 2010. It is a companion to the report *Treatment Episode Data Set (TEDS): 2000-2010 State Admissions to Substance Abuse Treatment.* These reports provide information on the demographic and substance abuse characteristics of admissions to treatment aged 12 and older for abuse of alcohol and/or drugs in facilities that report to individual State administrative data systems. Data include records for admissions during calendar years 2000 through 2010 that were received and processed through October 10, 2011.<sup>1</sup>

TEDS is an admission-based system, and TEDS admissions do not represent individuals. Thus, for example, an individual admitted to treatment twice within a calendar year would be counted as two admissions.

TEDS does not include all admissions to substance abuse treatment. It includes admissions at facilities that are licensed or certified by the State substance abuse agency to provide substance abuse treatment (or are administratively tracked for other reasons). In general, facilities reporting TEDS data are those that receive State alcohol and/or drug agency funds (including Federal Block Grant funds) for the provision of alcohol and/or drug treatment services. Additional information on the history and methodology of TEDS and this report as well as important issues related to State data collection systems are detailed in Appendix A.

This chapter details trends in the annual numbers and rates of admissions aged 12 and older for 2000 to 2010. Trend data are invaluable in monitoring changing patterns in substance abuse treatment admissions. These patterns reflect underlying changes in substance abuse in the population as well as changing priorities in the treatment/reporting system. (For example, limited resources and targeted programs may result in a shift of State funds from treatment of alcohol abusers to treatment to abusers of other drugs.) TEDS data thus have important implications for resource allocation and program planning.

#### **Trends in Primary Substance of Abuse: 2000-2010**

Admissions can report up to three substances of abuse. These represent the substances that led to the treatment episode and are not necessarily a complete enumeration of all substances used at the time of admission. Most of the information in this report is based on an admission's primary substance of abuse. (See Appendix A for more details.)

<sup>&</sup>lt;sup>1</sup> For researchers interested in more detailed analysis, TEDS public use files are available for online data analysis or download at the Substance Abuse and Mental Health Data Archive, which can be accessed at http://www.datafiles.samhsa.gov.

Summary data for individual States that have submitted the full year of data are available online through the Quick Statistics website at http://wwwdasis.samhsa.gov/webt/NewMapv1.htm.

*Tables 1.1a-b and Figure 1.* The number of admissions aged 12 and older increased by 4 percent from 2000 to 2010, commensurate with a similar increase in the U.S. population aged 12 and older.

- Between 2000 and 2010, five substance groups accounted for 96 percent of the primary substances of abuse reported by TEDS treatment admissions aged 12 and older: alcohol, opiates (primarily heroin), marijuana, cocaine, and methamphetamine/amphetamines. However, the proportions of admissions by primary substance changed considerably over that period:
  - *Alcohol* admissions declined steadily from 46 percent of admissions aged 12 and older in 2000 to 39 percent in 2005, but then increased steadily to 42 percent in 2009, and then fell slightly to 41 percent in 2010. In 2010, 45 percent of primary alcohol admissions aged 12 and older reported secondary drug abuse as well.
  - *Opiate* admissions increased from 17 percent of admissions aged 12 and older in 2000 to 23 percent in 2010.
    - Admissions for primary heroin were fairly steady over this time period: they were 15 percent of admissions aged 12 and older in 2000, 16 percent in 2001, 15 percent again from 2002 to 2004, and 14 percent from 2005 to 2010. Heroin represented 91 percent of all opiate admissions in 2000 but declined steadily to 62 percent in 2010.
    - Opiates other than heroin<sup>2</sup> increased from 2 percent of admissions aged 12 and older in 2000 to 9 percent in 2010. Opiates other than heroin represented 9 percent of all opiate admissions in 2000 but rose steadily to 38 percent in 2010.
  - *Cocaine* admissions declined from 14 percent of admissions aged 12 and older in 2000 to 8 percent in 2010. Smoked cocaine (crack) represented 71 percent of all primary cocaine admissions in 2010, down from 73 percent in 2000.
  - *Marijuana* admissions increased from 14 percent of admissions aged 12 and older in 2000 to 18 percent in 2010.
  - *Stimulant* admissions (98 to 99 percent of these admissions were for methamphetamine or amphetamine abuse) increased from 5 percent of admissions aged 12 and older in 2000 to 9 percent in 2005, but then decreased to 6 percent in 2010.
  - Tranquilizers, sedatives and hypnotics, hallucinogens, PCP, inhalants, and over-the-counter medications each accounted for 1 percent or less of TEDS admissions between 2000 and 2010.

<sup>&</sup>lt;sup>2</sup> These drugs include methadone, codeine, hydrocodone, hydromorphone, meperidine, morphine, opium, oxycodone, pentazocine, propoxyphene, tramadol, and any other drug with morphine-like effects.

#### Trends in the Co-Abuse of Alcohol and Drugs

*Table 1.2.* The concurrent abuse of alcohol and drugs continues to be a significant problem. Because TEDS collects a maximum of three substances of abuse and not all substances abused, alcohol use among polydrug abusers may be underreported.

- The proportion of admissions aged 12 and older reporting abuse of both alcohol and drugs declined from 42 percent in 2000 to 37 percent in 2010.
- The proportion reporting abuse of drugs only increased from 30 percent in 2000 to 39 percent in 2010, while the proportion reporting abuse of alcohol only fell slightly, from 26 percent in 2000 to 23 percent in 2010.

Percent of all admissions aged 12 and older - Alcohol 🔫 Opiates -- Cocaine - Marijuana -Methamphetamine/ amphetamines

Figure 1. Primary substance of abuse at admission: 2000-2010

#### **Trends in Demographic Characteristics**

*Table 1.3b.* Males represented 68 percent of TEDS admissions aged 12 and older in 2010, a proportion that declined steadily, if slightly, from 70 percent in 2000.

• The distribution of TEDS admissions aged 12 and older differed markedly by gender from that of the U.S. population, where 48 percent of the population was male.

*Table 1.3b and Figure 2.* The age distribution of TEDS admissions aged 12 and older changed between 2000 and 2010.

- The proportion of admissions aged 18 to 29 years increased from 28 percent in 2000 to 35 percent in 2010. The proportion of admissions aged 12 to 17 was stable at about 7 percent.
- Admissions aged 30 to 44 years made up 48 percent of TEDS admissions in 2000 but only 34 percent in 2010.
- The proportion of admissions aged 45 and older increased from 17 percent in 2000 to 24 percent in 2010.
- The age distribution of TEDS treatment admissions aged 12 and older differed considerably from that of the U.S. population. In 2010, some 69 percent of TEDS admissions were aged 18 to 44 years compared to 43 percent of the U.S. population. Adolescents aged 12 to 17 years made up 7 percent of TEDS admissions but 10 percent of the U.S. population. Admissions aged 45 and older made up 24 percent of TEDS admissions but 47 percent of the U.S. population.




Figure 2. Age at admission: TEDS 2000-2010 and U.S. population 2010

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 10.10.11. U.S. Bureau of the Census. Annual State Resident Population Estimates for 6 Race Groups by Age, Sex, and Hispanic Origin: April 1, 2000 to July 1, 2010 (SC-EST2010-ALLDATA6, rel. June, 2010).

*Table 1.4 and Figure 3.* The racial/ethnic composition of TEDS admissions aged 12 and older changed very little between 2000 and 2010.

- Non-Hispanic Whites made up 58 to 61 percent of admissions throughout the time period.
- The proportion of non-Hispanic Blacks declined, from 25 percent of admissions in 2000 to 20 percent in 2010.
- This was offset by increases in the proportions of admissions of Hispanic origin (from 12 percent in 2000 to 13 percent in 2010) and for other racial/ethnic groups combined (from 5 percent in 2000 to 6 percent in 2010).
- The racial/ethnic composition of TEDS admissions differed from that of the U.S. population. Non-Hispanic Whites were the majority in both groups, but they represented 61 percent of TEDS admissions in 2010 compared to 70 percent of the U.S. population. Non-Hispanic Blacks represented 20 percent of TEDS admissions in 2010 and 11 percent of the U.S. population. However, the proportion of TEDS admissions of Hispanic origin (13 percent) was the same as the proportion of Hispanics in the U.S. population (13 percent). Other racial/ethnic groups made up 6 percent of TEDS admissions and 6 percent of the U.S. population.




Figure 3. Race/ethnicity of admissions: TEDS 2000-2010 and U.S. population 2010

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 10.10.11. U.S. Bureau of the Census. Annual State Resident Population Estimates for 6 Race Groups by Age, Sex, and Hispanic Origin: April 1, 2000 to July 1, 2010 (SC-EST2010-ALLDATA6, rel. June, 2010).

#### **Trends in Employment Status**

Table 1.5 and Figure 4. TEDS admissions aged 16 and older were less likely to be employed than the U.S. population aged 16 and older. This is evident in the unadjusted distributions of admissions by employment status (employed, unemployed, and not in labor force) shown in Table 1.5. Because TEDS admissions differ demographically from the U.S. population, Table 1.5 also shows distributions that have been statistically adjusted to provide a more valid comparison to the U.S. population.<sup>3</sup> The adjusted distributions indicate an even greater disparity in socioeconomic status than do the unadjusted.

- Unemployment as a proportion of TEDS admissions aged 16 and older rose sharply from a low of 24 percent in 2000 to 40 percent in 2010. Between 2000 and 2010, unemployment grew from the least common employment status reported by treatment admissions aged 16 and older to the most common status.
- The most common employment status reported by TEDS admissions aged 16 and older between 2000 and 2008 was "not in the labor force." However, this proportion declined from a peak of 43 percent in 2000 and 2001 to 38 percent in 2010.




Figure 4. Employment status at admission, aged 16 and older: 2000-2010

<sup>&</sup>lt;sup>3</sup> The distributions have been adjusted for age, gender, and race/ethnicity to the U.S. population. In essence, this technique compares the distributions under the assumption that the TEDS population and the U.S. population had the same age, gender, and racial/ethnic characteristics.

### CHAPTER 2

### CHARACTERISTICS OF ADMISSIONS BY PRIMARY SUBSTANCE: 2010

This chapter highlights important findings in the 2010 TEDS data. The tables include items in the TEDS Minimum and Supplemental Data Sets for 2010. (See Appendix B for a complete data dictionary.) Data are tabulated as percentage distributions of treatment admissions according to primary substance of abuse.

The Minimum Data Set consists of 19 items that include:

- Demographic information
- Primary, secondary, and tertiary substances and their route of administration, frequency of use, and age at first use
- Source of referral to treatment
- Number of prior treatment episodes
- Service type, including medication-assisted opioid therapy

The Supplemental Data Set consists of 17 items that include psychiatric, social, and economic measures.

Not all States report all data items in the Minimum and Supplemental Data Sets. Most States report the Minimum Data Set for all or nearly all TEDS admissions. However, the items reported from the Supplemental Data Set vary greatly across States.

The figures in this chapter represent counts of admissions for each primary substance of abuse by gender, age, and race/ethnicity (non-Hispanic White, non-Hispanic Black, Hispanic of Mexican origin, Hispanic of Puerto Rican origin, American Indian/Alaska Native, and Asian/Pacific Islander).

<sup>&</sup>lt;sup>1</sup> Hispanics of Mexican and Puerto Rican origin made up 62 percent of all admissions of Hispanic origin in 2010.

#### All Admissions Aged 12 and Older

- The average age at admission was 34 years; 7 percent of admissions were aged 12 to 17 years [Table 2.1a].
- Non-Hispanic Whites made up 61 percent of all treatment admissions aged 12 and older in 2010 (39 percent males and 21 percent females). Non-Hispanic Blacks made up 20 percent of all admissions (14 percent males and 6 percent females) [Table 2.3a].
- Forty percent of treatment admissions had not been in treatment before the current episode, while 13 percent had been in treatment five or more times previously [Table 2.5].
- Most admissions (63 percent) received ambulatory treatment, 1 in 5 (20 percent) received detoxification, and 17 percent received rehabilitation/residential treatment [Table 2.7].
- The criminal justice system and self- or individual referrals were responsible for 37 percent and 33 percent, respectively, of referrals to treatment [Table 2.6].
- Less than one-quarter (23 percent) of admissions aged 16 and older were employed [Table 2.8].
- Thirty-two percent of admissions aged 18 and older had not completed high school or a GED [Table 2.9].




Figure 5. All admissions, by gender, age, and race/ethnicity: 2010

<sup>&</sup>lt;sup>2</sup> Percentages do not sum to total due to rounding.

#### **Alcohol Only**

- Admissions for abuse of alcohol alone, with no secondary drug abuse, represented 23 percent of TEDS admissions aged 12 and older in 2010 [Table 1.1b].
- The average age at admission was 40 years [Table 2.1a]. Abuse of alcohol alone was the problem most likely to be reported by admissions aged 30 and older [Table 2.1b].
- Non-Hispanic Whites made up 68 percent of all alcohol-only admissions (48 percent males and 20 percent females) [Table 2.3a].
- Eighty-eight percent of alcohol-only admissions reported that they first became intoxicated before age 21, the legal drinking age. Almost one-third (31 percent) first became intoxicated by age 14 [Table 2.5].
- Among admissions referred to treatment by the criminal justice system, alcohol-only admissions were more likely than admissions for alcohol with secondary drug abuse to have been referred as a result of a DUI/DWI offense (28 percent vs. 15 percent) [Table 2.6].
- Some 35 percent of alcohol-only admissions aged 16 and older were employed compared with 23 percent of all admissions that age [Table 2.8].





Figure 6. Alcohol-only admissions, by gender, age, and race/ethnicity: 2010

#### **Alcohol with Secondary Drug Abuse**

- Admissions for primary abuse of alcohol with secondary abuse of drugs represented 18 percent of TEDS admissions aged 12 and older in 2010 [Table 1.1b].
- The average age at admission for primary alcohol with secondary drug abuse was lower, at 36 years, than for abuse of alcohol alone (40 years) [Table 2.1a].
- Non-Hispanic Whites accounted for 59 percent of admissions for primary alcohol with secondary drug abuse (42 percent males and 17 percent females). Non-Hispanic Blacks made up 23 percent<sup>3</sup> of admissions (17 percent males and 5 percent females) [Table 2.3a].
- Almost half (47 percent) of admissions for primary alcohol with secondary drug abuse first became intoxicated by age 14, and 93 percent first became intoxicated before age 21 (the legal drinking age) [Table 2.5].
- Admissions for primary alcohol with secondary drug abuse were less likely to be in treatment for the first time than alcohol-only admissions (35 percent vs. 46 percent) [Table 2.5].
- Among admissions referred to treatment by the criminal justice system, admissions for alcohol with secondary drug abuse were more likely than alcohol-only admissions to have been referred to treatment as a condition of probation/parole (32 percent vs. 19 percent) [Table 2.6].
- Among admissions for alcohol with secondary drug abuse, marijuana and smoked cocaine were the most frequently reported secondary substances (26 percent and 9 percent, respectively) [Table 3.8].



<sup>&</sup>lt;sup>3</sup>Percentages do not sum to total due to rounding.

#### Heroin

- Heroin was reported as the primary substance of abuse for 14 percent of TEDS admissions aged 12 and older in 2010 [Table 1.1b].
- Sixty-one percent of primary heroin admissions were non-Hispanic White (39 percent males and 23 percent females<sup>4</sup>). Non-Hispanic Blacks made up 17 percent (12 percent males and 6 percent females<sup>4</sup>) [Table 2.3a]. Among admissions of Puerto Rican origin, 37 percent were for primary heroin abuse [Table 2.2]. See Chapter 3 for additional data on heroin admissions.
- Injection was reported as the usual route of administration by 70 percent of primary heroin admissions; inhalation was reported by 25 percent. Daily heroin use was reported by 68 percent of primary heroin admissions [Table 2.4].
- Most primary heroin admissions (80 percent) had been in treatment prior to the current episode, and 28 percent had been in treatment five or more times [Table 2.5].
- Primary heroin admissions were less likely than all admissions combined to be referred to treatment by the criminal justice system (16 percent vs. 37 percent) and more likely to be self- or individually referred (55 percent vs. 33 percent) [Table 2.6].
- Medication-assisted opioid therapy was planned for 28 percent of heroin admissions [Table 2.7].
- Only 12 percent of primary heroin admissions aged 16 and older were employed (vs. 23 percent of all admissions that age); 43 percent were unemployed (vs. 40 percent of all admissions that age) [Table 2.8].


6 5 No. of admissions (000s) 3 2 1 0 10 20 30 40 50 60 70 10 20 30 40 50 60 70 AGE (MALE) AGE (FEMALE) White (non-Hispanic) Black (non-Hispanic) Mexican origin Puerto Rican origin Am. Indian/Alaska Native - Asian/Pacific Islander

Figure 8. Heroin admissions, by gender, age, and race/ethnicity: 2010

<sup>&</sup>lt;sup>4</sup>Percentages do not sum to total due to rounding.


#### **Opiates Other than Heroin**

- Opiates other than heroin were reported as the primary substance of abuse for 9 percent of TEDS admissions aged 12 and older in 2010 [Table 1.1b]. These drugs include methadone, codeine, hydrocodone, hydromorphone, meperidine, morphine, opium, oxycodone, pentazocine, propoxyphene, tramadol, and any other drug with morphine-like effects.
- Forty-nine percent of admissions for opiates other than heroin were aged 20 to 29 compared to 31 percent of all admissions [Table 2.1a]. The peak age at admission for both males and females was about 25 years [Figure 9].
- Non-Hispanic Whites made up approximately 88 percent of admissions for primary opiates other than heroin (48 percent males and 40 percent females) [Table 2.3a].
- Primary opiates other than heroin were most frequently used orally (62 percent), followed by inhalation (20 percent) and injection (14 percent) [Table 2.4].
- Seventy-nine percent of admissions for opiates other than heroin reported first use after age 16 compared with 49 percent for all substances combined [Table 2.5].
- Medication-assisted opioid therapy was planned for 20 percent of admissions for primary opiates other than heroin [Table 2.7].
- Sixty-four percent of admissions for primary opiates other than heroin reported abuse of other substances. The most commonly reported secondary substances of abuse were marijuana (27 percent), alcohol (21 percent), and heroin (14 percent) [Table 3.8].



#### **Smoked Cocaine (Crack)**

- Smoked cocaine (crack) was reported as the primary substance of abuse by 6 percent of TEDS admissions aged 12 and older in 2010 [Table 1.1b].
- Seventy-five percent of primary smoked cocaine admissions were aged 35 or older compared with 46 percent of all admissions, and the average age at admission was 41 years [Table 2.1a]. Admissions among non-Hispanic Black males peaked at 45 years; admissions among non-Hispanic White males peaked at 40 years of age but had a secondary peak at 38 years of age [Figure 10].
- Non-Hispanic Blacks accounted for 53 percent of primary smoked cocaine admissions (33 percent males and 21 percent females<sup>5</sup>), and non-Hispanic Whites accounted for 35 percent (18 percent males and 17 percent females) [Table 2.3a].
- Primary smoked cocaine admissions were more likely than all admissions combined to receive rehabilitation/residential treatment (30 percent vs. 17 percent) [Table 2.7].
- Only 11 percent of primary smoked cocaine admissions aged 16 and older were employed compared with 23 percent of all admissions that age [Table 2.8].
- Sixty-nine percent of primary smoked cocaine admissions reported abuse of other substances. The most commonly reported secondary substances of abuse were alcohol (47 percent) and marijuana (31 percent) [Table 3.8].



<sup>&</sup>lt;sup>5</sup> Percentages do not sum to total due to rounding.

#### **Non-Smoked Cocaine**

- Non-smoked cocaine was reported as the primary substance of abuse by 2 percent of TEDS admissions aged 12 and older in 2010 [Table 1.1b].
- The average age at admission for primary non-smoked cocaine admissions was 36 years [Table 2.1a]. However, the peak age among non-Hispanic White male admissions was 18 years younger than the peak age among non-Hispanic Black male admissions (28 vs. 46 years of age). Admissions among both non-Hispanic White females and non-Hispanic Black females peaked in their mid-20s [Figure 11].
- Non-Hispanic Whites accounted for 47 percent of primary non-smoked cocaine admissions (30 percent males and 18 percent females<sup>6</sup>), and non-Hispanic Black males accounted for 21 percent [Table 2.3a].
- Four-fifths (80 percent) of admissions for primary non-smoked cocaine reported inhalation as the route of administration, followed by injection (11 percent) [Table 2.4].
- Non-smoked cocaine admissions were more likely than all admissions combined to be referred to treatment by a criminal justice/DUI source (39 percent vs. 37 percent) [Table 2.6].
- Seventy-two percent of admissions for primary non-smoked cocaine reported abuse of additional substances. Alcohol was most common, reported by 42 percent, followed by marijuana (32 percent) [Table 3.8].





Figure 11. Non-smoked cocaine admissions, by gender, age, and race/ethnicity: 2010

<sup>&</sup>lt;sup>6</sup> Percentages do not sum to total due to rounding.


#### Marijuana/Hashish

- Marijuana was reported as the primary substance of abuse by 18 percent of TEDS admissions aged 12 and older in 2010 [Table 1.1b].
- The average age at admission for primary marijuana admissions was 25 years, although the peak age at admission for both sexes in all race/ethnicities was 15 to 17 years [Figure 12]. Thirty-nine percent of marijuana admissions were under age 20 (vs. 11 percent of all admissions), and primary marijuana abuse accounted for 71 percent of all admissions aged 12 to 14 years and 73 percent of admissions aged 15 to 17 years [Tables 2.1a-b].
- Non-Hispanic Whites accounted for 47 percent of primary marijuana admissions (33 percent males and 14 percent females), and non-Hispanic Black males accounted for 23 percent [Table 2.3a].
- Twenty-four percent of primary marijuana admissions had first used marijuana by age 12 and another 31 percent by age 14 [Table 2.5].
- Primary marijuana admissions were less likely than all admissions combined to be self- or individually referred to treatment (16 percent vs. 33 percent) [Table 2.6].
- More than 4 in 5 marijuana admissions (85 percent) received ambulatory treatment compared with about 3 in 5 of all admissions combined (63 percent) [Table 2.7].
- Fifty-eight percent of primary marijuana admissions reported abuse of additional substances. Alcohol was reported by 43 percent [Table 3.8].




#### Methamphetamine/Amphetamines

- Methamphetamine/amphetamines were reported as the primary substance of abuse by 6 percent of TEDS admissions aged 12 and older in 2010 [Table 1.1b]. Methamphetamine admissions represented 91 percent of this group [Table 1.1a].
- Primary methamphetamine/amphetamine admissions were on average 33 years old at admission [Table 2.1a]. Admissions for both sexes in all race/ethnicities peaked in the late 20s; non-Hispanic White male admissions had a secondary peak in their late 30s [Figure 13].
- Non-Hispanic Whites accounted for 68 percent of primary methamphetamine/amphetamine admissions (36 percent males and 32 percent females) [Table 2.3a]. Thirteen percent of all primary methamphetamine/amphetamine admissions were of Mexican origin [Table 2.2].
- The main routes of administration for primary methamphetamine/amphetamines were smoking (64 percent), injection (22 percent), and inhalation (8 percent) [Table 2.4].
- Primary methamphetamine/amphetamine admissions were more likely than all admissions combined to be referred to treatment by the criminal justice system (52 percent vs. 37 percent) [Table 2.6].
- Primary methamphetamine/amphetamine admissions were more likely than all admissions combined to receive long-term rehabilitation/residential treatment (17 percent vs. 8 percent) [Table 2.7].
- Sixty-six percent of primary methamphetamine/amphetamine admissions reported secondary use of other substances, primarily marijuana (37 percent) and alcohol (31 percent) [Table 3.8].




#### **Tranquilizers**

- Tranquilizers were reported as the primary substance of abuse by 1 percent of TEDS admissions aged 12 and older in 2010 [Table 1.1b].
- The average age at admission for primary tranquilizers was 33 years [Table 2.1a].
- Non-Hispanic Whites accounted for 83 percent of admissions for primary abuse of tranquilizers (41 percent males and 42 percent females) [Table 2.3a].
- Twenty-three percent of primary tranquilizer admissions first used tranquilizers after age 30 [Table 2.5].
- Primary tranquilizer admissions were the least likely of all admissions to receive ambulatory treatment (42 percent vs. 49 percent or above). They were the most likely of all admissions to receive hospital inpatient detoxification (12 percent vs. 7 percent or below) [Table 2.7].
- Secondary abuse of another substance was reported by 74 percent of primary tranquilizer admissions. Secondary abuse of opiates other than heroin was reported by 28 percent, alcohol by 26 percent, and marijuana by 24 percent [Table 3.8].




#### **Sedatives**

- Admissions for primary sedative abuse were responsible for less than one-quarter of 1 percent of TEDS admissions aged 12 and older in 2010 [Table 1.1b].
- Three percent of primary sedative admissions were aged 65 and older compared to 1 percent of total admissions [Table 2.1a].
- Non-Hispanic Whites accounted for 84 percent of primary sedative admissions (47 percent females and 37 percent males) [Table 2.3a].
- Twenty-five percent of primary sedative admissions first used sedatives after age 30 [Table 2.5].
- Primary sedative admissions were more likely than all admissions combined to receive short-term rehabilitation/residential treatment (13 percent vs. 9 percent) [Table 2.7].
- More than one-third (34 percent) of primary sedative admissions aged 18 and older had more than 12 years of education (vs. 25 percent of all admissions) [Table 2.9].
- Sixty percent of primary sedative admissions reported abuse of other substances as well, primarily alcohol (22 percent), marijuana (21 percent), and opiates other than heroin (17 percent) [Table 3.8].



#### Hallucinogens

- Hallucinogens were reported as the primary substance of abuse by one-tenth of 1 percent of TEDS admissions aged 12 and older in 2010 [Table 1.1b]. Hallucinogens include LSD, DMT, STP, mescaline, psilocybin, peyote, etc.
- Nearly one-third (29 percent) of hallucinogen admissions were under age 20 compared to about one-eighth (11 percent) of all admissions combined. Only 29 percent were 30 years of age or older compared to 58 percent of all admissions [Table 2.1a].
- More than two-thirds (68 percent) of admissions for primary hallucinogen abuse were non-Hispanic Whites (49 percent males and 19 percent females), and non-Hispanic Black males accounted for 12 percent [Table 2.3a].
- Forty-three percent of primary hallucinogen admissions reported not using the drug in the past month [Table 2.4].
- Primary hallucinogen admissions were more likely than all admissions combined to receive rehabilitation/residential treatment (27 percent vs. 17 percent) [Table 2.7].
- Seventy-four percent of primary hallucinogen admissions reported abuse of drugs in addition to hallucinogens, mainly marijuana (45 percent), alcohol (33 percent), opiates other than heroin (8 percent), and non-smoked cocaine (8 percent) [Table 3.8].



#### Phencyclidine (PCP)

- Phencyclidine (PCP) was reported as a primary substance of abuse by less than one-quarter of 1 percent of TEDS admissions aged 12 and older in 2010 [Table 1.1b].
- More than one-half (53 percent) of PCP admissions were aged 25 to 34 compared to about one-quarter (28 percent) of all admissions combined [Table 2.1a].
- Non-Hispanic Blacks accounted for 62 percent of primary PCP admissions (37 percent males and 25 percent females) [Table 2.3a].
- Among admissions referred to treatment through the criminal justice system, primary PCP admissions were more likely than all admissions combined to be referred as a condition of probation/parole (54 percent vs. 35 percent) [Table 2.6].
- Primary PCP admissions were more likely than all admissions combined to receive rehabilitation/residential treatment (30 percent vs. 17 percent), particularly long-term rehabilitation/residential treatment (14 percent vs. 8 percent) [Table 2.7].
- Only 12 percent of PCP admissions aged 18 and older had more than a high school education (vs. 25 percent of all admissions combined) [Table 2.9].
- Sixty-eight percent of primary PCP admissions reported abuse of other substances. Marijuana was reported as a secondary substance by 40 percent and alcohol by 32 percent [Table 3.8].




Figure 17. Phencyclidine (PCP) admissions, by gender, age, and race/ethnicity: 2010

#### **Inhalants**

- Inhalants were reported as the primary substance of abuse by one-tenth of 1 percent of TEDS admissions aged 12 and older in 2010 [Table 1.1b]. Inhalants include ether, glue, chloroform, nitrous oxide, gasoline, paint thinner, etc.
- Twelve percent of primary inhalant admissions were aged 12 to 14 years, and another 17 percent were aged 15 to 17 years [Table 2.1a].
- Two-thirds (68 percent) of primary inhalant admissions were non-Hispanic White (43 percent males and 25 percent females) [Table 2.3a]. Seven percent of all primary inhalant admissions were of Mexican origin [Table 2.2].
- Primary inhalant admissions were more likely than all admissions combined to be a self- or individual referral (44 percent vs. 33 percent) and less likely to be a criminal justice/DUI referral (23 percent vs. 37 percent) [Table 2.6].
- Fifty-eight percent of primary inhalant admissions reported abuse of other substances, principally marijuana (29 percent) and alcohol (28 percent) [Table 3.8].
- Reflecting their overall youth, inhalant admissions were more likely than all admissions combined to have a dependent living arrangement (33 percent vs. 21 percent) or Medicaid as the expected source of payment (32 percent vs. 17 percent) [Tables 2.10 and 2.13].

60 45 No. of admissions 30 15 0 60 10 20 30 40 50 70 10 20 30 40 50 60 70 AGE (FEMALE) AGE (MALE) White (non-Hispanic) Black (non-Hispanic) Mexican origin Am. Indian/Alaska Native - Asian/Pacific Islander Puerto Rican origin

Figure 18. Inhalant admissions, by gender, age, and race/ethnicity: 2010

## CHAPTER 3

# TOPICS OF SPECIAL INTEREST

This chapter highlights topics that are of current or special interest:

• Adolescent substance abuse 2000-2010

TEDS data indicate that admissions to substance abuse treatment aged 12 to 17 increased by 15 percent between 2000 and 2002, but declined by 16 percent between 2002 and 2010. In 2010, 87 percent of adolescent treatment admissions involved marijuana as a primary or secondary substance, and 41 percent of these marijuana-involved admissions were referred to treatment through the criminal justice system.

Heroin admissions and medication-assisted opioid therapy 2000-2010

The number of TEDS admissions for primary heroin abuse increased by 5 percent between 2000 and 2009 and fell 10 percent between 2009 and 2010.

The proportion of heroin admissions whose treatment plans included medication-assisted opioid therapy (opioid therapy using methadone or buprenorphine) declined from 37 percent in 2000 to 28 percent in 2010.

Polydrug abuse

Polydrug abuse (the use of more than one substance) was more common among TEDS admissions than was abuse of a single substance.

Racial/ethnic subgroups

TEDS data indicate that substance abuse patterns differed widely among racial/ethnic subgroups; however, alcohol was the predominant substance for all racial/ethnic groups except persons of Puerto Rican origin, where the predominant substance was heroin.

#### **Adolescent Admissions to Substance Abuse Treatment**

*Tables 3.1a and 3.1b and Figure 19.* The number of adolescent admissions aged 12 to 17 increased by 15 percent from 2000 to 2002, then declined by 16 percent from 2002 to 2010.

• Two primary substances—marijuana and alcohol—accounted for between 83 and 89 percent of adolescent admissions from 2000 to 2010

- *Marijuana* admissions increased from 62 percent of adolescent admissions in 2000 to 73 percent in 2010. The number of adolescent marijuana admissions increased by 14 percent between 2000 and 2010.
- *Alcohol* admissions declined from 24 percent of adolescent admissions in 2000 to 16 percent in 2010.
- *Methamphetamine/amphetamine* admissions increased from 3 percent in 2000 to 6 percent in 2005, but then decreased to 2 percent in 2010.
- *Opiate* admissions represented 1 to 2 percent of adolescent admissions from 2000 to 2008 but rose to 3 percent in 2009. *Opiates other than heroin*<sup>1</sup> represented 20 percent of adolescent opiate admissions in 2000 but rose to 67 percent in 2010.
- Cocaine accounted for 1 to 3 percent of adolescent admissions between 2000 and 2010.
- *All other substances combined* accounted for 2 to 3 percent of adolescent admissions between 2000 and 2010.

*Table 3.2.* In 2010, overall 71 percent of adolescent admissions were male, a proportion heavily influenced by the 77 percent of marijuana admissions that were male. The proportion of female admissions was greater than 40 percent for most other substances. There were more female than male adolescent admissions for methamphetamine/amphetamines (54 percent vs. 46 percent).




Figure 19. Adolescent admissions aged 12 to 17, by primary substance: 2000-2010

<sup>&</sup>lt;sup>1</sup>These drugs include methadone, codeine, hydrocodone, hydromorphone, meperidine, morphine, opium, oxycodone, pentazocine, propoxyphene, tramadol, and any other drug with morphine-like effects.

Almost half (48 percent) of adolescent admissions were non-Hispanic White, 24 percent were of Hispanic origin, 19 percent were non-Hispanic Black, and 9 percent were of other racial/ethnic groups.

*Table 3.3.* The number of adolescent admissions increased with age; 1 percent were 12 years old, increasing to 32 percent who were 17 years old. Among admissions for inhalants, 20 percent were aged 12 or 13. Among admissions for heroin and for opiates other than heroin, 59 percent and 47 percent, respectively, were 17.

In 2010, almost half (46 percent) of adolescent admissions were referred to treatment through the criminal justice system. Seventeen percent were self- or individual referrals, and 14 percent were referred through schools.

*Table 3.4 and Figure 20.* An admission was considered marijuana involved if marijuana was reported as a primary, secondary, or tertiary substance. In 2000, 43 percent of all adolescent admissions were marijuana involved and referred to treatment by the criminal justice system, and 40 percent were marijuana involved but referred by other sources. Between 2000 and 2002, the proportion referred by the criminal justice system increased to 45 percent while the proportion referred by other sources decreased to 37 percent. The proportions nearly converged in 2007 and 2009.

Adolescent admissions not involving marijuana that were referred by the criminal justice system fell from 7 percent in 2000 to 5 percent in 2010. Admissions not involving marijuana that were referred from other sources were fairly stable, at between 8 and 11 percent of adolescent admissions.




Figure 20. Adolescent admissions aged 12 to 17, by marijuana involvement and criminal justice referral: 2000-2010

#### Trends in Heroin Admissions and Medication-Assisted Opioid Therapy

General measures of heroin abuse among treatment admissions aged 12 and older were relatively consistent from 2000 through 2010. Primary heroin abuse accounted for 14 to 16 percent of TEDS admissions in every year from 2000 through 2010. Injection was the preferred route of administration for 60 to 70 percent of primary heroin admissions, inhalation for 25 to 34 percent, and smoking or other route for 4 to 5 percent. The majority of primary heroin admissions were 35 years of age or older (54 to 56 percent from 2000 through 2007 and 45 percent in 2010).

However, these measures conceal substantial changes in the age, race/ethnicity, and route of administration of some subpopulations among heroin-using admissions.

*Table 3.5 and Figure 21.* TEDS data show an increase in heroin admissions among young non-Hispanic White adults. Among non-Hispanic Blacks, however, admissions have declined except among older admissions.

- In 2000, just over 1 in 5 heroin admissions (22 percent) was non-Hispanic White aged 20 to 34. By 2010, more than 2 in 5 primary heroin admissions (42 percent) belonged to this subgroup. The proportion of primary heroin admissions who were non-Hispanic White aged 35 to 44 fell from 15 percent to 9 percent in the same period, while the proportions of non-Hispanic White admissions aged 12 to 19 and older than 45 remained constant, at 2 to 3 percent and 7 to 8 percent, respectively.
- In contrast, the proportion of primary heroin admissions that were non-Hispanic Black aged 20 to 34 fell from 6 percent to 2 percent between 2000 and 2010, while the proportion aged 35 to 44 fell from 10 percent to 6 percent. However, the proportion of non-Hispanic Black admissions aged 45




Figure 21. Heroin admissions aged 12 and older, by age group and race/ethnicity: 2000-2010

and older increased from 8 percent in 2000 to 10 percent in 2010. Non-Hispanic Black admissions aged 12 to 19 accounted for less than one-tenth of 1 percent of all primary heroin admissions.

*Table 3.6 and Figure 22.* Route of administration of heroin was closely linked to age. Injection increased among young adults; inhalation increased among those 45 and older.

- In 2000, 1 in 4 primary heroin admissions (24 percent) were injectors aged 20 to 34 and a similar proportion (22 percent) were injectors aged 35 to 44. By 2010, more than 2 in 5 primary heroin admissions (41 percent) were injectors aged 20 to 34, but the proportion that were injectors aged 35 to 44 had dropped to about 1 in 7 (13 percent).
- The proportion of primary heroin admissions who were inhalers aged 20 to 34 fell from 14 percent in 2000 to 8 percent in 2010, while the proportion who were inhalers aged 45 and older rose from 5 percent to 9 percent.

*Table 3.7 and Figures 23 and 24.* Planned use of medication-assisted opioid therapy (opioid therapy using methadone or buprenorphine) declined among TEDS admissions for heroin abuse between 2000 and 2010.

• Table 3.7 and Figure 23. In 2000, 37 percent of primary heroin admissions had treatment plans that included medication-assisted opioid therapy. The proportion varied by route of administration—47 percent of heroin smokers, 43 percent of heroin injectors, and 29 percent of heroin inhalers received it. By 2010, only 28 percent of primary heroin admissions had treatment plans that included medication-assisted opioid therapy, and there was little difference by the major routes of administration.




Figure 22. Heroin admissions aged 12 and older, by route of administration and age group: 2000-2010

• Figure 24. Older heroin admissions were most likely to have medication-assisted opioid therapy planned. In 2000, opioid therapy was planned for 50 percent of admissions aged 45 and older, 39 percent of those aged 35 to 44, 29 percent of those aged 20 to 34, and 16 percent of those aged 12 to 19. The proportions fell for all age groups, and by 2010, opioid therapy was planned for 40 percent of primary heroin admissions aged 45 and older, 30 percent of those aged 35 to 44, 22 percent of those aged 20 to 34, and 14 percent of those aged 12 to 19.

Figure 23. Heroin admissions aged 12 and older receiving medication-assisted opioid therapy, by route of heroin administration: 2000-2010





Figure 24. Heroin admissions aged 12 and older receiving medication-assisted opioid therapy, by age group: 2000-2010



#### **Polydrug Abuse**

Polydrug abuse (the use of more than one substance) was more common among TEDS admissions than was abuse of a single substance.

*Table 3.8 and Figure 25.* Polydrug abuse was reported by 55 percent of TEDS admissions aged 12 or older in 2010. Marijuana, alcohol, and cocaine were the most commonly reported secondary and tertiary substances.

Abuse of alcohol as a primary, secondary, or tertiary substance was characteristic of most treatment admissions. Forty-one percent of all treatment admissions were for primary alcohol abuse, and 19 percent of admissions for primary drug abuse reported that they also had an alcohol problem. Overall, 60 percent of all treatment admissions reported alcohol as a substance of abuse.

- Alcohol, opiates, and methamphetamine/amphetamines were reported more often as primary substances than as secondary or tertiary substances. Thirty-two percent of all admissions involved opiate abuse, with 23 percent reporting primary abuse and 9 percent reporting secondary or tertiary abuse. Ten percent of all admissions reported methamphetamine/amphetamine abuse, with 6 percent reporting primary abuse and 4 percent reporting secondary or tertiary abuse.
- Marijuana and cocaine were reported more often as secondary or tertiary substances than as primary substances. Marijuana was reported as a primary substance by 18 percent of all admissions, but was a secondary or tertiary substance for another 21 percent, so that 39 percent of all treatment admissions reported marijuana as a substance of abuse. Cocaine was a primary substance for 8 percent of admissions, but was a secondary or tertiary substance for an additional 14 percent. Thus 22 percent of all treatment admissions involved cocaine abuse.




Figure 25. Primary and secondary/tertiary substance of abuse: 2010

*Table 3.9.* This table details the most common substance combinations for selected primary substances. For example, for primary alcohol admissions, 55 percent reported abuse of alcohol and marijuana but no other drugs, and 5 percent reported primary abuse of alcohol with abuse of cocaine and marijuana as secondary and tertiary substances.

#### Racial/Ethnic Subgroups

*Table 2.3b and Figures 26-31.* TEDS data indicate that substance abuse patterns differed widely among racial/ethnic subgroups. Among admissions of Hispanic origin, substance abuse patterns differed according to country of origin. Patterns also differed between men and women within subgroups.

- Among non-Hispanic Whites [Figure 26], alcohol as the primary substance accounted for 47 percent of male admissions and 36 percent of female admissions.
  - Opiates and marijuana were the most frequently reported illicit drugs among non-Hispanic White male admissions (24 percent and 16 percent, respectively), followed by methamphetamine/amphetamines (6 percent) and cocaine (4 percent).
  - Among non-Hispanic White female admissions, opiates were the primary illicit drug (31 percent), followed by marijuana (12 percent), methamphetamine/amphetamines (9 percent), and cocaine (7 percent).
- Among non-Hispanic Blacks [Figure 27], 37 percent of male admissions used alcohol as the primary substance. Among non-Hispanic Black female admissions, alcohol (29 percent) was more frequently reported as a primary substance than was cocaine (25 percent).
  - Marijuana and cocaine were the most commonly reported illicit substances for non-Hispanic Black male admissions (30 percent and 16 percent, respectively), followed by opiates (12 percent).
  - For non-Hispanic Black female admissions, other primary substances were marijuana (24 percent) and opiates (17 percent).
  - Methamphetamine/amphetamines were reported by about 1 percent each of non-Hispanic Black female and male admissions.
- Among persons of Mexican origin [Figure 28], alcohol was the primary substance involved in 42 percent of male admissions, but among female admissions, methamphetamine/amphetamines were reported as a primary substance almost as frequently as was alcohol (29 and 31 percent, respectively).
  - Marijuana (26 percent) was the most commonly reported illicit substance for male admissions of Mexican origin, followed by methamphetamine/amphetamines and opiates (14 percent and 13 percent, respectively).
  - For female admissions of Mexican origin, other commonly reported primary substances were marijuana (20 percent), opiates (14 percent), and cocaine (4 percent).

- Among admissions of Puerto Rican origin [Figure 29], opiates were the main primary substances at treatment admission for both men and women (41 percent and 34 percent, respectively), followed by alcohol (31 percent and 26 percent, respectively).
  - For both male and female admissions of Puerto Rican origin, other primary substances were marijuana (17 percent and 21 percent, respectively) and cocaine (8 percent and 13 percent, respectively).
  - Admissions for primary methamphetamine/amphetamine abuse were 2 percent for women of Puerto Rican origin and less than 1 percent for men of Puerto Rican origin.
- American Indians and Alaska Natives together accounted for 2 percent of all TEDS admissions [Table 2.2] [Figure 30]. Among American Indian/Alaska Native admissions, 71 percent of men and 56 percent of women entered treatment because of primary alcohol abuse.
  - Marijuana was the most frequently reported illicit substance for American Indian or Alaska Native male admissions (14 percent), followed by opiates (7 percent), methamphetamine/ amphetamines (4 percent), and cocaine (2 percent).
  - Opiates and marijuana were the most frequently reported illicit substances for American Indian or Alaska Native female admissions (15 percent and 12 percent, respectively), followed by methamphetamine/amphetamines (10 percent) and cocaine (4 percent).
- Asians and Pacific Islanders accounted for 1 percent of all TEDS admissions [Table 2.2]. Among
  this group [Figure 31], alcohol was the primary substance involved in 46 percent of male admissions and 38 percent of female admissions.
  - Marijuana and methamphetamine/amphetamines were the most commonly reported illicit drugs for Asian or Pacific Islander male admissions (21 percent and 17 percent, respectively), followed by opiates (9 percent) and cocaine (5 percent).
  - For Asian or Pacific Islander female admissions, methamphetamine/amphetamines were the most commonly reported illicit substance (23 percent), followed by marijuana (19 percent), opiates (13 percent), and cocaine (5 percent).

Figure 26. White (non-Hispanic) admissions, by gender, primary substance, and age: 2010




Figure 27. Black (non-Hispanic) admissions, by gender, primary substance, and age: 2010




Figure 28. Mexican origin admissions, by gender, primary substance, and age: 2010




Figure 29. Puerto Rican origin admissions, by gender, primary substance, and age: 2010




Figure 30. American Indian/Alaska Native admissions, by gender, primary substance, and age: 2010





Figure 31. Asian/Pacific Islander admissions, by gender, primary substance, and age: 2010



## CHAPTER 4

# Type of Service: 2010

The Treatment Episode Data Set (TEDS) records the type of service to which clients are admitted for treatment. The major categories are broadly defined as ambulatory, rehabilitation/residential, and detoxification. For this report, admissions for which medication-assisted opioid therapy (i.e., therapy using methadone or buprenorphine) was planned have been categorized as separate service types. The complete list of types of services detailed in this report include:

- Ambulatory (excluding medication-assisted opioid therapy)
  - *Outpatient*—Ambulatory treatment services including individual, family, and/or group services; these may include pharmacological therapies.
  - *Intensive outpatient*—As a minimum, the client must receive treatment lasting two or more hours per day for three or more days per week.
- **Detoxification** (excluding medication-assisted opioid therapy)
  - *Free-standing residential*—24-hour per day services in a non-hospital setting providing for safe withdrawal and transition to ongoing treatment.
  - *Hospital inpatient*—24-hour per day medical acute care services in a hospital setting for detoxification of persons with severe medical complications associated with withdrawal.
  - *Ambulatory*—Outpatient treatment services providing for safe withdrawal in an ambulatory setting (pharmacological or non-pharmacological).
- Rehabilitation/residential (excluding medication-assisted opioid therapy)
  - *Short-term* (30 days or fewer)—Typically, 30 days or less of non-acute care in a setting with treatment services for alcohol and other drug abuse and dependency.
  - Long-term (more than 30 days)—Typically, more than 30 days of non-acute care in a setting with treatment services for alcohol and other drug abuse and dependency; this may include transitional living arrangements such as halfway houses.
  - *Hospital*—24-hour per day medical care in a hospital facility in conjunction with treatment services for alcohol and other drug abuse and dependency.

#### Medication-assisted opioid therapy

- *Outpatient*—Includes outpatient and intensive outpatient therapy (see above).
- *Detoxification*—Includes free-standing residential detoxification, hospital detoxification, and ambulatory detoxification (see above).
- Residential—Includes short-term, long-term, and hospital inpatient therapy (see above).

Table 4.1b. The type of service received was associated with primary substance of abuse.

- Ambulatory treatment accounted for 57 percent of all admissions—46 percent to outpatient treatment and 12 percent to intensive outpatient treatment. Admissions for marijuana and methamphetamine/amphetamines were more likely to receive ambulatory services than were all admissions (84 percent of marijuana admissions and 65 percent of methamphetamine/amphetamines admissions vs. 57 percent of all admissions).
- Detoxification services (excluding detoxification involving medication assisted opioid therapy) accounted for 20 percent of all admissions—16 percent to free-standing residential, 4 percent to hospital inpatient, and 1 percent to ambulatory. Admissions for tranquilizers, opiates, and alcohol were more likely to receive a detoxification service than were all admissions (35 percent of tranquilizer admissions, 27 percent of opiate admissions, and 27 percent of alcohol admissions vs. 20 percent of all admissions).
- Rehabilitation/residential treatment accounted for 17 percent of all admissions—9 percent to short-term, 7 percent to long-term, and less than 1 percent to hospital inpatient. Admissions for cocaine, methamphetamine/amphetamines, tranquilizers, and sedatives, were more likely to receive rehabilitation/residential services than were all admissions (28 percent of cocaine admissions, 27 percent of methamphetamine/amphetamine admissions, 21 percent of tranquilizer admissions, and 19 percent of sedative admissions vs. 17 percent of all admissions).
- Medication-assisted opioid therapy accounted for 6 percent of all admissions—5 percent to outpatient, 1 percent to detoxification, and less than 1 percent to residential. Medication assisted opioid therapy was planned for about one-quarter (24 percent) of admissions for opiates.

Table 4.3a. The type of service received was associated with the treatment referral source.

- Admissions receiving an ambulatory service were more likely than all admissions to have been referred through the criminal justice system (52 percent of outpatient admissions and 48 percent of intensive outpatient admissions vs. 37 percent of all admissions).
- Admissions receiving a detoxification service were more likely to be self- or individual referrals (72 percent of hospital inpatient admissions, 55 percent of free-standing residential admissions, and 44 percent of ambulatory admissions vs. 33 percent of all admissions).
- Admissions receiving short-term or long-term rehabilitation/residential treatment were more likely to have been referred by a substance abuse care provider (25 percent of short-term admissions and 20 percent of long-term admissions vs. 10 percent of all admissions).
- Admissions receiving outpatient or detoxification medication-assisted opioid therapy were more likely to be self- or individual referrals (83 percent of detoxification admissions and 74 percent of outpatient admissions vs. 33 percent of all admissions).

<sup>&</sup>lt;sup>1</sup> Percentages do not sum to total due to rounding.

# **TABLES**

Table 1.1a. Admissions aged 12 and older, by primary substance of abuse: 2000-2010 Number

Primary substance		2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010
	Total	1,749,726	1,767,833	1,886,241	1,862,274	1,807,579	1,893,793	1,909,535	1,915,996	2,013,425	1,992,119	1,820,737
Alcohol		810,927	784,153	811,423	775,140	729,005	744,943	761,544	783,810	834,568	829,249	744,087
Alcohol only		453,232	430,394	447,424	430,865	402,796	411,631	423,265	438,043	471,434	466,996	411,388
Alcohol w/secondary drug		357,695	353,759	363,999	344,275	326,209	333,312	338,279	345,767	363,134	362,253	332,699
Opiates		298,217	314,970	330,241	326,485	323,197	331,438	349,163	359,944	402,284	426,608	413,427
Heroin		269,891	277,321	284,359	273,821	262,373	260,390	266,804	261,558	280,099	284,484	256,256
Other opiates/synthetics		28,326	37,649	45,882	52,664	60,824	71,048	82,359	98,386	122,185	142,124	157,171
Non-RX methadone		1,860	2,034	2,540	2,715	3,151	4,121	4,756	5,499	6,195	6,038	5,946
Other opiates/synthetics		26,466	35,615	43,342	49,949	57,673	66,927	77,603	92,887	115,990	136,086	151,225
Cocaine		238,080	230,173	245,118	254,313	248,369	268,240	266,486	250,455	230,261	186,423	148,151
Smoked cocaine		174,165	168,560	179,148	184,623	179,020	192,954	189,709	179,168	163,924	133,632	104,564
Non-smoked cocaine		63,915	61,613	65,970	69,690	69,349	75,286	76,777	71,287	66,337	52,791	43,587
Marijuana/hashish		249,388	264,139	288,162	291,114	285,070	303,417	305,303	306,834	347,285	361,261	335,833
Stimulants		81,177	97,161	124,215	135,002	143,549	173,045	160,283	147,702	129,048	117,549	113,625
Methamphetamine		64,273	78,240	102,738	114,407	124,528	154,330	152,600	139,531	120,394	109,472	103,924
Other amphetamines <sup>1</sup>		15,670	17,487	20,119	19,312	18,007	17,718	6,487	6,276	6,658	7,060	8,549
Other stimulants		1,234	1,434	1,358	1,283	1,014	997	1,196	1,895	1,996	1,017	1,152
Other drugs		30,592	32,526	29,634	29,751	28,243	28,729	27,534	28,241	35,077	41,403	44,240
Tranquilizers		6,617	7,351	7,843	8,137	8,163	8,676	9,747	10,928	12,719	14,710	15,707
Benzodiazepine		5,748	6,412	6,929	7,372	7,494	8,127	9,226	10,418	12,217	14,168	15,211
Other tranquilizers		869	939	914	765	669	549	521	510	502	542	496
Sedatives/hypnotics		3,643	3,833	4,078	4,265	4,171	4,503	4,078	4,473	4,817	5,143	4,117
Barbiturates		1,240	1,168	1,253	1,334	1,288	1,397	1,046	1,085	1,204	1,340	1,371
Other sedatives/hypnotics		2,403	2,665	2,825	2,931	2,883	3,106	3,032	3,388	3,613	3,803	2,746
Hallucinogens		3,118	3,124	2,702	2,231	2,279	2,037	1,602	1,623	1,864	1,839	1,675
PCP		2,835	3,183	3,930	4,175	3,232	2,888	2,861	3,196	3,972	4,434	4,501
Inhalants		1,285	1,229	1,183	1,202	1,190	1,369	1,068	1,088	1,324	1,558	1,449
Over-the-counter		763	616	635	704	826	807	976	908	1,138	1,716	2,250
Other		12,331	13,190	9,263	9,037	8,382	8,449	7,202	6,025	9,243	12,003	14,541
None reported		41,345	44,711	57,448	50,469	50,146	43,981	39,222	39,010	34,902	29,626	21,374

The decrease in *Other amphetamine* admissions beginning in 2005 is because Oregon and Texas began to report *Methamphetamine* admissions; previously they had used the category *Other amphetamines*.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 10.10.11.

Table 1.1b. Admissions aged 12 and older, by primary substance of abuse: 2000-2010

Percent distribution

Primary substance	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010
Tota	l 100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Alcohol	46.3	44.4	43.0	41.6	40.3	39.3	39.9	40.9	41.5	41.6	40.9
Alcohol only	25.9	24.3	23.7	23.1	22.3	21.7	22.2	22.9	23.4	23.4	22.6
Alcohol w/secondary drug	20.4	20.0	19.3	18.5	18.0	17.6	17.7	18.0	18.0	18.2	18.3
Opiates	17.0	17.8	17.5	17.5	17.9	17.5	18.3	18.8	20.0	21.4	22.7
Heroin	15.4	15.7	15.1	14.7	14.5	13.7	14.0	13.7	13.9	14.3	14.1
Other opiates/synthetics	1.6	2.1	2.4	2.8	3.4	3.8	4.3	5.1	6.1	7.1	8.6
Non-RX methadone	0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.3	0.3	0.3	0.3
Other opiates/synthetics	1.5	2.0	2.3	2.7	3.2	3.5	4.1	4.8	5.8	6.8	8.3
Cocaine	13.6	13.0	13.0	13.7	13.7	14.2	14.0	13.1	11.4	9.4	8.1
Smoked cocaine	10.0	9.5	9.5	9.9	9.9	10.2	9.9	9.4	8.1	6.7	5.7
Non-smoked cocaine	3.7	3.5	3.5	3.7	3.8	4.0	4.0	3.7	3.3	2.6	2.4
Marijuana/hashish	14.3	14.9	15.3	15.6	15.8	16.0	16.0	16.0	17.2	18.1	18.4
Stimulants	4.6	5.5	6.6	7.2	7.9	9.1	8.4	7.7	6.4	5.9	6.2
Methamphetamine	3.7	4.4	5.4	6.1	6.9	8.1	8.0	7.3	6.0	5.5	5.7
Other amphetamines <sup>1</sup>	0.9	1.0	1.1	1.0	1.0	0.9	0.3	0.3	0.3	0.4	0.5
Other stimulants	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
Other drugs	1.7	1.8	1.6	1.6	1.6	1.5	1.4	1.5	1.7	2.1	2.4
Tranquilizers	0.4	0.4	0.4	0.4	0.5	0.5	0.5	0.6	0.6	0.7	0.9
Benzodiazepine	0.3	0.4	0.4	0.4	0.4	0.4	0.5	0.5	0.6	0.7	0.8
Other tranquilizers	*	0.1	*	*	*	*	*	*	*	*	*
Sedatives/hypnotics	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.2
Barbiturates	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
Other sedatives/hypnotics	0.1	0.2	0.1	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
Hallucinogens	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
PCP	0.2	0.2	0.2	0.2	0.2	0.2	0.1	0.2	0.2	0.2	0.2
Inhalants	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
Over-the-counter	*	*	*	*	*	*	0.1	*	0.1	0.1	0.1
Other	0.7	0.7	0.5	0.5	0.5	0.4	0.4	0.3	0.5	0.6	8.0
None reported	2.4	2.5	3.0	2.7	2.8	2.3	2.1	2.0	1.7	1.5	1.2

<sup>&</sup>lt;sup>1</sup> The decrease in *Other amphetamine* admissions beginning in 2005 is because Oregon and Texas began to report *Methamphetamine* admissions; previously they had used the category *Other amphetamines*.

<sup>\*</sup> Less than 0.05 percent.

Table 1.2. Admissions aged 12 and older, by alcohol/drug co-abuse: 2000-2010 Number and percent distribution

Alcohol/drug co-abuse	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010
						Number					
Total	1,749,726	1,767,833	1,886,241	1,862,274	1,807,579	1,893,793	1,909,535	1,915,996	2,013,425	1,992,119	1,820,737
Drug primary	897,454	938,969	1,017,370	1,036,665	1,028,428	1,104,869	1,108,769	1,093,176	1,143,955	1,133,244	1,055,276
Drug only Drug w/secondary alcohol	517,822 379,632	550,803 388,166	601,218 416,152	628,914 407,751	633,821 394,607	695,755 409,114	712,056 396,713	705,655 387,521	753,737 390,218	756,410 376,834	712,654 342,622
Alcohol primary	810,927	784,153	811,423	775,140	729,005	744,943	761,544	783,810	834,568	829,249	744,087
Alcohol only Alcohol w/secondary drug	453,232 357,695	430,394 353,759	447,424 363,999	430,865 344,275	402,796 326,209	411,631 333,312	423,265 338,279	438,043 345,767	471,434 363,134	466,996 362,253	411,388 332,699
No primary substance reported	41,345	44,711	57,448	50,469	50,146	43,981	39,222	39,010	34,902	29,626	21,374
					Per	cent distributi	on				
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Drug primary	51.3	53.1	53.9	55.7	56.9	58.3	58.1	57.1	56.8	56.9	58.0
Drug only Drug w/secondary alcohol	29.6 21.7	31.2 22.0	31.9 22.1	33.8 21.9	35.1 21.8	36.7 21.6	37.3 20.8	36.8 20.2	37.4 19.4	38.0 18.9	39.1 18.8
Alcohol primary	46.3	44.4	43.0	41.6	40.3	39.3	39.9	40.9	41.5	41.6	40.9
Alcohol only Alcohol w/secondary drug	25.9 20.4	24.3 20.0	23.7 19.3	23.1 18.5	22.3 18.0	21.7 17.6	22.2 17.7	22.9 18.0	23.4 18.0	23.4 18.2	22.6 18.3
No primary substance reported	2.4	2.5	3.0	2.7	2.8	2.3	2.1	2.0	1.7	1.5	1.2

Table 1.3a. Admissions aged 12 and older, by gender and age at admission: 2000-2010 Number and average age at admission

[Based on administrative data reported to TEDS by all reporting States and jurisdictions (excl. Puerto Rico).]

Gender and age at admission	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010
Total	1,749,726	1,767,833	1,886,241	1,858,530	1,805,109	1,891,509	1,907,593	1,912,300	2,010,165	1,989,706	1,818,900
Gender											
Male	1,224,001	1,233,505	1,317,194	1,284,569	1,235,488	1,290,251	1,297,511	1,295,952	1,361,411	1,353,137	1,229,530
Female	522,301	532,123	568,524	573,571	568,910	600,770	609,669	615,814	648,390	636,130	588,764
No. of admissions	1,746,302	1,765,628	1,885,718	1,858,140	1,804,398	1,891,021	1,907,180	1,911,766	2,009,801	1,989,267	1,818,294
Age at admission											
12 to 17 years	137,770	145,412	157,839	157,041	146,389	145,069	143,220	142,449	154,291	153,070	132,850
18 to 19 years	72,815	73,476	77,638	76,484	75,543	77,618	77,252	77,006	82,690	83,994	74,389
20 to 24 years	204,744	221,466	245,777	249,379	254,031	271,807	275,275	274,006	290,916	296,126	277,519
25 to 29 years	206,712	201,529	214,035	216,382	223,507	250,571	267,410	276,405	297,710	302,699	283,177
30 to 34 years	266,270	257,711	259,469	244,492	225,350	224,567	216,151	213,650	227,291	231,833	224,070
35 to 39 years	313,170	302,055	304,884	281,981	257,139	257,043	249,164	238,140	233,587	215,564	186,835
40 to 44 years	257,134	262,477	281,809	279,912	268,615	274,742	265,316	254,718	250,302	230,637	199,905
45 to 49 years	155,890	163,623	185,730	188,203	186,827	202,629	211,723	218,921	229,842	224,548	199,814
50 to 54 years	75,109	80,702	92,249	95,810	98,605	110,502	118,388	127,482	141,796	144,663	135,961
55 to 59 years	33,517	33,284	39,245	41,079	41,814	47,338	53,422	56,863	65,263	67,845	66,609
60 to 64 years	14,762	15,077	16,419	16,630	16,520	18,160	18,805	20,833	23,579	25,377	25,134
65 years and older	11,833	11,021	11,147	11,137	10,769	11,463	11,467	11,827	12,898	13,350	12,637
No. of admissions	1,749,726	1,767,833	1,886,241	1,858,530	1,805,109	1,891,509	1,907,593	1,912,300	2,010,165	1,989,706	1,818,900
Average age at admission	33.9 yrs	33.8 yrs	33.9 yrs	34.0 yrs	34.0 yrs	34.1 yrs	34.2 yrs	34.3 yrs	34.3 yrs	34.2 yrs	34.2 yrs

Table 1.3b. Admissions aged 12 and older, by gender and age at admission: TEDS 2000-2010 and U.S. population aged 12 and older 2010 Percent distribution

[Based on administrative data reported to TEDS by all reporting States and jurisdictions (excl. Puerto Rico).]

Gender and age at adm	nission					TEL	S admissio	ns					U.S. pop. <sup>1</sup> aged 12 and older
		2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2010
Gender													
Male		70.1	69.9	69.9	69.1	68.5	68.2	68.0	67.8	67.7	68.0	67.6	48.5
Female		29.9	30.1	30.1	30.9	31.5	31.8	32.0	32.2	32.3	32.0	32.4	51.5
	Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Age at admission													
12 to 17 years		7.9	8.2	8.4	8.4	8.1	7.7	7.5	7.4	7.7	7.7	7.3	10.0
18 to 19 years		4.2	4.2	4.1	4.1	4.2	4.1	4.0	4.0	4.1	4.2	4.1	3.6
20 to 24 years		11.7	12.5	13.0	13.4	14.1	14.4	14.4	14.3	14.5	14.9	15.3	8.4
25 to 29 years		11.8	11.4	11.3	11.6	12.4	13.2	14.0	14.5	14.8	15.2	15.6	7.9
30 to 34 years		15.2	14.6	13.8	13.2	12.5	11.9	11.3	11.2	11.3	11.7	12.3	7.4
35 to 39 years		17.9	17.1	16.2	15.2	14.2	13.6	13.1	12.5	11.6	10.8	10.3	7.4
40 to 44 years		14.7	14.8	14.9	15.1	14.9	14.5	13.9	13.3	12.5	11.6	11.0	8.0
45 to 49 years		8.9	9.3	9.8	10.1	10.3	10.7	11.1	11.4	11.4	11.3	11.0	8.7
50 to 54 years		4.3	4.6	4.9	5.2	5.5	5.8	6.2	6.7	7.1	7.3	7.5	8.7
55 to 59 years		1.9	1.9	2.1	2.2	2.3	2.5	2.8	3.0	3.2	3.4	3.7	7.6
60 to 64 years		0.8	0.9	0.9	0.9	0.9	1.0	1.0	1.1	1.2	1.3	1.4	6.5
65 years and older		0.7	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.7	0.7	15.8
	Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

<sup>&</sup>lt;sup>1</sup> The population calculations exclude the population of the States and jurisdictions that did not report data to TEDS in 2010 (District of Columbia, Georgia, and Mississippi). SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 10.10.11. Population: U.S. Bureau of the Census. SC-EST2010-ALLDATA6: Annual State Resident Population Estimates for 6 Race Groups (5 Race Alone Groups and Two or More Races) by Age, Sex, and Hispanic Origin: April 1, 2000 to July 1, 2010. File: 7/1/2010 State Characteristics Population Estimates, 6 Race Groups.

Table 1.4. Admissions aged 12 and older, by race/ethnicity: TEDS 2000-2010 and U.S. population aged 12 and older 2010 Number and percent distribution

[Based on administrative data reported to TEDS by all reporting States and jurisdictions (excl. Puerto Rico).]

Race/ethnicity	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	U.S. pop. 2010
						Number						(000s) 1
Total	1,749,726	1,767,833	1,886,241	1,858,530	1,805,109	1,891,509	1,907,593	1,912,300	2,010,165	1,989,706	1,818,900	
White (non-Hispanic)	1,009,008	1,029,513	1,095,077	1,081,247	1,068,108	1,105,774	1,135,320	1,139,424	1,188,390	1,162,112	1,100,072	168,115
Black (non-Hispanic)	434,545	431,719	454,746	443,024	409,261	419,055	403,695	393,178	409,444	401,620	363,500	26,699
Hispanic origin	210,633	214,366	240,221	236,815	230,262	254,775	258,585	254,266	264,346	257,968	234,806	30,552
Mexican	80,307	80,808	97,703	95,215	95,351	100,487	106,219	107,969	111,291	105,724	79,380	n/a
Puerto Rican	78,521	82,561	81,926	76,492	69,391	74,191	70,357	67,964	71,117	69,273	65,108	n/a
Cuban	4,632	4,198	5,448	7,070	5,564	9,482	8,155	3,794	4,296	4,330	3,743	n/a
Other/not specified	47,173	46,799	55,144	58,038	59,956	70,615	73,854	74,539	77,642	78,641	86,575	n/a
Other	79,731	77,302	82,535	83,840	85,508	90,417	99,735	105,535	110,923	108,537	109,861	14,425
American Indian/Alaska Native	37,551	37,538	39,283	35,478	35,835	39,044	42,067	44,067	45,199	44,355	42,830	1,812
Asian/Pacific Islander	14,618	14,079	16,429	17,719	16,058	19,033	18,374	17,782	18,935	18,404	18,587	11,597
Other	27,562	25,685	26,823	30,643	33,615	32,340	39,294	43,686	46,789	45,778	48,444	1,017
No. of admissions	1,733,917	1,752,900	1,872,579	1,844,926	1,793,139	1,870,021	1,897,335	1,892,403	1,973,103	1,930,237	1,808,239	239,791
					Pe	rcent distribu	ution					
White (non-Hispanic)	58.2	58.7	58.5	58.6	59.6		59.8	60.2	60.2	60.2	60.8	70.1
Black (non-Hispanic)	25.1	24.6	24.3	24.0	22.8		21.3	20.8	20.8	20.8	20.1	11.1
Hispanic origin	12.1	12.2	12.8	12.8	12.8	13.6	13.6	13.4	13.4	13.4	13.0	12.7
Mexican	4.6	4.6	5.2	5.2	5.3	5.4	5.6	5.7	5.6	5.5	4.4	n/a
Puerto Rican	4.5	4.7	4.4	4.1	3.9		3.7	3.6	3.6	3.6	3.6	n/a
Cuban	0.3	0.2	0.3	0.4	0.3		0.4	0.2	0.2	0.2	0.2	n/a
Other/not specified	2.7	2.7	2.9	3.1	3.3	3.8	3.9	3.9	3.9	4.1	4.8	n/a
Other	4.6	4.4	4.4	4.5	4.8	4.8	5.3	5.6	5.6	5.6	6.1	6.0
American Indian/Alaska Native	2.2	2.1	2.1	1.9	2.0	2.1	2.2	2.3	2.3	2.3	2.4	8.0
Asian/Pacific Islander	0.8	0.8	0.9	1.0	0.9	1.0	1.0	0.9	1.0	1.0	1.0	4.8
Other	1.6	1.5	1.4	1.7	1.9		2.1	2.3	2.4	2.4	2.7	0.4
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

<sup>&</sup>lt;sup>1</sup> Resident population aged 12 and older. The population calculations exclude the population of the States and jurisdictions that did not report data to TEDS in 2010 (District of Columbia, Georgia, and Mississippi).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 10.10.11. Population: U.S. Bureau of the Census. SC-EST2010-ALLDATA6: Annual State Resident Population Estimates for 6 Race Groups (5 Race Alone Groups and Two or More Races) by Age, Sex, and Hispanic Origin: April 1, 2000 to July 1, 2010. File: 7/1/2010 State Characteristics Population Estimates, 6 Race Groups.

n/a Not applicable.

Table 1.5

Admissions aged 16 and older by employment status: TEDS 2000-2010 and U.S. population aged 16 and older 2010

Percent distribution

[Based on administrative data reported to TEDS by all reporting States and jurisdictions (excl. Puerto Rico).]

Employment status					TE	EDS admissi	ions					U.S. population aged 16 and older
	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2010
Total admissions	i											
aged 16 and older	1,693,638	1,709,717	1,824,080	1,796,710	1,747,398	1,835,577	1,854,053	1,859,073	1,952,294	1,933,369	1,769,216	
Employment status												
Employed	33.3	31.7	29.7	28.7	28.9	29.1	29.6	29.1	28.4	23.9	22.7	68.0
Full time	26.2	24.5	22.5	21.5	21.6	21.7	22.0	21.5	20.7	16.3	15.1	54.6
Part time	7.1	7.1	7.3	7.2	7.3	7.4	7.6	7.6	7.7	7.6	7.7	13.4
Unemployed	23.7	25.5	28.4	30.2	30.6	31.6	32.2	33.5	35.5	39.1	39.6	7.2
Not in labor force	43.0	42.8	41.8	41.1	40.4	39.3	38.2	37.4	36.1	37.0	37.7	24.8
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
No. of admissions	1,607,711	1,617,689	1,727,668	1,690,943	1,659,221	1,792,635	1,828,418	1,833,468	1,928,330	1,914,411	1,745,070	
Employment status												
adjusted for age, gender, and r	ace/ethnici	ty <sup>1</sup>										
Employed	28.1	26.9	25.6	24.8	25.8	24.9	25.3	25.0	24.6	21.2	20.3	68.0
Full time	21.1	19.9	18.6	18.0	18.8	17.8	18.1	17.8	17.4	14.1	13.2	54.6
Part time	7.1	7.0	7.0	6.8	7.0	7.0	7.3	7.2	7.2	7.1	7.1	13.4
Unemployed	19.7	20.8	23.3	25.0	25.8	26.0	26.6	27.4	29.0	31.6	32.3	7.2
Not in labor force	52.2	52.3	51.1	50.2	48.4	49.1	48.0	47.6	46.4	47.2	47.4	24.8
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

<sup>&</sup>lt;sup>1</sup> Adjusted for age, gender, and race/ethnicity to the 2000-2010 U.S. resident population.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 10.10.11. Employment: Bureau of Labor Statistics, Labor Force Statistics from the Current Population Survey, Tables 1 & 8, accessed at http://www.bls.gov/cps/tables.htm and US Bureau of Census, for population projections by state, age, gender, race.

Table 2.1a. Admissions aged 12 and older, by gender and age at admission according to primary substance of abuse: 2010

Column percent distribution and average age at admission

									ubstance	at admission						
			Alco	-	Opia	ites	Coca	ine								
Gender and age at ad	lmission			With .						Metham-	_					Other/
		A II	Alcohol	second-		Other	Smoked	Other	Mari-	phetamine/	Tran-	0-4-	Hallu-		lahal	none
		All admis- sions	only	ary drug	Heroin	opiates	cocaine	route	juana/ hashish	amphet- amines	quil- izers	Seda- tives	cino- gens	PCP	Inhal- ants	speci- fied
	Tota	<b>I</b> 1,820,737	411,388	332,699	256,256	157,171	104,564	43,587	335,833	112,473	15,707	4,117	1,675	4,501	1,449	39,317
Gender																
Male		67.6	72.5	72.6	66.9	53.9	57.4	67.8	73.5	53.1	51.1	45.1	72.2	60.2	60.7	63.1
Female		32.4	27.5	27.4	33.1	46.1	42.6	32.2	26.5	46.9	48.9	54.9	27.8	39.8	39.3	36.9
	Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	No. of admissions	1,820,131	411,324	332,644	256,214	157,147	104,550	43,582	335,782	112,447	15,706	4,117	1,674	4,499	1,449	38,996
Age at admission																
12 to 14 years		1.2	0.4	0.5	*	0.2	*	0.1	4.6	0.3	0.6	1.0	1.9	*	11.5	4.4
15 to 17 years		6.1	1.5	3.5	0.5	1.6	0.3	1.8	24.3	2.4	3.9	5.0	16.1	0.8	16.8	7.6
18 to 19 years		4.1	1.9	3.2	2.9	4.5	0.6	2.3	9.9	2.7	4.6	3.8	11.3	2.2	7.7	5.0
20 to 24 years		15.3	9.3	12.7	18.8	23.9	4.6	11.2	21.9	15.1	17.3	15.9	24.6	18.0	13.8	17.1
25 to 29 years		15.6	11.0	13.9	19.3	25.3	8.7	16.3	15.1	21.6	19.0	17.9	16.8	28.6	11.4	15.2
30 to 34 years		12.3	10.5	12.2	13.5	16.0	11.2	15.9	9.5	18.7	15.1	13.9	11.9	24.0	12.5	11.7
35 to 39 years		10.3	11.1	11.3	10.5	9.4	14.5	13.6	5.6	14.2	10.0	10.8	5.9	10.7	6.1	9.3
40 to 44 years		11.0	13.5	13.7	11.2	6.6	20.8	14.6	3.9	11.6	9.0	8.1	4.7	6.7	5.8	9.5
45 to 49 years		11.0	16.1	14.3	10.3	5.5	20.6	12.8	2.8	8.0	8.3	8.5	3.0	5.8	7.7	8.8
50 to 54 years		7.5	12.4	9.2	7.2	4.0	12.4	7.6	1.5	3.8	6.3	5.9	1.7	2.6	4.2	6.0
55 to 59 years		3.7	7.1	3.9	3.9	2.0	4.6	2.7	0.6	1.2	3.8	4.2	1.8	0.5	1.9	3.2
60 to 64 years		1.4	3.2	1.2	1.3	0.7	1.3	0.7	0.2	0.3	1.4	2.1	0.2	0.1	0.6	1.3
65 years and over		0.7	2.1	0.4	0.4	0.3	0.4	0.3	0.1	0.1	0.6	3.0	0.1	*		0.8
	Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	No. of admissions	1,820,737	· '	332,699	256,256	157,171	l '	43,587	335,833	112,473	-, -	4,117	1,675	4,501	, -	39,317
Average age	at admission	34 yrs	40 yrs	36 yrs	35 yrs	31 yrs	41 yrs	36 yrs	25 yrs	33 yrs	33 yrs	35 yrs	26 yrs	31 yrs	28 yrs	32 yrs

<sup>\*</sup> Less than 0.05 percent.

<sup>--</sup> Quantity is zero.

Table 2.1b. Admissions aged 12 and older, by gender and age at admission according to primary substance of abuse: 2010 Row percent distribution

						Р	rimary s	substance	at admission							
		Alco	ohol	Opia	ates	Coca	ine									
Gender and age at admission	No. of admis- sions	Alcohol only	With second- ary drug	Heroin	Other opiates	Smoked cocaine	Other route	Mari- juana/ hashish	Metham- phetamine/ amphet- amines	Tran- quil- izers	Seda- tives	Hallu- cino- gens	PCP	Inhal- ants	Other/ none speci- fied	Total
	Total 1,820,737	22.6	18.3	14.1	8.6	5.7	2.4	18.4	6.2	0.9	0.2	0.1	0.2	0.1	2.2	100.0
Gender																
Male	1,231,214	24.2	19.6	13.9	6.9	4.9	2.4	20.0	4.9	0.7	0.2	0.1	0.2	0.1	2.0	100.0
Female	588,917	19.2	15.5	14.4	12.3	7.6	2.4	15.1	8.9	1.3	0.4	0.1	0.3	0.1	2.4	100.0
Age at admission																
12 to 14 years	21,679	7.6	8.3	0.2	1.1	0.2	0.2	71.3	1.5	0.4	0.2	0.1	*	0.8	8.0	100.0
15 to 17 years	111,171	5.5	10.4	1.2	2.3	0.2	0.7	73.4	2.4	0.6	0.2	0.2	*	0.2	2.7	100.0
18 to 19 years	74,439	10.7	14.3	10.1	9.4	0.8	1.3	44.9	4.0	1.0	0.2	0.3	0.1	0.2	2.7	100.0
20 to 24 years	277,746	13.7	15.2	17.3	13.5	1.7	1.8	26.5	6.1	1.0	0.2	0.1	0.3	0.1	2.4	100.0
25 to 29 years	283,434	16.0	16.3	17.5	14.0	3.2	2.5	17.9	8.6	1.1	0.3	0.1	0.5	0.1	2.1	100.0
30 to 34 years	224,340	19.3	18.1	15.4	11.2	5.2	3.1	14.2	9.4	1.1	0.3	0.1	0.5	0.1	2.0	100.0
35 to 39 years	187,051	24.3	20.2	14.4	7.9	8.1	3.2	10.0	8.6	0.8	0.2	0.1	0.3	*	2.0	100.0
40 to 44 years	200,139	27.7	22.7	14.4	5.2	10.9	3.2	6.5	6.5	0.7	0.2	*	0.1	*	1.9	100.0
45 to 49 years	200,036	33.1	23.8	13.2	4.3	10.8	2.8	4.7	4.5	0.7	0.2	*	0.1	0.1	1.7	100.0
50 to 54 years	136,110		22.5	13.6	4.6	9.6	2.4		3.2	0.7	0.2	*	0.1	*	1.7	
55 to 59 years	66,708	43.6	19.3	15.1	4.7	7.2	1.8		2.0	0.9	0.3	*	*	*	1.9	100.0
60 to 64 years	25,198		16.2	13.7	4.4	5.3	1.3		1.3	0.9	0.3	*	*	*	2.0	
65 years and over	12,686	66.5	9.9	8.6	3.7	3.2	1.0	2.0	0.8	0.7	1.0	*	*		2.6	100.0

<sup>\*</sup> Less than 0.05 percent.

<sup>--</sup> Quantity is zero.

Table 2.2. Admissions aged 12 and older, by race/ethnicity according to primary substance of abuse: 2010 Column and row percent distribution

							ary substa	nce at admis	sion						
	Alco	-	Opia	ites	Coca	ine									
									_						
				• "				•							
							'	•	,					•	
sions	only	arug	Heroin	opiates	cocaine	route	nasnisn	amines	izers	tives	gens	PCP			
I 1,820,737	411,388	332,699	256,256	157,171					15,707	4,117	1,675	4,501	1,449	39,317	
					Colu	mn perc	ent distrib	oution							
60.8	67.9	59.3	61.5	88.2	35.1	47.4	46.8	67.7	83.4	84.0	67.9	14.2	68.2	60.5	
20.1	12.7	22.5	17.2	3.4	53.5	28.9		3.4	4.9	5.6	17.4	61.6			
13.1	11.7	11.6	17.6	4.5	8.1	19.3	16.3	19.0	8.8	6.4	8.4	19.6	13.3		
4.4	1														
3.7															
		-													
		-													
.,,	, ,,,,,,,			,	, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			•	,	.,	1,000	.,	.,	,	
1.810.070	22.6	18.3	14.1	8.6	5.8	2.4	18.4	6.2	0.9	0.2	0.1	0.2	0.1	2.1	100.0
1 100 073	25.3	17.8	14 3	12.5	3.3	19	14.2	6.9			0.1		0.1	21	100.0
		20.5	12.1	1.5		3.4	28.3	1.0	0.2	0.1	0.1		*	2.4	100.
236,627	20.3	16.2	18.9	3.0	3.6	3.5	23.0	9.0	0.6	0.1	0.1	0.4	0.1	1.4	100.0
79.381	24.6	14.5	10.7	2.4	1.9	1.9	24.6	18.1	0.1	0.1	*	0.3	0.1	0.5	100.0
66,918	12.7	17.3	37.1	2.2	4.9	4.4	18.0	0.7	1.0	0.1	0.1	0.6	*	1.0	100.
3.745	22.6	15.5	15.1	4.5	6.5	6.5	23.0	3.3	1.0	0.2	0.1	0.2	*	1.6	100.
86,583	22.0	17.0	12.6	4.0		4.3	25.3	7.2	0.7	0.2	0.1	0.3	0.1	2.4	100.
,	28.5	19.9	8.7	5.6		1.7	18.7	10.1	0.4	0.2	0.1	0.2	0.1	2.6	100.
,		26.5	3.6			0.8	_	6.1	0.2	0.1	0.1	0.1			100.
*															100.
48,453	18.9	16.3	14.0	5.4	4.1	2.6		10.4	0.6	0.2	0.1	0.3	0.1	4.2	
	60.8 20.1 13.1 4.4 3.7 0.2 4.8 6.1 2.4 1.00 2.7 100.0 1,810,070 1,100,073 363,500 236,627 79,381 66,918 3,745 86,583 109,870 42,830 18,587	All admissions Alcoholonly  I 1,820,737 411,388  60.8 67.9 20.1 12.7 13.1 11.7 4.4 4.8 3.7 2.1 0.2 0.2 4.8 4.7 6.1 7.7 2.4 4.1 1.0 1.4 2.7 2.2 100.0 100.0 1,810,070 409,173  31,810,070 22.6 1,100,073 25.3 363,500 14.3 236,627 20.3 79,381 24.6 66,918 12.7 3,745 22.6 86,583 22.0 109,870 28.5 42,830 38.8 18,587 30.0	sions         only         drug           I 1,820,737         411,388         332,699           60.8         67.9         59.3           20.1         12.7         22.5           13.1         11.7         11.6           4.4         4.8         3.5           3.7         2.1         3.5           0.2         0.2         0.2           4.8         4.7         4.4           6.1         7.7         6.6           2.4         4.1         3.4           1.0         1.4         0.8           2.7         2.2         2.4           100.0         100.0         100.0           1,810,070         409,173         331,019           3         1,810,070         22.6         18.3           1,100,073         25.3         17.8           363,500         14.3         20.5           236,627         20.3         16.2           79,381         24.6         14.5           66,918         12.7         17.3           3,745         22.6         15.5           86,583         22.0         17.0           109,870         <	All admissions	All admissions	With second-sions	Alcohol   Opiates   Cocaine   With   Second-   All admissions   Only   drug   Heroin   Opiates   Cocaine   route   I 1,820,737   411,388   332,699   256,256   157,171   104,564   43,587	Alcohol   Opiates   Cocaine   Mariscondsions   Alcohol   ary drug   Heroin   opiates   cocaine   route   hashish	All admissions	Nith   Second-   All admissions   All	All admissions	All admissions	All admissions	All admissions   Alcohol   With second-   Alcohol   ary only   drug   Heroin   Optates   Cocaine   route   hashish   amines   amphet-   quil-   Seda- circo- circo- gens   PCP   arts   1,820,737   411,388   332,699   256,256   157,171   104,564   43,587   335,833   112,473   15,707   4,117   1,675   4,501   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449   1,449	All admissions   All cohol   All cohol   All cohol   Second   All admissions   All cohol   Any only   Ardy   Ard

<sup>\*</sup> Less than 0.05 percent.

Table 2.3a. Admissions aged 12 and older, by selected race/ethnicity/gender/age group according to primary substance of abuse: 2010 Column percent distribution

	•	•					Р	rimary s	substance	at admission						
			Alco	ohol	Opia	ates	Coca	ine								
Selected race/ethnicity/ gender/age group		All admis-	Alcohol	With second- ary		Other	Smoked	Other	Mari- iuana/	Metham- phetamine/ amphet-	Tran- quil-	Seda-	Hallu- cino-		Inhal-	Other/ none speci-
		sions	only	drug	Heroin	opiates	cocaine	route	hashish	amines	izers	tives	gens	PCP	ants	fied
	Total	1,820,737	411,388	332,699	256,256	157,171	104,564	43,587	335,833	112,473	15,707	4,117	1,675	4,501	1,449	39,317
White (non-Hisp.) male		39.4	47.7	41.9	38.9	47.9	17.9	29.7	33.2	35.5	41.0	37.3	49.3	8.2	43.0	36.8
12 to 19 years		4.2	1.4	2.8	1.7	3.5	0.3	1.4	13.8	1.4	4.4	4.4	16.7	0.6	12.4	6.1
20 to 24 years		6.7	4.5	6.3	9.8	12.4	1.1	4.0	7.8	4.0	8.2	7.5	12.4	1.8	7.0	7.3
25 to 29 years		6.4	5.1	6.5	9.9	12.0	1.9	5.0	4.4	6.4	7.9	7.3	6.8	1.7	5.7	6.0
30 to 34 years		4.8	4.8	5.3	6.1	7.4	2.5	4.8	2.5	6.5	5.9	4.6	4.2	1.5	5.6	4.3
35 to 39 years		3.9	5.0	4.7	3.5	4.1	3.0	4.1	1.6	5.5	3.6	3.8	2.1	0.8	2.6	3.3
40 to 44 years		4.0	6.3	5.2	2.7	3.0	3.5	4.1	1.2	5.0	3.0	2.6	2.5	0.8	3.1	3.1
45 years and over		9.4	20.6	11.1	5.1	5.5	5.6	6.2	1.9	6.7	7.9	7.2	4.6	1.1	6.7	6.5
White (non-Hisp.) female		21.3	20.2	17.4	22.6	40.3	17.2	17.8	13.5	32.2	42.4	46.8	18.7	6.0	25.3	23.8
12 to 19 years		2.0	0.9	1.6	1.3	2.1	0.3	1.2	4.5	1.7	3.1	2.9	5.2	0.4	7.7	3.8
20 to 24 years		3.9	2.0	2.5	6.7	9.2	1.5	2.8	3.2	5.8	6.9	5.9	5.2	1.6	3.1	4.4
25 to 29 years		4.1	2.2	2.7	5.9	10.6	2.7	3.7	2.3	7.7	8.7	8.5	3.7	1.9	3.4	4.0
30 to 34 years		2.9	2.0	2.3	3.2	6.7	2.9	3.0	1.4	6.1	6.9	6.7	1.9	1.2	4.4	3.0
35 to 39 years		2.3	2.2	2.1	1.8	4.0	3.1	2.4	0.9	4.4	4.4	5.2	1.3	0.3	2.2	2.2
40 to 44 years		2.1	2.9	2.2	1.4	2.8	_	2.1	0.6	3.3	3.8	4.2	0.9	0.2	1.8	2.0
45 years and over		4.1	8.0	4.0	2.2	4.9	3.7	2.5	0.8	3.3	8.7	13.4	0.5	0.3	2.6	4.4
Black (non-Hisp.) male		14.4	9.7	17.3	11.7	1.7	32.6	21.2	23.4	2.1	2.7	2.8	12.5	36.7	6.1	16.2
12 to 19 years		1.5	0.2	0.4	*	0.1	0.1	0.2	7.3	0.1	0.2	0.2	1.5	0.7	1.4	2.4
20 to 24 years		1.4	0.6	1.0	0.2	0.2	0.5	1.1	5.0	0.2	0.4	0.3	3.4	5.2	0.5	2.1
25 to 29 years		1.5	0.9	1.4	0.4	0.3	1.1	2.1	4.0	0.4	0.3	0.5	2.5	10.3	0.3	1.9
30 to 34 years		1.4	1.0	1.6	0.6	0.2	1.9	2.6	2.9	0.4	0.2	0.4	2.3	10.0	0.3	1.7
35 to 39 years		1.4	1.1	1.8	1.3	0.1	3.4	2.6		0.3	0.3	0.3	1.0	4.5	0.3	1.6
40 to 44 years		2.0	1.3	3.1	2.3	0.2		3.9		0.3	0.5	0.3	0.6	2.5	0.4	2.0
45 years and over		5.2	4.7	8.0	6.8	0.5	18.3	8.7	1.5	0.4	0.9	0.6	1.1	3.5	2.8	4.5

Table 2.3a. Admissions aged by 12 and older, by selected race/ethnicity/gender/age group according to primary substance of abuse: 2010 (continued)

Column percent distribution

						P	rimary s	substance	at admission						
		Alco		Opia	ates	Coca	ine								
Selected race/ethnicity/			With						Metham-						Other/
gender/age group			second-			l		Mari-	phetamine/	Tran-		Hallu-			none
	All admis-		ary		Other	Smoked		juana/	amphet-	quil-	Seda-	cino-		Inhal-	speci-
	sions	only	drug	Heroin	opiates	cocaine	route	hashish	amines	izers	tives	gens	PCP	ants	fied
Black (non-Hisp.) female	5.6	2.9	5.3	5.6	1.7	20.9	7.7	7.4	1.3	2.2	2.8	5.0	24.9	3.7	7.1
12 to 19 years	0.4	0.1	0.2	*	*	0.1	0.1	1.7	0.1	0.1	0.1	0.2	0.3	0.9	1.4
20 to 24 years	0.6	0.2	0.4	0.1	0.2	0.7	0.6	1.8	0.2	0.2	0.5	1.0	4.9	1.2	0.9
25 to 29 years	0.7	0.3	0.6	0.2	0.4	1.5	1.4	1.6	0.3	0.5	0.2	1.6	8.5	0.2	0.9
30 to 34 years	0.7	0.4	0.6	0.4	0.3	2.2	1.3	1.0	0.3	0.3	0.5	1.5	6.6	0.3	0.8
35 to 39 years	0.7	0.3	0.7	0.7	0.2	3.1	1.1	0.5	0.2	0.2	0.2	0.2	2.3		0.6
40 to 44 years	0.8	0.4	0.9	1.2	0.2	4.7	1.1	0.3	0.1	0.3	0.3	0.2	0.9	0.1	0.7
45 years and over	1.7	1.1	1.9	2.8	0.5	8.6	2.1	0.4	0.1	0.5	0.9	0.2	1.5	1.0	1.7
Mexican-orig. male	3.2	3.9	2.6	2.5	0.7	0.9	2.7	4.6	7.3	0.4	0.8	1.6	2.5	3.4	0.8
12 to 19 years	0.8	0.3	0.5	*	0.1	*	0.3	3.3	0.6	0.1	0.2	8.0	0.2	2.3	0.3
20 to 24 years	0.4	0.4	0.4	0.2	0.2	0.1	0.4	0.5	1.1	0.1	0.1		0.1	0.3	0.1
25 to 29 years	0.4	0.5	0.4	0.3	0.1	0.1	0.5	0.3	1.6	0.1	*	0.2	0.1	0.3	0.1
30 to 34 years	0.4	0.5	0.3	0.3	0.1	0.1	0.5	0.2	1.4	*	0.1	0.1	0.4	0.3	0.1
35 to 39 years	0.3	0.5	0.3	0.3	0.1	0.1	0.3	0.1	1.0	*	0.2	0.4	0.4		0.1
40 to 44 years	0.3	0.5	0.2	0.4	*	0.2	0.3	0.1	0.8	*	0.1	0.1	0.5	0.1	*
45 years and over	0.6	1.1	0.5	1.1	0.1	0.2	0.3	0.1	0.8	0.1	0.1		0.8	0.1	0.1
Mexican-orig. female	1.2	0.9	0.9	0.8	0.6	0.5	0.7	1.3	5.5	0.4	0.6	0.5	2.2	3.5	0.4
12 to 19 years	0.3	0.2	0.3	*	*	*	0.1	0.9	0.5	0.1	0.2	0.5	*	2.7	0.2
20 to 24 years	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.2	1.1	*	*		0.1	0.1	*
25 to 29 years	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	1.5	*	*	0.1	0.3	0.1	*
30 to 34 years	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	1.1	0.1	0.1		0.2	0.4	*
35 to 39 years	0.1	0.1	0.1	0.1	0.1	0.1	0.1	*	0.6	0.1	0.1		0.3		,
40 to 44 years	0.1	0.1	0.1	0.1	*	0.1	0.1	*	0.4	*			0.5	0.1	,
45 years and over	0.1	0.2	0.1	0.3	0.1	0.1	0.1	*	0.3	0.1	0.1		0.7	0.1	*

Table 2.3a. Admissions aged by 12 and older, by selected race/ethnicity/gender/age group according to primary substance of abuse: 2010 (continued)

Column percent distribution

				,		Р	rimary s	substance	at admission						
Selected race/ethnicity/		Alco	hol With	Opia	ates	Coca	ine		Metham-						Other/
gender/age group			second-			L	<b>.</b>	Mari-	phetamine/	Tran-		Hallu-			none
	All admis- sions	Alcohol only	ary drug	Heroin	Other opiates	Smoked cocaine	Other route	juana/ hashish	amphet- amines	quil- izers	Seda- tives	cino- gens	PCP	Inhal- ants	speci- fied
Puerto Rican-orig. male	3.0		2.9	8.2	0.6		5.4	2.8	0.2	3.1	0.6	1.9	6.3	0.8	
12 to 19 years	0.2	*	0.1	*	*	*	0.1	0.7	*	0.1	0.1	0.2	0.3	0.3	
20 to 24 years	0.2	0.1	0.2	0.2	0.1	1	0.3	0.7	*	0.2	0.1	0.4	1.4	0.1	0.1
25 to 29 years	0.3	0.1	0.3	0.8	0.1	0.2	0.6	0.5	*	0.3	*	0.6	1.9	0.1	0.2
30 to 34 years	0.4	0.2	0.4	1.3	0.1	0.3	0.9	0.4	*	0.5	0.1	0.2	1.5	0.1	0.2
35 to 39 years	0.4	0.2	0.4	1.5	0.1	0.3	0.9	0.2	*	0.5		0.3	0.7	0.1	0.1
40 to 44 years	0.5	0.2	0.6	1.8	0.1	0.5	1.1	0.1	*	0.6	0.1	0.1	0.3		0.2
45 years and over	0.9	0.9	1.0	2.6	0.1	0.6	1.5	0.1	*	8.0	0.2	0.1	0.3		0.3
Puerto Rican-orig. female	0.7	0.4	0.6	1.5	0.3	1.0	1.4	0.8	0.2	1.1	0.3	0.3	2.8	0.6	0.5
12 to 19 years	0.1	*	*	*	*	*	*	0.2	*	*	*		0.2	0.1	0.1
20 to 24 years	0.1	*	0.1	0.1	0.1	0.1	0.1	0.2	*	0.1	*	0.1	0.7	0.3	0.1
25 to 29 years	0.1	*	0.1	0.2	0.1	0.1	0.2	0.2	*	0.2	*	0.1	0.9		0.1
30 to 34 years	0.1	*	0.1	0.2	0.1	0.2	0.2	0.1	*	0.2		0.2	0.6		*
35 to 39 years	0.1	*	0.1	0.3	*	0.2	0.2	0.1	*	0.2	0.1		0.2	0.1	*
40 to 44 years	0.1	0.1	0.1	0.3	*	0.2	0.2	*	*	0.2	*		0.1		*
45 years and over	0.2	0.1	0.1	0.5	0.1	0.3	0.4	*	*	0.3	0.1		0.1	0.1	0.1
American Indian/															
Alaska Native male	1.5	2.9	2.2	0.3	0.7	0.4	0.4	1.1	1.0	0.3	0.6	1.2	0.3	2.2	0.9
12 to 19 years	0.2	0.1	0.2	*	0.1	*	*	0.5	*	*	0.1	0.2		1.2	0.1
20 to 24 years	0.2	0.2	0.4	0.1	0.2	*	0.1	0.2	0.1	0.1	0.1	0.4	0.1	0.3	0.2
25 to 29 years	0.2	0.3	0.4	0.1	0.2	*	0.1	0.2	0.2	0.1	*		0.1	0.1	0.2
30 to 34 years	0.2	0.3	0.3	*	0.1	0.1	0.1	0.1	0.2	0.1	0.1	0.3	*	0.3	0.1
35 to 39 years	0.2	0.4	0.2	*	0.1	0.1	0.1	0.1	0.1	*	0.1	0.1	0.1	0.1	0.1
40 to 44 years	0.2	0.4	0.3	*	*	0.1	*	*	0.1	*	*	0.2	*	0.1	0.1
45 years and over	0.4	1.2	0.4	0.1	0.1	0.1	0.1	0.1	0.2	0.1	*		*	0.1	0.2

Table 2.3a. Admissions aged by 12 and older, by selected race/ethnicity/gender/age group according to primary substance of abuse: 2010 (continued)

Column percent distribution

Daded on duminorative data rep					,				substance	at admission						
• • • • • • • • • • •			Alco		Opia	ates	Coca	ine								
Selected race/ethnicity/				With						Metham-	_					Other/
gender/age group		A II ! ! -	Manhai	second-		046	0,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	046	Mari-	phetamine/	Tran-	0/-	Hallu-		1-1-1	none
		All admis- sions	Alcohol only	ary drug	Heroin	Other opiates	Smoked cocaine	Other route	juana/ hashish	amphet- amines	quil- izers	Seda- tives	cino-	PCP	Inhal- ants	speci- fied
American Indian/		310113	Orny	urug	Heroin	opiales	cocame	Toute	Hasilisii	annines	12613	uves	gens	FUF	ants	
Alaska Native female		0.9	1.2	1.3	0.3	1.1	0.5	0.4	0.6	1.4	0.3	0.5	0.5	0.2	2.8	0.7
12 to 19 years		0.1	0.1	0.2	*	0.1	*	*	0.2	0.1	*	0.1	0.2		1.6	0.1
20 to 24 years		0.1	0.1	0.2	0.1	0.2	*	*	0.1	0.2	*	0.1	0.1	0.1	0.2	0.1
25 to 29 years		0.2	0.2	0.2	0.1	0.3	0.1	0.1	0.1	0.4	0.1		0.1	*	0.1	0.1
30 to 34 years		0.1	0.2	0.2	*	0.2	0.1	0.1	0.1	0.3	0.1		0.1	*	0.3	0.1
35 to 39 years		0.1	0.2	0.2	*	0.1	0.1	*	*	0.2	*	0.1	0.1		0.1	0.1
40 to 44 years		0.1	0.2	0.1	*	0.1	0.1	*	*	0.1	*	0.1			0.1	0.1
45 years and over		0.2	0.4	0.2	0.1	0.1	0.1	0.1	*	0.1	0.1	0.1		0.1	0.5	0.1
Asian/Pacific Islander male		0.7	1.1	0.6	0.3	0.3	0.4	0.5	0.8	2.0	0.3	0.4	1.0	0.3	0.8	0.4
12 to 19 years		0.1	0.1	0.1	*	*	*	*	0.5	0.1	0.1	*	0.2	*	0.7	0.1
20 to 24 years		0.1	0.1	0.1	0.1	0.1	*	0.1	0.1	0.2	0.1	0.1	0.3	*		*
25 to 29 years		0.1	0.2	0.1	0.1	0.1	*	0.1	0.1	0.4	*	*	0.1	0.1		*
30 to 34 years		0.1	0.1	0.1	*	*	0.1	0.1	0.1	0.4	0.1	0.1	0.2	*	0.1	*
35 to 39 years		0.1	0.1	0.1	*	*	0.1	0.1	*	0.3	*	*	0.1			0.1
40 to 44 years		0.1	0.1	*	*	*	0.1	0.1	*	0.3	*	*	0.1	*		*
45 years and over		0.1	0.3	0.1	*	*	0.1	0.1	*	0.3	*			0.1	0.1	0.1
Asian/Pacific Islander female		0.3	0.3	0.2	0.1	0.2	0.2	0.2	0.3	1.0	0.1	0.3	0.2	0.1	0.4	0.3
12 to 19 years		0.1	0.1	0.1	*	*	*	*	0.2	0.1	*	*	0.1		0.2	0.1
20 to 24 years		*	*	*	*	0.1	*	*	*	0.2	0.1			0.1		*
25 to 29 years		0.1	*	*	*	*	*	*	*	0.3	*	0.1			0.2	*
30 to 34 years		*	*	*	*	*	*	*	*	0.2	*	*	0.1			*
35 to 39 years		*	*	*	*	*	*	*	*	0.1	*	*				*
40 to 44 years		*	*	*	*	*	*	*	*	0.1	*					*
45 years and over		*	0.1	*	*	*	*	*	*	0.1	*	0.1		*		0.1
All other		7.7	7.1	7.0		4.0		12.0		10.2	5.7	6.3	7.4	9.4	7.4	11.0
	Total	100.0		100.0	100.0	100.0		100.0	1	100.0	100.0	100.0	100.0	100.0	100.0	100.0
No. of ad	missions	1,809,789	409,116	330,968	255,077	156,133	104,073	43,323	333,675	112,086	15,619	4,100	1,662	4,475	1441	38,041

<sup>\*</sup> Less than 0.05 percent.

<sup>--</sup> Quantity is zero.

Table 2.3b. Admissions aged 12 and older, by selected race/ethnicity/gender/age group according to primary substance of abuse: 2010 Row percent distribution

Dased on administrative date				.g caace	J		Primai	y substan	ce at admissi	on						
		Alco	hol	Opi	ates	Coca	ine									
Selected race/ethnicity/ gender/age group	No. of admis-	Alcohol	With second- ary		Other	Smoked	Other	Mari- juana/	Metham- phetamine/ amphet-	Tran- quil-	Seda-	Hallu- cino-		Inhal-	Other/ none speci-	
	sions	only	drug	Heroin	opiates	cocaine	route	hashish	amines	izers	tives	gens	PCP	ants	fied	Total
Tot	al 1,809,789	22.6	18.3	14.1	8.6	5.8	2.4	18.4	6.2	0.9	0.2	0.1	0.2	0.1	2.1	100.0
White (non-Hisp.) male	713,956	27.4	19.4	13.9	10.5	2.6	1.8	15.5	5.6	0.9	0.2	0.1	0.1	0.1	2.0	100.0
12 to 19 years	76,872	7.3	12.1	5.6	7.0	0.3	0.8	60.0	2.0	0.9	0.2	0.4	*	0.2	3.0	100.0
20 to 24 years	121,713	15.2	17.0	20.6	15.9	0.9	1.4	21.3	3.7	1.0	0.3	0.2	0.1	0.1	2.3	100.0
25 to 29 years	116,483	18.0	18.4	21.8	16.0	1.7	1.9	12.6	6.2	1.1	0.3	0.1	0.1	0.1	2.0	100.0
30 to 34 years	87,686	22.2	20.2	17.8	13.3	3.0	2.4	9.6	8.2	1.1	0.2	0.1	0.1	0.1	1.9	100.0
35 to 39 years	69,920	29.2	22.3	12.8	9.3	4.4	2.6	7.5	8.9	0.8	0.2	0.1	*	0.1	1.8	100.0
40 to 44 years	71,621	36.2	24.0	9.7	6.4	5.1	2.5	5.6	7.8	0.7	0.1	0.1	0.1	0.1	1.7	100.0
45 years and over	169,661	49.7	21.7	7.7	5.1	3.4	1.6	3.8	4.5	0.7	0.2	*	*	0.1	1.5	100.0
White (non-Hisp.) female	385,980	21.4	14.9	14.9	16.3	4.6	2.0	11.7	9.4	1.7	0.5	0.1	0.1	0.1	2.3	100.0
12 to 19 years	35,414	10.3	14.6	9.7	9.3	0.8	1.5	42.1	5.4	1.4	0.3	0.2	0.1	0.3	4.0	100.0
20 to 24 years	71,005	11.4	11.8	24.0	20.2	2.3	1.7	14.9	9.2	1.5	0.3	0.1	0.1	0.1	2.4	100.0
25 to 29 years	73,545	12.1	12.3	20.5	22.5	3.8	2.2	10.3	11.8	1.8	0.5	0.1	0.1	0.1	2.1	100.0
30 to 34 years	52,737	15.6	14.3	15.3	19.8	5.7	2.4	8.9	12.9	2.0	0.5	0.1	0.1	0.1	2.2	100.0
35 to 39 years	40,836	22.4	16.8	11.5	15.4	7.8	2.5	7.1	12.0	1.7	0.5	0.1	*	0.1	2.1	100.0
40 to 44 years	38,209	30.9	18.7	9.4	11.4	8.3	2.4	5.2	9.6	1.6	0.4	*	*	0.1	2.0	100.0
45 years and over	74,234	44.2	17.9	7.6	10.3	5.2	1.5	3.5	5.0	1.8	0.7	*	*	0.1	2.2	100.0
Black (non-Hisp.) male	261,494	15.2	21.8	11.4	1.0	13.0	3.5	29.9	0.9	0.2	*	0.1	0.6	*	2.4	100.0
12 to 19 years	27,846	3.0	4.8	0.3	0.5	0.3	0.3	86.9	0.3	0.1	*	0.1	0.1	0.1	3.2	100.0
20 to 24 years	25,817	9.0	13.4	2.0	1.5	1.9	1.8	64.9	1.0	0.2	0.1	0.2	0.9	*	3.1	100.0
25 to 29 years	26,853	13.6	17.6	3.5	1.7	4.3	3.4	49.5	1.6	0.2	0.1	0.2	1.7	*	2.7	100.0
30 to 34 years	25,495	15.7	20.8	6.3	1.3	7.6	4.4	37.6	1.6	0.1	0.1	0.1	1.7	*	2.6	100.0
35 to 39 years	25,162	17.2	23.2	13.3	0.9	14.1	4.4	22.0	1.4	0.2	0.1	0.1	0.8	*	2.4	100.0
40 to 44 years	36,126	15.0	28.0	16.1	0.7	21.2	4.7	10.6	1.0	0.2	*	*	0.3	*	2.1	100.0
45 years and over	94,195	20.5	28.0	18.5	0.8	20.2	4.0	5.2	0.5	0.1	*	*	0.2	*	1.8	100.0

Table 2.3b. Admissions aged 12 and older, by selected race/ethnicity/gender/age group according to primary substance of abuse: 2010 (continued)

Row percent distribution

Dasca on administrative data	'		Primary substance at admission  Alcohol Opiates Cocaine													
		Alco	-	Opi	ates	Coca	ine									
Selected race/ethnicity/			With						Metham-						Other/	
gender/age group	No. of	A/6-/	second-		046.04	Company of	046.54	Mari-	phetamine/	Tran-	0-4-	Hallu-		labal	none	
	admis- sions	Alcohol only	ary drug	Heroin	Other opiates	Smoked cocaine	Other route	juana/ hashish	amphet- amines	quil- izers	Seda- tives	cino- gens	PCP	Inhal- ants	speci- fied	Total
Black (non-Hisp.) female	101,953		17.1	13.9	2.7		3.3	24.2	1.4	0.3	0.1	0.1	1.1	0.1	2.6	
12 to 19 years	7,835		8.3	0.8	0.7	0.9	0.5	72.7	1.1	0.3	0.1	0.1	0.2	0.2	6.9	
20 to 24 years	10,893	8.8	12.1	3.0	3.0		2.5	56.2	2.4	0.4	0.2	0.2	2.0	0.2	3.0	100.0
25 to 29 years	13,184	10.8	14.3	4.8	4.4		4.5	39.6	2.8	0.6	0.1	0.2	2.9	*	2.7	100.0
30 to 34 years	12,147	12.8	15.7	7.8	3.7		4.7	28.4	2.5	0.3	0.2	0.2	2.4	*	2.4	100.0
35 to 39 years	11,868	11.5	18.7	15.7	2.6		3.9	15.3	1.5	0.2	0.1	*	0.9		2.1	100.0
40 to 44 years	15,232	11.4	20.5	20.5	1.9		3.2	7.4	0.7	0.3	0.1	*	0.3	*	1.9	100.0
45 years and over	30,794	14.4	20.5	23.6	2.3		3.0		0.4	0.3	0.1	*	0.2	*	2.1	100.0
Mexican-orig. male	58,042	27.3	14.9	11.0	1.8	1.7	2.0	26.2	14.1	0.1	0.1	*	0.2	0.1	0.5	100.0
12 to 19 years	15,127	8.5	11.7	0.7	0.5	0.2	0.9	72.1	4.1	0.1	0.1	0.1	*	0.2	0.7	100.0
20 to 24 years	7,229	25.1	17.5	7.3	3.6	1.1	2.4	24.8	17.3	0.1	0.1		0.1	0.1	0.6	100.0
25 to 29 years	7,675	28.3	16.9	8.8	3.0	1.9	3.0	14.7	22.7	0.1	*	*	0.1	0.1	0.5	100.0
30 to 34 years	6,587	30.1	16.0	11.7	2.2	2.3	3.2	9.2	24.3	*	0.1	*	0.2	0.1	0.5	100.0
35 to 39 years	5,483	37.3	15.9	12.5	1.8	2.6	2.6	6.0	20.2	0.1	0.1	0.1	0.3		0.5	100.0
40 to 44 years	5,185	37.2	15.9	17.6	1.4	3.2	2.5	3.5	18.0	0.1	0.1	*	0.5	*	0.1	100.0
45 years and over	10,756	43.0	14.4	25.4	1.5	2.3	1.3	2.6	8.5	0.1	*		0.3	*	0.3	100.0
Mexican-orig. female	21,312	17.2	13.5	9.9	4.1	2.7	1.5	20.2	29.2	0.3	0.1	*	0.5	0.2	0.7	100.0
12 to 19 years	5,492	15.2	15.8	1.1	0.9	0.4	0.7	52.6	11.0	0.2	0.1	0.1	*	0.7	1.1	100.0
20 to 24 years	3,236	14.6	12.2	7.9	5.9	2.3	1.9	16.9	37.6	0.2	0.1		0.2	*	0.4	100.0
25 to 29 years	3,600	13.5	10.9	8.9	5.7	1.6	1.3	10.6	46.6	0.2	0.1	*	0.3	*	0.4	100.0
30 to 34 years	2,842	15.2	11.6	8.9	5.5	4.2	2.2	8.0	43.0	0.3	0.1		0.3	0.2	0.5	100.0
35 to 39 years	2,010	20.7	14.3	11.4	3.9	4.4	2.2	5.2	35.9	0.6	0.3		0.7		0.3	100.0
40 to 44 years	1,619	20.1	14.9	18.7	4.8	5.1	2.1	5.0	26.4	0.4			1.4	0.1	0.9	100.0
45 years and over	2,513	27.6	14.6	27.7	4.9	4.9	1.1	2.9	13.9	0.4	0.2		1.3	*	0.6	100.0

Table 2.3b. Admissions aged 12 and older, by selected race/ethnicity/gender/age group according to primary substance of abuse: 2010 (continued)

Row percent distribution

Dased on administrative data	'			J	, ,		Prima	y substan	ce at admission	on						
		Alco	-	Opi	ates	Coca	ine									
Selected race/ethnicity/			With						Metham-	_					Other/	
gender/age group	No. of		second-		044	0	044	Mari-	phetamine/	Tran-	01-	Hallu-		lanta a l	none	
	admis- sions	Alcohol only	ary drug	Heroin	Other opiates	Smoked cocaine	Other route	juana/ hashish	amphet- amines	quil- izers	Seda- tives	cino-	PCP	Inhal- ants	speci- fied	Total
												gens				
Puerto Rican-orig. male	53,940	13.0	17.9	38.8	1.7	4.1	4.4	17.2	0.5	0.9	*	0.1	0.5	*	0.9	100.0
12 to 19 years	2,995	2.9	7.9	1.8	1.7	0.2	1.1	80.3	0.6	0.6	0.1	0.1	0.5	0.2	1.9	100.0
20 to 24 years	4,479	8.1	14.7	13.9	3.6	2.3	2.9	50.0	0.8	8.0	0.1	0.1	1.4	*	1.3	100.0
25 to 29 years	6,159	8.3	15.2	32.4	3.0	3.4	4.2	29.1	0.7	0.7	*	0.2	1.3	*	1.3	100.0
30 to 34 years	7,771	9.4	16.1	44.0	2.1	4.2	5.0	15.7	0.6	1.0	0.1	0.1	0.8	*	0.8	100.0
35 to 39 years	7,620	9.6	18.4	48.9	1.3	4.6	5.0	9.4	0.4	1.1		0.1	0.4	*	0.7	100.0
40 to 44 years	9,219	10.8	20.4	49.4	1.0	5.8	5.3	5.0	0.4	1.1	*	*	0.2		0.7	100.0
45 years and over	15,697	23.1	20.9	41.7	1.1	4.2	4.2	2.9	0.3	8.0	0.1	*	0.1		0.7	100.0
Puerto Rican-orig. female	12,973	11.2	14.8	29.9	4.2	8.1	4.6	21.5	1.7	1.3	0.1	*	1.0	0.1	1.5	100.0
12 to 19 years	999	6.5	12.2	3.1	2.3	0.7	1.8	66.3	1.7	0.6	0.1		0.7	0.2	3.8	100.0
20 to 24 years	1,577	7.3	12.1	14.6	7.1	5.0	2.9	44.0	1.9	8.0	0.1	0.1	1.9	0.3	2.0	100.0
25 to 29 years	1,973	8.2	12.4	22.9	6.8	6.7	5.4	30.6	2.1	1.3	0.1	0.1	2.1		1.4	100.0
30 to 34 years	1,854	9.1	16.0	29.3	4.8	9.3	5.2	20.1	2.2	1.6		0.2	1.5		0.9	100.0
35 to 39 years	1,653	11.7	13.1	39.0	3.6	10.4	4.6	11.7	2.3	1.5	0.2		0.5	0.1	1.1	100.0
40 to 44 years	1,920	11.0	18.6	40.9	2.1	11.4	5.4	6.7	1.3	1.3	0.1		0.3		1.0	100.0
45 years and over	2,997	18.0	16.5	39.8	2.8	9.2	5.3	4.4	0.8	1.5	0.2		0.1	*	1.4	100.0
American Indian/																
Alaska Native male	26,736	43.7	26.9	3.0	4.2	1.5	0.7	14.1	4.1	0.2	0.1	0.1	0.1	0.1	1.2	100.0
12 to 19 years	2,808	10.3	25.2	1.1	3.4	*	0.5	54.6	2.0	0.2	0.2	0.1		0.6	1.7	100.0
20 to 24 years	3,637	24.5	33.0	4.3	8.4	0.7	0.7	22.2	3.8	0.2	0.1	0.2	0.1	0.1	1.6	100.0
25 to 29 years	3,721	32.3	33.4	3.5	7.7	1.1	0.6	14.1	5.3	0.2	0.1		0.1	0.1	1.6	100.0
30 to 34 years	3,124	38.8	29.9	3.3	5.3	1.8	1.0	11.0	6.9	0.3	0.2	0.2	*	0.1	1.2	100.0
35 to 39 years	3,055	51.3	26.4	2.7	3.3	2.0	0.9	6.9	5.0	0.1	0.1	*	0.1	0.1	1.1	100.0
40 to 44 years	3,180	56.2	27.3	2.6	1.7	2.2	0.6	4.0	4.5	0.1	0.1	0.1	*	*	0.7	100.0
45 years and over	7,211	65.8	19.9	3.0	1.8	1.9	0.7	3.2	2.6	0.1	*		*	*	0.9	100.0

Table 2.3b. Admissions aged 12 and older, by selected race/ethnicity/gender/age group according to primary substance of abuse: 2010 (continued)

Row percent distribution

	•		·		•	•	Primai	y substan	ce at admissi	on						
		Alco	ohol	Opi	ates	Coca	ine									
Selected race/ethnicity/			With						Metham-						Other/	
gender/age group	No. of		second-					Mari-	phetamine/	Tran-		Hallu-			none	
	admis-	Alcohol	ary		Other	Smoked	Other	juana/	amphet-	quil-	Seda-	cino-		Inhal-	speci-	
	sions	only	drug	Heroin	opiates	cocaine	route	hashish	amines	izers	tives	gens	PCP	ants	fied	Total
American Indian/																
Alaska Native female	16,080	30.6	25.9	4.7	10.4	3.2	1.0	12.3	9.6	0.3	0.1	0.1	0.1	0.3	1.6	100.0
12 to 19 years	1,984	11.2	30.9	2.2	6.7	0.5	0.5	39.8	4.4	0.2	0.2	0.2		1.2	2.2	100.0
20 to 24 years	2,379	21.8	26.1	5.7	15.0	2.0	0.7	15.3	10.8	0.2	0.3	*	0.2	0.1	1.8	100.0
25 to 29 years	2,961	24.2	24.3	5.0	14.6	3.1	1.5	11.1	14.5	0.5		0.1	*	0.1	1.1	100.0
30 to 34 years	2,281	27.2	26.3	4.9	12.8	3.6	1.6	8.0	13.2	0.4		*	*	0.2	1.8	100.0
35 to 39 years	1,930	34.1	26.8	4.0	9.6	5.4	1.1	6.6	10.5	0.2	0.3	0.1		0.1	1.3	100.0
40 to 44 years	1,647	41.4	26.7	6.1	6.1	4.9	0.7	4.3	8.0	0.3	0.2			0.1	1.4	100.0
45 years and over	2,898	51.7	22.3	5.0	5.8	3.3	0.9	4.1	4.5	0.3	0.1		0.1	0.2	1.7	100.0
Asian/Pacific Islander male	13,390	32.2	13.9	5.8	3.4	3.2	1.6	20.9	17.0	0.3	0.1	0.1	0.1	0.1	1.3	100.0
12 to 19 years	2,422	10.8	12.6	1.6	1.2	0.3	0.7	66.0	3.4	0.5	0.1	0.2	*	0.4	2.2	100.0
20 to 24 years	1,975	27.7	17.2	7.8	6.4	0.8	1.7	23.8	12.6	0.4	0.3	0.3	0.1		0.9	100.0
25 to 29 years	2,146	30.1	14.4	8.6	5.6	1.9	2.1	15.3	20.8	0.1	*	*	0.2		0.8	100.0
30 to 34 years	1,679	31.5	14.4	7.4	2.9	3.3	1.7	10.1	26.4	0.5	0.3	0.2	0.1	0.1	1.1	100.0
35 to 39 years	1,519	37.8	12.8	6.6	2.6	6.1	1.8	5.6	24.8	0.3	0.1	0.1			1.3	100.0
40 to 44 years	1,253	38.6	12.8	4.9	1.0	8.0	2.2	5.1	25.9	0.2	0.1	0.1	0.1		1.0	100.0
45 years and over	2,396	52.7	13.0	4.9	3.2	5.0	1.3	3.6	14.8	0.2			0.2	*	1.2	100.0
Asian/Pacific Islander																
female	5,194	24.6	13.0	7.2	6.2	3.4	1.6	18.6	22.5	0.4	0.2	0.1	0.1	0.1	1.9	100.0
12 to 19 years	1,228	18.3	16.9	3.6	1.5	0.1	0.3	50.4	6.1	0.2	0.1	0.2		0.2	2.0	100.0
20 to 24 years	850	22.4	12.5	11.8	11.5	2.1	2.0	12.0	22.7	0.9			0.5		1.6	100.0
25 to 29 years	953	20.3	10.5	8.9	8.1	3.1	1.6	11.3	33.5	0.4	0.5			0.3	1.5	100.0
30 to 34 years	644	24.4	10.9	7.5	7.0	4.2	2.5	8.4	33.9	0.2	0.3	0.2			0.8	100.0
35 to 39 years	487	25.7	11.1	5.5	4.5	5.5	3.1	8.6	32.2	0.6	0.2				2.9	100.0
40 to 44 years	376	33.0	11.2	7.7	5.1	7.7	1.3	5.6	25.8	0.5					2.1	100.0
45 years and over	656	40.2	14.2	6.1	6.7	6.7	1.7	3.2	17.1	0.3	0.5		0.2		3.2	100.0
All other	138,739	21.0	16.7	13.2	4.5	4.1	3.7	24.3	8.2	0.6	0.2	0.1	0.3	0.1	3.0	100.0

<sup>\*</sup> Less than 0.05 percent.

<sup>--</sup> Quantity is zero.

Table 2.4. Admissions aged 12 and older, by frequency of use and usual route of administration according to primary substance of abuse: 2010

Percent distribution

						P	rimary s	ubstance	at admission						
		Alc	ohol	Opia	ates	Coca	ine								
Frequency of use and usual route of administration			With second-					Mari-	Metham- phetamine/	Tran-		Hallu-			Other/ none
	All admis- sions	Alcohol only	ary drug	Heroin	Other opiates	Smoked cocaine	Other route	juana/ hashish	amphet- amines	quil- izers	Seda- tives	cino- gens	PCP	Inhal- ants	speci- fied
1	Total 1,820,737	, i				104,564					4,117	1,675	4,501		39,317
Frequency of use															
No use in the past month	28.7	26.8	27.9	18.1	21.4	29.7	40.8	36.3	44.4	18.9	22.9	42.7	36.7	27.6	31.7
1-3 times in the past month	12.6	15.7	13.6	4.0	5.9	13.0	16.2	16.7	14.5	8.1	9.3	12.5	17.4	14.0	5.6
1-2 times in the past week	9.2	12.9	10.8	2.9	3.9	9.9	10.2	10.2	9.5	4.7	6.0	10.4	11.7	10.0	5.7
3-6 times in the past week	11.4	12.3	12.8	7.5	9.2	13.5	11.3	12.0	12.7	9.1	10.3	11.6	11.6	11.2	9.6
Daily	38.2	32.3	34.9	67.5	59.7	34.0	21.5	24.6	19.0	59.2	51.6	22.8	22.5	37.2	47.4
Т	otal 100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
No. of admissi	ons 1,788,104	406,720	330,628	255,434	155,982	103,868	43,063	333,135	111,770	15,611	4,075	1,659	4,481	1,426	20,252
Usual route of administration															
Oral	49.1	99.5	99.6	1.2	61.7		5.4	1.9	5.6	93.5	89.4	73.2	5.2	6.0	43.2
Smoking	29.2	0.2	0.2	3.3	2.6	100.0		97.1	64.2	1.2	1.7	15.0	92.9	5.5	26.4
Inhalation	8.3	0.1	0.1	25.4	20.3		80.3	0.8	7.9	4.2	5.1	4.3	1.6	70.2	14.7
Injection	12.9	0.1	0.1	69.7	14.3		11.5	0.1	21.6	8.0	3.0	6.2	0.3	16.7	6.1
Other	0.4	0.1	0.1	0.5	1.2		2.8	0.2	0.6	0.4	0.9	1.3	0.1	1.5	9.6
Т	otal 100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
No. of admissi	ons 1,792,094	410,232	332,042	255,568	156,369	104,564	42,883	333,830	111,818	15,633	4,091	1,663	4,486	1,440	17,475

<sup>--</sup> Quantity is zero.

Table 2.5. Admissions aged 12 and older, by age of first use and number of prior treatment episodes according to primary substance of abuse: 2010

Percent distribution

-	·						Pri	mary su	ıbstance a	at admission						
			Alco	hol	Opia	ates	Coca	ne								
Age of first use and nur	nber of prior			With						Metham-						Other
treatment episodes				second-					Mari-	phetamine/	Tran-		Hallu-			none
		All admis-	Alcohol	ary		Other	Smoked	Other	juana/	amphet-	quil-	Seda-	cino-		Inhal-	speci-
		sions	only	drug	Heroin	opiates	cocaine	route	hashish	amines	izers	tives	gens	PCP	ants	fied
Age of first use <sup>1</sup>																
12 years or under		13.4	14.1	22.7	2.2	2.8	2.2	3.7	24.3	6.2	3.6	4.6	7.5	4.4	13.7	18.1
13 to 14 years		16.7	16.6	23.9	5.8	5.7	4.3	7.0	30.7	12.9	7.5	7.9	16.5	10.9	18.4	11.0
15 to 16 years		21.3	27.5	27.0	12.4	12.6	9.2	14.8	25.4	18.0	14.4	12.8	24.4	19.5	17.8	16.4
17 to 18 years		17.1	21.8	15.3	19.4	16.7	13.7	19.4	12.3	17.9	14.4	12.9	19.4	20.8	11.9	14.7
19 to 20 years		8.4	7.8	4.5	14.7	12.7	12.9	13.9	3.3	10.2	9.5	10.0	9.3	12.5	7.1	9.1
21 to 25 years		11.9	8.8	4.6	23.1	21.6	24.3	20.9	2.7	16.0	16.3	15.4	11.5	20.1	10.2	13.7
26 to 30 years		5.4	1.7	1.0	11.8	12.2	16.2	10.5	0.7	8.6	11.6	11.3	5.1	8.0	7.6	6.8
Over 30 years		5.8	1.7	0.9	10.5	15.7	17.2	9.8	0.5	10.2	22.6	25.1	6.3	3.9	13.4	10.1
	Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	No. of admissions	1,786,869	407,993	331,124	255,589	155,722	103,786	43,149	332,674	111,769	15,624	4,087	1,659	4,489	1,441	17,763
No. of prior treatment	episodes															
None		40.4	46.4	35.2	20.1	40.0	25.8	35.5	55.8	41.8	36.3	52.9	48.2	30.8	54.6	56.9
1		22.2	21.2	22.2	19.3	25.3	21.2	24.0	23.8	25.3	22.0	22.4	22.0	25.3	19.8	16.9
2		12.6	10.7	13.8	14.7	13.9	15.5	14.9	10.4	14.5	12.8	11.4	10.7	16.7	10.8	7.1
3		7.5	5.9	8.5	11.2	7.8	11.0	8.7	4.6	7.4	7.5	5.1	7.1	10.8	4.5	4.1
4		4.2	3.4	5.1	6.7	4.1	6.9	4.8	2.1	4.0	4.6	2.6	3.8	5.8	2.7	2.2
5 or more		13.0	12.4	15.3	28.0	8.9	19.6	12.1	3.3	7.0	16.8	5.7	8.2	10.7	7.6	12.8
	Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	No. of admissions	1,652,662	366,226	288,578	228,510	145,639	96,004	40,566	322,085	109,515	13,116	3,819	1,611	4,380	1,412	31,201

<sup>&</sup>lt;sup>1</sup> For drugs other than alcohol, this is the age at which the client first used the substance. For alcohol, this is the age at first intoxication.

Table 2.6. Admissions aged 12 and older, by treatment referral source and detailed criminal justice referral according to primary substance of abuse:

2010
Percent distribution

					_	Р	rimary s	ubstance	at admission						
		Alco	ohol	Opia	ites	Coca	ine								
Treatment referral source and detailed			With						Metham-						Other/
criminal justice referral <sup>1</sup>			second-					Mari-	phetamine/	Tran-		Hallu-			none
	All admis-	Alcohol	ary		Other	Smoked	Other	juana/	amphet-	quil-	Seda-	cino-		Inhal-	speci-
	sions	only	drug	Heroin	opiates	cocaine	route	hashish	amines	izers	tives	gens	PCP	ants	fied
Tota	I 1,820,737	411,388	332,699	256,256	157,171	104,564	43,587	335,833	112,473	15,707	4,117	1,675	4,501	1,449	39,317
Treatment referral source															
Criminal justice/DUI (see detail, below)	36.9	42.5	35.7	16.3	19.9	28.2	39.0	53.6	51.8	21.5	24.5	37.3	46.4	22.8	31.3
Self or individual	33.1	29.5	31.7	55.0	49.6	36.1	27.5	16.0	24.4	44.0	44.2	33.8	23.2	43.5	39.5
Substance abuse care provider	9.9	7.9	10.9	15.8	12.5	14.2	11.5	5.7	5.7	13.5	10.2	9.2	9.0	7.8	6.3
Other health care provider	6.4	8.2	7.6	4.8	8.0	6.8	5.6	4.1	3.4	9.8	8.8	6.2	4.2	10.3	7.0
School (educational)	1.2	0.6	0.7	*	0.2	0.1	0.2	4.1	0.3	0.6	1.0	2.2	0.1	3.5	4.4
Employer/EAP	0.5	0.7	0.5	0.1	0.4	0.2	0.9	0.7	0.2	0.4	0.6	0.2	0.2	0.1	0.5
Other community referral	12.1	10.6	12.9	7.9	9.3	14.4	15.3	16.0	14.1	10.4	10.6	11.2	16.9	11.9	10.9
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
No. of admissions	1,791,732	405,375	327,611	252,211	155,243	103,462	42,937	331,037	110,844	15,533	4,039	1,638	4,409	1,416	35,977
Detailed criminal justice referral <sup>1</sup>															
Tota	I 660,577	172,349	117,003	41,041	30,969	29,138	16,742	177,315	57,461	3,333	990	611	2,044	323	11,258
Probation/parole	34.6	18.6	31.7	42.4	34.7	43.3	44.0	42.9	44.0	31.6	31.5	41.0	54.0	27.9	42.0
State/Federal court	14.7	11.1	16.3	16.3	19.9	16.5	17.9	16.8	10.9	19.6	15.4	18.5	10.4	19.6	10.6
Formal adjudication	14.5	16.0	14.9	12.6	20.3	13.2	10.0	12.4	15.1	23.2	29.9	10.7	7.6	22.4	19.6
Other legal entity	8.4	12.1	6.9	6.3	5.6	6.9	7.2	9.3	3.0	7.9	6.3	5.6	6.6	14.2	13.1
DUI/DWI	10.8	27.8	14.9	1.6	3.8	1.1	2.4	2.5	0.7	7.0	4.5	1.6	1.3	4.6	4.0
Diversionary program	2.5	0.9	1.7	6.9	4.2	3.8	4.0	3.2	0.6	3.0	1.3	2.7	4.8	0.5	2.1
Prison	2.4	1.1	2.5	4.9	3.7	4.1	4.6	2.3	2.5	2.3	4.2	5.6	3.8	0.9	2.2
Other	12.1	12.3	11.1	9.0	7.8	11.1	9.9	10.5	23.1	5.4	6.9	14.2	11.4	10.0	6.2
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
No. of admissions	476,540	120,019	81,050	33,167	20,996	21,209	12,483	126,991	50,640	2,579	638	373	1,640	219	4,536

<sup>\*</sup> Less than 0.05 percent.

<sup>&</sup>lt;sup>1</sup> Detailed criminal justice referral is a Supplemental Data Set item. Not all Supplemental Data Set items are reported by all States and jurisdictions.

Table 2.7. Admissions aged 12 and older, by type of service at admission and medication-assisted opioid therapy according to primary substance of abuse: 2010

Percent distribution

pacca on administrative adia report					,		P	rimary s	ubstance	at admission						
			Alco	ohol	Opia	ites	Coca	ine								
Type of service at admission and				With						Metham-						Other/
medication-assisted opioid therapy				second-					Mari-	phetamine/	Tran-		Hallu-			none
	A	II admis-	Alcohol	ary		Other	Smoked	Other	juana/	amphet-	quil-	Seda-	cino-		Inhal-	speci-
		sions	only	drug	Heroin	opiates	cocaine	route	hashish	amines	izers	tives	gens	PCP	ants	fied
	Total 1,	,820,737	411,388	332,699	256,256	157,171	104,564	43,587	335,833	112,473	15,707	4,117	1,675	4,501	1,449	39,317
Type of service at admission																
Ambulatory		62.9	59.2	58.6	49.3	59.8	53.9	67.5	84.7	64.8	42.3	63.2	61.7	64.0	60.0	71.9
Outpatient		49.8	47.9	45.5	38.9	46.3	40.1	53.9	68.4	49.0	31.8	50.3	44.7	42.6	46.6	65.3
Intensive outpatient		12.0	10.1	12.8	7.2	11.1	13.7	13.5	16.3	15.7	9.9	12.0	17.0	21.4	12.9	6.1
Detoxification		1.0	1.2	0.4	3.2	2.4	0.2	0.2	0.1	0.1	0.6	1.0		*	0.6	0.5
Rehabilitation/residential		17.1	12.1	18.2	18.2	19.0	30.0	22.5	12.9	26.8	21.6	19.4	27.0	29.8	23.3	10.8
Short-term (<31 days)		9.2	7.3	10.6	9.4	11.3	15.4	11.8	6.5	9.8	14.5	12.7	14.4	15.2	14.1	5.3
Long-term (31+ days)		7.6	4.3	7.1	8.5	7.2	14.1	10.3	6.3	16.8	6.5	6.3	12.2	14.4	8.6	
Hospital (non-detox)		0.4	0.4	0.5	0.3	0.6	0.4	0.3	0.1	0.2	0.6	0.5	0.3	0.1	0.6	0.7
Detoxification																
(24-hour service)		20.0	28.7	23.2	32.5	21.1	16.1	10.0	2.3	8.4	36.1	17.4	11.3	6.2	16.7	17.3
Free-standing residential		16.2	23.8	17.3	25.1	17.6	15.2	8.8	2.2	8.3	23.8	14.2	11.0	5.5	16.3	
Hospital inpatient		3.8	4.9	5.8	7.4	3.5	0.9	1.3	0.2	0.1	12.3	3.2	0.3	0.7	0.4	
	Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
No. of admis	sions 1,	,820,737	411,388	332,699	256,256	157,171	104,564	43,587	335,833	112,473	15,707	4,117	1,675	4,501	1,449	39,317
Medication-assisted opioid therap	v <sup>1</sup>															
Yes	,	6.1	0.5	0.7	27.9	19.8	0.6	1.0	0.3	0.3	3.0	4.4	2.0	0.3	2.7	2.9
No		93.9	99.5	99.3	72.1	80.2	99.4	99.0	99.7	99.7	97.0	95.6	98.0	99.7	97.3	
	Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	
No. of admis	sions 1,	,779,412	401,662	326,720	251,737	153,389	103,031	42,818	328,853	108,600	15,429	4,034	1,644	4,486	1,427	35,582

<sup>&</sup>lt;sup>1</sup> Therapy with methadone or buprenorphine is part of client's treatment plan.

<sup>\*</sup> Less than 0.05 percent.

<sup>--</sup> Quantity is zero.

Table 2.8. Admissions aged 16 and older, by employment status and detailed not-in-labor-force category according to primary substance of abuse: 2010

Percent distribution

·	•					P	rimary s	ubstance	at admission						
		Alco	ohol	Opia	ates	Coca	ine								
Employment status and detailed not-in-			With						Metham-						Other/
labor-force category	All admis-		second-					Mari-	phetamine/	Tran-		Hallu-			none
	sions	Alcohol	ary		Other	Smoked	Other	juana/	amphet-	quil-	Seda-	cino-		Inhal-	speci-
	aged 16+	only	drug	Heroin	opiates	cocaine	route	hashish	amines	izers	tives	gens	PCP	ants	fied
Total admissions aged 16 and older	1,771,053	408,383	328,269	256,065	156,499	104,478	43,416	298,863	111,592	15,483	4,031	1,580	4,488	1200	36,706
Employment status															
Employed	22.8	34.7	23.3	11.7	21.9	11.2	23.0	22.4	17.1	15.5	20.2	17.6	14.7	16.9	23.9
Full time	15.1	25.8	15.4	6.9	14.3	6.7	15.5	12.8	10.0	9.9	13.8	10.3	8.7	10.8	15.2
Part time	7.7	8.8	7.9	4.8	7.6	4.5	7.5	9.6	7.2	5.5	6.5	7.2	6.0	6.1	8.7
Unemployed	39.6	35.9	37.9	42.7	45.7	42.1	39.1	36.8	44.5	39.6	45.4	44.1	41.5	47.7	47.2
Not in labor force (see detail, below)	37.7	29.4	38.8		32.4	46.8	37.9	40.8		45.0	34.4	38.3	43.8	35.4	28.9
Total	100.0		100.0		100.0	100.0	100.0	100.0		100.0	100.0	100.0	100.0	100.0	100.0
Admissions aged 16 and older	1,746,882	402,182	324,939	251,971	154,339	103,567	42,881	296,353	111,268	15,259	3,999	1,549	4,421	1187	32,967
Detailed not-in-labor-force category <sup>1</sup> Total admissions aged 16 and over	•														
and not in labor force	657,968	118,206	126,032	114,743	49,979	48,443	16,269	120,935	42,655	6,864	1,374	594	1,938	420	9,516
Disabled	20.9	27.0	24.0	15.8	24.1	28.6	19.8	11.4	23.8	23.1	33.1	10.4	10.4	22.9	21.5
Student	14.0	8.6	8.8	2.8	9.4	2.1	6.4	43.9	8.0	8.9	14.0	25.7	6.1	37.3	25.2
Inmate of institution	6.9	4.6	6.3	5.0	6.9	7.6	10.2	8.3	21.5	3.4	6.0	22.6	19.0	7.4	7.8
Homemaker	3.1	3.6	2.0		8.6	2.2	3.0	2.7	5.7	4.8	6.6	8.0	1.8	2.2	4.9
Retired	2.3	8.2	1.5		1.2	0.8	0.9	0.3		1.6	2.0	0.4	0.1	0.5	3.2
Other	52.8	48.1	57.3		49.7	58.7	59.7	33.4	40.5	58.1	38.2	40.2	62.6	29.7	37.4
Total	100.0	100.0	100.0		100.0	100.0	100.0	100.0		100.0	100.0	100.0	100.0	100.0	100.0
No. of admissions	560,094	104,422	113,713	99,328	44,461	41,603	15,253	103,804	18,771	6,586	1,178	518	1,601	367	8,489

<sup>&</sup>lt;sup>1</sup> Detailed not in labor force is a Supplemental Data Set item. Not all Supplemental Data Set items are reported by all States and jurisdictions.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 10.10.11.

Table 2.9. Admissions aged 18 and older, by education according to primary substance of abuse: 2010

Percent distribution

						Р	rimary s	ubstance	at admission						
		Alco	ohol	Opia	ates	Coca	ine								
Education			With						Metham-						Other/
	All admis-		second-					Mari-	phetamine/	Tran-		Hallu-			none
	sions	Alcohol	ary		Other	Smoked	Other	juana/	amphet-	quil-	Seda-	cino-		Inhal-	speci-
	aged 18+	only	drug	Heroin	opiates	cocaine	route	hashish	amines	izers	tives	gens	PCP	ants	fied
Total admissions aged 18 and old	ler 1,687,887	403,652	319,360	254,871	154,352	104,257	42,757	238,804	109,480	14,997	3,870	1,374	4,465	1038	34,610
Highest school grade completed															
0 to 8	8.8	8.5	7.9	12.7	8.5	9.6	10.1	7.8	5.4	8.8	7.0	7.4	11.2	7.6	8.6
9 to 11	23.6	15.7	23.8	23.2	19.7	28.7	24.8	34.5	30.3	19.7	20.5	24.0	39.6	19.4	21.5
12 (or GED)	42.5	42.2	42.8	43.6	43.1	39.8	40.5	41.5	45.0	42.2	38.5	42.7	37.0	40.3	43.7
More than 12	25.0	33.5	25.5	20.5	28.8	21.9	24.5	16.2	19.3	29.3	34.1	25.9	12.3	32.7	26.3
Tot	al 100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Admissions aged 18 and old	er 1,635,275	389,819	312,341	250,008	148,504	100,802	41,295	231,148	107,050	14,488	3,794	1,345	4,395	1021	29,265

Table 2.10. Admissions aged 12 and older, by marital status, living arrangements, pregnancy status, and veteran status according to primary substance of abuse: 2010 **Percent distribution** 

,	LDC by an			ia jarioaioi		P		ubstance	at admission						
		Alc	ohol	Opia	ites	Coca	ine								
Marital status, living arrangements,			With						Metham-						Other/
pregnancy status, and veteran status			second-					Mari-	phetamine/	Tran-		Hallu-			none
	All admis-	Alcohol	ary		Other	Smoked	Other	juana/	amphet-	quil-	Seda-	cino-		Inhal-	speci-
	sions	only	drug	Heroin	opiates	cocaine	route	hashish	amines	izers	tives	gens	PCP	ants	fied
Total	1,820,737	411,388	332,699	256,256	157,171	104,564	43,587	335,833	112,473	15,707	4,117	1,675	4,501	1,449	39,317
Marital status															
Never married	62.7	48.3	60.5	72.5	59.9	57.3	59.8	80.5	51.5	58.3	52.4	78.8	79.8	73.8	67.9
Divorced	14.6	21.6	16.7	9.7	12.8	18.2	15.5	6.4	21.2	15.6	16.2	9.3	7.2	10.8	11.3
Now married	14.8	20.8	14.1	10.5	19.2	12.8	15.6	9.2	17.9	16.6	21.5	8.4	8.1	9.3	13.3
Separated	6.1	7.0	7.0	5.6	6.5	9.2	7.3	3.2	7.8	7.2	7.2	3.1	3.7	4.7	5.9
Widowed	1.7	2.4	1.8	1.7	1.6	2.4	1.8	0.7	1.6	2.3	2.8	0.3	1.2	1.3	1.6
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0		100.0	100.0	100.0	100.0	100.0	
No. of admissions	1,454,659	338,584	262,180	199,441	132,000	84,820	37,544	280,909	63,750	12,475	3,612	1,441	3,585	1,273	33,045
Living arrangements															
Independent living	66.2	73.8	65.5	64.9	77.1	57.4	69.5	60.2	52.0	72.6	76.3	57.3	67.8	57.0	71.0
Dependent living	21.0	13.0	18.1	17.4	16.7	20.7	19.9	34.9	33.0	15.6	17.4	30.9	21.9	33.3	17.1
Homeless	12.7	13.2	16.4	17.7	6.3	22.0	10.6	4.9	15.0	11.8	6.3	11.8	10.3	9.7	11.8
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	
No. of admissions	1,737,224	392,385	319,351	241,186	148,218	99,108	41,216	323,123	111,689	15,027	3,936	1,593	4,247	1,387	34,758
Pregnant (female only)															
Yes	4.0	1.5	2.5	4.7	5.6	3.8	4.0	5.5	6.3	2.4	2.1	3.6	5.4	1.6	2.9
No	96.0	98.5	97.5	95.3	94.4	96.2	96.0	94.5	93.7	97.6	97.9	96.4	94.6	98.4	97.1
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
No. of female admissions	554,397	106,301	84,033	77,032	68,549	42,718	13,283	86,204	51,425	6,764	2,133	442	1,707	549	13,257
Veteran															
Yes	3.6	6.5	4.4	2.1	2.6	4.5	3.4	1.4	2.7	2.3	2.1	2.1	1.0	2.6	2.1
No	96.4	93.5	95.6	97.9	97.4	95.5	96.6	98.6	97.3	97.7	97.9	97.9	99.0	97.4	97.9
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
No. of admissions	1,607,064	353,665	295,672	228,262	137,643	94,556	40,020	301,394	98,669	14,501	3,634	1,472	3,891	1,349	32,336

<sup>1</sup> Not all Supplemental Data Set items are reported by all States and jurisdictions. SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 10.10.11.

Table 2.11. Admissions aged 12 and older, by psychiatric problem in addition to substance abuse problem and DSM criteria diagnosis according to primary substance of abuse: 2010

Percent distribution

						Р	rimary s	ubstance	at admission						
Psychiatric problem in addition to		Alco	ohol	Opia	ites	Coca	ine								
substance abuse problem and DSM			With						Metham-						Other/
criteria diagnosis			second-					Mari-	phetamine/	Tran-		Hallu-			none
chena diagnosis	All admis-	Alcohol	ary		Other	Smoked	Other	juana/	amphet-	quil-	Seda-	cino-		Inhal-	speci-
	sions	only	drug	Heroin	opiates	cocaine	route	hashish	amines	izers	tives	gens	PCP	ants	fied
То	tal 1,820,737	411,388	332,699	256,256	157,171	104,564	43,587	335,833	112,473	15,707	4,117	1,675	4,501	1,449	39,317
Psychiatric problem in addition to															
substance abuse problem															
Yes	29.8	24.6	35.3	30.8	34.8	38.3	36.0	25.5	22.0	49.8	43.8	39.2	34.9	48.1	31.5
No	70.2	75.4	64.7	69.2	65.2	61.7	64.0	74.5	78.0	50.2	56.2	60.8	65.1	51.9	68.5
Tot	al 100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
No. of admission	s 1,307,228	280,583	224,335	183,491	115,397	79,672	31,796	257,840	89,629	10,315	3,029	1,143	3,180	1,137	25,681
DSM criteria diagnosis															
Alcohol dependence	22.3	46.7	50.6	1.0	1.1	4.6	4.6	1.7	1.7	3.0	4.0	7.5	2.2	6.3	14.0
Alcohol intoxication	6.7	20.2	9.2	*	0.1	0.1	0.3	*	0.1	0.1	0.1	0.3	0.2	0.1	0.2
Alcohol abuse	8.9	22.1	14.7	0.3	0.4	1.2	2.6	1.8	0.6	1.1	1.2	1.7	2.0	1.4	5.2
Alcohol-induced disorder	1.1	3.1	1.6	*	*	0.1	0.1	0.1	*	*	0.1	0.1		0.3	0.3
Opioid dependence	15.5	0.3	1.6	78.5	69.3	1.9	4.2	1.0	1.1	10.2	20.6	10.2	2.1	19.3	8.0
Opioid abuse	0.8	*	0.3	2.0	4.3	0.1	0.4	0.2	0.1	1.4	1.1	8.0	0.2		1.0
Cocaine dependence	6.6	0.3	2.4	1.2	0.7	65.4	47.5	3.0	0.5	1.2	2.1	3.9	1.5	5.8	7.8
Cocaine abuse	1.7	0.1	0.9	0.8	0.3	7.2	16.8	2.8	0.1	0.6	0.4	0.4	1.0	0.1	1.7
Cannabis dependence	10.0	0.2	2.4	0.6	0.9	2.0	2.5	44.4	1.2	1.7	3.1	8.6	4.5	7.5	8.8
Cannabis abuse	7.4	0.3	2.0	0.4	0.5	1.0	1.4	32.5	0.4	1.2	1.1	2.6	1.7	4.1	7.1
Other substance dependence	9.9	0.9	7.6	7.9	13.7	7.2	10.2	4.8	74.1	56.2	44.9	39.7	54.9	27.7	14.7
Other substance abuse	1.4	0.9	0.8	0.3	0.5	0.4	0.7	0.6	12.0	10.4	9.8	12.1	17.4	12.1	3.5
Substance-induced disorder	1.9	0.2	0.4	3.7	4.2	4.0	3.3	1.7	4.3	5.7	3.9	2.6	1.4	5.0	1.3
Mood disorder	1.8	1.2	2.5	0.9	1.7	2.2	2.3	1.9	1.1	2.9	1.1	1.7	3.2	1.4	4.7
Schizophrenia/psychotic disorder	0.3	0.2	0.6	0.1	0.1	0.6	0.3	0.3	0.2	0.1	0.3	0.1	0.4	0.6	0.9
Other mental health condition	0.9		0.8	0.3	0.6	0.3	0.8	1.4	0.5	1.5	0.9	0.6	0.9	1.1	5.8
Other condition/no diagnosis	2.6	2.9	1.8	2.0	1.5	1.8	2.1	1.9	2.1	2.8	5.1	7.1	6.4	7.2	14.9
Tot	al 100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
No. of admission	s 747,024	188,496	131,049	68,554	75,847	45,136	17,191	147,982	32,701	6,560	2,258	775	1,036	903	28,536

<sup>&</sup>lt;sup>1</sup> Not all Supplemental Data Set items are reported by all States and jurisdictions.

<sup>\*</sup> Less than 0.05 percent.

<sup>- -</sup> Quantity is zero.

Table 2.12. Admissions aged 16 and older, by source of income support according to primary substance of abuse: 2010

Percent distribution

							P	rimary s	ubstance	at admission						
			Alco	hol	Opia	ates	Coca	ine								
Source of income supp	oort			With						Metham-						Other/
course of moonie oupp	7071	All admis-		second-					Mari-	phetamine/	Tran-		Hallu-			none
		sions	Alcohol	ary		Other	Smoked	Other	juana/	amphet-	quil-	Seda-	cino-		Inhal-	speci-
		aged 16+	only	drug	Heroin	opiates	cocaine	route	hashish	amines	izers	tives	gens	PCP	ants	fied
	Total admissions															
	aged 16 and over	1,771,053	408,383	328,269	256,065	156,499	104,478	43,416	298,863	111,592	15,483	4,031	1,580	4,488	1,200	36,706
Source of income su	pport															
None		36.0	29.0	34.7	46.6	37.0	41.5	35.6	34.4	43.2	38.8	31.9	45.2	36.5	39.7	38.3
Wages/salary		28.1	41.1	27.7	13.6	27.1	13.7	25.2	29.4	24.6	18.2	25.6	23.6	16.5	24.3	33.3
Public assistance		9.1	5.8	9.4	12.9	8.3	13.9	10.5	9.3	8.1	8.0	7.4	6.7	18.9	6.4	6.9
Disability		5.4	5.6	5.5	5.6	5.5	9.7	5.2	3.6	4.4	7.2	5.9	3.2	3.5	11.2	7.0
Retirement/pension		0.8	1.8	0.6	0.3	0.6	0.7	0.5	0.3	0.4	0.7	1.1	0.4	0.1	1.0	1.4
Other		20.4	16.6	22.1	21.0	21.5	20.5	23.0	23.0	19.2	27.1	28.1	21.0	24.5	17.4	13.0
	Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	No. of admissions	1,206,614	298,211	236,082	173,092	104,762	71,897	32,384	205,882	51,717	11,584	2,434	840	2,813	609	14,307

<sup>&</sup>lt;sup>1</sup> Not all Supplemental Data Set items are reported by all States and jurisdictions.

Table 2.13. Admissions aged 12 and older, by type of health insurance and expected/actual primary source of payment according to primary substance of abuse: 2010

Percent distribution

	-			-		P	rimary s	ubstance	at admission						
Type of health insurance and		Alco	ohol	Opia	ates	Coca	ine								
expected/actual primary source of			With						Metham-						Other/
payment			second-					Mari-	phetamine/	Tran-		Hallu-			none
paymon	All admis	Alcohol	ary		Other	Smoked	Other	juana/	amphet-	quil-	Seda-	cino-		Inhal-	speci-
	sions	only	drug	Heroin	opiates	cocaine	route	hashish	amines	izers	tives	gens	PCP	ants	fied
	<b>Total</b> 1,820,73	411,388	332,699	256,256	157,171	104,564	43,587	335,833	112,473	15,707	4,117	1,675	4,501	1,449	39,317
Type of health insurance															
None	59.2	60.9	62.6	52.5	58.0	64.0	62.6	55.9	71.7	52.2	61.5	60.3	62.2	48.8	36.2
Medicaid	20.	12.2	16.8	34.1	21.6	24.2	21.0	24.3	13.5	26.9	18.2	19.1	26.4	27.0	37.9
Private insurance	5.3	7.8	5.6	2.3	4.7	1.9	4.4	5.3	3.8	4.3	4.7	6.4	1.4	7.3	8.1
Blue Cross/Blue Shield	3.	4.8	3.7	1.9	4.7	1.0	2.7	3.6	1.1	6.4	3.2	5.6	8.0	5.7	1.7
HMO	2.8	4.7	2.8	2.1	2.6	1.2	1.7	1.9	0.5	2.5	1.1	1.0	1.7	1.3	3.8
Medicare	1.4	1.7	1.4	1.6	1.5	2.3	1.5	0.7	0.8	2.1	2.0	0.5	1.5	1.3	2.1
Other	7.3	7.9	7.1	5.6	6.9	5.4	5.9	8.3	8.6	5.5	9.4	7.3	6.0	8.7	10.1
	Total 100.0		100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
No. of admis	sions 835,08	221,778	142,253	119,322	72,020	40,784	17,382	145,986	49,699	7,341	1,804	629	1,949	633	13,503
Expected/actual primary source of	f payment <sup>2</sup>														
Self-pay	18.	28.1	21.4	11.1	15.0	10.5	13.9	12.6	15.1	11.8	15.6	17.4	4.5	10.9	10.9
Medicaid	17.4	9.0	15.1	21.2	21.0	22.9	16.6	26.3	13.1	19.1	17.9	17.8	16.4	31.6	29.2
Medicare	0.0	0.8	0.8	0.8	0.8	1.3	0.7	0.5	0.4	1.0	1.4	0.2	0.3	0.3	1.6
Other govt. payments	39.3	34.4	37.7	45.6	40.7	42.9	48.1	39.6	49.0	44.7	40.2	42.2	62.7	32.2	23.0
No charge	7.2	4.6	7.7	8.6	6.5	11.3	8.3	7.2	9.6	7.3	10.7	7.2	10.6	6.7	16.2
Blue Cross/Blue Shield	2.0	2.7	2.0	0.8	2.0	0.5	1.1	2.3	0.9	1.6	1.7	3.3	0.1	3.6	1.5
Other health insurance	3.8	1	3.7	3.5	5.6	1.9	3.2	3.7	1.6	5.9	3.2	4.7	0.4	4.5	3.9
Workers' Compensation		*	*	*	*	*	*	*	*	*					*
Other	11.		11.6	8.4	8.3	8.8	8.2	7.8	10.4	8.5	9.3		5.0	10.2	13.7
	Total 100.0		100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0		100.0	100.0	100.0
No. of admis	sions 627,02	171,204	111,971	60,173	55,181	33,395	13,851	125,584	37,323	5,048	1,399	516	1,412	580	9,388

<sup>&</sup>lt;sup>1</sup> Not all Supplemental Data Set items are reported by all States and jurisdictions.

<sup>&</sup>lt;sup>2</sup> This information is collected at admission and may not correspond to the actual source of payment.

<sup>\*</sup> Less than 0.05 percent.

<sup>--</sup> Quantity is zero.

Table 2.14. Admissions aged 12 and older, by arrests in 30 days prior to admission and days waiting to enter treatment according to primary substance of abuse: 2010

Percent distribution

						P	rimary s	ubstance	at admission						
		Alco	ohol	Opia	ates	Coca	ine								
Arrests in 30 days prior to admission and			With						Metham-						Other/
days waiting to enter treatment			second-					Mari-	phetamine/	Tran-		Hallu-			none
	All admis-	Alcohol	ary		Other	Smoked	Other	juana/	amphet-	quil-	Seda-	cino-		Inhal-	speci-
	sions	only	drug	Heroin	opiates	cocaine	route	hashish	amines	izers	tives	gens	PCP	ants	fied
Tota	I 1,820,737	411,388	332,699	256,256	157,171	104,564	43,587	335,833	112,473	15,707	4,117	1,675	4,501	1,449	39,317
Arrests in 30 days prior to admission															
None	90.1	90.4	89.8	91.9	91.0	91.2	91.1	88.8	86.7	88.5	91.2	89.1	90.1	88.3	93.0
One or more	9.9	9.6	10.2	8.1	9.0	8.8	8.9	11.2	13.3	11.5	8.8	10.9	9.9	11.7	7.0
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
No. of admissions	1,640,374	369,913	287,151	216,715	141,001	94,501	39,666	321,354	111,382	12,920	3,766	1,588	4,222	1,379	34,816
Days waiting to enter treatment															
None	55.6	53.5	52.4	53.4	53.6	60.0	56.9	56.7	64.3	51.6	56.8	55.3	56.1	61.7	61.1
1-7 days	24.8	25.5	24.4	32.5	29.1	22.9	23.1	20.6	18.7	31.1	24.4	21.4	26.6	22.7	21.3
8-14 days	7.6	8.5	8.4	5.9	7.0	6.5	7.5	8.8	6.5	6.7	7.5	9.2	6.6	4.7	5.3
15-30 days	6.7	7.2	8.0	4.6	5.7	5.7	6.8	7.7	5.9	6.2	6.0	6.6	7.3	6.6	5.7
More than 30 days	5.3	5.2	6.8	3.6	4.6	5.0	5.7	6.2	4.7	4.4	5.2	7.5	3.4	4.1	7.0
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
No. of admissions	928,520	194,551	144,489	130,206	83,611	53,797	19,526	187,809	85,089	6,923	1,885	707	2,370	677	16,880

<sup>&</sup>lt;sup>1</sup> Not all Supplemental Data Set items are reported by all States and jurisdictions.

Table 2.15. Admissions aged 12 and older, by primary, secondary, and tertiary detailed drug: 2010

Number and percent distribution

Dased off administrative data reports	Total <sup>2</sup>	-	Secondary	Tertiary	Total <sup>2</sup>	Primary	Secondary	Tertiary
Detailed drug		Numi	ber			Percent	t distribution	
Admissions reporting								
detailed drug(s)	1,343,310	742,356	425,290	175,664	100.0	100.0	100.0	100.0
Alcohol	473,010	330,761	104,576	37,673	35.2	44.6	24.6	21.9
Marijuana/hashish	291,278	133,280	112,273	45,725	21.7	18.0	26.4	26.3
Cocaine	201,639	66,879	100,086	34,674	15.0	9.0	23.5	20.7
Crack	96,458	40,483	43,901	12,074	7.2	5.5	10.3	7.8
Other cocaine	105,181	26,396	56,185	22,600	7.8	3.6	13.2	12.9
Opiates	248,892	173,448	53,907	21,537	18.5	23.4	12.7	11.4
Heroin	132,343	104,661	20,417	7,265	9.9	14.1	4.8	3.9
Other opiates or synthetics	65,368	38,840	18,169	8,359	4.9	5.2	4.3	4.3
Oxycodone (Oxycontin, Percocet)	37,280	23,122	10,489	3,669	2.8	3.1	2.5	2.0
Non-prescription methadone	6,281	2,697	2,422	1,162	0.5	0.4	0.6	0.7
Hydrocodone (Vicodin)	5,410	2,821	1,748	841	0.4	0.4	0.4	0.4
Hydromorphone (Dilaudid)	1,044	690	282	72	0.1	0.1	0.1	0.0
Codeine	846	443	273	130	0.1	0.1	0.1	0.1
Tramadol (Ultram)	121	64	39	18	*	*	*	0.0
Propoxyphene (Darvon)	90	54	24	12	*	*	*	0.0
Pentazocine (Talwin)	59	32	22	5	*	*	*	0.0
Meperidine (Demerol)	50	24	22	4	*	*	*	0.0
Stimulants	48,154	23,945	13,923	10,286	3.6	3.2	3.3	5.7
Methamphetamine/speed	37,390	21,334	10,030	6,026	2.8	2.9	2.4	3.4
MDMA (Ecstasy)	5,130	768	1,957	2,405	0.4	0.1	0.5	1.2
Amphetamine	3,202	1,232	1,011	959	0.2	0.2	0.2	0.5
Other amphetamines	1,384	339	551	494	0.1	*	0.1	0.2
Other stimulants	894	230	328	336	0.1	*	0.1	0.3
Methylphenidate (Ritalin)	154	42	46	66	*	*	*	0.0
Tranquilizers	45,520	8,059	23,068	14,393	3.4	1.1	5.4	7.0
Alprazolam (Xanax)	20,762	3,864	10,347	6,551	1.5	0.5	2.4	3.3
Other benzodiazepines	16,718	2,865	8,576	5,277	1.2	0.4	2.0	2.5
Diazepam (Valium)	6,063	963	3,227	1,873	0.5	0.1	0.8	0.8
Clonazepam (Klonopin, Rivotril)	948	187	438	323	0.1	*	0.1	0.2
Other tranquilizers	455	84	196	175	*	*	*	0.1
Lorazepam (Ativan)	364	49	178	137	*	*	*	0.1
Chlordiazepoxide (Librium)	79	27	36	16	*	*	*	0.0
Clorazepate (Tranxene)	58	4	35	19	*	*	*	0.0
Meprobamate (Miltown)	29	8	12	9	*	*	*	0.0
Flunitrazepam (Rohypnol)	17	4	8	5	*	*	*	0.0
Flurazepam (Dalmane)	14	1	9	4	*	*	*	0.0
Triazolam (Halcion)	13	3	6	4	*	*	*	0.0

Continued. See notes at end of table.

Table 2.15. Admissions aged 12 and older, by primary, secondary, and tertiary detailed drug: 2010 (continued)

## Number and percent distribution

[Based on administrative data reported to TEDS by all reporting States and jurisdictions - Supplemental Data Set. 1]

Detailed drug	Total <sup>2</sup>	Primary	Secondary	Tertiary	Total <sup>2</sup>	Primary	Secondary	Tertiary
		Nun	nber			Percent	t distribution	
Sedatives/hypnotics	4,322	1,080	1,957	1,285	0.3	0.1	0.5	0.7
Other sedatives	2,723	564	1,296	863	0.2	0.1	0.3	0.5
Other barbiturate sedatives	929	355	347	227	0.1	*	0.1	0.1
Other non-barbiturate sedatives	445	104	204	137	*	*	*	0.1
Phenobarbital	166	34	92	40	*	*	*	*
Methaqualone	22	12	5	5	*	*	*	*
Secobarbital/amobarbital (Tuinal)	21	2	10	9	*	*	*	*
Ethchlorvynol (Placidyl)	11	8	2	1	*	*	*	*
Secobarbital (Seconal)	3	1	1	1	*	*	*	*
Glutethimide (Doriden)	2			2	*			*
Hallucinogens	3,541	423	1,117	2,001	0.3	0.1	0.3	1.1
Other hallucinogens	2,787	317	911	1,559	0.2	*	0.2	0.9
LSD	754	106	206	442	0.1	*	*	0.3
PCP/PCP combinations	5,384	2,340	1,760	1,284	0.4	0.3	0.4	0.7
Inhalants	1,432	402	442	588	0.1	0.1	0.1	0.3
Other inhalants	911	251	302	358	0.1	*	0.1	0.2
Aerosols	430	123	120	187	*	*	*	0.1
Solvents	67	21	16	30	*	*	*	*
Nitrites	19	4	4	11	*	*	*	*
Anesthetics	5	3		2	*	*		*
Other drugs	20,022	1,721	12,154	6,147	1.5	0.2	2.9	3.5
Other drugs	18,356	1,283	11,549	5,524	1.4	0.2	2.7	3.1
Other over-the-counter	1,177	293	410	474	0.1	*	0.1	0.3
Ketamine	308	111	97	100	*	*	*	0.1
GHB/GBL	158	27	88	43	*	*	*	*
Diphenhydramine Diphenylhydantoin/phenytoin	116	18	27	71	*	*	*	*
(Dilantin)	23	7	10	6	*	*	*	*

<sup>&</sup>lt;sup>1</sup> Not all Supplemental Data Set items are reported by all States and jurisdictions.

<sup>&</sup>lt;sup>2</sup> Admissions can report up to three substances of abuse, so in the total column an individual admission may be counted up to three times. The approximately 743,000 admissions aged 12 and older who supplied detailed drug information reported more than 1.3 million substances (average 1.8 substances per admission).

<sup>\*</sup> Less than 0.05 percent.

<sup>--</sup> Quantity is zero.

Table 3.1a. Admissions aged 12 to 17, by primary substance of abuse: 2000-2010 Number

Primary substance	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010
Total admissions aged 12-17	137,770	145,412	157,839	157,041	146,392	145,069	143,223	142,450	154,330	153,071	132,850
Marijuana/hashish	85,169	90,643	99,594	101,302	93,471	96,243	94,635	93,619	105,903	109,136	97,029
Alcohol	33,408	32,977	32,517	29,677	28,446	26,838	28,799	29,770	29,929	27,430	21,075
Alcohol only Alcohol w/secondary drug	10,729 22,679	10,963 22,014	10,809 21,708	10,617 19,060	10,403 18,043	10,031 16,807	11,229 17,570	11,976 17,794	11,907 18,022	10,942 16,488	7,736 13,339
Stimulants	4,094	5,080	5,987	6,694	7,493	8,508	6,380	5,318	3,992	3,155	3,612
Methamphetamine Other amphetamines <sup>1</sup> Other stimulants	2,965 940 189	3,709 1,125 246	4,542 1,251 194	5,321 1,209 164	6,071 1,302 120	7,114 1,279 115	5,474 584 322	3,776 687 855	2,198 714 1,080	1,995 877 283	1,965 1,028 619
Opiates	1,966	2,022	2,224	2,453	2,528	2,574	2,602	2,787	3,767	4,492	4,204
Heroin	1,578	1,439	1,515	1,487	1,442	1,332	1,216	1,141	1,352	1,545	1,385
Other opiates/synthetics Non-RX methadone Other opiates/synthetics	388 38 350	583 39 544	709 46 663	966 55 911	1,086 47 1,039	1,242 61 1,181	1,386 49 1,337	1,646 59 1,587	2,415 78 2,337	2,947 72 2,875	2,819 61 2,758
Cocaine	2,577	2,567	2,927	3,278	3,353	3,805	4,172	3,288	2,590	1,453	1,137
Smoked cocaine Non-smoked cocaine	1,082 1,495	1,009 1,558	1,114 1,813	1,236 2,042	1,133 2,220	1,230 2,575	1,317 2,855	886 2,402	745 1,845	462 991	307 830
Other drugs	4,548	4,644	3,294	3,038	2,917	2,754	2,769	3,069	3,261	3,448	2,867
Tranquilizers Benzodiazepine Other tranquilizers Inhalants Hallucinogens	274 157 117 529 985	400 251 149 462 860	389 245 144 467 666	399 303 96 517 440	422 310 112 521 421	440 375 65 477 328	394 349 45 451 311	574 501 73 479 411	627 562 65 522 423	796 723 73 525 440	710 649 61 411 301
Sedatives/hypnotics	172	216	254	280	279	254	306	414	381	358	247
Barbiturates Other sedatives/hypnotics	49 123	43 173	43 211	71 209	63 216	27 227	40 266	50 364	62 319	60 298	47 200
Over-the-counter PCP	87 167	164 162	173 192	256 168	276 94	284 92	409 100	356 66	346 68	418 59	386 36
Other	2,334	2,380	1,153	978	904	879	798	769	894	852	776
None reported	6,008	7,479	11,296	10,599	8,184	4,347	3,866	4,599	4,888	3,957	2,926

The decrease in *Other amphetamine* admissions beginning in 2005 is because Oregon and Texas began to report *Methamphetamine* admissions; previously they had used the category *Other amphetamines*.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 10.10.11.

Table 3.1b. Admissions aged 12 to 17, by primary substance of abuse: 2000-2010 Percent distribution

Primary substance	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010
Tota	l 100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Marijuana/hashish	61.8	62.3	63.1	64.5	63.8	66.3	66.1	65.7	68.6	71.3	73.0
Alcohol	24.2	22.7	20.6	18.9	19.4	18.5	20.1	20.9	19.4	17.9	15.9
Alcohol only	7.8	7.5	6.8	6.8	7.1	6.9	7.8	8.4	7.7	7.1	5.8
Alcohol w/secondary drug	16.5	15.1	13.8	12.1	12.3	11.6	12.3	12.5	11.7	10.8	10.0
Stimulants	3.0	3.5	3.8	4.3	5.1	5.9	4.5	3.7	2.6	2.1	2.7
Methamphetamine	2.2	2.6	2.9	3.4	4.1	4.9	3.8	2.7	1.4	1.3	1.5
Other amphetamines <sup>1</sup>	0.7	8.0	8.0	8.0	0.9	0.9	0.4	0.5	0.5	0.6	8.0
Other stimulants	0.1	0.2	0.1	0.1	0.1	0.1	0.2	0.6	0.7	0.2	0.5
Opiates	1.4	1.4	1.4	1.6	1.7	1.8	1.8	2.0	2.4	2.9	3.2
Heroin	1.1	1.0	1.0	0.9	1.0	0.9	0.8	0.8	0.9	1.0	1.0
Other opiates/synthetics	0.3	0.4	0.4	0.6	0.7	0.9	1.0	1.2	1.6	1.9	2.1
Non-RX methadone	*	*	*	*	*	*	*	*	0.1	*	*
Other opiates/synthetics	0.3	0.4	0.4	0.6	0.7	0.8	0.9	1.1	1.5	1.9	2.1
Cocaine	1.9	1.8	1.9	2.1	2.3	2.6	2.9	2.3	1.7	0.9	0.9
Smoked cocaine	0.8	0.7	0.7	8.0	8.0	8.0	0.9	0.6	0.5	0.3	0.2
Non-smoked cocaine	1.1	1.1	1.1	1.3	1.5	1.8	2.0	1.7	1.2	0.6	0.6
Other drugs	3.3	3.2	2.1	1.9	2.0	1.9	1.9	2.2	2.1	2.3	2.2
Tranquilizers	0.2	0.3	0.2	0.3	0.3	0.3	0.3	0.4	0.4	0.5	0.5
Benzodiazepine	0.1	0.2	0.2	0.2	0.2	0.3	0.2	0.4	0.4	0.5	0.5
Other tranquilizers	0.1	0.1	0.1	0.1	0.1	*	*	0.1	*	*	*
Inhalants	0.4	0.3	0.3	0.3	0.4	0.3	0.3	0.3	0.3	0.3	0.3
Hallucinogens	0.7	0.6	0.4	0.3	0.3	0.2	0.2	0.3	0.3	0.3	0.2
Sedatives/hypnotics	0.1	0.1	0.2	0.2	0.2	0.2	0.2	0.3	0.2	0.2	0.2
Barbiturates											0.0
Other sedatives/hypnotics Over-the-counter	0.1 0.1	0.1 0.1	0.1 0.1	0.1 0.2	0.1 0.2	0.2 0.2	0.2 0.3	0.3 0.2	0.2 0.2	0.2 0.3	0.2 0.3
PCP	0.1	0.1	0.1	0.2	0.2	0.2	0.3	*	*	*	*
Other	1.7	1.6	0.7	0.6	0.6	0.6	0.6	0.5	0.6	0.6	0.6
None reported	4.4	5.1	7.2	6.7	5.6	3.0	2.7	3.2	3.2	2.6	2.2

<sup>&</sup>lt;sup>1</sup> The decrease in *Other amphetamine* admissions beginning in 2005 is because Oregon and Texas began to report *Methamphetamine* admissions; previously they had used the category *Other amphetamines*.

<sup>\*</sup> Less than 0.05 percent.

Table 3.2. Admissions aged 12 to 17, by gender and race/ethnicity according to primary substance of abuse: 2010

Percent distribution

· · · · · · · · · · · · · · · · · · ·					-	Pi	rimary s	ubstance	at admission						
		Alco	-	Opia	ates	Coca	ine								
Gender and race/ethnicity	All admis-		With						Metham-						Other/
	sions		second-					Mari-	phetamine/	Tran-		Hallu-			none
	aged	Alcohol	ary		Other	Smoked	Other	juana/	amphet-	quil-	Seda-	cino-		Inhal-	speci-
	12-17	only	drug	Heroin	opiates	cocaine	route	hashish	amines	izers	tives	gens	PCP	ants	fied
Total admissions aged 12-17	132,850	7,736	13,339	1,385	2,819	307	830	97,029	2,993	710	247	301	36	411	4,707
Gender															
Male	71.5	54.0	58.9	50.6	58.7	53.1	55.3	77.1	46.4	54.9	53.0	69.3	66.7	56.4	58.8
Female	28.5	46.0	41.1	49.4	41.3	46.9	44.7	22.9	53.6	45.1	47.0	30.7	33.3	43.6	41.2
Total	100.0	100.0	100.0	100.0	100.0		100.0	100.0		100.0	100.0	100.0	100.0	100.0	100.0
No. of admissions	132,823	7,734	13,337	1,385	2,819	307	830	97,017	2,990	710	247	300	36	411	4,700
Race/ethnicity															
White (non-Hispanic)	48.1	48.4	53.7	81.7	84.7	52.1	59.5	45.0	49.4	76.6	67.6	73.4	33.3	54.4	52.8
Black (non-Hispanic)	18.9	11.2	8.3	1.5	2.8	16.0	4.7	22.3	2.8	3.8	2.8	5.1	11.1	5.1	24.3
Hispanic origin	23.8	28.8	24.3	11.8	5.5	23.5	27.3	24.2	35.3	14.4	21.1	11.8	47.2	25.5	14.5
Mexican	12.8	19.5	14.9	2.9	2.2	10.7	12.0	12.5	26.3	3.6	5.7	6.1	22.2	15.7	3.2
Puerto Rican	1.8	0.9	1.3	0.9	0.7	0.7	1.5	2.0	0.5	1.0	0.8		16.7	0.7	1.0
Cuban	0.3	0.1	0.2	0.1	0.1	0.3	0.6	0.3	0.2	0.4				0.2	0.3
Other/not specified	9.0	8.3	7.8	8.0	2.5	11.7	13.3	9.3	8.2	9.4	14.6	5.7	8.3	8.8	10.0
Other	9.2	11.6	13.8	5.0	7.0	8.5	8.5	8.5	12.5	5.1	8.5	9.8	8.3	15.0	8.4
American Indian/Alaska Native	2.4	2.6	6.2	1.0	3.2	2.0	1.9	1.9	2.3	1.0	2.8	1.3		8.3	1.3
Asian/Pacific Islander	2.2	4.5	2.9	0.7	0.7	1.0	1.6	2.0	3.3	1.4	0.8	1.3	2.8	2.0	1.4
Other	4.7	4.5	4.7	3.3	3.1	5.5	5.0	4.7	7.0	2.7	4.9	7.1	5.6	4.7	5.7
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0		100.0	100.0	100.0	100.0	100.0	100.0
No. of admissions	131,929	7,672	13,241	1,378	2,809	307	827	96,415	2,980	702	247	297	36	408	4,610

<sup>- -</sup> Quantity is zero.

Table 3.3. Admissions aged 12 to 17, by age at admission and treatment referral source according to primary substance of abuse: 2010

Percent distribution

						Pi	rimary s	ubstance	at admission						
		Alco	hol	Opia	ates	Coca	ine								
Age at admission and treatment referral	All admis-		With						Metham-						Other/
source	sions		second-					Mari-	phetamine/	Tran-		Hallu-			none
	aged	Alcohol	ary		Other	Smoked	Other	juana/	amphet-	quil-	Seda-	cino-		Inhal-	speci-
	12-17	only	drug	Heroin	opiates	cocaine	route	hashish	amines	izers	tives	gens	PCP	ants	fied
Total admissions aged 12-17	132,850	7,736	13,339	1,385	2,819	307	830	97,029	2,993	710	247	301	36	411	4,707
Age at admission															
12 years	1.2	2.8	0.8	0.1	0.2		0.5	0.9	0.4	0.6	0.4	0.7		6.8	6.8
13 years	4.4	7.4	3.7	0.8	2.1	1.0	1.0	4.1	1.9	2.4	7.7	2.0		13.1	12.8
14 years	10.8	11.3	9.0	2.5	6.3	10.7	4.8	11.0	8.6	10.3	8.5	7.6	2.8	20.7	17.3
15 years	21.1	17.4	19.7	10.5	15.3	16.3	14.3	22.2	18.4	18.3	18.2	21.3	33.3	20.0	18.6
16 years	30.4	25.6	29.5	27.4	28.9	33.9	35.1	31.4	31.4	31.7	30.0	25.6	33.3	20.7	21.6
17 years	32.2	35.6	37.3	58.8	47.3	38.1	44.3	30.5	39.2	36.8	35.2	42.9	30.6	18.7	23.0
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
No. of admissions	132,850	7,736	13,339	1,385	2,819	307	830	97,029	2,993	710	247	301	36	411	4,707
Treatment referral source															
Criminal justice/DUI	45.6	40.6	44.3	29.4	30.3	41.7	38.2	48.1	41.2	35.8	29.6	36.7	44.4	24.5	29.3
Self or individual	17.2	17.6	18.0	34.0	29.8	17.7	21.7	16.1	20.9	21.9	26.7	18.7	16.7	28.5	19.8
School (educational)	13.6	24.5	13.1	3.5	5.3	7.0	4.9	12.6	9.5	10.5	14.2	9.5	8.3	11.6	32.7
Alcohol/drug abuse															
care provider	6.5	3.3	6.9	17.2	14.2	8.3	14.8	6.3	8.6	10.2	9.3	13.9	13.9	8.9	
Other health care provider	4.7	3.2	5.8	6.9	8.7	8.0	7.0	4.4	6.0	9.0	6.9	7.8	5.6	12.1	5.7
Employer/EAP	0.1	0.1	0.1	0.1	*			0.1	0.1	0.3					0.1
Other community referral	12.2	10.7	11.8	8.9	11.6		13.4	12.5	13.7	12.3	13.4	13.3	11.1	14.4	
Total	100.0		100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
No. of admissions	130,778	7,640	13,130	1,359	2,773	300	815	95,569	2,928	698	247	294	36	404	4,585

<sup>\*</sup> Less than 0.05 percent.

<sup>--</sup> Quantity is zero.

Table 3.4. Admissions aged 12 to 17, by marijuana involvement and treatment referral source: 2000-2010 **Percent distribution** 

Marijuana involvement <sup>1</sup> and treatment referral source	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010
Total admissions aged 12-17	137,770	145,412	157,839	157,041	146,392	145,069	143,223	142,450	154,330	153,071	132,850
Marijuana-involved admissions	82.9	82.3	81.9	82.0	82.3	84.5	83.8	82.6	83.8	85.6	87.1
Criminal justice referral	43.3	44.1	44.7	44.2	43.3	45.0	44.0	41.8	43.2	43.2	41.0
Both alcohol and marijuana	28.4	27.9	27.0	25.7	24.3	24.5	24.1	22.9	22.6	21.9	20.4
Primary marijuana, no alcohol	13.6	14.8	16.2	17.0	17.3	18.6	18.1	17.6	19.6	20.3	19.5
Marijuana not primary, no alcohol	1.3	1.4	1.4	1.4	1.7	1.9	1.8	1.4	1.1	1.0	1.2
Other referral source	39.6	38.1	37.2	37.7	39.0	39.6	39.8	40.8	40.7	42.4	46.1
Both alcohol and marijuana	26.2	24.2	23.2	22.6	22.9	22.3	22.5	23.0	22.2	22.3	23.4
Primary marijuana, no alcohol	11.9	12.3	12.5	13.3	14.0	14.7	14.9	15.7	16.8	18.3	20.6
Marijuana not primary, no alcohol	1.5	1.6	1.5	1.8	2.1	2.6	2.4	2.0	1.7	1.9	2.2
All other admissions	17.1	17.7	18.1	18.0	17.7	15.5	16.2	17.4	16.2	14.4	12.9
Criminal justice referral	7.4	7.7	8.7	8.3	6.9	6.6	6.7	7.0	5.8	5.5	4.6
Primary alcohol, no marijuana	4.5	4.1	3.9	3.7	3.6	3.5	3.9	4.2	3.4	3.3	2.7
Other drugs and drug combinations <sup>2</sup>	1.6	1.7	1.5	1.6	1.9	1.9	1.7	1.5	1.2	1.3	1.2
No substance reported	1.4	1.9	3.3	3.0	1.4	1.1	1.1	1.3	1.1	0.9	0.7
Other referral source	9.7	10.0	9.5	9.8	10.8	8.9	9.5	10.5	10.4	8.8	8.3
Primary alcohol, no marijuana	4.1	4.1	3.7	3.8	4.3	4.2	4.9	5.3	5.2	4.7	3.9
Other drugs and drug combinations <sup>2</sup>	3.0	2.9	2.2	2.5	3.7	3.2	3.2	3.4	3.3	2.6	2.9
No substance reported	2.7	3.0	3.6	3.5	2.8	1.5	1.4	1.8	1.9	1.5	1.4
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
No. of admissions	133,445	140,804	152,943	151,564	142,119	140,699	140,373	140,355	151,442	150,738	130,778

<sup>&</sup>lt;sup>1</sup> Admissions reporting marijuana as a primary, secondary, or tertiary substance were considered to be marijuana involved.

<sup>2</sup> Drug combinations includes combinations of alcohol and drugs.
SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 10.10.11.

Table 3.5. Heroin admissions aged 12 and older, by age group and race/ethnicity: 2000-2010 Percent distribution

Age group and race/ethnicity	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010
Total heroin admissions	269,891	277,321	284,359	273,821	262,373	260,390	266,804	261,558	280,099	284,484	256,256
12 to 19 years	3.0	2.8	2.8	2.8	2.9	3.0	2.9	2.7	3.1	3.5	3.5
White (non-Hispanic)	2.3	2.2	2.2	2.3	2.4	2.6	2.5	2.4	2.7	3.1	3.0
Black (non-Hispanic)	0.1	0.1	0.1	0.1	0.1	0.1	0.1	*	*	*	0.1
Puerto Rican-origin	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	*	*
Other	0.4	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.4
20 to 34 years	40.8	41.4	40.9	40.8	41.7	41.5	42.3	43.2	45.3	48.1	51.6
White (non-Hispanic)	21.7	22.7	24.0	24.6	27.3	28.0	30.1	31.9	34.9	38.0	41.7
Black (non-Hispanic)	6.4	6.1	5.4	5.0	4.3	3.5	2.9	2.4	2.1	2.1	1.9
Puerto Rican-origin	7.0	7.2	6.3	5.8	5.1	5.0	4.2	4.0	3.7	3.3	2.8
Other	5.7	5.3	5.2	5.3	5.0	5.0	5.1	4.8	4.7	4.8	5.1
35 to 44 years	36.1	35.3	34.2	33.4	32.2	31.2	29.4	28.3	26.1	24.1	21.7
White (non-Hispanic)	14.6	13.8	13.2	12.2	12.0	11.3	11.0	10.6	10.3	9.8	9.5
Black (non-Hispanic)	10.4	10.3	10.2	10.7	10.1	9.7	8.9	8.6	7.8	7.0	5.6
Puerto Rican-origin	5.2	5.9	5.5	5.5	5.4	5.7	5.2	5.0	4.5	4.2	3.8
Other	5.9	5.3	5.2	5.0	4.7	4.4	4.3	4.1	3.5	3.1	2.9
45 years and older	20.1	20.5	22.1	23.1	23.2	24.3	25.4	25.8	25.5	24.3	23.2
White (non-Hispanic)	7.3	7.4	8.0	8.0	8.1	8.2	8.3	8.2	8.2	7.6	7.3
Black (non-Hispanic)	7.5	7.9	8.6	9.4	9.4	9.9	10.6	10.9	10.8	10.5	9.7
Puerto Rican-origin	1.8	2.0	2.1	2.4	2.4	2.8	2.8	2.9	3.0	3.0	3.0
Other	3.5	3.1	3.3	3.3	3.3	3.5	3.8	3.8	3.6	3.2	3.2
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
No. of admissions	268,286	276,108	283,122	272,138	260,563	258,721	265,792	260,105	277,346	279,037	255,118

<sup>\*</sup> Less than 0.05 percent.

Table 3.6. Heroin admissions aged 12 and older, by usual route of administration, age group, and characteristics of first treatment episode: 2000-2010 Percent distribution

Usual route of administration, age group, and characteristics of first treatment episode	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010
Total heroin admissions	269,891	277,321	284,359	273,821	262,373	260,390	266,804	261,558	280,099	284,484	256,256
Injection	62.6	61.0	61.6	60.4	62.1	62.8	63.5	64.1	64.7	66.6	69.7
Age group											
12 to 19 years	1.9	1.8	1.8	1.8	1.9	2.0	1.9	1.9	2.2	2.5	2.6
20 to 34 years	24.1	24.9	25.6	26.0	28.0	29.1	30.7	32.2	34.3	37.4	41.0
35 to 44 years	22.0	20.2	19.2	17.8	17.3	16.8	15.9	15.3	14.1	13.6	13.1
45 years and older	14.7	14.1	15.0	14.8	14.9	14.9	14.9	14.7	14.2	13.2	13.0
First treatment episode (%)	19.8	19.3	20.3	19.8	19.3	23.1	22.2	20.4	20.4	21.1	18.2
Average years of use before											
first treatment episode	13.1	12.8	12.4	12.7	12.6	12.9	13.6	13.5	12.5	11.6	10.7
Inhalation	31.9	33.6	33.2	34.1	33.0	33.1	32.5	31.8	30.9	28.9	25.4
Age group											
12 to 19 years	0.9	0.8	0.8	0.8	0.7	0.8	0.7	0.6	0.7	0.6	0.5
20 to 34 years	13.8	13.7	12.7	12.0	11.1	10.6	9.7	9.0	8.9	8.5	7.7
35 to 44 years	12.3	13.3	13.3	13.8	13.4	13.2	12.5	12.0	11.0	9.6	7.8
45 years and older	5.0	5.7	6.4	7.5	7.8	8.5	9.6	10.2	10.4	10.1	9.4
First treatment episode (%)	25.8	26.0	25.7	25.0	25.6	28.8	27.7	24.0	23.3	24.5	21.6
Average years of use before											
first treatment episode	11.1	11.7	12.1	13.0	13.2	13.1	14.1	15.0	14.2	14.3	14.4
Other	5.4	5.4	5.2	5.5	4.9	4.1	4.0	4.1	4.3	4.4	4.9
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
No. of admissions	252,296	259,209	265,735	255,678	244,048	258,117	264,939	260,130	278,520	283,674	255,568

Table 3.7. Heroin admissions aged 12 and older with planned medication-assisted opioid therapy, by usual route of administration and age group: 2000-2010

Percent distribution

Usual route of administration and age group	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010
Total heroin admissions	269,891	277,321	284,359	273,821	262,373	260,390	266,804	261,558	280,099	284,484	256,256
Total medication-assisted opioid therapy admissions	36.6	35.6	35.1	32.5	31.1	30.1	30.3	29.5	29.2	28.8	27.9
Usual route of administration (F	Percentage ii	n each group	receiving me	edication-ass	sisted opioid	therapy)					
Injection	42.7	40.8	39.0	35.3	33.3	30.9	29.8	28.9	28.4	27.6	27.1
Inhalation	29.1	31.0	32.2	30.4	28.3	28.3	31.1	29.9	30.8	31.4	30.3
Smoking	47.0	39.2	39.2	37.3	38.1	35.8	33.4	34.8	31.7	31.9	29.1
Other	20.1	21.1	23.1	23.0	32.0	26.8	26.2	23.9	22.9	21.4	23.1
No. of admissions	250,661	257,529	264,330	252,094	238,921	252,779	258,821	254,816	273,309	278,245	251,088
Age group (Percentage in each	group receiv	ving medicati	on-assisted	opioid therap	oy)						
12 to 19 years	16.1	15.5	15.1	13.8	12.0	11.2	11.4	13.3	12.4	13.9	13.5
20 to 34 years	28.8	28.7	28.1	26.0	24.8	23.6	23.0	22.9	22.4	22.7	22.5
35 to 44 years	39.3	38.0	37.1	33.8	32.2	31.4	31.2	30.5	30.9	31.1	30.2
45 years and older	50.5	48.4	47.7	44.1	43.2	42.1	43.5	41.2	41.8	40.9	40.0
No. of admissions	268,232	275,629	282,929	270,051	256,969	254,717	260,449	256,052	274,778	279,020	251,737

<sup>&</sup>lt;sup>1</sup> Medication-assisted opioid therapy with methadone or buprenorphine planned as part of the client's treatment.

Table 3.8. Admissions aged 12 and older, by primary substance of abuse according to additional substance abuse: 2010

Percent distribution

[based on administrative data reported to 15	Do by all roport		ana jane	alouorio.]		Prin	nary subs	tance at admis	ssion					
			Opi	ates	Coca	ine								
								Metham-	T					Other/
	All admis-			Other	Smoked	Other	Mari- iuana/	phetamine/ amphet-	Tran- guil-	Seda-	Hallu- cino-		Inhal-	none speci-
	sions	Alcohol	Heroin	opiates	cocaine	route	hashish	amines	izers	tives	gens	PCP	ants	fied
To	otal 1,820,737			•	104,564	43.587	335,833		15,707		1,675			39,317
Average no. of substances	, , , , ,	,,,,,		- ,	,,,,,	,,,,		, -	-, -	,	,	,	, -	,-
per admission	1.7	1.6	2.0	1.9	2.0	2.0	1.8	1.9	2.1	1.9	2.2	2.0	1.8	8.0
Primary use of substance	100.0	40.9	14.1	8.6	5.7	2.4	18.4	6.2	0.9	0.2	0.1	0.2	0.1	2.2
Any use of substance	n/a	59.7	17.3	14.2	12.6	9.9	39.1	10.4	5.0	0.9	0.6	0.6	0.2	3.7
Substance in addition to primary substan	ce			Percer	nt of admis:	sions re <sub>l</sub>	porting ab	use of addition	nal substa	ance <sup>1</sup>				
None	44.8	55.3	34.3	35.6	31.4	28.1	41.7	33.5	26.3	40.0	25.6	32.0	41.9	75.4
Marijuana/hashish	20.7	25.7	17.9	26.7	30.6	32.1		36.7	23.5	20.5	45.1	39.9	28.6	7.7
Alcohol	18.8		20.0	21.3	46.6	42.0	43.2	30.7	26.4	22.4	33.1	31.7	28.0	11.1
Non-smoked cocaine	7.5	7.2	16.9	7.8			6.0	4.0	7.5	5.1	7.7	7.7	3.7	2.7
Smoked cocaine	6.8	8.8	13.2	4.3			3.7	2.9	5.3	3.4	3.1	7.2	2.0	1.4
Opiates other than heroin	5.8	4.1	12.5	2.8	4.3	7.3	5.5	5.3	27.9	17.3	7.9	1.8	5.5	3.5
Methamphetamine/amphetamines	4.1	3.7	3.2	4.8	2.5	4.3	7.2	0.7	4.0	4.8	6.9	3.8	4.3	0.9
Tranquilizers	3.2	3.1		7.2	6.7	10.5	1.7	2.7	10.1	3.2	2.7	2.4	2.9	3.4
Heroin	4.1	2.1	8.4	14.5	1.6	3.1	2.7	1.8	0.6	4.5	3.0	1.4	2.3	2.4
Sedatives	0.6	0.4	0.6	2.2	0.3	0.5	0.6	0.6	1.2	0.6	1.0	0.3	0.8	0.4
Hallucinogens	0.5	0.3	0.2	0.3	0.2	0.6	1.3	0.5	0.4	0.4		0.7	0.8	0.2
PCP	0.3	0.2	0.2	0.1	0.5	0.6	0.8	0.2	0.2	0.1	0.9		0.3	0.1
Inhalants	0.1	0.1	*	0.1	*	0.1	0.3	0.1	0.2	0.2	0.7	*		0.1
Other	2.9	3.4	2.5	2.9	2.1	2.3	3.1	2.0	4.2	3.9	4.7	1.3	5.4	0.9

 $<sup>^{1}</sup>$  Percentages sum to more than 100 percent because a person could report more than one additional substance. n/a Not applicable.

<sup>\*</sup> Less than 0.05 percent.

<sup>- -</sup> Quantity is zero.

Table 3.9. Substance abuse combinations, by selected primary substance of abuse: 2010

Number and percent distribution

Primary substance	Secondary and tertiary substances	Number	Percent of all admissions	Percent of primary substance
All admissions aged 12 and older		1,820,737	100.0	
Alcohol		744,087	40.9	100.0
No other substance	n/a	411,388	22.6	55.3
1 other substance	Marijuana	115,096	6.3	15.5
	Cocaine	57,505	3.2	7.7
	Other Drugs <sup>1</sup>	22,288	1.2	3.0
	Opiates	18,861	1.0	
	Methamphetamine or Amphetamine	11,093	0.6	1.5
2 other substances	Cocaine & Marijuana	40,573	2.2	
	Cocaine & Opiates <sup>2</sup>	13,112	0.7	
	Marijuana & Other Drugs <sup>1</sup>	12,282	0.7	
	Marijuana & Opiates <sup>2</sup>	11,630	0.6	
	Marijuana & Meth/amp <sup>3</sup>	11,421	0.6	1.5
	Opiates <sup>2</sup> & Other Drugs <sup>1</sup>	6,091	0.3	0.8
	Cocaine & Other Drugs <sup>1</sup>	5,294	0.3	0.7
	Cocaine & Meth/amp <sup>3</sup>	2,766	0.2	0.4
	Meth/amp <sup>3</sup> & Opiates <sup>2</sup>	1,499	0.1	0.2
	Heroin & Opiates Other than Heroin	1,184	0.1	0.2
	Meth/amp <sup>3</sup> & Other Drugs <sup>1</sup>	1,041	0.1	0.1
	Two Other Drugs <sup>1</sup>	747	*	0.1
	Methadone & Other Opiates	134	*	*
	Methamphetamine & Amphetamine	60	*	*
	Two Different Tranquilizers	19	*	*
	Two Different Sedatives	3	*	*
Cocaine		148,151	8.1	100.0
No other substance	n/a	45,136	2.5	30.5
1 other substance	Alcohol	34,601	1.9	23.4
	Marijuana	15,969	0.9	10.8
	Opiates	6,992	0.4	4.7
	Other Drugs <sup>1</sup>	1,972	0.1	1.3
	Methamphetamine or Amphetamine	1,632	0.1	1.1
2 other substances	Alcohol & Marijuana	23,595	1.3	15.9
	Alcohol & Opiates <sup>2</sup>	5,406	0.3	
	Marijuana & Opiates <sup>2</sup>	3,540	0.2	2.4
	Alcohol & Other Drugs <sup>1</sup>	2,336	0.1	1.6
	Marijuana & Other Drugs <sup>1</sup>	1,789	0.1	1.2
	Opiates <sup>2</sup> & Other Drugs <sup>1</sup>	1,614	0.1	1.1
	Alcohol & Meth/amp <sup>3</sup>	1,122	0.1	0.8
	Marijuana & Meth/amp <sup>3</sup>	1,077	0.1	0.7
	Heroin & Opiates Other than Heroin	622	*	0.4
	Meth/amp <sup>3</sup> & Opiates <sup>2</sup>	396	*	0.3
	Meth/amp <sup>3</sup> & Other Drugs <sup>1</sup>	202	*	0.1
	Two Other Drugs <sup>1</sup>	105	*	0.1
	Methadone & Other Opiates	34	*	*
	Methamphetamine & Amphetamine	11	*	*

Continued. See notes at end of table.

Table 3.9. Substance abuse combinations, by selected primary substance of abuse: 2010 (continued)

Number and percent distribution

	, , ,		Percent of all	Percent of primary
Primary substance	Secondary and tertiary substances	Number	admissions	substance
Opiates		413,427	22.7	100.0
No other substance	n/a	143,862	7.9	34.8
1 other substance	Cocaine	38,330	2.1	9.3
	Marijuana	29,379	1.6	7.1
	Alcohol	27,826	1.5	6.7
	Other Drugs <sup>1</sup>	21,896	1.2	5.3
	Opiates	19,710	1.1	4.8
	Methamphetamine or Amphetamine	7,127	0.4	1.7
2 other substances	Alcohol & Cocaine	21,659	1.2	5.2
	Alcohol & Marijuana	19,365	1.1	4.7
	Cocaine & Marijuana	17,496	1.0	4.2
	Marijuana & Other Drugs <sup>1</sup>	10,972	0.6	2.7
	Cocaine & Other Drugs <sup>1</sup>	9,982	0.5	2.4
	Alcohol & Other Drugs <sup>1</sup>	8,913	0.5	2.2
	Marijuana & Opiates <sup>2</sup>	7,893	0.4	1.9
	Cocaine & Opiates <sup>2</sup>	7,160	0.4	1.7
	Opiates <sup>2</sup> & Other Drugs <sup>1</sup>	5,764	0.3	1.4
	Alcohol & Opiates <sup>2</sup>	5,000	0.3	1.2
	Marijuana & Meth/amp <sup>3</sup>	2,810	0.2	0.7
	Alcohol & Meth/amp <sup>3</sup>	1,822	0.1	0.4
	Cocaine & Meth/amp <sup>3</sup>	1,683	0.1	0.4
	Meth/amp <sup>3</sup> & Other Drugs <sup>1</sup>	1,462	0.1	0.4
	Two Other Drugs <sup>1</sup>	1,450	0.1	0.4
	Meth/amp <sup>3</sup> & Opiates <sup>2</sup>	937	0.1	0.2
	Methadone & Other Opiates	441	*	0.1
	Heroin & Opiates Other than Heroin	327	*	0.1
	Two Different Tranquilizers	119	*	*
	Methamphetamine & Amphetamine	36	*	*
	Two Different Sedatives	6	*	*
Marijuana		335,833	18.4	100.0
No other substance	n/a	140,009	7.7	41.7
1 other substance	Alcohol	99,038	5.4	
	Cocaine	10,866	0.6	
	Methamphetamine or Amphetamine	10,833	0.6	3.2
	Other Drugs <sup>1</sup>	7,871	0.4	2.3
	Opiates	6,852	0.4	
2 other substances	Alcohol & Cocaine	15,316	0.8	
	Alcohol & Other Drugs <sup>1</sup>	12,987	0.7	3.9
	Alcohol & Meth/amp <sup>3</sup>	8,959	0.5	2.7
	Alcohol & Opiates <sup>2</sup>	8,701	0.5	
	Opiates <sup>2</sup> & Other Drugs <sup>1</sup>	3,392	0.2	
	Cocaine & Opiates <sup>2</sup>	3,019		
	Cocaine & Other Drugs <sup>1</sup>	2,078	0.1	
	Cocaine & Meth/amp <sup>3</sup>	1,609	0.1	
	Meth/amp <sup>3</sup> & Other Drugs <sup>1</sup>	1,477	0.1	
	Meth/amp <sup>3</sup> & Opiates <sup>2</sup>	1,233		
	Two Other Drugs <sup>1</sup>	853	*	0.3
	Heroin & Opiates Other than Heroin	574	*	0.2
	Methadone & Other Opiates	82	*	*
	Methamphetamine & Amphetamine	69	*	*
	Two Different Tranquilizers	11	*	*
	Two Different Sedatives	4	*	*

Continued. See notes at end of table.

Table 3.9. Substance abuse combinations, by selected primary substance of abuse: 2010 (continued)

Number and percent distribution

			Percent of all	Percent of primary		
Primary substance	Secondary and tertiary substances	Number	admissions	substance		
Methamphetamine/Amphetamines	,	112,473	6.2	100.0		
No other substance	n/a	37,708	2.1	33.5		
1 other substance	Marijuana	23,547	23,547			
	Alcohol	18,180	1.0	16.2		
	Opiates	3,671	0.2	3.3		
	Cocaine	2,738	0.2	2.4		
	Other Drugs <sup>1</sup>	1,775	0.1	1.6		
	Methamphetamine or Amphetamine	416	*	0.4		
2 other substances	Alcohol & Marijuana	11,765	0.6	10.5		
	Marijuana & Opiates <sup>2</sup>	2,054	0.1	1.8		
	Cocaine & Marijuana	2,000	0.1	1.8		
	Alcohol & Cocaine	1,993	0.1	1.8		
	Marijuana & Other Drugs <sup>1</sup>	1,727	0.1	1.5		
	Alcohol & Opiates <sup>2</sup>	1,428	0.1	1.3		
	Alcohol & Other Drugs <sup>1</sup>	1,098	0.1	1.0		
	Opiates <sup>2</sup> & Other Drugs <sup>1</sup>	769	*	0.7		
	Cocaine & Opiates <sup>2</sup>	603	*	0.5		
	Cocaine & Other Drugs <sup>1</sup>	320	*	0.3		
	Heroin & Opiates Other than Heroin	158	*	0.1		
	Marijuana & Meth/amp <sup>3</sup>	142	*	0.1		
	Alcohol & Meth/amp <sup>3</sup>	92	*	0.1		
	Two Other Drugs <sup>1</sup>	80	*	0.1		
	Meth/amp <sup>3</sup> & Other Drugs <sup>1</sup>	68	*	0.1		
	Cocaine & Meth/amp <sup>3</sup>	60		0.1		
	Meth/amp <sup>3</sup> & Opiates <sup>2</sup>	48	*	*		
	Methadone & Other Opiates	30	*	*		
	Two Different Tranquilizers	2	*	*		
	Two Different Sedatives	1	*	*		
Other <sup>4</sup>		21,374	1.1			

<sup>&</sup>lt;sup>1</sup> Other drugs includes tranquilizers, sedatives, other stimulants, PCP, inhalants, hallucinogens, over-the-counter drugs and other drugs not elsewhere classified.

n/a Not applicable.

<sup>&</sup>lt;sup>2</sup> Opiates includes heroin, non-prescription methadone and other opiates.

<sup>&</sup>lt;sup>3</sup> Methamphetamine or amphetamine.

<sup>&</sup>lt;sup>4</sup> Other includes only admissions with no primary substance. Admissions with more than one substance with a primary including tranquilizers, sedatives, other stimulants, PCP, inhalants, hallucinogens, over-the-counter drugs and other drugs not elsewhere classified are not included in this table.

<sup>\*</sup> Less than 0.05 percent.

Table 4.1a. Admissions aged 12 and older, by type of service according to primary substance of abuse and age at admission: 2010 Column percent distribution

-		Type of service											
				De	toxification					Medicat	ion-assisted	opioid	
Primary substance and age at		Amb	ulatory		(24-hour service)			ilitation/Resid	dential	therapy 1			
admission				Free-									
	All admis- sions	Out- patient	Intensive outpatient	standing residential	Hospital inpatient	Ambu- latory	Short-term (<30 days)	Long-term (30+ days)	Hospital (non-detox)	Out- patient	Detox- ification	Resi- dential	
Total	1,820,737	830,087	213,536	287,858	63,823	9,479	165,428	135,276	5,954	82,124	21,724	5,448	
Primary substance													
Alcohol	40.9	41.8	39.2	53.5	61.1	64.1	39.4	30.4	54.9	2.0	10.3	10.0	
Opiates	22.7	11.9	14.9	30.1	31.6	27.9	24.3	22.9	19.2	94.4	86.8	78.0	
Marijuana	18.4	27.6	25.6	2.5	0.8	2.3	13.2	15.6	6.4	1.0	0.3	2.3	
Cocaine	8.1	7.8	9.4	6.8	2.3	2.3	12.8	14.1	9.7	0.8	0.8	5.0	
Methamphetamine/amphetamines	6.2	6.6	8.3	3.2	0.2	0.6	6.7	13.9	2.9	0.3	0.2	1.5	
Tranquilizers	0.9	0.6	0.7	1.3	2.9	1.0	1.3	0.7	1.5	0.2	0.9	1.5	
Sedatives	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.2	0.3	0.1	0.2	0.3	
Other	2.6	3.4	1.8	2.3	1.0	1.6	1.9	2.1	5.0	1.1	0.6	1.4	
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	
No. of admissions	1,820,737	830,087	213,536	287,858	63,823	9,479	165,428	135,276	5,954	82,124	21,724	5,448	
Age at admission													
12 to 17 years	7.3	11.1	8.4	0.6	0.1	0.3	6.0	8.3	0.6	0.2	0.1	1.1	
18 to 19 years	4.1	5.2	4.4	2.6	1.1	2.1	3.8	3.8	2.4	1.6	3.0	3.6	
20 to 24 years	15.3	16.4	16.6	13.2	7.8	10.1	15.1	15.5	11.7	13.5	17.1	18.6	
25 to 29 years	15.6	15.7	16.8	14.3	9.7	13.9	15.5	15.9	13.4	19.3	17.3	21.6	
30 to 34 years	12.3	12.2	13.3	11.7	10.3	10.3	12.1	12.7	12.7	14.8	12.5	13.6	
35 to 39 years	10.3	9.7	10.5	11.0	11.0	11.5	10.5	10.6	12.0	11.1	9.8	10.0	
40 to 44 years	11.0	9.6	10.0	13.6	16.5	13.9	12.0	11.4	14.4	11.1	11.1	10.1	
45 to 49 years	11.0	9.3	9.5	14.8	18.6	15.9	11.8	10.8	14.4	11.0	12.1	8.6	
50 to 54 years	7.5	6.2	6.2	10.4	13.0	9.7	7.7	6.8	10.8	8.8	9.3	7.0	
55 to 59 years	3.7	3.0	2.9	5.1	7.0	5.8	3.6	2.9	4.6	5.7	5.1	4.2	
60 to 64 years	1.4	1.2	1.0	1.9	3.0	4.3	1.2	0.9	1.7	2.2	2.0	1.2	
65 years and older	0.7	0.7	0.5	0.8	1.8	2.1	0.6	0.4	1.3	0.8	0.6	0.4	
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	
No. of admissions	1,820,737	830,087	213,536	287,858	63,823	9,479	165,428	135,276	5,954	82,124	21,724	5,448	
Average age at admission	34 yrs	32 yrs	33 yrs	38 yrs	41 yrs	40 yrs	35 yrs	34 yrs	38 yrs	37 yrs	36 yrs	34 yrs	

<sup>&</sup>lt;sup>1</sup> Therapy with methadone or buprenorphine is part of client's treatment plan.

Table 4.1b. Admissions aged 12 and older, by type of service according to primary substance of abuse and age at admission: 2010 Row percent distribution

Ebased on dammistrative data reports				,			Type of s	ervice					
				Dei	oxification					Medicati	ion-assiste	d opioid	
Primary substance and age at		Amb	Ambulatory		(24-hour service)			ilitation/Resid	dential				
admission				Free-									
	All admis-	Out-	Intensive	standing	Hospital	Ambu-	Short-term	Long-term	Hospital	Out-	Detox-	Resi-	
	sions	patient	outpatient	residential	inpatient	latory	(<30 days)	(30+ days)	(non-detox)	patient	ification	dential	Total
Total	1,820,737	45.6	11.7	15.8	3.5	0.5	9.1	7.4	0.3	4.5	1.2	0.3	100.0
Primary substance													
Alcohol	744,087	46.7	11.3	20.7	5.2	0.8	8.8	5.5	0.4	0.2	0.3	0.1	100.0
Opiates	413,427	24.0	7.7	21.0	4.9	0.6	9.7	7.5	0.3	18.8	4.6	1.0	100.0
Marijuana	335,833	68.2	16.2	2.1	0.1	0.1	6.5	6.3	0.1	0.2	*	*	100.0
Cocaine	148,151	43.7	13.5	13.3	1.0	0.1	14.3	12.9	0.4	0.5	0.1	0.2	100.0
Methamphetamine/amphetamines	112,473	48.9	15.7	8.3	0.1	0.1	9.8	16.8	0.2	0.2	*	0.1	100.0
Tranquilizers	15,707	30.9	9.6	23.1	11.8	0.6	14.2	6.3	0.6	1.2	1.2	0.5	100.0
Sedatives	4,117	48.0	11.6	13.6	3.1	0.4	12.3	6.2	0.5	2.6	1.2	0.4	100.0
Other	46,942	59.9	8.1	14.3	1.4	0.3	6.7	6.1	0.6	2.0	0.3	0.2	100.0
No. of admissions	1,820,737	830,087	213,536	287,858	63,823	9,479	165,428	135,276	5,954	82,124	21,724	5,448	
Age at admission													
12 to 17 years	132,850	69.1	13.4	1.2	*	*	7.5	8.5	*	0.2	*	*	100.0
18 to 19 years	74,439	57.6	12.5	10.1	1.0	0.3	8.6	6.9	0.2	1.7	0.9	0.3	100.0
20 to 24 years	277,746	48.9	12.8	13.7	1.8	0.3	9.0	7.5	0.3	4.0	1.3	0.4	100.0
25 to 29 years	283,434	45.9	12.7	14.6	2.2	0.5	9.0	7.6	0.3	5.6	1.3	0.4	100.0
30 to 34 years	224,340	45.1	12.6	15.0	2.9	0.4	8.9	7.7	0.3	5.4	1.2	0.3	100.0
35 to 39 years	187,051	43.1	12.0	16.9	3.8	0.6	9.3	7.7	0.4	4.9	1.1	0.3	100.0
40 to 44 years	200,139	39.8	10.6		5.3	0.7	9.9	7.7	0.4	4.5	1.2	0.3	100.0
45 to 49 years	200,036	38.4	10.1	21.3	5.9	0.8	9.8	7.3	0.4	4.5	1.3	0.2	100.0
50 to 54 years 55 to 59 years	136,110 66,708	37.7 36.9	9.8 9.2	22.0 22.2	6.1 6.6	0.7 0.8	9.4 8.9	6.8 5.8	0.5 0.4	5.3 7.0	1.5 1.7	0.3	100.0 100.0
60 to 64 years	25,198	38.5	9.2 8.7	21.2	7.7	1.6	8.1	5.6 4.7	0.4	7.0	1.7	0.3	100.0
65 years and older	12,686	44.5	8.1	17.6	9.2	1.6	8.2	3.8	0.6	5.2	1.0	0.2	100.0
No. of admissions	1,820,737		213,536		63,823	9,479	165,428	135,276	5,954		21,724	5,448	

<sup>&</sup>lt;sup>1</sup>Therapy with methadone or buprenorphine is part of client's treatment plan.

<sup>\*</sup> Less than 0.05 percent.

Table 4.2a. Admissions aged 12 and older, by type of service according to gender and race/ethnicity: 2010

Column percent distribution

						7	Type of servic	е					
				De	toxification					Medication-assisted opioid			
Gender and race/ethnicity		Ambu	ulatory	(24-1	(24-hour service)			ilitation/Resid	dential	therapy 1			
Gender and race/elimicity				Free-									
	All admis- sions	Out- patient	Intensive outpatient	standing residential	Hospital inpatient	Ambu- latory	Short-term (<30 days)	Long-term (30+ days)	Hospital (non-detox)	Out- patient	Detox- ification	Resi- dential	
Total	1,820,737	830,087	213,536	287,858	63,823	9,479	165,428	135,276	5,954	82,124	21,724	5,448	
Gender													
Male	67.6	67.6	63.7	73.6	77.0	74.2	65.6	65.6	65.5	57.4	66.8	57.7	
Female	32.4	32.4	36.3	26.4	23.0	25.8	34.4	34.4	34.5	42.6	33.2	42.3	
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	
No. of admissions	1,820,131	829,715	213,441	287,809	63,823	9,477	165,398	135,252	5,954	82,102	21,714	5,446	
Race/ethnicity													
White (non-Hispanic)	60.8	59.9	62.1	63.1	49.2	45.2	65.4	56.9	73.2	64.2	61.5	68.3	
Black (non-Hispanic)	20.1	20.3	22.2	18.4	27.8	9.7	19.8	21.4	14.0	14.3	14.6	18.0	
Hispanic origin	13.1	14.2	8.7	12.4	19.5	7.4	9.8	13.5	7.3	16.8	17.4	9.1	
Mexican	4.4	5.3	3.0	4.7	0.4	0.5	1.5	5.2	0.6	4.4	10.3	0.7	
Puerto Rican	3.7	2.9	1.7	3.9	12.9	2.8	3.3	4.0	4.6	8.3	4.8	6.7	
Other/not specified	5.0	5.9	3.9	3.8	6.2	4.1	5.0	4.3	2.0	4.2	2.3	1.7	
Other	6.1	5.7	6.9	6.1	3.5	37.7	5.0	8.2	5.5	4.7	6.6	4.5	
American Indian/Alaska Native	2.4	1.9	3.0	2.4	0.7	33.9	2.4	3.4	3.4	1.2	3.3	2.2	
Asian/Pacific Islander	1.0	1.1	1.2	1.2	0.5	0.4	0.5	1.2	0.1	0.6	0.7	0.4	
Other	2.7	2.7	2.7	2.5	2.2	3.4	2.1	3.6	2.0	3.0	2.5	1.9	
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	
No. of admissions	1,810,070	824,623	211,628	286,541	63,791	9,453	164,516	134,741	5,925	81,736	21,681	5,435	

<sup>&</sup>lt;sup>1</sup> Therapy with methadone or buprenorphine is part of client's treatment plan.

Table 4.2b. Admissions aged 12 and older, by type of service according to gender and race/ethnicity: 2010 Row percent distribution

							Type of se	rvice					
		Detoxification						Medicati	d opioid				
Gender and race/ethnicity		Amb	Ambulatory		(24-hour service)			Rehabilitation/Residential					
Gender and race/elimicity				Free-									
	All admis-	Out-	Intensive	standing	Hospital	Ambu-	Short-term	Long-term	Hospital	Out-	Detox-	Resi-	
	sions	patient	outpatient	residential	inpatient	latory	(<30 days)	(30+ days)	(non-detox)	patient	ification	dential	Total
Total	1,820,737	45.6	11.7	15.8	3.5	0.5	9.1	7.4	0.3	4.5	1.2	0.3	100.0
Gender													
Male	1,231,214	45.6	11.1	17.2	4.0	0.6	8.8	7.2	0.3	3.8	1.2	0.3	100.0
Female	588,917	45.6	13.1	12.9	2.5	0.4	9.7	7.9	0.3	5.9	1.2	0.4	100.0
No. of admissions	1,820,131	829,715	213,441	287,809	63,823	9,477	165,398	135,252	5,954	82,102	21,714	5,446	
Race/ethnicity													
White (non-Hispanic)	1,100,073	44.9	12.0	16.4	2.9	0.4	9.8	7.0	0.4	4.8	1.2	0.3	100.0
Black (non-Hispanic)	363,500	45.9	12.9	14.5	4.9	0.3	9.0	7.9	0.2	3.2	0.9	0.3	100.0
Hispanic origin	236,627	49.3	7.8	15.0	5.3	0.3	6.8	7.7	0.2	5.8	1.6	0.2	100.0
Mexican	79,381	55.1	8.1	17.1	0.3	0.1	3.0	8.8	*	4.5	2.8	*	100.0
Puerto Rican	66,918	36.2	5.4	16.8	12.3	0.4	8.2	8.1	0.4	10.1	1.5	0.5	100.0
Other/not specified	90,328	53.9	9.2	11.9	4.4	0.4	9.1	6.5	0.1	3.8	0.5	0.1	100.0
Other	109,870	42.8	13.4	15.8	2.0	3.2	7.5	10.0	0.3	3.5	1.3	0.2	100.0
American Indian/Alaska Native	42,830	35.8	15.0	15.9	1.1	7.5	9.2	10.8	0.5	2.2	1.7	0.3	100.0
Asian/Pacific Islander	18,587	49.0	13.6	18.9	1.8	0.2	4.4	8.6	*	2.4	0.9	0.1	100.0
Other	48,453		11.9	14.5	2.9	0.7	7.1	9.9	0.2	5.0	1.1	0.2	100.0
No. of admissions	1,810,070	824,623	211,628	286,541	63,791	9,453	164,516	134,741	5,925	81,736	21,681	5,435	

<sup>&</sup>lt;sup>1</sup> Therapy with methadone or buprenorphine is part of client's treatment plan.

<sup>\*</sup> Less than 0.05 percent.

Table 4.3a. Admissions aged 12 and older, by type of service according to treatment referral source, frequency of use, and number of prior treatment episodes: 2010

Column percent distribution

		Type of service											
Treatment referral source.				De	toxification					Medicati	ion-assisted	l opioid	
frequency of use, and number		Ambı	ulatory	(24-	hour service	e)	Rehab	ilitation/Resid	dential	therapy <sup>1</sup>			
of prior treatment episodes				Free-									
or prior treatment episodes	All admis-	Out-	Intensive	standing	Hospital	Ambu-	Short-term	Long-term	Hospital	Out-	Detox-	Resi-	
	sions	patient	outpatient	residential	inpatient	latory	(<30 days)	(30+ days)	(non-detox)	patient	ification	dential	
Total	1,820,737	830,087	213,536	287,858	63,823	9,479	165,428	135,276	5,954	82,124	21,724	5,448	
Treatment referral source													
Criminal justice/DUI	36.9	51.6	47.7	15.6	3.0	35.2	22.0	36.5	8.8	5.2	1.8	13.3	
Self or individual	33.1	20.3	23.8	55.4	72.5	43.6	31.6	27.1	53.1	74.4	83.1	36.0	
Substance abuse care provider	9.9	6.2	7.3	9.7	4.7	3.1	25.3	20.3	5.4	10.7	6.9	27.4	
Other health care provider	6.4	5.4	5.3	9.1	11.5	13.4	8.3	4.3	23.2	4.5	2.8	7.5	
School (educational)	1.2	2.3	0.7	*	*	*	0.1	0.1	0.1	*	*	*	
Employer/EAP	0.5	0.7	0.7	0.1	0.1	0.4	0.7	0.1	0.2	0.1	0.1	0.1	
Other community referral	12.1	13.6	14.5	10.0	8.1	4.2	11.9	11.6	9.1	5.2	5.4	15.7	
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	
No. of admissions	1,791,732	816,297	208,659	285,356	62,881	9,438	163,360	133,272	5,469	80,136	21,503	5,361	
Frequency of use													
No use in the past month	28.7	42.8	38.3	2.2	1.0	3.3	12.5	32.8	7.5	17.3	1.5	16.0	
1-3 times in the past month	12.6	17.5	14.9	7.6	1.4	9.4	7.5	8.9	5.1	4.0	1.4	5.4	
1-2 times in the past week	9.2	10.9	10.3	8.8	1.2	15.5	8.0	7.4	7.0	3.2	1.7	4.6	
3-6 times in the past week	11.4	10.4	12.4	11.9	4.2	20.1	15.8	14.7	13.3	8.2	7.0	9.3	
Daily	38.2	18.4	24.1	69.5	92.1	51.7	56.3	36.2	67.1	67.4	88.4	64.7	
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	
No. of admissions	1,788,104	806,594	210,511	285,790	63,345	9,422	164,235	134,192	5,703	81,213	21,676	5,423	
No. of prior treatment episodes													
None	40.4	50.1	39.5	31.5	38.2	30.7	27.9	28.2	33.8	25.3	32.2	21.7	
1	22.2	22.7	24.6	17.4	17.8	21.3	23.3	24.1	19.2	23.0	19.2	19.1	
2	12.6	11.2	14.7	10.6	11.9	13.9	15.4	15.7	13.4	16.2	13.3	14.2	
3	7.5	5.9	8.1	7.1	7.6	8.9	10.1	10.0	8.7	11.1	11.1	11.9	
4	4.2	3.1	4.5	4.7	5.6	6.4	5.9	6.0	6.7	6.0	5.3	7.3	
5 or more	13.0	7.1	8.7	28.7	18.9	18.8	17.5	16.0	18.1	18.4	18.9	25.8	
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	
No. of admissions	1,652,662	782,308	208,798	237,232	10,453	8,019	162,957	130,602	4,749	80,525	21,607	5,412	

<sup>&</sup>lt;sup>1</sup> Therapy with methadone or buprenorphine is part of client's treatment plan.

<sup>\*</sup> Less than 0.05 percent.

Table 4.3b. Admissions aged 12 and older, by type of service according to treatment referral source, frequency of use, and number of prior treatment episodes: 2010

Row percent distribution

		Type of service											
Treatment referral source.				Dei	toxification					Medicati	on-assiste therapy <sup>1</sup>	d opioid	
frequency of use, and number		Ambulatory		(24-h	(24-hour service)			ilitation/Resid	dential				
of prior treatment episodes				Free-									
or prior arounitoria opiocaco	All admis-	Out-	Intensive	standing	Hospital	Ambu-	Short-term	Long-term	Hospital	Out-	Detox-	Resi-	
	sions	patient	outpatient	residential	inpatient	latory	(<30 days)	(30+ days)	(non-detox)	patient	ification	dential	Total
Total	1,820,737	45.6	11.7	15.8	3.5	0.5	9.1	7.4	0.3	4.5	1.2	0.3	100.0
Treatment referral source													
Criminal justice/DUI	660,577	63.7	15.1	6.7	0.3	0.5	5.4	7.4	0.1	0.6	0.1	0.1	100.0
Self or individual	593,381	28.0	8.4	26.6	7.7	0.7	8.7	6.1	0.5	10.0	3.0	0.3	100.0
Substance abuse care provider	176,856	28.5	8.6	15.6	1.7	0.2	23.4	15.3	0.2	4.8	0.8	0.8	100.0
Other health care provider	114,412	38.2	9.6	22.7	6.3	1.1	11.9	5.0	1.1	3.1	0.5	0.3	100.0
School (educational)	20,892	89.9	7.5	0.5	0.1	*	1.1	0.6	*	0.2	*	*	100.0
Employer/EAP	8,830	63.1	16.5	4.3	1.0	0.4	12.1	1.7	0.1	0.6	0.2	0.1	100.0
Other community referral	216,784	51.1	14.0	13.2	2.4	0.2	9.0	7.1	0.2	1.9	0.5	0.4	100.0
No. of admissions	1,791,732	816,297	208,659	285,356	62,881	9,438	163,360	133,272	5,469	80,136	21,503	5,361	
Frequency of use													
No use in the past month	512,743	67.3	15.7	1.2	0.1	0.1	4.0	8.6	0.1	2.7	0.1	0.2	100.0
1-3 times in the past month	224,845	62.9	14.0	9.7	0.4	0.4	5.5	5.3	0.1	1.5	0.1	0.1	100.0
1-2 times in the past week	163,893	53.8	13.2	15.3	0.5	0.9	8.1	6.1	0.2	1.6	0.2	0.2	100.0
3-6 times in the past week	203,687	41.2	12.8	16.7	1.3	0.9	12.7	9.7	0.4	3.3	0.7	0.2	100.0
Daily	682,936	21.7	7.4	29.1	8.5	0.7	13.5	7.1	0.6	8.0	2.8	0.5	
No. of admissions	1,788,104	806,594	210,511	285,790	63,345	9,422	164,235	134,192	5,703	81,213	21,676	5,423	
No. of prior treatment episodes													
None	667,783	58.7	12.3	11.2	0.6	0.4	6.8	5.5	0.2	3.1	1.0	0.2	100.0
1	367,631	48.3	13.9	11.2	0.5	0.5	10.3	8.6	0.2	5.0	1.1	0.3	100.0
2	208,387	41.9	14.7	12.1	0.6	0.5	12.0	9.9	0.3	6.3	1.4	0.4	100.0
3	123,210	37.3	13.7	13.8	0.6	0.6	13.3	10.6	0.3	7.2	1.9	0.5	100.0
4	70,004	34.7	13.4	15.9	0.8	0.7	13.8	11.1	0.5	6.9	1.6	0.6	100.0
5 or more	215,647	25.6	8.5	31.6	0.9	0.7	13.3	9.7	0.4	6.9	1.9	0.6	
No. of admissions	1,652,662	782,308	208,798	237,232	10,453	8,019	162,957	130,602	4,749	80,525	21,607	5,412	

<sup>&</sup>lt;sup>1</sup> Therapy with methadone or buprenorphine is part of client's treatment plan.

<sup>\*</sup> Less than 0.05 percent.

## APPENDIX A

# ABOUT THE TREATMENT EPISODE DATA SET (TEDS)

#### Introduction

This report presents data from the Treatment Episode Data Set (TEDS) on the demographic and substance abuse characteristics of admissions to substance abuse treatment. The Center for Behavioral Health Statistics and Quality (CBHSQ), Substance Abuse and Mental Health Services Administration (SAMHSA), coordinates and manages collection of TEDS data from the States.

The Treatment Episode Data Set (TEDS) is a compilation of client-level data routinely collected by the individual State administrative data systems to monitor their substance abuse treatment systems. Generally, facilities that are required to report to the State substance abuse agency (SSA) are those that receive public funds and/or are licensed or certified by the SSA to provide substance abuse treatment (or are administratively tracked for other reasons).

TEDS is one of the three components of SAMHSA's Drug and Alcohol Services Information System (DASIS), the primary source of national data on substance abuse treatment. The other two components are:

- The Inventory of Substance Abuse Treatment Services (I-SATS), a continuously-updated comprehensive listing of all known public and private substance abuse treatment facilities.
- The National Survey of Substance Abuse Treatment Services (N-SSATS), an annual survey of the location, characteristics, services offered, and utilization of alcohol and drug abuse treatment facilities in I-SATS.

The TEDS system comprises two major components, the Admissions Data Set and the Discharge Data Set. The TEDS Admissions Data Set includes client-level data on substance abuse treatment admissions from 1992 through the present. The TEDS Discharge Data Set can be linked at record level to admissions, and includes information from clients discharged in 2000 and later. For both data sets, selected data items from the individual State data files are converted to a standardized format consistent across States. These standardized data constitute TEDS.

The TEDS Admissions Data System consists of a Minimum Data Set of items collected by all States, and a Supplemental Data Set where individual data items are reported at the States' option.

The Minimum Data Set consists of 19 items that include:

- Demographic information
- Primary, secondary, and tertiary substances and their route of administration, frequency of use, and age at first use
- Source of referral to treatment
- Number of prior treatment episodes

• Service type, including planned use of medication-assisted opioid therapy

The Supplemental Data Set consists of 17 items that include psychiatric, social, and economic measures.

### History

National-level data collection on admissions to substance abuse treatment was first mandated in 1972 under the Drug Abuse Office and Treatment Act, P.L. 92-255. This act initiated Federal funding for drug treatment and rehabilitation, and required reporting on clients entering drug (but not alcohol) abuse treatment. The Client-Oriented Data Acquisition Process (CODAP) was developed to collect admission and discharge data directly from Federally-funded drug treatment programs. (Programs for treatment of alcohol abuse were not included.) Reporting was mandatory for all such programs, and data were collected using a standard form. CODAP included all clients in Federally-funded programs regardless of individual funding source. Reports were issued from 1973 to 1981 based on data from 1,800 to 2,000 programs, including some 200,000 annual admissions.

In 1981, collection of national-level data on admissions to substance abuse treatment was discontinued because of the introduction of the Alcohol, Drug Abuse, and Mental Health Services (ADMS) Block Grant. The Block Grant transferred Federal funding from individual programs to the States for distribution, and it included no data reporting requirement. Participation in CODAP became voluntary; although several States submitted data through 1984, the data were in no way nationally representative.

In 1988, the Comprehensive Alcohol Abuse, Drug Abuse, and Mental Health Amendments (P.L. 100-690) established a revised Substance Abuse Prevention and Treatment (SAPT) Block Grant and mandated Federal data collection on clients receiving treatment for either alcohol or drug abuse. The Treatment Episode Data Set (TEDS) data collection effort represents the Federal response to this mandate. TEDS began in 1989 with the issue of 3-year development grants to States.

## **State Data Collection Systems**

TEDS is an exceptionally large and powerful data set that covers a significant proportion of all admissions to substance abuse treatment. TEDS is a compilation of data collected through the individual data collection systems of the State substance abuse agencies (SSAs) for substance abuse treatment. States have cooperated with the Federal Government in the data collection process, and substantial progress has been made toward developing a standardized data set. However, because each State system is unique and each State has unique powers and mandates, significant differences exist among State data collection systems. These differences are compounded by evolving health care payment systems, and State-to-State comparisons must be made with extreme caution.

The number and client mix of TEDS admissions do not represent the total national demand for substance abuse treatment or the prevalence of substance abuse in the general population.

States differ widely in the amount of public funding available for substance abuse treatment and in the constraints placed on the use of funds. States may be directed to target special populations such as pregnant women or adolescents. Where funds are limited, States may be compelled to exercise

triage in admitting persons to treatment, admitting only those with the most "severe" problems. In States with higher funding levels, a larger proportion of the population in need of treatment may be admitted, including the less severely impaired.

States may include or exclude reporting by certain sectors of the treatment population, and these sectors may change over time. For example, treatment programs based in the criminal justice system may or may not be administered through the State SSA. Detoxification facilities, which can generate large numbers of admissions, are not uniformly considered treatment facilities and are not uniformly reported by all States.

*Appendix Table 1* presents key characteristics of State data collection systems for 2010. However, these characteristics can change as State substance abuse treatment systems change, and thus may be responsible for some year-to-year variation within States.

- Facilities included. The scope of facilities included in TEDS is affected by differences in State licensure, certification, and accreditation practices, and disbursement of public funds. Most SSAs require facilities that receive State/public funding (including Federal Block Grant funds) for the provision of alcohol and/or drug treatment services to report data to the SSA. Generally this funding is distributed by the SSA but may be distributed by another public agency.
- Some SSAs regulate private facilities, methadone clinics, and/or individual practitioners and require them to report TEDS data. Others do not because of the difficulty in obtaining data from these facilities, although these facilities may report voluntarily. Facilities operated by Federal agencies (e.g., the Bureau of Prisons, the Department of Defense, and the Department of Veterans Affairs) generally do not report TEDS data to the SSA, although some facilities operated by the Indian Health Service are included. Hospital-based substance abuse treatment facilities are frequently not licensed through the SSA and do not report TEDS data. Correctional facilities (State prisons and local jails) are monitored by the SSA and report TEDS data in some States but not in others.
- The primary goal of TEDS is to monitor the characteristics of clients admitted to planned, continuing treatment regimens. Thus early intervention and crisis intervention programs that do not lead to enrollment in continued treatment are excluded from TEDS.
- Clients included. About 60 percent of States reported data on all admissions to all eligible facilities, although some reported only, or largely, admissions financed by public funds. TEDS is an admission-based system; therefore, TEDS admissions do not represent individuals. For example, an individual admitted to treatment twice within a calendar year would be counted as two admissions.
- Ability to track multi-service episodes. The goal for the TEDS system is to enumerate treatment episodes by distinguishing the initial admission of a client from his/her subsequent transfer to a different service type (e.g., from rehabilitation/residential treatment to outpatient) within a single continuous treatment episode. Thus TEDS records are ideally coded as admissions if they represent the initial treatment service in a treatment episode and as transfers if they represent a change in service type or a change in provider without an interruption in treatment.

This requires, however, that clients be assigned unique IDs that can be linked across providers; not all States are legally and/or technologically able to do this. Most States can identify as transfers a change in service type within the structure of a given provider. However, fewer can also identify a transfer involving a change of provider. Several States do not track transfers, but instead report as transfers those clients who are discharged and readmitted within a specified (State-specific) time period.

Because some admission records in fact may represent transfers, the number of admissions reported probably overestimates the number of treatment episodes. Some States reported a limited data set on codependents of substance abusers entering treatment. On average, from 2000 through 2010, 83 percent of all records submitted were client admissions, 15 percent were client transfers, and 2 percent were codependents of substance abusers.

- Services offered. A State's mix of service types (e.g., outpatient, detoxification, rehabilitation/ residential, opioid therapy) can have a significant effect on its admission rate. There is higher client turnover and therefore more admissions in short-stay services such as detoxification than in long-stay services such as outpatient or long-term residential treatment. Admission rates for individual substances of abuse may be affected as well (e.g., detoxification is more closely associated with alcohol or heroin use than with use of other substances).
- Completeness and timeliness of reporting. SAMHSA, in reporting national-level TEDS data, must balance timeliness of reporting and completeness of the data set. There may be a time lag in the publication of SAMHSA's annual report because preparation cannot begin until States have completed their data submission for that year. States in turn rely on individual facilities to report in a timely manner so they can submit TEDS data to SAMHSA at regular intervals.

Admissions from facilities that report late to the States will appear in a later data submission to SAMHSA, so the number of annual admissions in a report may be higher in subsequent reports. The number of additional admissions is small because of the time lag in issuing the report. Thus the percentage distributions will change very little in subsequent reports, although Census division- and State-level data may change somewhat more for States with reporting delays (State report only).

States continually review and improve their data collection and processing. When systematic errors are identified, States may revise or replace historical TEDS data files. While this process represents an improvement in the data system, the historical statistics in this report will differ slightly from those in earlier reports.

Appendix Tables 2 and 3 indicate the proportions of records by State or jurisdiction for which valid data were received for 2010. States are expected to report all variables in the Minimum Data Set (Appendix Table 2). Variables in the Supplemental Data Set are collected at the States' option (Appendix Table 3).

## **Report-Specific Considerations**

• The report focuses on treatment admissions for substance abusers, so admissions for treatment as a codependent of a substance abuser are excluded. Records for identifiable transfers within a single treatment episode are also excluded.

- Records with partially complete data have been retained. Where records include missing or
  invalid data for a specific variable other than primary, secondary, or tertiary substance, those
  records are excluded from tabulations of that variable. For substance variables, missing or
  unknown responses were included in the category "Other." The total number of admissions on
  which a percentage distribution is based is reported in each table.
- Records with partially complete data have been retained. If a variable is coded with a value
  indicating the data were missing or miscoded, the record is excluded from tabulations of that
  variable. The total number of records on which a percentage distribution is based is reported
  in each table.
- Variables in the Supplemental Data Set are not collected by all States. States that did not collect
  a specific variable are excluded from tabulations of that variable. The total number of admissions on which a percentage distribution is based is reported in each table.
- The *primary, secondary, and tertiary substances of abuse* reported to TEDS are those substances that led to the treatment episode and not necessarily a complete enumeration of all drugs used at the time of admission.
- Primary alcohol admissions are classified as "Alcohol only" or "Alcohol with secondary drug abuse." The latter indicates a primary alcohol admission with a specified secondary and/or tertiary drug. All other primary alcohol admissions are classified as "Alcohol only."
- Cocaine admissions are classified according to route of administration as smoked and other
  route. Smoked cocaine primarily represents crack or rock cocaine, but can also include cocaine
  hydrochloride (powder cocaine) when it is free-based. Non-smoked cocaine includes all cocaine
  admissions where cocaine is injected, inhaled, or taken orally; it also includes admissions where
  the route of administration is unknown or not collected. Thus the TEDS estimate of admissions
  for smoked cocaine is conservative.
- Methamphetamine/amphetamine admissions include admissions for both substances, but are
  primarily for methamphetamine. In 2010, methamphetamine constituted about 91 percent of
  combined methamphetamine/amphetamine admissions. Oregon and Texas, States with large
  numbers of methamphetamine admissions, reported them as *Other amphetamines* until 2005
  and 2006, respectively.
- For this report, secondary and tertiary substances (see Appendix B) are grouped and referred to as secondary substances.
- Significant changes in the clients or facilities reported to TEDS by some States and jurisdictions can result in changes in the number of admissions large enough to influence trends.

Appendix Table 1. State data system reporting characteristics: 2010

State or	Facilities reporting TEDS data to the State	e SSA	Eliable elianda	Change of service	Change of provider
jurisdiction	Facilities required to report to the State SSA <sup>1</sup>	Facilities reporting voluntarily to the State SSA	Eligible clients	within episode	within episode
Alabama	Facilities that receive State/public funding	None	All clients in facility	Admission	Admission
Alaska	Facilities that receive State/public funding	None	All clients in facility	Transfer	Admission
Arizona	Facilities that receive State/public funding	None	State/public-funded clients only	n/a ²	n/a²
Arkansas	Facilities that are licensed by State SSA	State Community Correction facilities Some private facilities	All clients in a licensed facility	Transfer	Admission
California	Facilities that receive State funding All licensed narcotic treatment facilities	None	All clients in facility except DUI	Transfer	Transfer
Colorado	State-licensed facilities Methadone facilities Community-based juvenile and adult justice treatment programs, except institutionally-based	None	All clients receiving substance abuse treatment services in facility	Admission	Admission
Connecticut	Facilities that receive State/public funding (including corrections) Facilities serving adults that are licensed by State Dept of Public Health Some facilities treating youth < 18 General hospitals funded by SSA	None	All clients in facility	Admission	Admission
Delaware	Facilities that receive State/public funding, excluding: - Child/youth services - Most Medicaid-funded services - Most criminal justice system services	None	State/public-funded clients only	Admission	Admission
Dist. of Columbia	Facilities that receive State/public funding	None	State/public-funded clients only	Transfer	Admission
Florida	Facilities that receive State/public funding	None	All clients in facility	Transfer	Admission
Georgia	Facilities that receive SAPT/BG, State and Medicaid funding through the State SSA (this includes Medicaid for foster children, aged, blind, and disabled individuals)	None	SSA funded clients with SA or co-occurring SA and MH disorders	Admission	Admission
Hawaii	Facilities that receive State/public funding	None	All clients in facility	Admission	Admission

# Appendix Table 1. State data system reporting characteristics: 2010 (continued)

State or	Facilities reporting TEDS data to the State	Eliqible clients	Change of service	Change of provider	
jurisdiction	Facilities required to report to the State SSA <sup>1</sup>	Facilities reporting voluntarily to the State SSA	Eligible Clients	within episode	within episode
ldaho	Facilities that receive State/public funding	None	State/public-funded clients only	Transfer	Admission
Illinois	Facilities that receive funding through the State SSA (this includes Medicaid paid sub-acute addiction treatment services)	None	State/public-funded clients only	Transfer	Admission
Indiana	Facilities that receive State/public funding	None	State/public-funded clients only	Transfer	Admission
lowa	Facilities that receive State/public funding Facilities that are licensed/certified by State SSA Medicare-certified facilities	State prison DHS youth facility	All clients in facility	Transfer	Admission
Kansas	Facilities that receive State/public funding Medicaid-certified facilities Department of Corrections 4th-time DUI facilities	None	All clients in facility	Transfer	Transfer
Kentucky	Facilities that receive State/public funding	None	All clients in facility	Transfer	Admission
Louisiana	Facilities that receive State/public funding State programs	None	State/public-funded clients only	Admission	Admission
Maine	Facilities that receive State/Federal/public funding Facilities licensed by the State	Some private substance abuse providers report	All clients in facility	Admission	Admission
Maryland	Facilities that receive state/public funding	None	All clients in facility	Transfer	Admission
Massachusetts	Facilities that are licensed/certified and hold a contract with the State SSA	Houses of corrections and some private Opioid treatment programs that do not have a contract with the State	All clients in facility	Admission	Admission
Michigan	Facilities that receive State/public funding Medicaid providers of substance abuse treatment	None	Clients whose services are supported by State/public funds through the Dept of Community Health, including Medicaid	Transfer	Transfer
Minnesota	Providers serving publicly-funded clients	None	All clients in facility	Admission	Admission

# Appendix Table 1. State data system reporting characteristics: 2010 (continued)

State or	Facilities reporting TEDS data to the State	e SSA	Fliwible eliente	Change of service	Change of provider
jurisdiction	Facilities required to report to the State SSA <sup>1</sup>	Facilities reporting voluntarily to the State SSA	- Eligible clients	within episode	within episode
Mississippi	Facilities that receive State/public funding Facilities certified by Mental Health Department	None	All clients in facility	Transfer	Admission
Missouri	Facilities that receive State/public funding	None	State/public-funded clients only	Transfer	Admission
Montana	Facilities that receive State/public funding Facilities that are licensed/certified by State SSA	None	All clients in facility except DUI clients	Transfer	Admission
Nebraska	Facilities that receive SSA-administered State/public funding	None	State/public-funded clients only	Admission	Admission
Nevada	Facilities that receive State/public funding	None	All clients in facility	Transfer	Transfer
New Hampshire	Facilities that receive State/public funding, Methadone, Maintenanace facilities	None	State/public-funded clients only	Transfer	Admission
New Jersey	Facilities that receive State/public funding Facilities that are licensed/certified by State SSA Facilities in State intoxicated driver program	Some private facilities and solo practitioners	All clients in facility	Admission	Admission
New Mexico	Facilities that receive SSA substance abuse funding	None	SSA funded clients with SA or co-occurring SA and MH disorders	Transfer	Transfer
New York	Facilities that receive State/public funding Facilities that are licensed/certified by State SSA	None	All clients in facility	Admission	Admission
North Carolina	Facilities that receive State/public funding	None	All clients in facility	Transfer	Transfer
North Dakota	Eight State Divisional service centers and other facilities receiving SAPT block grant funds One State hospital	Some private facilities	All clients in State Hospital and Regional Human Services Centers Small privates report only SAPT- funded clients	n/a³	Admission
Ohio	Facilities that receive State/public funding	None	State/public-funded clients only	Admission	Admission
Oklahoma	Facilities that receive State/public funding	None	State/public-funded clients only	Transfer	Admission
Oregon	Facilities that receive State/public funding or are required because they provide DUI or methadone treatment	None	All clients in facility	Admission	Admission
Pennsylvania	Facilities that receive SAPT BG/State funds through the Dept of Health; this includes some but not all Medicaid funds spent on substance abuse diagnoses	Some, but not all, county prisons, hospitals, and private providers and solo practitioners	State/public-funded clients only are required; data on all clients are requested and received from some facilities	Admission	Admission

# Appendix Table 1. State data system reporting characteristics: 2010 (continued)

State or	Facilities reporting TEDS data to the St	ate SSA		Change of service	Change of provider
jurisdiction	Facilities required to report to the State SSA 1	Facilities reporting voluntarily to the State SSA	Eligible clients	within episode	within episode
Puerto Rico	Facilities that receive State/public funding	None	All clients in facility	Admission	Admission
Rhode Island	Facilities that receive State/public funding Facilities that are licensed/certified by State SSA VA Hospital reports voluntarily	None	All clients in facility	Admission	Admission
South Carolina	Facilities that receive State/public funding	None	All clients in facility	Transfer	Admission
South Dakota	Facilities that receive State/public funding Facilities that are licensed/certified by State SSA Medicare- certified facilities Solo practitioners licensed/certified by State SSA	None	All clients in facility	Transfer	Admission
Tennessee	Facilities that receive State/public funding	None	State/public-funded clients only	Transfer	Admission
Texas	Facilities that receive State/public funding	None	State/public-funded clients only	Admission	Admission
Utah	Facilities that receive State/public funding	None	All clients in facility	Transfer	Transfer
Vermont	Facilities that receive State/public funding	None	All clients in facility	Transfer	Admission
Virginia	Facilities that receive State/public funding	None	All clients in facility	n/a ³	Admission
Washington	Facilities that receive State/public funding Medicare-certified facilities	State-certified privately funded methadone treatment programs	State/public-funded clients only are required; data on all clients are requested and received from some facilities	Transfer	Transfer
West Virginia	Facilities that receive State/public funding	None	All clients in facility	Transfer	Transfer
Wisconsin	Facilities that receive State/public funding	None	State/public-funded clients only	Admission	Admission
Wyoming	Facilities that receive State/public funding	None	All clients in a facility	Admission	Admission

<sup>&</sup>lt;sup>1</sup> "State/public funding" generally refers to funding by the State Substance Abuse Agency but may also include funding by another public agency.

SOURCE: State Substance Abuse Agencies, January 2012.

<sup>&</sup>lt;sup>2</sup> Neither an admission nor transfer record results from a change in service or provider.

 $<sup>^3</sup>$  Neither an admission nor transfer record results from a change in service within a provider. n/a Not applicable.

Appendix Table 2. Item percentage response rate by State or jurisdiction: TEDS Minimum Data Set 2010

[Based on administrative data reported to TEDS by all reporting States and jurisdictions. Comparisons among States should be made with caution.]

Total   91   98   100   100   97   98   98   97   99   99   98   55   59   94   86   22   29   81   100   98   98   98   89   98   89   98   89   98   89   98   89   98   89   98   89   98   99   98   89   98   98   99   98   89   98   99   98   98   99   98   99   98   99   98   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99			•							F	rimary sı			Se	condary s			Tertiary substance				Туре	Opioid
Total   91   98   100   100   97   98   99   99   100   98   99   98   95   55   59   94   86   22   29   81   100   98   98   99   98   99   98   99   98   99   98   99   98   99   98   99   98   99   98   99   98   99   98   99   98   99   98   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99   99	State or	Prior	Refer-					Edu-	Em-			Fre-	Age			Fre-	Age			Fre-	Age	of	re-
Total 91 98 100 100 97 98 97 99 100 98 98 99 98 55 59 94 86 22 29 81 100 98 84 84 84 84 84 97 100 100 98 100 100 98 100 100 99 100 100 100 100 100 100 100	jurisdiction	treat-	ral		Gen-		Ethni-	ca-	ploy-	Sub-		,	at 1st	Sub-		quen-			_			ser-	place-
Alabama 96 88 100 100 94 87 5 98 100 99 98 72 100 43 42 72 100 17 17 77 17 100 71 Alaska 100 94 100 100 87 84 90 93 98 97 92 88 98 46 44 94 97 20 19 96 100 100 40 Afracana 40 93 100 100 98 100 100 100 100 85 89 100 100 39 41 100 100 104 14 14 100 100 40 Afracana 100 100 100 100 100 98 100 99 99 100 100 99 100 100 100 55 55 100 100 17 17 17 100 100 96 100 100 100 100 100 100 100 55 55 100 100		ment	source	Age	der	Race	city	tion	ment	stance	Route 1	cy 1	use 1	stance	Route <sup>2</sup>	cy <sup>2</sup>	use 2	stance	Route <sup>3</sup>	cy <sup>3</sup>	use 3	vice	ment
Alaska 100 94 100 100 87 84 90 93 98 97 92 88 97 92 88 108 4 6 44 94 107 20 199 96 100 100 Arkansas 100 100 100 98 100 100 100 100 100 85 89 100 100 100 39 41 100 100 14 14 100 100 40 Arkansas 100 100 100 100 100 100 99 100 100 99 100 100	Total	91	98	100	100	97	98	97	99	100	98	98	99	98	55	59	94	86	22	29	81	100	98
Arizona 40 93 100 100 100 98 100 100 100 100 85 89 100 100 100 39 41 100 100 100 14 14 14 100 100 440 Arkansas 100 100 100 100 100 100 99 99 100 100 1	Alabama							-															
Arkansas 100 100 100 100 100 100 99 99 100 100 99 100 100																							
California 99 100 100 100 100 96 100 99 100 100 99 100 100 100 55 56 100 100 97  Colorado 100 100 100 100 88 99 8 100 100 98 98 8 100 100 100 100 100 339 40 100 100 13 13 13 100 100 100 100 100 1																							
Colorado 100 100 100 100 100 98 100 98 98 100 98 98 98 100 100 100 100 100 100 39 40 100 100 13 13 13 100 100 100 100 100 1																							
Connecticut 91 86 100 100 89 95 94 91 96 93 96 99 100 87 96 93 96 99 100 87 96 90 93 60 91 61 91 28 88 28 100 91 97 100 100 100 100 100 100 100 100 100 10																				12			
Delaware 9 9 92 100 98 99 96 99 100 87 96 90 93 60 91 100 87 96 90 93 60 91 61 91 97 28 88 28 100 91 97 20 20 20 100 95 100 98 99 99 95 96 99 97 45 46 100 97 18 19 100 100 100 100 100 100 100 100 100																							
Dist. of Columbia # # # # # # # # # # # # # # # # # # #	Delaware																						
Georgia	Dist. of Columbia	#	#		‡		#	‡	#	±	‡		#	<b>‡</b>	#	#	‡	‡				±	
Hawāii 100 100 100 100 100 50 93 99 100 100 99 98 97 100 100 100 100 100 100 100 100 100 10	Florida	84	97	100	100	95	100	98	99	99	95	96	99	97	45	46	100	97	18	19	100	100	100
Idaho 100 100 100 100 100 100 99 98 97 100 100 100 100 100 100 100 100 100 10	Georgia								‡		‡						‡	<b>‡</b>					
Illinois   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100	Hawaii																						
Indiana 100 96 100 100 91 95 89 96 100 86 85 87 100 56 55 73 100 28 28 61 100 100 100 100 100 100 100 100 100																							
lowa 100 100 100 100 100 100 100 100 100 10																							
Kansas 100 100 100 100 100 100 100 100 100 10																							
Kentucky         100         100         100         100         100         100         100         100         100         100         100         100         100         100         99         100         99         100         60         60         100         100         32         32         100         100         100           Louisiana         99         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100 </td <td></td>																							
Louisiana 99 100 100 100 100 100 99 100 100 99 100 100																							
Maine 100 100 100 100 100 100 100 100 100 10																							
Massachusetts 100 99 100 100 96 98 95 96 100 99 100 100 51 100 100 100 22 100 100 100 100 100 Michigan 100 100 100 100 100 98 100 100 100 99 99 99 99 100 52 53 53 100 19 20 20 100 100 Mississippi	Maine																						
Michigan 100 100 100 100 98 100 100 100 99 99 99 100 52 53 53 100 19 20 20 100 100 100 100 100 100 100 100 1	Maryland	100	100	100	100	100	100	100	100	100	100	100	100	100	64	64	67	100	35	35	41	100	100
Minnesota 99 100 100 100 97 100 99 98 100 99 100 99 100 99 100 56 56 99 100 20 21 100 100 100 Mississippi	Massachusetts																						
Mississippi																							
Missouri 100 99 100 100 98 100 100 100 100 100 100 100 99 59 59 99 99 25 25 99 100 100 100 Montana 100 100 100 100 100 100 100 100 100 10																							
Montana 100 100 100 100 97 100 100 100 100 100 100 100 100 100 10	• • •		•	•	ŧ	ŧ	÷	ŧ	÷	+	•	Ŧ	ŧ			-	-			-	+		-
Nebraska 100 99 100 100 96 99 97 100 100 98 87 99 100 32 30 100 100 14 13 100 100 100 Nevada 100 100 100 100 94 93 99 100 100 98 96 100 100 51 98 53 100 17 99 18 100 100	Missouri																						
Nevada 100 100 100 100 94 93 99 100 100 98 96 100 100 51 98 53 100 17 99 18 100 100																							
vew nampanie nou	New Hampshire	100	100	100	100	100	100	100	100	100	97	99	100	100	59	61	100	100	29	30	100	100	100

Appendix Table 2. Item percentage response rate by State or jurisdiction: TEDS Minimum Data Set 2010 (continued)

[Based on administrative data reported to TEDS by all reporting States and jurisdictions. Comparisons among States should be made with caution.]

									Primary substance			Se	Secondary substance				Tertiary substance				Opioid	
State or jurisdiction	Prior treat-	Refer- ral		Gen-		Ethni-	Edu- ca-	Em- ploy-	Sub-		Fre- quen-	Age at 1st	Sub-		Fre- quen-	Age at 1st	Sub-		Fre- quen-	Age at 1st	Type of ser-	re- place-
	ment	source	Age	der	Race	city	tion	ment	stance	Route 1	cy 1	use 1	stance	Route 2	cy <sup>2</sup>	use <sup>2</sup>	stance	Route <sup>3</sup>	cy <sup>3</sup>	use 3	vice	ment
New Jersey	100	98	100	100	99	100	97	97	100	100	100	100	100	55	55	100	100	21	21	100	100	97
New Mexico	65	47	100	96	81	90	86	88	96	80	57	96	96	29	21	96	96	10	8	96	100	62
New York	70	100	100	100	100	100	100	100	100	100	100	100	100	65	65	100	100	29	29	100	100	100
North Carolina	100	100	100	100	100	100	98	100	100	97	99	100	100	29	28	100	100	21	41	100	100	99
North Dakota	99	100	100	100	99	100	99	100	100	100	99	100	100	51	51	64	100	18	18	100	100	100
Ohio	96	99	100	100	97	99	99	98	100	93	93	100	100	52	52	99	99	22	22	99	100	95
Oklahoma	100	100	100	100	95	100	100	100	100	97	98	100	100	52	52	100	100	21	21	100	100	100
Oregon	99	92	100	100	90	100	100	100	100	100	100	100	100	52	52	100	100	18	18	100	100	100
Pennsylvania	100	100	100	100	97	82	82	96	100	98	95	100	48	48	46	48	21	21	20	21	100	100
Puerto Rico	48	97	100	100	79	100	98	99	100	99	98	97	100	41	39	41	100	20	19	20	100	100
Rhode Island	100	97	100	100	85	98	97	94	98	97	96	94	96	49	48	94	93	19	19	93	100	100
South Carolina	100	97	100	100	100	100	100	100	100	100	100	100	100	45	45	100	99	16	16	100	100	100
South Dakota	100	100	100	100	100	100	100	100	100	100	100	100	100	47	47	100	100	22	22	100	100	100
Tennessee	100	100	100	100	99	95	99	97	100	99	100	98	100	63	63	98	100	31	31	99	100	100
Texas	100	100	100	100	98	99	100	100	100	99	100	100	100	58	100	100	100	25	98	100	100	100
Utah	100	100	100	100	97	100	100	100	100	100	100	100	100	50	50	100	100	22	22	100	100	100
Vermont	91	96	100	100	98	96	99	99	100	99	100	99	70	46	57	69	46	13	23	46	100	100
Virginia	83	92	100	100	97	97	91	92	97	92	91	95	91	60	58	92	84	30	29	89	100	100
Washington	100	94	100	100	98	94	98	100	100	97	99	100	100	76	79	100	100	46	50	100	100	100
West Virginia	100	100	100	100	84	71	100	82	100	99	100	100	100	47	47	100	100	21	21	100	100	
Wisconsin		100	100	100	100	100	100	100	100	100	100	98	100	37	37	100	99	13	13	100	100	100
Wyoming	100	100	100	100	97	100	99	99	100	92	100	97	100	50	100	60	100	22	100	36	100	1

<sup>&</sup>lt;sup>1</sup> Percent of admissions reporting a specified primary substance.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 10.10.11.

<sup>&</sup>lt;sup>2</sup> Percent of admissions reporting a specified secondary substance.

<sup>&</sup>lt;sup>3</sup> Percent of admissions reporting a specified tertiary substance.

<sup>--</sup> Quantity is zero.

<sup>‡</sup> No data, or less than a full calendar year of data, submitted.

Appendix Table 3. Item percentage response rate by State or jurisdiction: TEDS Supplemental Data Set 2010

Frequency

[Based on administrative data reported to TEDS by all reporting States and jurisdictions. Comparisons among States should be made with caution.]

State or jurisdiction	Primary detailed drug <sup>1</sup>	Secondary detailed drug <sup>2</sup>	Tertiary detailed drug <sup>3</sup>	DSM diag- nosis	Psych- iatric problem	Preg- nant <sup>4</sup>	Veteran	Living arrange- ment	Income source	Health insur- ance	Pay- ment source	Detailed not-in- labor- force <sup>5</sup>	Detailed criminal justice referral <sup>6</sup>	Marital status	Days waiting for treat- ment	Arrests in past 30 days	of attendance at self-help programs
Total	41	24	12	41	72	94	88	95	68	46	34	85	72	80	51	90	47
Alabama	98	41	15	79	34	96	96	94	87	85	87	98	100	44	24	96	57
Alaska				100	100	92	90	88	90	85	100	100	100	95	100	97	46
Arizona				100	40	100		97		60		98		67	100	100	92
Arkansas				73		100	99	100		88	99	91	98				*
California					99	99	99	100					100		99	100	
Colorado	100	40	13	98	81	99	100		91	94	100		100				31
Connecticut				95		92	85	91				93				• • •	59
Delaware				61	98	91	90	99		99		82	80				
District of Columbia	‡	‡	‡	‡	‡	‡	#	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡
Florida	97	47	19	100	100	100	100	99	91			100	100	98	100	100	28
Georgia	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡
Hawaii	99	64		100		98	100	100		90			100			99	92
Idaho	100	73	38	100	100			100				100	65				43
Illinois				100		100		100		100	35		100				96
Indiana				100		100	91	98		81		98	98	96		99	98
Iowa					100	100	100	100	100	90	99	100	78	100	100	100	75
Kansas	100	67	31		100	100	100	100	100	100	100	100	100	100	100	100	79
Kentucky	100	59	32	100	100	99	99	98		100	100	100	100	100			65
Louisiana				99	100	100	100	100	99	100	71	100	100	100	100		92
Maine	98	57	30		100	100	100	100	85	100	15	72		100	85	100	57
Maryland	100	64	35			97				90			100				
Massachusetts						100			92	100			100			92	
Michigan				100	100	100	100	100						100		100	73
Minnesota						100	99	99				100		• • •		99	96
Mississippi	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡
Missouri	100	59	25	20	100	98	100	98	100	100	100	100	100	100	70	100	64
Montana	100	70		100		100		100		100			96			100	100
Nebraska	99	33	14	100	100	100	100	100		100		100	100			100	100
Nevada				73		96	99	99		92		42	93				77
New Hampshire	99	61	30	6	14	100	100	100	98	100	100	100	100	100	100	100	*

# Appendix Table 3. Item percentage response rate by State or jurisdiction: TEDS Supplemental Data Set 2010 (continued)

[Based on administrative data reported to TEDS by all reporting States and jurisdictions. Comparisons among States should be made with caution.]

State or jurisdiction	Primary	,	Tertiary	DSM	Psych-	D		Living		Health	Pay-	Detailed not-in-	Detailed criminal		Days waiting	Arrests	Frequency of attendance
	detailed drug <sup>1</sup>	detailed drug <sup>2</sup>	detailed drug <sup>3</sup>	diag- nosis	iatric problem	Preg- nant⁴	Veteran	arrange- ment	Income source	insur- ance	ment source	labor- force <sup>5</sup>	justice referral <sup>6</sup>	Marital status	for treat- ment	in past 30 days	at self-help programs
New Jersey	100	55	21		63	68	100	99	67	90	53	100	96	99	86	100	49
New Mexico	88	27	9	100	100	57	88	91	81	83	35	73	96	89	89	17	5
New York	100	65	29		70	77	100	100	100			100	96	70		70	66
North Carolina				100	100	100	100	100				100		100		100	27
North Dakota	100	51	18	100	100	100	97	99	96	97	95	96	95	98	100	100	77
Ohio	**	**	**	100	100	100	100	97	96		100	100	25	98	100	99	38
Oklahoma				27	100	100	100	100		100		100	98	100		100	94
Oregon						100		100	100	100		70	100	90		100	*
Pennsylvania						100	100		90	93	97	100	71	100			
Puerto Rico	98	34	16	94	98	100	98	93	90	98	98	85	3	75	100	100	
Rhode Island				98	89	91	74	98			99	100	99	97		95	86
South Carolina				100	100	100	100	100	100	100	100	100		100	100	100	67
South Dakota	100	47	22	100	95	98	100	100	98	97	100	98	100	100	100	100	86
Tennessee	100	64	31	100	100	97	49	98		96		100		99	100	100	80
Texas						86	100	100	100	100	100	96	68	100	100	100	100
Utah				100	100	100		100	98	99	100	100	100	100	99	100	90
Vermont				99		92		92			99	100				93	6
Virginia				95		92		93				100				90	71
Washington					100	100	99	100				100		100		99	*
West Virginia				100	87	99	72	99	79	70	71	100	85	100			
Wisconsin						100		85				100				86	
Wyoming				100	100	92	98	100	98	100	25	100	100	99	100	99	39

<sup>&</sup>lt;sup>1</sup> Percent of admissions reporting a specified primary substance.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 10.10.11.

<sup>&</sup>lt;sup>2</sup> Percent of admissions reporting a specified secondary substance.

<sup>&</sup>lt;sup>4</sup> Percent of female admissions.

<sup>&</sup>lt;sup>5</sup> Percent of admissions reporting employment status as "Not in labor force."

<sup>&</sup>lt;sup>3</sup> Percent of admissions reporting a specified tertiary substance.

<sup>&</sup>lt;sup>6</sup> Percent of admissions reporting referral source as "Criminal justice system."

<sup>\*</sup> Less than 5 percent.

<sup>\*\*</sup> Less than 1 percent.

<sup>--</sup> Quantity is zero.

<sup>‡</sup> No data, or less than a full calendar year of data, submitted.

# APPENDIX B TEDS DATA ELEMENTS

# TEDS MINIMUM DATA SET

#### CLIENT OR CODEPENDENT/COLLATERAL

Specifies whether the admission record is for a substance abuse treatment client, or a person being treated for his/her codependency or collateral relationship with a substance abuser.

- Client—Must meet all of the following criteria:
  - Has an alcohol or drug related problem
  - Has completed the screening and intake process
  - Has been formally admitted for treatment or recovery service in an alcohol or drug treatment unit
  - Has his or her own client record

A person is not a client if he or she has completed only a screening or intake process or has been placed on a waiting list.

- Codependent/collateral—Must meet all of the following criteria:
  - Has no alcohol or drug related problem
  - Is seeking services because of problems arising from his or her relationship with an alcohol or drug user
  - Has been formally admitted for service to a treatment unit
  - Has his or her own client record or has a record within a primary client record

GUIDELINES: Reporting of data for *Codependent/collaterals* is optional. If the State opts to report codependent/collateral clients, the mandatory fields are *State code*, *Provider identifier*, *Client identifier*, *Client transaction type*, *Codependent/collateral*, and *Date of admission*. Reporting of the remaining fields in the TEDS Minimum and Supplemental Data Sets is optional. For all items not reported, the data field should be coded with the appropriate "Not collected" or "Not applicable" code.

If a substance abuse client with an existing record in TEDS becomes a codependent, a new client record should be submitted indicating that the client has been admitted as a codependent, and vice versa.

If a record does not include a value for this field, it is assumed to be a substance abuse client record.

#### TRANSACTION TYPE

Identifies whether a record is for an initial admission or a transfer/change in service. Note: Some States may use other terminology such as "initial admission" and "transfer admission" in place of "admission" and "transfer."

- A—Admission
- T—Transfer/change in service

GUIDELINES: For TEDS, a treatment episode is defined as that period of service between the beginning of treatment for a drug or alcohol problem and the termination of services for the prescribed treatment plan. The episode includes one admission (when services begin) and at least one discharge (when services end). Within a treatment episode, a client may transfer to a different service, facility, provider, program, or location. Each admission and transfer record should have an associated discharge record.

When it is feasible for the State to identify transfers, they should be reported as transfers in admissions data submissions. When admissions and transfers cannot be differentiated in a State data system, such changes in service or facility should be reported to TEDS as admissions.

Data set considerations for transfers:

- All fields from the transfer record should be updated to reflect values at the time of transfer except the following fields, which must have the same values as in the associated (preceding) admission record: *Client ID, Codependent/collateral, Date of birth, Sex, Race*, and *Ethnicity*. If a field cannot be updated, it should be transmitted to TEDS with its value from the associated (preceding) admission record.
- *Date of admission* is defined as the date services begin after the transfer to another service or facility.

# **DATE OF ADMISSION**

The day when the client receives his or her first direct treatment or recovery service. For transfers, this is the date when client receives his or her first direct treatment after the transfer has occurred.

# **TYPE OF SERVICES**

Describes the type of service and treatment setting in which the client is placed at the time of admission or transfer.

- **Detoxification, 24-hour service, hospital inpatient**—24-hour per day medical acute care services in a hospital setting for detoxification of persons with severe medical complications associated with withdrawal
- **Detoxification, 24-hour service, free-standing residential**—24-hour per day services in a non-hospital setting providing for safe withdrawal and transition to ongoing treatment

- Rehabilitation/residential, hospital (other than detoxification)—24-hour per day medical care in a hospital facility in conjunction with treatment services for alcohol and other drug abuse and dependency
- Rehabilitation/residential, short-term (30 days or fewer)—Typically, 30 days or less of non-acute care in a setting with treatment services for alcohol and other drug abuse and dependency
- Rehabilitation/residential, long-term (more than 30 days)—Typically, more than 30 days of non-acute care in a setting with treatment services for alcohol and other drug abuse and dependency; this may include transitional living arrangements such as halfway houses
- **Ambulatory, intensive outpatient**—As a minimum, the client must receive treatment lasting two or more hours per day for three or more days per week
- **Ambulatory, non-intensive outpatient**—Ambulatory treatment services including individual, family, and/or group services, and may include pharmacological therapies
- **Ambulatory, detoxification**—Outpatient treatment services providing for safe withdrawal in an ambulatory setting (pharmacological or non-pharmacological)

#### **AGE**

Identifies client's age at admission. Derived from client's date of birth and date of admission.

- 0—Indicates a newborn with a substance dependency problem
- 1-96—Indicates the age at admission

# **SEX**

Identifies client's gender.

- Male
- Female

#### **RACE**

Specifies the client's race.

- Alaska Native (Aleut, Eskimo, Indian)—Origins in any of the original people of Alaska
- American Indian (other than Alaska Native)—Origins in any of the original people of North America and South America (including Central America) and who maintain cultural identification through tribal affiliation or community attachment
- **Asian or Pacific Islander**—Origins in any of the original people of the Far East, the Indian subcontinent, Southeast Asia, or the Pacific Islands

- Asian—Origins in any of the original people of the Far East, the Indian subcontinent, or Southeast Asia, including, for example, Cambodia, China, India, Japan, Korea, Malaysia, Philippine Islands, Thailand, and Vietnam
- Native Hawaiian or other Pacific Islander—Origins in any of the original people of Hawaii, Guam, Samoa, or other Pacific Islands
- Black or African American—Origins in any of the black racial groups of Africa
- White—Origins in any of the original people of Europe, North Africa, or the Middle East
- Other single race—Client is not classified in any category above or whose origin group, because of area custom, is regarded as a racial class distinct from the above categories
- **Two or more races**—For use when the State data system allows multiple race selection and more than one race is indicated

GUIDELINES: If a State does not distinguish between *American Indian* and *Alaska Native*, both should be coded as *American Indian*. If a State does not distinguish between *Asian* and *Native Hawaiian or other Pacific Islander*, both should be coded as *Asian or Pacific Islander*. For States that collect multiple races: a) when a single race is designated, the specific race code should be used; b) if the State collects a primary or preferred race along with additional races, the code for the primary/preferred race should be used; c) if the State uses a system such as an algorithm to select a single race when multiple races have been designated, the same system may be used to determine the race code for TEDS. When two or more races have been designated and neither (b) nor (c) above apply, the TEDS code for *Two or more races* should be used.

# MEDICATION-ASSISTED OPIOID THERAPY

Identifies whether the use of methadone or buprenorphine is part of the client's treatment plan.

- Yes
- No

# **ETHNICITY**

Identifies client's specific Hispanic origin.

- Puerto Rican—Of Puerto Rican origin, regardless of race
- Mexican—Of Mexican origin, regardless of race
- Cuban—Of Cuban origin, regardless of race
- Other specific Hispanic—Of known Central or South American or any other Spanish cultural origin (including Spain), other than Puerto Rican, Mexican, or Cuban, regardless of race
- **Hispanic (specific origin not specified)**—Of Hispanic origin, but specific origin not known or not specified
- Not of Hispanic origin

GUIDELINES: If a State does not collect specific Hispanic detail, code *Ethnicity* for Hispanics as *Hispanic (specific origin not specified)*.

#### NUMBER OF PRIOR TREATMENT EPISODES

Indicates the number of previous treatment episodes the client has received in any drug or alcohol program. Changes in service for the same episode (transfers) should *not* be counted as separate prior episodes.

- 0 previous episodes
- 1 previous episode
- 2 previous episodes
- 3 previous episodes
- 4 previous episodes
- 5 or more previous episodes

GUIDELINES: It is preferred that the number of prior treatments be a self-reporting field collected at the time of client intake. However, this data item may be derived from the State data system if the system has that capability and episodes can be counted for at least several years.

#### **EDUCATION**

Specifies the highest school grade (number of school years) completed by the client.

- **0**—Less than one grade completed
- 1-25—Years of school (highest grade) completed. For General Equivalency Degree, use 12.

GUIDELINES: States that use specific categories for designating education level should map their codes to a logical number of years of school completed. For Associate's Degree, use 14. For Bachelor's Degree, use 16.

# **EMPLOYMENT STATUS**

Identifies the client's employment status at the time of admission or transfer.

- **Full time**—Working 35 hours or more each week, including active duty members of the uniformed services
- Part time—Working fewer than 35 hours each week
- Unemployed—Looking for work during the past 30 days, or on layoff from a job
- **Not in labor force**—Not looking for work during the past 30 days, or a student, homemaker, disabled, retired, or an inmate of an institution. Clients in this category are further defined in the TEDS Supplemental Data Set item *Detailed not-in-labor-force*.

GUIDELINES: Seasonal workers are coded in this category based on their employment status at admission.

### PRINCIPAL SOURCE OF REFERRAL

Describes the person or agency referring the client to the alcohol or drug abuse treatment program.

- Individual (includes self-referral)—Includes the client, a family member, friend, or any other individual who would not be included in any of the following categories; includes self-referral due to pending DWI/DUI
- Alcohol/drug abuse care provider—Any program, clinic, or other health care provider whose
  principal objective is treating clients with substance abuse problems, or a program whose activities are related to alcohol or other drug abuse prevention, education, or treatment
- Other health care provider—A physician, psychiatrist, or other licensed health care professional; or a general hospital, psychiatric hospital, mental health program, or nursing home
- **School (educational)**—A school principal, counselor, or teacher; or a student assistance program (SAP), the school system, or an educational agency
- Employer/EAP—A supervisor or an employee counselor
- Other community referral—Community or religious organization or any Federal, State, or local agency that provides aid in the areas of poverty relief, unemployment, shelter, or social welfare. Self-help groups such as Alcoholics Anonymous (AA), Al-Anon, and Narcotics Anonymous (NA) are also included in this category. Defense attorneys are included in this category.
- Court/criminal justice referral/DUI/DWI—Any police official, judge, prosecutor, probation officer, or other person affiliated with a Federal, State, or county judicial system. Includes referral by a court for DWI/DUI, clients referred in lieu of or for deferred prosecution, or during pretrial release, or before or after official adjudication. Includes clients on pre-parole, pre-release, work or home furlough, or TASC. Client need not be officially designated as "on parole." Includes clients referred through civil commitment. Client referrals on this category are further defined in the TEDS Supplemental Data Set item *Detailed criminal justice referral*.

# SUBSTANCE PROBLEM (PRIMARY, SECONDARY, OR TERTIARY)

These fields identify the client's primary, secondary, and tertiary substance problems. Each *Substance problem* (primary, secondary, and tertiary) has associated fields for *Route of administration*, *Frequency of use*, *Age at first use*, and the TEDS Supplemental Data Set item *Detailed drug code*.

- None
- Alcohol
- Cocaine/crack
- Marijuana/hashish—Includes THC and any other *cannabis sativa* preparations
- Heroin

- Non-prescription methadone
- Other opiates and synthetics—Includes buprenorphine, codeine, hydrocodone, hydromorphone, meperidine, morphine, opium, oxycodone, pentazocine, propoxyphene, tramadol, and any other drug with morphine-like effects
- PCP—Phencyclidine
- Other hallucinogens—Includes LSD, DMT, STP, hallucinogens, mescaline, peyote, psilocybin, etc.
- Methamphetamine
- Other amphetamines—Includes amphetamines, MDMA, phenmetrazine, and other unspecified amines and related drugs
- Other stimulants—Includes methylphenidate and any other stimulants
- Benzodiazepines—Includes alprazolam, chlordiazepoxide, clonazepam, clorazepate, diazepam, flunitrazepam, flurazepam, halazepam, lorazepam, oxazepam, prazepam, temazepam, triazolam, and other unspecified benzodiazepines
- Other non-benzodiazepine tranquilizers—Includes meprobamate and other non-benzodiazepine tranquilizers
- **Barbiturates**—Amobarbital, pentobarbital, phenobarbital, secobarbital, etc.
- Other non-barbiturate sedatives or hypnotics—Includes chloral hydrate, ethchlorvynol, glutethimide, methaqualone, and other non-barbiturate sedatives or hypnotics
- Inhalants—Includes chloroform, ether, gasoline, glue, nitrous oxide, paint thinner, etc.
- Over-the-counter medications—Includes aspirin, cough syrup, diphenhydramine and other antihistamines, sleep aids, and any other legally obtained nonprescription medication
- Other—Includes diphenylhydantoin/phenytoin, GHB/GBL, ketamine, etc.

GUIDELINES: Substance problems are further defined in the TEDS Supplemental Data Set item *Detailed drug code*. For guidance on which specific substances to include in the substance categories, please refer to the detailed drug categories listed for *Detailed drug code*.

- Substance problem and Route of administration:
  - For States that do not collect *Detailed drug code*—A record may not have duplicate *Substance problems* with identical *Routes of administration*
  - For States that do collect *Detailed drug code*—Records may have duplicate *Substance problems* and identical *Route of administration* IF the corresponding *Detailed drug codes* are different or are "multiple" drug codes

# USUAL ROUTE OF ADMINISTRATION (OF PRIMARY, SECONDARY, AND TERTIARY SUBSTANCES)

These fields identify the usual route of administration of the respective Substance problems.

- Oral
- Smoking
- Inhalation
- Injection (IV or intramuscular)
- Other

# FREQUENCY OF USE (OF PRIMARY, SECONDARY, AND TERTIARY SUBSTANCES)

These fields identify the frequency of use of the respective *Substance problems*.

- No use in the past month
- 1-3 times in the past month
- 1-2 times in the past week
- 3-6 times in the past week
- Daily

# AGE OF FIRST USE (OF PRIMARY, SECONDARY, AND TERTIARY SUBSTANCE)

For drugs other than alcohol, these fields identify the age at which the client first used the respective substance. For alcohol, these fields record the age of first intoxication.

- **0**—Indicates a newborn with a substance dependency problem
- 1-96—Indicates the age at first use

# TEDS SUPPLEMENTAL DATA SET

#### PREGNANT AT TIME OF ADMISSION

Specifies whether the client was pregnant at the time of admission.

- Yes
- · No
- Not applicable. Use this code for male clients

# **VETERAN STATUS**

Identifies whether the client has served in the uniformed services (Army, Navy, Air Force, Marines, Coast Guard, Public Health Service Commissioned Corps, Coast and Geodetic Survey, etc.).

- Yes
- No

# PSYCHIATRIC PROBLEM IN ADDITION TO ALCOHOL OR DRUG PROBLEM

Identifies whether the client has a psychiatric problem in addition to his or her alcohol or drug use problem.

- Yes
- No

# DSM CRITERIA DIAGNOSIS

The diagnosis of the substance abuse problem from the American Psychiatric Association's *Diagnostic and Statistical Manual of Mental Disorders*. DSM-IV is preferred, but use of the Third Edition or ICD codes is permissible.

# **MARITAL STATUS**

Describes the client's marital status. The following categories are compatible with the U.S. Census.

• Never married. Includes clients whose only marriage was annulled

- Now married. Includes those living together as married
- **Separated.** Includes those separated legally or otherwise absent from spouse because of marital discord
- Divorced
- Widowed

# LIVING ARRANGEMENTS

Specifies whether the client is homeless, living with parents, in a supervised setting, or living on his or her own.

- Homeless. Clients with no fixed address; includes shelters
- **Dependent living.** Clients living in a supervised setting such as a residential institution, halfway house, or group home, and children (under age 18) living with parents, relatives, or guardians, or in foster care
- Independent living. Clients living alone or with others without supervision

# SOURCE OF INCOME SUPPORT

Identifies the client's principal source of financial support. For children under 18, this field indicates the parents' primary source of income/support.

- Wages/salary
- Public assistance
- Retirement/pension
- Disability
- Other
- None

# **HEALTH INSURANCE**

Specifies the client's health insurance (if any). The insurance may or may not cover alcohol or drug treatment.

- **Private insurance** (other than Blue Cross/Blue Shield or an HMO)
- Blue Cross/Blue Shield
- Medicare
- Medicaid
- Health maintenance organization (HMO)

- Other (e.g., TRICARE)
- None

#### EXPECTED/ACTUAL PRIMARY SOURCE OF PAYMENT

Identifies the primary source of payment for this treatment episode.

- Self-pay
- Blue Cross/Blue Shield
- Medicare
- Medicaid
- Other government payments
- Worker's Compensation
- Other health insurance companies
- No charge (free, charity, special research, or teaching)
- Other

# **DETAILED "NOT IN LABOR FORCE"**

This item gives more detailed information about those clients who are coded as "Not in labor force" in the TEDS Minimum Data Set item *Employment Status*.

- Homemaker
- Student
- Retired
- Disabled
- **Inmate of institution** (prison or institution that keeps a person, otherwise able, from entering the labor force)
- Other
- Not applicable

# DETAILED CRIMINAL JUSTICE REFERRAL

This item gives more detailed information about those clients who are coded as "Court/criminal justice referral/DUI/DWI" in the TEDS Minimum Data Set item *Principal source of referral*.

- State/Federal court
- Other court (not State or Federal)

- Probation/parole
- Other recognized legal entity (e.g., local law enforcement agency, corrections agency, youth services, review board/agency)
- **Diversionary program** (e.g., TASC)
- Prison
- DUI/DWI
- Other
- Not applicable

#### DAYS WAITING TO ENTER TREATMENT

Indicates the number of days from the first contact or request for service until the client was admitted and the first clinical service was provided.

• **0-996.** Number of days waiting

GUIDELINES: This item is intended to capture the number of days the client must wait to begin treatment because of program capacity, treatment availability, admissions requirements, or other program requirements. It should not include time delays caused by client unavailability or client failure to meet any requirement or obligation.

# DETAILED DRUG CODE (PRIMARY, SECONDARY, AND TERTIARY)

These fields identify, in greater detail, the drug problems recorded in the TEDS Minimum Data Set item *Substance problem*.

- Alcohol
- Crack
- Other cocaine
- Marijuana/hashish
- Heroin
- Methadone (non-prescription)
- Codeine
- **Hydrocodone** (Vicodin)
- **Hydromorphone** (Dilaudid)
- **Meperidine** (Demerol)
- Oxycodone (Oxycontin)
- **Pentazocine** (Talwin)
- **Propoxyphene** (Darvon)
- Tramadol (Ultram)
- Other opiates or synthetics

- PCP or PCP combination
- LSD
- Other hallucinogens
- Methamphetamine/speed
- Amphetamine
- Methylenedioxymethamphetamine (MDMA, Ecstasy)
- Other amphetamines
- **Methylphenidate** (Ritalin)
- Other stimulants
- Alprazolam (Xanax)
- **Chlordiazepoxide** (Librium)
- Clonazepam (Klonopin, Rivotril)
- Clorazepate (Tranxene)
- **Diazepam** (Valium)
- Flunitrazepam (Rohypnol)
- Flurazepam (Dalmane)
- Lorazepam (Ativan)
- Triazolam (Halcion)
- Other benzodiazepines
- **Meprobamate** (Miltown)
- Other tranquilizers
- Phenobarbital
- Secobarbital/amobarbital (Tuinal)
- Secobarbital (Seconal)
- Other barbiturate sedatives
- Ethchlorvynol (Placidyl)
- **Glutethimide** (Doriden)
- Methagualone
- Other non-barbiturate sedatives
- Other sedatives
- Aerosols
- Anesthetics
- Nitrites
- Solvents
- Other inhalants
- Diphenhydramine
- Other over-the-counter
- Diphenylhydantoin/phenytoin (Dilantin)
- **GHB/GBL** (gamma-hydroxybutyrate, gamma-butyrolactone)
- **Ketamine** (Special K)
- Other drugs

# NUMBER OF ARRESTS IN 30 DAYS PRIOR TO ADMISSION

This field records the number of arrests in the 30 days preceding the date of admission to treatment services.

• 00-96—Number of arrests

# FREQUENCY OF ATTENDANCE AT SELF-HELP PROGRAMS

This field records the number of times the client has attended a self-help program in the 30 days preceding the date of admission to treatment services.

- No attendance in the past month
- 1-3 times in the past month
- 4-7 times in the past month
- 8-15 times in the past month
- 16-30 times in the past month
- Some attendance in the past month, but frequency unknown