Treatment Episode Data Set (TEDS) 1998-2008

State Admissions to Substance Abuse Treatment Services

DEPARTMENT OF HEALTH AND HUMAN SERVICES Substance Abuse and Mental Health Services Administration Center for Behavioral Health Statistics and Quality

ACKNOWLEDGMENTS

This report was prepared for the Substance Abuse and Mental Health Services Administration (SAM-HSA), Center for Behavioral Health Statistics and Quality (CBHSQ), by Synectics for Management Decisions, Inc., Arlington, Virginia. Work was performed under Task Order HHSS283200700048I/HHSS28342001T, Reference No. 283-07-4803 (Cathie Alderks, Task Order Officer). At Synectics, Leigh Henderson was responsible for the content, analysis, and writing of the report.

PUBLIC DOMAIN NOTICE

All material appearing in this report is in the public domain and may be reproduced or copied without permission from the Substance Abuse and Mental Health Services Administration (SAMHSA). However, this publication may *not* be reproduced or distributed for a fee without the specific, written authorization of the Office of Communications, Substance Abuse and Mental Health Services Administration, U.S. Department of Health and Human Services. Citation of the source is appreciated. Suggested citation:

Substance Abuse and Mental Health Services Administration, Center for Behavioral Health Statistics and Quality. *Treatment Episode Data Set (TEDS): 1998-2008. State Admissions to Substance Abuse Treatment Services*, DASIS Series: S-XX, HHS Publication No. (SMA) 10-XXXX, Rockville, MD, 2010.

ELECTRONIC ACCESS AND COPIES OF PUBLICATION

This publication may be downloaded or hard copies obtained at www.oas.samhsa.gov/copies.cfm.

Or please call SAMHSA's Health Information Network at 1-877-SAMHSA-7 (1-877-726-4727) English and Español.

ORIGINATING OFFICE

Center for Behavioral Health Statistics and Quality Substance Abuse and Mental Health Services Administration 1 Choke Cherry Road, Room 7-1044 Rockville, Maryland 20857

November 2010

TABLE OF CONTENTS

| List of Tables | V |
|---|------|
| List of Figures | xiii |
| Highlights | 1 |
| Chapter 1. Trends in Substance Treatment Admissions Aged 12 and Older: TEDS 1988-2008 | 5 |
| All Admissions. | |
| Selected Primary Substance | |
| Chapter 2. Substance Treatment Admissions Aged 12 and Older by Primary Substance of Abuse: TEDS 2008 | 17 |
| Chapter 3. Characteristics of Substance Treatment Admissions Aged 12 and by State or Jurisdiction and Primary Substance of Abuse: TEDS 2008 | |
| Tables | 47 |
| Appendix A. About the Treatment Episode Data Set (TEDS) | 139 |
| Introduction | 139 |
| History | 140 |
| State Data Collection Systems | 140 |
| Report-Specific Considerations | 142 |
| Appendix B. TEDS Data Elements | 153 |
| TEDS Minimum Data Set | 153 |
| TEDS Supplemental Data Set | 159 |

LIST OF TABLES

Trends in Substance Abuse Treatment Admissions Aged 12 and Older: TEDS 1998-2008 All Admissions 1.1 Number of admissions aged 12 and older Admissions per 100,000 population aged 12 and older 1.2 1.3 Admissions per 100,000 population aged 12 and older, adjusted for age, gender, and race/ethnicity, Selected Primary Substance Primary alcohol admissions by Census division and State or jurisdiction: 1.4a TEDS 1998-2008. 1.4b Primary alcohol admissions by Census division and State or jurisdiction: TEDS 1998-2008. Admissions per 100,000 population aged 12 and older......56 Primary marijuana admissions by Census division and State or jurisdiction: 1.5a TEDS 1998-2008. 1.5b Primary marijuana admissions by Census division and State or jurisdiction: TEDS 1998-2008. 1.6a Primary heroin admissions by Census division and State or jurisdiction: TEDS 1998-2008. 1.6b Primary heroin admissions by Census division and State or jurisdiction: TEDS 1998-2008. Admissions per 100,000 population aged 12 and older64 1.7a Primary cocaine admissions by Census division and by State or jurisdiction:

Primary cocaine admissions by Census division and State or jurisdiction:

TEDS 1998-2008.

TEDS 1998-2008.

1.7b

| 1.8a | Primary methamphetamine/amphetamine admissions by Census division and State or jurisdiction: TEDS 1998-2008. Number of admissions aged 12 and older | 70 |
|------|--|----|
| 1.8b | Primary methamphetamine/amphetamine admissions by Census division and State or jurisdiction: TEDS 1998-2008. Admissions per 100,000 population aged 12 and older | 72 |
| 1.9a | Primary non-heroin opiates/synthetics admissions by Census division and State or jurisdiction: TEDS 1998-2008. Number of admissions aged 12 and older | 74 |
| 1.9b | Primary non-heroin opiates/synthetics admissions by Census division and State or jurisdiction: TEDS 1998-2008. Admissions per 100,000 population aged 12 and older | 76 |
| | ance Abuse Treatment Admissions Aged 12 and Older imary Substance of Abuse: TEDS 2008 | |
| 2.1 | Admissions aged 12 and older by Census division and State or jurisdiction, according to type of service: TEDS 2008. Percent distribution | 78 |
| 2.2 | Number of admissions aged 12 and older by Census division and State or jurisdiction, according to primary substance of abuse: TEDS 2008 | 81 |
| 2.3 | Admissions per 100,000 population aged 12 and older by Census division and State or jurisdiction, according to primary substance of abuse: TEDS 2008. | 83 |
| 2.4 | Admissions per 100,000 population aged 12 and older, adjusted for gender, age, and race/ethnicity, by Census division and State or jurisdiction, according to primary substance of abuse: TEDS 2008. | 86 |
| | acteristics of Substance Abuse Treatment Admissions Aged 12 and Older ate or Jurisdiction and Primary Substance of Abuse: TEDS 2008 | |
| 3.1 | Alabama: Admissions aged 12 and older by gender, age group, and race/ethnicity, according to primary substance: TEDS 2008. Percent distribution | 89 |
| 3.2 | Arizona: Admissions aged 12 and older by gender, age group, and race/ethnicity, according to primary substance: TEDS 2008. Percent distribution | 90 |
| 3.3 | Arkansas: Admissions aged 12 and older by gender, age group, and race/ethnicity, according to primary substance: TEDS 2008. Percent distribution | 91 |

| 3.4 | California: Admissions aged 12 and older by gender, age group, and race/ethnicity, according to primary substance: TEDS 2008. Percent distribution | 92 |
|------|---|-----|
| 4.5 | Colorado: Admissions aged 12 and older by gender, age group, and race/ethnicity, according to primary substance: TEDS 2008. Percent distribution | 93 |
| 3.6 | Connecticut: Admissions aged 12 and older by gender, age group, and race/ethnicity, according to primary substance: TEDS 2008. Percent distribution | 94 |
| 3.7 | Delaware: Admissions aged 12 and older by gender, age group, and race/ethnicity, according to primary substance: TEDS 2008. Percent distribution | 95 |
| 3.8 | District of Columbia: Admissions aged 12 and older by gender, age group, and race/ethnicity, according to primary substance: TEDS 2008. Percent distribution | 96 |
| 3.9 | Florida: Admissions aged 12 and older by gender, age group, and race/ethnicity, according to primary substance: TEDS 2008. Percent distribution | 97 |
| 3.10 | Hawaii: Admissions aged 12 and older by gender, age group, and race/ethnicity, according to primary substance: TEDS 2008. Percent distribution | 98 |
| 3.11 | Idaho: Admissions aged 12 and older by gender, age group, and race/ethnicity, according to primary substance: TEDS 2008. Percent distribution | 99 |
| 3.12 | Illinois: Admissions aged 12 and older by gender, age group, and race/ethnicity, according to primary substance: TEDS 2008. Percent distribution | 100 |
| 3.13 | Indiana: Admissions aged 12 and older by gender, age group, and race/ethnicity, according to primary substance: TEDS 2008. Percent distribution | 101 |
| 3.14 | Iowa: Admissions aged 12 and older by gender, age group, and race/ethnicity, according to primary substance: TEDS 2008. Percent distribution | 102 |
| 3.15 | Kansas: Admissions aged 12 and older by gender, age group, and race/ethnicity, according to primary substance: TEDS 2008. Percent distribution | 103 |

| 3.16 | Rentucky: Admissions aged 12 and older by gender, age group, and race/ethnicity, according to primary substance: TEDS 2008. Percent distribution | 104 |
|------|--|-----|
| 3.17 | Louisiana: Admissions aged 12 and older by gender, age group, and race/ethnicity, according to primary substance: TEDS 2008. Percent distribution | 105 |
| 3.18 | Maine: Admissions aged 12 and older by gender, age group, and race/ethnicity, according to primary substance: TEDS 2008. Percent distribution | 106 |
| 3.19 | Maryland: Admissions aged 12 and older by gender, age group, and race/ethnicity, according to primary substance: TEDS 2008. Percent distribution | 107 |
| 3.20 | Massachusetts: Admissions aged 12 and older by gender, age group, and race/ethnicity, according to primary substance: TEDS 2008. Percent distribution | 108 |
| 3.21 | Michigan: Admissions aged 12 and older by gender, age group, and race/ethnicity, according to primary substance: TEDS 2008. Percent distribution | 109 |
| 3.22 | Minnesota: Admissions aged 12 and older by gender, age group, and race/ethnicity, according to primary substance: TEDS 2008. Percent distribution | 110 |
| 3.23 | Mississippi: Admissions aged 12 and older by gender, age group, and race/ethnicity, according to primary substance: TEDS 2008. Percent distribution | 111 |
| 3.24 | Missouri: Admissions aged 12 and older by gender, age group, and race/ethnicity, according to primary substance: TEDS 2008. Percent distribution | 112 |
| 3.25 | Montana: Admissions aged 12 and older by gender, age group, and race/ethnicity, according to primary substance: TEDS 2008. Percent distribution | 113 |
| 3.26 | Nebraska: Admissions aged 12 and older by gender, age group, and race/ethnicity, according to primary substance: TEDS 2008. Percent distribution | 114 |
| 3.27 | Nevada: Admissions aged 12 and older by gender, age group, and race/ethnicity, according to primary substance: TEDS 2008. Percent distribution | |

| 3.28 | New Hampshire: Admissions aged 12 and older by gender, age group, and race/ethnicity, according to primary substance: TEDS 2008. Percent distribution | 116 |
|------|---|-----|
| 3.29 | New Jersey: Admissions aged 12 and older by gender, age group, and race/ethnicity, according to primary substance: TEDS 2008. Percent distribution | 117 |
| 3.30 | New Mexico: Admissions aged 12 and older by gender, age group, and race/ethnicity, according to primary substance: TEDS 2008. Percent distribution | 118 |
| 3.31 | New York: Admissions aged 12 and older by gender, age group, and race/ethnicity, according to primary substance: TEDS 2008. Percent distribution | 119 |
| 3.32 | North Carolina: Admissions aged 12 and older by gender, age group, and race/ethnicity, according to primary substance: TEDS 2008. Percent distribution | 120 |
| 3.33 | North Dakota: Admissions aged 12 and older by gender, age group, and race/ethnicity, according to primary substance: TEDS 2008. Percent distribution | 121 |
| 3.34 | Ohio: Admissions aged 12 and older by gender, age group, and race/ethnicity, according to primary substance: TEDS 2008. Percent distribution | 122 |
| 3.35 | Oklahoma: Admissions aged 12 and older by gender, age group, and race/ethnicity, according to primary substance: TEDS 2008. Percent distribution | 123 |
| 3.36 | Oregon: Admissions aged 12 and older by gender, age group, and race/ethnicity, according to primary substance: TEDS 2008. Percent distribution | 124 |
| 3.37 | Pennsylvania: Admissions aged 12 and older by gender, age group, and race/ethnicity, according to primary substance: TEDS 2008. Percent distribution | 125 |
| 3.38 | Puerto Rico: Admissions aged 12 and older by gender, age group, and race/ethnicity, according to primary substance: TEDS 2008. Percent distribution | 126 |
| 3.39 | Rhode Island: Admissions aged 12 and older by gender, age group, and race/ethnicity, according to primary substance: TEDS 2008. Percent distribution | 127 |
| | 1 41 4110 412 412 412 412 | / |

| 3.40 | South Carolina: Admissions aged 12 and older by gender, age group, and race/ethnicity, according to primary substance: TEDS 2008. Percent distribution | 128 |
|------|---|-----|
| 3.41 | South Dakota: Admissions aged 12 and older by gender, age group, and race/ethnicity, according to primary substance: TEDS 2008. Percent distribution | 129 |
| 3.42 | Tennessee: Admissions aged 12 and older by gender, age group, and race/ethnicity, according to primary substance: TEDS 2008. Percent distribution | 130 |
| 3.43 | Texas: Admissions aged 12 and older by gender, age group, and race/ethnicity, according to primary substance: TEDS 2008. Percent distribution | 131 |
| 3.44 | Utah: Admissions aged 12 and older by gender, age group, and race/ethnicity, according to primary substance: TEDS 2008. Percent distribution | 132 |
| 3.45 | Vermont: Admissions aged 12 and older by gender, age group, and race/ethnicity, according to primary substance: TEDS 2008. Percent distribution | 133 |
| 3.46 | Virginia: Admissions aged 12 and older by gender, age group, and race/ethnicity, according to primary substance: TEDS 2008. Percent distribution | 134 |
| 3.47 | Washington: Admissions aged 12 and older by gender, age group, and race/ethnicity, according to primary substance: TEDS 2008. Percent distribution | 135 |
| 3.48 | West Virginia: Admissions aged 12 and older by gender, age group, and race/ethnicity, according to primary substance: TEDS 2008. Percent distribution | 136 |
| 3.49 | Wisconsin: Admissions aged 12 and older by gender, age group, and race/ethnicity, according to primary substance: TEDS 2008. Percent distribution | 137 |
| 3.50 | Wyoming: Admissions aged 12 and older by gender, age group, and race/ethnicity, according to primary substance: TEDS 2008. Percent distribution | 138 |

| Apper | Appendix A: State Reporting Characteristics | | |
|-------|---|-----|--|
| 1 | State data system reporting characteristics: TEDS 2008 | 144 | |
| 2 | Item percentage response rate by Census division and State or jurisdiction: TEDS Minimum Data Set 2008 | 148 | |
| 3 | Item percentage response rate by Census division and State or jurisdiction: TEDS Supplemental Data Set 2008 | 150 | |

LIST OF FIGURES

| Trends in Substance Abuse Treatment Admissions Aged 12 and Older by Primary Substance of Abuse: TEDS 1998-2008 | | |
|--|--|----|
| 1 | U.S. Census Divisions | 6 |
| Nation | al Maps: Substance Abuse Treat Admission Rates per 100,000 Population Aged 12 and Older | |
| 2 | Primary alcohol admission rates by State: TEDS 1998-2008 (per 100,000 population aged 12 and over) | 11 |
| 3 | Primary marijuana admission rates by State: TEDS 1998-2008 (per 100,000 population aged 12 and over) | 12 |
| 4 | Primary heroin admission rates by State: TEDS 1998-2008 (per 100,000 population aged 12 and over) | 13 |
| 5 | Primary cocaine admission rates by State: TEDS 1998-2008 (per 100,000 population aged 12 and over) | 14 |
| 6 | Primary methamphetamine/amphetamine admission rates by State: TEDS 1998-2008 (per 100,000 population aged 12 and over) | 15 |
| 7 | Primary non-heroin opiates/synthetics admission rates by State: TEDS 1998-2008 (per 100,000 population aged 12 and over) | 16 |
| Percer | nt Distribution by State or Jurisdiction | |
| 8 | Alabama: Primary substance of abuse at admission: TEDS 1998-2008 | 20 |
| 9 | Alaska: Primary substance of abuse at admission: TEDS 1998-2008 | 20 |
| 10 | Arizona: Primary substance of abuse at admission: TEDS 1998-2008 | 21 |
| 11 | Arkansas: Primary substance of abuse at admission: TEDS 1998-2008 | 21 |
| 12 | California: Primary substance of abuse at admission: TEDS 1998-2008 | 22 |
| 13 | Colorado: Primary substance of abuse at admission: TEDS 1998-2008 | 22 |
| 14 | Connecticut: Primary substance of abuse at admission: TEDS 1998-2008 | 23 |
| 15 | Delaware: Primary substance of abuse at admission: | |

LIST OF FIGURES (CONTINUED)

| 16 | TEDS 1998-2008 | 24 |
|----|--|----|
| 17 | Florida: Primary substance of abuse at admission: TEDS 1998-2008 | 24 |
| 18 | Georgia: Primary substance of abuse at admission: TEDS 1998-2008 | 25 |
| 19 | Hawaii: Primary substance of abuse at admission: TEDS 1998-2008 | 25 |
| 20 | Idaho: Primary substance of abuse at admission: TEDS 1998-2008 | 26 |
| 21 | Illinois: Primary substance of abuse at admission: TEDS 1998-2008 | 26 |
| 22 | Indiana: Primary substance of abuse at admission: TEDS 1998-2008 | 27 |
| 23 | Iowa: Primary substance of abuse at admission: TEDS 1998-2008 | 27 |
| 24 | Kansas: Primary substance of abuse at admission: TEDS 1998-2008 | 28 |
| 25 | Kentucky: Primary substance of abuse at admission: TEDS 1998-2008 | 28 |
| 26 | Louisiana: Primary substance of abuse at admission: TEDS 1998-2008 | 29 |
| 27 | Maine: Primary substance of abuse at admission: TEDS 1998-2008 | 29 |
| 28 | Maryland: Primary substance of abuse at admission: TEDS 1998-2008 | 30 |
| 29 | Massachusetts: Primary substance of abuse at admission: TEDS 1998-2008 | 30 |
| 30 | Michigan: Primary substance of abuse at admission: TEDS 1998-2008 | 31 |
| 31 | Minnesota: Primary substance of abuse at admission: TEDS 1998-2008 | 31 |
| 32 | Mississippi: Primary substance of abuse at admission: TEDS 1998-2008 | 32 |

LIST OF FIGURES (CONTINUED)

| 33 | Missouri: Primary substance of abuse at admission: TEDS 1998-2008 | 32 |
|----|--|----|
| 34 | Montana: Primary substance of abuse at admission: TEDS 1998-2008 | 33 |
| 35 | Nebraska: Primary substance of abuse at admission: TEDS 1998-2008 | 33 |
| 36 | Nevada: Primary substance of abuse at admission: TEDS 1998-2008 | 34 |
| 37 | New Hampshire: Primary substance of abuse at admission: TEDS 1998-2008 | 34 |
| 38 | New Jersey: Primary substance of abuse at admission: TEDS 1998-2008 | 35 |
| 39 | New Mexico: Primary substance of abuse at admission: TEDS 1998-2008 | 35 |
| 40 | New York: Primary substance of abuse at admission: TEDS 1998-2008 | 36 |
| 41 | North Carolina: Primary substance of abuse at admission: TEDS 1998-2008 | 36 |
| 42 | North Dakota: Primary substance of abuse at admission: TEDS 1998-2008 | 37 |
| 43 | Ohio: Primary substance of abuse at admission: TEDS 1998-2008 | 37 |
| 44 | Oklahoma: Primary substance of abuse at admission: TEDS 1998-2008 | 38 |
| 45 | Oregon: Primary substance of abuse at admission: TEDS 1998-2008 | 38 |
| 46 | Pennsylvania: Primary substance of abuse at admission: TEDS 1998-2008 | 39 |
| 47 | Puerto Rico: Primary substance of abuse at admission: TEDS 1998-2008 | 39 |
| 48 | Rhode Island: Primary substance of abuse at admission: TEDS 1998-2008 | 40 |
| 49 | South Carolina: Primary substance of abuse at admission: TEDS 1998-2008 | 40 |

LIST OF FIGURES (CONTINUED)

| 30 | TEDS 1998-2008 | 41 |
|----|--|----|
| 51 | Tennessee: Primary substance of abuse at admission: TEDS 1998-2008 | 41 |
| 52 | Texas: Primary substance of abuse at admission: TEDS 1998-2008 | 42 |
| 53 | Utah: Primary substance of abuse at admission: TEDS 1998-2008 | 42 |
| 54 | Vermont: Primary substance of abuse at admission: TEDS 1998-2008 | 43 |
| 55 | Virginia: Primary substance of abuse at admission: TEDS 1998-2008 | 43 |
| 56 | Washington: Primary substance of abuse at admission: TEDS 1998-2008 | 44 |
| 57 | West Virginia: Primary substance of abuse at admission: TEDS 1998-2008 | 44 |
| 58 | Wisconsin: Primary substance of abuse at admission: TEDS 1998-2008 | 45 |
| 59 | Wyoming: Primary substance of abuse at admission: TEDS 1998-2008 | 45 |
| | | |

HIGHLIGHTS

This report presents data from the Treatment Episode Data Set (TEDS) by Census division and State for admissions in 2008, and trend data for 1998 to 2008. The report provides information on the demographic and substance abuse characteristics of admissions to treatment aged 12 and older for abuse of alcohol and/or drugs in facilities that report to individual State administrative data systems.

For 2008, 1,893,640 substance abuse treatment admissions aged 12 and older were reported to TEDS by 48 States, the District of Columbia, and Puerto Rico. (Alaska and Georgia did not report admissions for 2008.)

Trends in Substance Abuse Treatment Admissions Aged 12 and Older: TEDS 1998-2008

All Admissions

- Between 1998 and 2008, about 25 percent of all admissions reported were in the Middle Atlantic Census division, and admission rates were highest in the New England and Middle Atlantic divisions.
- Between 1998 and 2008, both the U.S. population aged 12 and older and the number of treatment admissions increased by 11 percent. Consequently, the treatment admission rate in 2008 was virtually identical to the rate in 1998—767 and 768 per 100,000 population, respectively.

Alcohol

- The treatment admission rate for primary alcohol was 15 percent lower in 2008, at 318 per 100,000 population aged 12 and older, than in 1998 (372 per 100,000). However, the rate increased steadily from a low of 300 per 100,000 in 2004.
- Alcohol admission rates were lower in 2008 than in 1998 in all Census divisions except the West North Central.
- From 1998 through 2008, alcohol treatment admission rates were generally highest in the Middle Atlantic, New England, and West North Central divisions [Table 1.4b and Figure 2].

Marijuana

- The treatment admission rate for primary marijuana was 30 percent higher in 2008, at 130 per 100,000 population aged 12 and older, than in 1998 (99 per 100,000).
- Marijuana admission rates were higher in 2008 than in 1998 in all Census divisions

• From 1998 through 2008, marijuana treatment admission rates were consistently highest in the West North Central and Middle Atlantic divisions [Table 1.5b and Figure 3].

Heroin

- The treatment admission rate for primary heroin was 3 percent lower in 2008, at 110 per 100,000 population aged 12 and older, than in 1998 (113 per 100,000). However, the rate reached 122 per 100,000 in 2002 before declining.
- Despite the overall declining trend since 2002, heroin admission rates were higher in 2008 than in 1998 in five of the nine Census divisions. Rates were lower in three divisions, and unchanged in one division.
- From 1998 through 2008, heroin treatment admission rates were consistently highest in the New England and Middle Atlantic divisions [Table 1.6b and Figure 4].

Cocaine

- The treatment admission rate for primary cocaine was 23 percent lower in 2008, at 88 per 100,000 population aged 12 and older, than in 1998 (114 per 100,000).
- Cocaine admission rates were lower in 2008 than in 1998 in each of the nine Census divisions.
- From 1998 through 2008, cocaine treatment admission rates were highest in the Middle Atlantic division [Table 1.7b and Figure 5].

Methamphetamine/amphetamine

- The treatment admission rate for methamphetamine/amphetamine was 53 percent higher in 2008, at 49 per 100,000 population aged 12 and older, than in 1998 (32 per 100,000). Methamphetamine/amphetamine treatment admission rates peaked in 2005 at 70 per 100,000, then declined in every year through 2008.
- Methamphetamine/amphetamine rates were higher in 2008 than in 1998 in each of the nine Census divisions.
- From 1998 through 2008, methamphetamine/amphetamine treatment admission rates were highest in the Pacific division, followed by the Mountain and West North Central divisions [Table 1.8b and Figure 6].

Opiates other than heroin

- The treatment admission rate for opiates other than heroin was 400 percent higher in 2008, at 45 per 100,000 population aged 12 and older, than in 1998 (9 per 100,000). Rates increased in every year from 1998 through 2008.
- The admission rates for opiates other than heroin were higher in each of the nine Census divisions.
- From 1998 through 2008, treatment admission rates for opiates other than heroin were highest in the New England and East South Central divisions [Table 1.9b and Figure 7].

Substance Abuse Treatment Admissions Aged 12 and Older: TEDS 2008

- In 2008, the U.S. treatment admission rate was higher for primary alcohol abuse (either alone or with secondary drugs) than for illicit drugs, at 318 per 100,000. The highest rates for illicit drugs were for marijuana (130 per 100,000) and heroin (108 per 100,000).
- Treatment admission rates for 2008 were higher for primary alcohol abuse (either alone or with secondary drugs) than for illicit drugs in each Census division and in 45 of the 49 reporting States and jurisdictions. The primary illicit drugs in each division were heroin (New England and Middle Atlantic), methamphetamine/amphetamine (Pacific), and marijuana (the other six divisions).

CHAPTER 1

TRENDS IN SUBSTANCE ABUSE TREATMENT ADMISSIONS AGED 12 AND OLDER: TEDS 1998-2008

This report presents data from the Treatment Episode Data Set (TEDS) by Census division and State or jurisdiction for admissions in 2008 and trend data for 1998 to 2008. It is a companion to the report, *Treatment Episode Data Set (TEDS): 1998-2008 National Admissions to Substance Abuse Treatment*. These reports provide information on the demographic and substance abuse characteristics of admissions to treatment aged 12 and older for abuse of alcohol and/or drugs in facilities that report to individual State administrative data systems. Data include records for admissions during calendar years 1998 through 2008 that were received and processed through August 31, 2009.

TEDS is an admission-based system, and TEDS admissions do not represent individuals. Thus, for example, an individual admitted to treatment twice within a calendar year would be counted as two admissions.

TEDS does not include all admissions to substance abuse treatment. It includes facilities that are licensed or certified by the State substance abuse agency to provide substance abuse treatment (or are administratively tracked for other reasons). In general, facilities reporting TEDS data are those that receive State alcohol and/or drug agency funds (including Federal Block Grant funds) for the provision of alcohol and/or drug treatment services. Additional information on the history and methodology of TEDS and this report as well as important issues related to State data collection systems are detailed in Appendix A.

This chapter details trends in the annual numbers of admissions aged 12 and older for 1998 to 2008. Trend data are invaluable in monitoring changing patterns in substance abuse treatment admissions. These patterns reflect underlying changes in substance abuse in the population as well as changing priorities in the treatment/reporting system. (For example, limited resources and targeted programs may result in a shift of State funds from treatment of alcohol abusers to treatment of drug abusers.) TEDS data thus have important implications for resource allocation and program planning.

While the tables in this report present data by Census division (Figure 1) and by State or jurisdiction, it is important to note that comparisons between and across divisions and States should be made with caution. There are many factors (e.g., facilities included, clients included, ability to track multi-service episodes, services offered, and completeness and timeliness of reporting) that can affect comparability. See Appendix A for a full discussion.

For researchers interested in more detailed analysis, TEDS public use files are available for online data analysis or download at the Substance Abuse and Mental Health Data Archive which can be accessed at http://www.icpsr.umich.edu/SAMHDA/index.html.

Summary 2009 data for individual States that have submitted the full year of data are available on-line through the TEDS Quick Statistics website at http://wwwdasis.samhsa.gov/webt/NewMapv1.htm.

All Admissions

Table 1.1 presents the total number of treatment admissions aged 12 and older by Census division and State or jurisdiction for 1998 through 2008.²

- For 2008, 1,893,40 admissions aged 12 and older were reported to TEDS by 46 States, the District of Columbia, and Puerto Rico.
- Between 1998 and 2008, the number of treatment admissions aged 12 and older increased by 11 percent.
- Between 1998 and 2008, about 25 percent of all admissions reported were in the Middle Atlantic Census division. The East North Central, Pacific, and South Atlantic divisions each reported about 15 percent of all admissions. The Mountain, New England, and East North Central divisions each reported about 8 percent, the West South Central division reported 5 percent; and the East Central division reported 3 percent.




Figure 1 U.S. Census divisions

Data were not submitted for one or more years in some States or jurisdictions because of changes to their data collection systems: Alabama (2007), Alaska (2004-2008), the District of Columbia (2004-2007), Georgia (2007-2008), Puerto Rico (1998-2002), West Virginia (1998, 2000-2002). The populations of these States were excluded from calculations of admission rate by Census division.

Table 1.2 presents the treatment admissions rates per 100,000 population aged 12 and older by Census division and State or jurisdiction for 1998 through 2008.

- Between 1998 and 2008, both the U.S. population aged 12 and older and the number of treatment admissions increased by 11 percent. Consequently, the treatment admission rate in 2008 was virtually identical to the rate in 1998—768 and 767 per 100,000 population, respectively. The rate ranged from 751 to 791 per 100,000 population during the period.
- Admission rates were highest in the New England and Middle Atlantic divisions. Between 1998 and 2008, the admission rate per 100,000 population aged 12 and older ranged from 1,135 to 1,395 in the New England division and from 1,227 to 1,367 in the Middle Atlantic division.
- Individual State admission rates varied from approximately 200 per 100,000 population to about 2,000 per 100,000. As noted above, there are many possible explanations for this variation (see Appendix A), and comparisons among States should be made with caution.

Table 1.3 presents the treatment admission rate adjusted for age, gender, and race/ethnicity to the U.S. 2000 population by Census division and State or jurisdiction for 1998 through 2008. Adjustment is a way to make fairer comparisons when there are different admission rates among population sub-groups and different proportions of the sub-groups in each division, State, or jurisdiction. The adjusted rates are the rates that would have been seen if each division, State, or jurisdiction had the same distribution of sub-groups as the U.S. 2000 population.

For example, the 2008 unadjusted rates (Table 1.2) for New York and Oregon were 1,884 and 1,575 per 100,000 population aged 12 and older, respectively—New York had almost 20 percent more admissions per 100,000 population in 2008 than did Oregon. However, the adjusted rates (1,715 per 100,000 for New York and 2,000 per 100,000 for Oregon; Table 1.3) indicate that, if the population distribution in the two States were similar, Oregon's admission rate would be 20 percent higher than New York's. This is because New York had high admission rates in sub-groups that were a large proportion of the State's population but represented relatively small proportions of the U.S. population. In contrast, Oregon had high admission rates in sub-groups that represented relatively large proportions of the U.S. population.

Selected Primary Substance

Six substance groups accounted for 96 percent of all TEDS admissions aged 12 and older in 2008:³ alcohol, marijuana, heroin, cocaine, methamphetamine/amphetamine, and opiates other than heroin.⁴

Tables 1.4a–1.9a present the numbers of admissions aged 12 and older by Census division and by State and jurisdiction from 1998 through 2008 for each of the selected primary substances.

Tables 1.4b–1.9b present the admission rate per 100,000 aged 12 and older by Census division and by State and jurisdiction from 1998 through 2008 for each of the selected primary substances.

³ See: Substance Abuse and Mental Health Services Administration, Office of Applied Studies. Treatment Episode Data Set (TEDS). 1998 - 2008. National Admissions to Substance Abuse Treatment Services, DASIS Series: S-50, HHS Publication No. (SMA) 09-4471, Rockville, MD, 2010. Table 1.1.

⁴ Opiates other than heroin include methadone, codeine, hydrocodone, hydromorphone, meperidine, morphine, opium, oxycodone, pentazocine, propoxyphene, tramadol, and any other drug with morphine-like effects.

The admission rates are mapped in *Figures 2*–7. The map categories are based on the median, 75th, 90th, and 99th percentiles of the range of 1998 admission rates for each substance. Therefore, for the 50 States and jurisdictions reporting in 1998, each 1998 map generally shows 1 State in dark red (the 99th percentile and above), 4 States in red (the 90th to 98th percentiles), 8 States in orange (the 75th to 89th percentiles), 12 States in gold (the 50th to 74th percentiles), and 25 States in cream (below the median 1998 U.S. rate). Crosshatching indicates States or jurisdictions where data were not submitted or were incomplete.

Alcohol

- The treatment admission rate for primary alcohol was 15 percent lower in 2008, at 318 per 100,000 population aged 12 and older, than in 1998 (372 per 100,000). However, the rate increased steadily from a low of 300 per 100,000 in 2004.
- Alcohol admission rates were between 11 and 29 percent lower in 2008 than in 1998 in all Census divisions except the West North Central, where the rate increased by 9 percent.
- Among individual States, alcohol admission rates were lower in 2008 than in 1998 in 31 of the 48 States reporting in both years and higher in 17 States.
- From 1998 through 2008, alcohol treatment admission rates were generally highest in the Middle Atlantic, New England, and West North Central divisions [Table 1.4b and Figure 2].

Marijuana

- The treatment admission rate for primary marijuana was 31 percent higher in 2008, at 130 per 100,000 population aged 12 and older, than in 1998 (99 per 100,000).
- Marijuana admission rates were between 5 and 67 percent higher in 2008 than in 1998 in each of the nine Census divisions.
- Among individual States, marijuana admission rates were higher in 2008 than in 1998 in 35 of the 48 States reporting in both years, lower in 12 States, and unchanged in one State.
- From 1998 through 2008, marijuana treatment admission rates were consistently highest in the West North Central and Middle Atlantic divisions [Table 1.5b and Figure 3].

Heroin

- The treatment admission rate for primary heroin was 3 percent lower in 2008, at 110 per 100,000 population aged 12 and older, than in 1998 (113 per 100,000). However, the rate reached 122 per 100,000 in 2002 before declining.
- Despite the overall declining trend since 2002, heroin admission rates were between 8 and 167 percent higher in 2008 than in 1998 in five of the nine Census divisions (Middle Atlantic, East North Central, West North Central, East South Central, and Mountain). Rates were lower by between 2 and 52 percent in three divisions (New England, South Atlantic, and Pacific), and unchanged in one division (West South Central).

- Among individual States, heroin admission rates were higher in 2008 than in 1998 in 23 of the 47 States⁵ reporting in both years, lower in 22 States, and unchanged in two States.
- From 1998 through 2008, heroin treatment admission rates were consistently highest in the New England and Middle Atlantic divisions [Table 1.6b and Figure 4].

Cocaine

- The treatment admission rate for primary cocaine was 23 percent lower in 2008, at 88 per 100,000 population aged 12 and older, than in 1998 (114 per 100,000).
- Cocaine admission rates were between 2 and 44 percent lower in 2008 than in 1998 in each of the nine Census divisions.
- Among individual States, cocaine admission rates were lower in 2008 than in 1998 in 33 of the 47 States⁶ reporting in both years and higher in 14 States.
- From 1998 through 2008, cocaine treatment admission rates were highest in the Middle Atlantic division [Table 1.7b and Figure 5].

Methamphetamine/amphetamine

- The treatment admission rate for methamphetamine/amphetamine was 53 percent higher in 2008, at 49 per 100,000 population aged 12 and older, than in 1998 (32 per 100,000). Methamphetamine/amphetamine treatment admission rates peaked in 2005 at 70 per 100,000, then declined in every year through 2008.
- Methamphetamine/amphetamine rates were between 29 and 300 percent higher in 2008 than in 1998 in each of the nine Census divisions.
- Among individual States, methamphetamine/amphetamine admission rates were higher in 2008 than in 1998 in 39 of the 48 States reporting in both years States, lower in seven States, and unchanged in two States.
- From 1998 through 2008, methamphetamine/amphetamine treatment admission rates were consistently about twice as high in the Pacific division as in the next highest divisions, i.e., the Mountain and West North Central divisions [Table 1.8b and Figure 6].

Opiates other than heroin

- The treatment admission rate for opiates other than heroin was 400 percent higher in 2008, at 45 per 100,000 population aged 12 and older, than in 1998 (9 per 100,000). Rates increased in every year from 1998 through 2008.
- The admission rates for opiates other than heroin were between 245 and 671 percent higher in each of the nine Census divisions.

⁵ Tennessee reported all heroin admissions as *Opiates other than heroin* for 1998 through 2008. Tennessee's admissions are therefore not included in this comparison or on the associated maps (Figures 4 and 7).

⁶ Excludes Alabama, which did not report cocaine in 2008.

- Among individual States, admission rates for opiates other than heroin were higher in 2008 than in 1998 in 46 of the 47⁵ States reporting in both years, and lower in one State.
- From 1998 through 2008, treatment admission rates for opiates other than heroin were highest in the New England and East South Central divisions [Table 1.9b and Figure 7].

Figure 2
Primary alcohol admission rates by State: TEDS 1998-2008
(per 100,000 population aged 12 and over)




Figure 3
Primary marijuana admission rates by State: TEDS 1998-2008
(per 100,000 population aged 12 and over)




Figure 4
Primary heroin admission rates by State: TEDS 1998-2008
(per 100,000 population aged 12 and over)




Figure 5
Primary cocaine admission rates by State: TEDS 1998-2008
(per 100,000 population aged 12 and over)




Figure 6
Primary methamphetamine/amphetamine admission rates by State: TEDS 1998-2008
(per 100,000 population aged 12 and over)





Figure 7
Primary non-heroin opiates/synthetics admission rates by State: TEDS 1998-2008
(per 100,000 population aged 12 and over)



CHAPTER 2

SUBSTANCE TREATMENT ADMISSIONS AGED 12 AND OLDER BY PRIMARY SUBSTANCE OF ABUSE: TEDS 2008

This chapter presents numbers of substance abuse treatment admissions aged 12 and older and admission rates from the Treatment Episode Data Set (TEDS) by Census division and State for admissions in 2008, according to primary substance of abuse.

As noted previously, comparisons between and across divisions and States should be made with caution. There are many factors (e.g., facilities included, clients included, ability to track multi-service episodes, service type, and completeness and timeliness of reporting) that can affect comparability. See Appendix A for a full discussion.

Table 2.1 indicates the proportions of admissions in 2008 by service type according to Census division and State or jurisdiction. A State's mix of service types (e.g., outpatient, detoxification, residential, opioid therapy) can have a significant effect on its admission rates. There is higher client turnover and therefore more admissions in short-stay services such as detoxification than in long-stay services such as outpatient or long-term residential treatment. Admission rates for individual substances of abuse may be affected as well (for example, detoxification is more closely associated with alcohol or heroin use than with use of other substances.)¹

Table 2.2 presents the total number of treatment admissions aged 12 and older by primary substance of abuse, according to Census division and State or jurisdiction for 2008.

Table 2.3 presents the treatment admission rates per 100,000 population aged 12 and older by primary substance of abuse, according to Census division and State or jurisdiction for 2008.

- In 2008, the treatment admission rate was higher for primary alcohol abuse (either alone or with secondary drugs) than for illicit drugs, at 318 per 100,000. The highest rates for illicit drugs were for marijuana (130 per 100,000) and heroin (108 per 100,000).
- Treatment admission rates for 2008 were higher for primary alcohol abuse (either alone or with secondary drugs) than for illicit drugs in each Census division. The primary illicit drugs were:
 - Marijuana—East North Central, West North Central, East South Central, West South Central, South Atlantic, and Mountain
 - Heroin—New England and Middle Atlantic

See: Substance Abuse and Mental Health Services Administration, Office of Applied Studies. Treatment Episode Data Set (TEDS). 1998 - 2008. National Admissions to Substance Abuse Treatment Services, DASIS Series: S-50, HHS Publication No. (SMA) 09-4471, Rockville, MD, 2010. Table 2.7.

- Methamphetamine/amphetamine—Pacific
- Treatment admission rates for 2008 were higher for primary alcohol abuse (either alone or with secondary drugs) than for any of the major illicit drugs in 42 of the 50 reporting States and jurisdictions. The exceptions where an illicit drug admission rate was higher than the alcohol admission rate were New Jersey and Puerto Rico (heroin), Florida (marijuana), and California (methamphetamine/amphetamine).¹
- In the 42 States or jurisdictions where admission rates for primary alcohol were higher than the rate for any illicit drug, the primary illicit drugs were:
 - Marijuana—Arkansas, Colorado, Hawaii (tied with methamphetamine/amphetamine), Idaho, Indiana, Iowa, Kansas, Louisiana, Michigan, Minnesota, Mississippi, Missouri, Montana, New Hampshire, North Carolina, North Dakota, Ohio, Oklahoma, Oregon, South Carolina, South Dakota, Texas, Virginia, Washington, Wisconsin, and Wyoming.
 - Heroin—Connecticut, Delaware, Illinois, Maryland, Massachusetts, New York, Pennsylvania, and Rhode Island
 - Opiates other than heroin—Kentucky, Maine, Tennessee (includes heroin admissions), Vermont, and West Virginia
 - Methamphetamine/amphetamine—Hawaii (tied with marijuana), Nebraska, Nevada, Utah

Table 2.4 presents the treatment admission rate by primary substance, adjusted for age, gender, and race/ethnicity to the U.S. 2000 population by Census division and State or jurisdiction for 2008. Adjustment is a way to make fairer comparisons when there are different admission rates among population sub-groups and different proportions of the sub-groups in each division, State, or jurisdiction. The adjusted rates are the rates that would have been seen if each division, State, or jurisdiction had the same distribution of sub-groups as the U.S. 2000 population.

- Adjustment of the 2008 treatment admission rates for age, gender, and race/ethnicity did not change the relative ranking of alcohol and illicit drugs for either the US as a whole or for any of the Census divisions.
- Adjustment of the 2008 treatment admission rates for age, gender, and race/ethnicity did not change the relative ranking of alcohol and illicit drugs for most States, although in a few States cocaine replaced marijuana as the most common illicit drug (Louisiana, Mississippi, Texas, and Wisconsin). Methamphetamine/amphetamine was replaced by marijuana in Nebraska and by cocaine in Utah. In Kentucky, marijuana tied with opiates other than heroin.

In four States and jurisdictions, the proportion of admissions where the substance was not reported was too high to determine the primary substance. These were Alabama (19 percent), Arizona (26 percent), the District of Columbia (59 percent), and New Mexico (18 percent).

CHAPTER 3

CHARACTERISTICS OF SUBSTANCE TREATMENT ADMISSIONS AGED 12 AND OLDER BY STATE OR JURISDICTION AND PRIMARY SUBSTANCE OF ABUSE: TEDS 2008

This chapter presents data on the demographic characteristics of substance abuse treatment admissions aged 12 and older from the Treatment Episode Data Set (TEDS) for admissions in 2008, according to primary substance of abuse and for individual States and jurisdictions.

As noted previously, comparisons between and across divisions and States should be made with caution. There are many factors (e.g., facilities included, clients included, ability to track multiservice episodes, services offered, and completeness and timeliness of reporting) that can affect comparability. See Appendix A for a full discussion.

Tables 3.1-3.50 present, for each State or jurisdiction reporting TEDS 2008 admissions, the percentage distribution of demographic characteristics (gender, age-group, and race/ethnicity) by primary substance of abuse for admissions aged 12 and older.

Figures 8-59 depict, for each individual State and jurisdiction, the percentage distribution of admissions aged 12 and older for selected primary substances for 1998 through 2008.

Figure 8
Alabama: Primary substance of abuse at admission TEDS 1998-2008





Figure 9
Alaska: Primary substance of abuse at admission TEDS 1998-2008



NOTE: Data were not submitted for Alabama for 2007 or for Alaska for 2004-2008 because of changes to their data collection systems. SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 8.31.09.

Figure 10
Arizona: Primary substance of abuse at admission TEDS 1998-2008




Figure 11
Arkansas: Primary substance of abuse at admission TEDS 1998-2008




Figure 12
California: Primary substance of abuse at admission TEDS 1998-2008




Figure 13
Colorado: Primary substance of abuse at admission
TEDS 1998-2008




Figure 14
Connecticut: Primary substance of abuse at admission TEDS 1998-2008




Figure 15
Delaware: Primary substance of abuse at admission TEDS 1998-2008




Figure 16
District of Columbia: Primary substance of abuse at admission TEDS 1998-2008





Figure 17
Florida: Primary substance of abuse at admission TEDS 1998-2008



NOTE: Data were not submitted for the District of Columbia for 2004-2007 because of changes to the data collection system. SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 8.31.09.

Figure 18
Georgia: Primary substance of abuse at admission
TEDS 1998-2008





Figure 19
Hawaii: Primary substance of abuse at admission TEDS 1998-2008



NOTE: Data were not submitted for Georgia for 2007-2008 because of changes to the data collection system. SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 8.31.09.

Figure 20 Idaho: Primary substance of abuse at admission TEDS 1998-2008




Figure 21
Illinois: Primary substance of abuse at admission TEDS 1998-2008




Figure 22
Indiana: Primary substance of abuse at admission TEDS 1998-2008




Figure 23
Iowa: Primary substance of abuse at admission
TEDS 1998-2008




Figure 24
Kansas: Primary substance of abuse at admission
TEDS 1998-2008




Figure 25
Kentucky: Primary substance of abuse at admission TEDS 1998-2008




Figure 26
Louisiana: Primary substance of abuse at admission
TEDS 1998-2008




Figure 27
Maine: Primary substance of abuse at admission TEDS 1998-2008




Figure 28
Maryland: Primary substance of abuse at admission TEDS 1998-2008




Figure 29
Massachusetts: Primary substance of abuse at admission
TEDS 1998-2008




Figure 30
Michigan: Primary substance of abuse at admission TEDS 1998-2008




Figure 31
Minnesota: Primary substance of abuse at admission
TEDS 1998-2008




Figure 32
Mississippi: Primary substance of abuse at admission TEDS 1998-2008




Figure 33
Missouri: Primary substance of abuse at admission
TEDS 1998-2008




Figure 34
Montana: Primary substance of abuse at admission
TEDS 1998-2008




Figure 35
Nebraska: Primary substance of abuse at admission TEDS 1998-2008




Figure 36
Nevada: Primary substance of abuse at admission TEDS 1998-2008




Figure 37
New Hampshire: Primary substance of abuse at admission TEDS 1998-2008




Figure 38
New Jersey: Primary substance of abuse at admission TEDS 1998-2008




Figure 39
New Mexico: Primary substance of abuse at admission TEDS 1998-2008




Figure 40
New York: Primary substance of abuse at admission TEDS 1998-2008




Figure 41
North Carolina: Primary substance of abuse at admission
TEDS 1998-2008




Figure 42
North Dakota: Primary substance of abuse at admission TEDS 1998-2008




Figure 43
Ohio: Primary substance of abuse at admission TEDS 1998-2008




Figure 44
Oklahoma: Primary substance of abuse at admission TEDS 1998-2008




Figure 45
Oregon: Primary substance of abuse at admission TEDS 1998-2008




Figure 46
Pennsylvania: Primary substance of abuse at admission TEDS 1998-2008





Figure 47
Puerto Rico: Primary substance of abuse at admission
TEDS 1998-2008



NOTE: Data were not submitted for Puerto Rico for 1998-2002 because of changes to the data collection system. SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 8.31.09.

Figure 48
Rhode Island: Primary substance of abuse at admission TEDS 1998-2008




Figure 49
South Carolina: Primary substance of abuse at admission TEDS 1998-2008




Figure 50
South Dakota: Primary substance of abuse at admission TEDS 1998-2008




Figure 51
Tennessee: Primary substance of abuse at admission
TEDS 1998-2008




Figure 52
Texas: Primary substance of abuse at admission
TEDS 1998-2008




Figure 53
Utah: Primary substance of abuse at admission TEDS 1998-2008




Figure 54
Vermont: Primary substance of abuse at admission TEDS 1998-2008




Figure 55
Virginia: Primary substance of abuse at admission TEDS 1998-2008




Figure 56
Washington: Primary substance of abuse at admission TEDS 1998-2008





Figure 57
West Virginia: Primary substance of abuse at admission TEDS 1998-2008



NOTE: Data were not submitted for West Virginia for 1998 or 2000-2002 because of changes to the data collection system. SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 8.31.09.

Figure 58
Wisconsin: Primary substance of abuse at admission TEDS 1998-2008





Figure 59
Wyoming: Primary substance of abuse at admission
TEDS 1998-2008



TABLES

Table 1.1
Number of admissions aged 12 and older
by Census division and State or jurisdiction: TEDS 1998-2008

| Census division and Sta | ate or | | | | į | Number of ad | missions age | d 12 and olde | r | | | |
|-------------------------|--------|-----------|-----------|-----------|-----------|--------------|--------------|---------------|-----------|-----------|-----------|-----------|
| jurisdiction | | 1998 | 1999 | 2000 | 2001 | 2002 | 2003 | 2004 | 2005 | 2006 | 2007 | 2008 |
| | Total | 1,704,606 | 1,715,336 | 1,750,426 | 1,767,430 | 1,885,044 | 1,861,305 | 1,818,357 | 1,886,466 | 1,920,147 | 1,870,351 | 1,893,640 |
| Census division | | | | | | | | | | | | |
| New England | | 157,138 | 155,158 | 157,004 | 160,439 | 151,651 | 136,645 | 141,064 | 144,786 | 149,596 | 150,574 | 171,235 |
| Middle Atlantic | | 394,429 | 393,798 | 417,342 | 416,986 | 427,985 | 428,997 | 426,113 | 445,889 | 470,088 | 438,046 | 452,327 |
| East North Central | | 257,225 | 209,825 | 227,893 | 233,364 | 261,853 | 258,844 | 255,598 | 272,355 | 288,058 | 281,930 | 275,263 |
| West North Central | | 137,716 | 140,477 | 144,196 | 147,516 | 145,195 | 143,193 | 156,158 | 163,868 | 167,689 | 171,930 | 172,384 |
| East South Central | | 55,490 | 51,262 | 53,199 | 62,991 | 66,870 | 73,390 | 60,920 | 62,757 | 63,264 | 41,765 | 51,033 |
| South Atlantic | | 226,414 | 263,089 | 265,011 | 272,334 | 294,878 | 307,599 | 260,746 | 265,153 | 234,799 | 207,454 | 215,199 |
| West South Central | | 76,691 | 73,712 | 84,241 | 87,221 | 95,572 | 93,528 | 96,429 | 98,628 | 95,597 | 100,235 | 102,285 |
| Mountain | | 126,641 | 128,375 | 123,035 | 112,159 | 132,045 | 127,352 | 152,873 | 158,065 | 159,512 | 177,179 | 156,805 |
| Pacific | | 272,862 | 299,640 | 278,505 | 274,420 | 308,995 | 288,041 | 266,076 | 272,709 | 289,653 | 297,624 | 294,016 |
| State or jurisdiction | | | | | | | | | | | | |
| Alabama | | 19,918 | 19,121 | 17,520 | 17,399 | 19,485 | 21,038 | 19,756 | 19,799 | 19,888 | ‡ | 14,927 |
| Alaska | | 7,722 | 6,498 | 5,142 | 3,593 | 5,133 | 3,998 | ‡ | ‡ | ‡ | ‡ | ‡ |
| Arizona | | 13,941 | 13,530 | 13,549 | 14,120 | 18,508 | 15,847 | 34,611 | 30,614 | 26,913 | 44,403 | 21,328 |
| Arkansas | | 11,920 | 13,735 | 13,389 | 12,141 | 13,838 | 13,608 | 13,632 | 13,735 | 13,663 | 14,471 | 14,235 |
| California | | 157,562 | 181,289 | 183,460 | 178,790 | 213,507 | 203,252 | 183,567 | 182,969 | 197,040 | 200,812 | 196,495 |
| Colorado | | 63,256 | 59,000 | 55,012 | 42,863 | 67,673 | 63,361 | 69,069 | 76,848 | 78,395 | 79,288 | 78,717 |
| Connecticut | | 51,600 | 50,062 | 50,863 | 47,674 | 46,699 | 45,260 | 46,307 | 47,116 | 46,451 | 44,757 | 45,964 |
| Delaware | | 6,140 | 7,009 | 6,727 | 6,895 | 6,954 | 7,495 | 7,831 | 8,197 | 8,169 | 8,424 | 7,935 |
| Dist. of Columbia | | 3,618 | 6,049 | 6,019 | 5,754 | 5,652 | 4,831 | # | # | ‡ | ‡ | 4,536 |
| Florida | | 63,045 | 83,852 | 79,516 | 67,212 | 87,095 | 81,304 | 39,129 | 46,567 | 49,659 | 51,506 | 49,071 |
| Georgia | | 14,010 | 18,870 | 30,226 | 36,707 | 34,080 | 36,039 | 31,036 | 44,860 | 21,575 | ‡ | ‡ |
| Hawaii | | 5,745 | 5,786 | 6,649 | 6,548 | 6,447 | 6,213 | 5,810 | 6,778 | 6,498 | 6,969 | 7,185 |
| Idaho | | 8,179 | 9,793 | 5,891 | 8,429 | 4,956 | 3,116 | 6,162 | 6,356 | 7,260 | 4,337 | 5,683 |
| Illinois | | 36,885 | 41,763 | 63,102 | 73,294 | 80,261 | 85,692 | 81,667 | 78,544 | 79,403 | 59,231 | 66,316 |
| Indiana | | 20,528 | 26,011 | 38,231 | 28,377 | 30,410 | 31,628 | 37,624 | 37,378 | 36,979 | 29,021 | 19,084 |
| Iowa | | 25,049 | 26,374 | 25,956 | 27,055 | 27,091 | 27,212 | 28,218 | 28,428 | 28,479 | 25,490 | 23,289 |
| Kansas | | 14,156 | 12,985 | 14,320 | 14,229 | 14,450 | 14,172 | 15,478 | 15,771 | 12,961 | 14,965 | 16,662 |
| Kentucky | | 15,450 | 16,107 | 18,471 | 25,333 | 26,238 | 30,660 | 20,319 | 22,705 | 24,677 | 24,076 | 22,148 |
| Louisiana | | 18,246 | 13,134 | 27,926 | 27,346 | 28,634 | 27,441 | 28,367 | 24,935 | 22,274 | 24,425 | 25,286 |
| Maine | | 9,821 | 9,339 | 10,453 | 11,323 | 11,891 | 13,073 | 13,196 | 13,879 | 14,452 | 15,889 | 15,363 |
| Maryland | | 57,335 | 56,207 | 55,679 | 64,474 | 68,271 | 70,842 | 72,393 | 71,037 | 66,076 | 56,023 | 46,919 |
| Massachusetts | | 73,400 | 71,864 | 70,137 | 75,424 | 67,533 | 52,202 | 57,135 | 57,771 | 62,259 | 64,698 | 83,975 |

Continued. See notes at end of table.

Table 1.1 (continued)
Number of admissions aged 12 and older
by Census division and State or jurisdiction: TEDS 1998-2008

| Census division and State or | Number of admissions aged 12 and older | | | | | | | | | | | | |
|------------------------------|--|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|--|--|
| jurisdiction | 1998 | 1999 | 2000 | 2001 | 2002 | 2003 | 2004 | 2005 | 2006 | 2007 | 2008 | | |
| Michigan | 90,453 | 57,893 | 57,325 | 52,392 | 63,654 | 60,890 | 60,181 | 57,299 | 66,377 | 65,339 | 63,344 | | |
| Minnesota | 41,466 | 40,998 | 40,014 | 42,568 | 40,911 | 42,549 | 45,782 | 45,105 | 47,503 | 49,534 | 49,642 | | |
| Mississippi | 6,799 | 8,812 | 9,564 | 10,444 | 11,372 | 10,691 | 9,982 | 8,534 | 7,515 | 7,410 | 4,148 | | |
| Missouri | 36,112 | 41,760 | 44,305 | 45,734 | 41,176 | 37,620 | 39,459 | 43,642 | 45,375 | 47,254 | 49,061 | | |
| Montana | 6,732 | 6,587 | 7,026 | 6,924 | 6,956 | 7,746 | 7,701 | 8,169 | 7,860 | 9,191 | 9,128 | | |
| Nebraska | 8,736 | 7,187 | 8,504 | 8,979 | 9,265 | 10,501 | 15,106 | 15,170 | 14,942 | 16,509 | 16,252 | | |
| Nevada | 8,811 | 10,488 | 10,792 | 10,810 | 10,512 | 11,696 | 11,570 | 10,018 | 10,010 | 9,852 | 9,699 | | |
| New Hampshire | 6,016 | 5,697 | 5,777 | 5,426 | 4,557 | 4,975 | 5,830 | 5,142 | 6,012 | 5,616 | 6,136 | | |
| New Jersey | 58,192 | 53,680 | 52,852 | 54,658 | 54,495 | 55,558 | 54,117 | 55,197 | 55,855 | 60,233 | 64,901 | | |
| New Mexico | 9,815 | 6,589 | 7,138 | 7,155 | 6,697 | 6,844 | 5,479 | 7,933 | 10,839 | 10,675 | 10,892 | | |
| New York | 285,360 | 285,720 | 300,518 | 301,169 | 312,600 | 308,919 | 285,213 | 314,198 | 342,763 | 308,453 | 313,508 | | |
| North Carolina | 45,829 | 32,474 | 35,085 | 33,846 | 30,049 | 27,103 | 25,222 | 24,278 | 17,879 | 23,339 | 36,578 | | |
| North Dakota | 2,657 | 2,113 | 1,954 | 2,213 | 3,282 | 2,039 | 2,754 | 2,303 | 2,633 | 2,415 | 2,456 | | |
| Ohio | 92,037 | 67,318 | 48,881 | 59,147 | 67,022 | 56,789 | 53,308 | 73,575 | 73,740 | 98,519 | 97,414 | | |
| Oklahoma | 14,267 | 12,160 | 13,592 | 16,988 | 17,564 | 16,803 | 17,380 | 16,934 | 15,810 | 16,761 | 16,993 | | |
| Oregon | 48,051 | 49,784 | 52,595 | 55,448 | 55,732 | 45,078 | 44,713 | 47,348 | 48,803 | 51,770 | 50,700 | | |
| Pennsylvania | 50,877 | 54,398 | 63,972 | 61,159 | 60,890 | 64,520 | 86,783 | 76,494 | 71,470 | 69,360 | 73,918 | | |
| Puerto Rico | ‡ | ‡ | ‡ | ‡ | ‡ | 3,716 | 2,380 | 2,256 | 1,891 | 3,614 | 3,093 | | |
| Rhode Island | 11,164 | 12,288 | 12,634 | 13,526 | 13,320 | 13,659 | 12,926 | 12,506 | 12,103 | 11,479 | 11,357 | | |
| South Carolina | 26,359 | 30,202 | 28,268 | 30,846 | 28,564 | 25,212 | 23,554 | 27,074 | 28,758 | 29,514 | 29,895 | | |
| South Dakota | 9,540 | 9,060 | 9,143 | 6,738 | 9,020 | 9,100 | 9,361 | 13,449 | 15,796 | 15,763 | 15,022 | | |
| Tennessee | 13,323 | 7,222 | 7,644 | 9,815 | 9,775 | 11,001 | 10,863 | 11,719 | 11,184 | 10,279 | 9,810 | | |
| Texas | 32,258 | 34,683 | 29,334 | 30,746 | 35,536 | 35,676 | 37,050 | 43,024 | 43,850 | 44,578 | 45,771 | | |
| Utah | 11,452 | 18,280 | 19,375 | 15,910 | 11,458 | 12,752 | 12,614 | 12,248 | 13,680 | 14,350 | 15,091 | | |
| Vermont | 5,137 | 5,908 | 7,140 | 7,066 | 7,651 | 7,476 | 5,670 | 8,372 | 8,319 | 8,135 | 8,440 | | |
| Virginia | 10,078 | 18,314 | 23,491 | 26,600 | 34,213 | 50,625 | 57,037 | 36,646 | 34,950 | 31,470 | 33,338 | | |
| Washington | 53,782 | 56,283 | 30,659 | 30,041 | 28,176 | 29,500 | 31,986 | 35,614 | 37,312 | 38,073 | 39,636 | | |
| West Virginia | ‡ | 10,112 | ‡ | ‡ | ‡ | 4,148 | 4,544 | 6,494 | 7,733 | 7,178 | 6,927 | | |
| Wisconsin | 17,322 | 16,840 | 20,354 | 20,154 | 20,506 | 23,845 | 22,818 | 25,559 | 31,559 | 29,820 | 29,105 | | |
| Wyoming | 4,455 | 4,108 | 4,252 | 5,948 | 5,285 | 5,990 | 5,667 | 5,879 | 4,555 | 5,083 | 6,267 | | |

[‡] No data, or less than a full calendar year of data, submitted.

Table 1.2
Admissions per 100,000 population aged 12 and older
by Census division and State or jurisdiction: TEDS 1998-2008

| Census division and Stat | te or | | | | Admis | sions per 100 | ,000 populatio | on aged 12 an | nd older | | | |
|------------------------------|-------|-------|-------|-------|-------|---------------|----------------|---------------|----------|-------|-------|-------------|
| jurisdiction | | 1998 | 1999 | 2000 | 2001 | 2002 | 2003 | 2004 | 2005 | 2006 | 2007 | 2008 |
| | Total | 768 | 759 | 753 | 751 | 791 | 767 | 744 | 764 | 770 | 778 | 767 |
| Census division ¹ | | | | | | | | | | | | |
| New England | | 1,394 | 1,370 | 1,339 | 1,355 | 1,269 | 1,135 | 1,167 | 1,194 | 1,228 | 1,232 | 1,395 |
| Middle Atlantic | | 1,234 | 1,227 | 1,255 | 1,245 | 1,269 | 1,264 | 1,249 | 1,302 | 1,367 | 1,268 | 1,305 |
| East North Central | | 700 | 569 | 608 | 618 | 689 | 677 | 665 | 705 | 742 | 724 | 704 |
| West North Central | | 886 | 897 | 899 | 913 | 892 | 875 | 947 | 988 | 1,003 | 1,022 | 1,018 |
| East South Central | | 404 | 370 | 374 | 440 | 464 | 506 | 416 | 425 | 424 | 374 | 336 |
| South Atlantic | | 576 | 635 | 631 | 638 | 678 | 673 | 567 | 567 | 494 | 514 | 521 |
| West South Central | | 315 | 299 | 327 | 334 | 361 | 349 | 355 | 358 | 343 | 353 | 355 |
| Mountain | | 926 | 921 | 822 | 732 | 843 | 798 | 936 | 945 | 929 | 1,008 | 876 |
| Pacific | | 771 | 833 | 752 | 729 | 808 | 743 | 687 | 697 | 732 | 745 | <i>7</i> 27 |
| State or jurisdiction | | | | | | | | | | | | |
| Alabama | | 547 | 522 | 472 | 467 | 521 | 559 | 522 | 519 | 515 | ‡ | 381 |
| Alaska | | 1,585 | 1,325 | 1,021 | 703 | 984 | 753 | ‡ | ‡ | ‡ | ‡ | ‡ |
| Arizona | | 368 | 350 | 320 | 325 | 414 | 345 | 732 | 625 | 530 | 851 | 400 |
| Arkansas | | 566 | 648 | 600 | 541 | 613 | 598 | 594 | 592 | 582 | 612 | 597 |
| California | | 595 | 673 | 662 | 634 | 745 | 699 | 624 | 616 | 657 | 664 | 642 |
| Colorado | | 1,928 | 1,758 | 1,531 | 1,164 | 1,806 | 1,672 | 1,799 | 1,973 | 1,975 | 1,961 | 1,910 |
| Connecticut | | 1,893 | 1,836 | 1,788 | 1,663 | 1,614 | 1,551 | 1,579 | 1,600 | 1,570 | 1,509 | 1,542 |
| Delaware | | 986 | 1,111 | 1,025 | 1,038 | 1,032 | 1,095 | 1,126 | 1,159 | 1,139 | 1,158 | 1,077 |
| Dist. of Columbia | | 805 | 1,344 | 1,226 | 1,160 | 1,134 | 969 | # | ‡ | # | ‡ | 879 |
| Florida | | 503 | 659 | 583 | 484 | 614 | 562 | 265 | 308 | 322 | 331 | 313 |
| Georgia | | 223 | 295 | 447 | 531 | 482 | 501 | 423 | 599 | 281 | ‡ | ‡ |
| Hawaii | | 581 | 586 | 655 | 639 | 622 | 593 | 548 | 631 | 599 | 641 | 655 |
| Idaho | | 813 | 954 | 556 | 782 | 452 | 279 | 541 | 545 | 607 | 355 | 457 |
| Illinois | | 372 | 418 | 615 | 709 | 771 | 818 | 775 | 741 | 745 | 552 | 614 |
| Indiana | | 418 | 527 | 758 | 559 | 595 | 615 | 727 | 717 | 704 | 548 | 358 |
| Iowa | | 1,043 | 1,094 | 1,058 | 1,100 | 1,099 | 1,101 | 1,136 | 1,140 | 1,136 | 1,012 | 919 |
| Kansas | | 647 | 589 | 643 | 636 | 641 | 626 | 681 | 690 | 564 | 647 | 714 |
| Kentucky | | 468 | 484 | 545 | 743 | 764 | 887 | 583 | 646 | 697 | 673 | 615 |
| Louisiana | | 508 | 365 | 759 | 743 | 775 | 740 | 762 | 667 | 627 | 669 | 688 |
| Maine | | 923 | 871 | 962 | 1,032 | 1,072 | 1,166 | 1,169 | 1,224 | 1,270 | 1,393 | 1,344 |
| Maryland | | 1,346 | 1,309 | 1,264 | 1,442 | 1,504 | 1,540 | 1,558 | 1,515 | 1,400 | 1,181 | 986 |
| Massachusetts | | 1,423 | 1,385 | 1,309 | 1,395 | 1,239 | 954 | 1,042 | 1,051 | 1,129 | 1,167 | 1,506 |

Continued. See notes at end of table.

Table 1.2 (continued)
Admissions per 100,000 population aged 12 and older
by Census division and State or jurisdiction: TEDS 1998-2008

| Census division and State or | Admissions per 100,000 population aged 12 and older | | | | | | | | | | | | | |
|------------------------------|---|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--|--|--|
| jurisdiction | 1998 | 1999 | 2000 | 2001 | 2002 | 2003 | 2004 | 2005 | 2006 | 2007 | 2008 | | | |
| Michigan | 1,110 | 707 | 696 | 632 | 762 | 724 | 711 | 675 | 780 | 769 | 748 | | | |
| Minnesota | 1,059 | 1,035 | 977 | 1,026 | 976 | 1,006 | 1,074 | 1,051 | 1,098 | 1,136 | 1,130 | | | |
| Mississippi | 301 | 387 | 409 | 445 | 483 | 452 | 419 | 356 | 313 | 307 | 171 | | | |
| Missouri | 798 | 916 | 948 | 971 | 867 | 786 | 817 | 896 | 924 | 955 | 986 | | | |
| Montana | 910 | 884 | 925 | 906 | 903 | 995 | 977 | 1,025 | 975 | 1,127 | 1,107 | | | |
| Nebraska | 635 | 520 | 598 | 629 | 645 | 727 | 1,041 | 1,039 | 1,019 | 1,120 | 1,095 | | | |
| Nevada | 620 | 713 | 649 | 627 | 589 | 634 | 602 | 505 | 488 | 467 | 452 | | | |
| New Hampshire | 607 | 567 | 556 | 514 | 425 | 458 | 531 | 464 | 537 | 499 | 543 | | | |
| New Jersey | 864 | 792 | 753 | 772 | 762 | 772 | 747 | 759 | 766 | 824 | 884 | | | |
| New Mexico | 698 | 466 | 479 | 476 | 439 | 443 | 350 | 499 | 673 | 654 | 661 | | | |
| New York | 1,890 | 1,884 | 1,895 | 1,884 | 1,940 | 1,904 | 1,746 | 1,914 | 2,080 | 1,862 | 1,884 | | | |
| North Carolina | 733 | 512 | 520 | 494 | 432 | 385 | 353 | 334 | 241 | 308 | 474 | | | |
| North Dakota | 495 | 396 | 361 | 411 | 609 | 378 | 507 | 424 | 484 | 443 | 448 | | | |
| Ohio | 981 | 716 | 517 | 622 | 702 | 592 | 554 | 762 | 763 | 1,016 | 1,003 | | | |
| Oklahoma | 515 | 436 | 473 | 589 | 605 | 576 | 592 | 574 | 531 | 557 | 561 | | | |
| Oregon | 1,749 | 1,792 | 1,830 | 1,902 | 1,880 | 1,503 | 1,476 | 1,541 | 1,562 | 1,632 | 1,575 | | | |
| Pennsylvania | 502 | 536 | 616 | 588 | 582 | 614 | 824 | 724 | 673 | 651 | 692 | | | |
| Puerto Rico | ‡ | ‡ | ‡ | ‡ | ‡ | 1,167 | 741 | 696 | 578 | 1,094 | 928 | | | |
| Rhode Island | 1,347 | 1,480 | 1,427 | 1,513 | 1,474 | 1,499 | 1,415 | 1,373 | 1,331 | 1,267 | 1,256 | | | |
| South Carolina | 822 | 928 | 843 | 909 | 831 | 725 | 667 | 756 | 789 | 795 | 792 | | | |
| South Dakota | 1,579 | 1,491 | 1,458 | 1,068 | 1,419 | 1,420 | 1,445 | 2,061 | 2,395 | 2,367 | 2,234 | | | |
| Tennessee | 293 | 157 | 160 | 204 | 201 | 224 | 218 | 233 | 219 | 198 | 187 | | | |
| Texas | 203 | 214 | 173 | 178 | 201 | 199 | 203 | 232 | 231 | 230 | 232 | | | |
| Utah | 701 | 1,104 | 1,099 | 883 | 623 | 680 | 657 | 622 | 674 | 686 | 705 | | | |
| Vermont | 1,024 | 1,166 | 1,382 | 1,356 | 1,453 | 1,410 | 1,063 | 1,562 | 1,545 | 1,506 | 1,560 | | | |
| Virginia | 177 | 318 | 395 | 442 | 560 | 817 | 909 | 576 | 543 | 484 | 508 | | | |
| Washington | 1,139 | 1,177 | 624 | 602 | 556 | 575 | 615 | 675 | 695 | 699 | 716 | | | |
| West Virginia | · ‡ | 652 | ‡ | ‡ | ‡ | 267 | 293 | 418 | 497 | 460 | 443 | | | |
| Wisconsin | 397 | 383 | 453 | 445 | 448 | 517 | 490 | 545 | 669 | 628 | 610 | | | |
| Wyoming | 1,110 | 1,022 | 1,026 | 1,434 | 1,262 | 1,422 | 1,333 | 1,374 | 1,052 | 1,154 | 1,402 | | | |

Rates in italics indicate that one or more States or jurisdictions did not submit data. The populations of these States have been excluded from the rate calculation for the Census division in the italicized years.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 08.31.09. Population: U.S. Bureau of the Census. Population Estimates for Counties by Age and Sex: Annual Time Series July 1, 1990 to July 1, 1999 (rel. Aug. 2000). Annual State Resident Population Estimates for 6 Race Groups by Age, Sex, and Hispanic Origin: April 1, 2000 to July 1, 2008 (rel. May 2009). Annual Estimates of the Resident Population by Single-Year of Age and Sex for Puerto Rico: April 1, 2000 to July 1, 2009 (rel. Jun. 2010).

[‡] No data, or less than a full calendar year of data, submitted.

Table 1.3
Admissions per 100,000 population aged 12 and older, adjusted for age, gender, and race/ethnicity, by Census division and State or jurisdiction: TEDS 1998-2008

| Census division and State | or _ | | Ac | lmissions per | 100,000 popu | ılation aged 1 | 2 and older, a | djusted for ag | e, gender, an | d race/ethnic | ity ¹ | |
|------------------------------|-------|-------|-------|---------------|--------------|----------------|----------------|----------------|---------------|---------------|------------------|-------|
| jurisdiction | | 1998 | 1999 | 2000 | 2001 | 2002 | 2003 | 2004 | 2005 | 2006 | 2007 | 2008 |
| | Total | 780 | 780 | 748 | 750 | 793 | 769 | 758 | 777 | 792 | 813 | 795 |
| Census division ² | | | | | | | | | | | | |
| New England | | 1,690 | 1,648 | 1,481 | 1,482 | 1,405 | 1,189 | 1,236 | 1,281 | 1,299 | 1,323 | 1,476 |
| Middle Atlantic | | 1,222 | 1,236 | 1,227 | 1,214 | 1,253 | 1,239 | 1,215 | 1,234 | 1,286 | 1,209 | 1,255 |
| East North Central | | 761 | 647 | 636 | 636 | 696 | 681 | 676 | 691 | 754 | 712 | 654 |
| West North Central | | 1,123 | 1,133 | 1,067 | 1,057 | 1,028 | 1,018 | 1,112 | 1,179 | 1,236 | 1,254 | 1,253 |
| East South Central | | 630 | 503 | 329 | 392 | 486 | 587 | 364 | 375 | 382 | 349 | 306 |
| South Atlantic | | 526 | 594 | 562 | 575 | 608 | 617 | 544 | 549 | 481 | 516 | 524 |
| West South Central | | 302 | 284 | 326 | 346 | 374 | 359 | 365 | 368 | 355 | 369 | 368 |
| Mountain | | 830 | 933 | 877 | 830 | 998 | 873 | 977 | 969 | 982 | 1,029 | 887 |
| Pacific | | 965 | 1,059 | 914 | 873 | 967 | 889 | 832 | 851 | 896 | 919 | 913 |
| State or jurisdiction | | | | | | | | | | | | |
| Alabama | | 380 | 368 | 366 | 368 | 414 | 447 | 420 | 424 | 431 | ‡ | 313 |
| Alaska | | 1,001 | 863 | 646 | 456 | 660 | 482 | ‡ | ‡ | ‡ | ‡ | ‡ |
| Arizona | | 372 | 621 | 640 | 686 | 890 | 547 | 839 | 653 | 557 | 943 | 434 |
| Arkansas | | 512 | 586 | 565 | 501 | 576 | 576 | 569 | 572 | 569 | 604 | 588 |
| California | | 699 | 820 | 777 | 730 | 874 | 821 | 714 | 706 | 761 | 766 | 748 |
| Colorado | | 1,750 | 1,659 | 1,482 | 1,214 | 2,003 | 1,849 | 1,984 | 2,165 | 2,151 | 2,163 | 2,087 |
| Connecticut | | 1,566 | 1,500 | 1,639 | 1,496 | 1,539 | 1,368 | 1,364 | 1,265 | 1,264 | 1,397 | 1,496 |
| Delaware | | 889 | 928 | 872 | 942 | 972 | 1,032 | 1,143 | 1,143 | 1,136 | 1,172 | 1,142 |
| Dist. of Columbia | | 493 | 909 | 652 | 530 | 470 | 460 | ‡ | ‡ | ‡ | ‡ | 250 |
| Florida | | 550 | 740 | 618 | 520 | 639 | 600 | 308 | 358 | 381 | 392 | 374 |
| Georgia | | 170 | 206 | 332 | 384 | 359 | 404 | 358 | 531 | 249 | ‡ | ‡ |
| Hawaii | | 612 | 596 | 912 | 820 | 773 | 717 | 668 | 742 | 731 | 791 | 821 |
| Idaho | | 774 | 855 | 552 | 759 | 445 | 273 | 464 | 560 | 672 | 398 | 464 |
| Illinois | | 411 | 473 | 636 | 738 | 787 | 809 | 780 | 751 | 749 | 589 | 630 |
| Indiana | | 435 | 723 | 904 | 555 | 578 | 615 | 725 | 538 | 727 | 559 | 376 |
| Iowa | | 1,515 | 1,588 | 1,394 | 1,416 | 1,379 | 1,376 | 1,420 | 1,408 | 1,420 | 1,330 | 1,176 |
| Kansas | | 778 | 699 | 755 | 749 | 737 | 719 | 779 | 796 | 657 | 729 | 795 |
| Kentucky | | 523 | 544 | 513 | 693 | 1,056 | 1,457 | 535 | 626 | 672 | 651 | 594 |
| Louisiana | | 426 | 376 | 611 | 630 | 674 | 659 | 684 | 607 | 584 | 605 | 623 |
| Maine | | 1,282 | 1,233 | 1,217 | 1,348 | 1,352 | 1,443 | 1,433 | 1,521 | 1,515 | 1,703 | 1,604 |
| Maryland | | 1,145 | 1,115 | 1,092 | 1,252 | 1,312 | 1,342 | 1,376 | 1,348 | 1,272 | 1,067 | 881 |
| Massachusetts | | 1,906 | 1,866 | 1,511 | 1,614 | 1,467 | 1,013 | 1,159 | 1,261 | 1,299 | 1,290 | 1,549 |

Continued. See notes at end of table.

Table 1.3 (continued)

Admissions per 100,000 population aged 12 and older, adjusted for age, gender, and race/ethnicity, by Census division and State or jurisdiction: TEDS 1998-2008

| Census division and State or | Admissions per 100,000 population aged 12 and older, adjusted for age, gender, and race/ethnicity 1 | | | | | | | | | | | | | |
|------------------------------|---|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--|--|--|
| jurisdiction | 1998 | 1999 | 2000 | 2001 | 2002 | 2003 | 2004 | 2005 | 2006 | 2007 | 2008 | | | |
| Michigan | 1,168 | 909 | 686 | 634 | 727 | 700 | 700 | 660 | 760 | 752 | 737 | | | |
| Minnesota | 1,494 | 1,513 | 1,301 | 1,317 | 1,223 | 1,294 | 1,355 | 1,326 | 1,407 | 1,438 | 1,442 | | | |
| Mississippi | 2,261 | 1,557 | 446 | 463 | 458 | 423 | 387 | 344 | 311 | 301 | 163 | | | |
| Missouri | 868 | 997 | 944 | 955 | 853 | 778 | 801 | 869 | 899 | 918 | 954 | | | |
| Montana | 953 | 893 | 1,042 | 986 | 1,081 | 1,090 | 1,064 | 1,087 | 1,043 | 1,272 | 1,175 | | | |
| Nebraska | 1,122 | 777 | 836 | 820 | 833 | 995 | 1,580 | 1,558 | 1,583 | 1,571 | 1,485 | | | |
| Nevada | 767 | 760 | 740 | 715 | 686 | 756 | 742 | 606 | 604 | 545 | 522 | | | |
| New Hampshire | 791 | 716 | 627 | 592 | 469 | 561 | 613 | 536 | 624 | 534 | 583 | | | |
| New Jersey | 807 | 801 | 846 | 879 | 868 | 874 | 774 | 759 | 792 | 853 | 925 | | | |
| New Mexico | 497 | 328 | 336 | 322 | 314 | 368 | 281 | 409 | 517 | 531 | 542 | | | |
| New York | 1,790 | 1,794 | 1,725 | 1,704 | 1,776 | 1,741 | 1,586 | 1,714 | 1,846 | 1,677 | 1,715 | | | |
| North Carolina | 579 | 425 | 437 | 433 | 377 | 343 | 326 | 317 | 232 | 298 | 451 | | | |
| North Dakota | 478 | 456 | 344 | 385 | 585 | 340 | 454 | 379 | 460 | 447 | 461 | | | |
| Ohio | 1,230 | 793 | 498 | 603 | 677 | 571 | 541 | 742 | 734 | 871 | 698 | | | |
| Oklahoma | 497 | 427 | 471 | 585 | 609 | 579 | 607 | 591 | 543 | 575 | 576 | | | |
| Oregon | 2,113 | 2,106 | 2,201 | 2,304 | 2,273 | 1,799 | 1,786 | 1,879 | 1,942 | 2,047 | 2,000 | | | |
| Pennsylvania | 551 | 601 | 657 | 622 | 623 | 637 | 879 | 749 | 691 | 672 | 712 | | | |
| Rhode Island | 1,608 | 1,827 | 1,589 | 1,673 | 1,622 | 1,673 | 1,563 | 1,538 | 1,479 | 1,445 | 1,459 | | | |
| South Carolina | 813 | 951 | 744 | 813 | 762 | 669 | 615 | 707 | 735 | 753 | 756 | | | |
| South Dakota | 1,401 | 1,353 | 1,334 | 1,019 | 1,389 | 1,366 | 1,433 | 2,088 | 2,486 | 2,422 | 2,265 | | | |
| Tennessee | 244 | 151 | 141 | 184 | 179 | 200 | 201 | 211 | 201 | 184 | 173 | | | |
| Texas | 189 | 196 | 160 | 166 | 183 | 182 | 185 | 215 | 215 | 220 | 215 | | | |
| Utah | 844 | 1,479 | 1,428 | 1,186 | 816 | 878 | 840 | 1,096 | 2,375 | 893 | 908 | | | |
| Vermont | 1,371 | 1,376 | 1,639 | 1,636 | 1,664 | 1,591 | 1,135 | 1,920 | 1,823 | 1,751 | 1,793 | | | |
| Virginia | 161 | 287 | 339 | 382 | 486 | 728 | 823 | 516 | 481 | 430 | 449 | | | |
| Washington | 1,367 | 1,429 | 739 | 704 | 638 | 677 | 729 | 811 | 836 | 853 | 883 | | | |
| West Virginia | ‡ | 1,015 | ‡ | ‡ | ‡ | 295 | 320 | 445 | 546 | 492 | 454 | | | |
| Wisconsin | 399 | 394 | 505 | 498 | 505 | 582 | 538 | 625 | 759 | 695 | 676 | | | |
| Wyoming | 1,125 | 1,016 | 1,127 | 1,485 | 1,316 | 1,471 | 1,364 | 1,454 | 1,100 | 1,163 | 1,344 | | | |

¹ Adjusted for age, gender, and race/ethnicity to the 2000 U.S. resident population.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 08.31.09. Population: U.S. Bureau of the Census. Population Estimates for Counties by Age and Sex: Annual Time Series July 1, 1990 to July 1, 1999 (rel. Aug. 2000). Annual State Resident Population Estimates for 6 Race Groups by Age, Sex, and Hispanic Origin: April 1, 2000 to July 1, 2008 (rel. May 2009). Annual Estimates of the Resident Population by Single-Year of Age and Sex for Puerto Rico: April 1, 2000 to July 1, 2009 (rel. Jun. 2010).

² Rates in italics indicate that one or more States or jurisdictions did not submit data. The populations of these States have been excluded from the rate calculation for the Census division in the italicized years.

[‡] No data, or less than a full calendar year of data, submitted.

Table 1.4a
Primary alcohol admissions by Census division and State or jurisdiction: TEDS 1998-2008
Number of admissions aged 12 and older

| Census division and stat | te or | Number of admissions aged 12 and older | | | | | | | | | | | | | |
|--------------------------|-------|--|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|--|--|--|
| jurisdiction | _ | 1998 | 1999 | 2000 | 2001 | 2002 | 2003 | 2004 | 2005 | 2006 | 2007 | 2008 | | | |
| | Total | 826,853 | 823,059 | 811,313 | 784,048 | 810,851 | 774,703 | 732,835 | 742,627 | 766,695 | 754,104 | 784,262 | | | |
| Census division | | | | | | | | | | | | | | | |
| New England | | 75,787 | 72,988 | 72,666 | 65,689 | 59,368 | 54,675 | 54,177 | 54,847 | 56,383 | 57,549 | 68,833 | | | |
| Middle Atlantic | | 202,134 | 203,043 | 208,807 | 201,560 | 204,656 | 197,360 | 185,065 | 189,579 | 203,121 | 187,528 | 193,148 | | | |
| East North Central | | 134,319 | 108,041 | 112,556 | 109,755 | 120,265 | 115,784 | 111,203 | 115,298 | 120,847 | 121,252 | 117,154 | | | |
| West North Central | | 77,467 | 78,531 | 77,586 | 76,202 | 72,353 | 67,549 | 74,806 | 76,054 | 82,720 | 87,423 | 92,155 | | | |
| East South Central | | 23,048 | 21,902 | 22,150 | 25,159 | 25,652 | 27,419 | 21,527 | 23,166 | 23,061 | 15,644 | 18,218 | | | |
| South Atlantic | | 101,456 | 121,586 | 116,059 | 113,592 | 116,696 | 117,445 | 99,319 | 96,472 | 84,175 | 75,432 | 76,026 | | | |
| West South Central | | 30,757 | 28,108 | 31,148 | 32,273 | 34,253 | 30,602 | 29,286 | 27,523 | 26,700 | 29,133 | 31,973 | | | |
| Mountain | | 79,298 | 76,894 | 72,373 | 66,426 | 80,948 | 75,599 | 80,918 | 84,125 | 86,758 | 90,359 | 92,383 | | | |
| Pacific | | 102,587 | 111,966 | 97,968 | 93,392 | 96,660 | 87,166 | 75,910 | 74,925 | 82,762 | 88,592 | 93,242 | | | |
| State or jurisdiction | | - , | , | - , | , | , | - , | -,- | , | - , - | , | , | | | |
| Alabama | | 8,513 | 8,359 | 7,237 | 6,510 | 6,951 | 6,849 | 5,990 | 5,862 | 5,992 | ‡ | 5,189 | | | |
| Alaska | | 6,120 | 5,317 | 4,167 | 2,852 | 4,190 | 3,258 | ‡ | ‡ | # | ‡ | ‡ | | | |
| Arizona | | 3,652 | 4,637 | 4,271 | 5,071 | 3,940 | 3,480 | 7,488 | 6,205 | 5,751 | 7,658 | 6,487 | | | |
| Arkansas | | 5,741 | 6,267 | 5,691 | 4,964 | 5,132 | 4,415 | 4,457 | 4,306 | 4,663 | 5,612 | 5,653 | | | |
| California | | 40,201 | 47,598 | 46,974 | 43,523 | 47,626 | 43,917 | 36,414 | 33,648 | 39,288 | 41,910 | 44,906 | | | |
| Colorado | | 50,846 | 44,044 | 42,241 | 34,062 | 54,613 | 49,563 | 51,722 | 57,220 | 58,079 | 58,732 | 59,054 | | | |
| Connecticut | | 23,473 | 22,794 | 22,995 | 18,592 | 17,314 | 16,385 | 15,483 | 14,705 | 14,803 | 15,409 | 16,551 | | | |
| Delaware | | 2,016 | 2,528 | 2,319 | 2,307 | 2,230 | 2,337 | 2,334 | 2,123 | 1,973 | 2,230 | 1,960 | | | |
| District of Columbia | | 596 | 1,232 | 1,269 | 1,109 | 1,037 | 882 | ‡ | ‡ | ‡ | ‡ | 724 | | | |
| Florida | | 23,511 | 34,645 | 33,461 | 27,313 | 32,661 | 28,109 | 12,111 | 13,317 | 13,593 | 14,761 | 13,803 | | | |
| Georgia | | 6,666 | 9,362 | 13,246 | 14,698 | 13,234 | 13,612 | 11,114 | 15,813 | 8,099 | ‡ | ‡ | | | |
| Hawaii | | 2,233 | 2,172 | 2,528 | 2,291 | 2,060 | 1,621 | 1,599 | 1,964 | 2,014 | 2,341 | 2,776 | | | |
| Idaho | | 4,016 | 4,695 | 2,971 | 4,268 | 2,323 | 1,430 | 2,285 | 2,360 | 2,692 | 1,335 | 2,110 | | | |
| Illinois | | 16,659 | 18,221 | 25,216 | 27,629 | 29,003 | 28,386 | 26,330 | 25,784 | 24,355 | 18,725 | 20,265 | | | |
| Indiana | | 11,346 | 14,730 | 20,769 | 15,455 | 15,834 | 16,171 | 18,425 | 17,566 | 17,201 | 13,983 | 9,022 | | | |
| Iowa | | 13,862 | 15,065 | 14,255 | 14,159 | 13,436 | 12,838 | 13,244 | 13,109 | 13,649 | 13,095 | 12,795 | | | |
| Kansas | | 7,400 | 6,680 | 6,918 | 6,846 | 6,667 | 6,279 | 6,756 | 6,484 | 5,194 | 6,100 | 7,330 | | | |
| Kentucky | | 5,505 | 5,967 | 6,835 | 9,678 | 9,992 | 11,937 | 7,070 | 9,433 | 9,790 | 9,451 | 8,571 | | | |
| Louisiana | | 6,996 | 4,900 | 9,933 | 9,897 | 10,487 | 9,081 | 8,588 | 7,137 | 6,321 | 6,581 | 7,632 | | | |
| Maine | | 7,441 | 6,817 | 7,363 | 7,485 | 7,193 | 7,898 | 7,454 | 7,685 | 7,533 | 8,025 | 7,249 | | | |
| Maryland | | 24,988 | 23,800 | 22,248 | 24,944 | 25,074 | 24,956 | 25,432 | 24,843 | 24,282 | 19,466 | 14,612 | | | |
| Massachusetts | | 32,965 | 30,886 | 28,948 | 26,727 | 22,670 | 18,216 | 20,421 | 20,734 | 21,992 | 22,602 | 33,375 | | | |

Continued. See notes at end of table.

Table 1.4a (continued)
Primary alcohol admissions by Census division and State or jurisdiction: TEDS 1998-2008
Number of admissions aged 12 and older

| Census division and state or | | Number of admissions aged 12 and older | | | | | | | | | | | | |
|------------------------------|---------|--|---------|---------|---------|---------|---------|---------|---------|---------|---------|--|--|--|
| jurisdiction | 1998 | 1999 | 2000 | 2001 | 2002 | 2003 | 2004 | 2005 | 2006 | 2007 | 2008 | | | |
| Michigan | 45,249 | 30,314 | 30,215 | 26,798 | 31,979 | 29,622 | 27,402 | 25,170 | 28,607 | 28,022 | 27,026 | | | |
| Minnesota | 23,792 | 24,282 | 23,156 | 24,174 | 22,469 | 21,771 | 22,727 | 21,469 | 24,170 | 26,143 | 27,707 | | | |
| Mississippi | 3,278 | 4,313 | 4,430 | 4,344 | 4,842 | 4,181 | 3,682 | 3,002 | 2,510 | 2,398 | 1,296 | | | |
| Missouri | 16,613 | 18,859 | 19,332 | 19,319 | 16,513 | 13,304 | 13,105 | 13,601 | 15,206 | 15,989 | 18,388 | | | |
| Montana | 4,188 | 4,266 | 4,328 | 4,144 | 4,130 | 4,525 | 4,413 | 4,453 | 4,489 | 5,590 | 5,661 | | | |
| Nebraska | 6,237 | 4,886 | 5,285 | 5,006 | 4,793 | 5,943 | 10,861 | 10,843 | 11,014 | 12,379 | 12,816 | | | |
| Nevada | 3,787 | 4,748 | 4,540 | 4,481 | 4,167 | 4,573 | 4,592 | 3,311 | 3,579 | 3,668 | 4,095 | | | |
| New Hampshire | 3,808 | 3,623 | 3,703 | 3,280 | 2,543 | 2,718 | 3,162 | 2,707 | 3,118 | 2,754 | 3,065 | | | |
| New Jersey | 17,948 | 17,478 | 15,853 | 15,248 | 14,921 | 15,283 | 14,945 | 14,898 | 16,883 | 18,586 | 21,150 | | | |
| New Mexico | 5,496 | 3,037 | 2,905 | 3,832 | 3,773 | 3,572 | 2,646 | 3,416 | 5,145 | 5,293 | 5,542 | | | |
| New York | 160,028 | 159,105 | 163,396 | 159,098 | 163,481 | 156,648 | 136,106 | 145,182 | 158,571 | 141,161 | 142,699 | | | |
| North Carolina | 24,710 | 17,749 | 18,307 | 17,425 | 15,774 | 13,784 | 12,060 | 10,608 | 7,286 | 9,886 | 14,537 | | | |
| North Dakota | 2,064 | 1,607 | 1,456 | 1,533 | 2,046 | 1,048 | 1,714 | 1,291 | 1,468 | 1,428 | 1,462 | | | |
| Ohio | 47,506 | 32,174 | 21,823 | 25,503 | 29,034 | 24,478 | 22,175 | 29,300 | 29,163 | 39,571 | 39,291 | | | |
| Oklahoma | 7,532 | 6,082 | 6,424 | 7,730 | 7,787 | 7,019 | 6,622 | 6,176 | 5,704 | 6,312 | 6,714 | | | |
| Oregon | 26,385 | 28,990 | 30,150 | 31,216 | 30,422 | 25,338 | 24,308 | 24,868 | 26,313 | 28,510 | 28,534 | | | |
| Pennsylvania | 24,158 | 26,460 | 29,558 | 27,214 | 26,254 | 25,429 | 34,014 | 29,499 | 27,667 | 27,781 | 29,299 | | | |
| Puerto Rico | ‡ | ‡ | ‡ | ‡ | ‡ | 1,104 | 624 | 638 | 168 | 1,192 | 1,130 | | | |
| Rhode Island | 4,457 | 4,543 | 4,557 | 4,704 | 4,892 | 4,803 | 4,424 | 4,518 | 4,686 | 4,589 | 4,398 | | | |
| South Carolina | 15,017 | 18,155 | 16,329 | 16,719 | 14,952 | 13,046 | 12,876 | 13,934 | 13,354 | 13,869 | 14,485 | | | |
| South Dakota | 7,499 | 7,152 | 7,184 | 5,165 | 6,429 | 6,366 | 6,399 | 9,257 | 12,019 | 12,289 | 11,657 | | | |
| Tennessee | 5,752 | 3,263 | 3,648 | 4,627 | 3,867 | 4,452 | 4,785 | 4,869 | 4,769 | 3,795 | 3,162 | | | |
| Texas | 10,488 | 10,859 | 9,100 | 9,682 | 10,847 | 10,087 | 9,619 | 9,904 | 10,012 | 10,628 | 11,974 | | | |
| Utah | 4,350 | 8,596 | 8,400 | 6,792 | 4,673 | 4,736 | 4,489 | 3,985 | 4,375 | 4,915 | 5,404 | | | |
| Vermont | 3,643 | 4,325 | 5,100 | 4,901 | 4,756 | 4,655 | 3,233 | 4,498 | 4,251 | 4,170 | 4,195 | | | |
| Virginia | 3,952 | 7,154 | 8,880 | 9,077 | 11,734 | 18,293 | 20,913 | 12,538 | 11,478 | 11,504 | 12,497 | | | |
| Washington | 27,648 | 27,889 | 14,149 | 13,510 | 12,362 | 13,032 | 13,589 | 14,445 | 15,147 | 15,831 | 17,026 | | | |
| West Virginia | . ‡ | 6,961 | , ‡ | . ‡ | , ± | 2,426 | 2,479 | 3,296 | 4,110 | 3,716 | 3,408 | | | |
| Wisconsin | 13,559 | 12,602 | 14,533 | 14,370 | 14,415 | 17,127 | 16,871 | 17,478 | 21,521 | 20,951 | 21,550 | | | |
| Wyoming | 2,963 | 2,871 | 2,717 | 3,776 | 3,329 | 3,720 | 3,283 | 3,175 | 2,648 | 3,168 | 4,030 | | | |

[‡] No data, or less than a full calendar year of data, submitted.

Table 1.4b

Primary alcohol admissions by Census division and State or jurisdiction: TEDS 1998-2008

Admissions per 100,000 population aged 12 and older

| Census division and sta | ite or | | | | Admis | sions per 100 | 000 populatio | on aged 12 an | d older | | | |
|------------------------------|--------|-------|-------|-------|-------|---------------|---------------|---------------|---------|-------|-------|-------|
| jurisdiction | _ | 1998 | 1999 | 2000 | 2001 | 2002 | 2003 | 2004 | 2005 | 2006 | 2007 | 2008 |
| | Total | 372 | 364 | 349 | 333 | 340 | 319 | 300 | 301 | 307 | 314 | 318 |
| Census division ¹ | | | | | | | | | | | | |
| New England | | 672 | 644 | 620 | 555 | 497 | 454 | 448 | 452 | 463 | 471 | 561 |
| Middle Atlantic | | 632 | 633 | 628 | 602 | 607 | 582 | 543 | 553 | 591 | 543 | 557 |
| East North Central | | 366 | 293 | 300 | 291 | 316 | 303 | 289 | 298 | 311 | 311 | 300 |
| West North Central | | 498 | 501 | 484 | 472 | 445 | 413 | 454 | 458 | 495 | 519 | 544 |
| East South Central | | 168 | 158 | 156 | 176 | 178 | 189 | 147 | 157 | 155 | 140 | 120 |
| South Atlantic | | 258 | 294 | 276 | 266 | 268 | 257 | 216 | 206 | 177 | 187 | 184 |
| West South Central | | 126 | 114 | 121 | 124 | 129 | 114 | 108 | 100 | 96 | 103 | 111 |
| Mountain | | 580 | 552 | 483 | 434 | 517 | 474 | 495 | 503 | 505 | 514 | 516 |
| Pacific | | 290 | 311 | 265 | 248 | 253 | 225 | 196 | 191 | 209 | 222 | 231 |
| State or jurisdiction | | | | | | | | | | | | |
| Alabama | | 234 | 228 | 195 | 175 | 186 | 182 | 158 | 154 | 155 | ‡ | 132 |
| Alaska | | 1,256 | 1,084 | 827 | 558 | 803 | 613 | ‡ | ‡ | ‡ | ‡ | ‡ |
| Arizona | | 97 | 120 | 101 | 117 | 88 | 76 | 158 | 127 | 113 | 147 | 122 |
| Arkansas | | 272 | 296 | 255 | 221 | 227 | 194 | 194 | 186 | 199 | 237 | 237 |
| California | | 152 | 177 | 170 | 154 | 166 | 151 | 124 | 113 | 131 | 139 | 147 |
| Colorado | | 1,550 | 1,312 | 1,176 | 925 | 1,457 | 1,308 | 1,347 | 1,469 | 1,464 | 1,453 | 1,433 |
| Connecticut | | 861 | 836 | 808 | 649 | 598 | 561 | 528 | 499 | 500 | 519 | 555 |
| Delaware | | 324 | 401 | 353 | 347 | 331 | 341 | 336 | 300 | 275 | 307 | 266 |
| District of Columbia | | 133 | 274 | 258 | 224 | 208 | 177 | ‡ | ‡ | ‡ | ‡ | 140 |
| Florida | | 188 | 272 | 245 | 196 | 230 | 194 | 82 | 88 | 88 | 95 | 88 |
| Georgia | | 106 | 146 | 196 | 212 | 187 | 189 | 151 | 211 | 106 | ‡ | ‡ |
| Hawaii | | 226 | 220 | 249 | 224 | 199 | 155 | 151 | 183 | 186 | 215 | 253 |
| Idaho | | 399 | 457 | 281 | 396 | 212 | 128 | 201 | 202 | 225 | 109 | 170 |
| Illinois | | 168 | 183 | 246 | 267 | 279 | 271 | 250 | 243 | 228 | 174 | 188 |
| Indiana | | 231 | 299 | 412 | 304 | 310 | 314 | 356 | 337 | 327 | 264 | 169 |
| Iowa | | 577 | 625 | 581 | 576 | 545 | 519 | 533 | 526 | 545 | 520 | 505 |
| Kansas | | 338 | 303 | 311 | 306 | 296 | 277 | 297 | 284 | 226 | 264 | 314 |
| Kentucky | | 167 | 179 | 202 | 284 | 291 | 345 | 203 | 269 | 276 | 264 | 238 |
| Louisiana | | 195 | 136 | 270 | 269 | 284 | 245 | 231 | 191 | 178 | 180 | 208 |
| Maine | | 699 | 636 | 677 | 682 | 648 | 704 | 661 | 678 | 662 | 704 | 634 |
| Maryland | | 587 | 554 | 505 | 558 | 552 | 543 | 547 | 530 | 514 | 410 | 307 |
| Massachusetts | | 639 | 595 | 540 | 494 | 416 | 333 | 372 | 377 | 399 | 408 | 599 |

Continued. See notes at end of table.

Table 1.4b (continued)

Primary alcohol admissions by Census division and State or jurisdiction: TEDS 1998-2008

Admissions per 100,000 population aged 12 and older

| Census division and state or | | | | Admis | sions per 100 | ,000 populatio | on aged 12 an | d older | | | |
|------------------------------|-------|-------|-------|-------|---------------|----------------|---------------|---------|-------|-------|-------|
| jurisdiction | 1998 | 1999 | 2000 | 2001 | 2002 | 2003 | 2004 | 2005 | 2006 | 2007 | 2008 |
| Michigan | 555 | 370 | 367 | 323 | 383 | 352 | 324 | 296 | 336 | 330 | 319 |
| Minnesota | 608 | 613 | 565 | 583 | 536 | 515 | 533 | 500 | 559 | 600 | 631 |
| Mississippi | 145 | 190 | 189 | 185 | 205 | 177 | 154 | 125 | 105 | 99 | 53 |
| Missouri | 367 | 414 | 414 | 410 | 348 | 278 | 271 | 279 | 310 | 323 | 369 |
| Montana | 566 | 573 | 570 | 542 | 536 | 581 | 560 | 559 | 557 | 685 | 686 |
| Nebraska | 453 | 354 | 372 | 351 | 334 | 412 | 748 | 743 | 751 | 840 | 864 |
| Nevada | 266 | 323 | 273 | 260 | 233 | 248 | 239 | 167 | 174 | 174 | 191 |
| New Hampshire | 384 | 360 | 357 | 311 | 237 | 250 | 288 | 244 | 279 | 245 | 271 |
| New Jersey | 267 | 258 | 226 | 215 | 209 | 212 | 206 | 205 | 232 | 254 | 288 |
| New Mexico | 391 | 215 | 195 | 255 | 247 | 231 | 169 | 215 | 319 | 324 | 336 |
| New York | 1,060 | 1,049 | 1,030 | 995 | 1,015 | 965 | 833 | 884 | 962 | 852 | 858 |
| North Carolina | 395 | 280 | 271 | 254 | 227 | 196 | 169 | 146 | 98 | 131 | 189 |
| North Dakota | 385 | 301 | 269 | 284 | 380 | 194 | 315 | 238 | 270 | 262 | 267 |
| Ohio | 507 | 342 | 231 | 268 | 304 | 255 | 230 | 304 | 302 | 408 | 405 |
| Oklahoma | 272 | 218 | 224 | 268 | 268 | 241 | 226 | 209 | 191 | 210 | 221 |
| Oregon | 960 | 1,044 | 1,049 | 1,071 | 1,026 | 845 | 803 | 809 | 842 | 899 | 887 |
| Pennsylvania | 238 | 261 | 285 | 261 | 251 | 242 | 323 | 279 | 261 | 261 | 274 |
| Puerto Rico | ‡ | ‡ | ‡ | ‡ | ‡ | 347 | 194 | 197 | 51 | 361 | 339 |
| Rhode Island | 538 | 547 | 515 | 526 | 541 | 527 | 484 | 496 | 515 | 507 | 486 |
| South Carolina | 468 | 558 | 487 | 493 | 435 | 375 | 365 | 389 | 366 | 374 | 384 |
| South Dakota | 1,242 | 1,177 | 1,146 | 818 | 1,011 | 993 | 988 | 1,418 | 1,822 | 1,846 | 1,733 |
| Tennessee | 127 | 71 | 76 | 96 | 79 | 91 | 96 | 97 | 93 | 73 | 60 |
| Texas | 66 | 67 | 54 | 56 | 61 | 56 | 53 | 53 | 53 | 55 | 61 |
| Utah | 266 | 519 | 476 | 377 | 254 | 253 | 234 | 202 | 216 | 235 | 253 |
| Vermont | 726 | 853 | 987 | 940 | 903 | 878 | 606 | 839 | 789 | 772 | 775 |
| Virginia | 70 | 124 | 149 | 151 | 192 | 295 | 333 | 197 | 178 | 177 | 191 |
| Washington | 586 | 583 | 288 | 271 | 244 | 254 | 261 | 274 | 282 | 291 | 308 |
| West Virginia | ‡ | 449 | ‡ | ‡ | ‡ | 156 | 160 | 212 | 264 | 238 | 218 |
| Wisconsin | 311 | 287 | 324 | 317 | 315 | 371 | 363 | 373 | 456 | 441 | 452 |
| Wyoming | 738 | 714 | 656 | 910 | 795 | 883 | 772 | 742 | 612 | 719 | 902 |

¹ Rates in italics indicate that one or more States or jurisdictions did not submit data. The populations of these States have been excluded from the rate calculation for the Census division in the italicized years.

[‡] No data, or less than a full calendar year of data, submitted.

Table 1.5a

Primary marijuana admissions by Census division and State or jurisdiction: TEDS 1998-2008

Number of admissions aged 12 and older

| Total Sensus division New England Middle Atlantic East North Central West North Central East South Central South Atlantic West South Central Mountain Pacific state or jurisdiction Alabama Alaska | te or | | | | | Number of ad | missions age | d 12 and olde | r | | | |
|---|-------|---------|---------|---------|---------|--------------|--------------|---------------|---------|---------|---------|----------|
| jurisdiction | | 1998 | 1999 | 2000 | 2001 | 2002 | 2003 | 2004 | 2005 | 2006 | 2007 | 2008 |
| | Total | 219,429 | 231,224 | 249,539 | 264,113 | 288,034 | 290,961 | 287,581 | 302,000 | 304,741 | 299,758 | 321,648 |
| Census division | | | | | | | | | | | | |
| New England | | 11,520 | 12,113 | 12,657 | 12,203 | 11,660 | 11,209 | 11,917 | 12,031 | 12,690 | 12,800 | 14,313 |
| Middle Atlantic | | 38,416 | 41,037 | 47,254 | 49,591 | 52,267 | 52,631 | 55,089 | 60,095 | 62,145 | 62,934 | 69,321 |
| East North Central | | 43,205 | 36,860 | 40,482 | 44,339 | 52,543 | 51,792 | 53,861 | 56,671 | 56,711 | 53,772 | 52,671 |
| West North Central | | 25,620 | 27,345 | 29,892 | 31,208 | 31,009 | 30,588 | 32,172 | 33,939 | 34,975 | 33,468 | 34,299 |
| East South Central | | 8,799 | 8,780 | 9,783 | 11,888 | 12,763 | 14,448 | 11,858 | 12,623 | 12,626 | 7,059 | 10,647 |
| South Atlantic | | 35,169 | 40,676 | 42,589 | 45,065 | 50,991 | 55,339 | 46,421 | 47,359 | 43,373 | 40,946 | 46,301 |
| West South Central | | 13,918 | 14,372 | 16,797 | 17,787 | 18,626 | 19,052 | 20,229 | 21,109 | 20,648 | 21,653 | 23,147 |
| Mountain | | 12,841 | 15,457 | 14,901 | 13,205 | 12,825 | 12,734 | 16,100 | 15,630 | 15,860 | 17,143 | 17,796 |
| Pacific | | 29,941 | 34,584 | 35,184 | 38,827 | 45,350 | 42,883 | 39,800 | 42,320 | 45,496 | 49,542 | 52,793 |
| State or jurisdiction | | | | | | | | | | | | |
| Alabama | | 4,437 | 4,728 | 4,755 | 4,997 | 5,483 | 6,217 | 5,514 | 5,469 | 5,641 | ‡ | 4,171 |
| Alaska | | 723 | 525 | 473 | 357 | 459 | 362 | ‡ | ‡ | ‡ | ‡ | ‡ |
| Arizona | | 633 | 757 | 790 | 1,003 | 1,006 | 1,013 | 2,668 | 2,098 | 2,034 | 3,085 | 2,327 |
| Arkansas | | 2,229 | 2,681 | 2,637 | 2,757 | 3,046 | 2,836 | 2,935 | 2,614 | 2,602 | 2,706 | 2,786 |
| California | | 13,734 | 17,042 | 18,797 | 21,710 | 28,232 | 27,472 | 24,827 | 26,666 | 29,180 | 32,509 | 34,561 |
| Colorado | | 4,629 | 6,114 | 5,088 | 3,314 | 4,513 | 4,282 | 5,583 | 5,819 | 5,972 | 6,455 | 6,405 |
| Connecticut | | 3,170 | 3,646 | 3,896 | 3,748 | 3,999 | 3,272 | 3,385 | 3,425 | 3,873 | 4,223 | 4,753 |
| Delaware | | 680 | 853 | 1,131 | 1,367 | 1,391 | 1,512 | 1,509 | 1,954 | 1,809 | 1,716 | 1,590 |
| District of Columbia | | 549 | 749 | 484 | 367 | 273 | 336 | ‡ | ‡ | ‡ | ‡ | 73 |
| Florida | | 13,700 | 16,958 | 15,748 | 14,254 | 19,194 | 19,954 | 11,347 | 13,629 | 14,033 | 14,907 | 15,235 |
| Georgia | | 2,146 | 2,458 | 3,802 | 4,719 | 4,726 | 5,418 | 4,916 | 6,909 | 3,577 | ‡ | ‡ |
| Hawaii | | 1,240 | 1,258 | 1,341 | 1,423 | 1,421 | 1,388 | 1,209 | 1,563 | 1,614 | 1,775 | 1,875 |
| Idaho | | 1,918 | 2,033 | 1,339 | 1,912 | 1,130 | 722 | 1,368 | 1,278 | 1,615 | 1,015 | 1,712 |
| Illinois | | 6,891 | 8,165 | 11,770 | 14,994 | 18,400 | 20,024 | 20,714 | 19,645 | 17,420 | 12,216 | 14,064 |
| Indiana | | 3,202 | 4,776 | 7,774 | 7,025 | 7,529 | 7,828 | 9,250 | 8,883 | 8,937 | 6,899 | 4,712 |
| Iowa | | 5,540 | 5,755 | 6,027 | 6,352 | 6,379 | 6,442 | 6,552 | 6,729 | 7,126 | 6,424 | 5,750 |
| Kansas | | 2,993 | 2,759 | 3,392 | 3,506 | 3,621 | 3,449 | 3,851 | 4,119 | 3,499 | 3,965 | 4,459 |
| Kentucky | | 1,532 | 1,746 | 2,218 | 3,462 | 3,740 | 4,598 | 3,164 | 4,243 | 4,399 | 4,229 | 3,831 |
| Louisiana | | 3,823 | 3,248 | 6,236 | 6,094 | 5,661 | 5,768 | 6,296 | 5,489 | 4,754 | 5,407 | 5,710 |
| Maine | | 1,221 | 1,185 | 1,327 | 1,469 | 1,781 | 1,713 | 1,756 | 1,469 | 1,345 | 1,443 | 1,356 |
| Maryland | | 7,010 | 6,863 | 7,723 | 9,143 | 9,783 | 10,280 | 10,458 | 10,157 | 9,988 | 9,345 | 8,790 |
| Massachusetts | | 4,305 | 4,264 | 3,999 | 3,300 | 2,106 | 2,331 | 3,144 | 3,372 | 3,732 | 3,600 | 4,430 |

Table 1.5a (continued)

Primary marijuana admissions by Census division and State or jurisdiction: TEDS 1998-2008

Number of admissions aged 12 and older

| Census division and state or | | | | I | Number of adı | missions aged | d 12 and older | | | | |
|------------------------------|--------|--------|--------|--------|---------------|---------------|----------------|--------|--------|--------|--------|
| jurisdiction | 1998 | 1999 | 2000 | 2001 | 2002 | 2003 | 2004 | 2005 | 2006 | 2007 | 2008 |
| Michigan | 13,647 | 9,059 | 9,193 | 7,736 | 10,301 | 9,697 | 10,375 | 10,035 | 11,159 | 11,099 | 10,840 |
| Minnesota | 7,511 | 7,656 | 8,022 | 8,229 | 8,339 | 8,649 | 8,541 | 7,774 | 8,171 | 8,204 | 8,418 |
| Mississippi | 1,104 | 1,324 | 1,655 | 2,078 | 2,073 | 2,172 | 1,997 | 1,509 | 1,283 | 1,418 | 928 |
| Missouri | 7,210 | 9,212 | 10,470 | 11,077 | 10,160 | 9,837 | 10,581 | 11,881 | 12,573 | 11,211 | 11,900 |
| Montana | 1,204 | 1,214 | 1,382 | 1,294 | 1,354 | 1,476 | 1,481 | 1,548 | 1,457 | 1,628 | 1,702 |
| Nebraska | 864 | 684 | 679 | 854 | 765 | 848 | 1,053 | 1,079 | 1,023 | 1,136 | 1,023 |
| Nevada | 894 | 1,128 | 1,475 | 1,385 | 1,513 | 1,548 | 1,461 | 1,635 | 1,399 | 1,504 | 1,494 |
| New Hampshire | 1,037 | 897 | 952 | 969 | 751 | 800 | 961 | 780 | 841 | 682 | 801 |
| New Jersey | 5,065 | 5,361 | 5,637 | 5,697 | 5,857 | 6,314 | 6,471 | 7,051 | 7,534 | 8,153 | 9,559 |
| New Mexico | 535 | 291 | 544 | 496 | 345 | 455 | 326 | 465 | 623 | 617 | 735 |
| New York | 25,914 | 27,887 | 32,278 | 34,314 | 37,115 | 37,124 | 36,456 | 42,070 | 44,021 | 44,486 | 48,853 |
| North Carolina | 6,095 | 4,925 | 6,347 | 6,617 | 5,720 | 4,683 | 3,425 | 2,652 | 1,529 | 2,511 | 7,605 |
| North Dakota | 413 | 361 | 341 | 408 | 694 | 353 | 483 | 498 | 641 | 609 | 634 |
| Ohio | 17,765 | 13,342 | 9,825 | 12,713 | 14,256 | 12,193 | 11,481 | 15,790 | 15,825 | 20,812 | 20,440 |
| Oklahoma | 2,126 | 2,016 | 2,258 | 2,924 | 3,023 | 2,975 | 3,007 | 2,887 | 2,912 | 3,242 | 3,572 |
| Oregon | 6,013 | 6,701 | 7,491 | 8,423 | 8,657 | 6,923 | 6,893 | 6,974 | 7,279 | 7,553 | 8,028 |
| Pennsylvania | 7,437 | 7,789 | 9,339 | 9,580 | 9,295 | 9,193 | 12,162 | 10,974 | 10,590 | 10,295 | 10,909 |
| Puerto Rico | ‡ | ‡ | ‡ | ‡ | ‡ | 285 | 134 | 223 | 217 | 441 | 360 |
| Rhode Island | 1,004 | 1,232 | 1,400 | 1,639 | 1,771 | 1,934 | 1,741 | 1,749 | 1,643 | 1,708 | 1,746 |
| South Carolina | 3,542 | 3,835 | 4,021 | 4,690 | 4,489 | 4,194 | 4,604 | 4,976 | 5,292 | 5,754 | 5,978 |
| South Dakota | 1,089 | 918 | 961 | 782 | 1,051 | 1,010 | 1,111 | 1,859 | 1,942 | 1,919 | 2,115 |
| Tennessee | 1,726 | 982 | 1,155 | 1,351 | 1,467 | 1,461 | 1,183 | 1,402 | 1,303 | 1,412 | 1,717 |
| Texas | 5,740 | 6,427 | 5,666 | 6,012 | 6,896 | 7,473 | 7,991 | 10,119 | 10,380 | 10,298 | 11,079 |
| Utah | 2,302 | 3,230 | 3,537 | 2,805 | 1,984 | 2,219 | 2,273 | 1,777 | 1,949 | 1,950 | 2,331 |
| Vermont | 783 | 889 | 1,083 | 1,078 | 1,252 | 1,159 | 930 | 1,236 | 1,256 | 1,144 | 1,227 |
| Virginia | 1,447 | 2,683 | 3,333 | 3,908 | 5,415 | 8,293 | 9,428 | 6,182 | 6,173 | 5,729 | 6,112 |
| Washington | 8,231 | 9,058 | 7,082 | 6,914 | 6,581 | 6,738 | 6,871 | 7,117 | 7,423 | 7,705 | 8,329 |
| West Virginia | ‡ | 1,352 | ‡ | ‡ | ‡ | 669 | 734 | 900 | 972 | 984 | 918 |
| Wisconsin | 1,700 | 1,518 | 1,920 | 1,871 | 2,057 | 2,050 | 2,041 | 2,318 | 3,370 | 2,746 | 2,615 |
| Wyoming | 726 | 690 | 746 | 996 | 980 | 1,019 | 940 | 1,010 | 811 | 889 | 1,090 |

[‡] No data, or less than a full calendar year of data, submitted.

Table 1.5b Primary marijuana admissions by Census division and State or jurisdiction: TEDS 1998-2008 Admissions per 100,000 population aged 12 and older

| ensus division and state or _ | or | | | | Admis | sions per 100 | ,000 populati | on aged 12 ar | nd older | | | |
|-------------------------------|-------|------|------|------|-------|---------------|---------------|---------------|----------|------|------|------|
| jurisdiction | | 1998 | 1999 | 2000 | 2001 | 2002 | 2003 | 2004 | 2005 | 2006 | 2007 | 2008 |
| 1 | Total | 99 | 102 | 107 | 112 | 121 | 120 | 118 | 122 | 122 | 125 | 130 |
| Census division ¹ | | | | | | | | | | | | |
| New England | | 102 | 107 | 108 | 103 | 98 | 93 | 99 | 99 | 104 | 105 | 117 |
| Middle Atlantic | | 120 | 128 | 142 | 148 | 155 | 155 | 161 | 175 | 181 | 182 | 200 |
| East North Central | | 118 | 100 | 108 | 117 | 138 | 135 | 140 | 147 | 146 | 138 | 135 |
| West North Central | | 165 | 175 | 186 | 193 | 191 | 187 | 195 | 205 | 209 | 199 | 202 |
| East South Central | | 64 | 63 | 69 | 83 | 89 | 100 | 81 | 85 | 85 | 63 | 70 |
| South Atlantic | | 90 | 98 | 101 | 105 | 117 | 121 | 101 | 101 | 91 | 101 | 112 |
| West South Central | | 57 | 58 | 65 | 68 | 70 | 71 | 74 | 77 | 74 | 76 | 80 |
| Mountain | | 94 | 111 | 100 | 86 | 82 | 80 | 99 | 93 | 92 | 98 | 99 |
| Pacific | | 85 | 96 | 95 | 103 | 119 | 111 | 103 | 108 | 115 | 124 | 131 |
| State or jurisdiction | | | | | | | | | | | | |
| Alabama | | 122 | 129 | 128 | 134 | 147 | 165 | 146 | 143 | 146 | ‡ | 106 |
| Alaska | | 148 | 107 | 94 | 70 | 88 | 68 | ‡ | ‡ | ‡ | ‡ | ‡ |
| Arizona | | 17 | 20 | 19 | 23 | 22 | 22 | 56 | 43 | 40 | 59 | 44 |
| Arkansas | | 106 | 127 | 118 | 123 | 135 | 125 | 128 | 113 | 111 | 114 | 117 |
| California | | 52 | 63 | 68 | 77 | 99 | 95 | 84 | 90 | 97 | 107 | 113 |
| Colorado | | 141 | 182 | 142 | 90 | 120 | 113 | 145 | 149 | 150 | 160 | 155 |
| Connecticut | | 116 | 134 | 137 | 131 | 138 | 112 | 115 | 116 | 131 | 142 | 159 |
| Delaware | | 109 | 135 | 172 | 206 | 206 | 221 | 217 | 276 | 252 | 236 | 216 |
| District of Columbia | | 122 | 166 | 99 | 74 | 55 | 67 | ‡ | ‡ | ‡ | ‡ | 14 |
| Florida | | 109 | 133 | 116 | 103 | 135 | 138 | 77 | 90 | 91 | 96 | 97 |
| Georgia | | 34 | 38 | 56 | 68 | 67 | 75 | 67 | 92 | 47 | ‡ | # |
| Hawaii | | 125 | 127 | 132 | 139 | 137 | 133 | 114 | 146 | 149 | 163 | 171 |
| Idaho | | 191 | 198 | 126 | 177 | 103 | 65 | 120 | 110 | 135 | 83 | 138 |
| Illinois | | 69 | 82 | 115 | 145 | 177 | 191 | 196 | 185 | 163 | 114 | 130 |
| Indiana | | 65 | 97 | 154 | 138 | 147 | 152 | 179 | 170 | 170 | 130 | 88 |
| Iowa | | 231 | 239 | 246 | 258 | 259 | 261 | 264 | 270 | 284 | 255 | 227 |
| Kansas | | 137 | 125 | 152 | 157 | 161 | 152 | 169 | 180 | 152 | 171 | 191 |
| Kentucky | | 46 | 52 | 65 | 102 | 109 | 133 | 91 | 121 | 124 | 118 | 106 |
| Louisiana | | 107 | 90 | 170 | 166 | 153 | 156 | 169 | 147 | 134 | 148 | 155 |
| Maine | | 115 | 110 | 122 | 134 | 160 | 153 | 156 | 130 | 118 | 126 | 119 |
| Maryland | | 165 | 160 | 175 | 204 | 215 | 223 | 225 | 217 | 212 | 197 | 185 |
| Massachusetts | | 83 | 82 | 75 | 61 | 39 | 43 | 57 | 61 | 68 | 65 | 79 |

Table 1.5b (continued)

Primary marijuana admissions by Census division and State or jurisdiction: TEDS 1998-2008

Admissions per 100,000 population aged 12 and older

| Census division and state or | | | | Admis | sions per 100 | ,000 populatio | on aged 12 ar | nd older | | | |
|------------------------------|------|------|------|-------|---------------|----------------|---------------|----------|------|------|------|
| jurisdiction | 1998 | 1999 | 2000 | 2001 | 2002 | 2003 | 2004 | 2005 | 2006 | 2007 | 2008 |
| Michigan | 167 | 111 | 112 | 93 | 123 | 115 | 123 | 118 | 131 | 131 | 128 |
| Minnesota | 192 | 193 | 196 | 198 | 199 | 205 | 200 | 181 | 189 | 188 | 192 |
| Mississippi | 49 | 58 | 71 | 89 | 88 | 92 | 84 | 63 | 53 | 59 | 38 |
| Missouri | 159 | 202 | 224 | 235 | 214 | 205 | 219 | 244 | 256 | 227 | 239 |
| Montana | 163 | 163 | 182 | 169 | 176 | 190 | 188 | 194 | 181 | 200 | 206 |
| Nebraska | 63 | 49 | 48 | 60 | 53 | 59 | 73 | 74 | 70 | 77 | 69 |
| Nevada | 63 | 77 | 89 | 80 | 85 | 84 | 76 | 82 | 68 | 71 | 70 |
| New Hampshire | 105 | 89 | 92 | 92 | 70 | 74 | 87 | 70 | 75 | 61 | 71 |
| New Jersey | 75 | 79 | 80 | 80 | 82 | 88 | 89 | 97 | 103 | 111 | 130 |
| New Mexico | 38 | 21 | 36 | 33 | 23 | 29 | 21 | 29 | 39 | 38 | 45 |
| New York | 172 | 184 | 203 | 215 | 230 | 229 | 223 | 256 | 267 | 268 | 294 |
| North Carolina | 97 | 78 | 94 | 97 | 82 | 66 | 48 | 37 | 21 | 33 | 99 |
| North Dakota | 77 | 68 | 63 | 76 | 129 | 65 | 89 | 92 | 118 | 112 | 116 |
| Ohio | 189 | 142 | 104 | 134 | 149 | 127 | 119 | 164 | 164 | 215 | 211 |
| Oklahoma | 77 | 72 | 79 | 101 | 104 | 102 | 102 | 98 | 98 | 108 | 118 |
| Oregon | 219 | 241 | 261 | 289 | 292 | 231 | 228 | 227 | 233 | 238 | 249 |
| Pennsylvania | 73 | 77 | 90 | 92 | 89 | 88 | 115 | 104 | 100 | 97 | 102 |
| Puerto Rico | ‡ | ‡ | ‡ | ‡ | ‡ | | | | | | |
| Rhode Island | 121 | 148 | 158 | 183 | 196 | 212 | 191 | 192 | 181 | 189 | 193 |
| South Carolina | 110 | 118 | 120 | 138 | 131 | 121 | 130 | 139 | 145 | 155 | 158 |
| South Dakota | 180 | 151 | 153 | 124 | 165 | 158 | 172 | 285 | 294 | 288 | 315 |
| Tennessee | 38 | 21 | 24 | 28 | 30 | 30 | 24 | 28 | 25 | 27 | 33 |
| Texas | 36 | 40 | 33 | 35 | 39 | 42 | 44 | 55 | 55 | 53 | 56 |
| Utah | 141 | 195 | 201 | 156 | 108 | 118 | 118 | 90 | 96 | 93 | 109 |
| Vermont | 156 | 175 | 210 | 207 | 238 | 219 | 174 | 231 | 233 | 212 | 227 |
| Virginia | 25 | 47 | 56 | 65 | 89 | 134 | 150 | 97 | 96 | 88 | 93 |
| Washington | 174 | 189 | 144 | 138 | 130 | 131 | 132 | 135 | 138 | 141 | 150 |
| West Virginia | ‡ | 87 | ‡ | ‡ | ‡ | 43 | 47 | 58 | 62 | 63 | 59 |
| Wisconsin | 39 | 35 | 43 | 41 | 45 | 44 | 44 | 49 | 71 | 58 | 55 |
| Wyoming | 181 | 172 | 180 | 240 | 234 | 242 | 221 | 236 | 187 | 202 | 244 |

¹ Rates in italics indicate that one or more States or jurisdictions did not submit data. The populations of these States have been excluded from the rate calculation for the Census division in the italicized years.

[‡] No data, or less than a full calendar year of data, submitted.

Table 1.6a
Primary heroin admissions by Census division and State or jurisdiction: TEDS 1998-2008
Number of admissions aged 12 and older

| Census division and state of | or | | | | | Number of ad | missions age | d 12 and olde | r | | | |
|---------------------------------|-------|---------|---------|---------|---------|--------------|--------------|---------------|---------|---------|---------|---------|
| jurisdiction | | 1998 | 1999 | 2000 | 2001 | 2002 | 2003 | 2004 | 2005 | 2006 | 2007 | 2008 |
| Т | Γotal | 246,788 | 257,208 | 269,967 | 277,242 | 284,200 | 271,564 | 259,909 | 258,555 | 264,696 | 246,678 | 266,321 |
| Census division | | | | | | | | | | | | |
| New England | | 50,152 | 51,136 | 53,153 | 61,953 | 60,581 | 49,506 | 49,763 | 48,184 | 48,444 | 48,045 | 53,590 |
| Middle Atlantic | | 75,694 | 78,346 | 88,379 | 94,396 | 96,780 | 100,288 | 98,401 | 101,175 | 103,793 | 92,138 | 98,817 |
| East North Central | | 19,194 | 15,186 | 20,731 | 22,496 | 25,287 | 28,330 | 26,440 | 28,271 | 36,093 | 33,511 | 38,634 |
| West North Central | | 2,534 | 3,213 | 3,229 | 3,106 | 2,769 | 2,783 | 3,116 | 3,717 | 3,971 | 4,319 | 5,245 |
| East South Central ¹ | | 251 | 354 | 377 | 436 | 496 | 557 | 471 | 691 | 626 | 574 | 822 |
| South Atlantic | | 23,111 | 26,773 | 27,946 | 30,588 | 34,234 | 36,365 | 32,845 | 30,182 | 25,242 | 21,118 | 20,681 |
| West South Central | | 4,684 | 4,741 | 4,428 | 4,356 | 4,977 | 4,295 | 4,370 | 4,363 | 4,303 | 4,609 | 5,419 |
| Mountain | | 4,863 | 5,237 | 5,373 | 4,705 | 4,498 | 4,801 | 4,482 | 5,714 | 5,737 | 6,771 | 7,037 |
| Pacific | | 66,305 | 72,222 | 66,351 | 55,206 | 54,578 | 44,479 | 39,917 | 36,104 | 36,382 | 35,352 | 35,853 |
| State or jurisdiction | | | | | | | | | | | | |
| Alabama | | 127 | 213 | 187 | 203 | 173 | 174 | 199 | 183 | 67 | ‡ | 101 |
| Alaska | | 56 | 50 | 27 | 14 | 20 | 16 | ‡ | ‡ | ‡ | Ė | ‡ |
| Arizona | | 837 | 294 | 380 | 812 | 498 | 605 | 602 | 1,269 | 1,075 | 1,938 | 1,625 |
| Arkansas | | 77 | 64 | 59 | 31 | 52 | 65 | 44 | 25 | 40 | 40 | 52 |
| California | | 53,760 | 60,037 | 58,092 | 47,908 | 47,317 | 38,700 | 34,063 | 29,756 | 30,148 | 29,063 | 29,096 |
| Colorado | | 1,519 | 1,934 | 1,809 | 1,131 | 1,670 | 1,871 | 1,607 | 1,738 | 1,772 | 1,643 | 1,761 |
| Connecticut | | 16,800 | 16,402 | 17,093 | 17,702 | 17,978 | 17,375 | 17,472 | 17,142 | 16,513 | 15,526 | 15,234 |
| Delaware | | 1,911 | 2,187 | 1,949 | 1,897 | 1,701 | 1,910 | 2,114 | 2,108 | 2,044 | 2,041 | 1,884 |
| District of Columbia | | 1,045 | 1,786 | 2,118 | 2,184 | 2,218 | 2,023 | ‡ | ‡ | ‡ | ‡ | 480 |
| Florida | | 2,429 | 4,020 | 4,175 | 3,694 | 5,038 | 4,003 | 1,510 | 1,484 | 1,815 | 1,374 | 1,131 |
| Georgia | | 188 | 212 | 539 | 733 | 676 | 688 | 559 | 661 | 320 | ‡ | ‡ |
| Hawaii | | 436 | 374 | 371 | 199 | 221 | 181 | 156 | 163 | 160 | 148 | 138 |
| Idaho | | 137 | 327 | 96 | 84 | 37 | 26 | 66 | 50 | 76 | 79 | 82 |
| Illinois | | 4,149 | 4,850 | 9,527 | 11,009 | 12,279 | 15,392 | 13,214 | 12,515 | 18,453 | 14,403 | 17,411 |
| Indiana | | 1,016 | 1,065 | 1,439 | 502 | 578 | 553 | 825 | 888 | 839 | 589 | 562 |
| Iowa | | 205 | 207 | 218 | 224 | 252 | 240 | 239 | 186 | 186 | 170 | 168 |
| Kansas | | 70 | 65 | 85 | 75 | 65 | 77 | 68 | 82 | 79 | 87 | 114 |
| Kentucky | | 89 | 87 | 110 | 168 | 217 | 290 | 197 | 458 | 515 | 510 | 694 |
| Louisiana | | 303 | 239 | 587 | 625 | 676 | 507 | 425 | 258 | 267 | 406 | 640 |
| Maine | | 360 | 358 | 506 | 755 | 1,082 | 1,064 | 1,193 | 1,294 | 1,325 | 1,235 | 1,269 |
| Maryland | | 15,029 | 15,826 | 16,354 | 19,324 | 21,191 | 22,489 | 22,303 | 21,271 | 17,090 | 13,963 | 12,878 |
| Massachusetts | | 27,940 | 28,804 | 29,880 | 37,393 | 35,758 | 25,339 | 25,656 | 24,812 | 26,422 | 27,845 | 33,299 |

Table 1.6a (continued)

Primary heroin admissions by Census division and State or jurisdiction: TEDS 1998-2008

Number of admissions aged 12 and older

| Census division and state or | | | | I | Number of adı | missions aged | d 12 and older | • | | | |
|------------------------------|--------|--------|--------|--------|---------------|---------------|----------------|--------|--------|--------|--------|
| jurisdiction | 1998 | 1999 | 2000 | 2001 | 2002 | 2003 | 2004 | 2005 | 2006 | 2007 | 2008 |
| Michigan | 9,984 | 5,326 | 6,537 | 6,901 | 7,608 | 7,669 | 7,708 | 7,479 | 9,245 | 9,089 | 10,070 |
| Minnesota | 887 | 987 | 977 | 973 | 937 | 1,053 | 1,200 | 1,418 | 1,682 | 1,817 | 1,941 |
| Mississippi | 35 | 54 | 80 | 65 | 106 | 93 | 75 | 50 | 44 | 64 | 27 |
| Missouri | 1,342 | 1,923 | 1,924 | 1,811 | 1,482 | 1,378 | 1,582 | 2,003 | 1,999 | 2,200 | 2,932 |
| Montana | 73 | 63 | 76 | 67 | 59 | 62 | 78 | 64 | 81 | 106 | 122 |
| Nebraska | 15 | 18 | 11 | 11 | 13 | 8 | n/c | n/c | n/c | 16 | 62 |
| Nevada | 1,015 | 945 | 789 | 782 | 699 | 693 | 648 | 578 | 607 | 576 | 712 |
| New Hampshire | 468 | 491 | 423 | 494 | 520 | 689 | 769 | 648 | 713 | 641 | 772 |
| New Jersey | 23,377 | 22,977 | 24,276 | 26,624 | 26,477 | 26,039 | 23,508 | 23,353 | 21,401 | 22,091 | 22,652 |
| New Mexico | 329 | 113 | 629 | 553 | 589 | 453 | 414 | 763 | 703 | 681 | 697 |
| New York | 45,405 | 47,541 | 53,727 | 56,959 | 58,241 | 59,152 | 55,592 | 61,808 | 67,952 | 57,351 | 60,519 |
| North Carolina | 1,455 | 936 | 898 | 853 | 889 | 957 | 1,133 | 1,327 | 1,245 | 1,190 | 1,353 |
| North Dakota | 8 | 9 | 6 | 9 | 7 | 6 | 14 | 5 | 1 | 4 | 9 |
| Ohio | 3,977 | 3,827 | 2,941 | 3,667 | 4,302 | 3,945 | 4,037 | 6,457 | 6,647 | 8,513 | 9,608 |
| Oklahoma | 216 | 140 | 140 | 185 | 136 | 154 | 138 | 95 | 84 | 120 | 198 |
| Oregon | 5,726 | 4,869 | 5,066 | 4,558 | 4,619 | 3,327 | 2,898 | 3,169 | 3,365 | 3,646 | 3,550 |
| Pennsylvania | 6,912 | 7,828 | 10,376 | 10,813 | 12,062 | 15,097 | 19,301 | 16,014 | 14,440 | 12,696 | 15,646 |
| Puerto Rico | ‡ | ‡ | ‡ | ‡ | ‡ | 160 | 104 | 154 | 105 | 241 | 223 |
| Rhode Island | 4,406 | 4,865 | 4,817 | 5,057 | 4,366 | 4,337 | 4,139 | 3,485 | 2,905 | 2,327 | 2,482 |
| South Carolina | 276 | 315 | 348 | 408 | 432 | 417 | 319 | 435 | 314 | 315 | 350 |
| South Dakota | 7 | 4 | 8 | 3 | 13 | 21 | 13 | 23 | 24 | 25 | 19 |
| Tennessee | n/c | n/c | n/c | n/c | n/c | n/c | n/c | n/c | n/c | n/c | n/c |
| Texas | 4,088 | 4,298 | 3,642 | 3,515 | 4,113 | 3,569 | 3,763 | 3,985 | 3,912 | 4,043 | 4,529 |
| Utah | 934 | 1,544 | 1,571 | 1,258 | 937 | 1,070 | 1,048 | 1,230 | 1,407 | 1,713 | 1,940 |
| Vermont | 178 | 216 | 434 | 552 | 877 | 702 | 534 | 803 | 566 | 471 | 534 |
| Virginia | 778 | 1,402 | 1,565 | 1,495 | 2,089 | 3,772 | 4,753 | 2,643 | 2,201 | 2,080 | 2,418 |
| Washington | 6,327 | 6,892 | 2,795 | 2,527 | 2,401 | 2,255 | 2,800 | 3,016 | 2,709 | 2,495 | 3,069 |
| West Virginia | ‡ | 89 | ‡ | ‡ | ‡ | 106 | 154 | 253 | 213 | 155 | 187 |
| Wisconsin | 68 | 118 | 287 | 417 | 520 | 771 | 656 | 932 | 909 | 917 | 983 |
| Wyoming | 19 | 17 | 23 | 18 | 9 | 21 | 19 | 22 | 16 | 35 | 98 |

n/c Not collected. Tennessee includes Heroin admissions in Other opiates.

^{- -} Quantity is zero.

[‡] No data, or less than a full calendar year of data, submitted.

Table 1.6b

Primary heroin admissions by Census division and State or jurisdiction: TEDS 1998-2008

Admissions per 100,000 population aged 12 and older

| Census division and state | or | | | | Admis | sions per 100 |),000 populatio | on aged 12 ar | nd older | | | |
|------------------------------|-------|------|------|------|-------|---------------|-----------------|---------------|----------|------|------|------|
| jurisdiction | | 1998 | 1999 | 2000 | 2001 | 2002 | 2003 | 2004 | 2005 | 2006 | 2007 | 2008 |
| | Total | 113 | 116 | 119 | 120 | 122 | 114 | 109 | 107 | 108 | 105 | 110 |
| Census division ¹ | | | | | | | | | | | | |
| New England | | 445 | 451 | 453 | 523 | 507 | 411 | 412 | 397 | 398 | 393 | 437 |
| Middle Atlantic | | 237 | 244 | 266 | 282 | 287 | 296 | 288 | 295 | 302 | 267 | 285 |
| East North Central | | 52 | 41 | 55 | 60 | 67 | 74 | 69 | 73 | 93 | 86 | 99 |
| West North Central | | 16 | 21 | 20 | 19 | 17 | 17 | 21 | 25 | 26 | 26 | 31 |
| East South Central | | 3 | 4 | 4 | 5 | 5 | 6 | 5 | 7 | 6 | 10 | 8 |
| South Atlantic | | 59 | 65 | 67 | 72 | 79 | 80 | 71 | 65 | 53 | 52 | 50 |
| West South Central | | 19 | 19 | 17 | 17 | 19 | 16 | 16 | 16 | 15 | 16 | 19 |
| Mountain | | 36 | 38 | 36 | 31 | 29 | 30 | 27 | 34 | 33 | 39 | 39 |
| Pacific | | 187 | 201 | 179 | 147 | 143 | 115 | 103 | 92 | 92 | 88 | 89 |
| State or jurisdiction | | | | | | | | | | | | |
| Alabama | | 3 | 6 | 5 | 5 | 5 | 5 | 5 | 5 | 2 | ‡ | 3 |
| Alaska | | 11 | 10 | 5 | 3 | 4 | 3 | ‡ | ‡ | ‡ | ‡ | ‡ |
| Arizona | | 22 | 8 | 9 | 19 | 11 | 13 | 13 | 26 | 21 | 37 | 30 |
| Arkansas | | 4 | 3 | 3 | 1 | 2 | 3 | 2 | 1 | 2 | 2 | 2 |
| California | | 203 | 223 | 210 | 170 | 165 | 133 | 116 | 100 | 101 | 96 | 95 |
| Colorado | | 46 | 58 | 50 | 31 | 45 | 49 | 42 | 45 | 45 | 41 | 43 |
| Connecticut | | 616 | 602 | 601 | 618 | 621 | 595 | 596 | 582 | 558 | 523 | 511 |
| Delaware | | 307 | 347 | 297 | 285 | 252 | 279 | 304 | 298 | 285 | 281 | 256 |
| District of Columbia | | 232 | 397 | 431 | 440 | 445 | 406 | ‡ | ‡ | ‡ | ‡ | 93 |
| Florida | | 19 | 32 | 31 | 27 | 35 | 28 | 10 | 10 | 12 | 9 | 7 |
| Georgia | | 3 | 3 | 8 | 11 | 10 | 10 | 8 | 9 | 4 | ‡ | ‡ |
| Hawaii | | 44 | 38 | 37 | 19 | 21 | 17 | 15 | 15 | 15 | 14 | 13 |
| Idaho | | 14 | 32 | 9 | 8 | 3 | 2 | 6 | 4 | 6 | 6 | 7 |
| Illinois | | 42 | 49 | 93 | 106 | 118 | 147 | 125 | 118 | 173 | 134 | 161 |
| Indiana | | 21 | 22 | 29 | 10 | 11 | 11 | 16 | 17 | 16 | 11 | 11 |
| Iowa | | 9 | 9 | 9 | 9 | 10 | 10 | 10 | 7 | 7 | 7 | 7 |
| Kansas | | 3 | 3 | 4 | 3 | 3 | 3 | 3 | 4 | 3 | 4 | 5 |
| Kentucky | | 3 | 3 | 3 | 5 | 6 | 8 | 6 | 13 | 15 | 14 | 19 |
| Louisiana | | 8 | 7 | 16 | 17 | 18 | 14 | 11 | 7 | 8 | 11 | 17 |
| Maine | | 34 | 33 | 47 | 69 | 98 | 95 | 106 | 114 | 116 | 108 | 111 |
| Maryland | | 353 | 369 | 371 | 432 | 467 | 489 | 480 | 454 | 362 | 294 | 271 |
| Massachusetts | | 542 | 555 | 558 | 691 | 656 | 463 | 468 | 451 | 479 | 502 | 597 |

Table 1.6b (continued)

Primary heroin admissions by Census division and State or jurisdiction: TEDS 1998-2008

Admissions per 100,000 population aged 12 and older

| Census division and state or | | | | Admis | sions per 100 |),000 populati | on aged 12 aı | nd older | | | |
|------------------------------|------|------|------|-------|---------------|----------------|---------------|----------|------|------|------|
| jurisdiction | 1998 | 1999 | 2000 | 2001 | 2002 | 2003 | 2004 | 2005 | 2006 | 2007 | 2008 |
| Michigan | 123 | 65 | 79 | 83 | 91 | 91 | 91 | 88 | 109 | 107 | 119 |
| Minnesota | 23 | 25 | 24 | 23 | 22 | 25 | 28 | 33 | 39 | 42 | 44 |
| Mississippi | 2 | 2 | 3 | 3 | 4 | 4 | 3 | 2 | 2 | 3 | 1 |
| Missouri | 30 | 42 | 41 | 38 | 31 | 29 | 33 | 41 | 41 | 44 | 59 |
| Montana | 10 | 8 | 10 | 9 | 8 | 8 | 10 | 8 | 10 | 13 | 15 |
| Nebraska | 1 | 1 | 1 | 1 | 1 | 1 | | | | 1 | 4 |
| Nevada | 71 | 64 | 47 | 45 | 39 | 38 | 34 | 29 | 30 | 27 | 33 |
| New Hampshire | 47 | 49 | 41 | 47 | 49 | 63 | 70 | 58 | 64 | 57 | 68 |
| New Jersey | 347 | 339 | 346 | 376 | 370 | 362 | 325 | 321 | 294 | 302 | 308 |
| New Mexico | 23 | 8 | 42 | 37 | 39 | 29 | 26 | 48 | 44 | 42 | 42 |
| New York | 301 | 313 | 339 | 356 | 361 | 365 | 340 | 377 | 412 | 346 | 364 |
| North Carolina | 23 | 15 | 13 | 12 | 13 | 14 | 16 | 18 | 17 | 16 | 18 |
| North Dakota | 1 | 2 | 1 | 2 | 1 | 1 | 3 | 1 | | 1 | 2 |
| Ohio | 42 | 41 | 31 | 39 | 45 | 41 | 42 | 67 | 69 | 88 | 99 |
| Oklahoma | 8 | 5 | 5 | 6 | 5 | 5 | 5 | 3 | 3 | 4 | 7 |
| Oregon | 208 | 175 | 176 | 156 | 156 | 111 | 96 | 103 | 108 | 115 | 110 |
| Pennsylvania | 68 | 77 | 100 | 104 | 115 | 144 | 183 | 152 | 136 | 119 | 146 |
| Puerto Rico | ‡ | ‡ | ‡ | ‡ | ‡ | 50 | 32 | 47 | 32 | 73 | 67 |
| Rhode Island | 532 | 586 | 544 | 566 | 483 | 476 | 453 | 383 | 320 | 257 | 274 |
| South Carolina | 9 | 10 | 10 | 12 | 13 | 12 | 9 | 12 | 9 | 8 | 9 |
| South Dakota | 1 | 1 | 1 | | 2 | 3 | 2 | 4 | 4 | 4 | 3 |
| Tennessee | n/c | n/c | n/c | n/c | n/c | n/c | n/c | n/c | n/c | n/c | n/c |
| Texas | 26 | 27 | 21 | 20 | 23 | 20 | 21 | 21 | 21 | 21 | 23 |
| Utah | 57 | 93 | 89 | 70 | 51 | 57 | 55 | 62 | 69 | 82 | 91 |
| Vermont | 35 | 43 | 84 | 106 | 167 | 132 | 100 | 150 | 105 | 87 | 99 |
| Virginia | 14 | 24 | 26 | 25 | 34 | 61 | 76 | 42 | 34 | 32 | 37 |
| Washington | 134 | 144 | 57 | 51 | 47 | 44 | 54 | 57 | 50 | 46 | 55 |
| West Virginia | ‡ | 6 | ‡ | ‡ | ‡ | 7 | 10 | 16 | 14 | 10 | 12 |
| Wisconsin | 2 | 3 | 6 | 9 | 11 | 17 | 14 | 20 | 19 | 19 | 21 |
| Wyoming | 5 | 4 | 6 | 4 | 2 | 5 | 4 | 5 | 4 | 8 | 22 |

¹ Rates in italics indicate that one or more States or jurisdictions did not submit data. The populations of these States have been excluded from the rate calculation for the Census division in the italicized years.

³ Tennessee reported heroin admissions as *Opiates other than heroin*. These combined data are not shown in Figure 4.

[†] Less than 1 per 100,000.

^{- -} Quantity is zero.

[‡] No data, or less than a full calendar year of data, submitted.

Table 1.7a

Primary cocaine admissions by Census division and State or jurisdiction: TEDS 1998-2008

Number of admissions aged 12 and older

| ensus division and state or urisdiction | OI . | | | | 4 | ivanibei oi au | iiiissioiis aye | d 12 and olde | ' | | | |
|--|-------|---------|---------|---------|---------|----------------|-----------------|---------------|---------|---------|---------|---------|
| jurisdiction | | 1998 | 1999 | 2000 | 2001 | 2002 | 2003 | 2004 | 2005 | 2006 | 2007 | 2008 |
| 7 | Total | 253,839 | 241,602 | 238,159 | 230,126 | 245,008 | 254,128 | 249,957 | 267,212 | 269,986 | 243,287 | 213,971 |
| Census division | | | | | | | | | | | | |
| New England | | 15,725 | 14,472 | 12,950 | 12,195 | 11,060 | 11,465 | 12,299 | 13,452 | 14,817 | 14,762 | 14,365 |
| Middle Atlantic | | 62,526 | 58,111 | 58,653 | 55,932 | 57,823 | 60,301 | 65,358 | 72,586 | 76,188 | 68,807 | 60,381 |
| East North Central | | 44,219 | 35,120 | 37,543 | 38,486 | 42,323 | 43,455 | 42,518 | 45,457 | 47,278 | 42,602 | 34,415 |
| West North Central | | 17,827 | 17,611 | 17,327 | 16,993 | 16,125 | 17,022 | 17,560 | 18,170 | 18,547 | 16,502 | 13,980 |
| East South Central | | 12,126 | 9,949 | 9,000 | 9,728 | 11,109 | 12,670 | 10,941 | 12,923 | 13,352 | 7,648 | 5,514 |
| South Atlantic | | 49,678 | 51,607 | 49,883 | 47,041 | 51,055 | 54,318 | 47,957 | 52,461 | 45,154 | 38,021 | 33,530 |
| West South Central | | 19,013 | 17,548 | 20,066 | 18,859 | 20,785 | 20,831 | 20,899 | 21,096 | 20,825 | 20,830 | 18,676 |
| Mountain | | 6,948 | 7,424 | 6,913 | 6,097 | 6,236 | 6,442 | 7,502 | 8,011 | 9,087 | 9,656 | 9,028 |
| Pacific | | 25,777 | 29,760 | 25,824 | 24,795 | 28,492 | 27,464 | 24,819 | 22,902 | 24,633 | 24,218 | 23,859 |
| State or jurisdiction | | - , | -, | -,- | , | -, - | , - | , | , | , | , - | -, |
| Alabama | | 5,028 | 4,411 | 3,759 | 3,561 | 4,060 | 4,408 | 4,322 | 4,323 | 4,530 | ‡ | n/c |
| Alaska | | 608 | 378 | 307 | 223 | 222 | 141 | ‡ | ‡ | ‡ | ‡ | ‡ |
| Arizona | | 446 | 474 | 554 | 721 | 622 | 660 | 1,088 | 1,483 | 1,469 | 1,909 | 1,601 |
| Arkansas | | 1,897 | 1,962 | 1,957 | 1,652 | 2,022 | 2,473 | 2,105 | 2,121 | 2,174 | 1,837 | 1,631 |
| California | | 17,605 | 21,784 | 21,328 | 20,532 | 24,439 | 23,780 | 21,327 | 19,100 | 20,225 | 19,776 | 19,741 |
| Colorado | | 3,193 | 3,301 | 2,642 | 1,920 | 2,966 | 2,960 | 3,982 | 4,153 | 4,787 | 4,646 | 4,152 |
| Connecticut | | 7,050 | 6,323 | 5,643 | 5,495 | 5,260 | 5,629 | 5,455 | 5,579 | 6,178 | 5,831 | 5,478 |
| Delaware | | 1,404 | 1,284 | 1,136 | 1,114 | 1,279 | 1,324 | 1,301 | 1,389 | 1,359 | 1,274 | 996 |
| District of Columbia | | 1,401 | 2,227 | 2,071 | 1,923 | 1,884 | 1,377 | ‡ | ‡ | ‡ | ‡ | 500 |
| Florida | | 16,738 | 19,733 | 17,465 | 13,310 | 17,281 | 16,520 | 8,468 | 11,081 | 11,787 | 11,441 | 9,321 |
| Georgia | | 3,613 | 4,463 | 7,919 | 9,201 | 7,676 | 8,537 | 7,492 | 11,271 | 5,786 | ‡ | ‡ |
| Hawaii | | 476 | 452 | 416 | 360 | 338 | 316 | 279 | 222 | 302 | 245 | 246 |
| Idaho | | 222 | 329 | 127 | 131 | 64 | 32 | 66 | 66 | 83 | 60 | 86 |
| Illinois | | 7,659 | 8,305 | 13,507 | 16,678 | 17,000 | 17,594 | 16,482 | 15,766 | 14,698 | 11,198 | 10,849 |
| Indiana | | 3,044 | 3,372 | 5,188 | 3,118 | 3,288 | 3,632 | 4,356 | 4,513 | 4,560 | 3,400 | 1,766 |
| lowa | | 2,072 | 2,061 | 1,659 | 1,572 | 1,571 | 1,800 | 1,886 | 1,876 | 2,194 | 1,779 | 1,411 |
| Kansas | | 2,467 | 2,433 | 2,619 | 2,292 | 2,303 | 2,494 | 2,502 | 2,472 | 2,207 | 2,331 | 2,109 |
| Kentucky | | 1,185 | 1,197 | 1,252 | 1,639 | 2,199 | 3,102 | 1,813 | 3,885 | 4,352 | 3,796 | 2,852 |
| Louisiana | | 5,930 | 3,755 | 8,609 | 7,728 | 7,891 | 7,509 | 7,428 | 6,685 | 6,169 | 6,506 | 5,661 |
| Maine | | 265 | 253 | 276 | 284 | 385 | 575 | 661 | 761 | 911 | 1,034 | 802 |
| Maryland | | 8,135 | 7,578 | 7,205 | 7,982 | 8,908 | 9,280 | 9,862 | 10,151 | 9,823 | 8,776 | 6,891 |
| Massachusetts | | 6,723 | 6,000 | 5,014 | 4,333 | 3,194 | 2,791 | 3,643 | 4,223 | 4,556 | 4,904 | 5,445 |

Table 1.7a (continued)

Primary cocaine admissions by Census division and State or jurisdiction: TEDS 1998-2008

Number of admissions aged 12 and older

| Census division and state or | | | | I | Number of adı | missions aged | d 12 and older | | | | |
|------------------------------|--------|--------|--------|--------|---------------|---------------|----------------|--------|--------|--------|--------|
| jurisdiction | 1998 | 1999 | 2000 | 2001 | 2002 | 2003 | 2004 | 2005 | 2006 | 2007 | 2008 |
| Michigan | 16,247 | 9,930 | 8,866 | 7,931 | 10,325 | 10,374 | 10,360 | 9,950 | 11,669 | 10,877 | 8,098 |
| Minnesota | 5,018 | 4,781 | 4,179 | 4,045 | 3,869 | 4,432 | 4,675 | 4,790 | 4,968 | 4,598 | 3,757 |
| Mississippi | 1,821 | 2,335 | 2,234 | 2,294 | 2,445 | 2,427 | 2,220 | 1,971 | 1,817 | 1,617 | 883 |
| Missouri | 7,358 | 7,729 | 7,989 | 8,280 | 7,558 | 7,512 | 7,602 | 8,118 | 8,274 | 6,812 | 5,928 |
| Montana | 189 | 191 | 197 | 175 | 121 | 136 | 115 | 121 | 143 | 156 | 124 |
| Nebraska | 790 | 509 | 791 | 745 | 704 | 672 | 734 | 686 | 665 | 771 | 555 |
| Nevada | 1,074 | 1,302 | 1,429 | 1,392 | 1,097 | 1,238 | 1,116 | 704 | 863 | 883 | 845 |
| New Hampshire | 468 | 447 | 384 | 329 | 307 | 451 | 554 | 617 | 853 | 737 | 647 |
| New Jersey | 6,960 | 6,357 | 5,764 | 5,482 | 5,307 | 5,675 | 5,882 | 6,072 | 6,424 | 6,828 | 6,073 |
| New Mexico | 511 | 248 | 366 | 473 | 464 | 472 | 324 | 484 | 642 | 700 | 813 |
| New York | 45,174 | 41,778 | 41,334 | 40,700 | 42,846 | 44,226 | 44,601 | 52,432 | 57,008 | 50,173 | 44,307 |
| North Carolina | 12,067 | 7,617 | 6,753 | 5,813 | 5,553 | 5,526 | 6,102 | 6,667 | 5,296 | 6,600 | 7,167 |
| North Dakota | 25 | 19 | 12 | 15 | 35 | 23 | 29 | 24 | 49 | 34 | 33 |
| Ohio | 16,475 | 12,625 | 8,400 | 9,164 | 10,093 | 9,162 | 9,157 | 12,333 | 12,566 | 14,018 | 11,510 |
| Oklahoma | 1,615 | 1,349 | 1,369 | 1,682 | 1,773 | 1,752 | 2,165 | 2,095 | 1,847 | 1,747 | 1,497 |
| Oregon | 2,065 | 1,735 | 1,587 | 1,659 | 1,630 | 1,125 | 1,050 | 1,079 | 1,175 | 1,271 | 1,095 |
| Pennsylvania | 10,392 | 9,976 | 11,555 | 9,750 | 9,670 | 10,400 | 14,875 | 14,082 | 12,756 | 11,806 | 10,001 |
| Puerto Rico | . ‡ | . ‡ | ‡ | ‡ | ‡ | 160 | 104 | 154 | 105 | 241 | 223 |
| Rhode Island | 998 | 1,240 | 1,381 | 1,503 | 1,542 | 1,660 | 1,617 | 1,648 | 1,601 | 1,584 | 1,424 |
| South Carolina | 4,127 | 3,937 | 3,497 | 3,981 | 3,603 | 3,305 | 3,605 | 4,643 | 4,513 | 4,247 | 3,583 |
| South Dakota | 97 | 79 | 78 | 44 | 85 | 89 | 132 | 204 | 190 | 177 | 187 |
| Tennessee | 4,092 | 2,006 | 1,755 | 2,234 | 2,405 | 2,733 | 2,586 | 2,744 | 2,653 | 2,235 | 1,779 |
| Texas | 9,571 | 10,482 | 8,131 | 7,797 | 9,099 | 9,097 | 9,201 | 10,195 | 10,635 | 10,740 | 9,887 |
| Utah | 1,216 | 1,509 | 1,502 | 1,161 | 797 | 844 | 727 | 906 | 1,010 | 1,207 | 1,287 |
| Vermont | 221 | 209 | 252 | 251 | 372 | 359 | 369 | 624 | 718 | 672 | 569 |
| Virginia | 2,193 | 4,051 | 3,837 | 3,717 | 4,871 | 8,145 | 10,724 | 6,695 | 5,814 | 5,154 | 4,720 |
| Washington | 5,023 | 5,411 | 2,186 | 2,021 | 1,863 | 2,102 | 2,163 | 2,501 | 2,931 | 2,926 | 2,777 |
| West Virginia | ‡ | 717 | ‡ | ± | ‡ | 304 | 403 | 564 | 776 | 529 | 352 |
| Wisconsin | 794 | 888 | 1,582 | 1,595 | 1,617 | 2,693 | 2,163 | 2,895 | 3,785 | 3,109 | 2,192 |
| Wyoming | 97 | 70 | 96 | 124 | 105 | 100 | 84 | 94 | 90 | 95 | 120 |

n/c Not collected.

[‡] No data, or less than a full calendar year of data, submitted.

Table 1.7b

Primary cocaine admissions by Census division and State or jurisdiction: TEDS 1998-2008

Admissions per 100,000 population aged 12 and older

| ensus division and state or risdiction | or | | | | Admis | sions per 100 |),000 populatio | on aged 12 aı | nd older | | | |
|--|-------|------|------|------|-------|---------------|-----------------|---------------|----------|------|------|------|
| jurisdiction | | 1998 | 1999 | 2000 | 2001 | 2002 | 2003 | 2004 | 2005 | 2006 | 2007 | 2008 |
| - | Total | 114 | 107 | 102 | 98 | 103 | 105 | 102 | 108 | 108 | 101 | 88 |
| Census division ¹ | | | | | | | | | | | | |
| New England | | 140 | 128 | 110 | 103 | 93 | 95 | 102 | 111 | 122 | 121 | 117 |
| Middle Atlantic | | 196 | 181 | 176 | 167 | 171 | 178 | 192 | 212 | 222 | 199 | 174 |
| East North Central | | 120 | 95 | 100 | 102 | 111 | 114 | 111 | 118 | 122 | 109 | 88 |
| West North Central | | 115 | 112 | 108 | 105 | 99 | 104 | 106 | 110 | 111 | 98 | 83 |
| East South Central | | 88 | 72 | 63 | 68 | 77 | 87 | 75 | 88 | 90 | 68 | 49 |
| South Atlantic | | 126 | 125 | 119 | 110 | 117 | 119 | 104 | 112 | 95 | 94 | 81 |
| West South Central | | 78 | 71 | 78 | 72 | 78 | 78 | 77 | 77 | 75 | 73 | 65 |
| Mountain | | 51 | 53 | 46 | 40 | 40 | 40 | 46 | 48 | 53 | 55 | 50 |
| Pacific | | 73 | 83 | 70 | 66 | 75 | 71 | 64 | 59 | 62 | 61 | 59 |
| State or jurisdiction | | | | | | | | | | | | |
| Alabama | | 138 | 120 | 101 | 96 | 109 | 117 | 114 | 113 | 117 | ‡ | n/c |
| Alaska | | 125 | 77 | 61 | 44 | 43 | 27 | ‡ | ‡ | ‡ | ‡ | ‡ |
| Arizona | | 12 | 12 | 13 | 17 | 14 | 14 | 23 | 30 | 29 | 37 | 30 |
| Arkansas | | 90 | 93 | 88 | 74 | 90 | 109 | 92 | 91 | 93 | 78 | 68 |
| California | | 67 | 81 | 77 | 73 | 85 | 82 | 72 | 64 | 67 | 65 | 65 |
| Colorado | | 97 | 98 | 74 | 52 | 79 | 78 | 104 | 107 | 121 | 115 | 101 |
| Connecticut | | 259 | 232 | 198 | 192 | 182 | 193 | 186 | 189 | 209 | 197 | 184 |
| Delaware | | 225 | 204 | 173 | 168 | 190 | 193 | 187 | 196 | 189 | 175 | 135 |
| District of Columbia | | 312 | 495 | 422 | 388 | 378 | 276 | ‡ | ‡ | ‡ | ‡ | 97 |
| Florida | | 134 | 155 | 128 | 96 | 122 | 114 | 57 | 73 | 77 | 74 | 59 |
| Georgia | | 58 | 70 | 117 | 133 | 109 | 119 | 102 | 150 | 75 | ‡ | ‡ |
| Hawaii | | 48 | 46 | 41 | 35 | 33 | 30 | 26 | 21 | 28 | 23 | 22 |
| Idaho | | 22 | 32 | 12 | 12 | 6 | 3 | 6 | 6 | 7 | 5 | 7 |
| Illinois | | 77 | 83 | 132 | 161 | 163 | 168 | 156 | 149 | 138 | 104 | 100 |
| Indiana | | 62 | 68 | 103 | 61 | 64 | 71 | 84 | 87 | 87 | 64 | 33 |
| lowa | | 86 | 85 | 68 | 64 | 64 | 73 | 76 | 75 | 88 | 71 | 56 |
| Kansas | | 113 | 110 | 118 | 102 | 102 | 110 | 110 | 108 | 96 | 101 | 90 |
| Kentucky | | 36 | 36 | 37 | 48 | 64 | 90 | 52 | 111 | 123 | 106 | 79 |
| Louisiana | | 165 | 104 | 234 | 210 | 214 | 203 | 199 | 179 | 174 | 178 | 154 |
| Maine | | 25 | 24 | 25 | 26 | 35 | 51 | 59 | 67 | 80 | 91 | 70 |
| Maryland | | 191 | 176 | 164 | 179 | 196 | 202 | 212 | 216 | 208 | 185 | 145 |
| Massachusetts | | 130 | 116 | 94 | 80 | 59 | 51 | 66 | 77 | 83 | 88 | 98 |

Table 1.7b (continued)

Primary cocaine admissions by Census division and State or jurisdiction: TEDS 1998-2008

Admissions per 100,000 population aged 12 and older

| Census division and state or | | | | Admis | sions per 100 | ,000 populatio | on aged 12 ar | nd older | | | |
|------------------------------|------|------|------|-------|---------------|----------------|---------------|----------|------|------|------|
| iurisdiction ⁻ | 1998 | 1999 | 2000 | 2001 | 2002 | 2003 | 2004 | 2005 | 2006 | 2007 | 2008 |
| Michigan | 199 | 121 | 108 | 96 | 124 | 123 | 122 | 117 | 137 | 128 | 96 |
| Minnesota | 128 | 121 | 102 | 98 | 92 | 105 | 110 | 112 | 115 | 105 | 86 |
| Mississippi | 81 | 103 | 96 | 98 | 104 | 103 | 93 | 82 | 76 | 67 | 36 |
| Missouri | 163 | 170 | 171 | 176 | 159 | 157 | 157 | 167 | 168 | 138 | 119 |
| Montana | 26 | 26 | 26 | 23 | 16 | 17 | 15 | 15 | 18 | 19 | 15 |
| Nebraska | 57 | 37 | 56 | 52 | 49 | 47 | 51 | 47 | 45 | 52 | 37 |
| Nevada | 76 | 88 | 86 | 81 | 61 | 67 | 58 | 35 | 42 | 42 | 39 |
| New Hampshire | 47 | 44 | 37 | 31 | 29 | 42 | 50 | 56 | 76 | 65 | 57 |
| New Jersey | 103 | 94 | 82 | 77 | 74 | 79 | 81 | 84 | 88 | 93 | 83 |
| New Mexico | 36 | 18 | 25 | 31 | 30 | 31 | 21 | 30 | 40 | 43 | 49 |
| New York | 299 | 275 | 261 | 255 | 266 | 273 | 273 | 319 | 346 | 303 | 266 |
| North Carolina | 193 | 120 | 100 | 85 | 80 | 78 | 85 | 92 | 71 | 87 | 93 |
| North Dakota | 5 | 4 | 2 | 3 | 6 | 4 | 5 | 4 | 9 | 6 | 6 |
| Ohio | 176 | 134 | 89 | 96 | 106 | 96 | 95 | 128 | 130 | 145 | 119 |
| Oklahoma | 58 | 48 | 48 | 58 | 61 | 60 | 74 | 71 | 62 | 58 | 49 |
| Oregon | 75 | 62 | 55 | 57 | 55 | 37 | 35 | 35 | 38 | 40 | 34 |
| Pennsylvania | 103 | 98 | 111 | 94 | 92 | 99 | 141 | 133 | 120 | 111 | 94 |
| Puerto Rico | ‡ | ‡ | # | ‡ | ‡ | 50 | 32 | 47 | 32 | 73 | 67 |
| Rhode Island | 120 | 149 | 156 | 168 | 171 | 182 | 177 | 181 | 176 | 175 | 157 |
| South Carolina | 129 | 121 | 104 | 117 | 105 | 95 | 102 | 130 | 124 | 114 | 95 |
| South Dakota | 16 | 13 | 12 | 7 | 13 | 14 | 20 | 31 | 29 | 27 | 28 |
| Tennessee | 90 | 44 | 37 | 46 | 49 | 56 | 52 | 54 | 52 | 43 | 34 |
| Texas | 60 | 65 | 48 | 45 | 52 | 51 | 50 | 55 | 56 | 55 | 50 |
| Utah | 74 | 91 | 85 | 64 | 43 | 45 | 38 | 46 | 50 | 58 | 60 |
| Vermont | 44 | 41 | 49 | 48 | 71 | 68 | 69 | 116 | 133 | 124 | 105 |
| Virginia | 39 | 70 | 65 | 62 | 80 | 132 | 171 | 105 | 90 | 79 | 72 |
| Washington | 106 | 113 | 44 | 40 | 37 | 41 | 42 | 47 | 55 | 54 | 50 |
| West Virginia | ‡ | 46 | # | ‡ | ‡ | 20 | 26 | 36 | 50 | 34 | 23 |
| Wisconsin | 18 | 20 | 35 | 35 | 35 | 58 | 46 | 62 | 80 | 66 | 46 |
| Wyoming | 24 | 17 | 23 | 30 | 25 | 24 | 20 | 22 | 21 | 22 | 27 |

¹ Rates in italics indicate that one or more States or jurisdictions did not submit data. The populations of these States have been excluded from the rate calculation for the Census division in the italicized years.

n/c Not collected.

[‡] No data, or less than a full calendar year of data, submitted.

Table 1.8a

Primary methamphetamine/amphetamine admissions by Census division and State or jurisdiction: TEDS 1998-2008

Number of admissions aged 12 and older

| jurisdiction | _ | | | | | | | | | | | |
|-----------------------|-------|--------|--------|----------|--------|---------|---------|----------|---------|---------|---------|---------|
| jundalouon | | 1998 | 1999 | 2000 | 2001 | 2002 | 2003 | 2004 | 2005 | 2006 | 2007 | 2008 |
| T | Γotal | 70,401 | 72,598 | 79,941 | 95,718 | 122,833 | 133,710 | 145,615 | 171,793 | 160,596 | 145,828 | 121,485 |
| Census division | | | | | | | | | | | | |
| New England | | 161 | 153 | 208 | 288 | 335 | 313 | 341 | 450 | 461 | 435 | 541 |
| Middle Atlantic | | 694 | 686 | 722 | 809 | 913 | 1,092 | 1,327 | 1,308 | 1,160 | 1,279 | 1,146 |
| East North Central | | 1,017 | 1,018 | 1,585 | 2,284 | 3,625 | 4,692 | 5,999 | 6,983 | 6,235 | 4,042 | 3,219 |
| West North Central | | 9,454 | 8,755 | 10,705 | 13,625 | 15,790 | 17,525 | 21,277 | 25,105 | 19,893 | 17,328 | 13,988 |
| East South Central | | 579 | 665 | 1,183 | 2,098 | 2,681 | 3,416 | 3,672 | 4,396 | 3,838 | 1,758 | 2,256 |
| South Atlantic | | 1,080 | 1,169 | 1,509 | 2,062 | 3,142 | 5,061 | 5,136 | 9,035 | 4,831 | 2,586 | 2,372 |
| West South Central | | 4,860 | 5,319 | 6,779 | 7,708 | 9,310 | 10,336 | 11,880 | 14,724 | 13,065 | 11,645 | 9,246 |
| Mountain | | 9,891 | 10,493 | 10,677 | 11,817 | 11,960 | 14,633 | 19,562 | 23,619 | 22,291 | 20,820 | 16,659 |
| Pacific | | 42,665 | 44.340 | 46,573 | 55,027 | 75,077 | 76,642 | 76,421 | 86,173 | 88,822 | 85,933 | 72,057 |
| State or jurisdiction | | , | , | , | , | , | , | , | , | , | , | , |
| Alabama | | 248 | 278 | 489 | 916 | 1,335 | 1,708 | 1,976 | 1,939 | 1,714 | ‡ | 928 |
| Alaska | | 49 | 49 | 49 | 48 | 80 | 70 | ‡ | # | . ‡ | ‡ | ‡ |
| Arizona | | 810 | 591 | 614 | 1,267 | 1,277 | 1,618 | 3,285 | 4,533 | 3,684 | 4,314 | 3,068 |
| Arkansas | | 1,547 | 2,183 | 2,461 | 2,138 | 2,812 | 3,015 | 3,075 | 3,464 | 2,940 | 2,548 | 2,158 |
| California | | 28,814 | 30,552 | 33,418 | 39,907 | 59,248 | 62,127 | 60,332 | 67,044 | 70,903 | 68,657 | 57,909 |
| Colorado | | 1,682 | 1,591 | 1,775 | 1,538 | 2,557 | 3,316 | 4,872 | 6,379 | 6,068 | 5,926 | 5,086 |
| Connecticut | | 27 | 32 | 41 | 127 | 110 | 114 | 95 | 110 | 90 | 85 | 123 |
| Delaware | | 7 | 13 | 10 | 5 | 12 | 15 | 18 | 32 | 37 | 24 | 22 |
| District of Columbia | | | 5 | 14 | 33 | 17 | 10 | ‡ | ‡ | ‡ | ‡ | 8 |
| Florida | | 494 | 552 | 419 | 461 | 736 | 1,014 | 672 | 1,157 | 1,116 | 953 | 766 |
| Georgia | | 319 | 260 | 627 | 982 | 1,572 | 2,796 | 2,868 | 5,685 | 1,924 | ‡ | ‡ |
| Hawaii | | 1,243 | 1,418 | 1,831 | 2,088 | 2,239 | 2,567 | 2,382 | 2,623 | 2,179 | 2,182 | 1,874 |
| Idaho | | 1,560 | 2,135 | 1,238 | 1,763 | 1,295 | 814 | 2,173 | 2,347 | 2,530 | 1,675 | 1,395 |
| Illinois | | 169 | 240 | 557 | 986 | 1,547 | 2,156 | 2,605 | 2,566 | 2,242 | 1,061 | 869 |
| Indiana | | 263 | 403 | 671 | 757 | 1,164 | 1,415 | 1,961 | 2,311 | 2,203 | 1,454 | 993 |
| lowa | | 2,995 | 2,865 | 3,381 | 4,183 | 4,841 | 5,335 | 5.563 | 5,780 | 4,508 | 3,267 | 2,334 |
| Kansas | | 995 | 800 | 1,003 | 1,177 | 1,396 | 1,440 | 1,807 | 2,188 | 1,567 | 1,953 | 1,810 |
| Kentucky | | 102 | 131 | 250 | 454 | 451 | 691 | 529 | 1,306 | 1,248 | 1,044 | 843 |
| Louisiana | | 119 | 110 | 355 | 404 | 680 | 790 | 1,051 | 1,225 | 942 | 970 | 718 |
| Maine | | 32 | 25 | 39 | 38 | 39 | 51 | 62 | 79 | 104 | 80 | 70 |
| Maryland | | 1 | 58 | 72 | 104 | 130 | 173 | 203 | 210 | 217 | 186 | 103 |
| Massachusetts | | 60 | 53 | 72 70 | 80 | 69 | 101 | 119 | 152 | 148 | 159 | 246 |

Table 1.8a (continued)

Primary methamphetamine/amphetamine admissions by Census division and State or jurisdiction: TEDS 1998-2008

Number of admissions aged 12 and older

| Census division and state or | | | | 1 | Number of ad | missions aged | d 12 and older | | | | |
|------------------------------|--------|-------|--------|------------|--------------|---------------|----------------|--------|-------|-------|-------|
| jurisdiction | 1998 | 1999 | 2000 | 2001 | 2002 | 2003 | 2004 | 2005 | 2006 | 2007 | 2008 |
| Michigan | 276 | 151 | 179 | 248 | 428 | 567 | 754 | 797 | 604 | 449 | 562 |
| Minnesota | 1,575 | 1,169 | 1,688 | 2,692 | 3,237 | 4,270 | 5,893 | 7,127 | 5,333 | 4,846 | 3,658 |
| Mississippi | 116 | 181 | 301 | 534 | 615 | 649 | 609 | 610 | 462 | 427 | 210 |
| Missouri | 2,823 | 3,150 | 3,456 | 3,928 | 4,028 | 3,968 | 4,914 | 6,154 | 5,294 | 4,513 | 4,239 |
| Montana | 875 | 665 | 776 | 895 | 938 | 1,116 | 1,186 | 1,476 | 1,118 | 918 | 642 |
| Nebraska | 694 | 505 | 893 | 1,287 | 1,465 | 1,699 | 2,059 | 2,094 | 1,658 | 1,591 | 1,147 |
| Nevada | 1,903 | 2,181 | 2,408 | 2,560 | 2,829 | 3,256 | 3,338 | 3,419 | 3,185 | 2,776 | 2,000 |
| New Hampshire | 16 | 26 | 17 | 17 | 74 | 17 | 32 | 56 | 75 | 53 | 50 |
| New Jersey | 128 | 100 | 116 | 131 | 138 | 137 | 192 | 173 | 189 | 203 | 189 |
| New Mexico | 282 | 141 | 103 | 197 | 197 | 268 | 315 | 605 | 794 | 887 | 776 |
| New York | 348 | 392 | 361 | 459 | 547 | 698 | 673 | 704 | 622 | 783 | 693 |
| North Carolina | 111 | 71 | 164 | 187 | 227 | 283 | 333 | 487 | 302 | 319 | 492 |
| North Dakota | 88 | 69 | 90 | 153 | 377 | 239 | 374 | 417 | 377 | 249 | 188 |
| Ohio | 241 | 159 | 108 | 184 | 326 | 316 | 420 | 826 | 743 | 723 | 520 |
| Oklahoma | 1,928 | 1,855 | 2,597 | 3,322 | 3,469 | 3,562 | 4,018 | 4,211 | 3,752 | 3,403 | 2,693 |
| Oregon | 7,386 | 6,926 | 7,662 | 8,743 | 9,454 | 7,548 | 8,560 | 10,042 | 9,189 | 8,716 | 7,045 |
| Pennsylvania | 218 | 194 | 245 | 219 | 228 | 257 | 462 | 431 | 349 | 293 | 264 |
| Puerto Rico | ‡ | ‡ | ‡ | ‡ | ‡ | | | | | 2 | 1 |
| Rhode Island | 6 | 4 | 15 | 16 | 21 | 11 | 14 | 16 | 25 | 28 | 33 |
| South Carolina | 92 | 67 | 117 | 163 | 228 | 300 | 421 | 778 | 704 | 610 | 587 |
| South Dakota | 284 | 197 | 194 | 205 | 446 | 574 | 667 | 1,345 | 1,156 | 909 | 612 |
| Tennessee | 113 | 75 | 143 | 194 | 280 | 368 | 558 | 541 | 414 | 287 | 275 |
| Texas | 1,266 | 1,171 | 1,366 | 1,844 | 2,349 | 2,969 | 3,736 | 5,824 | 5,431 | 4,724 | 3,677 |
| Utah | 2,207 | 2,789 | 3,326 | 3,002 | 2,172 | 3,313 | 3,377 | 3,565 | 4,040 | 3,644 | 3,074 |
| Vermont | 20 | 13 | 26 | 10 | 22 | 19 | 19 | 37 | 19 | 30 | 19 |
| Virginia | 56 | 88 | 86 | 127 | 220 | 413 | 544 | 514 | 350 | 362 | 280 |
| Washington | 5,173 | 5,395 | 3,613 | 4,241 | 4,056 | 4,330 | 5,147 | 6,464 | 6,551 | 6,378 | 5,229 |
| West Virginia | , ‡ | 55 | , ‡ | . ‡ | , ‡ | 57 | 77 | 172 | 181 | 132 | 114 |
| Wisconsin | 68 | 65 | 70 | 109 | 160 | 238 | 259 | 483 | 443 | 355 | 275 |
| Wyoming | 572 | 400 | 437 | 595 | 695 | 932 | 1,016 | 1,295 | 872 | 680 | 618 |

^{- -} Quantity is zero.

[‡] No data, or less than a full calendar year of data, submitted.

Table 1.8b

Primary methamphetamine/amphetamine admissions by Census division and State or jurisdiction: TEDS 1998-2008

Admissions per 100,000 population aged 12 and older

| Census division and state or | e or | | | | Admis | sions per 100 | ,000 populatio | on aged 12 ar | nd older | | | |
|------------------------------|-------|------|------|------|-------|---------------|----------------|---------------|----------|------|------|------|
| jurisdiction | | 1998 | 1999 | 2000 | 2001 | 2002 | 2003 | 2004 | 2005 | 2006 | 2007 | 2008 |
| | Total | 32 | 32 | 34 | 41 | 52 | 55 | 60 | 70 | 64 | 61 | 49 |
| Census division ¹ | | | | | | | | | | | | |
| New England | | 1 | 1 | 2 | 2 | 3 | 3 | 3 | 4 | 4 | 4 | 4 |
| Middle Atlantic | | 2 | 2 | 2 | 2 | 3 | 3 | 4 | 4 | 3 | 4 | 3 |
| East North Central | | 3 | 3 | 4 | 6 | 10 | 12 | 16 | 18 | 16 | 10 | 8 |
| West North Central | | 61 | 56 | 67 | 84 | 97 | 107 | 129 | 151 | 119 | 103 | 83 |
| East South Central | | 4 | 5 | 8 | 15 | 19 | 24 | 25 | 30 | 26 | 16 | 15 |
| South Atlantic | | 3 | 3 | 4 | 5 | 7 | 11 | 11 | 19 | 10 | 6 | 6 |
| West South Central | | 20 | 22 | 26 | 30 | 35 | 39 | 44 | 53 | 47 | 41 | 32 |
| Mountain | | 72 | 75 | 71 | 77 | 76 | 92 | 120 | 141 | 130 | 118 | 93 |
| Pacific | | 120 | 123 | 126 | 146 | 196 | 198 | 197 | 220 | 225 | 215 | 178 |
| State or jurisdiction | | | | | | | | | | | | |
| Alabama | | 7 | 8 | 13 | 25 | 36 | 45 | 52 | 51 | 44 | ‡ | 24 |
| Alaska | | 10 | 10 | 10 | 9 | 15 | 13 | ‡ | ‡ | ‡ | ‡ | ‡ |
| Arizona | | 21 | 15 | 15 | 29 | 29 | 35 | 69 | 92 | 73 | 83 | 58 |
| Arkansas | | 73 | 103 | 110 | 95 | 124 | 133 | 134 | 149 | 125 | 108 | 90 |
| California | | 109 | 113 | 121 | 141 | 207 | 214 | 205 | 226 | 237 | 227 | 189 |
| Colorado | | 51 | 47 | 49 | 42 | 68 | 88 | 127 | 164 | 153 | 147 | 123 |
| Connecticut | | 1 | 1 | 1 | 4 | 4 | 4 | 3 | 4 | 3 | 3 | 4 |
| Delaware | | 1 | 2 | 2 | 1 | 2 | 2 | 3 | 5 | 5 | 3 | 3 |
| District of Columbia | | | 1 | 3 | 7 | 3 | 2 | ‡ | ‡ | ‡ | ‡ | 2 |
| Florida | | 4 | 4 | 3 | 3 | 5 | 7 | 5 | 8 | 7 | 6 | 5 |
| Georgia | | 5 | 4 | 9 | 14 | 22 | 39 | 39 | 76 | 25 | ‡ | ‡ |
| Hawaii | | 126 | 144 | 180 | 204 | 216 | 245 | 225 | 244 | 201 | 201 | 171 |
| Idaho | | 155 | 208 | 117 | 164 | 118 | 73 | 191 | 201 | 212 | 137 | 112 |
| Illinois | | 2 | 2 | 5 | 10 | 15 | 21 | 25 | 24 | 21 | 10 | 8 |
| Indiana | | 5 | 8 | 13 | 15 | 23 | 28 | 38 | 44 | 42 | 27 | 19 |
| Iowa | | 125 | 119 | 138 | 170 | 196 | 216 | 224 | 232 | 180 | 130 | 92 |
| Kansas | | 45 | 36 | 45 | 53 | 62 | 64 | 79 | 96 | 68 | 84 | 78 |
| Kentucky | | 3 | 4 | 7 | 13 | 13 | 20 | 15 | 37 | 35 | 29 | 23 |
| Louisiana | | 3 | 3 | 10 | 11 | 18 | 21 | 28 | 33 | 27 | 27 | 20 |
| Maine | | 3 | 2 | 4 | 3 | 4 | 5 | 5 | 7 | 9 | 7 | 6 |
| Maryland | | | 1 | 2 | 2 | 3 | 4 | 4 | 4 | 5 | 4 | 2 |
| Massachusetts | | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 3 | 3 | 3 | 4 |

Table 1.8b (continued)

Primary methamphetamine/amphetamine admissions by Census division and State or jurisdiction: TEDS 1998-2008

Admissions per 100,000 population aged 12 and older

| Census division and state or | | | | Admis | sions per 100 | ,000 populati | on aged 12 aı | nd older | | | |
|------------------------------|----------|------|------|----------|---------------|---------------|---------------|----------|------|------|------|
| jurisdiction | 1998 | 1999 | 2000 | 2001 | 2002 | 2003 | 2004 | 2005 | 2006 | 2007 | 2008 |
| Michigan | 3 | 2 | 2 | 3 | 5 | 7 | 9 | 9 | 7 | 5 | 7 |
| Minnesota | 40 | 30 | 41 | 65 | 77 | 101 | 138 | 166 | 123 | 111 | 83 |
| Mississippi | 5 | 8 | 13 | 23 | 26 | 27 | 26 | 25 | 19 | 18 | 9 |
| Missouri | 62 | 69 | 74 | 83 | 85 | 83 | 102 | 126 | 108 | 91 | 85 |
| Montana | 118 | 89 | 102 | 117 | 122 | 143 | 150 | 185 | 139 | 113 | 78 |
| Nebraska | 50 | 37 | 63 | 90 | 102 | 118 | 142 | 143 | 113 | 108 | 77 |
| Nevada | 134 | 148 | 145 | 148 | 158 | 176 | 174 | 172 | 155 | 132 | 93 |
| New Hampshire | 2 | 3 | 2 | 2 | 7 | 2 | 3 | 5 | 7 | 5 | 4 |
| New Jersey | 2 | 1 | 2 | 2 | 2 | 2 | 3 | 2 | 3 | 3 | 3 |
| New Mexico | 20 | 10 | 7 | 13 | 13 | 17 | 20 | 38 | 49 | 54 | 47 |
| New York | 2 | 3 | 2 | 3 | 3 | 4 | 4 | 4 | 4 | 5 | 4 |
| North Carolina | 2 | 1 | 2 | 3 | 3 | 4 | 5 | 7 | 4 | 4 | 6 |
| North Dakota | 16 | 13 | 17 | 28 | 70 | 44 | 69 | 77 | 69 | 46 | 34 |
| Ohio | 3 | 2 | 1 | 2 | 3 | 3 | 4 | 9 | 8 | 7 | 5 |
| Oklahoma | 70 | 67 | 90 | 115 | 119 | 122 | 137 | 143 | 126 | 113 | 89 |
| Oregon | 269 | 249 | 267 | 300 | 319 | 252 | 283 | 327 | 294 | 275 | 219 |
| Pennsylvania | 2 | 2 | 2 | 2 | 2 | 2 | 4 | 4 | 3 | 3 | 2 |
| Puerto Rico | ± | ‡ | ‡ | ± | ‡ | | | | | † | † |
| Rhode Island | 1 | | 2 | 2 | 2 | 1 | 2 | 2 | 3 | 3 | 4 |
| South Carolina | 3 | 2 | 3 | 5 | 7 | 9 | 12 | 22 | 19 | 16 | 16 |
| South Dakota | 47 | 32 | 31 | 32 | 70 | 90 | 103 | 206 | 175 | 137 | 91 |
| Tennessee | 2 | 2 | 3 | 4 | 6 | 7 | 11 | 11 | 8 | 6 | 5 |
| Texas | 8 | 7 | 8 | 11 | 13 | 17 | 20 | 31 | 29 | 24 | 19 |
| Utah | 135 | 168 | 189 | 167 | 118 | 177 | 176 | 181 | 199 | 174 | 144 |
| Vermont | 4 | 3 | 5 | 2 | 4 | 4 | 4 | 7 | 4 | 6 | 4 |
| Virginia | 1 | 2 | 1 | 2 | 4 | 7 | 9 | 8 | 5 | 6 | 4 |
| Washington | 110 | 113 | 74 | 85 | 80 | 84 | 99 | 123 | 122 | 117 | 94 |
| West Virginia | ‡ | 4 | ‡ | ± | ‡ | 4 | 5 | 11 | 12 | 8 | 7 |
| Wisconsin | 2 | 1 | 2 | 2 | 3 | 5 | 6 | 10 | 9 | 7 | 6 |
| Wyoming | 143 | 99 | 105 | 143 | 166 | 221 | 239 | 303 | 201 | 154 | 138 |

¹ Rates in italics indicate that one or more States or jurisdictions did not submit data. The populations of these States have been excluded from the rate calculation for the Census division in the italicized years.

[†] Less than 1 per 100,000.

^{- -} Quantity is zero.

[‡] No data, or less than a full calendar year of data, submitted.

Table 1.9a

Primary non-heroin opiates/synthetics admissions¹ by Census division and State or jurisdiction: TEDS 1998-2008

Number of admissions aged 12 and older

| Census division and state | e or | | | | | Number of ad | missions age | d 12 and olde | r | | | |
|---------------------------|-------|--------|--------|--------|--------|--------------|--------------|---------------|--------|--------|--------|---------|
| jurisdiction | _ | 1998 | 1999 | 2000 | 2001 | 2002 | 2003 | 2004 | 2005 | 2006 | 2007 | 2008 |
| | Total | 19,870 | 22,509 | 28,334 | 37,616 | 45,816 | 52,596 | 61,323 | 70,475 | 81,587 | 93,619 | 111,251 |
| Census division | | | | | | | | | | | | |
| New England | | 1,920 | 2,515 | 3,391 | 5,497 | 6,365 | 7,115 | 8,567 | 10,099 | 12,137 | 13,578 | 16,089 |
| Middle Atlantic | | 3,542 | 3,951 | 4,817 | 6,330 | 7,506 | 9,183 | 12,002 | 12,825 | 15,315 | 18,766 | 22,184 |
| East North Central | | 3,952 | 3,123 | 4,142 | 4,584 | 6,004 | 6,479 | 7,706 | 9,643 | 11,910 | 13,980 | 14,976 |
| West North Central | | 910 | 1,033 | 1,124 | 1,608 | 2,006 | 2,310 | 3,333 | 3,699 | 4,233 | 5,084 | 6,643 |
| East South Central | | 1,760 | 1,680 | 1,994 | 3,131 | 3,892 | 4,805 | 4,621 | 5,908 | 6,581 | 5,914 | 7,998 |
| South Atlantic | | 3,104 | 4,706 | 6,141 | 8,505 | 10,012 | 11,220 | 11,521 | 13,941 | 14,496 | 14,853 | 17,201 |
| West South Central | | 1,271 | 1,511 | 2,186 | 3,063 | 3,923 | 4,516 | 5,751 | 5,899 | 6,165 | 7,893 | 9,124 |
| Mountain | | 841 | 992 | 1,281 | 1,447 | 1,594 | 1,957 | 2,387 | 2,673 | 3,267 | 4,062 | 4,891 |
| Pacific | | 2,570 | 2,998 | 3,258 | 3,451 | 4,514 | 5,011 | 5,434 | 5,786 | 7,477 | 9,456 | 12,110 |
| State or jurisdiction | | _, | _,, | -, | 2, 121 | ., | -, | -, | 2,100 | ,, | -, | , |
| Alabama | | 723 | 820 | 773 | 932 | 1,120 | 1,235 | 1,354 | 1,575 | 1,549 | ‡ | 1,409 |
| Alaska | | 47 | 69 | 58 | 47 | 114 | 104 | ‡ | ‡ | ‡ | ‡ | ‡ |
| Arizona | | 21 | 33 | 50 | 139 | 161 | 71 | 110 | 157 | 271 | 560 | 524 |
| Arkansas | | 232 | 352 | 364 | 376 | 513 | 528 | 621 | 762 | 778 | 1,183 | 1,438 |
| California | | 1,756 | 2,082 | 2,371 | 2,324 | 3,088 | 3,499 | 3,446 | 3,213 | 4,980 | 6,145 | 7,323 |
| Colorado | | 294 | 384 | 417 | 335 | 523 | 626 | 750 | 856 | 1,048 | 1,204 | 1,533 |
| Connecticut | | 544 | 459 | 664 | 889 | 1,030 | 1,222 | 1,606 | 1,722 | 1,790 | 2,050 | 2,311 |
| Delaware | | 37 | 41 | 87 | 86 | 135 | 173 | 232 | 312 | 568 | 820 | 1,101 |
| District of Columbia | | 9 | 21 | 15 | 24 | 15 | 13 | ‡ | ‡ | ‡ | ‡ | 2 |
| Florida | | 1,291 | 2,149 | 2,727 | 3,192 | 4,216 | 3,448 | 2,093 | 2,499 | 3,614 | 4,285 | 4,924 |
| Georgia | | 96 | 151 | 350 | 671 | 748 | 975 | 802 | 2,177 | 1,124 | ‡ | ‡ |
| Hawaii | | 66 | 40 | 68 | 106 | 102 | 104 | 113 | 155 | 133 | 173 | 185 |
| Idaho | | 40 | 71 | 60 | 90 | 60 | 48 | 147 | 129 | 204 | 132 | 250 |
| Illinois | | 104 | 217 | 593 | 665 | 715 | 802 | 892 | 899 | 1,325 | 1,261 | 1,446 |
| Indiana | | 913 | 960 | 1,238 | 929 | 967 | 1,217 | 1,514 | 1,765 | 2,023 | 1,806 | 1,480 |
| Iowa | | 176 | 187 | 182 | 268 | 359 | 298 | 467 | 438 | 499 | 473 | 571 |
| Kansas | | 35 | 70 | 95 | 106 | 136 | 179 | 268 | 255 | 249 | 340 | 580 |
| Kentucky | | 252 | 296 | 494 | 947 | 1,116 | 1,635 | 1,346 | 2,183 | 2,946 | 3,626 | 4,298 |
| Louisiana | | 344 | 285 | 930 | 1,294 | 1,689 | 1,906 | 2,479 | 2,269 | 2,004 | 2,620 | 2,845 |
| Maine | | 302 | 540 | 769 | 1,078 | 1,212 | 1,561 | 1,885 | 2,420 | 3,072 | 3,856 | 4,416 |
| Maryland | | 759 | 738 | 885 | 1,584 | 1,792 | 2,087 | 2,669 | 3,187 | 3,676 | 3,305 | 2,795 |
| Massachusetts | | 699 | 1,003 | 1,356 | 2,708 | 3,090 | 2,837 | 3,430 | 3,697 | 4,445 | 4,621 | 5,730 |

Table 1.9a (continued)

Primary non-heroin opiates/synthetics admissions¹ by Census division and State or jurisdiction: TEDS 1998-2008

Number of admissions aged 12 and older

| Census division and state or | | | | | Number of ad | missions aged | d 12 and olde | r | | | |
|------------------------------|-------|-------|-------|-------|--------------|---------------|---------------|-------|-------|--------|--------|
| jurisdiction | 1998 | 1999 | 2000 | 2001 | 2002 | 2003 | 2004 | 2005 | 2006 | 2007 | 2008 |
| Michigan | 1,653 | 1,015 | 1,499 | 1,844 | 2,415 | 2,460 | 3,048 | 3,410 | 4,555 | 5,224 | 6,061 |
| Minnesota | 448 | 464 | 564 | 698 | 751 | 1,016 | 1,350 | 1,466 | 1,769 | 2,463 | 2,986 |
| Mississippi | 131 | 202 | 311 | 491 | 609 | 569 | 639 | 572 | 557 | 548 | 280 |
| Missouri | 157 | 202 | 194 | 388 | 599 | 670 | 900 | 1,158 | 1,263 | 1,346 | 1,931 |
| Montana | 131 | 102 | 190 | 261 | 272 | 349 | 343 | 402 | 484 | 674 | 743 |
| Nebraska | 51 | 44 | 47 | 70 | 65 | 73 | 217 | 205 | 208 | 224 | 260 |
| Nevada | 70 | 81 | 62 | 97 | 107 | 233 | 297 | 289 | 266 | 333 | 430 |
| New Hampshire | 42 | 51 | 76 | 122 | 150 | 176 | 242 | 225 | 307 | 412 | 688 |
| New Jersey | 578 | 558 | 592 | 847 | 1,123 | 1,255 | 1,690 | 2,202 | 2,689 | 3,469 | 4,118 |
| New Mexico | 38 | 10 | 116 | 115 | 130 | 118 | 117 | 184 | 217 | 264 | 280 |
| New York | 2,301 | 2,497 | 2,943 | 3,599 | 4,325 | 5,050 | 5,993 | 6,691 | 8,359 | 10,250 | 11,942 |
| North Carolina | 559 | 507 | 774 | 1,008 | 1,012 | 1,136 | 1,477 | 1,717 | 1,601 | 2,088 | 3,127 |
| North Dakota | 17 | 28 | 21 | 50 | 56 | 31 | 52 | 38 | 86 | 70 | 105 |
| Ohio | 1,178 | 832 | 639 | 914 | 1,596 | 1,592 | 1,713 | 2,788 | 2,992 | 4,436 | 4,764 |
| Oklahoma | 227 | 231 | 231 | 357 | 418 | 509 | 735 | 770 | 873 | 1,148 | 1,433 |
| Oregon | 262 | 323 | 426 | 597 | 681 | 611 | 809 | 1,009 | 1,226 | 1,760 | 2,121 |
| Pennsylvania | 663 | 896 | 1,282 | 1,884 | 2,058 | 2,878 | 4,319 | 3,932 | 4,267 | 5,047 | 6,124 |
| Puerto Rico | ‡ | ‡ | ‡ | ‡ | ‡ | | 1 | 2 | 6 | 33 | 35 |
| Rhode Island | 234 | 327 | 358 | 504 | 604 | 806 | 871 | 950 | 1,109 | 1,116 | 1,155 |
| South Carolina | 242 | 292 | 448 | 812 | 931 | 876 | 990 | 1,240 | 1,148 | 1,299 | 1,606 |
| South Dakota | 26 | 38 | 21 | 28 | 40 | 43 | 79 | 139 | 159 | 168 | 210 |
| Tennessee ² | 654 | 362 | 416 | 761 | 1,047 | 1,366 | 1,282 | 1,578 | 1,529 | 1,740 | 2,011 |
| Texas | 468 | 643 | 661 | 1,036 | 1,303 | 1,573 | 1,916 | 2,098 | 2,510 | 2,942 | 3,408 |
| Utah | 217 | 287 | 348 | 357 | 283 | 425 | 518 | 550 | 700 | 772 | 932 |
| Vermont | 99 | 135 | 168 | 196 | 279 | 513 | 533 | 1,085 | 1,414 | 1,523 | 1,789 |
| Virginia | 111 | 312 | 855 | 1,128 | 1,163 | 2,034 | 2,692 | 1,730 | 1,530 | 1,600 | 1,916 |
| Washington | 439 | 484 | 335 | 377 | 529 | 693 | 1,066 | 1,409 | 1,138 | 1,378 | 2,481 |
| West Virginia | ‡ | 495 | ‡ | ‡ | ‡ | 478 | 566 | 1,079 | 1,235 | 1,456 | 1,730 |
| Wisconsin | 104 | 99 | 173 | 232 | 311 | 408 | 539 | 781 | 1,015 | 1,253 | 1,225 |
| Wyoming | 30 | 24 | 38 | 53 | 58 | 87 | 105 | 106 | 77 | 123 | 199 |

¹ These drugs include codeine, hydrocodone, hydromorphone, meperidine, morphine, opium, oxycodone, pentazocine, propoxyphene, tramadol, and any other drug with morphine-like effects. Non-prescription use of methadone is not included.

² Tennessee includes *Heroin* admissions in *Other opiates*.

^{- -} Quantity is zero.

[‡] No data, or less than a full calendar year of data, submitted.

Table 1.9b

Primary non-heroin opiates/synthetics admissions¹ by Census division and State or jurisdiction: TEDS 1998-2008

Admissions per 100,000 population aged 12 and older

| Census division and state or | or | | | | Admis | sions per 100 | ,000 populati | on aged 12 ar | nd older | | | |
|------------------------------|-------|------|------|------|-------|---------------|---------------|---------------|----------|------|------|------|
| jurisdiction | | 1998 | 1999 | 2000 | 2001 | 2002 | 2003 | 2004 | 2005 | 2006 | 2007 | 2008 |
| T | Γotal | 9 | 10 | 12 | 16 | 19 | 22 | 25 | 29 | 33 | 39 | 45 |
| Census division ² | | | | | | | | | | | | |
| New England | | 17 | 22 | 29 | 46 | 53 | 59 | 71 | 83 | 100 | 111 | 131 |
| Middle Atlantic | | 11 | 12 | 14 | 19 | 22 | 27 | 35 | 37 | 45 | 54 | 64 |
| East North Central | | 11 | 8 | 11 | 12 | 16 | 17 | 20 | 25 | 31 | 36 | 38 |
| West North Central | | 6 | 7 | 7 | 10 | 12 | 14 | 20 | 22 | 25 | 30 | 39 |
| East South Central | | 19 | 18 | 21 | 33 | 41 | 50 | 48 | 61 | 67 | 99 | 80 |
| South Atlantic | | 8 | 11 | 15 | 20 | 23 | 25 | 25 | 30 | 30 | 37 | 42 |
| West South Central | | 5 | 6 | 8 | 12 | 15 | 17 | 21 | 21 | 22 | 28 | 32 |
| Mountain | | 6 | 7 | 9 | 9 | 10 | 12 | 15 | 16 | 19 | 23 | 27 |
| Pacific | | 7 | 8 | 9 | 9 | 12 | 13 | 14 | 15 | 19 | 24 | 30 |
| State or jurisdiction | | | | | | | | | | | | |
| Alabama | | 20 | 22 | 21 | 25 | 30 | 33 | 36 | 41 | 40 | ‡ | 36 |
| Alaska | | 10 | 14 | 12 | 9 | 22 | 20 | ‡ | ‡ | ‡ | ‡ | ‡ |
| Arizona | | 1 | 1 | 1 | 3 | 4 | 2 | 2 | 3 | 5 | 11 | 10 |
| Arkansas | | 11 | 17 | 16 | 17 | 23 | 23 | 27 | 33 | 33 | 50 | 60 |
| California | | 7 | 8 | 9 | 8 | 11 | 12 | 12 | 11 | 17 | 20 | 24 |
| Colorado | | 9 | 11 | 12 | 9 | 14 | 17 | 20 | 22 | 26 | 30 | 37 |
| Connecticut | | 20 | 17 | 23 | 31 | 36 | 42 | 55 | 58 | 60 | 69 | 78 |
| Delaware | | 6 | 6 | 13 | 13 | 20 | 25 | 33 | 44 | 79 | 113 | 149 |
| District of Columbia | | 2 | 5 | 3 | 5 | 3 | 3 | ‡ | ‡ | ‡ | ‡ | |
| Florida | | 10 | 17 | 20 | 23 | 30 | 24 | 14 | 17 | 23 | 28 | 31 |
| Georgia | | 2 | 2 | 5 | 10 | 11 | 14 | 11 | 29 | 15 | ‡ | ‡ |
| Hawaii | | 7 | 4 | 7 | 10 | 10 | 10 | 11 | 14 | 12 | 16 | 17 |
| Idaho | | 4 | 7 | 6 | 8 | 5 | 4 | 13 | 11 | 17 | 11 | 20 |
| Illinois | | 1 | 2 | 6 | 6 | 7 | 8 | 8 | 8 | 12 | 12 | 13 |
| Indiana | | 19 | 19 | 25 | 18 | 19 | 24 | 29 | 34 | 38 | 34 | 28 |
| Iowa | | 7 | 8 | 7 | 11 | 15 | 12 | 19 | 18 | 20 | 19 | 23 |
| Kansas | | 2 | 3 | 4 | 5 | 6 | 8 | 12 | 11 | 11 | 15 | 25 |
| Kentucky | | 8 | 9 | 15 | 28 | 33 | 47 | 39 | 62 | 83 | 101 | 119 |
| Louisiana | | 10 | 8 | 25 | 35 | 46 | 51 | 67 | 61 | 56 | 72 | 77 |
| Maine | | 28 | 50 | 71 | 98 | 109 | 139 | 167 | 213 | 270 | 338 | 386 |
| Maryland | | 18 | 17 | 20 | 35 | 39 | 45 | 57 | 68 | 78 | 70 | 59 |
| Massachusetts | | 14 | 19 | 25 | 50 | 57 | 52 | 63 | 67 | 81 | 83 | 103 |

Table 1.9b (continued)
Primary non-heroin opiates/synthetics admissions1 by Census division and State or jurisdiction: TEDS 1998-2008
Admissions per 100,000 population aged 12 and older

| Census division and state or | | | | Admis | sions per 100 | ,000 populati | on aged 12 ai | nd older | | | |
|------------------------------|----------|------|------|-------|---------------|---------------|---------------|----------|------|------|------|
| jurisdiction ⁻ | 1998 | 1999 | 2000 | 2001 | 2002 | 2003 | 2004 | 2005 | 2006 | 2007 | 2008 |
| Michigan | 20 | 12 | 18 | 22 | 29 | 29 | 36 | 40 | 54 | 61 | 72 |
| Minnesota | 11 | 12 | 14 | 17 | 18 | 24 | 32 | 34 | 41 | 56 | 68 |
| Mississippi | 6 | 9 | 13 | 21 | 26 | 24 | 27 | 24 | 23 | 23 | 12 |
| Missouri | 3 | 4 | 4 | 8 | 13 | 14 | 19 | 24 | 26 | 27 | 39 |
| Montana | 18 | 14 | 25 | 34 | 35 | 45 | 44 | 50 | 60 | 83 | 90 |
| Nebraska | 4 | 3 | 3 | 5 | 5 | 5 | 15 | 14 | 14 | 15 | 18 |
| Nevada | 5 | 6 | 4 | 6 | 6 | 13 | 15 | 15 | 13 | 16 | 20 |
| New Hampshire | 4 | 5 | 7 | 12 | 14 | 16 | 22 | 20 | 27 | 37 | 61 |
| New Jersey | 9 | 8 | 8 | 12 | 16 | 17 | 23 | 30 | 37 | 47 | 56 |
| New Mexico | 3 | 1 | 8 | 8 | 9 | 8 | 7 | 12 | 13 | 16 | 17 |
| New York | 15 | 16 | 19 | 23 | 27 | 31 | 37 | 41 | 51 | 62 | 72 |
| North Carolina | 9 | 8 | 11 | 15 | 15 | 16 | 21 | 24 | 22 | 28 | 41 |
| North Dakota | 3 | 5 | 4 | 9 | 10 | 6 | 10 | 7 | 16 | 13 | 19 |
| Ohio | 13 | 9 | 7 | 10 | 17 | 17 | 18 | 29 | 31 | 46 | 49 |
| Oklahoma | 8 | 8 | 8 | 12 | 14 | 17 | 25 | 26 | 29 | 38 | 47 |
| Oregon | 10 | 12 | 15 | 20 | 23 | 20 | 27 | 33 | 39 | 55 | 66 |
| Pennsylvania | 7 | 9 | 12 | 18 | 20 | 27 | 41 | 37 | 40 | 47 | 57 |
| Puerto Rico | ‡ | ‡ | ‡ | ‡ | ‡ | | † | † | 2 | 10 | 11 |
| Rhode Island | 28 | 39 | 40 | 56 | 67 | 88 | 95 | 104 | 122 | 123 | 128 |
| South Carolina | 8 | 9 | 13 | 24 | 27 | 25 | 28 | 35 | 31 | 35 | 43 |
| South Dakota | 4 | 6 | 3 | 4 | 6 | 7 | 12 | 21 | 24 | 25 | 31 |
| Tennessee ³ | 14 | 8 | 9 | 16 | 22 | 28 | 26 | 31 | 30 | 34 | 38 |
| Texas | 3 | 4 | 4 | 6 | 7 | 9 | 11 | 11 | 13 | 15 | 17 |
| Utah | 13 | 17 | 20 | 20 | 15 | 23 | 27 | 28 | 34 | 37 | 44 |
| Vermont | 20 | 27 | 33 | 38 | 53 | 97 | 100 | 202 | 263 | 282 | 331 |
| Virginia | 2 | 5 | 14 | 19 | 19 | 33 | 43 | 27 | 24 | 25 | 29 |
| Washington | 9 | 10 | 7 | 8 | 10 | 14 | 21 | 27 | 21 | 25 | 45 |
| West Virginia | ± | 32 | ± | ± | ± | 31 | 36 | 69 | 79 | 93 | 111 |
| Wisconsin | 2 | 2 | 4 | 5 | 7 | 9 | 12 | 17 | 22 | 26 | 26 |
| Wyoming | - 7 | 6 | 9 | 13 | 14 | 21 | 25 | 25 | 18 | 28 | 45 |

These drugs include codeine, hydrocodone, hydromorphone, meperidine, morphine, opium, oxycodone, pentazocine, propoxyphene, tramadol, and any other drug with morphine-like effects. Non-prescription use of methadone is not included.

² Rates in italics indicate that one or more States or jurisdictions did not submit data. The populations of these States have been excluded from the rate calculation for the Census division in the italicized years.

³ Tennessee reported heroin admissions as *Opiates other than heroin*. These combined data are not shown in Figure 7.

[†] Less than 1 per 100,000.

[‡] No data, or less than a full calendar year of data, submitted.

Table 2.1
Admissions aged 12 and older by Census division and State or jurisdiction, according to type of service: TEDS 2008
Percent distribution

| | | | | | | | | Туре с | of service | | | | | |
|--|-------|-----------|---------|-----------|-------------------------------|----------------|---------|--------|-------------|----------|---------|-------------|----------|-------|
| | | | Outp | atient | Ε | Detoxification | n | | Residential | | Opioid | Treatment F | Program | |
| Census division and Sta or jurisdiction | ate | | | | Free- standing residen- | | Ambula- | Short- | | | Out- | Detoxifi- | Residen- | |
| | | Total | Regular | Intensive | tial | Hospital | tory | term | Long-term | Hospital | patient | cation | tial | Total |
| | Total | 1,893,640 | 46.0 | 11.3 | 15.2 | 3.8 | 0.7 | 9.7 | 7.7 | 0.3 | 4.3 | 0.7 | 0.2 | 100.0 |
| Census division | | | | | | | | | | | | | | |
| New England | | 171,235 | 10.5 | 32.0 | 30.7 | 2.3 | 0.9 | 5.5 | 8.0 | 0.9 | 8.3 | 0.5 | 0.2 | 100.0 |
| Middle Atlantic | | 452,327 | 6.0 | 42.4 | 12.1 | 13.0 | 0.4 | 12.9 | 7.5 | * | 5.2 | 0.1 | 0.2 | 100.0 |
| East North Central | | 275,263 | 9.1 | 61.5 | 11.4 | 1.3 | 0.4 | 6.0 | 4.4 | 0.1 | 4.9 | 0.5 | 0.3 | 100.0 |
| West North Central | | 172,384 | 28.5 | 27.6 | 11.9 | 0.4 | 2.5 | 18.8 | 7.1 | 1.3 | 1.5 | * | 0.4 | 100.0 |
| East South Central | | 51,033 | 25.8 | 36.0 | 13.5 | 1.0 | | 15.2 | 4.7 | | 2.6 | 0.3 | 0.7 | 100.0 |
| South Atlantic | | 215,199 | 10.3 | 62.1 | 8.6 | 0.1 | 0.7 | 6.3 | 8.1 | 0.4 | 3.1 | 0.2 | * | 100.0 |
| West South Central | | 102,285 | 19.5 | 25.4 | 17.5 | 2.9 | 1.4 | 26.4 | 4.3 | 0.6 | 1.1 | 0.5 | 0.3 | 100.0 |
| Mountain | | 156,805 | 7.9 | 41.2 | 37.6 | 1.1 | 0.5 | 6.3 | 3.5 | 0.2 | 1.6 | * | * | 100.0 |
| Pacific | | 294,016 | 8.9 | 55.8 | 9.1 | | 0.3 | 3.4 | 14.6 | | 4.9 | 3.0 | * | 100.0 |
| State or jurisdiction | | | | | | | | | | | | | | |
| Alabama | | 14,927 | 68.5 | | 2.8 | | | 16.6 | 6.3 | | 3.9 | * | 1.8 | 100.0 |
| Alaska | | ‡ | ‡ | ‡ | ‡ | ‡ | # | ‡ | ‡ | ‡ | ‡ | ‡ | ‡ | # |
| Arizona | | 21,328 | 0.2 | 88.1 | 1.8 | * | | 9.1 | * | 0.7 | | | | 100.0 |
| Arkansas | | 14,235 | | | 27.7 | 17.2 | | 48.9 | | 1.8 | | 3.5 | 1.0 | 100.0 |
| California | | 196,495 | 5.5 | 54.5 | 10.8 | | 0.5 | 1.2 | 17.9 | | 5.1 | 4.5 | * | 100.0 |
| Colorado | | 78,717 | 4.0 | 21.0 | 63.4 | 8.0 | 0.3 | 6.1 | 2.8 | * | 1.6 | | | 100.0 |
| Connecticut | | 45,964 | 19.0 | 24.5 | 18.2 | 6.5 | 1.9 | 6.0 | 10.0 | 3.2 | 10.8 | | | 100.0 |
| Delaware | | 7,935 | 7.9 | 42.3 | 34.1 | | | 0.5 | 4.8 | | 10.5 | | | 100.0 |
| Dist. of Columbia | | 4,536 | 43.3 | 5.6 | 20.1 | | 0.1 | 19.2 | 0.7 | | 10.9 | * | 0.1 | 100.0 |
| Florida | | 49,071 | 4.6 | 68.8 | 0.8 | | 1.3 | 1.9 | 19.6 | | 3.0 | | | 100.0 |
| Georgia | | ‡ | ‡ | ‡ | ‡ | ‡ | ‡ | ‡ | ‡ | ‡ | ‡ | ‡ | ‡ | # |
| Hawaii | | 7,185 | 25.0 | 40.6 | 11.1 | | | | 21.4 | | 1.7 | * | | 100.0 |
| Idaho | | 5,683 | 48.9 | 40.2 | 3.2 | | | 5.9 | 0.3 | | 1.1 | 0.1 | 0.2 | 100.0 |
| Illinois | | 66,316 | 9.3 | 50.3 | 17.0 | | | 12.3 | 1.4 | | 9.4 | 0.1 | 0.3 | 100.0 |
| Indiana | | 19,084 | 3.5 | 84.5 | 5.2 | 1.0 | | 2.4 | 0.5 | 1.3 | 1.6 | | * | 100.0 |
| Iowa | | 23,289 | 14.6 | 65.5 | 3.0 | 2.2 | | 11.1 | 1.9 | 0.7 | 0.6 | 0.2 | 0.1 | 100.0 |

Table 2.1 (continued)

Admissionss aged 12 and older by Census division and State or jurisdiction, according to type of service: TEDS 2008

Percent distribution

| | | | | | | | Туре с | of service | | | | | |
|---|---------|---------|-----------|-------------------|---------------|---------|--------|-------------|----------|---------|-------------|----------|-------|
| | | Outp | atient | | Detoxificatio | n | | Residential | | Opioid | Treatment I | Program | |
| Census division and State or jurisdiction | | | | Free- standing | | | | | | _ | | | |
| | | l | | residen- | | Ambula- | Short- | | | Out- | Detoxifi- | Residen- | l |
| ., | Total | Regular | Intensive | tial | Hospital | tory | term | Long-term | Hospital | patient | cation | tial | Total |
| Kansas | 16,662 | 11.4 | 56.9 | 18.5 | | | 12.2 | 0.9 | | | | | 100.0 |
| Kentucky | 22,148 | 3.4 | 66.5 | 20.4 | | | 3.9 | 1.2 | | 3.5 | 0.7 | 0.4 | 100.0 |
| Louisiana | 25,286 | 18.6 | 34.3 | 12.5 | 2.2 | | 21.6 | 9.1 | | 0.9 | 0.2 | 0.7 | 100.0 |
| Maine | 15,363 | 11.0 | 39.9 | 2.7 | 6.8 | * | 1.7 | 6.3 | 0.1 | 25.6 | 3.5 | 2.4 | 100.0 |
| Maryland | 46,919 | 19.5 | 43.4 | 8.9 | | 1.4 | 10.8 | 9.3 | | 6.0 | 0.7 | | 100.0 |
| Massachusetts | 83,975 | 5.9 | 28.7 | 46.4 | | 0.8 | 6.2 | 7.9 | | 4.2 | | | 100.0 |
| Michigan | 63,344 | 8.0 | 53.9 | 14.3 | | | 10.6 | 6.7 | | 4.6 | 1.6 | 0.3 | 100.0 |
| Minnesota | 49,642 | 49.0 | 0.1 | | | | 23.5 | 18.3 | 4.1 | 3.8 | | 1.1 | 100.0 |
| Mississippi | 4,148 | 3.9 | 55.1 | | 5.0 | | 33.4 | 2.6 | | * | | | 100.0 |
| Missouri | 49,061 | 26.6 | 29.5 | 14.8 | 0.5 | | 27.7 | | | 0.8 | * | 0.1 | 100.0 |
| Montana | 9,128 | 11.4 | 55.8 | 15.0 | 11.1 | 5.6 | | 1.2 | | | | | 100.0 |
| Nebraska | 16,252 | 3.3 | 27.5 | 58.1 | | | 6.0 | 3.8 | | 1.1 | 0.1 | * | 100.0 |
| Nevada | 9,699 | 8.3 | 42.0 | 33.0 | | | 13.9 | 1.0 | | 1.7 | | | 100.0 |
| New Hampshire | 6,136 | 13.5 | 45.4 | 19.5 | | | 11.6 | 4.0 | | 5.3 | 0.4 | 0.3 | 100.0 |
| New Jersey | 64,901 | 22.0 | 26.7 | 8.2 | 12.2 | 0.5 | 10.4 | 6.9 | * | 11.8 | 0.9 | 0.3 | 100.0 |
| New Mexico | 10,892 | 5.9 | 77.2 | 2.0 | | | 6.2 | 0.9 | 0.9 | 6.3 | 0.2 | 0.3 | 100.0 |
| New York | 313,508 | 3.0 | 43.5 | 12.9 | 16.0 | 0.3 | 12.9 | 6.9 | | 4.4 | * | 0.2 | 100.0 |
| North Carolina | 36,578 | 4.9 | 68.5 | 16.0 | 0.3 | 0.5 | 3.3 | 2.8 | 2.5 | 1.2 | * | | 100.0 |
| North Dakota | 2,456 | 25.8 | 51.5 | 2.1 | | | 12.6 | 8.0 | | | | | 100.0 |
| Ohio | 97,414 | 11.5 | 72.5 | 4.4 | 0.6 | 1.1 | 0.1 | 4.7 | * | 4.2 | 0.4 | 0.4 | 100.0 |
| Oklahoma | 16,993 | 1.5 | 53.9 | 18.5 | | | 21.9 | 2.2 | 2.1 | | | | 100.0 |
| Oregon | 50,700 | 1.1 | 76.7 | 9.2 | | * | | 9.5 | | 3.3 | 0.2 | 0.1 | 100.0 |
| Pennsylvania | 73,918 | 5.1 | 51.7 | 12.3 | 0.7 | 0.8 | 15.3 | 10.8 | 0.3 | 3.0 | | | 100.0 |
| Puerto Rico | 3,093 | 1.2 | 46.6 | | 9.5 | 0.5 | | 5.9 | | 33.5 | 2.6 | 0.3 | 100.0 |
| Rhode Island | 11,357 | 10.9 | 42.2 | 18.3 | | 0.1 | 1.3 | 10.7 | | 13.8 | 2.8 | | 100.0 |

Table 2.1 (continued)

Admissions aged 12 and older by Census division and State or jurisdiction, according to type of service: TEDS 2008

Percent distribution

| | | | | | | | Туре с | f service | | | | | |
|---------------------------|--------|---------|-----------|----------|----------------|---------|--------|-------------|----------|---------|-------------|----------|-------|
| 0 "''' 10'' | | Outp | atient | [| Detoxification | n | | Residential | | Opioid | Treatment I | Program | |
| Census division and State | | | | Free- | | | | | | | | | |
| or jurisdiction | | | | standing | | | | | | | | | |
| | | | | residen- | | Ambula- | Short- | | | Out- | Detoxifi- | Residen- | |
| | Total | Regular | Intensive | tial | Hospital | tory | term | Long-term | Hospital | patient | cation | tial | Total |
| South Carolina | 29,895 | 14.7 | 70.5 | 13.3 | | * | 0.8 | 0.6 | | | | | 100.0 |
| South Dakota | 15,022 | 34.5 | 17.5 | | | 28.1 | 8.0 | 11.2 | | 0.3 | 0.1 | 0.1 | 100.0 |
| Tennessee | 9,810 | 20.7 | 14.1 | 20.2 | 3.1 | | 30.7 | 11.2 | | * | * | | 100.0 |
| Texas | 45,771 | 32.7 | 17.8 | 16.8 | * | 3.2 | 23.8 | 3.7 | | 2.0 | | | 100.0 |
| Utah | 15,091 | 17.5 | 43.5 | 22.8 | | * | 3.6 | 9.6 | | 2.7 | 0.1 | 0.1 | 100.0 |
| Vermont | 8,440 | 7.3 | 67.3 | 19.2 | * | * | 4.5 | 1.7 | | | | | 100.0 |
| Virginia | 33,338 | 2.2 | 74.9 | 1.4 | 0.1 | * | 14.3 | 5.0 | | 2.1 | 0.1 | * | 100.0 |
| Washington | 39,636 | 32.7 | 38.2 | | | | 19.2 | 3.6 | | 6.3 | | | 100.0 |
| West Virginia | 6,927 | 16.9 | 70.6 | 1.3 | | | 7.3 | 3.9 | | | | | 100.0 |
| Wisconsin | 29,105 | 7.1 | 51.7 | 20.2 | 9.4 | * | 3.4 | 7.7 | 0.5 | * | | | 100.0 |
| Wyoming | 6,267 | 21.0 | 46.8 | 4.4 | 0.1 | | 2.2 | 25.3 | 0.4 | | | | 100.0 |

^{*} Less than 0.05 percent.

⁻⁻ Quantity is zero.

[‡] No data, or less than a full calendar year of data, submitted.

Table 2.2

Number of admissions aged 12 and older by Census division and State or jurisdiction, according to primary substance of abuse: TEDS 2008

| - | • | | | | | Р | rimary su | ıbstance a | at admission | | | - | | | |
|------------------------------|------------|---------|-----------|---------|---------|---------|-----------|------------|--------------|--------|-------|--------|-------|--------|--------|
| Census division and State or | All admis- | Al | cohol | Opia | ates | Coca | ine | | Metham- | | | | | | Other/ |
| jurisdiction | sions | | With | | | | | Mari- | phetamine/ | Tran- | | Hallu- | | | none |
| jurisaiction | aged 12 | Alcohol | secondary | | Other | Smoked | Other | juana/ | amphet- | quil- | Seda- | cino- | | Inhal- | speci- |
| | and older | only | drug | Heroin | opiates | cocaine | route | hashish | amine | izers | tives | gens | PCP | ants | fied |
| Total | 1,893,640 | 437,204 | 347,058 | 267,335 | 111,251 | 152,819 | 61,152 | 321,648 | 121,485 | 11,234 | 4,416 | 1,709 | 3,853 | 1,224 | 51,252 |
| Census division | | | | | | | | | | | | | | | |
| New England | 171,235 | 38,995 | 29,838 | 53,590 | 16,089 | 8,883 | 5,482 | 14,313 | 541 | 1,276 | 220 | 148 | 500 | 71 | 1,289 |
| Middle Atlantic | 452,327 | 88,178 | 104,970 | 98,817 | 22,184 | 40,293 | 20,088 | 69,321 | 1,146 | 3,716 | 717 | 225 | 1,115 | 103 | 1,454 |
| East North Central | 275,263 | 65,693 | 51,461 | 38,634 | 14,976 | 27,898 | 6,517 | 52,671 | 3,219 | 1,125 | 419 | 167 | 204 | 165 | 12,114 |
| West North Central | 172,384 | 55,384 | 36,771 | 5,245 | 6,643 | 10,662 | 3,318 | 34,299 | 13,988 | 771 | 211 | 260 | 324 | 228 | 4,280 |
| East South Central | 51,033 | 9,551 | 8,667 | 822 | 7,998 | 3,990 | 1,524 | 10,647 | 2,256 | 860 | 284 | 148 | 4 | 45 | 4,237 |
| South Atlantic | 215,199 | 44,093 | 31,933 | 20,681 | 17,201 | 24,386 | 9,144 | 46,301 | 2,372 | 1,787 | 526 | 219 | 618 | 201 | 15,737 |
| West South Central | 102,285 | 16,392 | 15,581 | 5,419 | 9,124 | 12,027 | 6,649 | 23,147 | 9,246 | 860 | 1,225 | 126 | 312 | 95 | 2,082 |
| Mountain | 156,805 | 68,456 | 23,927 | 7,037 | 4,891 | 5,698 | 3,330 | 17,796 | 16,659 | 370 | 282 | 148 | 30 | 128 | 8,053 |
| Pacific | 294,016 | 49,578 | 43,664 | 35,853 | 12,110 | 18,889 | 4,970 | 52,793 | 72,057 | 460 | 527 | 268 | 746 | 188 | 1,913 |
| State or jurisdiction | | | | | | | | | | | | | | | |
| Alabama | 14,927 | 2,896 | 2,293 | 101 | 1,409 | | | 4,171 | 928 | 188 | 33 | 5 | 1 | 1 | 2,901 |
| Alaska | ‡ | ‡ | ‡ | ‡ | ‡ | ‡ | ‡ | ‡ | ‡ | ‡ | ‡ | ‡ | ‡ | ‡ | ‡ |
| Arizona | 21,328 | 4,000 | 2,487 | 1,625 | 524 | 1,010 | 591 | 2,327 | 3,068 | 47 | 26 | 28 | | 12 | 5,583 |
| Arkansas | 14,235 | 3,385 | 2,268 | 52 | 1,438 | 1,151 | 480 | 2,786 | 2,158 | 205 | 113 | 14 | 35 | 19 | 131 |
| California | 196,495 | 23,428 | 21,478 | 29,096 | 7,323 | 15,839 | 3,902 | 34,561 | 57,909 | 300 | 260 | 101 | 716 | 147 | 1,435 |
| Colorado | 78,717 | 48,840 | 10,214 | 1,761 | 1,533 | 2,652 | 1,500 | 6,405 | 5,086 | 200 | 142 | 47 | 4 | 37 | 296 |
| Connecticut | 45,964 | 8,090 | 8,461 | 15,234 | 2,311 | 3,642 | 1,836 | 4,753 | 123 | 247 | 126 | 98 | 405 | 44 | 594 |
| Delaware | 7,935 | 856 | 1,104 | 1,884 | 1,101 | 735 | 261 | 1,590 | 22 | 21 | 8 | 6 | 19 | | 328 |
| District of Columbia | 4,536 | 576 | 148 | 480 | 2 | 460 | 40 | 73 | 8 | 1 | | | 69 | | 2,679 |
| Florida | 49,071 | 7,996 | 5,807 | 1,131 | 4,924 | 6,055 | 3,266 | 15,235 | 766 | 711 | 109 | 37 | 1 | 35 | 2,998 |
| Georgia | ‡ | ‡ | ‡ | ‡ | ‡ | ‡ | ‡ | ‡ | ‡ | ‡ | ‡ | ‡ | ‡ | ‡ | ‡ |
| Hawaii | 7,185 | 1,442 | 1,334 | 138 | 185 | 177 | 69 | 1,875 | 1,874 | 11 | 11 | 1 | 1 | 7 | 60 |
| Idaho | 5,683 | 939 | 1,171 | 82 | 250 | 26 | 60 | 1,712 | 1,395 | 8 | 2 | 12 | | 11 | 15 |
| Illinois | 66,316 | 10,747 | 9,518 | 17,411 | 1,446 | 8,977 | 1,872 | 14,064 | 869 | 165 | 35 | 42 | 56 | 43 | 1,071 |
| Indiana | 19,084 | 4,539 | 4,483 | 562 | 1,480 | 1,337 | 429 | 4,712 | 993 | 240 | 56 | 26 | | 11 | 216 |
| lowa | 23,289 | 7,341 | 5,454 | 168 | 571 | 1,037 | 374 | 5,750 | 2,334 | 59 | 22 | 18 | 10 | 11 | 140 |
| Kansas | 16,662 | 3,197 | 4,133 | 114 | 580 | 1,618 | 491 | 4,459 | 1,810 | 66 | 23 | 14 | 60 | 29 | 68 |
| Kentucky | 22,148 | 4,281 | 4,290 | 694 | 4,298 | 1,945 | 907 | 3,831 | 843 | 625 | 25 | 19 | 1 | 27 | 362 |
| Louisiana | 25,286 | 3,130 | 4,502 | 640 | 2,845 | 4,361 | 1,300 | 5,710 | 718 | 341 | 219 | 35 | 30 | 10 | 1,445 |
| Maine | 15,363 | 4,559 | 2,690 | 1,269 | 4,416 | 368 | 434 | 1,356 | 70 | 85 | 23 | 5 | 3 | 10 | 75 |
| Maryland | 46,919 | 8,075 | 6,537 | 12,878 | 2,795 | 5,655 | 1,236 | 8,790 | 103 | 241 | 19 | 74 | 405 | 14 | 97 |
| Massachusetts | 83,975 | 19,579 | 13,796 | 33,299 | 5,730 | 3,222 | 2,223 | 4,430 | 246 | 797 | 47 | 31 | 84 | 6 | 485 |

Table 2.2 (continued)

Number of admissions aged 12 and older by Census division and State or jurisdiction, according to primary substance of abuse: TEDS 2008

| | | | | | | Р | rimary su | ıbstance a | at admission | | | | | | |
|------------------------------|------------|---------|-----------|--------|---------|---------|-----------|------------|--------------|-------|-------|--------|-----|--------|--------|
| Census division and State or | All admis- | Al | cohol | Opia | ates | Coca | ine | | Metham- | | | | | | Other/ |
| jurisdiction | sions | | With | | | | | Mari- | phetamine/ | Tran- | | Hallu- | | | none |
| junsaiction | aged 12 | Alcohol | secondary | | Other | Smoked | Other | juana/ | amphet- | quil- | Seda- | cino- | | Inhal- | speci- |
| | and older | only | drug | Heroin | opiates | cocaine | route | hashish | amine | izers | tives | gens | PCP | ants | fied |
| Michigan | 63,344 | 15,330 | 11,696 | 10,070 | 6,061 | 6,544 | 1,554 | 10,840 | 562 | 280 | 142 | 23 | 1 | 23 | 218 |
| Minnesota | 49,642 | 15,866 | 11,841 | 1,941 | 2,986 | 2,575 | 1,182 | 8,418 | 3,658 | 209 | 68 | 160 | 10 | 48 | 680 |
| Mississippi | 4,148 | 580 | 716 | 27 | 280 | 688 | 195 | 928 | 210 | 47 | 11 | 12 | 2 | 2 | 450 |
| Missouri | 49,061 | 10,395 | 7,993 | 2,932 | 1,931 | 4,915 | 1,013 | 11,900 | 4,239 | 393 | 50 | 44 | 242 | 60 | 2,954 |
| Montana | 9,128 | 2,196 | 3,465 | 122 | 743 | 27 | 97 | 1,702 | 642 | 24 | 14 | 31 | 2 | 26 | 37 |
| Nebraska | 16,252 | 10,409 | 2,407 | 62 | 260 | 430 | 125 | 1,023 | 1,147 | 33 | 22 | 11 | 2 | 31 | 290 |
| Nevada | 9,699 | 2,497 | 1,598 | 712 | 430 | 668 | 177 | 1,494 | 2,000 | 23 | 8 | 10 | 18 | 5 | 59 |
| New Hampshire | 6,136 | 1,733 | 1,332 | 772 | 688 | 334 | 313 | 801 | 50 | 29 | 3 | 7 | 1 | 2 | 71 |
| New Jersey | 64,901 | 12,245 | 8,905 | 22,652 | 4,118 | 3,673 | 2,400 | 9,559 | 189 | 522 | 33 | 34 | 334 | 13 | 224 |
| New Mexico | 10,892 | 4,118 | 1,424 | 697 | 280 | 345 | 468 | 735 | 776 | 14 | 23 | 1 | 3 | 7 | 2,001 |
| New York | 313,508 | 58,738 | 83,961 | 60,519 | 11,942 | 29,368 | 14,939 | 48,853 | 693 | 2,646 | 513 | 108 | 607 | 52 | 569 |
| North Carolina | 36,578 | 8,064 | 6,473 | 1,353 | 3,127 | 5,457 | 1,710 | 7,605 | 492 | 336 | 171 | 45 | 13 | 102 | 1,630 |
| North Dakota | 2,456 | 846 | 616 | 9 | 105 | 14 | 19 | 634 | 188 | 4 | 2 | 4 | 0 | 7 | 8 |
| Ohio | 97,414 | 19,213 | 20,078 | 9,608 | 4,764 | 9,292 | 2,218 | 20,440 | 520 | 359 | 168 | 64 | 146 | 80 | 10,464 |
| Oklahoma | 16,993 | 3,629 | 3,085 | 198 | 1,433 | 1,042 | 455 | 3,572 | 2,693 | 216 | 129 | 25 | 51 | 26 | 439 |
| Oregon | 50,700 | 18,056 | 10,478 | 3,550 | 2,121 | 764 | 331 | 8,028 | 7,045 | 11 | 201 | 41 | 2 | 14 | 58 |
| Pennsylvania | 73,918 | 17,195 | 12,104 | 15,646 | 6,124 | 7,252 | 2,749 | 10,909 | 264 | 548 | 171 | 83 | 174 | 38 | 661 |
| Puerto Rico | 3,093 | 884 | 246 | 1,237 | 35 | 93 | 130 | 360 | 1 | 9 | 5 | | | | 93 |
| Rhode Island | 11,357 | 2,624 | 1,774 | 2,482 | 1,155 | 1,061 | 363 | 1,746 | 33 | 72 | 7 | 2 | 4 | 4 | 30 |
| South Carolina | 29,895 | 9,607 | 4,878 | 350 | 1,606 | 2,423 | 1,160 | 5,978 | 587 | 161 | 120 | 23 | 5 | 21 | 2,976 |
| South Dakota | 15,022 | 7,330 | 4,327 | 19 | 210 | 73 | 114 | 2,115 | 612 | 7 | 24 | 9 | | 42 | 140 |
| Tennessee | 9,810 | 1,794 | 1,368 | n/c | 2,011 | 1,357 | 422 | 1,717 | 275 | | 215 | 112 | | 15 | 524 |
| Texas | 45,771 | 6,248 | 5,726 | 4,529 | 3,408 | 5,473 | 4,414 | 11,079 | 3,677 | 98 | 764 | 52 | 196 | 40 | 67 |
| Utah | 15,091 | 3,555 | 1,849 | 1,940 | 932 | 921 | 366 | 2,331 | 3,074 | 44 | 15 | 16 | 2 | 16 | 30 |
| Vermont | 8,440 | 2,410 | 1,785 | 534 | 1,789 | 256 | 313 | 1,227 | 19 | 46 | 14 | 5 | 3 | 5 | 34 |
| Virginia | 33,338 | 5,836 | 6,661 | 2,418 | 1,916 | 3,514 | 1,206 | 6,112 | 280 | 202 | 28 | 30 | 105 | 18 | 5,012 |
| Washington | 39,636 | 6,652 | 10,374 | 3,069 | 2,481 | 2,109 | 668 | 8,329 | 5,229 | 138 | 55 | 125 | 27 | 20 | 360 |
| West Virginia | 6,927 | 3,083 | 325 | 187 | 1,730 | 87 | 265 | 918 | 114 | 114 | 71 | 4 | 1 | 11 | 17 |
| Wisconsin | 29,105 | 15,864 | 5,686 | 983 | 1,225 | 1,748 | 444 | 2,615 | 275 | 81 | 18 | 12 | 1 | 8 | 145 |
| Wyoming | 6,267 | 2,311 | 1,719 | 98 | 199 | 49 | 71 | 1,090 | 618 | 10 | 52 | 3 | 1 | 14 | 32 |

n/c Tennessee includes Heroin admissions in Other opiates.

⁻⁻ Quantity is zero.

[‡] No data, or less than a full calendar year of data, submitted.

Table 2.3
Admissions per 100,000 population aged 12 and older by Census division and State or jurisdiction, according to primary substance of abuse: TEDS 2008

| | · | | | | | Admissio | ons per 100 |),000 pop | oulation aดู | ged 12 and ol | der | • | | | | |
|------------------------------|---------------|-------|---------|-----------|--------|----------|-------------|-----------|--------------|---------------|-------|-------|--------|-----|--------|-----------|
| | No. of | | | | | | Prim | ary subs | stance at a | admission | | | | | | |
| Census division and State | or admis- | | A | cohol | Opi | ates | Coca | ine | | Metham- | | | | | | Other/ |
| jurisdiction | sions aged | | | With | | | | | Mari- | phetamine/ | Tran- | | Hallu- | | | none |
| | 12 and | | Alcohol | secondary | | Other | Smoked | Other | juana/ | amphet- | quil- | Seda- | cino- | | Inhal- | speci- |
| | older | Total | only | drug | Heroin | opiates | cocaine | route | hashish | amine | izers | tives | gens | PCP | ants | , fied |
| То | tal 1,893,640 | 767 | 177 | 141 | 108 | 45 | 62 | 25 | 130 | 49 | 5 | 2 | † | 2 | † | 21 |
| Census division ¹ | | | | | | | | | | | | | | | | |
| New England | 171,235 | 1,395 | 318 | 243 | 437 | 131 | 72 | 45 | 117 | 4 | 10 | 2 | 1 | 4 | † | 11 |
| Middle Atlantic | 452,327 | 1,305 | 254 | 303 | 285 | 64 | 116 | 58 | 200 | 3 | 11 | 2 | † | 3 | Ť | 4 |
| East North Central | 275,263 | 704 | 168 | 132 | 99 | 38 | 71 | 17 | 135 | 8 | 3 | 1 | † | † | † | 31 |
| West North Central | 172,384 | 1,018 | 327 | 217 | 31 | 39 | 63 | 20 | 202 | 83 | 5 | 1 | 2 | 2 | 1 | 25 |
| East South Central | 51,033 | 336 | 63 | 57 | 5 | 53 | 26 | 10 | 70 | 15 | 6 | 2 | † | † | † | 28 |
| South Atlantic | 215,199 | 521 | 107 | 77 | 50 | 42 | 59 | 22 | 112 | 6 | 4 | 1 | † | 1 | † | 38 |
| West South Central | 102,285 | 355 | 57 | 54 | 19 | 32 | 42 | 23 | 80 | 32 | 3 | 4 | † | 1 | † | 7 |
| Mountain | 156,805 | 876 | 382 | 134 | 39 | 27 | 32 | 19 | 99 | 93 | 2 | 2 | † | † | † | 45 |
| Pacific | 294,016 | 727 | 123 | 108 | 89 | 30 | 47 | 12 | 131 | 178 | 1 | 1 | † | 2 | † | 5 |
| State or jurisdiction | | | | | | | | | | | | | | | | |
| Alabama | 14,927 | 381 | 74 | 58 | 3 | 36 | | | 106 | 24 | 5 | † | † | † | † | 74 |
| Alaska | ‡ | ‡ | ‡ | ‡ | ‡ | ‡ | ‡ | ‡ | ‡ | ‡ | ‡ | ‡ | ‡ | ‡ | ‡ | ‡ |
| Arizona | 21,328 | 400 | 75 | 47 | 30 | 10 | 19 | 11 | 44 | 58 | † | † | † | | † | 105 |
| Arkansas | 14,235 | 597 | 142 | 95 | 2 | 60 | 48 | 20 | 117 | 90 | 9 | 5 | † | 1 | † | 5 |
| California | 196,495 | 642 | 77 | 70 | 95 | 24 | 52 | 13 | 113 | 189 | † | † | † | 2 | † | 5 |
| Colorado | 78,717 | 1,910 | 1,185 | 248 | 43 | 37 | 64 | 36 | 155 | 123 | 5 | 3 | 1 | † | † | 7 |
| Connecticut | 45,964 | 1,542 | 271 | 284 | 511 | 78 | 122 | 62 | 159 | 4 | 8 | 4 | 3 | 14 | 1 | 20 |
| Delaware | 7,935 | 1,077 | 116 | 150 | 256 | 149 | 100 | 35 | 216 | 3 | 3 | 1 | † | 3 | | 45 |
| Dist. of Columbia | 4,536 | 879 | 112 | 29 | 93 | † | 89 | 8 | 14 | 2 | † | | | 13 | | 519 |
| Florida | 49,071 | 313 | 51 | 37 | 7 | 31 | 39 | 21 | 97 | 5 | 5 | † | † | † | † | 19 |
| Georgia | ‡ | ‡ | ‡ | ‡ | ‡ | ‡ | ‡ | ‡ | ‡ | ‡ | ‡ | ‡ | ‡ | ‡ | ‡ | ‡ |
| Hawaii | 7,185 | 655 | 131 | 122 | 13 | 17 | 16 | 6 | 171 | 171 | 1 | 1 | † | † | † | 5 |
| Idaho | 5,683 | 457 | 75 | 94 | 7 | 20 | 2 | 5 | 138 | 112 | † | † | † | | † | 1 |
| Illinois | 66,316 | 614 | 99 | 88 | 161 | 13 | 83 | 17 | 130 | 8 | 2 | † | † | † | † | 10 |
| Indiana | 19,084 | 358 | 85 | 84 | 11 | 28 | 25 | 8 | 88 | 19 | 5 | 1 | † | | † | 4 |
| Iowa | 23,289 | 919 | 290 | 215 | 7 | 23 | 41 | 15 | 227 | 92 | 2 | † | † | † | † | 6 |

Table 2.3 (continued)

Admissions per 100,000 population aged 12 and older by Census division and State or jurisdiction, according to primary substance of abuse: TEDS 2008

| | | | | | | Admissio | ons per 100 | ,000 pop | oulation ag | ged 12 and ol | der | | | | | |
|------------------------------|------------|-------|---------|-----------|--------|----------|-------------|----------|-------------|---------------|-------|-------|--------|-----|--------|--------|
| | No. of | | | | | | Prim | ary subs | stance at a | admission | | | | | | |
| Census division and State or | admis- | | Al | cohol | Opi | ates | Coca | ine | | Metham- | | | | | | Other/ |
| jurisdiction | sions aged | | | With | | | | | Mari- | phetamine/ | Tran- | | Hallu- | | | none |
| | 12 and | | Alcohol | secondary | | Other | Smoked | Other | juana/ | amphet- | quil- | Seda- | cino- | | Inhal- | speci- |
| | older | Total | only | drug | Heroin | opiates | cocaine | route | hashish | amine | izers | tives | gens | PCP | ants | fied |
| Kansas | 16,662 | 714 | 137 | 177 | 5 | 25 | 69 | 21 | 191 | 78 | 3 | † | † | 3 | 1 | 3 |
| Kentucky | 22,148 | 615 | 119 | 119 | 19 | 119 | 54 | 25 | 106 | 23 | 17 | † | † | † | † | 10 |
| Louisiana | 25,286 | 688 | 85 | 122 | 17 | 77 | 119 | 35 | 155 | 20 | 9 | 6 | † | † | † | 39 |
| Maine | 15,363 | 1,344 | 399 | 235 | 111 | 386 | 32 | 38 | 119 | 6 | 7 | 2 | † | † | † | 7 |
| Maryland | 46,919 | 986 | 170 | 137 | 271 | 59 | 119 | 26 | 185 | 2 | 5 | † | 2 | 9 | † | 2 |
| Massachusetts | 83,975 | 1,506 | 351 | 247 | 597 | 103 | 58 | 40 | 79 | 4 | 14 | † | † | 2 | † | 9 |
| Michigan | 63,344 | 748 | 181 | 138 | 119 | 72 | 77 | 18 | 128 | 7 | 3 | 2 | † | † | † | 3 |
| Minnesota | 49,642 | 1,130 | 361 | 270 | 44 | 68 | 59 | 27 | 192 | 83 | 5 | 2 | 4 | † | 1 | 15 |
| Mississippi | 4,148 | 171 | 24 | 29 | 1 | 12 | 28 | 8 | 38 | 9 | 2 | † | † | † | † | 19 |
| Missouri | 49,061 | 986 | 209 | 161 | 59 | 39 | 99 | 20 | 239 | 85 | 8 | 1 | † | 5 | 1 | 59 |
| Montana | 9,128 | 1,107 | 266 | 420 | 15 | 90 | 3 | 12 | 206 | 78 | 3 | 2 | 4 | † | 3 | 4 |
| Nebraska | 16,252 | 1,095 | 702 | 162 | 4 | 18 | 29 | 8 | 69 | 77 | 2 | 1 | † | † | 2 | 20 |
| Nevada | 9,699 | 452 | 116 | 74 | 33 | 20 | 31 | 8 | 70 | 93 | 1 | † | † | † | † | 3 |
| New Hampshire | 6,136 | 543 | 153 | 118 | 68 | 61 | 30 | 28 | 71 | 4 | 3 | † | † | † | † | 6 |
| New Jersey | 64,901 | 884 | 167 | 121 | 308 | 56 | 50 | 33 | 130 | 3 | 7 | † | † | 5 | † | 3 |
| New Mexico | 10,892 | 661 | 250 | 86 | 42 | 17 | 21 | 28 | 45 | 47 | † | 1 | † | † | † | 121 |
| New York | 313,508 | 1,884 | 353 | 505 | 364 | 72 | 176 | 90 | 294 | 4 | 16 | 3 | † | 4 | † | 3 |
| North Carolina | 36,578 | 474 | 105 | 84 | 18 | 41 | 71 | 22 | 99 | 6 | 4 | 2 | † | † | 1 | 21 |
| North Dakota | 2,456 | 448 | 154 | 112 | 2 | 19 | 3 | 3 | 116 | 34 | † | † | † | | 1 | 1 |
| Ohio | 97,414 | 1,003 | 198 | 207 | 99 | 49 | 96 | 23 | 211 | 5 | 4 | 2 | † | 2 | † | 108 |
| Oklahoma | 16,993 | 561 | 120 | 102 | 7 | 47 | 34 | 15 | 118 | 89 | 7 | 4 | † | 2 | † | 14 |
| Oregon | 50,700 | 1,575 | 561 | 326 | 110 | 66 | 24 | 10 | 249 | 219 | † | 6 | 1 | † | † | 2 |
| Pennsylvania | 73,918 | 692 | 161 | 113 | 146 | 57 | 68 | 26 | 102 | 2 | 5 | 2 | † | 2 | † | 6 |
| Puerto Rico | 3,093 | 928 | 265 | 74 | 371 | 11 | 28 | 39 | 108 | † | 3 | 2 | | | | 28 |
| Rhode Island | 11,357 | 1,256 | 290 | 196 | 274 | 128 | 117 | 40 | 193 | 4 | 8 | † | † | † | † | 3 |

Table 2.3 (continued)

Admissions per 100,000 population aged 12 and older by Census division and State or jurisdiction, according to primary substance of abuse: TEDS 2008

| | | | | | | Admissio | ns per 100 | ,000 pop | oulation ag | ed 12 and ol | der | | | | | |
|------------------------------|------------|-------|---------|-----------|--------|----------|------------|----------|-------------|--------------|-------|-------|--------|-----|--------|--------|
| | No. of | | | | | | Prim | ary subs | stance at a | dmission | | | | | | |
| Census division and State or | admis- | | Al | cohol | Opi | ates | Coca | ine | | Metham- | | | | | | Other/ |
| jurisdiction | sions aged | | | With | | | | | Mari- | phetamine/ | Tran- | | Hallu- | | | none |
| | 12 and | | Alcohol | secondary | | Other | Smoked | Other | juana/ | amphet- | quil- | Seda- | cino- | | Inhal- | speci- |
| | older | Total | only | drug | Heroin | opiates | cocaine | route | hashish | amine | izers | tives | gens | PCP | ants | fied |
| South Carolina | 29,895 | 792 | 255 | 129 | 9 | 43 | 64 | 31 | 158 | 16 | 4 | 3 | † | † | † | 79 |
| South Dakota | 15,022 | 2,234 | 1,090 | 643 | 3 | 31 | 11 | 17 | 315 | 91 | 1 | 4 | 1 | | 6 | 21 |
| Tennessee | 9,810 | 187 | 34 | 26 | n/c | 38 | 26 | 8 | 33 | 5 | | 4 | 2 | | † | 10 |
| Texas | 45,771 | 232 | 32 | 29 | 23 | 17 | 28 | 22 | 56 | 19 | † | 4 | † | † | Ť | † |
| Utah | 15,091 | 705 | 166 | 86 | 91 | 44 | 43 | 17 | 109 | 144 | 2 | † | † | † | † | 1 |
| Vermont | 8,440 | 1,560 | 445 | 330 | 99 | 331 | 47 | 58 | 227 | 4 | 9 | 3 | † | † | Ť | 6 |
| Virginia | 33,338 | 508 | 89 | 102 | 37 | 29 | 54 | 18 | 93 | 4 | 3 | † | Ť | 2 | Ť | 76 |
| Washington | 39,636 | 716 | 120 | 187 | 55 | 45 | 38 | 12 | 150 | 94 | 2 | Ť | 2 | † | Ť | 7 |
| West Virginia | 6,927 | 443 | 197 | 21 | 12 | 111 | 6 | 17 | 59 | 7 | 7 | 5 | † | Ť | Ť | 1 |
| Wisconsin | 29,105 | 610 | 332 | 119 | 21 | 26 | 37 | 9 | 55 | 6 | 2 | † | † | † | † | 3 |
| Wyoming | 6,267 | 1,402 | 517 | 385 | 22 | 45 | 11 | 16 | 244 | 138 | 2 | 12 | Ť | Ť | 3 | 7 |

¹ Rates in italics indicate that one or more States or jurisdictions did not submit data. The populations of these States have been excluded from the rate calculation for the Census division in the italicized years.

n/c Tennessee includes Heroin admissions in Other opiates.

- † Less than 1 per 100,000.
- -- Quantity is zero.
- ‡ No data, or less than a full calendar year of data, submitted.

Table 2.4

Admissions per 100,000 population aged 12 and older, adjusted for gender, age, and race/ethnicity, by Census division and State or jurisdiction, according to primary substance of abuse: TEDS 2008

| | · | | sions per | | Admissid | ons per 1 | 00,000 po | pulation ag | ed 12 ar | nd older, a | djusted for a | ge, gen | der, and | d race/e | thnicity | ,1 | |
|------------------------------|-----------|--------|---------------------|---------|-----------|-----------|-----------|-------------|----------|-------------|---------------|---------|----------|----------|----------|--------|--------|
| | No. of | | aged 12 older | | | | | Prim | ary subs | stance at a | admission | | | | | | |
| Census division and | admis- | | otal | A | lcohol | Opi | ates | Coca | ine | | Metham- | | | | | | Other/ |
| State or jurisdiction | sions | | | | With | | | | | Mari- | phetamine/ | Tran- | | Hallu- | | | none |
| | aged 12 | Unad- | Ad- | Alcohol | secondary | | Other | Smoked | Other | juana/ | amphet- | quil- | Seda- | cino- | | Inhal- | speci- |
| | and over | justed | justed ¹ | only | drug | Heroin | opiates | cocaine | route | hashish | amine | izers | tives | gens | PCP | ants | fied |
| Total | 1,893,640 | 767 | 795 | 198 | 156 | 96 | 51 | 64 | 23 | 129 | 52 | 5 | 2 | 1 | 1 | 1 | 19 |
| Census division ² | | | | | | | | | | | | | | | | | |
| New England | 171,235 | 1,395 | 1,477 | 323 | 278 | 415 | 147 | 99 | 47 | 132 | 5 | 11 | 2 | 1 | 5 | † | 11 |
| Middle Atlantic | 452,327 | 1,305 | 1,256 | 253 | 309 | 236 | 74 | 116 | 54 | 189 | 4 | 10 | 2 | t | 3 | † | 4 |
| East North Central | 275,263 | 704 | 655 | 161 | 127 | 92 | 37 | 71 | 16 | 121 | 9 | 3 | 1 | Ť | † | † | 16 |
| West North Central | 172,384 | 1,018 | 1,253 | 411 | 274 | 40 | 45 | 101 | 24 | 235 | 81 | 4 | 1 | 2 | 4 | 2 | 29 |
| East South Central | 51,033 | 336 | 306 | 58 | 53 | 5 | 51 | 23 | 9 | 59 | 15 | 6 | 2 | † | † | † | 24 |
| South Atlantic | 215,199 | 521 | 523 | 111 | 81 | 45 | 49 | 56 | 22 | 109 | 7 | 5 | 2 | † | 1 | † | 34 |
| West South Central | 102,285 | 355 | 369 | 65 | 61 | 12 | 39 | 42 | 18 | 71 | 42 | 4 | 5 | † | † | † | 8 |
| Mountain | 156,805 | 876 | 886 | 373 | 139 | 35 | 26 | 50 | 18 | 105 | 91 | 2 | 1 | 1 | † | † | 43 |
| Pacific | 294,016 | 727 | 913 | 161 | 158 | 96 | 43 | 77 | 14 | 157 | 194 | 2 | 2 | † | 2 | † | 6 |
| State or jurisdiction | | | | | | | | | | | | | | | | | |
| Alabama | 14,927 | 381 | 313 | 61 | 50 | 2 | 36 | n/c | n/c | 76 | 25 | 5 | 1 | † | † | † | 56 |
| Alaska | ‡ | ‡ | ‡ | ‡ | ‡ | ‡ | ‡ | ‡ | ‡ | ‡ | ‡ | ‡ | ‡ | ‡ | ‡ | ‡ | ‡ |
| Arizona | 21,328 | 400 | 434 | 75 | 49 | 30 | 11 | 29 | 9 | 45 | 58 | † | † | 1 | | † | 125 |
| Arkansas | 14,235 | 597 | 588 | 145 | 94 | 2 | 60 | 43 | 20 | 110 | 94 | 8 | 5 | † | 1 | † | 5 |
| California | 196,495 | 642 | 749 | 92 | 91 | 104 | 34 | 77 | 13 | 116 | 210 | 1 | 1 | † | 2 | † | 6 |
| Colorado | 78,717 | 1,910 | 2,087 | 1,311 | 272 | 40 | 34 | 85 | 34 | 173 | 121 | 5 | 3 | † | † | † | 7 |
| Connecticut | 45,964 | 1,542 | 1,497 | 257 | 285 | 465 | 85 | 138 | 60 | 152 | 4 | 9 | 4 | 3 | 15 | 1 | 18 |
| Delaware | 7,935 | 1,077 | 1,144 | 126 | 157 | 276 | 181 | 92 | 40 | 206 | 3 | 4 | 1 | † | 4 | | 53 |
| Dist. of Columbia | 4,536 | 879 | 250 | 34 | 7 | 28 | † | 24 | 5 | 4 | 1 | † | | | 4 | | 143 |
| Florida | 49,071 | 313 | 373 | 61 | 46 | 8 | 43 | 45 | 23 | 111 | 7 | 7 | † | † | † | † | 21 |
| Georgia | ‡ | ‡ | ‡ | ‡ | ‡ | # | ‡ | ‡ | ‡ | ‡ | ‡ | ‡ | ‡ | ‡ | ‡ | ‡ | ‡ |
| Hawaii | 7,185 | 655 | 822 | 221 | 170 | 29 | 35 | 24 | 12 | 176 | 144 | 3 | † | † | † | † | 7 |
| Idaho | 5,683 | 457 | 464 | 76 | 102 | 5 | 17 | 11 | 5 | 136 | 106 | † | † | 3 | | † | 1 |
| Illinois | 66,316 | 614 | 631 | 106 | 99 | 149 | 15 | 85 | 18 | 136 | 10 | 2 | † | † | † | † | 10 |
| Indiana | 19,084 | 358 | 376 | 91 | 89 | 9 | 25 | 30 | 9 | 95 | 19 | 4 | † | † | | † | 4 |
| Iowa | 23,289 | 919 | 1,176 | 321 | 290 | 13 | 25 | 96 | 23 | 303 | 94 | 2 | 1 | † | 1 | † | 5 |

Table 2.4 (continued)

Admissions per 100,000 population aged 12 and older, adjusted for gender, age, and race/ethnicity, by Census division and State or jurisdiction, according to primary substance of abuse: TEDS 2008

| | | | sions per | | Admissio | ons per 10 | 00,000 po | oulation ag | ed 12 an | nd older, a | djusted for ag | ge, gen | der, and | d race/e | thnicity | ,1 | |
|-----------------------|----------|--------|---------------------|---------|-----------|------------|-----------|-------------|----------|-------------|----------------|---------|----------|----------|----------|--------|--------|
| | No. of | | aged 12 older | | | | | Prim | ary subs | tance at a | admission | | | | | | |
| Census division and | admis- | | otal | Al | cohol | Opi | ates | Coca | ine | | Metham- | | | | | | Other |
| State or jurisdiction | sions | | | | With | | | | | Mari- | phetamine/ | Tran- | | Hallu- | | | none |
| | aged 12 | Unad- | Ad- | Alcohol | secondary | | Other | Smoked | Other | juana/ | amphet- | quil- | Seda- | cino- | | Inhal- | speci- |
| | and over | justed | justed ¹ | only | drug | Heroin | opiates | cocaine | route | hashish | amine | izers | tives | gens | PCP | ants | fied |
| Kansas | 16,662 | 714 | 795 | 144 | 197 | 5 | 25 | 100 | 24 | 209 | 78 | 3 | † | † | 5 | † | 3 |
| Kentucky | 22,148 | 615 | 593 | 109 | 118 | 18 | 104 | 66 | 27 | 104 | 22 | 14 | † | † | † | 1 | 9 |
| Louisiana | 25,286 | 688 | 623 | 85 | 117 | 15 | 83 | 94 | 33 | 117 | 24 | 10 | 6 | † | † | † | 37 |
| Maine | 15,363 | 1,344 | 1,604 | 425 | 303 | 131 | 444 | 57 | 51 | 161 | 8 | 9 | 3 | 1 | † | † | 10 |
| Maryland | 46,919 | 986 | 882 | 173 | 134 | 215 | 73 | 92 | 25 | 152 | 2 | 6 | † | 1 | 6 | † | 2 |
| Massachusetts | 83,975 | 1,506 | 1,549 | 364 | 275 | 573 | 107 | 74 | 44 | 81 | 4 | 15 | † | † | 2 | † | 9 |
| Michigan | 63,344 | 748 | 738 | 183 | 142 | 108 | 75 | 75 | 18 | 122 | 7 | 3 | 2 | † | † | † | 2 |
| Minnesota | 49,642 | 1,130 | 1,442 | 406 | 361 | 67 | 95 | 119 | 35 | 245 | 83 | 5 | 1 | 4 | † | 1 | 19 |
| Mississippi | 4,148 | 171 | 161 | 23 | 29 | 1 | 14 | 23 | 8 | 26 | 12 | 2 | † | † | † | † | 22 |
| Missouri | 49,061 | 986 | 953 | 196 | 157 | 57 | 35 | 109 | 20 | 228 | 78 | 7 | † | † | 5 | 1 | 58 |
| Montana | 9,128 | 1,107 | 1,174 | 267 | 449 | 12 | 87 | 5 | 9 | 241 | 91 | 3 | 1 | 3 | † | 3 | 4 |
| Nebraska | 16,252 | 1,095 | 1,485 | 963 | 217 | 6 | 19 | 69 | 12 | 89 | 77 | 3 | 2 | 1 | † | 3 | 24 |
| Nevada | 9,699 | 452 | 523 | 130 | 90 | 38 | 24 | 42 | 9 | 75 | 108 | 1 | † | † | 1 | † | 3 |
| New Hampshire | 6,136 | 543 | 584 | 152 | 129 | 66 | 66 | 39 | 30 | 86 | 5 | 3 | † | † | † | † | 8 |
| New Jersey | 64,901 | 884 | 926 | 176 | 129 | 318 | 68 | 52 | 37 | 126 | 3 | 8 | † | † | 4 | † | 3 |
| New Mexico | 10,892 | 661 | 543 | 176 | 75 | 22 | 15 | 28 | 37 | 46 | 51 | † | 1 | † | † | † | 91 |
| New York | 313,508 | 1,884 | 1,714 | 344 | 488 | 263 | 88 | 165 | 78 | 257 | 5 | 15 | 4 | † | 3 | † | 3 |
| North Carolina | 36,578 | 474 | 450 | 101 | 81 | 16 | 44 | 65 | 21 | 89 | 7 | 5 | 2 | Ť | t | 1 | 17 |
| North Dakota | 2,456 | 448 | 460 | 167 | 119 | 1 | 18 | 17 | 7 | 100 | 28 | † | † | Ť | | t | † |
| Ohio | 97,414 | 1,003 | 700 | 130 | 152 | 76 | 35 | 80 | 19 | 148 | 4 | 2 | 1 | Ť | 1 | Ť | 50 |
| Oklahoma | 16,993 | 561 | 575 | 119 | 105 | 6 | 47 | 46 | 16 | 121 | 87 | 7 | 4 | Ť | 2 | Ť | 14 |
| Oregon | 50,700 | 1,575 | 2,000 | 618 | 437 | 145 | 76 | 100 | 18 | 341 | 253 | t | 7 | 2 | † | † | 2 |
| Pennsylvania | 73,918 | 692 | 711 | 163 | 121 | 140 | 60 | 76 | 27 | 105 | 2 | 5 | 2 | t | 2 | Ť | 7 |
| Puerto Rico | 3,093 | 928 | n/a | n/a | n/a | n/a | n/a | n/a | n/a | n/a | n/a | n/a | n/a | n/a | n/a | n/a | n/a |
| Rhode Island | 11,357 | 1,256 | 1,458 | 330 | 250 | 270 | 130 | 187 | 43 | 229 | ['] 3 | 9 | † | | | | 5 |

Table 2.4 (continued)

Admissions per 100,000 population aged 12 and older, adjusted for gender, age, and race/ethnicity, by Census division and State or jurisdiction, according to primary substance of abuse: TEDS 2008

| | | | sions per | | Admissio | ons per 10 | 00,000 po | oulation ag | ed 12 ar | nd older, a | djusted for a | ge, gen | der, and | d race/e | ethnicity | , ¹ | |
|-----------------------|----------|--------|----------------------|---------|-----------|------------|-----------|-------------|----------|-------------|---------------|---------|----------|----------|-----------|----------------|--------|
| | No. of | |) aged 12 ' older | | | | | Prim | ary subs | stance at a | admission | | | | | | |
| State or jurisdiction | admis- | | otal | Al | cohol | Opi | ates | Coca | ine | | Metham- | | | | | | Other/ |
| • | sions | | | | With | | | | | Mari- | phetamine/ | Tran- | | Hallu- | | | none |
| | aged 12 | Unad- | Ad- | Alcohol | secondary | | Other | Smoked | Other | juana/ | amphet- | quil- | Seda- | cino- | | Inhal- | speci- |
| | and over | justed | justed ¹ | only | drug | Heroin | opiates | cocaine | route | hashish | amine | izers | tives | gens | PCP | ants | fied |
| South Carolina | 29,895 | 792 | 758 | 256 | 126 | 9 | 48 | 56 | 27 | 137 | 18 | 5 | 4 | † | † | † | 70 |
| South Dakota | 15,022 | 2,234 | 2,265 | 1,028 | 590 | 5 | 37 | 61 | 32 | 380 | 102 | † | 3 | 1 | | 6 | 19 |
| Tennessee | 9,810 | 187 | 172 | 33 | 24 | n/c | 36 | 22 | 7 | 29 | 5 | | 4 | 2 | | † | 9 |
| Texas | 45,771 | 232 | 215 | 33 | 30 | 14 | 22 | 29 | 15 | 40 | 25 | † | 4 | † | † | † | † |
| Utah | 15,091 | 705 | 908 | 238 | 113 | 90 | 36 | 156 | 22 | 112 | 136 | 2 | † | † | † | † | † |
| Vermont | 8,440 | 1,560 | 1,792 | 465 | 414 | 102 | 342 | 75 | 85 | 287 | 5 | 7 | 2 | † | † | 3 | 5 |
| Virginia | 33,338 | 508 | 450 | 76 | 95 | 31 | 30 | 43 | 16 | 80 | 5 | 4 | † | † | 1 | † | 68 |
| Washington | 39,636 | 716 | 883 | 133 | 236 | 63 | 54 | 73 | 17 | 191 | 100 | 3 | 1 | 3 | 1 | † | 7 |
| West Virginia | 6,927 | 443 | 455 | 194 | 23 | 11 | 104 | 8 | 23 | 70 | 7 | 9 | 4 | † | † | † | † |
| Wisconsin | 29,105 | 610 | 677 | 338 | 145 | 21 | 24 | 61 | 12 | 63 | 7 | 2 | † | † | † | † | 3 |
| Wyoming | 6,267 | 1,402 | 1,344 | 490 | 387 | 21 | 46 | 35 | 21 | 200 | 122 | 2 | 12 | † | † | 2 | 5 |

¹ Adjusted for age, gender, and race/ethnicity to the 2000 U.S. resident population.

n/c Tennessee includes Heroin admissions in Other opiates.

- † Less than 1 per 100,000.
- -- Quantity is zero.
- ‡ No data, or less than a full calendar year of data, submitted.

² Rates in italics indicate that one or more States or jurisdictions did not submit data. The populations of these States have been excluded from the rate calculation for the Census division in the italicized years.

n/a Population detail required for adjustment was not available.

Table 3.1
Alabama
Admissions aged 12 and older by gender, age group, and race/ethnicity, according to primary substance: TEDS 2008

| | | | | | | F | Primary s | ubstance | at admission | | | | | | |
|-------------------------------|------------|---------|-----------|--------|---------|---------|-----------|----------|--------------|-------|-------|--------|-------|--------|--------|
| | | A | lcohol | Opi | ates | Coca | ine | | | | | | | | |
| Gender, age group, and | All admis- | | | | | | |] | Metham- | | | | | | Other/ |
| race/ethnicity | sions | | | | | | | Mari- | phetamine/ | Tran- | | Hallu- | | | none |
| | aged 12 | Alcohol | Secondary | | Other | Smoked | Other | juana/ | amphet- | quil- | Seda- | cino- | | Inhal- | speci- |
| | and older | only | drug | Heroin | opiates | cocaine | route | hashish | amine | izers | tives | gens | PCP | ants | fied |
| Total admissions aged 12 | | | | | | | | | | | | | | | |
| and older | 14,927 | 2,896 | 2,293 | 101 | 1,409 | | | 4,171 | 928 | 188 | 33 | 5 | 1 | 1 | 2,901 |
| Gender | | | | | | | | | | | | | | | |
| Male | 68.4 | 74.7 | 73.4 | 60.4 | 51.7 | | | 77.4 | 56.5 | 45.2 | 39.4 | 60.0 | 100.0 | 100.0 | 59.3 |
| Female | 31.6 | 25.3 | 26.6 | 39.6 | 48.3 | | | 22.6 | 43.5 | 54.8 | 60.6 | 40.0 | | | 40.7 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | | | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| No. of admissions | 14,927 | 2,896 | 2,293 | 101 | 1,409 | | | 4,171 | 928 | 188 | 33 | 5 | 1 | 1 | 2,901 |
| Age at admission | | | | | | | | | | | | | | | |
| 12 to 19 years | 12.3 | 5.5 | 6.4 | | 2.8 | | | 31.7 | 4.8 | 10.1 | 12.1 | | | | 3.3 |
| 20 to 24 years | 15.2 | 9.0 | 13.2 | 30.7 | 18.5 | | | 23.7 | 14.2 | 25.5 | 15.2 | | | | 8.3 |
| 25 to 29 years | 17.5 | 11.3 | 17.0 | 34.7 | 29.1 | | | 17.6 | 23.3 | 24.5 | 18.2 | 80.0 | 100.0 | | 15.4 |
| 30 to 34 years | 12.8 | 10.5 | 12.4 | 15.8 | 19.0 | | | 10.5 | 19.3 | 12.8 | 27.3 | 20.0 | | 100.0 | 13.4 |
| 35 to 39 years | 11.5 | 13.1 | 12.4 | 8.9 | 12.2 | | | 6.9 | 15.6 | 12.2 | 3.0 | | | | 14.6 |
| 40 to 44 years | 10.6 | 12.3 | 14.5 | 3.0 | 6.9 | | | 4.4 | 11.7 | 5.9 | 21.2 | | | | 16.5 |
| 45 to 49 years | 10.0 | 15.4 | 12.8 | 2.0 | 5.2 | | | 2.8 | 7.5 | 5.9 | 3.0 | | | | 16.4 |
| 50 to 54 years | 6.0 | 12.5 | 7.2 | 3.0 | 4.0 | | | 1.5 | 2.3 | 2.1 | | | | | 7.5 |
| 55 to 59 years | 2.9 | 7.0 | 2.8 | | 1.7 | | | 0.7 | 1.1 | 0.5 | | | | | 3.4 |
| 60 years and older | 1.2 | 3.6 | 1.3 | 2.0 | 0.6 | | | 0.2 | 0.1 | 0.5 | | | | | 1.0 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | | | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| No. of admissions | 14,927 | 2,896 | 2,293 | 101 | 1,409 | | | 4,171 | 928 | 188 | 33 | 5 | 1 | 1 | 2,901 |
| Race/ethnicity | | | | | | | | | | | | | | | |
| White (non-Hispanic) | 58.4 | 63.5 | 59.9 | 85.4 | 89.4 | | | 41.0 | 97.2 | 93.4 | 87.9 | 60.0 | | 100.0 | 45.7 |
| Black (non-Hispanic) | 40.1 | 34.4 | 38.1 | 13.5 | 9.9 | | | 57.7 | 1.8 | 5.5 | 9.1 | 40.0 | 100.0 | | 53.1 |
| Hispanic origin | 0.8 | 1.5 | 1.2 | | 0.4 | | | 0.5 | 0.2 | | | | | | 0.7 |
| American Indian/Alaska Native | 0.2 | 0.2 | 0.3 | | 0.1 | | | 0.2 | 0.4 | 0.6 | 3.0 | | | | 0.2 |
| Asian/Pacific Islander | 0.1 | 0.1 | 0.1 | | 0.1 | | | 0.2 | | 0.6 | | | | | 0.1 |
| Other | 0.3 | 0.3 | 0.4 | 1.0 | 0.2 | | | 0.4 | 0.3 | | | | | | 0.3 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | | | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| No. of admissions | 14,169 | 2,737 | 2,192 | 96 | 1,356 | | | 3,927 | 894 | 181 | 33 | 5 | 1 | 1 | 2,746 |

⁻⁻ Quantity is zero.

Table 3.2
Arizona
Admissions aged 12 and older by gender, age group, and race/ethnicity, according to primary substance: TEDS 2008

| | | | | | | F | Primary s | ubstance | at admission | | | | | | |
|-------------------------------|------------|---------|-----------|--------|---------|---------|-----------|----------|--------------|-------|-------|--------|-----|--------|--------|
| | | A | lcohol | Opi | ates | Coca | ine | | | | | | | | |
| Gender, age group, and | All admis- | | | | | | | | Metham- | | | | | | Other/ |
| race/ethnicity | sions | | | | | | | Mari- | phetamine/ | Tran- | | Hallu- | | | none |
| | aged 12 | Alcohol | Secondary | | Other | Smoked | Other | juana/ | amphet- | quil- | Seda- | cino- | | Inhal- | speci- |
| | and older | only | drug | Heroin | opiates | cocaine | route | hashish | amine | izers | tives | gens | PCP | ants | fied |
| Total admissions aged 12 | | | | | | | | | | | | | | | |
| and older | 21,328 | 4,000 | 2,487 | 1,625 | 524 | 1,010 | 591 | 2,327 | 3,068 | 47 | 26 | 28 | | 12 | 5,583 |
| Gender | | | | | | | | | | | | | | | |
| Male | 64.3 | 70.0 | 72.2 | 67.3 | 48.7 | 63.8 | 67.0 | 70.6 | 51.7 | 44.7 | 38.5 | 42.9 | | 58.3 | 61.8 |
| Female | 35.7 | 30.1 | 27.8 | 32.7 | 51.3 | 36.2 | 33.0 | 29.4 | 48.3 | 55.3 | 61.5 | 57.1 | | 41.7 | 38.2 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | | 100.0 | 100.0 |
| No. of admissions | 21,328 | 4,000 | 2,487 | 1,625 | 524 | 1,010 | 591 | 2,327 | 3,068 | 47 | 26 | 28 | | 12 | 5,583 |
| Age at admission | | | | | | | | | | | | | | | |
| 12 to 19 years | 4.9 | 2.2 | 5.1 | 5.7 | 3.6 | 1.6 | 4.4 | 14.0 | 3.0 | 8.5 | 3.8 | 7.1 | | 8.3 | 4.5 |
| 20 to 24 years | 17.5 | 11.6 | 16.3 | 19.8 | 21.6 | 8.6 | 17.3 | 30.1 | 16.6 | 10.6 | 11.5 | 28.6 | | 16.7 | 17.9 |
| 25 to 29 years | 17.8 | 12.4 | 15.8 | 14.7 | 23.7 | 11.4 | 20.3 | 21.7 | 22.6 | 12.8 | 26.9 | 17.9 | | 33.3 | 19.4 |
| 30 to 34 years | 13.3 | 12.0 | 12.5 | 9.4 | 12.4 | 12.1 | 17.1 | 11.7 | 17.6 | 8.5 | 19.2 | 10.7 | | 25.0 | 13.8 |
| 35 to 39 years | 12.9 | 13.6 | 12.9 | 10.2 | 11.8 | 15.0 | 12.0 | 8.6 | 16.7 | 17.0 | 15.4 | 17.9 | | 8.3 | 12.6 |
| 40 to 44 years | 12.1 | 13.5 | 13.7 | 11.6 | 8.2 | 20.6 | 12.4 | 6.0 | 11.9 | 12.8 | 11.5 | 14.3 | | 8.3 | 12.0 |
| 45 to 49 years | 10.5 | 14.7 | 12.9 | 10.7 | 9.4 | 17.7 | 9.0 | 3.9 | 7.3 | 10.6 | 3.8 | 3.6 | | | 9.9 |
| 50 to 54 years | 6.6 | 10.5 | 6.8 | 10.3 | 6.3 | 9.5 | 4.6 | 2.3 | 3.4 | 12.8 | 3.8 | | | | 5.9 |
| 55 to 59 years | 2.9 | 5.7 | 2.7 | 5.1 | 2.1 | 2.7 | 2.2 | 1.2 | 0.7 | 2.1 | 3.8 | | | | 2.7 |
| 60 years and older | 1.6 | 3.9 | 1.3 | 2.5 | 1.0 | 0.8 | 0.8 | 0.5 | 0.2 | 4.3 | | | | | 1.3 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | | 100.0 | 100.0 |
| No. of admissions | 21,328 | 4,000 | 2,487 | 1,625 | 524 | 1,010 | 591 | 2,327 | 3,068 | 47 | 26 | 28 | | 12 | 5,583 |
| Race/ethnicity | | | | | | | | | | | | | | | |
| White (non-Hispanic) | 55.4 | 51.0 | 52.6 | 65.4 | 75.4 | 37.5 | 36.5 | 47.5 | 66.2 | 80.9 | 80.8 | 25.0 | | 41.7 | 57.5 |
| Black (non-Hispanic) | 7.7 | 3.2 | 7.0 | 3.0 | 2.1 | 29.2 | 7.4 | 10.1 | 2.6 | | | 53.6 | | | 10.8 |
| Hispanic origin | 26.0 | 22.5 | 25.8 | 25.0 | 18.7 | 27.2 | 49.4 | 34.9 | 26.1 | 14.9 | 15.4 | 21.4 | | 41.7 | 23.3 |
| American Indian/Alaska Native | | 20.4 | 11.9 | 1.7 | 2.1 | 2.9 | 3.4 | 4.1 | 2.6 | 2.1 | 3.8 | | | 8.3 | 4.6 |
| Asian/Pacific Islander | 0.7 | 0.6 | 0.5 | 0.7 | 0.6 | 0.6 | 8.0 | 0.6 | 0.6 | | | | | | 0.9 |
| Other | 2.6 | 2.3 | 2.2 | 4.1 | 1.1 | 2.6 | 2.4 | 2.8 | 2.0 | 2.1 | | | | 8.3 | 3.0 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | | 100.0 | 100.0 |
| No. of admissions | 21,324 | 3,998 | 2,487 | 1,625 | 524 | 1,010 | 591 | 2,327 | 3,067 | 47 | 26 | 28 | | 12 | 5,582 |

⁻⁻ Quantity is zero.

Table 3.3
Arkansas
Admissions aged 12 and older by gender, age group, and race/ethnicity, according to primary substance: TEDS 2008

| | | | | | | F | Primary s | ubstance | at admission | | | | | | |
|-------------------------------|------------|---------|-----------|--------|---------|---------|-----------|----------|--------------|-------|-------|--------|-----|--------|--------|
| | | Al | lcohol | Opi | ates | Coca | ine | | | | | | | | |
| Gender, age group, and | All admis- | | | | | | |] | Metham- | | | | | | Other/ |
| race/ethnicity | sions | | | | | | | Mari- | phetamine/ | Tran- | | Hallu- | | | none |
| | aged 12 | Alcohol | Secondary | | Other | Smoked | Other | juana/ | amphet- | quil- | Seda- | cino- | | Inhal- | speci- |
| | and older | only | drug | Heroin | opiates | cocaine | route | hashish | amine | izers | tives | gens | PCP | ants | fied |
| Total admissions aged 12 | | | | | | | | | | | | | | | |
| and older | 14,235 | 3,385 | 2,268 | 52 | 1,438 | 1,151 | 480 | 2,786 | 2,158 | 205 | 113 | 14 | 35 | 19 | 131 |
| Gender | | | | | | | | | | | | | | | |
| Male | 67.9 | 76.5 | 72.3 | 53.8 | 50.8 | 58.7 | 66.3 | 76.5 | 57.1 | 51.7 | 55.8 | 78.6 | 66 | 68.4 | 73.3 |
| Female | 32.1 | 23.5 | 27.7 | 46.2 | 49.2 | 41.3 | 33.8 | 23.5 | 42.9 | 48.3 | 44.2 | 21.4 | 34 | 31.6 | 26.7 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100 | 100.0 | 100.0 |
| No. of admissions | 14,235 | 3,385 | 2,268 | 52 | 1,438 | 1,151 | 480 | 2,786 | 2,158 | 205 | 113 | 14 | 35 | 19 | 131 |
| Age at admission | | | | | | | | | | | | | | | |
| 12 to 19 years | 9.8 | 3.5 | 7.5 | 1.9 | 5.2 | 2.2 | 8.3 | 28.1 | 4.9 | 17.1 | 11.5 | 14.3 | 3 | 36.8 | 19.8 |
| 20 to 24 years | 16.4 | 14.1 | 15.3 | 26.9 | 20.6 | 5.9 | 15.0 | 22.3 | 15.3 | 22.4 | 13.3 | 28.6 | 26 | 21.1 | 25.2 |
| 25 to 29 years | 17.4 | 12.6 | 17.3 | 23.1 | 25.6 | 10.4 | 19.6 | 18.2 | 21.4 | 22.9 | 15.9 | 42.9 | 20 | 10.5 | 11.5 |
| 30 to 34 years | 14.5 | 11.9 | 14.6 | 19.2 | 18.4 | 12.8 | 18.8 | 12.0 | 19.1 | 13.7 | 18.6 | 14.3 | 29 | | 9.9 |
| 35 to 39 years | 12.1 | 12.5 | 12.7 | 7.7 | 8.3 | 16.9 | 11.0 | 7.4 | 17.5 | 8.3 | 12.4 | | 14 | 15.8 | 11.5 |
| 40 to 44 years | 11.0 | 13.2 | 12.3 | 5.8 | 7.7 | 20.9 | 11.5 | 5.8 | 10.6 | 7.8 | 8.0 | | 6 | 10.5 | 9.9 |
| 45 to 49 years | 9.7 | 14.4 | 11.7 | 5.8 | 7.2 | 17.3 | 8.5 | 3.5 | 7.0 | 4.9 | 10.6 | | | 5.3 | 7.6 |
| 50 to 54 years | 5.3 | 9.2 | 5.5 | 3.8 | 4.2 | 9.2 | 5.2 | 1.7 | 2.9 | 1.5 | 5.3 | | | | 1.5 |
| 55 to 59 years | 2.3 | 4.8 | 2.4 | 1.9 | 1.6 | 3.3 | 1.3 | 0.7 | 0.8 | 1.5 | 2.7 | | | | 0.8 |
| 60 years and older | 1.4 | 3.7 | 0.7 | 3.8 | 1.2 | 1.2 | 0.8 | 0.3 | 0.5 | | 1.8 | | 3 | | 2.3 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100 | 100.0 | 100.0 |
| No. of admissions | 14,235 | 3,385 | 2,268 | 52 | 1,438 | 1,151 | 480 | 2,786 | 2,158 | 205 | 113 | 14 | 35 | 19 | 131 |
| Race/ethnicity | | | | | | | | | | | | | | | |
| White (non-Hispanic) | 76.6 | 81.3 | 79.2 | 94.2 | 95.8 | 39.1 | 51.7 | 63.6 | 94.2 | 96.1 | 91.2 | 71.4 | 6 | 84.2 | 77.1 |
| Black (non-Hispanic) | 19.2 | 11.9 | 17.0 | 3.8 | 2.2 | 59.4 | 43.8 | 32.1 | 2.0 | 3.4 | 8.8 | 21.4 | 94 | 5.3 | 21.4 |
| Hispanic origin | 3.3 | 5.3 | 2.9 | 1.9 | 1.5 | 1.5 | 3.5 | 3.4 | 2.9 | 0.5 | | 7.1 | | 10.5 | 1.5 |
| American Indian/Alaska Native | | 0.9 | 0.7 | | 0.5 | | 0.4 | 0.6 | 0.5 | | | | | | |
| Asian/Pacific Islander | 0.3 | 0.6 | 0.2 | | 0.1 | | 0.6 | 0.3 | 0.4 | | | | | | |
| Other | * | 0.1 | * | | | | | | * | | | | | | |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100 | 100.0 | 100.0 |
| No. of admissions | 14,230 | 3,383 | 2,265 | 52 | 1,438 | 1,151 | 480 | 2,786 | 2,158 | 205 | 113 | 14 | 35 | 19 | 131 |

⁻⁻ Quantity is zero.

Table 3.4
California
Admissions aged 12 and older by gender, age group, and race/ethnicity, according to primary substance: TEDS 2008

| | | | | | | | Drimon . o | ubatanaa | ot admission | - | | | | | |
|-------------------------------|------------|---------|-----------|----------|---------|---------|-------------------|-----------|--------------|-------|-------|--------|-------|--------|--------|
| | | | lcohol | Oni | ates | Coca | | ubstarice | at admission | | | | | | |
| Gender, age group, and | All admis- | - A | COLIOI | Ορι | aics | Coca | 11 1 C | 1 | Metham- | | | | | | Other/ |
| race/ethnicity | sions | | | | | | | Mari- | phetamine/ | Tran- | | Hallu- | | | none |
| race, cumeny | aged 12 | Alcohol | Secondary | | Other | Smoked | Other | iuana/ | amphet- | quil- | Seda- | cino- | | Inhal- | speci- |
| | and older | only | drug | Heroin | opiates | cocaine | route | hashish | amine | izers | tives | gens | PCP | ants | fied |
| Total admissions aged 12 | and older | 0, | | 11010111 | opiatoo | 00000 | | naomon | arriiro | 12010 | | gono | , 0, | amo | nou |
| and older | 196,495 | 23,428 | 21,478 | 29,096 | 7,323 | 15,839 | 3,902 | 34,561 | 57,909 | 300 | 260 | 101 | 716 | 147 | 1,435 |
| Gender | | | | | | | | | | | | | | | |
| Male | 64.2 | 65.0 | 66.1 | 70.3 | 55.3 | 63 | 75 | 71.6 | 57.1 | 40.3 | 43.1 | 79.2 | 58.9 | 53.1 | 49.5 |
| Female | 35.8 | 35.0 | 33.9 | 29.7 | 44.7 | 37 | 25 | 28.4 | 42.9 | 59.7 | 56.9 | 20.8 | 41.1 | 46.9 | 50.5 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100 | 100 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| No. of admissions | 196,411 | 23,416 | 21,472 | 29,085 | 7,318 | 15,832 | 3,900 | 34,548 | 57,883 | 300 | 260 | 101 | 716 | 147 | 1,433 |
| Age at admission | | | | | | | | | | | | | | | |
| 12 to 19 years | 16.1 | 15.5 | 16.3 | 2.1 | 6.0 | 2 | 11 | 54.8 | 4.7 | 7.0 | 6.2 | 34.7 | 2.4 | 84.4 | 63.6 |
| 20 to 24 years | 11.9 | 5.5 | 9.3 | 10.3 | 20.4 | 4 | 17 | 14.5 | 15.7 | 12.3 | 11.2 | 23.8 | 6.7 | 1.4 | 3.9 |
| 25 to 29 years | 13.6 | 7.8 | 11.4 | 11.7 | 20.2 | 7 | 15 | 10.8 | 20.5 | 15.0 | 10.4 | 16.8 | 16.1 | 3.4 | 6.6 |
| 30 to 34 years | 11.0 | 8.2 | 10.8 | 10.1 | 12.0 | 8 | 13 | 6.6 | 15.9 | 10.3 | 9.6 | 5.9 | 13.7 | 1.4 | 4.2 |
| 35 to 39 years | 11.2 | 10.1 | 12.0 | 10.6 | 9.7 | 14 | 11 | 4.4 | 15.4 | 12.0 | 10.0 | 6.9 | 19.8 | 2.7 | 4.8 |
| 40 to 44 years | 12.0 | 13.3 | 13.8 | 14.3 | 9.2 | 20 | 12 | 3.5 | 12.9 | 14.3 | 11.9 | 4.0 | 17.6 | 2.0 | 5.2 |
| 45 to 49 years | 11.3 | 15.1 | 13.0 | 16.2 | 8.8 | 22 | 11 | 2.8 | 9.4 | 15.0 | 15.0 | 3.0 | 16.1 | 2.7 | 4.5 |
| 50 to 54 years | 7.3 | 11.6 | 7.9 | 13.3 | 7.0 | 15 | 6 | 1.4 | 4.0 | 5.3 | 11.2 | 3.0 | 5.7 | 1.4 | 4.0 |
| 55 to 59 years | 3.6 | 6.9 | 3.6 | 8.0 | 4.1 | 6 | 3 | 0.7 | 1.2 | 6.0 | 7.7 | 2.0 | 1.8 | 0.7 | 2.0 |
| 60 years and older | 2.0 | 6.0 | 1.8 | 3.6 | 2.6 | 3 | 1 | 0.3 | 0.3 | 2.7 | 6.9 | | 0.1 | | 1.1 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100 | 100 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| No. of admissions | 196,495 | 23,428 | 21,478 | 29,096 | 7,323 | 15,839 | 3,902 | 34,561 | 57,909 | 300 | 260 | 101 | 716 | 147 | 1,435 |
| Race/ethnicity | | | | | | | | | | | | | | | |
| White (non-Hispanic) | 41.3 | 47.4 | 46.0 | 48.4 | 72.4 | 16 | 28 | 26.5 | 47.1 | 70.7 | 59.2 | 55.4 | 7.0 | 17.0 | 19.9 |
| Black (non-Hispanic) | 15.4 | 13.4 | 14.4 | 9.1 | 4.7 | 62 | 22 | 21.0 | 4.3 | 5.3 | 10.0 | 7.9 | 33.9 | 4.8 | 20.7 |
| Hispanic origin | 32.0 | 28.5 | 28.2 | 33.9 | 13.7 | 15 | 40 | 40.3 | 35.1 | 16.3 | 21.2 | 26.7 | 48.9 | 72.8 | 34.9 |
| American Indian/Alaska Native | 1.5 | 1.6 | 2.4 | 1.3 | 1.3 | 1 | 1 | 1.1 | 1.6 | 2.0 | 0.8 | 2.0 | 2.4 | 0.7 | 6.8 |
| Asian/Pacific Islander | 2.4 | 2.6 | 1.6 | 1.1 | 2.5 | 2 | 2 | 2.2 | 3.4 | 1.3 | 4.6 | 3.0 | 1.3 | 1.4 | 1.7 |
| Other | 7.5 | 6.5 | 7.4 | 6.2 | 5.4 | 4 | 8 | 9.0 | 8.6 | 4.3 | 4.2 | 5.0 | 6.6 | 3.4 | 16.1 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100 | 100 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| No. of admissions | 196,495 | 23,428 | 21,478 | 29,096 | 7,323 | 15,839 | 3,902 | 34,561 | 57,909 | 300 | 260 | 101 | 716 | 147 | 1,435 |

⁻⁻ Quantity is zero.

Table 3.5
Colorado
Admissions aged 12 and older by gender, age group, and race/ethnicity, according to primary substance: TEDS 2008

| | | | | | | F | Primary s | ubstance | at admission | | | | | | |
|-------------------------------|------------|---------|-----------|--------|---------|---------|-----------|----------|--------------|-------|-------|--------|-------|--------|--------|
| | | Al | lcohol | Opi | ates | Coca | ine | | | | | | | | |
| Gender, age group, and | All admis- | | | | | | | | Metham- | | | | | | Other/ |
| race/ethnicity | sions | | | | | | | Mari- | phetamine/ | Tran- | | Hallu- | | | none |
| | aged 12 | Alcohol | Secondary | | Other | Smoked | Other | juana/ | amphet- | quil- | Seda- | cino- | | Inhal- | speci- |
| | and older | only | drug | Heroin | opiates | cocaine | route | hashish | amine | izers | tives | gens | PCP | ants | fied |
| Total admissions aged 12 | | | | | | | | | | | | | | | |
| and older | 78,717 | 48,840 | 10,214 | 1,761 | 1,533 | 2,652 | 1,500 | 6,405 | 5,086 | 200 | 142 | 47 | 4 | 37 | 296 |
| Gender | | | | | | | | | | | | | | | |
| Male | 75.7 | 80.4 | 74.9 | 67.3 | 52.4 | 56.1 | 65.6 | 76.7 | 55.2 | 53.5 | 65.5 | 87.2 | 75.0 | 75.7 | 72.0 |
| Female | 24.3 | 19.6 | 25.1 | 32.7 | 47.6 | 43.9 | 34.4 | 23.3 | 44.8 | 46.5 | 34.5 | 12.8 | 25.0 | 24.3 | 28.0 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| No. of admissions | 78,717 | 48,840 | 10,214 | 1,761 | 1,533 | 2,652 | 1,500 | 6,405 | 5,086 | 200 | 142 | 47 | 4 | 37 | 296 |
| Age at admission | | | | | | | | | | | | | | | |
| 12 to 19 years | 6.6 | 3.2 | 7.8 | 2.4 | 4.3 | 2.2 | 6.0 | 36.1 | 4.3 | 5.0 | 7.0 | 25.5 | | 27.0 | 8.4 |
| 20 to 24 years | 13.2 | 11.4 | 15.1 | 16.1 | 17.0 | 10.0 | 13.0 | 21.0 | 16.3 | 13.5 | 8.5 | 27.7 | 25.0 | 5.4 | 17.9 |
| 25 to 29 years | 13.1 | 10.9 | 13.9 | 18.5 | 20.2 | 12.3 | 17.5 | 16.9 | 23.7 | 12.5 | 7.7 | 14.9 | 25.0 | 10.8 | 18.9 |
| 30 to 34 years | 10.8 | 9.6 | 11.4 | 14.1 | 14.5 | 14.8 | 15.5 | 8.9 | 17.9 | 15.0 | 10.6 | 8.5 | 50.0 | 16.2 | 11.1 |
| 35 to 39 years | 12.0 | 11.8 | 12.7 | 11.8 | 12.3 | 17.9 | 15.1 | 6.6 | 15.2 | 11.5 | 14.8 | 10.6 | | 13.5 | 11.5 |
| 40 to 44 years | 12.9 | 14.1 | 12.9 | 9.0 | 9.1 | 16.6 | 13.7 | 4.7 | 11.4 | 12.0 | 16.2 | 4.3 | | 16.2 | 10.1 |
| 45 to 49 years | 14.4 | 17.3 | 12.6 | 9.7 | 9.8 | 16.2 | 11.1 | 3.2 | 7.5 | 12.0 | 12.7 | 4.3 | | | 11.1 |
| 50 to 54 years | 9.4 | 11.6 | 8.6 | 9.8 | 7.0 | 6.7 | 6.0 | 1.5 | 2.8 | 9.5 | 12.0 | 2.1 | | 8.1 | 4.4 |
| 55 to 59 years | 4.7 | 6.1 | 3.4 | 6.2 | 3.3 | 2.4 | 1.5 | 0.8 | 0.6 | 4.5 | 2.8 | | | | 3.7 |
| 60 years and older | 2.9 | 4.1 | 1.5 | 2.4 | 2.3 | 1.0 | 0.6 | 0.2 | 0.3 | 4.5 | 7.7 | 2.1 | | 2.7 | 2.7 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| No. of admissions | 78,717 | 48,840 | 10,214 | 1,761 | 1,533 | 2,652 | 1,500 | 6,405 | 5,086 | 200 | 142 | 47 | 4 | 37 | 296 |
| Race/ethnicity | | | | | | | | | | | | | | | |
| White (non-Hispanic) | 58.8 | 57.6 | 59.7 | 73.8 | 79.8 | 41.2 | 51.0 | 51.2 | 77.7 | 81.5 | 58.5 | 72.3 | 75.0 | 56.8 | 62.8 |
| Black (non-Hispanic) | 7.5 | 6.5 | 7.8 | 4.0 | 2.3 | 25.9 | 10.9 | 13.1 | 1.9 | 3.5 | 4.2 | 2.1 | | 5.4 | 7.1 |
| Hispanic origin | 26.9 | 27.9 | 26.2 | 18.8 | 15.1 | 29.4 | 35.3 | 30.8 | 16.7 | 13.0 | 33.8 | 23.4 | 25.0 | 32.4 | 24.7 |
| American Indian/Alaska Native | | 6.6 | 5.3 | 2.1 | 1.0 | 2.0 | 1.6 | 2.7 | 1.8 | 1.5 | 2.1 | 2.1 | | 5.4 | 2.7 |
| Asian/Pacific Islander | 0.9 | 1.0 | 0.5 | 0.5 | 0.5 | 1.1 | 0.7 | 1.2 | 1.5 | | 0.7 | | | | 1.0 |
| Other | 0.6 | 0.5 | 0.5 | 0.9 | 1.2 | 0.4 | 0.5 | 1.0 | 0.4 | 0.5 | 0.7 | | | | 1.7 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| No. of admissions | 78,717 | 48,840 | 10,214 | 1,761 | 1,533 | 2,652 | 1,500 | 6,405 | 5,086 | 200 | 142 | 47 | 4 | 37 | 296 |

⁻⁻ Quantity is zero.

Table 3.6
Connecticut
Admissions aged 12 and older by gender, age group, and race/ethnicity, according to primary substance: TEDS 2008

| | | | | | | F | Primary s | ubstance | at admission | | | | | | |
|-------------------------------|------------|---------|-----------|--------|---------|---------|-----------|----------|--------------|-------|-------|--------|-------|--------|--------|
| | | Al | lcohol | Opi | ates | Coca | ine | | | | | | | | |
| Gender, age group, and | All admis- | | | | | | | | Metham- | | | | | | Other/ |
| race/ethnicity | sions | | | | | | | Mari- | phetamine/ | Tran- | | Hallu- | | | none |
| | aged 12 | Alcohol | Secondary | | Other | Smoked | Other | juana/ | amphet- | quil- | Seda- | cino- | | Inhal- | speci- |
| | and older | only | drug | Heroin | opiates | cocaine | route | hashish | amine | izers | tives | gens | PCP | ants | fied |
| Total admissions aged 12 | | | | | | | | | | | | | | | |
| and older | 45,964 | 8,090 | 8,461 | 15,234 | 2,311 | 3,642 | 1,836 | 4,753 | 123 | 247 | 126 | 98 | 405 | 44 | 594 |
| Gender | | | | | | | | | | | | | | | |
| Male | 71.0 | 74.0 | 73.4 | 71.5 | 62.2 | 56.2 | 70.8 | 77.2 | 74.0 | 56.3 | 52.4 | 68.4 | 60.7 | 72.7 | 75.1 |
| Female | 29.0 | 26.0 | 26.6 | 28.5 | 37.8 | 43.8 | 29.2 | 22.8 | 26.0 | 43.7 | 47.6 | 31.6 | 39.3 | 27.3 | 24.9 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| No. of admissions | 45,948 | 8,090 | 8,457 | 15,229 | 2,311 | 3,638 | 1,835 | 4,751 | 123 | 247 | 126 | 98 | 405 | 44 | 594 |
| Age at admission | | | | | | | | | | | | | | | |
| 12 to 19 years | 5.3 | 1.0 | 3.4 | 3.7 | 5.1 | 0.9 | 4.4 | 24.3 | 13.0 | 4.5 | 4.0 | 18.4 | 5.4 | 22.7 | 6.4 |
| 20 to 24 years | 14.8 | 5.0 | 9.3 | 19.7 | 20.6 | 6.3 | 11.5 | 29.1 | 22.0 | 16.2 | 12.7 | 24.5 | 29.6 | 22.7 | 15.5 |
| 25 to 29 years | 14.6 | 7.4 | 11.6 | 17.1 | 21.6 | 10.2 | 16.5 | 21.0 | 20.3 | 20.2 | 11.9 | 21.4 | 35.1 | 13.6 | 17.0 |
| 30 to 34 years | 11.4 | 7.5 | 10.0 | 13.0 | 14.2 | 12.4 | 14.4 | 10.6 | 14.6 | 18.2 | 13.5 | 14.3 | 21.5 | 18.2 | 11.1 |
| 35 to 39 years | 13.4 | 11.2 | 15.0 | 14.2 | 11.6 | 19.1 | 18.1 | 7.2 | 10.6 | 8.1 | 14.3 | 5.1 | 7.2 | 6.8 | 14.0 |
| 40 to 44 years | 15.5 | 19.1 | 20.2 | 13.7 | 10.4 | 24.9 | 16.8 | 3.9 | 7.3 | 12.1 | 17.5 | 5.1 | 1.2 | 4.5 | 14.0 |
| 45 to 49 years | 12.8 | 20.7 | 17.2 | 9.9 | 7.7 | 16.8 | 11.8 | 2.4 | 8.1 | 7.7 | 10.3 | 7.1 | | 6.8 | 10.6 |
| 50 to 54 years | 7.7 | 15.5 | 8.9 | 6.0 | 5.8 | 6.9 | 5.1 | 1.0 | 8.0 | 8.5 | 9.5 | 3.1 | | 2.3 | 6.6 |
| 55 to 59 years | 3.1 | 7.9 | 3.4 | 2.0 | 2.3 | 1.7 | 1.1 | 0.4 | 0.8 | 2.8 | 4.8 | | | 2.3 | 4.0 |
| 60 years and older | 1.4 | 4.7 | 1.1 | 0.7 | 0.6 | 0.8 | 0.3 | | 2.4 | 1.6 | 1.6 | 1.0 | | | 0.8 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| No. of admissions | 45,964 | 8,090 | 8,461 | 15,234 | 2,311 | 3,642 | 1,836 | 4,753 | 123 | 247 | 126 | 98 | 405 | 44 | 594 |
| Race/ethnicity | | | | | | | | | | | | | | | |
| White (non-Hispanic) | 61.3 | 77.3 | 61.6 | 62.3 | 87.8 | 45.4 | 55.7 | 35.6 | 60.2 | 82.1 | 81.0 | 46.4 | 14.3 | 56.8 | 52.0 |
| Black (non-Hispanic) | 16.8 | 8.5 | 21.9 | 9.8 | 2.6 | 36.6 | 17.7 | 33.6 | 8.9 | 5.3 | 7.1 | 27.8 | 46.2 | 20.5 | 20.8 |
| Hispanic origin | 18.4 | 10.6 | 12.8 | 24.8 | 6.4 | 12.8 | 23.5 | 27.4 | 21.1 | 9.8 | 7.1 | 23.7 | 33.8 | 15.9 | 25.1 |
| American Indian/Alaska Native | | 0.3 | 0.2 | 0.3 | 0.4 | 0.4 | 0.4 | 0.4 | | 0.4 | | 1.0 | 1.0 | | 0.3 |
| Asian/Pacific Islander | 0.5 | 0.5 | 0.5 | 0.4 | 0.3 | 1.2 | 0.3 | 0.4 | 8.0 | 1.6 | 1.6 | | 1.2 | | 0.2 |
| Other | 2.7 | 2.8 | 2.9 | 2.4 | 2.5 | 3.5 | 2.4 | 2.6 | 8.9 | 8.0 | 3.2 | 1.0 | 3.5 | 6.8 | 1.5 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| No. of admissions | 45,835 | 8,046 | 8,436 | 15,217 | 2,303 | 3,634 | 1,834 | 4,734 | 123 | 246 | 126 | 97 | 405 | 44 | 590 |

⁻⁻ Quantity is zero.

Table 3.7
Delaware
Admissions aged 12 and older by gender, age group, and race/ethnicity, according to primary substance: TEDS 2008

| | | | | | | F | Primary s | ubstance . | at admission | | | | | | |
|-------------------------------|------------|---------|-----------|--------|---------|---------|-----------|------------|--------------|-------|-------|--------|-------|--------|--------|
| | | Al | lcohol | Opi | ates | Coca | ine | | | | | | | | |
| Gender, age group, and | All admis- | | | | | | |] | Metham- | | | | | | Other/ |
| race/ethnicity | sions | | | | | | | Mari- | phetamine/ | Tran- | | Hallu- | | | none |
| | aged 12 | Alcohol | Secondary | | Other | Smoked | Other | juana/ | amphet- | quil- | Seda- | cino- | | Inhal- | speci- |
| | and older | only | drug | Heroin | opiates | cocaine | route | hashish | amine | izers | tives | gens | PCP | ants | fied |
| Total admissions aged 12 | | | | | | | | | | | | | | | |
| and older | 7,935 | 856 | 1,104 | 1,884 | 1,101 | 735 | 261 | 1,590 | 22 | 21 | 8 | 6 | 19 | | 328 |
| Gender | | | | | | | | | | | | | | | |
| Male | 72.6 | 75.8 | 77.2 | 69.1 | 68.2 | 63.5 | 66.3 | 79.9 | 72.7 | 52.4 | 62.5 | 66.7 | | | 69.5 |
| Female | 27.7 | 24.2 | 22.8 | 30.9 | 31.8 | 36.5 | 33.7 | 20.1 | 27.3 | 47.6 | 37.5 | 33.3 | | | 30.5 |
| Total | 100.2 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | | | 100.0 |
| No. of admissions | 7,916 | 856 | 1,104 | 1,884 | 1,101 | 735 | 261 | 1,590 | 22 | 21 | 8 | 6 | | | 328 |
| Age at admission | | | | | | | | | | | | | | | |
| 12 to 19 years | 6.5 | 1.4 | 2.4 | 1.3 | 5.1 | 1.8 | 3.8 | 22.1 | 13.6 | 4.8 | | 33.3 | | | 6.1 |
| 20 to 24 years | 20.0 | 4.3 | 12.8 | 13.3 | 28.7 | 5.3 | 18.8 | 41.1 | 13.6 | 38.1 | 12.5 | 16.7 | 52.6 | | 24.1 |
| 25 to 29 years | 19.2 | 9.3 | 15.6 | 26.8 | 24.9 | 9.3 | 16.5 | 18.3 | 27.3 | 38.1 | 37.5 | 33.3 | 31.6 | | 20.1 |
| 30 to 34 years | 12.8 | 9.3 | 9.6 | 20.4 | 15.8 | 12.5 | 13.4 | 6.5 | 9.1 | | 12.5 | 16.7 | 5.3 | | 11.3 |
| 35 to 39 years | 12.4 | 14.6 | 14.3 | 15.5 | 9.1 | 20.4 | 16.9 | 4.7 | 13.6 | 14.3 | | | 5.3 | | 11.0 |
| 40 to 44 years | 10.6 | 16.6 | 16.1 | 8.6 | 6.3 | 23.9 | 11.5 | 3.5 | 18.2 | 4.8 | 12.5 | | | | 7.9 |
| 45 to 49 years | 9.8 | 20.4 | 16.1 | 7.7 | 4.3 | 17.1 | 13.8 | 2.0 | | | 12.5 | | 5.3 | | 9.8 |
| 50 to 54 years | 5.4 | 13.3 | 8.3 | 4.0 | 3.1 | 7.1 | 5.0 | 1.3 | 4.5 | | 12.5 | | | | 7.0 |
| 55 to 59 years | 2.1 | 5.3 | 3.9 | 1.7 | 2.0 | 1.8 | 0.4 | 0.3 | | | | | | | 2.7 |
| 60 years and older | 1.1 | 5.4 | 0.9 | 0.7 | 0.8 | 0.8 | | 0.2 | | | | | | | |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | | 100.0 |
| No. of admissions | 7,935 | 856 | 1,104 | 1,884 | 1,101 | 735 | 261 | 1,590 | 22 | 21 | 8 | 6 | 19 | | 328 |
| Race/ethnicity | | | | | | | | | | | | | | | |
| White (non-Hispanic) | 64.8 | 79.9 | 66.2 | 65.9 | 89.7 | 50.3 | 55.9 | 48.5 | 86.4 | 66.7 | 100.0 | 50.0 | 26.3 | | 49.4 |
| Black (non-Hispanic) | 28.1 | 14.5 | 28.2 | 23.2 | 5.5 | 46.4 | 35.6 | 44.7 | 9.1 | 23.8 | | | 68.4 | | 39.9 |
| Hispanic origin | 4.2 | 2.0 | 2.5 | 8.2 | 2.6 | 2.2 | 4.6 | 3.3 | 4.5 | | | 33.3 | | | 5.5 |
| American Indian/Alaska Native | | 0.6 | 0.6 | 0.8 | 0.9 | 0.3 | 1.5 | 0.6 | | | | | 5.3 | | 2.7 |
| Asian/Pacific Islander | 0.3 | 0.5 | 0.2 | 0.3 | 0.3 | 0.1 | | 0.3 | | 4.8 | | | | | |
| Other | 1.9 | 2.6 | 2.4 | 1.4 | 1.0 | 0.7 | 2.3 | 2.6 | | 4.8 | | 16.7 | | | 2.4 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | | 100.0 |
| No. of admissions | 7,920 | 854 | 1,099 | 1,884 | 1,099 | 732 | 261 | 1,587 | 22 | 21 | 8 | 6 | 19 | | 328 |

⁻⁻ Quantity is zero.

Table 3.8

District of Columbia

Admissions aged 12 and older by gender, age group, and race/ethnicity, according to primary substance: TEDS 2008

| | | | | | | F | Primary s | ubstance | at admission | | | | | | |
|-------------------------------|------------|---------|-----------|--------|---------|---------|-----------|----------|--------------|-------|-------|--------|-------|--------|--------|
| | | A | cohol | Opi | ates | Coca | ine | | | | | | | | |
| Gender, age group, and | All admis- | | | | | | | | Metham- | | | | | | Other/ |
| race/ethnicity | sions | | | | | | | Mari- | phetamine/ | Tran- | | Hallu- | | | none |
| | aged 12 | Alcohol | Secondary | | Other | Smoked | Other | juana/ | amphet- | quil- | Seda- | cino- | | Inhal- | speci- |
| | and older | only | drug | Heroin | opiates | cocaine | route | hashish | amine | izers | tives | gens | PCP | ants | fied |
| Total admissions aged 12 | | | | | | | | | | | | | | | |
| and older | 4,536 | 576 | 148 | 480 | 2 | 460 | 40 | 73 | 8 | 1 | | | 69 | | 2,679 |
| Gender | | | | | | | | | | | | | | | |
| Male | 68.4 | 74.4 | 75.2 | 66.9 | 50.0 | 57.7 | 65.0 | 69.9 | 85.7 | 100.0 | | | 53.6 | | 69.2 |
| Female | 31.6 | 25.6 | 24.8 | 33.1 | 50.0 | 42.3 | 35.0 | 30.1 | 14.3 | | | | 46.4 | | 30.8 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | | | 100.0 | | 100.0 |
| No. of admissions | 4,513 | 575 | 145 | 480 | 2 | 456 | 40 | 73 | 7 | 1 | | | 69 | | 2,665 |
| Age at admission | | | | | | | | | | | | | | | |
| 12 to 19 years | 0.6 | 0.9 | | | | 0.2 | | 5.5 | | | | | | | 0.7 |
| 20 to 24 years | 3.9 | 4.7 | 4.7 | 0.2 | | 1.5 | 5.0 | 27.4 | 62.5 | | | | 4.3 | | 4.0 |
| 25 to 29 years | 7.2 | 8.2 | 9.5 | 2.3 | 50.0 | 3.7 | 10.0 | 24.7 | | 100.0 | | | 43.5 | | 6.8 |
| 30 to 34 years | 6.7 | 6.8 | 7.4 | 3.5 | | 7.0 | 7.5 | 15.1 | 37.5 | | | | 20.3 | | 6.5 |
| 35 to 39 years | 10.1 | 12.0 | 10.8 | 6.5 | | 9.6 | 10.0 | 4.1 | | | | | 13.0 | | 10.5 |
| 40 to 44 years | 20.9 | 21.2 | 25.7 | 18.1 | | 29.6 | 15.0 | 12.3 | | | | | 13.0 | | 20.2 |
| 45 to 49 years | 24.3 | 19.6 | 16.2 | 27.9 | 50.0 | 27.2 | 35.0 | 4.1 | | | | | 4.3 | | 25.5 |
| 50 to 54 years | 15.9 | 15.8 | 16.2 | 23.3 | | 14.1 | 15.0 | 2.7 | | | | | 1.4 | | 15.7 |
| 55 to 59 years | 6.9 | 6.4 | | 12.7 | | 4.8 | 2.5 | 2.7 | | | | | | | 6.7 |
| 60 years and older | 3.6 | 4.5 | 3.4 | 5.4 | | 2.4 | | 1.4 | | | | | | | 3.5 |
| Total | 100.0 | 100.0 | 93.9 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | | | 100.0 | | 100.0 |
| No. of admissions | 4,536 | 576 | 148 | 480 | 2 | 460 | 40 | 73 | 8 | 1 | | | 69 | | 2,679 |
| Race/ethnicity | | | | | | | | | | | | | | | |
| White (non-Hispanic) | 2.7 | 3.3 | 0.7 | 4.4 | 50.0 | 1.5 | 2.5 | 2.7 | 37.5 | | | | | | 2.5 |
| Black (non-Hispanic) | 87.3 | 80.8 | 87.8 | 88.9 | 50.0 | 93.4 | 70.0 | 93.2 | 62.5 | 100.0 | | | 98.6 | | 87.3 |
| Hispanic origin | 9.0 | 15.0 | 11.5 | 6.1 | | 4.1 | 20.0 | 4.1 | | | | | 1.4 | | 9.2 |
| American Indian/Alaska Native | * | 0.2 | | | | | 2.5 | | | | | | | | |
| Asian/Pacific Islander | 0.2 | 0.2 | | 0.2 | | 0.4 | | | | | | | | | 0.3 |
| Other | 0.6 | 0.5 | | 0.4 | | 0.4 | 5.0 | | | | | | | | 0.7 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | | | 100.0 | | 100.0 |
| No. of admissions | 4,521 | 572 | 148 | 479 | 2 | 458 | 40 | 73 | 8 | 1 | | | 69 | | 2,671 |

⁻⁻ Quantity is zero.

Table 3.9
Florida
Admissions aged 12 and older by gender, age group, and race/ethnicity, according to primary substance: TEDS 2008

| | | | | | | F | Primary s | ubstance | at admission | | | | | | |
|-------------------------------|------------|---------|-----------|--------|---------|---------|-----------|----------|--------------|-------|-------|--------|-------|--------|--------|
| | | A | lcohol | Opi | ates | Coca | ine | | | | | | | | |
| Gender, age group, and | All admis- | | | | | | |] | Metham- | | | | | | Other/ |
| race/ethnicity | sions | | | | | | | Mari- | phetamine/ | Tran- | | Hallu- | | | none |
| | aged 12 | Alcohol | Secondary | | Other | Smoked | Other | juana/ | amphet- | quil- | Seda- | cino- | | Inhal- | speci- |
| | and older | only | drug | Heroin | opiates | cocaine | route | hashish | amine | izers | tives | gens | PCP | ants | fied |
| Total admissions aged 12 | | | | | | | | | | | | | | | |
| and older | 49,071 | 7,996 | 5,807 | 1,131 | 4,924 | 6,055 | 3,266 | 15,235 | 766 | 711 | 109 | 37 | 1 | 35 | 2,998 |
| Gender | | | | | | | | | | | | | | | |
| Male | 61.7 | 66.5 | 66.6 | 62.4 | 47.7 | 49.8 | 55.1 | 71.1 | 40.6 | 39.2 | 47.7 | 62.2 | 100.0 | 42.9 | 57.4 |
| Female | 38.3 | 33.5 | 33.4 | 37.6 | 52.3 | 50.2 | 44.9 | 28.9 | 59.4 | 60.8 | 52.3 | 37.8 | | 57.1 | 42.6 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| No. of admissions | 49,071 | 7,996 | 5,807 | 1,131 | 4,924 | 6,055 | 3,266 | 15,235 | 766 | 711 | 109 | 37 | 1 | 35 | 2,998 |
| Age at admission | | | | | | | | | | | | | | | |
| 12 to 19 years | 26.0 | 4.9 | 10.3 | 4.0 | 6.4 | 2.3 | 6.5 | 60.0 | 6.9 | 21.9 | 15.6 | 43.2 | 100.0 | 48.6 | 54.7 |
| 20 to 24 years | 14.1 | 8.4 | 12.2 | 18.5 | 23.2 | 9.0 | 17.1 | 16.7 | 15.3 | 21.2 | 14.7 | 16.2 | | 5.7 | 7.9 |
| 25 to 29 years | 13.6 | 10.2 | 14.4 | 21.6 | 26.0 | 13.2 | 19.6 | 9.5 | 24.4 | 18.8 | 18.3 | 21.6 | | 17.1 | 8.6 |
| 30 to 34 years | 9.9 | 10.2 | 10.5 | 18.6 | 16.0 | 12.7 | 15.9 | 4.8 | 20.2 | 11.4 | 13.8 | 2.7 | | 8.6 | 6.0 |
| 35 to 39 years | 9.6 | 12.9 | 12.2 | 10.7 | 10.0 | 16.6 | 14.2 | 3.3 | 17.0 | 7.6 | 13.8 | 5.4 | | 11.4 | 6.3 |
| 40 to 44 years | 9.3 | 14.5 | 14.3 | 9.0 | 6.9 | 18.2 | 11.5 | 2.4 | 7.2 | 6.5 | 10.1 | 8.1 | | 2.9 | 5.7 |
| 45 to 49 years | 8.4 | 16.0 | 13.3 | 7.0 | 5.7 | 14.8 | 8.8 | 1.9 | 5.7 | 5.9 | 8.3 | | | | 4.1 |
| 50 to 54 years | 5.4 | 12.0 | 8.0 | 6.5 | 3.6 | 8.7 | 4.4 | 1.0 | 2.5 | 4.8 | 4.6 | | | 5.7 | 3.1 |
| 55 to 59 years | 2.4 | 6.4 | 3.3 | 3.1 | 1.6 | 3.6 | 1.5 | 0.3 | 0.4 | 0.8 | 0.9 | | | | 2.0 |
| 60 years and older | 1.3 | 4.4 | 1.5 | 1.1 | 0.6 | 0.9 | 0.4 | 0.2 | 0.4 | 1.0 | | 2.7 | | | 1.6 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| No. of admissions | 49,071 | 7,996 | 5,807 | 1,131 | 4,924 | 6,055 | 3,266 | 15,235 | 766 | 711 | 109 | 37 | 1 | 35 | 2,998 |
| Race/ethnicity | | | | | | | | | | | | | | | |
| White (non-Hispanic) | 64.5 | 74.8 | 69.4 | 74.6 | 93.0 | 52.3 | 52.4 | 54.9 | 86.2 | 87.2 | 89.0 | 64.9 | 100.0 | 71.4 | 51.9 |
| Black (non-Hispanic) | 21.4 | 11.0 | 18.3 | 7.3 | 1.9 | 37.2 | 28.0 | 27.8 | 5.2 | 2.7 | 3.7 | 21.6 | | 11.4 | 30.4 |
| Hispanic origin | 8.9 | 8.1 | 8.0 | 11.8 | 2.9 | 6.5 | 12.7 | 11.1 | 4.8 | 4.5 | 3.7 | 13.5 | | 11.4 | 13.5 |
| American Indian/Alaska Native | - | 0.3 | 0.6 | | 0.3 | 0.4 | 0.4 | 0.3 | 8.0 | 8.0 | | | | 5.7 | 0.2 |
| Asian/Pacific Islander | 0.4 | 0.3 | 0.4 | 0.2 | 0.1 | 0.2 | 0.4 | 0.5 | 0.3 | 1.0 | | | | | 0.6 |
| Other | 4.4 | 5.4 | 3.3 | 6.1 | 1.7 | 3.3 | 6.1 | 5.4 | 2.7 | 3.8 | 3.7 | | | | 3.5 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| No. of admissions | 49,070 | 7,996 | 5,806 | 1,131 | 4,924 | 6,055 | 3,266 | 15,235 | 766 | 711 | 109 | 37 | 1 | 35 | 2,998 |

⁻⁻ Quantity is zero.

Table 3.10
Hawaii
Admissions aged 12 and older by gender, age group, and race/ethnicity, according to primary substance: TEDS 2008

| | | | | | | F | Primary s | ubstance . | at admission | | | | | | |
|-------------------------------|------------|---------|-----------|--------|---------|---------|-----------|------------|--------------|-------|-------|--------|-------|--------|--------|
| | | A | lcohol | Opi | ates | Coca | ine | | | | | | | | |
| Gender, age group, and | All admis- | | | | | | |] | Metham- | | | | | | Other/ |
| race/ethnicity | sions | | | | | | | Mari- | phetamine/ | Tran- | | Hallu- | | | none |
| | aged 12 | Alcohol | Secondary | | Other | Smoked | Other | juana/ | amphet- | quil- | Seda- | cino- | | Inhal- | speci- |
| | and older | only | drug | Heroin | opiates | cocaine | route | hashish | amine | izers | tives | gens | PCP | ants | fied |
| Total admissions aged 12 | | | | | | | | | | | | | | | |
| and older | 7,185 | 1,442 | 1,334 | 138 | 185 | 177 | 69 | 1,875 | 1,874 | 11 | 11 | 1 | 1 | 7 | 60 |
| Gender | | | | | | | | | | | | | | | |
| Male | 64.7 | 66.6 | 65.4 | 65.9 | 62.2 | 71.8 | 71.0 | 64.4 | 63.0 | 27.3 | 81.8 | 100.0 | 100.0 | 42.9 | 43.3 |
| Female | 35.3 | 33.4 | 34.6 | 34.1 | 37.8 | 28.2 | 29.0 | 35.6 | 37.0 | 72.7 | 18.2 | | | 57.1 | 56.7 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| No. of admissions | 7,185 | 1,442 | 1,334 | 138 | 185 | 177 | 69 | 1,875 | 1,874 | 11 | 11 | 1 | 1 | 7 | 60 |
| Age at admission | | | | | | | | | | | | | | | |
| 12 to 19 years | 36.9 | 33.8 | 39.4 | 2.9 | 4.3 | 6.8 | 24.6 | 77.4 | 4.0 | 9.1 | 63.6 | 100.0 | | 100.0 | 90.0 |
| 20 to 24 years | 8.9 | 4.2 | 9.4 | 9.4 | 17.3 | 8.5 | 15.9 | 6.7 | 13.7 | 9.1 | 9.1 | | | | 1.7 |
| 25 to 29 years | 10.2 | 5.3 | 11.3 | 17.4 | 9.7 | 8.5 | 11.6 | 5.4 | 17.8 | | 9.1 | | | | 1.7 |
| 30 to 34 years | 9.1 | 5.7 | 6.2 | 15.9 | 14.1 | 9.6 | 7.2 | 3.8 | 18.1 | 18.2 | 9.1 | | | | 3.3 |
| 35 to 39 years | 8.8 | 7.3 | 7.7 | 13.8 | 14.1 | 13.0 | 4.3 | 2.1 | 16.5 | 27.3 | 9.1 | | | | 1.7 |
| 40 to 44 years | 8.8 | 11.6 | 7.5 | 10.9 | 8.1 | 14.7 | 14.5 | 1.7 | 14.2 | 9.1 | | | | | |
| 45 to 49 years | 8.6 | 12.5 | 9.7 | 15.2 | 15.7 | 17.5 | 11.6 | 1.8 | 9.9 | 18.2 | | | 100.0 | | |
| 50 to 54 years | 5.1 | 9.9 | 5.3 | 8.7 | 10.8 | 15.8 | 5.8 | 0.6 | 4.1 | 9.1 | | | | | 1.7 |
| 55 to 59 years | 2.5 | 6.4 | 2.6 | 3.6 | 5.4 | 5.1 | 2.9 | 0.1 | 1.3 | | | | | | |
| 60 years and older | 1.1 | 3.4 | 0.8 | 2.2 | 0.5 | 0.6 | 1.4 | 0.4 | 0.4 | | | | | | |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| No. of admissions | 7,185 | 1,442 | 1,334 | 138 | 185 | 177 | 69 | 1,875 | 1,874 | 11 | 11 | 1 | 1 | 7 | 60 |
| Race/ethnicity | | | | | | | | | | | | | | | |
| White (non-Hispanic) | 26.5 | 41.9 | 28.4 | 72.8 | 61.6 | 26.6 | 49.3 | 15.3 | 17.1 | 54.5 | | | 100.0 | 14.3 | 19.0 |
| Black (non-Hispanic) | 2.6 | 3.6 | 4.0 | 1.5 | 0.5 | 9.0 | 1.4 | 2.1 | 1.1 | | | | | | 5.2 |
| Hispanic origin | 4.1 | 4.1 | 3.6 | 7.4 | 1.6 | 7.3 | 8.7 | 4.2 | 3.7 | 9.1 | | | | | 8.6 |
| American Indian/Alaska Native | | 1.9 | 1.7 | 2.2 | 2.2 | 1.1 | 2.9 | 0.7 | 0.7 | 9.1 | | | | | |
| Asian/Pacific Islander | 63.4 | 46.8 | 59.9 | 15.4 | 31.4 | 52.5 | 37.7 | 75.0 | 75.5 | 27.3 | 100.0 | | | 85.7 | 63.8 |
| Other | 2.2 | 1.7 | 2.3 | 0.7 | 2.7 | 3.4 | | 2.7 | 1.9 | | | 100.0 | | | 3.4 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| No. of admissions | 7,138 | 1,431 | 1,323 | 136 | 185 | 177 | 69 | 1,861 | 1,867 | 11 | 11 | 1 | 1 | 7 | 58 |

⁻⁻ Quantity is zero.

Table 3.11
Idaho
Admissions aged 12 and older by gender, age group, and race/ethnicity, according to primary substance: TEDS 2008

| | | | | | | F | Primary s | ubstance | at admission | | | | | | |
|-------------------------------|------------|---------|-----------|--------|---------|---------|-----------|----------|--------------|-------|-------|--------|-----|--------|--------|
| | | Al | lcohol | Opi | ates | Coca | ine | | | | | | | | |
| Gender, age group, and | All admis- | | | | | | |] | Metham- | | | | | | Other/ |
| race/ethnicity | sions | | | | | | | Mari- | phetamine/ | Tran- | | Hallu- | | | none |
| | aged 12 | Alcohol | Secondary | | Other | Smoked | Other | juana/ | amphet- | quil- | Seda- | cino- | | Inhal- | speci- |
| | and older | only | drug | Heroin | opiates | cocaine | route | hashish | amine | izers | tives | gens | PCP | ants | fied |
| Total admissions aged 12 | | | | | | | | | | | | | | | |
| and older | 5,683 | 939 | 1,171 | 82 | 250 | 26 | 60 | 1,712 | 1,395 | 8 | 2 | 12 | | 11 | 15 |
| Gender | | | | | | | | | | | | | | | |
| Male | 61.6 | 64.3 | 66.1 | 61.0 | 44.0 | 46.2 | 63.3 | 71.4 | 47.8 | 25.0 | 50.0 | 91.7 | | 36.4 | 46.7 |
| Female | 38.4 | 35.7 | 33.9 | 39.0 | 56.0 | 53.8 | 36.7 | 28.6 | 52.2 | 75.0 | 50.0 | 8.3 | | 63.6 | 53.3 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | | 100.0 | 100.0 |
| No. of admissions | 5,659 | 933 | 1,167 | 82 | 250 | 26 | 60 | 1,704 | 1,389 | 8 | 2 | 12 | | 11 | 15 |
| Age at admission | | | | | | | | | | | | | | | |
| 12 to 19 years | 26.1 | 9.6 | 19.0 | 8.5 | 12.8 | 15.4 | 21.7 | 56.8 | 9.2 | 12.5 | 50.0 | 50.0 | | 9.1 | 40.0 |
| 20 to 24 years | 15.8 | 10.2 | 15.5 | 30.5 | 19.6 | 15.4 | 13.3 | 15.9 | 18.4 | | | 33.3 | | 18.2 | 20.0 |
| 25 to 29 years | 15.1 | 13.2 | 18.2 | 14.6 | 24.0 | 7.7 | 13.3 | 9.5 | 19.4 | 12.5 | | 8.3 | | 27.3 | 6.7 |
| 30 to 34 years | 12.1 | 11.5 | 13.2 | 14.6 | 15.6 | 7.7 | 11.7 | 7.1 | 17.1 | 12.5 | 50.0 | | | 27.3 | 13.3 |
| 35 to 39 years | 9.7 | 10.4 | 10.4 | 9.8 | 12.0 | 19.2 | 15.0 | 3.9 | 14.8 | 12.5 | | 8.3 | | 9.1 | 6.7 |
| 40 to 44 years | 8.5 | 14.6 | 8.5 | 9.8 | 8.0 | 23.1 | 13.3 | 3.2 | 10.6 | 25.0 | | | | 9.1 | 6.7 |
| 45 to 49 years | 6.9 | 13.5 | 8.5 | 7.3 | 5.2 | 3.8 | 6.7 | 2.4 | 7.1 | 12.5 | | | | | |
| 50 to 54 years | 3.6 | 9.9 | 3.8 | 3.7 | 2.4 | 7.7 | 3.3 | 0.8 | 2.7 | 12.5 | | | | | 6.7 |
| 55 to 59 years | 1.5 | 4.3 | 2.2 | 1.2 | 0.4 | | 1.7 | 0.4 | 0.6 | | | | | | |
| 60 years and older | 0.7 | 2.8 | 0.7 | | | | | 0.2 | 0.1 | | | | | | |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | | 100.0 | 100.0 |
| No. of admissions | 5,683 | 939 | 1,171 | 82 | 250 | 26 | 60 | 1,712 | 1,395 | 8 | 2 | 12 | | 11 | 15 |
| Race/ethnicity | | | | | | | | | | | | | | | |
| White (non-Hispanic) | 80.5 | 78.7 | 81.0 | 92.6 | 93.2 | 61.5 | 77.6 | 78.3 | 81.0 | 100.0 | 100.0 | 75.0 | | 100.0 | 86.7 |
| Black (non-Hispanic) | 1.0 | 0.9 | 1.0 | | 0.4 | 19.2 | | 1.5 | 0.4 | | | | | | |
| Hispanic origin | 13.9 | 14.6 | 11.8 | 4.9 | 4.0 | 19.2 | 10.3 | 17.0 | 14.3 | | | 8.3 | | | |
| American Indian/Alaska Native | 3.5 | 5.2 | 4.9 | 2.5 | 1.2 | | 8.6 | 2.2 | 3.2 | | | | | | 6.7 |
| Asian/Pacific Islander | 0.4 | 0.2 | 0.3 | | | | | 0.2 | 0.6 | | | 16.7 | | | |
| Other | 0.7 | 0.4 | 0.9 | | 1.2 | | 3.4 | 0.8 | 0.5 | | | | | | 6.7 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | | 100.0 | 100.0 |
| No. of admissions | 5,645 | 926 | 1,166 | 81 | 249 | 26 | 58 | 1,704 | 1,387 | 8 | 2 | 12 | | 11 | 15 |

⁻⁻ Quantity is zero.

Table 3.12
Illinois
Admissions aged 12 and older by gender, age group, and race/ethnicity, according to primary substance: TEDS 2008

| | | | | | | F | Primary s | ubstance | at admission | | | | | | |
|-------------------------------|------------|---------|-----------|--------|---------|---------|-----------|----------|--------------|-------|-------|--------|-------|--------|--------|
| | | Al | lcohol | Opi | ates | Coca | ine | | | | | | | | |
| Gender, age group, and | All admis- | | | | | | | | Metham- | | | | | | Other/ |
| race/ethnicity | sions | | | | | | | Mari- | phetamine/ | Tran- | | Hallu- | | | none |
| | aged 12 | Alcohol | Secondary | | Other | Smoked | Other | juana/ | amphet- | quil- | Seda- | cino- | | Inhal- | speci- |
| | and older | only | drug | Heroin | opiates | cocaine | route | hashish | amine | izers | tives | gens | PCP | ants | fied |
| Total admissions aged 12 | | | | | | | | | | | | | | | |
| and older | 66,316 | 10,747 | 9,518 | 17,411 | 1,446 | 8,977 | 1,872 | 14,064 | 869 | 165 | 35 | 42 | 56 | 43 | 1,071 |
| Gender | | | | | | | | | | | | | | | |
| Male | 65.2 | 70.8 | 69.7 | 58.6 | 47.1 | 55.5 | 62.4 | 75.4 | 52.4 | 39.4 | 25.7 | 73.8 | 44.6 | 76.7 | 71.0 |
| Female | 34.8 | 29.2 | 30.3 | 41.4 | 52.9 | 44.5 | 37.6 | 24.6 | 47.6 | 60.6 | 74.3 | 26.2 | 55.4 | 23.3 | 29.0 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| No. of admissions | 66,316 | 10,747 | 9,518 | 17,411 | 1,446 | 8,977 | 1,872 | 14,064 | 869 | 165 | 35 | 42 | 56 | 43 | 1,071 |
| Age at admission | | | | | | | | | | | | | | | |
| 12 to 19 years | 15.9 | 6.9 | 13.5 | 1.8 | 7.8 | 1.4 | 7.7 | 52.6 | 6.4 | 19.4 | 22.9 | 31.0 | 3.6 | 44.2 | 24.8 |
| 20 to 24 years | 12.3 | 10.0 | 14.5 | 9.1 | 18.7 | 4.8 | 14.8 | 19.7 | 18.8 | 16.4 | 14.3 | 33.3 | 14.3 | 9.3 | 15.6 |
| 25 to 29 years | 12.2 | 13.1 | 14.3 | 9.6 | 24.9 | 8.6 | 19.3 | 12.3 | 22.3 | 16.4 | 8.6 | 14.3 | 33.9 | 9.3 | 14.8 |
| 30 to 34 years | 9.9 | 11.4 | 11.3 | 8.3 | 16.7 | 11.4 | 14.4 | 6.5 | 16.6 | 16.4 | 14.3 | 19.0 | 21.4 | 11.6 | 13.8 |
| 35 to 39 years | 12.3 | 12.7 | 12.1 | 15.7 | 11.3 | 18.4 | 13.6 | 3.9 | 13.9 | 9.7 | 11.4 | | 21.4 | 7.0 | 10.9 |
| 40 to 44 years | 13.5 | 13.8 | 12.6 | 18.9 | 8.3 | 23.0 | 13.6 | 2.5 | 11.2 | 7.3 | 8.6 | 2.4 | 3.6 | 4.7 | 7.0 |
| 45 to 49 years | 11.9 | 14.4 | 11.9 | 16.4 | 5.9 | 19.4 | 10.4 | 1.5 | 8.4 | 4.8 | 11.4 | | | 4.7 | 5.5 |
| 50 to 54 years | 7.4 | 10.1 | 6.6 | 12.2 | 3.5 | 9.1 | 3.7 | 0.6 | 1.5 | 6.1 | 5.7 | | 1.8 | 9.3 | 4.9 |
| 55 to 59 years | 3.2 | 4.6 | 2.6 | 5.7 | 2.0 | 3.0 | 1.7 | 0.3 | 0.7 | 1.8 | | | | | 1.6 |
| 60 years and older | 1.3 | 2.8 | 0.5 | 2.3 | 0.8 | 0.9 | 0.7 | 0.1 | 0.2 | 1.8 | 2.9 | | | | 1.0 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| No. of admissions | 66,316 | 10,747 | 9,518 | 17,411 | 1,446 | 8,977 | 1,872 | 14,064 | 869 | 165 | 35 | 42 | 56 | 43 | 1,071 |
| Race/ethnicity | | | | | | | | | | | | | | | |
| White (non-Hispanic) | 44.8 | 63.1 | 56.3 | 25.9 | 87.6 | 30.5 | 57.8 | 45.6 | 90.2 | 87.9 | 88.6 | 66.7 | 14.3 | 79.1 | 48.6 |
| Black (non-Hispanic) | 43.1 | 20.5 | 31.5 | 64.3 | 6.6 | 63.4 | 24.2 | 39.0 | 3.6 | 3.6 | 2.9 | 23.8 | 50.0 | 16.3 | 38.1 |
| Hispanic origin | 8.7 | 12.8 | 8.9 | 6.8 | 4.1 | 4.1 | 13.1 | 10.9 | 3.7 | 6.7 | 8.6 | 4.8 | 32.1 | 4.7 | 10.2 |
| American Indian/Alaska Native | | 0.6 | 8.0 | 0.2 | 0.2 | 0.4 | 0.4 | 0.7 | 0.6 | 0.6 | | 2.4 | | | 0.3 |
| Asian/Pacific Islander | 0.3 | 0.5 | 0.4 | 0.2 | 0.4 | 0.1 | 0.7 | 0.5 | 0.6 | 0.6 | | | | | 0.8 |
| Other | 2.5 | 2.5 | 2.1 | 2.6 | 1.1 | 1.5 | 3.7 | 3.3 | 1.4 | 0.6 | | 2.4 | 3.6 | | 2.1 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| No. of admissions | 66,316 | 10,747 | 9,518 | 17,411 | 1,446 | 8,977 | 1,872 | 14,064 | 869 | 165 | 35 | 42 | 56 | 43 | 1,071 |

⁻⁻ Quantity is zero.

Table 3.13
Indiana
Admissions aged 12 and older by gender, age group, and race/ethnicity, according to primary substance: TEDS 2008

| | | | | | | F | Primary s | ubstance | at admission | | | | | | |
|-------------------------------|------------|---------|-----------|--------|---------|---------|-----------|----------|--------------|-------|-------|--------|-----|--------|--------|
| | | Al | lcohol | Opi | ates | Coca | ine | | | | | | | | |
| Gender, age group, and | All admis- | | | | | | | | Metham- | | | | | | Other/ |
| race/ethnicity | sions | | | | | | | Mari- | phetamine/ | Tran- | | Hallu- | | | none |
| | aged 12 | Alcohol | Secondary | | Other | Smoked | Other | juana/ | amphet- | quil- | Seda- | cino- | | Inhal- | speci- |
| | and older | only | drug | Heroin | opiates | cocaine | route | hashish | amine | izers | tives | gens | PCP | ants | fied |
| Total admissions aged 12 | | | | | | | | | | | | | | | |
| and older | 19,084 | 4,539 | 4,483 | 562 | 1,480 | 1,337 | 429 | 4,712 | 993 | 240 | 56 | 26 | | 11 | 216 |
| Gender | | | | | | | | | | | | | | | |
| Male | 67.5 | 72.8 | 74.1 | 58.7 | 50.1 | 49.8 | 59.0 | 72.2 | 56.7 | 47.5 | 48.2 | 46.2 | | 81.8 | 62.5 |
| Female | 32.5 | 27.2 | 25.9 | 41.3 | 49.9 | 50.2 | 41.0 | 27.8 | 43.3 | 52.5 | 51.8 | 53.8 | | 18.2 | 37.5 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | | 100.0 | 100.0 |
| No. of admissions | 19,084 | 4,539 | 4,483 | 562 | 1,480 | 1,337 | 429 | 4,712 | 993 | 240 | 56 | 26 | | 11 | 216 |
| Age at admission | | | | | | | | | | | | | | | |
| 12 to 19 years | 10.1 | 5.8 | 8.1 | 4.1 | 4.5 | 1.5 | 5.1 | 22.9 | 3.6 | 10.4 | 14.3 | 3.8 | | 45.5 | 12.0 |
| 20 to 24 years | 21.1 | 14.9 | 20.8 | 22.4 | 25.0 | 8.0 | 16.3 | 30.5 | 18.6 | 21.7 | 30.4 | 30.8 | | 9.1 | 21.3 |
| 25 to 29 years | 18.6 | 13.7 | 18.8 | 25.4 | 27.4 | 13.8 | 20.3 | 19.6 | 21.8 | 21.3 | 21.4 | 19.2 | | 9.1 | 22.7 |
| 30 to 34 years | 13.0 | 12.0 | 12.0 | 17.3 | 18.1 | 14.6 | 15.6 | 10.7 | 20.1 | 14.2 | 10.7 | 30.8 | | 27.3 | 10.6 |
| 35 to 39 years | 10.8 | 11.4 | 11.2 | 7.5 | 9.3 | 18.4 | 14.7 | 7.3 | 14.5 | 11.3 | 8.9 | 15.4 | | | 9.3 |
| 40 to 44 years | 9.8 | 13.2 | 11.8 | 6.2 | 6.6 | 16.8 | 11.7 | 4.2 | 10.3 | 7.1 | 3.6 | | | 9.1 | 10.6 |
| 45 to 49 years | 8.5 | 13.4 | 9.4 | 8.0 | 5.3 | 14.0 | 8.9 | 2.8 | 7.6 | 8.3 | 8.9 | | | | 7.4 |
| 50 to 54 years | 5.1 | 8.2 | 5.7 | 5.2 | 2.6 | 9.6 | 5.1 | 1.6 | 2.4 | 3.8 | | | | | 4.2 |
| 55 to 59 years | 2.0 | 4.2 | 1.8 | 2.8 | 0.9 | 2.4 | 1.9 | 0.5 | 0.6 | 1.3 | | | | | 1.4 |
| 60 years and older | 1.0 | 3.2 | 0.4 | 1.1 | 0.3 | 0.8 | 0.5 | 0.1 | 0.5 | 0.8 | 1.8 | | | | 0.5 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | | 100.0 | 100.0 |
| No. of admissions | 19,084 | 4,539 | 4,483 | 562 | 1,480 | 1,337 | 429 | 4,712 | 993 | 240 | 56 | 26 | | 11 | 216 |
| Race/ethnicity | | | | | | | | | | | | | | | |
| White (non-Hispanic) | 75.7 | 77.4 | 77.1 | 80.1 | 93.2 | 51.1 | 70.2 | 68.6 | 93.8 | 91.7 | 98.2 | 76.9 | | 100.0 | 88.4 |
| Black (non-Hispanic) | 16.0 | 12.5 | 13.4 | 14.2 | 1.8 | 43.2 | 21.4 | 22.8 | 1.0 | 4.6 | | 11.5 | | | 8.3 |
| Hispanic origin | 4.2 | 5.6 | 4.9 | 3.9 | 2.4 | 3.1 | 3.7 | 4.0 | 1.5 | 8.0 | | 7.7 | | | 1.4 |
| American Indian/Alaska Native | | 0.7 | 0.7 | | 0.2 | 0.4 | 0.2 | 0.5 | 0.6 | | | | | | |
| Asian/Pacific Islander | 0.5 | 0.7 | 0.5 | | 0.1 | 0.2 | 0.7 | 0.6 | 0.7 | 0.4 | | 3.8 | | | |
| Other | 3.1 | 3.1 | 3.5 | 1.8 | 2.2 | 2.1 | 3.7 | 3.6 | 2.4 | 2.5 | 1.8 | | | | 1.9 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | | 100.0 | 100.0 |
| No. of admissions | 19,084 | 4,539 | 4,483 | 562 | 1,480 | 1,337 | 429 | 4,712 | 993 | 240 | 56 | 26 | | 11 | 216 |

⁻⁻ Quantity is zero.

Table 3.14

Iowa

Admissions aged 12 and older by gender, age group, and race/ethnicity, according to primary substance: TEDS 2008

| | | | | | | F | Primary s | ubstance | at admission | | | | | | |
|-------------------------------|------------|---------|-----------|--------|---------|---------|-----------|----------|--------------|-------|-------|--------|-------|--------|--------|
| | | Al | lcohol | Opi | ates | Coca | ine | | | | | | | | |
| Gender, age group, and | All admis- | | | | | | | | Metham- | | | | | | Other/ |
| race/ethnicity | sions | | | | | | | Mari- | phetamine/ | Tran- | | Hallu- | | | none |
| | aged 12 | Alcohol | Secondary | | Other | Smoked | Other | juana/ | amphet- | quil- | Seda- | cino- | | Inhal- | speci- |
| | and older | only | drug | Heroin | opiates | cocaine | route | hashish | amine | izers | tives | gens | PCP | ants | fied |
| Total admissions aged 12 | | | | | | | | | | | | | | | |
| and older | 23,289 | 7,341 | 5,454 | 168 | 571 | 1,037 | 374 | 5,750 | 2,334 | 59 | 22 | 18 | 10 | 11 | 140 |
| Gender | | | | | | | | | | | | | | | |
| Male | 68.9 | 72.9 | 71.9 | 62.5 | 48.5 | 50.5 | 63.6 | 73.5 | 54.6 | 40.7 | 40.9 | 61.1 | 70.0 | 18.2 | 50.7 |
| Female | 31.1 | 27.1 | 28.1 | 37.5 | 51.5 | 49.5 | 36.4 | 26.5 | 45.4 | 59.3 | 59.1 | 38.9 | 30.0 | 81.8 | 49.3 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| No. of admissions | 23,289 | 7,341 | 5,454 | 168 | 571 | 1,037 | 374 | 5,750 | 2,334 | 59 | 22 | 18 | 10 | 11 | 140 |
| Age at admission | | | | | | | | | | | | | | | |
| 12 to 19 years | 17.2 | 7.9 | 16.2 | 2.4 | 6.7 | 3.3 | 8.6 | 39.4 | 4.2 | 11.9 | 9.1 | 22.2 | 20.0 | 72.7 | 27.1 |
| 20 to 24 years | 18.3 | 15.2 | 20.3 | 15.5 | 14.9 | 8.7 | 18.2 | 23.5 | 16.1 | 8.5 | 18.2 | 27.8 | 20.0 | 9.1 | 16.4 |
| 25 to 29 years | 15.9 | 13.7 | 16.9 | 23.8 | 22.4 | 12.2 | 17.6 | 14.6 | 22.5 | 15.3 | 22.7 | 22.2 | 20.0 | | 15.7 |
| 30 to 34 years | 11.2 | 9.9 | 11.6 | 16.7 | 18.4 | 12.5 | 16.3 | 8.8 | 16.9 | 11.9 | | 22.2 | | | 11.4 |
| 35 to 39 years | 9.9 | 11.0 | 10.1 | 5.4 | 12.1 | 16.4 | 14.7 | 4.8 | 15.2 | 5.1 | | | 20.0 | | 10.0 |
| 40 to 44 years | 9.5 | 11.5 | 9.0 | 5.4 | 8.8 | 21.3 | 13.1 | 3.9 | 12.4 | 10.2 | 18.2 | 5.6 | 10.0 | | 7.9 |
| 45 to 49 years | 8.9 | 12.9 | 9.0 | 11.9 | 8.2 | 14.3 | 6.7 | 3.0 | 8.4 | 20.3 | 18.2 | | | | 6.4 |
| 50 to 54 years | 5.4 | 9.1 | 4.7 | 12.5 | 5.8 | 8.5 | 3.5 | 1.3 | 3.3 | 10.2 | 9.1 | | 10.0 | 18.2 | 4.3 |
| 55 to 59 years | 2.4 | 4.9 | 1.7 | 3.6 | 2.1 | 2.7 | 0.8 | 0.5 | 0.8 | 6.8 | | | | | 0.7 |
| 60 years and older | 1.5 | 4.0 | 0.6 | 3.0 | 0.7 | 0.2 | 0.5 | 0.2 | 0.1 | | 4.5 | | | | |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| No. of admissions | 23,289 | 7,341 | 5,454 | 168 | 571 | 1,037 | 374 | 5,750 | 2,334 | 59 | 22 | 18 | 10 | 11 | 140 |
| Race/ethnicity | | | | | | | | | | | | | | | |
| White (non-Hispanic) | 84.7 | 88.8 | 84.8 | 70.8 | 93.5 | 64.5 | 72.5 | 79.5 | 93.5 | 94.9 | 95.5 | 77.8 | 40.0 | 81.8 | 87.9 |
| Black (non-Hispanic) | 8.1 | 3.8 | 7.7 | 24.4 | 2.6 | 30.3 | 17.4 | 12.5 | 0.5 | | | 5.6 | 60.0 | | 2.9 |
| Hispanic origin | 4.7 | 5.1 | 4.4 | 2.4 | 2.1 | 3.0 | 7.5 | 5.1 | 3.8 | 3.4 | | 16.7 | | 9.1 | 6.4 |
| American Indian/Alaska Native | | 1.0 | 1.7 | 0.6 | 1.6 | 0.6 | | 0.9 | 1.1 | | 4.5 | | | | 0.7 |
| Asian/Pacific Islander | 0.5 | 0.6 | 0.6 | 1.2 | | 0.4 | 1.6 | 0.5 | 0.5 | 1.7 | | | | | |
| Other | 1.0 | 0.7 | 0.9 | 0.6 | 0.2 | 1.2 | 1.1 | 1.5 | 0.6 | | | | | 9.1 | 2.1 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| No. of admissions | 23,259 | 7,329 | 5,450 | 168 | 571 | 1,035 | 374 | 5,742 | 2,330 | 59 | 22 | 18 | 10 | 11 | 140 |

⁻⁻ Quantity is zero.

Table 3.15

Kansas

Admissions aged 12 and older by gender, age group, and race/ethnicity, according to primary substance: TEDS 2008

| | | | | | | F | Primary s | ubstance | at admission | | | | | | |
|-------------------------------|------------|---------|-----------|--------|---------|---------|-----------|----------|--------------|-------|-------|--------|-------|--------|--------|
| | | Al | lcohol | Opi | ates | Coca | ine | | | | | | | | |
| Gender, age group, and | All admis- | | | | | | | | Metham- | | | | | | Other/ |
| race/ethnicity | sions | | | | | | | Mari- | phetamine/ | Tran- | | Hallu- | | | none |
| | aged 12 | Alcohol | Secondary | | Other | Smoked | Other | juana/ | amphet- | quil- | Seda- | cino- | | Inhal- | speci- |
| | and older | only | drug | Heroin | opiates | cocaine | route | hashish | amine | izers | tives | gens | PCP | ants | fied |
| Total admissions aged 12 | | | | | | | | | | | | | | | |
| and older | 16,662 | 3,197 | 4,133 | 114 | 580 | 1,618 | 491 | 4,459 | 1,810 | 66 | 23 | 14 | 60 | 29 | 68 |
| Gender | | | | | | | | | | | | | | | |
| Male | 66.9 | 74.6 | 72.2 | 62.3 | 42.9 | 53.0 | 58.9 | 72.6 | 52.1 | 47.0 | 43.5 | 78.6 | 48.3 | 48.3 | 48.5 |
| Female | 33.1 | 25.4 | 27.8 | 37.7 | 57.1 | 47.0 | 41.1 | 27.4 | 47.9 | 53.0 | 56.5 | 21.4 | 51.7 | 51.7 | 51.5 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| No. of admissions | 16,662 | 3,197 | 4,133 | 114 | 580 | 1,618 | 491 | 4,459 | 1,810 | 66 | 23 | 14 | 60 | 29 | 68 |
| Age at admission | | | | | | | | | | | | | | | |
| 12 to 19 years | 18.9 | 6.8 | 11.9 | 6.1 | 7.4 | 2.2 | 13.6 | 46.7 | 7.7 | 4.5 | 21.7 | 50.0 | 6.7 | 65.5 | 45.6 |
| 20 to 24 years | 15.7 | 11.1 | 16.0 | 24.6 | 18.3 | 6.8 | 13.8 | 20.7 | 17.8 | 16.7 | 17.4 | 28.6 | 21.7 | 3.4 | 11.8 |
| 25 to 29 years | 14.3 | 11.4 | 15.0 | 23.7 | 21.2 | 10.6 | 14.9 | 12.1 | 23.1 | 16.7 | 13.0 | 7.1 | 48.3 | 13.8 | 5.9 |
| 30 to 34 years | 11.1 | 10.7 | 11.2 | 13.2 | 13.4 | 13.0 | 15.3 | 7.1 | 17.4 | 25.8 | 8.7 | 14.3 | 13.3 | 3.4 | 10.3 |
| 35 to 39 years | 10.3 | 10.7 | 11.7 | 11.4 | 11.2 | 17.4 | 12.6 | 4.8 | 13.1 | 7.6 | 4.3 | | 1.7 | 3.4 | 8.8 |
| 40 to 44 years | 10.6 | 14.0 | 12.0 | 7.0 | 8.4 | 20.8 | 13.0 | 3.6 | 9.9 | 9.1 | 13.0 | | 6.7 | | 5.9 |
| 45 to 49 years | 9.7 | 15.0 | 11.8 | 2.6 | 8.1 | 16.5 | 10.2 | 3.3 | 6.7 | 10.6 | 17.4 | | 1.7 | | 4.4 |
| 50 to 54 years | 5.9 | 10.7 | 6.9 | 9.6 | 7.9 | 9.3 | 5.3 | 1.3 | 3.3 | 7.6 | 4.3 | | | 3.4 | 5.9 |
| 55 to 59 years | 2.3 | 5.8 | 2.8 | 1.8 | 3.1 | 2.4 | 0.6 | 0.3 | 0.4 | 1.5 | | | | | 1.5 |
| 60 years and older | 1.1 | 3.8 | 0.8 | | 0.9 | 1.0 | 0.6 | 0.1 | 0.4 | | | | | 6.9 | |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| No. of admissions | 16,662 | 3,197 | 4,133 | 114 | 580 | 1,618 | 491 | 4,459 | 1,810 | 66 | 23 | 14 | 60 | 29 | 68 |
| Race/ethnicity | | | | | | | | | | | | | | | |
| White (non-Hispanic) | 70.4 | 78.0 | 72.1 | 78.9 | 88.4 | 51.2 | 64.8 | 61.4 | 87.7 | 95.5 | 91.3 | 57.1 | 13.3 | 58.6 | 80.9 |
| Black (non-Hispanic) | 14.8 | 6.8 | 11.8 | 11.4 | 3.8 | 41.5 | 17.1 | 20.0 | 1.4 | | 4.3 | 21.4 | 83.3 | | 1.5 |
| Hispanic origin | 9.6 | 9.7 | 10.0 | 4.4 | 3.3 | 5.1 | 13.6 | 12.7 | 6.1 | 1.5 | 4.3 | 14.3 | 1.7 | 37.9 | 7.4 |
| American Indian/Alaska Native | _ | 3.0 | 3.3 | 2.6 | 2.2 | 0.9 | 2.2 | 2.2 | 2.8 | | | | 1.7 | | 2.9 |
| Asian/Pacific Islander | 0.6 | 0.8 | 0.7 | | 0.3 | 0.3 | 0.6 | 0.8 | 0.4 | 1.5 | | | | | 1.5 |
| Other | 2.1 | 1.8 | 2.1 | 2.6 | 1.9 | 1.0 | 1.6 | 2.9 | 1.6 | 1.5 | | 7.1 | | 3.4 | 5.9 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| No. of admissions | 16,662 | 3,197 | 4,133 | 114 | 580 | 1,618 | 491 | 4,459 | 1,810 | 66 | 23 | 14 | 60 | 29 | 68 |

⁻⁻ Quantity is zero.

Table 3.16
Kentucky
Admissions aged 12 and older by gender, age group, and race/ethnicity, according to primary substance: TEDS 2008

| | | | | | | F | Primary s | ubstance | at admission | | | | | | |
|-------------------------------|------------|---------|-----------|--------|---------|---------|-----------|----------|--------------|-------|-------|--------|-------|--------|--------|
| | | A | lcohol | Орі | ates | Coca | ine | | | | | | | | |
| Gender, age group, and | All admis- | | | | | | | | Metham- | | | | | | Other/ |
| race/ethnicity | sions | | | | | | | Mari- | phetamine/ | Tran- | | Hallu- | | | none |
| | aged 12 | Alcohol | Secondary | | Other | Smoked | Other | juana/ | amphet- | quil- | Seda- | cino- | | Inhal- | speci- |
| | and older | only | drug | Heroin | opiates | cocaine | route | hashish | amine | izers | tives | gens | PCP | ants | fied |
| Total admissions aged 12 | | | | | | | | | | | | | | | |
| and older | 22,148 | 4,281 | 4,290 | 694 | 4,298 | 1,945 | 907 | 3,831 | 843 | 625 | 25 | 19 | 1 | 27 | 362 |
| Gender | | | | | | | | | | | | | | | |
| Male | 61.1 | 74.9 | 69.7 | 52.2 | 51.4 | 49.8 | 52.7 | 62.0 | 53.4 | 41.8 | 32.0 | 31.6 | 100.0 | 25.9 | 55.6 |
| Female | 38.9 | 25.1 | 30.3 | 47.8 | 48.6 | 50.2 | 47.3 | 38.0 | 46.6 | 58.2 | 68.0 | 68.4 | | 74.1 | 44.4 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| No. of admissions | 22,140 | 4,279 | 4,290 | 694 | 4,296 | 1,944 | 907 | 3,830 | 843 | 625 | 25 | 19 | 1 | 27 | 360 |
| Age at admission | | | | | | | | | | | | | | | |
| 12 to 19 years | 7.8 | 3.5 | 5.5 | 1.6 | 4.3 | 1.6 | 3.0 | 24.8 | 3.2 | 10.1 | | 5.3 | | 18.5 | 11.3 |
| 20 to 24 years | 16.2 | 9.6 | 14.0 | 21.0 | 21.3 | 8.5 | 11.8 | 24.2 | 14.4 | 18.4 | 12.0 | 15.8 | | 25.9 | 13.8 |
| 25 to 29 years | 18.6 | 10.6 | 14.9 | 25.2 | 28.7 | 14.3 | 21.7 | 19.2 | 21.2 | 23.5 | 12.0 | 10.5 | | 11.1 | 19.3 |
| 30 to 34 years | 14.9 | 11.0 | 14.7 | 15.7 | 18.6 | 16.1 | 21.2 | 11.9 | 22.9 | 10.2 | 12.0 | 26.3 | | 14.8 | 14.4 |
| 35 to 39 years | 12.6 | 13.0 | 13.8 | 10.5 | 9.9 | 19.2 | 14.0 | 8.7 | 19.5 | 14.1 | 8.0 | 10.5 | | 25.9 | 14.4 |
| 40 to 44 years | 11.6 | 17.4 | 14.4 | 7.1 | 7.6 | 17.1 | 11.9 | 5.5 | 8.5 | 10.6 | 8.0 | 15.8 | | | 9.7 |
| 45 to 49 years | 9.2 | 14.9 | 12.3 | 7.6 | 4.1 | 13.8 | 8.8 | 3.2 | 6.6 | 9.3 | 20.0 | 15.8 | | | 12.4 |
| 50 to 54 years | 5.7 | 10.5 | 6.8 | 6.6 | 3.8 | 7.9 | 5.1 | 1.6 | 1.8 | 2.4 | 28.0 | | 100.0 | | 2.8 |
| 55 to 59 years | 2.1 | 4.7 | 2.6 | 3.9 | 0.9 | 1.2 | 1.9 | 0.7 | 1.4 | 1.0 | | | | 3.7 | 1.1 |
| 60 years and older | 1.4 | 4.6 | 1.0 | 0.7 | 0.9 | 0.3 | 0.7 | 0.3 | 0.5 | 0.5 | | | | | 0.8 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| No. of admissions | 22,148 | 4,281 | 4,290 | 694 | 4,298 | 1,945 | 907 | 3,831 | 843 | 625 | 25 | 19 | 1 | 27 | 362 |
| Race/ethnicity | | | | | | | | | | | | | | | |
| White (non-Hispanic) | 85.9 | 89.7 | 82.9 | 85.6 | 98.0 | 57.7 | 77.6 | 82.7 | 96.4 | 97.4 | 100.0 | 84.2 | | 92.6 | 94.2 |
| Black (non-Hispanic) | 11.9 | 7.7 | 14.9 | 12.2 | 0.5 | 39.7 | 20.3 | 14.8 | 0.8 | 1.1 | | 15.8 | | 3.7 | 3.9 |
| Hispanic origin | 0.7 | 1.3 | 0.8 | 0.7 | 0.3 | 0.6 | 0.4 | 0.8 | 0.4 | 0.3 | | | | | 0.6 |
| American Indian/Alaska Native | _ | 0.1 | 0.2 | | 0.2 | 0.2 | 0.3 | 0.2 | 0.4 | | | | | 3.7 | |
| Asian/Pacific Islander | 0.1 | 0.1 | 0.1 | 0.4 | * | 0.1 | | | | | | | | | |
| Other | 1.3 | 1.0 | 1.2 | 1.0 | 0.9 | 1.8 | 1.3 | 1.5 | 2.0 | 1.1 | | | 100.0 | | 1.4 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| No. of admissions | 22,147 | 4,281 | 4,290 | 694 | 4,298 | 1,945 | 906 | 3,831 | 843 | 625 | 25 | 19 | 1 | 27 | 362 |

⁻⁻ Quantity is zero.

Table 3.17
Louisiana
Admissions aged 12 and older by gender, age group, and race/ethnicity, according to primary substance: TEDS 2008

| | | | | | | F | Primary s | ubstance | at admission | | | | | | |
|-------------------------------|------------|---------|-----------|--------|---------|---------|-----------|----------|--------------|-------|-------|--------|-------|--------|--------|
| | | A | lcohol | Opi | ates | Coca | ine | | | | | | | | |
| Gender, age group, and | All admis- | | | | | | | 1 | Metham- | | | | | | Other/ |
| race/ethnicity | sions | | | | | | | Mari- | phetamine/ | Tran- | | Hallu- | | | none |
| | aged 12 | Alcohol | Secondary | | Other | Smoked | Other | juana/ | amphet- | quil- | Seda- | cino- | | Inhal- | speci- |
| | and older | only | drug | Heroin | opiates | cocaine | route | hashish | amine | izers | tives | gens | PCP | ants | fied |
| Total admissions aged 12 | | | | | | | | | | | | | | | |
| and older | 25,286 | 3,130 | 4,502 | 640 | 2,845 | 4,361 | 1,300 | 5,710 | 718 | 341 | 219 | 35 | 30 | 10 | 1,445 |
| Gender | | | | | | | | | | | | | | | |
| Male | 67.0 | 77.2 | 72.0 | 71.3 | 49.6 | 63.9 | 66.5 | 75.2 | 51.5 | 43.7 | 45.2 | 71.4 | 73.3 | 70.0 | 55.9 |
| Female | 33.0 | 22.8 | 28.0 | 28.8 | 50.4 | 36.1 | 33.5 | 24.8 | 48.5 | 56.3 | 54.8 | 28.6 | 26.7 | 30.0 | 44.1 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| No. of admissions | 25,286 | 3,130 | 4,502 | 640 | 2,845 | 4,361 | 1,300 | 5,710 | 718 | 341 | 219 | 35 | 30 | 10 | 1,445 |
| Age at admission | | | | | | | | | | | | | | | |
| 12 to 19 years | 10.5 | 2.9 | 3.7 | 2.8 | 3.0 | 0.7 | 4.2 | 35.2 | 4.6 | 8.8 | 6.4 | 20.0 | 6.7 | 100.0 | 6.6 |
| 20 to 24 years | 15.1 | 7.9 | 11.7 | 18.3 | 20.9 | 5.1 | 14.2 | 24.3 | 17.0 | 26.7 | 32.4 | 37.1 | 53.3 | | 16.1 |
| 25 to 29 years | 17.6 | 10.9 | 16.0 | 24.8 | 30.1 | 11.0 | 22.3 | 17.9 | 23.1 | 26.7 | 22.8 | 14.3 | 23.3 | | 19.0 |
| 30 to 34 years | 13.1 | 10.4 | 13.9 | 20.0 | 16.7 | 12.8 | 17.5 | 9.3 | 24.4 | 14.1 | 12.3 | 17.1 | 13.3 | | 12.9 |
| 35 to 39 years | 11.4 | 12.9 | 14.1 | 11.9 | 10.6 | 17.0 | 13.7 | 4.8 | 12.8 | 5.3 | 9.1 | 5.7 | | | 8.9 |
| 40 to 44 years | 11.3 | 15.2 | 14.0 | 7.3 | 6.9 | 21.3 | 12.2 | 3.6 | 8.9 | 6.7 | 4.1 | 2.9 | | | 8.7 |
| 45 to 49 years | 10.5 | 16.9 | 14.6 | 5.5 | 6.3 | 17.8 | 9.0 | 2.6 | 5.8 | 5.3 | 6.8 | 2.9 | 3.3 | | 9.3 |
| 50 to 54 years | 6.5 | 12.7 | 7.6 | 5.5 | 3.8 | 10.4 | 5.2 | 1.6 | 2.4 | 3.8 | 3.2 | | | | 8.2 |
| 55 to 59 years | 2.5 | 5.6 | 3.5 | 2.3 | 1.3 | 2.7 | 1.5 | 0.5 | 0.8 | 2.1 | 1.4 | | | | 4.2 |
| 60 years and older | 1.5 | 4.6 | 0.8 | 1.6 | 0.6 | 1.2 | 0.2 | 0.2 | 0.1 | 0.6 | 1.4 | | | | 6.0 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| No. of admissions | 25,286 | 3,130 | 4,502 | 640 | 2,845 | 4,361 | 1,300 | 5,710 | 718 | 341 | 219 | 35 | 30 | 10 | 1,445 |
| Race/ethnicity | | | | | | | | | | | | | | | |
| White (non-Hispanic) | 60.0 | 68.5 | 62.2 | 56.9 | 90.9 | 42.0 | 58.8 | 43.8 | 95.5 | 89.4 | 87.2 | 42.9 | 3.3 | 100.0 | 68.1 |
| Black (non-Hispanic) | 37.1 | 27.5 | 34.4 | 39.8 | 6.9 | 56.0 | 38.1 | 53.5 | 1.0 | 7.9 | 10.0 | 54.3 | 96.7 | | 29.9 |
| Hispanic origin | 1.7 | 2.5 | 2.0 | 2.7 | 1.5 | 1.1 | 2.1 | 1.7 | 1.8 | 1.2 | 2.3 | | | | 1.0 |
| American Indian/Alaska Native | | 0.8 | 0.7 | 0.2 | 0.2 | 0.5 | 0.5 | 0.5 | 1.0 | 0.3 | | | | | 0.3 |
| Asian/Pacific Islander | 0.3 | 0.3 | 0.4 | 0.5 | 0.1 | 0.2 | 0.4 | 0.2 | | | 0.5 | 2.9 | | | 0.4 |
| Other | 0.3 | 0.3 | 0.3 | | 0.4 | 0.3 | 0.2 | 0.4 | 0.7 | 1.2 | | | | | 0.2 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| No. of admissions | 25,284 | 3,130 | 4,502 | 640 | 2,845 | 4,361 | 1,300 | 5,708 | 718 | 341 | 219 | 35 | 30 | 10 | 1,445 |

⁻⁻ Quantity is zero.

Table 3.18
Maine
Admissions aged 12 and older by gender, age group, and race/ethnicity, according to primary substance: TEDS 2008

| | | | | | | F | Primary s | ubstance | at admission | | | | | | |
|-------------------------------|------------|---------|-----------|--------|---------|---------|-----------|----------|--------------|-------|-------|--------|-------|--------|--------|
| | | Al | lcohol | Opi | ates | Coca | ine | | | | | | | | |
| Gender, age group, and | All admis- | | | | | | | | Metham- | | | | | | Other/ |
| race/ethnicity | sions | | | | | | | Mari- | phetamine/ | Tran- | | Hallu- | | | none |
| | aged 12 | Alcohol | Secondary | | Other | Smoked | Other | juana/ | amphet- | quil- | Seda- | cino- | | Inhal- | speci- |
| | and older | only | drug | Heroin | opiates | cocaine | route | hashish | amine | izers | tives | gens | PCP | ants | fied |
| Total admissions aged 12 | | | | | | | | | | | | | | | |
| and older | 15,363 | 4,559 | 2,690 | 1,269 | 4,416 | 368 | 434 | 1,356 | 70 | 85 | 23 | 5 | 3 | 10 | 75 |
| Gender | | | | | | | | | | | | | | | |
| Male | 63.0 | 68.4 | 73.3 | 53.6 | 53.6 | 47.3 | 55.5 | 72.6 | 51.4 | 43.5 | 47.8 | 80.0 | 66.7 | 70.0 | 61.3 |
| Female | 37.0 | 31.6 | 26.7 | 46.4 | 46.4 | 52.7 | 44.5 | 27.4 | 48.6 | 56.5 | 52.2 | 20.0 | 33.3 | 30.0 | 38.7 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| No. of admissions | 15,363 | 4,559 | 2,690 | 1,269 | 4,416 | 368 | 434 | 1,356 | 70 | 85 | 23 | 5 | 3 | 10 | 75 |
| Age at admission | | | | | | | | | | | | | | | |
| 12 to 19 years | 8.2 | 2.2 | 9.5 | 5.3 | 5.3 | 2.7 | 3.9 | 37.9 | 20.0 | 5.9 | 13.0 | 60.0 | | 10.0 | 41.3 |
| 20 to 24 years | 17.3 | 7.0 | 14.6 | 27.7 | 27.3 | 14.4 | 15.9 | 16.6 | 12.9 | 18.8 | 17.4 | | 66.7 | | 17.3 |
| 25 to 29 years | 18.4 | 9.0 | 14.6 | 34.7 | 27.0 | 13.6 | 23.7 | 14.2 | 18.6 | 27.1 | 17.4 | 20.0 | | 20.0 | 17.3 |
| 30 to 34 years | 12.6 | 8.5 | 13.8 | 16.1 | 14.7 | 19.3 | 18.4 | 10.3 | 22.9 | 8.2 | 17.4 | | | 30.0 | 8.0 |
| 35 to 39 years | 11.3 | 12.5 | 13.1 | 7.0 | 10.2 | 21.5 | 14.5 | 7.6 | 17.1 | 12.9 | 8.7 | 20.0 | | 20.0 | 5.3 |
| 40 to 44 years | 10.3 | 14.9 | 13.3 | 3.5 | 6.8 | 16.0 | 12.2 | 5.5 | 4.3 | 15.3 | 8.7 | | | 10.0 | 4.0 |
| 45 to 49 years | 10.1 | 18.3 | 11.6 | 3.2 | 4.8 | 10.1 | 6.7 | 5.2 | 4.3 | 5.9 | 4.3 | | | 10.0 | 1.3 |
| 50 to 54 years | 6.0 | 12.7 | 5.9 | 1.7 | 2.5 | 1.4 | 2.5 | 1.9 | | 5.9 | | | 33.3 | | 4.0 |
| 55 to 59 years | 3.6 | 8.7 | 3.0 | 0.6 | 1.0 | 0.8 | 1.4 | 0.7 | | | 4.3 | | | | |
| 60 years and older | 2.1 | 6.1 | 0.6 | 0.2 | 0.4 | 0.3 | 0.7 | 0.1 | | | 8.7 | | | | 1.3 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| No. of admissions | 15,363 | 4,559 | 2,690 | 1,269 | 4,416 | 368 | 434 | 1,356 | 70 | 85 | 23 | 5 | 3 | 10 | 75 |
| Race/ethnicity | | | | | | | | | | | | | | | |
| White (non-Hispanic) | 94.1 | 95.9 | 92.5 | 94.2 | 94.5 | 90.2 | 93.1 | 91.5 | 90.0 | 95.3 | 95.7 | 80.0 | 66.7 | 100.0 | 88.0 |
| Black (non-Hispanic) | 1.6 | 1.4 | 2.2 | 1.3 | 0.8 | 6.5 | 3.7 | 2.7 | 1.4 | | 4.3 | 20.0 | | | 4.0 |
| Hispanic origin | 1.6 | 1.0 | 2.2 | 2.1 | 1.4 | 1.9 | 2.3 | 2.1 | 2.9 | | | | 33.3 | | 1.3 |
| American Indian/Alaska Native | - | 1.2 | 2.6 | 1.7 | 2.8 | 0.8 | | 2.5 | 5.7 | 3.5 | | | | | 1.3 |
| Asian/Pacific Islander | 0.3 | 0.3 | 0.3 | 0.5 | 0.2 | 0.3 | 0.2 | 0.5 | | 1.2 | | | | | 1.3 |
| Other | 0.3 | 0.3 | 0.2 | 0.2 | 0.2 | 0.3 | 0.7 | 0.7 | | | | | | | 4.0 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| No. of admissions | 15,363 | 4,559 | 2,690 | 1,269 | 4,416 | 368 | 434 | 1,356 | 70 | 85 | 23 | 5 | 3 | 10 | 75 |

⁻⁻ Quantity is zero.

Table 3.19
Maryland
Admissions aged 12 and older by gender, age group, and race/ethnicity, according to primary substance: TEDS 2008

| | | | | | | F | Primary s | ubstance | at admission | | | | | | |
|-------------------------------|------------|---------|-----------|--------|---------|---------|-----------|----------|--------------|-------|-------|--------|-------|--------|--------|
| | | Al | lcohol | Opi | ates | Coca | ine | | | | | | | | |
| Gender, age group, and | All admis- | | | | | | |] | Metham- | | | | | | Other/ |
| race/ethnicity | sions | | | | | | | Mari- | phetamine/ | Tran- | | Hallu- | | | none |
| | aged 12 | Alcohol | Secondary | | Other | Smoked | Other | juana/ | amphet- | quil- | Seda- | cino- | | Inhal- | speci- |
| | and older | only | drug | Heroin | opiates | cocaine | route | hashish | amine | izers | tives | gens | PCP | ants | fied |
| Total admissions aged 12 | | | | | | | | | | | | | | | |
| and older | 46,919 | 8,075 | 6,537 | 12,878 | 2,795 | 5,655 | 1,236 | 8,790 | 103 | 241 | 19 | 74 | 405 | 14 | 97 |
| Gender | | | | | | | | | | | | | | | |
| Male | 67.9 | 74.8 | 73.4 | 61.9 | 53.8 | 55.2 | 69.8 | 79.5 | 70.9 | 41.9 | 63.2 | 74.3 | 65.7 | 100.0 | 64.9 |
| Female | 32.1 | 25.2 | 26.6 | 38.1 | 46.2 | 44.8 | 30.2 | 20.5 | 29.1 | 58.1 | 36.8 | 25.7 | 34.3 | | 35.1 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| No. of admissions | 46,919 | 8,075 | 6,537 | 12,878 | 2,795 | 5,655 | 1,236 | 8,790 | 103 | 241 | 19 | 74 | 405 | 14 | 97 |
| Age at admission | | | | | | | | | | | | | | | |
| 12 to 19 years | 12.7 | 5.0 | 8.9 | 1.9 | 8.9 | 1.0 | 5.2 | 48.4 | 18.4 | 6.6 | 10.5 | 6.8 | 4.2 | 28.6 | 47.4 |
| 20 to 24 years | 13.5 | 9.3 | 14.3 | 10.5 | 26.4 | 5.1 | 12.6 | 22.0 | 24.3 | 8.7 | 10.5 | 33.8 | 26.2 | 14.3 | 13.4 |
| 25 to 29 years | 13.0 | 12.0 | 14.6 | 11.9 | 21.2 | 8.1 | 17.3 | 13.3 | 18.4 | 21.2 | 5.3 | 33.8 | 27.2 | 21.4 | 12.4 |
| 30 to 34 years | 9.4 | 9.1 | 10.7 | 9.3 | 12.5 | 9.3 | 13.3 | 6.7 | 18.4 | 14.5 | 15.8 | 10.8 | 14.8 | 7.1 | 9.3 |
| 35 to 39 years | 12.1 | 11.8 | 12.1 | 16.6 | 9.1 | 16.5 | 12.0 | 4.1 | 7.8 | 12.0 | 21.1 | 8.1 | 13.3 | 7.1 | 4.1 |
| 40 to 44 years | 14.4 | 15.1 | 14.9 | 19.4 | 8.2 | 24.1 | 13.8 | 2.6 | 4.9 | 12.0 | | 1.4 | 8.4 | 14.3 | 5.2 |
| 45 to 49 years | 12.7 | 15.5 | 12.8 | 16.5 | 7.7 | 19.9 | 14.4 | 1.7 | 5.8 | 10.8 | 15.8 | 4.1 | 4.7 | | 5.2 |
| 50 to 54 years | 7.4 | 11.4 | 7.8 | 8.9 | 3.3 | 10.8 | 6.6 | 0.8 | 1.9 | 8.7 | 5.3 | | 1.0 | 7.1 | 2.1 |
| 55 to 59 years | 3.3 | 6.1 | 3.0 | 3.7 | 1.8 | 3.9 | 3.4 | 0.4 | | 5.0 | | | 0.2 | | 1.0 |
| 60 years and older | 1.6 | 4.7 | 0.9 | 1.3 | 0.9 | 1.4 | 1.4 | 0.1 | | 0.4 | 15.8 | 1.4 | | | |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| No. of admissions | 46,919 | 8,075 | 6,537 | 12,878 | 2,795 | 5,655 | 1,236 | 8,790 | 103 | 241 | 19 | 74 | 405 | 14 | 97 |
| Race/ethnicity | | | | | | | | | | | | | | | |
| White (non-Hispanic) | 49.5 | 66.7 | 57.6 | 38.3 | 88.8 | 34.6 | 54.4 | 41.2 | 53.4 | 83.0 | 78.9 | 39.2 | 14.6 | 85.7 | 46.4 |
| Black (non-Hispanic) | 45.0 | 23.1 | 36.1 | 59.1 | 7.9 | 61.6 | 40.5 | 52.2 | 40.8 | 11.6 | 21.1 | 55.4 | 83.0 | 14.3 | 44.3 |
| Hispanic origin | 3.5 | 7.2 | 4.2 | 1.6 | 2.0 | 2.2 | 3.0 | 3.8 | 4.9 | 2.5 | | 1.4 | 2.0 | | 6.2 |
| American Indian/Alaska Native | | 0.3 | 0.4 | 0.3 | 0.4 | 0.3 | 0.2 | 0.2 | | 8.0 | | | 0.5 | | |
| Asian/Pacific Islander | 0.4 | 0.7 | 0.4 | 0.1 | 0.1 | 0.3 | 0.7 | 0.6 | 1.0 | 8.0 | | 2.7 | | | 1.0 |
| Other | 1.3 | 2.1 | 1.4 | 0.6 | 0.8 | 1.0 | 1.1 | 1.9 | | 1.2 | | 1.4 | | | 2.1 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| No. of admissions | 46,919 | 8,075 | 6,537 | 12,878 | 2,795 | 5,655 | 1,236 | 8,790 | 103 | 241 | 19 | 74 | 405 | 14 | 97 |

⁻⁻ Quantity is zero.

Table 3.20

Massachusetts

Admissions aged 12 and older by gender, age group, and race/ethnicity, according to primary substance: TEDS 2008

| | | | | | | F | Primary s | ubstance | at admission | | | | | | |
|-------------------------------|------------|---------|-----------|--------|---------|---------|-----------|----------|--------------|-------|-------|--------|-------|--------|--------|
| | | A | lcohol | Opi | ates | Coca | ine | | | | | | | | |
| Gender, age group, and | All admis- | | | | | | | | Metham- | | | | | | Other/ |
| race/ethnicity | sions | | | | | | | Mari- | phetamine/ | Tran- | | Hallu- | | | none |
| | aged 12 | Alcohol | Secondary | | Other | Smoked | Other | juana/ | amphet- | quil- | Seda- | cino- | | Inhal- | speci- |
| | and older | only | drug | Heroin | opiates | cocaine | route | hashish | amine | izers | tives | gens | PCP | ants | fied |
| Total admissions aged 12 | | | | | | | | | | | | | | | |
| and older | 83,975 | 19,579 | 13,796 | 33,299 | 5,730 | 3,222 | 2,223 | 4,430 | 246 | 797 | 47 | 31 | 84 | 6 | 485 |
| Gender | | | | | | | | | | | | | | | |
| Male | 69.2 | 71.9 | 72.3 | 69.4 | 61.2 | 51.1 | 61.4 | 75.5 | 87.3 | 55.0 | 51.1 | 83.9 | 70.2 | 33.3 | 62.1 |
| Female | 30.8 | 28.1 | 27.7 | 30.6 | 38.8 | 48.9 | 38.6 | 24.5 | 12.7 | 45.0 | 48.9 | 16.1 | 29.8 | 66.7 | 37.9 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| No. of admissions | 83,942 | 19,575 | 13,785 | 33,288 | 5,730 | 3,220 | 2,222 | 4,430 | 244 | 795 | 47 | 31 | 84 | 6 | 485 |
| Age at admission | | | | | | | | | | | | | | | |
| 12 to 19 years | 4.9 | 2.2 | 4.3 | 2.7 | 7.0 | 1.9 | 4.2 | 33.9 | 2.8 | 6.9 | 2.1 | 22.6 | 8.3 | 50.0 | 12.2 |
| 20 to 24 years | 17.0 | 7.7 | 12.0 | 23.1 | 24.5 | 7.8 | 14.3 | 26.0 | 12.6 | 14.3 | 14.9 | 29.0 | 19.0 | | 18.6 |
| 25 to 29 years | 17.8 | 8.5 | 14.2 | 24.5 | 22.1 | 12.6 | 19.0 | 15.5 | 15.4 | 21.6 | 25.5 | 12.9 | 35.7 | 16.7 | 18.4 |
| 30 to 34 years | 12.4 | 8.1 | 11.4 | 15.6 | 12.9 | 13.3 | 15.0 | 7.9 | 12.6 | 12.9 | 12.8 | 12.9 | 6.0 | 16.7 | 9.7 |
| 35 to 39 years | 12.8 | 12.2 | 15.1 | 12.5 | 10.5 | 20.1 | 16.3 | 6.0 | 17.1 | 13.9 | 10.6 | 12.9 | 11.9 | | 11.8 |
| 40 to 44 years | 13.1 | 17.1 | 17.8 | 9.8 | 9.2 | 22.2 | 15.1 | 4.4 | 20.7 | 10.9 | 8.5 | 3.2 | 10.7 | 16.7 | 9.9 |
| 45 to 49 years | 10.7 | 18.5 | 14.0 | 6.3 | 7.2 | 14.2 | 9.5 | 3.0 | 14.2 | 8.2 | 10.6 | 6.5 | 4.8 | | 8.7 |
| 50 to 54 years | 6.6 | 13.4 | 7.4 | 3.5 | 4.4 | 5.3 | 4.5 | 2.0 | 4.5 | 6.6 | 8.5 | | 2.4 | | 7.8 |
| 55 to 59 years | 3.0 | 7.0 | 2.9 | 1.4 | 1.8 | 2.0 | 1.5 | 1.2 | | 3.3 | 2.1 | | | | 2.3 |
| 60 years and older | 1.7 | 5.2 | 0.9 | 0.5 | 0.5 | 0.6 | 0.5 | 0.1 | | 1.4 | 4.3 | | 1.2 | | 0.8 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| No. of admissions | 83,975 | 19,579 | 13,796 | 33,299 | 5,730 | 3,222 | 2,223 | 4,430 | 246 | 797 | 47 | 31 | 84 | 6 | 485 |
| Race/ethnicity | | | | | | | | | | | | | | | |
| White (non-Hispanic) | 76.8 | 79.9 | 75.2 | 76.7 | 91.9 | 59.9 | 70.3 | 61.3 | 85.4 | 93.2 | 87.2 | 67.7 | 83.3 | 100.0 | 77.2 |
| Black (non-Hispanic) | 8.1 | 7.6 | 13.1 | 5.1 | 2.1 | 25.0 | 10.3 | 13.6 | 1.2 | 1.1 | 2.1 | 6.5 | 1.2 | | 9.1 |
| Hispanic origin | 11.3 | 8.6 | 8.1 | 14.5 | 3.5 | 10.7 | 15.1 | 19.8 | 8.9 | 3.4 | 8.5 | 19.4 | 13.1 | | 8.5 |
| American Indian/Alaska Native | | 0.6 | 0.5 | 0.4 | 0.6 | 0.7 | 0.8 | 0.6 | | 8.0 | | | 1.2 | | 0.4 |
| Asian/Pacific Islander | 0.7 | 1.0 | 0.5 | 0.6 | 0.2 | 0.1 | 0.6 | 1.0 | 0.4 | | | 3.2 | 1.2 | | 0.8 |
| Other | 2.5 | 2.3 | 2.6 | 2.6 | 1.7 | 3.6 | 2.9 | 3.6 | 4.1 | 1.5 | 2.1 | 3.2 | | | 3.9 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| No. of admissions | 83,528 | 19,424 | 13,734 | 33,184 | 5,709 | 3,208 | 2,208 | 4,375 | 246 | 790 | 47 | 31 | 84 | 6 | 482 |

⁻⁻ Quantity is zero.

Table 3.21
Michigan
Admissions aged 12 and older by gender, age group, and race/ethnicity, according to primary substance: TEDS 2008

| | | | | | | F | Primary s | ubstance | at admission | | | | | | |
|-------------------------------|------------|---------|-----------|--------|---------|---------|-----------|----------|--------------|-------|-------|--------|-------|--------|--------|
| | | Al | lcohol | Opi | ates | Coca | ine | | | | | | | | |
| Gender, age group, and | All admis- | | | | | | |] | Metham- | | | | | | Other/ |
| race/ethnicity | sions | | | | | | | Mari- | phetamine/ | Tran- | | Hallu- | | | none |
| | aged 12 | Alcohol | Secondary | | Other | Smoked | Other | juana/ | amphet- | quil- | Seda- | cino- | | Inhal- | speci- |
| | and older | only | drug | Heroin | opiates | cocaine | route | hashish | amine | izers | tives | gens | PCP | ants | fied |
| Total admissions aged 12 | | | | | | | | | | | | | | | |
| and older | 63,344 | 15,330 | 11,696 | 10,070 | 6,061 | 6,544 | 1,554 | 10,840 | 562 | 280 | 142 | 23 | 1 | 23 | 218 |
| Gender | | | | | | | | | | | | | | | |
| Male | 64.7 | 68.6 | 69.5 | 61.9 | 49.8 | 53.5 | 65.3 | 73.3 | 50.7 | 40.7 | 38.0 | 78.3 | 100.0 | 78.3 | 53.7 |
| Female | 35.3 | 31.4 | 30.5 | 38.1 | 50.2 | 46.5 | 34.7 | 26.7 | 49.3 | 59.3 | 62.0 | 21.7 | | 21.7 | 46.3 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| No. of admissions | 63,344 | 15,330 | 11,696 | 10,070 | 6,061 | 6,544 | 1,554 | 10,840 | 562 | 280 | 142 | 23 | 1 | 23 | 218 |
| Age at admission | | | | | | | | | | | | | | | |
| 12 to 19 years | 9.5 | 4.3 | 8.1 | 3.9 | 4.5 | 1.3 | 3.9 | 30.9 | 7.1 | 12.5 | 10.6 | 39.1 | | 43.5 | 52.3 |
| 20 to 24 years | 16.7 | 11.4 | 16.6 | 19.2 | 23.6 | 5.4 | 15.5 | 24.9 | 15.8 | 15.4 | 17.6 | 26.1 | | 34.8 | 22.5 |
| 25 to 29 years | 15.9 | 12.5 | 14.9 | 16.7 | 26.4 | 10.1 | 21.2 | 17.4 | 20.5 | 20.7 | 19.7 | 21.7 | 100.0 | 8.7 | 6.0 |
| 30 to 34 years | 11.4 | 10.8 | 11.8 | 9.5 | 14.4 | 11.6 | 16.8 | 10.5 | 19.8 | 8.6 | 14.1 | 13.0 | | | 7.3 |
| 35 to 39 years | 11.3 | 13.2 | 12.5 | 7.7 | 10.0 | 18.4 | 14.7 | 6.5 | 16.7 | 11.8 | 10.6 | | | | 2.8 |
| 40 to 44 years | 11.7 | 15.1 | 13.4 | 7.8 | 7.8 | 22.5 | 12.9 | 4.5 | 11.2 | 10.4 | 9.2 | | | | 4.6 |
| 45 to 49 years | 11.2 | 16.3 | 12.4 | 10.2 | 6.2 | 18.2 | 9.1 | 3.1 | 6.2 | 8.6 | 9.9 | | | 8.7 | 0.9 |
| 50 to 54 years | 7.9 | 10.3 | 7.2 | 14.3 | 4.6 | 8.7 | 4.6 | 1.4 | 2.0 | 7.9 | 6.3 | | | | 2.8 |
| 55 to 59 years | 3.5 | 4.3 | 2.6 | 8.4 | 2.0 | 2.8 | 0.6 | 0.5 | 0.7 | 2.9 | 2.1 | | | 4.3 | 0.5 |
| 60 years and older | 1.1 | 1.9 | 0.4 | 2.1 | 0.7 | 1.0 | 0.6 | 0.1 | | 1.4 | | | | | 0.5 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| No. of admissions | 63,344 | 15,330 | 11,696 | 10,070 | 6,061 | 6,544 | 1,554 | 10,840 | 562 | 280 | 142 | 23 | 1 | 23 | 218 |
| Race/ethnicity | | | | | | | | | | | | | | | |
| White (non-Hispanic) | 67.4 | 76.3 | 69.0 | 62.6 | 89.2 | 44.4 | 65.6 | 57.6 | 95.0 | 90.6 | 89.4 | 87.0 | 100.0 | 87.0 | 59.1 |
| Black (non-Hispanic) | 26.1 | 16.9 | 23.5 | 32.9 | 5.4 | 50.8 | 25.9 | 34.1 | 0.7 | 1.1 | 2.8 | 8.7 | | 8.7 | 34.9 |
| Hispanic origin | 3.1 | 3.4 | 3.7 | 2.4 | 1.9 | 2.0 | 4.6 | 3.9 | 1.6 | 4.3 | 4.2 | | | | 3.7 |
| American Indian/Alaska Native | _ | 1.5 | 1.8 | 0.6 | 1.9 | 0.7 | 1.2 | 1.0 | 1.4 | 0.7 | 2.8 | | | | 0.5 |
| Asian/Pacific Islander | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.3 | 0.3 | 0.3 | 0.4 | 0.7 | | | | | |
| Other | 1.9 | 1.6 | 1.9 | 1.3 | 1.5 | 1.8 | 2.2 | 3.2 | 0.9 | 2.5 | 0.7 | 4.3 | | 4.3 | 1.9 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| No. of admissions | 62,715 | 15,162 | 11,560 | 10,007 | 5,982 | 6,496 | 1,530 | 10,742 | 555 | 277 | 142 | 23 | 1 | 23 | 215 |

⁻⁻ Quantity is zero.

Table 3.22
Minnesota
Admissions aged 12 and older by gender, age group, and race/ethnicity, according to primary substance: TEDS 2008

| | | | | | | F | Primary s | ubstance . | at admission | | | | | | |
|-------------------------------|------------|---------|-----------|--------|---------|---------|-----------|------------|--------------|-------|-------|--------|-------|--------|--------|
| | | A | lcohol | Opi | ates | Coca | ine | | | | | | | | |
| Gender, age group, and | All admis- | | | | | | | | Metham- | | | | | | Other/ |
| race/ethnicity | sions | | | | | | | Mari- | phetamine/ | Tran- | | Hallu- | | | none |
| | aged 12 | Alcohol | Secondary | | Other | Smoked | Other | juana/ | amphet- | quil- | Seda- | cino- | | Inhal- | speci- |
| | and older | only | drug | Heroin | opiates | cocaine | route | hashish | amine | izers | tives | gens | PCP | ants | fied |
| Total admissions aged 12 | | | | | | | | | | | | | | | |
| and older | 49,642 | 15,866 | 11,841 | 1,941 | 2,986 | 2,575 | 1,182 | 8,418 | 3,658 | 209 | 68 | 160 | 10 | 48 | 680 |
| Gender | | | | | | | | | | | | | | | |
| Male | 66.8 | 67.4 | 69.9 | 67.2 | 50.3 | 56.6 | 69.5 | 74.4 | 57.3 | 47.4 | 38.2 | 78.8 | 70.0 | 62.5 | 65.4 |
| Female | 33.2 | 32.6 | 30.1 | 32.8 | 49.7 | 43.4 | 30.5 | 25.6 | 42.7 | 52.6 | 61.8 | 21.3 | 30.0 | 37.5 | 34.6 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| No. of admissions | 49,642 | 15,866 | 11,841 | 1,941 | 2,986 | 2,575 | 1,182 | 8,418 | 3,658 | 209 | 68 | 160 | 10 | 48 | 680 |
| Age at admission | | | | | | | | | | | | | | | |
| 12 to 19 years | 13.3 | 2.5 | 11.8 | 5.3 | 6.6 | 1.7 | 14.6 | 45.4 | 6.7 | 5.3 | 5.9 | 60.6 | 10.0 | 41.7 | 14.0 |
| 20 to 24 years | 15.5 | 8.7 | 18.5 | 19.1 | 17.8 | 6.3 | 11.8 | 23.5 | 21.4 | 13.4 | 5.9 | 16.9 | 10.0 | 16.7 | 15.4 |
| 25 to 29 years | 14.2 | 10.8 | 15.9 | 15.6 | 20.4 | 9.4 | 16.7 | 12.3 | 24.9 | 15.3 | 13.2 | 12.5 | 60.0 | 6.3 | 14.4 |
| 30 to 34 years | 10.6 | 10.1 | 10.9 | 12.6 | 14.5 | 10.8 | 13.0 | 6.6 | 16.0 | 12.4 | 14.7 | 4.4 | 10.0 | 16.7 | 10.0 |
| 35 to 39 years | 10.8 | 11.7 | 11.0 | 12.6 | 11.0 | 20.6 | 13.2 | 4.8 | 11.5 | 13.4 | 4.4 | 3.1 | 10.0 | 12.5 | 7.8 |
| 40 to 44 years | 11.6 | 15.3 | 11.9 | 12.0 | 9.6 | 19.7 | 11.7 | 3.4 | 10.0 | 10.0 | 10.3 | 1.3 | | 2.1 | 10.3 |
| 45 to 49 years | 11.1 | 16.4 | 10.9 | 9.9 | 8.7 | 19.3 | 11.0 | 2.5 | 6.6 | 9.6 | 17.6 | 0.6 | | 2.1 | 10.6 |
| 50 to 54 years | 7.0 | 11.5 | 6.2 | 7.6 | 6.2 | 8.5 | 6.0 | 1.0 | 2.5 | 12.4 | 11.8 | 0.6 | | 2.1 | 8.4 |
| 55 to 59 years | 3.4 | 6.8 | 2.0 | 3.7 | 3.9 | 2.9 | 1.7 | 0.3 | 0.5 | 3.3 | 7.4 | | | | 4.9 |
| 60 years and older | 2.5 | 6.2 | 0.9 | 1.8 | 1.3 | 0.7 | 0.4 | 0.1 | 0.1 | 4.8 | 8.8 | | | | 4.3 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| No. of admissions | 49,642 | 15,866 | 11,841 | 1,941 | 2,986 | 2,575 | 1,182 | 8,418 | 3,658 | 209 | 68 | 160 | 10 | 48 | 680 |
| Race/ethnicity | | | | | | | | | | | | | | | |
| White (non-Hispanic) | 74.6 | 83.7 | 73.0 | 62.0 | 77.3 | 37.0 | 66.1 | 67.5 | 88.5 | 90.9 | 91.2 | 76.3 | 30.0 | 79.2 | 77.5 |
| Black (non-Hispanic) | 11.0 | 5.2 | 10.0 | 27.6 | 2.9 | 50.4 | 18.4 | 14.2 | 1.0 | 3.3 | 2.9 | 13.8 | 70.0 | 2.1 | 7.5 |
| Hispanic origin | 2.8 | 2.4 | 2.9 | 2.4 | 1.2 | 2.3 | 6.4 | 4.0 | 2.7 | | 2.9 | 1.9 | | 4.2 | 1.5 |
| American Indian/Alaska Native | | 6.3 | 11.1 | 3.6 | 15.4 | 5.6 | 5.1 | 8.9 | 3.5 | 2.4 | | 1.3 | | 12.5 | 6.5 |
| Asian/Pacific Islander | 0.9 | 0.7 | 0.6 | 0.8 | 1.2 | 0.6 | 0.9 | 1.1 | 1.6 | 1.4 | | 3.8 | | | 4.1 |
| Other | 2.6 | 1.6 | 2.4 | 3.6 | 2.0 | 4.1 | 3.1 | 4.4 | 2.7 | 1.9 | 2.9 | 3.1 | | 2.1 | 2.9 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| No. of admissions | 49,642 | 15,866 | 11,841 | 1,941 | 2,986 | 2,575 | 1,182 | 8,418 | 3,658 | 209 | 68 | 160 | 10 | 48 | 680 |

⁻⁻ Quantity is zero.

Table 3.23
Mississippi
Admissions aged 12 and older by gender, age group, and race/ethnicity, according to primary substance: TEDS 2008

| | | | | | | F | Primary s | ubstance . | at admission | | | | | | |
|-------------------------------|------------|---------|-----------|--------|---------|---------|-----------|------------|--------------|-------|-------|--------|-------|--------|--------|
| | | A | lcohol | Opi | ates | Coca | ine | | | | | | | | |
| Gender, age group, and | All admis- | | | | | | |] | Metham- | | | | | | Other/ |
| race/ethnicity | sions | | | | | | | Mari- | phetamine/ | Tran- | | Hallu- | | | none |
| | aged 12 | Alcohol | Secondary | | Other | Smoked | Other | juana/ | amphet- | quil- | Seda- | cino- | | Inhal- | speci- |
| | and older | only | drug | Heroin | opiates | cocaine | route | hashish | amine | izers | tives | gens | PCP | ants | fied |
| Total admissions aged 12 | | | | | | | | | | | | | | | |
| and older | 4,148 | 580 | 716 | 27 | 280 | 688 | 195 | 928 | 210 | 47 | 11 | 12 | 2 | 2 | 450 |
| Gender | | | | | | | | | | | | | | | |
| Male | 61.9 | 70.0 | 65.1 | 66.7 | 46.1 | 50.3 | 57.4 | 69.6 | 62.4 | 40.4 | 63.6 | 41.7 | 100.0 | 100.0 | 62.2 |
| Female | 38.1 | 30.0 | 34.9 | 33.3 | 53.9 | 49.7 | 42.6 | 30.4 | 37.6 | 59.6 | 36.4 | 58.3 | | | 37.8 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| No. of admissions | 4,148 | 580 | 716 | 27 | 280 | 688 | 195 | 928 | 210 | 47 | 11 | 12 | 2 | 2 | 450 |
| Age at admission | | | | | | | | | | | | | | | |
| 12 to 19 years | 9.2 | 2.9 | 6.8 | 7.4 | 3.2 | 1.5 | 7.7 | 21.3 | 6.7 | 14.9 | 18.2 | 8.3 | 50.0 | | 12.9 |
| 20 to 24 years | 16.5 | 7.2 | 12.7 | 25.9 | 20.7 | 7.7 | 24.6 | 27.8 | 19.0 | 21.3 | 18.2 | 50.0 | | 50.0 | 15.3 |
| 25 to 29 years | 17.0 | 10.9 | 16.5 | 22.2 | 23.6 | 11.2 | 21.5 | 22.5 | 21.4 | 12.8 | 36.4 | 16.7 | | | 15.3 |
| 30 to 34 years | 12.8 | 10.7 | 12.7 | 18.5 | 16.4 | 14.1 | 14.9 | 11.1 | 15.7 | 10.6 | 9.1 | | | | 12.9 |
| 35 to 39 years | 12.3 | 13.4 | 13.0 | 11.1 | 11.1 | 19.6 | 12.8 | 6.7 | 13.8 | 8.5 | | 16.7 | | | 10.9 |
| 40 to 44 years | 11.5 | 14.1 | 14.7 | | 10.0 | 19.0 | 8.7 | 4.7 | 12.4 | 12.8 | 9.1 | 8.3 | | | 8.4 |
| 45 to 49 years | 10.3 | 14.0 | 12.7 | 11.1 | 8.2 | 17.3 | 4.6 | 2.7 | 7.1 | 2.1 | | | | | 13.3 |
| 50 to 54 years | 6.3 | 13.3 | 7.5 | | 4.3 | 7.1 | 4.1 | 1.9 | 3.8 | 12.8 | | | 50.0 | 50.0 | 6.2 |
| 55 to 59 years | 2.5 | 7.8 | 2.5 | | 1.4 | 1.9 | 0.5 | 0.8 | | 4.3 | 9.1 | | | | 3.1 |
| 60 years and older | 1.4 | 5.7 | 0.8 | 3.7 | 1.1 | 0.6 | 0.5 | 0.4 | | | | | | | 1.6 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| No. of admissions | 4,148 | 580 | 716 | 27 | 280 | 688 | 195 | 928 | 210 | 47 | 11 | 12 | 2 | 2 | 450 |
| Race/ethnicity | | | | | | | | | | | | | | | |
| White (non-Hispanic) | 56.0 | 58.8 | 58.8 | 100.0 | 94.6 | 40.7 | 62.6 | 38.0 | 92.4 | 95.7 | 81.8 | 91.7 | 100.0 | 100.0 | 55.8 |
| Black (non-Hispanic) | 41.7 | 38.8 | 38.4 | | 3.6 | 57.3 | 35.4 | 60.8 | 5.2 | 2.1 | 18.2 | 8.3 | | | 39.8 |
| Hispanic origin | 0.9 | 1.2 | 1.3 | | 0.7 | 1.2 | 1.0 | 0.9 | 0.5 | 2.1 | | | | | 0.2 |
| American Indian/Alaska Native | - | 0.7 | 0.6 | | 0.4 | 0.4 | 0.5 | 0.1 | 0.5 | | | | | | 3.1 |
| Asian/Pacific Islander | 0.3 | 0.3 | 0.4 | | | 0.3 | 0.5 | 0.1 | 0.5 | | | | | | 0.2 |
| Other | 0.4 | 0.2 | 0.6 | | 0.7 | 0.1 | | 0.1 | 1.0 | | | | | | 0.9 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| No. of admissions | 4,148 | 580 | 716 | 27 | 280 | 688 | 195 | 928 | 210 | 47 | 11 | 12 | 2 | 2 | 450 |

⁻⁻ Quantity is zero.

Table 3.24
Missouri
Admissions aged 12 and older by gender, age group, and race/ethnicity, according to primary substance: TEDS 2008

| | | | | | | F | Primary s | ubstance | at admission | | | | | | |
|-------------------------------|------------|---------|-----------|--------|---------|---------|-----------|----------|--------------|-------|-------|--------|-------|--------|--------|
| | | Al | lcohol | Opi | ates | Coca | ine | | | | | | | | |
| Gender, age group, and | All admis- | | | | | | |] | Metham- | | | | | | Other/ |
| race/ethnicity | sions | | | | | | | Mari- | phetamine/ | Tran- | | Hallu- | | | none |
| | aged 12 | Alcohol | Secondary | | Other | Smoked | Other | juana/ | amphet- | quil- | Seda- | cino- | | Inhal- | speci- |
| | and older | only | drug | Heroin | opiates | cocaine | route | hashish | amine | izers | tives | gens | PCP | ants | fied |
| Total admissions aged 12 | | | | | | | | | | | | | | | |
| and older | 49,061 | 10,395 | 7,993 | 2,932 | 1,931 | 4,915 | 1,013 | 11,900 | 4,239 | 393 | 50 | 44 | 242 | 60 | 2,954 |
| Gender | | | | | | | | | | | | | | | |
| Male | 69.8 | 78.6 | 76.7 | 55.7 | 48.7 | 59.1 | 68.7 | 75.1 | 58.5 | 37.2 | 34.0 | 75.0 | 78.9 | 63.3 | 65.1 |
| Female | 30.2 | 21.4 | 23.3 | 44.3 | 51.3 | 40.9 | 31.3 | 24.9 | 41.5 | 62.8 | 66.0 | 25.0 | 21.1 | 36.7 | 34.9 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| No. of admissions | 49,061 | 10,395 | 7,993 | 2,932 | 1,931 | 4,915 | 1,013 | 11,900 | 4,239 | 393 | 50 | 44 | 242 | 60 | 2,954 |
| Age at admission | | | | | | | | | | | | | | | |
| 12 to 19 years | 9.5 | 2.6 | 6.0 | 4.7 | 6.4 | 1.0 | 4.0 | 24.3 | 4.5 | 10.4 | 10.0 | 34.1 | 2.1 | 43.3 | 12.3 |
| 20 to 24 years | 15.7 | 9.1 | 14.3 | 19.8 | 20.5 | 4.9 | 16.2 | 24.9 | 15.4 | 19.8 | 10.0 | 38.6 | 16.9 | 5.0 | 15.2 |
| 25 to 29 years | 17.1 | 11.7 | 16.0 | 27.8 | 26.9 | 8.5 | 18.0 | 19.9 | 22.0 | 19.8 | 20.0 | 20.5 | 32.2 | 21.7 | 16.8 |
| 30 to 34 years | 12.4 | 10.1 | 11.7 | 17.4 | 14.8 | 10.6 | 13.0 | 11.3 | 19.0 | 14.8 | 6.0 | 2.3 | 22.7 | 5.0 | 12.5 |
| 35 to 39 years | 11.9 | 13.3 | 12.8 | 10.7 | 11.1 | 15.8 | 13.8 | 7.4 | 15.8 | 9.7 | 32.0 | 2.3 | 14.5 | 8.3 | 11.5 |
| 40 to 44 years | 12.2 | 15.9 | 14.0 | 7.4 | 7.3 | 23.7 | 13.1 | 5.7 | 12.1 | 9.7 | 12.0 | | 6.6 | 10.0 | 10.9 |
| 45 to 49 years | 11.5 | 17.4 | 14.7 | 5.1 | 6.6 | 21.4 | 12.2 | 4.1 | 7.6 | 7.4 | 4.0 | 2.3 | 2.9 | 5.0 | 12.1 |
| 50 to 54 years | 6.1 | 11.0 | 7.0 | 4.2 | 4.2 | 9.2 | 7.2 | 1.8 | 3.0 | 7.1 | 4.0 | | 1.7 | 1.7 | 6.0 |
| 55 to 59 years | 2.5 | 5.5 | 2.5 | 2.2 | 1.9 | 3.5 | 1.5 | 0.5 | 0.6 | 0.8 | | | 0.4 | | 2.2 |
| 60 years and older | 1.1 | 3.4 | 0.8 | 0.7 | 0.5 | 1.3 | 0.9 | 0.1 | 0.1 | 0.5 | 2.0 | | | | 0.6 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| No. of admissions | 49,061 | 10,395 | 7,993 | 2,932 | 1,931 | 4,915 | 1,013 | 11,900 | 4,239 | 393 | 50 | 44 | 242 | 60 | 2,954 |
| Race/ethnicity | | | | | | | | | | | | | | | |
| White (non-Hispanic) | 70.6 | 83.9 | 76.0 | 57.7 | 91.2 | 31.8 | 55.7 | 64.3 | 94.6 | 95.9 | 96.0 | 70.5 | 4.5 | 96.7 | 70.7 |
| Black (non-Hispanic) | 25.1 | 11.5 | 19.9 | 38.5 | 5.0 | 65.0 | 37.3 | 31.0 | 1.8 | 2.5 | 4.0 | 20.5 | 94.6 | 3.3 | 25.0 |
| Hispanic origin | 1.5 | 2.0 | 1.3 | 1.1 | 1.2 | 0.8 | 3.0 | 1.6 | 1.4 | 0.3 | | | 0.4 | | 1.5 |
| American Indian/Alaska Native | - | 0.3 | 0.4 | * | 0.3 | 0.3 | 0.1 | 0.1 | 0.2 | 0.3 | | | | | 0.3 |
| Asian/Pacific Islander | 0.1 | 0.2 | 0.1 | 0.1 | | 0.2 | 0.3 | 0.1 | 0.1 | 0.5 | | | | | 0.2 |
| Other | 2.3 | 2.2 | 2.2 | 2.6 | 2.3 | 1.9 | 3.7 | 2.8 | 1.9 | 0.5 | | 9.1 | 0.4 | | 2.4 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| No. of admissions | 49,061 | 10,395 | 7,993 | 2,932 | 1,931 | 4,915 | 1,013 | 11,900 | 4,239 | 393 | 50 | 44 | 242 | 60 | 2,954 |

⁻⁻ Quantity is zero.

Table 3.25

Montana

Admissions aged 12 and older by gender, age group, and race/ethnicity, according to primary substance: TEDS 2008

| | | | | | | F | Primary s | ubstance | at admission | | | | | | |
|-------------------------------|------------|---------|-----------|--------|---------|---------|-----------|----------|--------------|-------|-------|--------|-------|--------|--------|
| | | A | lcohol | Opi | ates | Coca | ine | | | | | | | | |
| Gender, age group, and | All admis- | | | | | | | | Metham- | | | | | | Other/ |
| race/ethnicity | sions | | | | | | | Mari- | phetamine/ | Tran- | | Hallu- | | | none |
| | aged 12 | Alcohol | Secondary | | Other | Smoked | Other | juana/ | amphet- | quil- | Seda- | cino- | | Inhal- | speci- |
| | and older | only | drug | Heroin | opiates | cocaine | route | hashish | amine | izers | tives | gens | PCP | ants | fied |
| Total admissions aged 12 | | | | | | | | | | | | | | | |
| and older | 9,128 | 2,196 | 3,465 | 122 | 743 | 27 | 97 | 1,702 | 642 | 24 | 14 | 31 | 2 | 26 | 37 |
| Gender | | | | | | | | | | | | | | | |
| Male | 67.6 | 68.7 | 68.3 | 70.5 | 47.6 | 59.3 | 74.2 | 76.7 | 60.1 | 50.0 | 28.6 | 67.7 | 100.0 | 50.0 | 56.8 |
| Female | 32.4 | 31.3 | 31.7 | 29.5 | 52.4 | 40.7 | 25.8 | 23.3 | 39.9 | 50.0 | 71.4 | 32.3 | | 50.0 | 43.2 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| No. of admissions | 9,128 | 2,196 | 3,465 | 122 | 743 | 27 | 97 | 1,702 | 642 | 24 | 14 | 31 | 2 | 26 | 37 |
| Age at admission | | | | | | | | | | | | | | | |
| 12 to 19 years | 15.2 | 5.4 | 10.9 | 18.9 | 7.0 | 3.7 | 27.8 | 41.6 | 5.9 | 29.2 | 21.4 | 51.6 | | 38.5 | 18.9 |
| 20 to 24 years | 17.3 | 10.1 | 18.9 | 18.0 | 23.1 | 7.4 | 22.7 | 20.7 | 18.4 | 4.2 | 7.1 | 12.9 | | 3.8 | 16.2 |
| 25 to 29 years | 15.7 | 10.4 | 16.7 | 23.0 | 23.0 | 22.2 | 13.4 | 14.3 | 24.5 | 4.2 | 21.4 | 9.7 | | 19.2 | |
| 30 to 34 years | 10.9 | 8.7 | 11.6 | 13.9 | 15.1 | 18.5 | 10.3 | 7.3 | 18.5 | 20.8 | | 3.2 | 50.0 | 7.7 | 10.8 |
| 35 to 39 years | 11.2 | 13.3 | 12.4 | 9.8 | 9.4 | 11.1 | 6.2 | 6.6 | 11.8 | 16.7 | 7.1 | 16.1 | 50.0 | 7.7 | 13.5 |
| 40 to 44 years | 9.7 | 15.5 | 9.6 | 3.3 | 5.9 | 14.8 | 8.2 | 4.5 | 10.6 | 16.7 | | 6.5 | | 7.7 | 13.5 |
| 45 to 49 years | 9.1 | 14.0 | 10.4 | 5.7 | 6.9 | 14.8 | 8.2 | 2.9 | 6.2 | 4.2 | | | | 7.7 | 5.4 |
| 50 to 54 years | 5.5 | 9.3 | 6.0 | 4.9 | 4.6 | 7.4 | 1.0 | 1.5 | 2.3 | 4.2 | 14.3 | | | 3.8 | 13.5 |
| 55 to 59 years | 3.0 | 6.8 | 2.1 | 1.6 | 3.1 | | 1.0 | 0.5 | 1.6 | | | | | 3.8 | 8.1 |
| 60 years and older | 2.4 | 6.4 | 1.5 | 0.8 | 1.9 | | 1.0 | 0.2 | 0.2 | | 28.6 | | | | |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| No. of admissions | 9,128 | 2,196 | 3,465 | 122 | 743 | 27 | 97 | 1,702 | 642 | 24 | 14 | 31 | 2 | 26 | 37 |
| Race/ethnicity | | | | | | | | | | | | | | | |
| White (non-Hispanic) | 74.0 | 78.2 | 69.9 | 76.2 | 76.9 | 77.8 | 70.1 | 74.6 | 74.8 | 87.5 | 85.7 | 87.1 | | 84.6 | 89.2 |
| Black (non-Hispanic) | 8.0 | 0.6 | 0.7 | | 0.4 | | | 1.3 | 1.1 | | | | | | |
| Hispanic origin | 3.0 | 2.0 | 3.6 | 3.3 | 2.4 | | 3.1 | 3.3 | 3.6 | | 7.1 | 3.2 | | | 5.4 |
| American Indian/Alaska Native | | 17.4 | 22.7 | 18.0 | 18.0 | 18.5 | 23.7 | 17.9 | 18.4 | 12.5 | 7.1 | 9.7 | 100.0 | 11.5 | 5.4 |
| Asian/Pacific Islander | 0.5 | 0.3 | 0.5 | | 0.4 | 3.7 | | 0.8 | 0.5 | | | | | | |
| Other | 2.1 | 1.5 | 2.7 | 2.5 | 1.9 | | 3.1 | 2.1 | 1.7 | | | | | 3.8 | |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| No. of admissions | 9,128 | 2,196 | 3,465 | 122 | 743 | 27 | 97 | 1,702 | 642 | 24 | 14 | 31 | 2 | 26 | 37 |

⁻⁻ Quantity is zero.

Table 3.26
Nebraska
Admissions aged 12 and older by gender, age group, and race/ethnicity, according to primary substance: TEDS 2008

| | | | | | | F | Primary s | ubstance | at admission | | | | | | |
|-------------------------------|------------|---------|-----------|--------|---------|---------|-----------|----------|--------------|-------|-------|--------|-------|--------|--------|
| | | A | lcohol | Opi | ates | Coca | ine | | | | | | | | |
| Gender, age group, and | All admis- | | | | | | |] | Metham- | | | | | | Other/ |
| race/ethnicity | sions | | | | | | | Mari- | phetamine/ | Tran- | | Hallu- | | | none |
| | aged 12 | Alcohol | Secondary | | Other | Smoked | Other | juana/ | amphet- | quil- | Seda- | cino- | | Inhal- | speci- |
| | and older | only | drug | Heroin | opiates | cocaine | route | hashish | amine | izers | tives | gens | PCP | ants | fied |
| Total admissions aged 12 | | | | | | | | | | | | | | | |
| and older | 16,252 | 10,409 | 2,407 | 62 | 260 | 430 | 125 | 1,023 | 1,147 | 33 | 22 | 11 | 2 | 31 | 290 |
| Gender | | | | | | | | | | | | | | | |
| Male | 72.3 | 78.7 | 72.3 | 74.2 | 43.8 | 57.2 | 63.2 | 68.0 | 43.1 | 57.6 | 31.8 | 63.6 | 100.0 | 71.0 | 32.4 |
| Female | 27.7 | 21.3 | 27.7 | 25.8 | 56.2 | 42.8 | 36.8 | 32.0 | 56.9 | 42.4 | 68.2 | 36.4 | | 29.0 | 67.6 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| No. of admissions | 16,244 | 10,408 | 2,407 | 62 | 260 | 430 | 125 | 1,022 | 1,147 | 33 | 22 | 11 | 2 | 31 | 284 |
| Age at admission | | | | | | | | | | | | | | | |
| 12 to 19 years | 5.9 | 5.9 | 5.9 | | 2.7 | 0.9 | 3.2 | 13.6 | 2.9 | 6.1 | 4.5 | | | 16.1 | 1.0 |
| 20 to 24 years | 19.7 | 18.5 | 21.5 | 19.4 | 19.6 | 4.9 | 22.4 | 33.6 | 19.2 | 18.2 | 4.5 | 36.4 | 100.0 | 38.7 | 19.0 |
| 25 to 29 years | 15.2 | 12.2 | 18.1 | 17.7 | 25.0 | 11.6 | 20.0 | 21.8 | 26.7 | 21.2 | 40.9 | 27.3 | | 16.1 | 23.1 |
| 30 to 34 years | 10.4 | 9.0 | 11.5 | 8.1 | 19.6 | 10.5 | 10.4 | 9.9 | 17.9 | 15.2 | 9.1 | 18.2 | | 6.5 | 18.3 |
| 35 to 39 years | 11.1 | 10.6 | 11.7 | 3.2 | 9.6 | 20.0 | 12.8 | 8.2 | 14.8 | 9.1 | 18.2 | 9.1 | | 6.5 | 10.0 |
| 40 to 44 years | 12.0 | 12.3 | 12.2 | 8.1 | 10.0 | 24.9 | 16.8 | 6.7 | 9.4 | 6.1 | 9.1 | | | 6.5 | 10.7 |
| 45 to 49 years | 11.6 | 13.2 | 11.6 | 12.9 | 6.2 | 15.8 | 6.4 | 3.3 | 5.9 | 18.2 | | 9.1 | | 6.5 | 7.6 |
| 50 to 54 years | 8.1 | 10.3 | 4.9 | 14.5 | 5.8 | 7.7 | 4.0 | 2.3 | 2.4 | 3.0 | 9.1 | | | | 5.5 |
| 55 to 59 years | 3.8 | 5.1 | 2.3 | 14.5 | 1.2 | 1.2 | 4.0 | 0.4 | 0.3 | | 4.5 | | | | 1.7 |
| 60 years and older | 2.1 | 3.0 | 0.3 | 1.6 | 0.4 | 2.6 | | 0.1 | 0.4 | 3.0 | | | | 3.2 | 3.1 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| No. of admissions | 16,252 | 10,409 | 2,407 | 62 | 260 | 430 | 125 | 1,023 | 1,147 | 33 | 22 | 11 | 2 | 31 | 290 |
| Race/ethnicity | | | | | | | | | | | | | | | |
| White (non-Hispanic) | 74.3 | 73.7 | 77.6 | 61.3 | 89.6 | 32.4 | 63.7 | 75.8 | 86.0 | 81.8 | 86.4 | 72.7 | 100.0 | 64.5 | 73.4 |
| Black (non-Hispanic) | 9.9 | 9.0 | 7.5 | 30.6 | 4.6 | 59.7 | 24.2 | 13.3 | 1.1 | | 4.5 | 9.1 | | 3.2 | 9.2 |
| Hispanic origin | 6.8 | 7.6 | 5.2 | 3.2 | 1.5 | 3.5 | 5.6 | 4.4 | 7.1 | 9.1 | 4.5 | | | 19.4 | 10.3 |
| American Indian/Alaska Native | | 7.9 | 7.4 | 3.2 | 2.3 | 2.6 | 2.4 | 3.9 | 2.9 | 9.1 | 4.5 | | | 3.2 | 4.6 |
| Asian/Pacific Islander | 8.0 | 0.8 | 0.8 | | 1.2 | 1.2 | 1.6 | 1.6 | 0.5 | | | 18.2 | | 6.5 | 1.1 |
| Other | 1.2 | 1.0 | 1.4 | 1.6 | 0.8 | 0.7 | 2.4 | 0.9 | 2.4 | | | | | 3.2 | 1.4 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| No. of admissions | 16,177 | 10,382 | 2,391 | 62 | 259 | 429 | 124 | 1,013 | 1,136 | 33 | 22 | 11 | 2 | 31 | 282 |

⁻⁻ Quantity is zero.

Table 3.27
Nevada
Admissions aged 12 and older by gender, age group, and race/ethnicity, according to primary substance: TEDS 2008

| | | | | | | F | Primary s | ubstance | at admission | | | | | | |
|-------------------------------|------------|---------|-----------|--------|---------|---------|-----------|----------|--------------|-------|-------|--------|-------|--------|--------|
| | | Al | lcohol | Opi | ates | Coca | ine | | | | | | | | |
| Gender, age group, and | All admis- | | | | | | |] | Metham- | | | | | | Other/ |
| race/ethnicity | sions | | | | | | | Mari- | phetamine/ | Tran- | | Hallu- | | | none |
| | aged 12 | Alcohol | Secondary | | Other | Smoked | Other | juana/ | amphet- | quil- | Seda- | cino- | | Inhal- | speci- |
| | and older | only | drug | Heroin | opiates | cocaine | route | hashish | amine | izers | tives | gens | PCP | ants | fied |
| Total admissions aged 12 | | | | | | | | | | | | | | | |
| and older | 9,699 | 2,497 | 1,598 | 712 | 430 | 668 | 177 | 1,494 | 2,000 | 23 | 8 | 10 | 18 | 5 | 59 |
| Gender | | | | | | | | | | | | | | | |
| Male | 65.4 | 74.3 | 68.7 | 69.1 | 53.0 | 63.9 | 68.4 | 72.8 | 48.4 | 47.8 | 25.0 | 50.0 | 16.7 | 40.0 | 74.6 |
| Female | 34.6 | 25.7 | 31.3 | 30.9 | 47.0 | 36.1 | 31.6 | 27.2 | 51.7 | 52.2 | 75.0 | 50.0 | 83.3 | 60.0 | 25.4 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| No. of admissions | 9,699 | 2,497 | 1,598 | 712 | 430 | 668 | 177 | 1,494 | 2,000 | 23 | 8 | 10 | 18 | 5 | 59 |
| Age at admission | | | | | | | | | | | | | | | |
| 12 to 19 years | 16.4 | 6.4 | 14.4 | 14.5 | 7.7 | 1.0 | 9.0 | 57.2 | 7.9 | 21.7 | 12.5 | 100.0 | | 20.0 | 16.9 |
| 20 to 24 years | 12.6 | 5.3 | 11.6 | 26.4 | 20.0 | 4.6 | 10.7 | 14.8 | 16.7 | 21.7 | 37.5 | | 11.1 | | 16.9 |
| 25 to 29 years | 12.6 | 8.2 | 11.4 | 15.0 | 20.0 | 7.6 | 16.4 | 9.7 | 20.3 | 8.7 | | | 44.4 | | 8.5 |
| 30 to 34 years | 10.9 | 9.2 | 10.9 | 8.1 | 12.8 | 11.2 | 19.2 | 5.7 | 16.6 | 4.3 | | | 27.8 | 60.0 | 13.6 |
| 35 to 39 years | 11.7 | 11.7 | 13.9 | 5.3 | 14.0 | 16.0 | 13.0 | 4.7 | 15.8 | 13.0 | 25.0 | | 5.6 | 20.0 | 1.7 |
| 40 to 44 years | 12.3 | 17.0 | 14.0 | 7.4 | 7.9 | 24.1 | 13.0 | 3.5 | 10.5 | 8.7 | | | 11.1 | | 13.6 |
| 45 to 49 years | 11.3 | 17.7 | 13.3 | 10.0 | 10.0 | 19.2 | 8.5 | 2.3 | 7.5 | 4.3 | | | | | 3.4 |
| 50 to 54 years | 7.1 | 12.5 | 6.6 | 7.0 | 4.0 | 12.9 | 7.3 | 1.5 | 3.7 | 8.7 | 12.5 | | | | 10.2 |
| 55 to 59 years | 3.4 | 7.7 | 2.9 | 4.4 | 2.3 | 2.4 | 1.7 | 0.4 | 0.8 | 8.7 | | | | | 10.2 |
| 60 years and older | 1.7 | 4.3 | 1.0 | 1.8 | 1.4 | 0.9 | 1.1 | 0.1 | 0.3 | | 12.5 | | | | 5.1 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| No. of admissions | 9,699 | 2,497 | 1,598 | 712 | 430 | 668 | 177 | 1,494 | 2,000 | 23 | 8 | 10 | 18 | 5 | 59 |
| Race/ethnicity | | | | | | | | | | | | | | | |
| White (non-Hispanic) | 62.3 | 68.1 | 59.8 | 76.3 | 79.5 | 30.1 | 48.3 | 47.4 | 72.5 | 87.0 | 62.5 | 60.0 | 5.6 | 40.0 | 52.5 |
| Black (non-Hispanic) | 14.0 | 7.6 | 16.0 | 8.9 | 3.3 | 58.7 | 29.5 | 17.9 | 5.1 | | | 30.0 | 66.7 | | 11.9 |
| Hispanic origin | 15.1 | 16.3 | 14.1 | 9.4 | 11.1 | 6.9 | 18.2 | 22.9 | 13.7 | 8.7 | 25.0 | | 22.2 | | 22.0 |
| American Indian/Alaska Native | - | 4.4 | 4.2 | 1.3 | 2.1 | 0.5 | 0.6 | 1.7 | 2.5 | | 12.5 | | | | 6.8 |
| Asian/Pacific Islander | 1.3 | 1.0 | 1.1 | 0.7 | 0.9 | 1.1 | | 1.4 | 2.2 | | | | | | |
| Other | 4.4 | 2.8 | 4.9 | 3.4 | 3.1 | 2.7 | 3.4 | 8.8 | 4.0 | 4.3 | | 10.0 | 5.6 | 60.0 | 6.8 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| No. of admissions | 9,572 | 2,467 | 1,579 | 709 | 425 | 664 | 176 | 1,472 | 1,957 | 23 | 8 | 10 | 18 | 5 | 59 |

⁻⁻ Quantity is zero.

Table 3.28
New Hampshire
Admissions aged 12 and older by gender, age group, and race/ethnicity, according to primary substance: TEDS 2008

| | | | | | | F | Primary s | ubstance | at admission | | | | | | |
|-------------------------------|------------|---------|-----------|--------|---------|---------|-----------|----------|--------------|-------|-------|--------|-------|--------|--------|
| | | A | cohol . | Opi | ates | Coca | ine | | | | | | | | |
| Gender, age group, and | All admis- | | | | | | |] | Metham- | | | | | | Other/ |
| race/ethnicity | sions | | | | | | | Mari- | phetamine/ | Tran- | | Hallu- | | | none |
| | aged 12 | Alcohol | Secondary | | Other | Smoked | Other | juana/ | amphet- | quil- | Seda- | cino- | | Inhal- | speci- |
| | and older | only | drug | Heroin | opiates | cocaine | route | hashish | amine | izers | tives | gens | PCP | ants | fied |
| Total admissions aged 12 | | | | | | | | | | | | | | | |
| and older | 6,136 | 1,733 | 1,332 | 772 | 688 | 334 | 313 | 801 | 50 | 29 | 3 | 7 | 1 | 2 | 71 |
| Gender | | | | | | | | | | | | | | | |
| Male | 61.7 | 63.8 | 66.3 | 57.8 | 50.4 | 50.8 | 59.1 | 68.8 | 64.0 | 41.4 | 66.7 | 100.0 | | 50.0 | 60.6 |
| Female | 38.3 | 36.2 | 33.7 | 42.2 | 49.6 | 49.2 | 40.9 | 31.2 | 36.0 | 58.6 | 33.3 | | 100.0 | 50.0 | 39.4 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| No. of admissions | 6,134 | 1,733 | 1,331 | 772 | 688 | 333 | 313 | 801 | 50 | 29 | 3 | 7 | 1 | 2 | 71 |
| Age at admission | | | | | | | | | | | | | | | |
| 12 to 19 years | 10.8 | 3.8 | 9.9 | 5.1 | 10.0 | 2.7 | 6.7 | 37.1 | 22.0 | 10.3 | | 14.3 | | 50.0 | 18.3 |
| 20 to 24 years | 20.4 | 10.8 | 18.4 | 35.8 | 28.1 | 13.8 | 22.7 | 26.2 | 12.0 | 20.7 | | 57.1 | | 50.0 | 12.7 |
| 25 to 29 years | 17.3 | 11.1 | 17.3 | 29.0 | 23.5 | 18.6 | 20.4 | 11.4 | 24.0 | 13.8 | 66.7 | 14.3 | 100.0 | | 19.7 |
| 30 to 34 years | 10.9 | 8.1 | 10.7 | 13.2 | 13.7 | 18.6 | 13.7 | 7.6 | 20.0 | 6.9 | | 14.3 | | | 12.7 |
| 35 to 39 years | 11.3 | 13.2 | 12.3 | 7.5 | 9.3 | 18.0 | 13.1 | 7.5 | 4.0 | 27.6 | 33.3 | | | | 8.5 |
| 40 to 44 years | 10.7 | 14.6 | 13.3 | 5.4 | 6.0 | 18.9 | 10.9 | 4.1 | 10.0 | 6.9 | | | | | 7.0 |
| 45 to 49 years | 9.4 | 16.6 | 10.2 | 2.8 | 5.2 | 7.5 | 8.6 | 3.6 | 6.0 | 6.9 | | | | | 12.7 |
| 50 to 54 years | 5.5 | 11.8 | 5.6 | 1.2 | 2.2 | 2.1 | 2.2 | 2.1 | | 6.9 | | | | | 5.6 |
| 55 to 59 years | 2.3 | 5.9 | 1.7 | | 1.6 | | 1.3 | 0.2 | | | | | | | |
| 60 years and older | 1.4 | 4.0 | 0.7 | | 0.4 | | 0.3 | 0.1 | 2.0 | | | | | | 2.8 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| No. of admissions | 6,136 | 1,733 | 1,332 | 772 | 688 | 334 | 313 | 801 | 50 | 29 | 3 | 7 | 1 | 2 | 71 |
| Race/ethnicity | | | | | | | | | | | | | | | |
| White (non-Hispanic) | 93.7 | 94.6 | 93.6 | 95.6 | 94.6 | 89.8 | 92.7 | 91.0 | 94.0 | 96.6 | 100.0 | 100.0 | 100.0 | 50.0 | 94.4 |
| Black (non-Hispanic) | 1.3 | 1.2 | 1.4 | 0.1 | 0.7 | 2.1 | 2.6 | 2.6 | | 3.4 | | | | | |
| Hispanic origin | 3.1 | 2.4 | 3.2 | 2.8 | 2.6 | 6.0 | 3.5 | 4.4 | 2.0 | | | | | | 1.4 |
| American Indian/Alaska Native | | 0.6 | 0.9 | 0.6 | 0.7 | 1.5 | | 1.0 | 2.0 | | | | | | 1.4 |
| Asian/Pacific Islander | 0.2 | 0.2 | 0.1 | 0.3 | 0.7 | | | 0.1 | | | | | | | 1.4 |
| Other | 0.9 | 1.0 | 0.9 | 0.5 | 0.6 | 0.6 | 1.3 | 0.9 | 2.0 | | | | | 50.0 | 1.4 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| No. of admissions | 6,134 | 1,732 | 1,332 | 772 | 688 | 333 | 313 | 801 | 50 | 29 | 3 | 7 | 1 | 2 | 71 |

⁻⁻ Quantity is zero.

Table 3.29
New Jersey
Admissions aged 12 and older by gender, age group, and race/ethnicity, according to primary substance: TEDS 2008

| | | | | | | F | Primary s | ubstance i | at admission | | | | | | |
|-------------------------------|------------|---------|-----------|--------|---------|---------|-----------|------------|--------------|-------|-------|--------|-------|--------|--------|
| | | A | cohol . | Opi | ates | Coca | ine | | | | | | | | |
| Gender, age group, and | All admis- | | | | | | |] | Metham- | | | | | | Other/ |
| race/ethnicity | sions | | | | | | | Mari- | phetamine/ | Tran- | | Hallu- | | | none |
| | aged 12 | Alcohol | Secondary | | Other | Smoked | Other | juana/ | amphet- | quil- | Seda- | cino- | | Inhal- | speci- |
| | and older | only | drug | Heroin | opiates | cocaine | route | hashish | amine | izers | tives | gens | PCP | ants | fied |
| Total admissions aged 12 | | | | | | | | | | | | | | | |
| and older | 64,901 | 12,245 | 8,905 | 22,652 | 4,118 | 3,673 | 2,400 | 9,559 | 189 | 522 | 33 | 34 | 334 | 13 | 224 |
| Gender | | | | | | | | | | | | | | | |
| Male | 68.0 | 71.7 | 72.7 | 64.6 | 61.2 | 53.9 | 69.8 | 76.6 | 66.1 | 47.1 | 27.3 | 73.5 | 57.2 | 46.2 | 55.8 |
| Female | 32.0 | 28.3 | 27.3 | 35.4 | 38.8 | 46.1 | 30.2 | 23.4 | 33.9 | 52.9 | 72.7 | 26.5 | 42.8 | 53.8 | 44.2 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| No. of admissions | 64,875 | 12,242 | 8,900 | 22,642 | 4,116 | 3,671 | 2,398 | 9,557 | 189 | 522 | 33 | 34 | 334 | 13 | 224 |
| Age at admission | | | | | | | | | | | | | | | |
| 12 to 19 years | 9.7 | 2.9 | 7.9 | 3.5 | 8.1 | 1.9 | 6.0 | 39.1 | 19.0 | 5.2 | 9.1 | 41.2 | 9.9 | 15.4 | 19.6 |
| 20 to 24 years | 15.6 | 7.9 | 13.5 | 16.6 | 25.5 | 6.5 | 11.4 | 25.1 | 19.6 | 13.2 | 9.1 | 23.5 | 30.8 | 38.5 | 17.0 |
| 25 to 29 years | 14.6 | 9.5 | 14.1 | 15.5 | 21.4 | 11.1 | 17.0 | 16.2 | 15.9 | 16.1 | 9.1 | 23.5 | 36.8 | 15.4 | 11.6 |
| 30 to 34 years | 11.0 | 9.8 | 11.3 | 11.7 | 12.5 | 11.9 | 14.0 | 8.3 | 12.7 | 13.0 | 6.1 | 2.9 | 15.3 | | 13.4 |
| 35 to 39 years | 12.0 | 11.9 | 12.4 | 13.9 | 8.4 | 18.7 | 17.4 | 5.0 | 9.0 | 10.5 | 27.3 | | 5.7 | 30.8 | 8.9 |
| 40 to 44 years | 13.6 | 15.2 | 15.5 | 16.0 | 8.7 | 22.3 | 15.8 | 3.0 | 11.1 | 10.9 | 6.1 | | 0.9 | | 11.2 |
| 45 to 49 years | 11.8 | 18.7 | 13.7 | 11.8 | 7.3 | 17.2 | 10.3 | 1.9 | 9.0 | 13.8 | 3.0 | 8.8 | | | 8.9 |
| 50 to 54 years | 7.1 | 12.6 | 7.5 | 7.1 | 4.9 | 7.2 | 6.1 | 1.0 | 1.6 | 10.7 | 18.2 | | 0.6 | | 6.7 |
| 55 to 59 years | 3.0 | 6.7 | 2.8 | 2.8 | 2.1 | 2.4 | 1.4 | 0.3 | 0.5 | 3.6 | 12.1 | | | | 0.9 |
| 60 years and older | 1.6 | 4.8 | 1.2 | 1.0 | 1.2 | 1.0 | 0.7 | 0.1 | 1.6 | 2.9 | | | | | 1.8 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| No. of admissions | 64,901 | 12,245 | 8,905 | 22,652 | 4,118 | 3,673 | 2,400 | 9,559 | 189 | 522 | 33 | 34 | 334 | 13 | 224 |
| Race/ethnicity | | | | | | | | | | | | | | | |
| White (non-Hispanic) | 59.5 | 72.1 | 65.0 | 55.1 | 90.3 | 41.1 | 61.7 | 42.1 | 61.4 | 84.9 | 81.8 | 64.7 | 16.8 | 92.3 | 65.2 |
| Black (non-Hispanic) | 24.8 | 12.2 | 21.4 | 29.1 | 3.5 | 46.8 | 20.1 | 36.1 | 22.2 | 6.5 | 9.1 | 11.8 | 50.3 | 7.7 | 20.1 |
| Hispanic origin | 13.0 | 12.8 | 11.5 | 13.2 | 4.8 | 9.8 | 15.4 | 18.1 | 11.6 | 7.7 | 9.1 | 20.6 | 27.2 | | 11.2 |
| American Indian/Alaska Native | - | 0.2 | 0.2 | 0.1 | * | 0.2 | 0.5 | 0.2 | | | | | 0.3 | | 0.4 |
| Asian/Pacific Islander | 0.6 | 1.3 | 0.4 | 0.4 | 0.4 | 0.3 | 0.5 | 0.8 | 1.1 | 0.2 | | 2.9 | 0.3 | | 0.4 |
| Other | 1.9 | 1.3 | 1.5 | 2.1 | 1.0 | 1.8 | 1.9 | 2.7 | 3.7 | 0.8 | | | 5.1 | | 2.7 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| No. of admissions | 64,901 | 12,245 | 8,905 | 22,652 | 4,118 | 3,673 | 2,400 | 9,559 | 189 | 522 | 33 | 34 | 334 | 13 | 224 |

⁻⁻ Quantity is zero.

Table 3.30
New Mexico
Admissions aged 12 and older by gender, age group, and race/ethnicity, according to primary substance: TEDS 2008

| | | | | | | F | Primary s | ubstance | at admission | | | | | | |
|-------------------------------|------------|---------|-----------|--------|---------|---------|-----------|----------|--------------|-------|-------|--------|-------|--------|--------|
| | | Al | lcohol | Opi | ates | Coca | ine | | | | | | | | |
| Gender, age group, and | All admis- | | | | | | | | Metham- | | | | | | Other/ |
| race/ethnicity | sions | | | | | | | Mari- | phetamine/ | Tran- | | Hallu- | | | none |
| | aged 12 | Alcohol | Secondary | | Other | Smoked | Other | juana/ | amphet- | quil- | Seda- | cino- | | Inhal- | speci- |
| | and older | only | drug | Heroin | opiates | cocaine | route | hashish | amine | izers | tives | gens | PCP | ants | fied |
| Total admissions aged 12 | | | | | | | | | | | | | | | |
| and older | 10,892 | 4,118 | 1,424 | 697 | 280 | 345 | 468 | 735 | 776 | 14 | 23 | 1 | 3 | 7 | 2,001 |
| Gender | | | | | | | | | | | | | | | |
| Male | 66.0 | 71.8 | 72.5 | 61.1 | 45.0 | 49.3 | 62.1 | 73.3 | 51.0 | 71.4 | 39.1 | 100.0 | 66.7 | 71.4 | 61.5 |
| Female | 34.0 | 28.2 | 27.5 | 38.9 | 55.0 | 50.7 | 37.9 | 26.7 | 49.0 | 28.6 | 60.9 | | 33.3 | 28.6 | 38.5 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| No. of admissions | 10,887 | 4,115 | 1,424 | 697 | 280 | 345 | 467 | 735 | 775 | 14 | 23 | 1 | 3 | 7 | 2,001 |
| Age at admission | | | | | | | | | | | | | | | |
| 12 to 19 years | 3.0 | 2.1 | 3.5 | 2.6 | 2.5 | 1.4 | 2.6 | 11.3 | 1.5 | | | | 33.3 | | 2.8 |
| 20 to 24 years | 14.0 | 11.2 | 15.4 | 14.5 | 15.4 | 8.1 | 16.0 | 28.3 | 16.1 | 14.3 | 4.3 | | | 14.3 | 13.0 |
| 25 to 29 years | 15.8 | 13.1 | 16.7 | 15.8 | 16.4 | 14.8 | 16.0 | 19.2 | 22.9 | 14.3 | 13.0 | 100.0 | | 14.3 | 16.5 |
| 30 to 34 years | 13.0 | 11.8 | 13.1 | 11.6 | 20.7 | 12.2 | 16.5 | 9.5 | 20.5 | 14.3 | 4.3 | | | 14.3 | 13.0 |
| 35 to 39 years | 13.2 | 13.4 | 15.5 | 10.3 | 14.3 | 19.4 | 11.1 | 8.4 | 15.2 | | 21.7 | | | 14.3 | 12.6 |
| 40 to 44 years | 13.0 | 14.7 | 12.3 | 10.0 | 10.7 | 19.1 | 13.9 | 6.9 | 9.7 | 14.3 | 21.7 | | | 14.3 | 13.5 |
| 45 to 49 years | 12.9 | 15.0 | 12.1 | 14.8 | 7.1 | 14.8 | 12.0 | 7.6 | 8.0 | 7.1 | 30.4 | | 33.3 | | 13.0 |
| 50 to 54 years | 8.5 | 10.0 | 7.8 | 11.0 | 5.0 | 9.3 | 7.9 | 5.2 | 4.3 | 35.7 | 4.3 | | 33.3 | 28.6 | 8.4 |
| 55 to 59 years | 4.1 | 5.4 | 2.2 | 4.9 | 6.8 | 0.9 | 3.6 | 2.7 | 1.7 | | | | | | 4.1 |
| 60 years and older | 2.4 | 3.4 | 1.4 | 4.4 | 1.1 | | 0.4 | 0.8 | 0.1 | | | | | | 3.0 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| No. of admissions | 10,892 | 4,118 | 1,424 | 697 | 280 | 345 | 468 | 735 | 776 | 14 | 23 | 1 | 3 | 7 | 2,001 |
| Race/ethnicity | | | | | | | | | | | | | | | |
| White (non-Hispanic) | 33.6 | 27.5 | 32.0 | 23.8 | 43.8 | 23.9 | 33.5 | 39.5 | 50.3 | 50.0 | 47.8 | | 33.3 | | 45.9 |
| Black (non-Hispanic) | 2.9 | 1.3 | 2.8 | 1.2 | 1.1 | 13.6 | 10.3 | 5.1 | 2.0 | | | | 33.3 | | 3.4 |
| Hispanic origin | 43.8 | 41.7 | 38.5 | 69.9 | 47.1 | 54.0 | 45.2 | 42.2 | 41.6 | 42.9 | 52.2 | | | 80.0 | 40.5 |
| American Indian/Alaska Native | | 23.3 | 22.9 | 1.5 | 1.1 | 1.2 | 1.8 | 7.3 | 2.8 | | | | | | 2.8 |
| Asian/Pacific Islander | 0.1 | 0.1 | | | | 0.3 | 0.4 | | 0.1 | | | | | | 0.2 |
| Other | 5.7 | 6.0 | 3.8 | 3.6 | 6.9 | 7.1 | 8.8 | 5.9 | 3.1 | 7.1 | | 100.0 | 33.3 | 20.0 | 7.2 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| No. of admissions | 9,952 | 3,981 | 1,386 | 685 | 276 | 339 | 445 | 709 | 743 | 14 | 23 | 1 | 3 | 5 | 1,342 |

⁻⁻ Quantity is zero.

Table 3.31
New York
Admissions aged 12 and older by gender, age group, and race/ethnicity, according to primary substance: TEDS 2008

| | | | | | | | Orimon (o | uhotonoo | at admission | | | | | | |
|-------------------------------|------------|---------|-----------|---------|---------|---------|------------|----------|--------------|-------|-------|--------|-------|--------|--------|
| | | Δ. | lcohol | Opia | otos | Coca | | ubstance | at admission | | | | | | |
| Gender, age group, and | All admis- | A | COHOI | Opi | ales | Coca | anre | - | Metham- | | | | | | Other/ |
| race/ethnicity | sions | | | | | | | Mari- | phetamine/ | Tran- | | Hallu- | | | none |
| race, cumony | aged 12 | Alcohol | Secondary | | Other | Smoked | Other | iuana/ | amphet- | quil- | Seda- | cino- | | Inhal- | speci- |
| | and older | only | drug | Heroin | opiates | cocaine | route | hashish | amine | izers | tives | gens | PCP | ants | fied |
| Total admissions aged 12 | and older | Or my | arag | Tioroni | οριατου | oodanio | 70010 | naomon | arriirio | 12010 | 11100 | gono | 1 01 | anto | nou |
| and older | 313,508 | 58,738 | 83,961 | 60,519 | 11,942 | 29,368 | 14,939 | 48,853 | 693 | 2646 | 513 | 108 | 607 | 52 | 569 |
| | 010,000 | 00,700 | 00,001 | 00,010 | 11,042 | 20,000 | 14,000 | 10,000 | 000 | 2040 | 010 | 100 | 007 | 02 | 000 |
| Gender | | | | | | | | | | | | | | | |
| Male | 75.1 | 76.8 | 78.6 | 76.2 | 60.5 | 63.5 | 73.6 | 77.9 | 80.4 | 65.1 | 36.3 | 76.9 | 74.0 | 75.0 | 63.6 |
| Female | 24.9 | 23.2 | 21.4 | 23.8 | 39.5 | 36.5 | 26.4 | 22.1 | 19.6 | 34.9 | 63.7 | 23.1 | 26.0 | 25.0 | 36.4 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| No. of admissions | 313,508 | 58,738 | 83,961 | 60,519 | 11,942 | 29,368 | 14,939 | 48,853 | 693 | 2646 | 513 | 108 | 607 | 52 | 569 |
| Age at admission | | | | | | | | | | | | | | | |
| 12 to 19 years | 7.2 | 1.9 | 3.9 | 2.5 | 7.3 | 0.9 | 3.9 | 29.7 | 11.4 | 5.5 | 5.8 | 27.8 | 3.5 | 34.6 | 13.9 |
| 20 to 24 years | 10.8 | 5.9 | 7.8 | 10.7 | 22.0 | 4.2 | 9.7 | 23.6 | 16.7 | 10.3 | 7.6 | 33.3 | 21.6 | 5.8 | 13.7 |
| 25 to 29 years | 11.8 | 8.3 | 9.7 | 13.2 | 19.7 | 7.7 | 13.1 | 17.8 | 18.2 | 11.7 | 6.8 | 12.0 | 26.7 | 34.6 | 16.7 |
| 30 to 34 years | 10.3 | 8.5 | 9.8 | 11.4 | 12.2 | 9.8 | 13.1 | 10.9 | 15.2 | 10.6 | 7.8 | 10.2 | 18.6 | 7.7 | 10.7 |
| 35 to 39 years | 12.5 | 11.2 | 13.7 | 13.7 | 9.8 | 17.8 | 15.5 | 7.0 | 12.7 | 12.2 | 7.4 | 4.6 | 12.2 | 1.9 | 10.7 |
| 40 to 44 years | 16.5 | 16.5 | 20.4 | 17.6 | 9.3 | 25.0 | 17.9 | 5.4 | 12.4 | 13.6 | 9.9 | 5.6 | 9.6 | 1.9 | 10.5 |
| 45 to 49 years | 14.9 | 17.8 | 18.6 | 15.0 | 8.5 | 20.9 | 15.0 | 3.3 | 7.2 | 13.8 | 13.3 | 6.5 | 6.3 | 7.7 | 9.5 |
| 50 to 54 years | 9.0 | 13.9 | 10.2 | 9.7 | 6.2 | 9.1 | 7.6 | 1.5 | 3.8 | 11.5 | 8.0 | | 1.5 | 1.9 | 6.3 |
| 55 to 59 years | 4.3 | 8.5 | 4.1 | 4.4 | 3.5 | 3.3 | 2.9 | 0.6 | 2.3 | 7.4 | 4.9 | | 0.2 | 3.8 | 5.8 |
| 60 years and older | 2.7 | 7.7 | 1.8 | 2.0 | 1.7 | 1.4 | 1.4 | 0.3 | 0.1 | 3.3 | 28.5 | | | | 2.1 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| No. of admissions | 313,508 | 58,738 | 83,961 | 60,519 | 11,942 | 29,368 | 14,939 | 48,853 | 693 | 2646 | 513 | 108 | 607 | 52 | 569 |
| Race/ethnicity | | | | | | | | | | | | | | | |
| White (non-Hispanic) | 43.5 | 57.1 | 40.8 | 39.7 | 87.5 | 32.0 | 40.5 | 31.5 | 67.0 | 69.6 | 84.4 | 63.9 | 22.4 | 75.0 | 61.7 |
| Black (non-Hispanic) | 32.2 | 20.3 | 39.6 | 20.5 | 4.4 | 53.4 | 31.0 | 44.6 | 13.4 | 8.7 | 5.8 | 16.7 | 47.0 | 3.8 | 16.7 |
| Hispanic origin | 21.2 | 18.1 | 16.8 | 37.5 | 5.6 | 12.4 | 25.7 | 20.6 | 13.1 | 18.6 | 5.3 | 17.6 | 29.3 | 11.5 | 18.3 |
| American Indian/Alaska Native | | 0.7 | 0.8 | 0.3 | 0.7 | 0.5 | 0.5 | 0.6 | 1.3 | 0.2 | 0.6 | 0.9 | 0.2 | | 0.7 |
| Asian/Pacific Islander | 0.6 | 1.1 | 0.4 | 0.4 | 0.6 | 0.4 | 0.5 | 0.5 | 2.3 | 0.4 | 1.9 | 0.9 | 0.2 | 5.8 | 0.7 |
| Other | 1.9 | 2.7 | 1.6 | 1.7 | 1.2 | 1.4 | 1.7 | 2.2 | 2.9 | 2.5 | 1.9 | | 1.0 | 3.8 | 1.9 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| No. of admissions | 313,508 | 58,738 | 83,961 | 60,519 | 11,942 | 29,368 | 14,939 | 48,853 | 693 | 2646 | 513 | 108 | 607 | 52 | 569 |

⁻⁻ Quantity is zero.

Table 3.32
North Carolina
Admissions aged 12 and older by gender, age group, and race/ethnicity, according to primary substance: TEDS 2008

| | | | | | | F | Primary s | ubstance | at admission | | | | | | |
|-------------------------------|------------|---------|-----------|--------|---------|---------|-----------|----------|--------------|-------|-------|--------|-------|--------|--------|
| | | A | cohol . | Opi | ates | Coca | ine | | | | | | | | |
| Gender, age group, and | All admis- | | | | | | |] | Metham- | | | | | | Other/ |
| race/ethnicity | sions | | | | | | | Mari- | phetamine/ | Tran- | | Hallu- | | | none |
| | aged 12 | Alcohol | Secondary | | Other | Smoked | Other | juana/ | amphet- | quil- | Seda- | cino- | | Inhal- | speci- |
| | and older | only | drug | Heroin | opiates | cocaine | route | hashish | amine | izers | tives | gens | PCP | ants | fied |
| Total admissions aged 12 | | | | | | | | | | | | | | | |
| and older | 36,578 | 8,064 | 6,473 | 1,353 | 3,127 | 5,457 | 1,710 | 7,605 | 492 | 336 | 171 | 45 | 13 | 102 | 1,630 |
| Gender | | | | | | | | | | | | | | | |
| Male | 67.4 | 73.2 | 70.9 | 67.0 | 54.7 | 53.4 | 62.5 | 76.1 | 55.5 | 46.4 | 38.6 | 68.9 | 76.9 | 63.7 | 71.7 |
| Female | 32.6 | 26.8 | 29.1 | 33.0 | 45.3 | 46.6 | 37.5 | 23.9 | 44.5 | 53.6 | 61.4 | 31.1 | 23.1 | 36.3 | 28.3 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| No. of admissions | 36,572 | 8,063 | 6,470 | 1,353 | 3,125 | 5,457 | 1,710 | 7,605 | 492 | 336 | 171 | 45 | 13 | 102 | 1,630 |
| Age at admission | | | | | | | | | | | | | | | |
| 12 to 19 years | 6.7 | 2.5 | 1.8 | 1.3 | 3.5 | 1.0 | 2.7 | 23.4 | 3.9 | 5.4 | 4.7 | 24.4 | 7.7 | 6.9 | 4.9 |
| 20 to 24 years | 14.2 | 8.2 | 9.2 | 18.8 | 18.4 | 6.1 | 13.6 | 28.7 | 19.1 | 17.9 | 18.7 | 24.4 | 30.8 | 14.7 | 9.1 |
| 25 to 29 years | 15.3 | 10.7 | 13.0 | 20.5 | 24.1 | 11.3 | 19.1 | 19.5 | 19.9 | 23.5 | 18.7 | 13.3 | 7.7 | 20.6 | 12.0 |
| 30 to 34 years | 12.7 | 10.2 | 12.0 | 14.4 | 16.8 | 14.0 | 16.1 | 11.4 | 21.5 | 14.3 | 15.8 | 17.8 | 15.4 | 12.7 | 11.9 |
| 35 to 39 years | 13.1 | 13.3 | 14.9 | 13.7 | 11.4 | 18.7 | 16.0 | 7.1 | 14.0 | 14.9 | 12.3 | 4.4 | 7.7 | 12.7 | 14.2 |
| 40 to 44 years | 13.2 | 16.3 | 17.4 | 11.4 | 8.8 | 19.4 | 13.4 | 4.3 | 10.2 | 8.3 | 5.8 | 11.1 | 15.4 | 10.8 | 15.4 |
| 45 to 49 years | 12.9 | 18.2 | 17.2 | 8.0 | 9.3 | 17.6 | 10.6 | 3.3 | 5.3 | 6.3 | 9.4 | 2.2 | 15.4 | 7.8 | 16.0 |
| 50 to 54 years | 7.5 | 11.8 | 9.8 | 7.9 | 5.4 | 7.7 | 6.0 | 1.5 | 5.3 | 4.8 | 9.4 | 2.2 | | 8.8 | 10.6 |
| 55 to 59 years | 3.0 | 5.6 | 3.5 | 3.0 | 1.7 | 3.1 | 2.0 | 0.6 | 0.4 | 3.3 | 2.9 | | | 4.9 | 4.2 |
| 60 years and older | 1.4 | 3.2 | 1.4 | 1.0 | 0.6 | 1.1 | 0.4 | 0.2 | 0.4 | 1.5 | 2.3 | | | | 1.7 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| No. of admissions | 36,578 | 8,064 | 6,473 | 1,353 | 3,127 | 5,457 | 1,710 | 7,605 | 492 | 336 | 171 | 45 | 13 | 102 | 1,630 |
| Race/ethnicity | | | | | | | | | | | | | | | |
| White (non-Hispanic) | 62.1 | 68.7 | 67.6 | 74.1 | 92.9 | 47.1 | 62.2 | 46.1 | 94.5 | 97.9 | 91.2 | 71.1 | 46.2 | 75.5 | 43.6 |
| Black (non-Hispanic) | 33.5 | 26.8 | 28.6 | 21.9 | 4.1 | 48.5 | 33.0 | 48.4 | 2.2 | 0.9 | 7.6 | 22.2 | 53.8 | 19.6 | 53.4 |
| Hispanic origin | 1.7 | 2.1 | 1.5 | 2.8 | 1.2 | 1.1 | 1.8 | 1.9 | 0.2 | 0.3 | | 4.4 | | 3.9 | 1.5 |
| American Indian/Alaska Native | _ | 1.8 | 1.4 | 0.4 | 1.2 | 2.6 | 1.8 | 2.5 | 1.8 | 0.6 | | | | 1.0 | 1.0 |
| Asian/Pacific Islander | 0.2 | 0.2 | 0.2 | 0.1 | 0.2 | 0.2 | 0.3 | 0.2 | 0.4 | 0.3 | | | | | 0.1 |
| Other | 0.6 | 0.4 | 0.7 | 0.7 | 0.4 | 0.5 | 1.0 | 0.9 | 8.0 | | 1.2 | 2.2 | | | 0.4 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| No. of admissions | 36,562 | 8,060 | 6,473 | 1,353 | 3,127 | 5,452 | 1,708 | 7,600 | 492 | 336 | 171 | 45 | 13 | 102 | 1,630 |

⁻⁻ Quantity is zero.

Table 3.33
North Dakota
Admissions aged 12 and older by gender, age group, and race/ethnicity, according to primary substance: TEDS 2008

| | | | | | | | | ubstance | at admission | | | | | | |
|-------------------------------|------------|---------|-----------|--------|---------|---------|-------|----------|--------------|-------|-------|--------|-----|--------|--------|
| | | Al | cohol | Орі | ates | Coca | ine | | | | | | | | |
| Gender, age group, and | All admis- | | | | | | | | Metham- | | | | | | Other/ |
| race/ethnicity | sions | | _ | | | | | Mari- | phetamine/ | Tran- | | Hallu- | | | none |
| | aged 12 | Alcohol | Secondary | | Other | Smoked | Other | juana/ | amphet- | quil- | Seda- | cino- | | Inhal- | speci- |
| | and older | only | drug | Heroin | opiates | cocaine | route | hashish | amine | izers | tives | gens | PCP | ants | fied |
| Total admissions aged 12 | | | | | | | | | | | | | | | |
| and older | 2,456 | 846 | 616 | 9 | 105 | 14 | 19 | 634 | 188 | 4 | 2 | 4 | | 7 | 8 |
| Gender | | | | | | | | | | | | | | | |
| Male | 63.9 | 65.3 | 65.9 | 55.6 | 41.9 | 42.9 | 57.9 | 69.4 | 51.9 | 50.0 | | 75.0 | | 42.9 | 12.5 |
| Female | 36.1 | 34.7 | 34.1 | 44.4 | 58.1 | 57.1 | 42.1 | 30.6 | 48.1 | 50.0 | 100.0 | 25.0 | | 57.1 | 87.5 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | | 100.0 | 100.0 |
| No. of admissions | 2,448 | 841 | 615 | 9 | 105 | 14 | 19 | 633 | 187 | 4 | 2 | 4 | | 7 | 8 |
| Age at admission | | | | | | | | | | | | | | | |
| 12 to 19 years | 18.4 | 8.9 | 14.9 | | 6.7 | 14.3 | 5.3 | 40.5 | 4.8 | | | | | 57.1 | 50.0 |
| 20 to 24 years | 20.0 | 11.7 | 23.4 | 44.4 | 24.8 | 7.1 | 31.6 | 25.2 | 23.4 | 25.0 | | 25.0 | | 14.3 | 37.5 |
| 25 to 29 years | 16.6 | 13.6 | 21.8 | 44.4 | 18.1 | 21.4 | 15.8 | 14.0 | 20.7 | | | 25.0 | | 14.3 | |
| 30 to 34 years | 10.5 | 11.1 | 10.9 | | 16.2 | | 15.8 | 6.9 | 16.0 | 25.0 | | 50.0 | | 14.3 | |
| 35 to 39 years | 9.4 | 12.3 | 9.4 | 11.1 | 12.4 | 21.4 | 10.5 | 4.9 | 9.0 | 25.0 | 50.0 | | | | |
| 40 to 44 years | 8.3 | 10.4 | 8.9 | | 2.9 | 14.3 | 10.5 | 3.5 | 17.0 | | | | | | 12.5 |
| 45 to 49 years | 7.5 | 12.9 | 5.8 | | 7.6 | 14.3 | | 2.8 | 5.9 | | | | | | |
| 50 to 54 years | 5.3 | 9.7 | 3.7 | | 7.6 | 7.1 | 10.5 | 1.6 | 2.1 | 25.0 | | | | | |
| 55 to 59 years | 2.4 | 5.3 | 0.8 | | 2.9 | | | 0.5 | 1.1 | | | | | | |
| 60 years and older | 1.6 | 4.1 | 0.3 | | 1.0 | | | | | | 50.0 | | | | |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | | 100.0 | 100.0 |
| No. of admissions | 2,456 | 846 | 616 | 9 | 105 | 14 | 19 | 634 | 188 | 4 | 2 | 4 | | 7 | 8 |
| Race/ethnicity | | | | | | | | | | | | | | | |
| White (non-Hispanic) | 73.5 | 71.7 | 69.4 | 88.9 | 67.6 | 50.0 | 68.4 | 77.7 | 85.1 | 100.0 | 100.0 | 100.0 | | 57.1 | 75.0 |
| Black (non-Hispanic) | 1.9 | 1.8 | 1.8 | | 1.9 | 35.7 | 10.5 | 1.7 | | | | | | | |
| Hispanic origin | 1.5 | 0.7 | 1.5 | | 2.9 | | 5.3 | 2.5 | 1.6 | | | | | | |
| American Indian/Alaska Native | - | 24.1 | 25.4 | | 27.6 | 14.3 | 5.3 | 15.7 | 10.6 | | | | | 42.9 | 25.0 |
| Asian/Pacific Islander | 0.2 | 0.6 | | | | | | | | | | | | | |
| Other | 1.8 | 1.1 | 2.0 | 11.1 | | | 10.5 | 2.4 | 2.7 | | | | | | |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | | 100.0 | 100.0 |
| No. of admissions | 2,452 | 845 | 615 | 9 | 105 | 14 | 19 | 632 | 188 | 4 | 2 | 4 | | 7 | 8 |

⁻⁻ Quantity is zero.

Table 3.34
Ohio
Admissions aged 12 and older by gender, age group, and race/ethnicity, according to primary substance: TEDS 2008

| | | | | | | F | Primary s | ubstance | at admission | | | | | | |
|-------------------------------|------------|---------|-----------|--------|---------|---------|-----------|----------|--------------|-------|-------|--------|-------|--------|--------|
| | | Al | lcohol | Opi | ates | Coca | ine | | | | | | | | |
| Gender, age group, and | All admis- | | | | | | | | Metham- | | | | | | Other/ |
| race/ethnicity | sions | | | | | | | Mari- | phetamine/ | Tran- | | Hallu- | | | none |
| | aged 12 | Alcohol | Secondary | | Other | Smoked | Other | juana/ | amphet- | quil- | Seda- | cino- | | Inhal- | speci- |
| | and older | only | drug | Heroin | opiates | cocaine | route | hashish | amine | izers | tives | gens | PCP | ants | fied |
| Total admissions aged 12 | | | | | | | | | | | | | | | |
| and older | 97,414 | 19,213 | 20,078 | 9,608 | 4,764 | 9,292 | 2,218 | 20,440 | 520 | 359 | 168 | 64 | 146 | 80 | 10,464 |
| Gender | | | | | | | | | | | | | | | |
| Male | 62.8 | 69.4 | 70.6 | 58.9 | 47.3 | 46.0 | 56.5 | 68.9 | 57.3 | 38.7 | 35.7 | 75.0 | 49.3 | 66.3 | 52.0 |
| Female | 37.2 | 30.6 | 29.4 | 41.1 | 52.7 | 54.0 | 43.5 | 31.1 | 42.7 | 61.3 | 64.3 | 25.0 | 50.7 | 33.8 | 48.0 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| No. of admissions | 97,414 | 19,213 | 20,078 | 9,608 | 4,764 | 9,292 | 2,218 | 20,440 | 520 | 359 | 168 | 64 | 146 | 80 | 10,464 |
| Age at admission | | | | | | | | | | | | | | | |
| 12 to 19 years | 14.0 | 8.4 | 8.9 | 3.7 | 5.3 | 1.1 | 5.1 | 35.2 | 9.8 | 11.7 | 9.5 | 21.9 | 0.7 | 38.8 | 19.8 |
| 20 to 24 years | 16.6 | 12.9 | 15.6 | 22.9 | 21.2 | 5.7 | 13.9 | 23.3 | 20.6 | 18.7 | 18.5 | 25.0 | 4.8 | 8.8 | 14.6 |
| 25 to 29 years | 16.6 | 13.1 | 15.9 | 25.5 | 26.6 | 10.8 | 19.1 | 16.7 | 25.8 | 16.7 | 16.7 | 21.9 | 46.6 | 5.0 | 14.9 |
| 30 to 34 years | 11.7 | 10.8 | 11.9 | 15.2 | 18.1 | 10.8 | 16.3 | 9.6 | 14.4 | 16.7 | 17.9 | 15.6 | 34.2 | 6.3 | 10.4 |
| 35 to 39 years | 11.0 | 12.2 | 12.8 | 9.6 | 10.1 | 18.3 | 15.2 | 6.2 | 13.7 | 9.2 | 14.3 | 4.7 | 8.9 | 15.0 | 9.1 |
| 40 to 44 years | 10.2 | 12.9 | 12.7 | 6.8 | 7.0 | 19.4 | 11.4 | 4.0 | 7.5 | 8.4 | 7.1 | 4.7 | 2.1 | 10.0 | 8.5 |
| 45 to 49 years | 9.7 | 13.5 | 12.5 | 6.3 | 5.9 | 18.5 | 10.2 | 2.9 | 5.0 | 8.9 | 5.4 | | 2.1 | 10.0 | 8.3 |
| 50 to 54 years | 6.1 | 9.1 | 6.6 | 5.8 | 4.2 | 10.6 | 5.8 | 1.4 | 2.7 | 7.0 | 5.4 | 3.1 | 0.7 | 5.0 | 6.2 |
| 55 to 59 years | 2.6 | 4.2 | 2.5 | 3.3 | 1.2 | 3.5 | 2.0 | 0.4 | 0.6 | 1.9 | 3.0 | 3.1 | | 1.3 | 3.3 |
| 60 years and older | 1.6 | 2.9 | 0.7 | 0.9 | 0.5 | 1.6 | 0.9 | 0.1 | | 0.8 | 2.4 | | | | 4.9 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| No. of admissions | 97,414 | 19,213 | 20,078 | 9,608 | 4,764 | 9,292 | 2,218 | 20,440 | 520 | 359 | 168 | 64 | 146 | 80 | 10,464 |
| Race/ethnicity | | | | | | | | | | | | | | | |
| White (non-Hispanic) | 71.4 | 83.3 | 71.6 | 87.7 | 95.0 | 46.7 | 71.5 | 57.7 | 89.9 | 93.3 | 96.1 | 76.7 | 9.3 | 91.5 | 70.0 |
| Black (non-Hispanic) | 26.2 | 14.3 | 26.4 | 9.0 | 4.1 | 51.2 | 25.3 | 40.3 | 9.1 | 5.6 | 2.3 | 20.9 | 90.7 | 6.4 | 25.5 |
| Hispanic origin | 1.8 | 1.9 | 1.3 | 2.8 | 0.6 | 1.4 | 2.5 | 1.5 | 1.0 | 1.2 | 1.6 | | | 2.1 | 3.5 |
| American Indian/Alaska Native | | 0.2 | 0.4 | 0.4 | 0.1 | 0.5 | 0.5 | 0.2 | | | | 2.3 | | | 0.5 |
| Asian/Pacific Islander | 0.2 | 0.2 | 0.2 | 0.1 | 0.1 | 0.1 | 0.2 | 0.1 | | | | | | | 0.1 |
| Other | 0.1 | 0.1 | * | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | | | | | | | 0.3 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| No. of admissions | 68,512 | 13,229 | 14,617 | 7,704 | 3,686 | 7,186 | 1,725 | 14,577 | 397 | 252 | 128 | 43 | 107 | 47 | 4,814 |

⁻⁻ Quantity is zero.

Table 3.35
Oklahoma
Admissions aged 12 and older by gender, age group, and race/ethnicity, according to primary substance: TEDS 2008

| | | | | | | F | Primary s | ubstance | at admission | | | | | | |
|-------------------------------|------------|---------|-----------|--------|---------|---------|-----------|----------|--------------|-------|-------|--------|-------|--------|--------|
| | | Al | lcohol | Opi | ates | Coca | ine | | | | | | | | |
| Gender, age group, and | All admis- | | | | | | |] | Metham- | | | | | | Other/ |
| race/ethnicity | sions | | | | | | | Mari- | phetamine/ | Tran- | | Hallu- | | | none |
| | aged 12 | Alcohol | Secondary | | Other | Smoked | Other | juana/ | amphet- | quil- | Seda- | cino- | | Inhal- | speci- |
| | and older | only | drug | Heroin | opiates | cocaine | route | hashish | amine | izers | tives | gens | PCP | ants | fied |
| Total admissions aged 12 | | | | | | | | | | | | | | | |
| and older | 16,993 | 3,629 | 3,085 | 198 | 1,433 | 1,042 | 455 | 3,572 | 2,693 | 216 | 129 | 25 | 51 | 26 | 439 |
| Gender | | | | | | | | | | | | | | | |
| Male | 59.9 | 72.8 | 66.1 | 66.7 | 48.2 | 47.1 | 53.6 | 63.8 | 47.2 | 44.4 | 40.3 | 64.0 | 29.4 | 57.7 | 43.3 |
| Female | 40.1 | 27.2 | 33.9 | 33.3 | 51.8 | 52.9 | 46.4 | 36.2 | 52.8 | 55.6 | 59.7 | 36.0 | 70.6 | 42.3 | 56.7 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| No. of admissions | 16,993 | 3,629 | 3,085 | 198 | 1,433 | 1,042 | 455 | 3,572 | 2,693 | 216 | 129 | 25 | 51 | 26 | 439 |
| Age at admission | | | | | | | | | | | | | | | |
| 12 to 19 years | 10.3 | 3.8 | 6.9 | 5.6 | 5.0 | 1.3 | 4.8 | 30.2 | 2.5 | 11.6 | 14.0 | 20.0 | | 30.8 | 19.6 |
| 20 to 24 years | 16.2 | 11.2 | 14.7 | 23.2 | 23.0 | 7.1 | 11.9 | 22.7 | 15.9 | 18.5 | 20.9 | 32.0 | 27.5 | 26.9 | 10.9 |
| 25 to 29 years | 18.6 | 13.1 | 19.9 | 30.3 | 20.0 | 14.1 | 21.1 | 18.5 | 24.8 | 23.1 | 21.7 | 20.0 | 45.1 | 15.4 | 9.8 |
| 30 to 34 years | 13.6 | 10.9 | 13.4 | 11.6 | 17.4 | 14.0 | 15.8 | 10.9 | 19.6 | 12.5 | 12.4 | 16.0 | 25.5 | 11.5 | 8.4 |
| 35 to 39 years | 11.7 | 13.4 | 11.9 | 6.1 | 9.9 | 16.4 | 13.2 | 7.3 | 15.3 | 11.6 | 10.1 | 8.0 | | 3.8 | 9.8 |
| 40 to 44 years | 10.9 | 14.6 | 12.4 | 8.1 | 9.8 | 19.9 | 12.3 | 4.6 | 9.9 | 7.9 | 10.1 | | | 7.7 | 11.8 |
| 45 to 49 years | 10.2 | 15.9 | 12.8 | 8.1 | 8.0 | 15.2 | 13.2 | 3.2 | 8.2 | 7.4 | 4.7 | 4.0 | | 3.8 | 11.6 |
| 50 to 54 years | 5.3 | 9.8 | 5.6 | 3.5 | 4.6 | 8.2 | 4.8 | 1.8 | 2.7 | 5.1 | 5.4 | | | | 7.5 |
| 55 to 59 years | 2.3 | 4.8 | 1.9 | 3.0 | 2.0 | 3.5 | 2.6 | 0.4 | 0.9 | 1.9 | 0.8 | | | | 5.5 |
| 60 years and older | 0.9 | 2.4 | 0.5 | 0.5 | 0.3 | 0.4 | 0.2 | 0.3 | 0.1 | 0.5 | | | 2.0 | | 5.0 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| No. of admissions | 16,993 | 3,629 | 3,085 | 198 | 1,433 | 1,042 | 455 | 3,572 | 2,693 | 216 | 129 | 25 | 51 | 26 | 439 |
| Race/ethnicity | | | | | | | | | | | | | | | |
| White (non-Hispanic) | 68.9 | 73.2 | 66.1 | 76.8 | 85.4 | 41.0 | 60.2 | 59.5 | 82.0 | 78.7 | 72.1 | 56.0 | 9.8 | 61.5 | 68.1 |
| Black (non-Hispanic) | 13.5 | 8.4 | 13.9 | 5.6 | 2.8 | 48.3 | 20.4 | 20.9 | 1.9 | 5.6 | 5.4 | 16.0 | 82.4 | 3.8 | 9.3 |
| Hispanic origin | 4.2 | 4.5 | 3.1 | 7.1 | 1.6 | 3.2 | 6.8 | 5.6 | 3.3 | 2.8 | 3.9 | 4.0 | 5.9 | 7.7 | 10.5 |
| American Indian/Alaska Native | _ | 11.4 | 13.2 | 6.6 | 7.1 | 4.2 | 7.9 | 9.9 | 9.8 | 10.2 | 10.9 | 16.0 | | 23.1 | 8.2 |
| Asian/Pacific Islander | 0.6 | 0.6 | 0.7 | 0.5 | 0.7 | 1.0 | 0.4 | 0.6 | 0.4 | 0.5 | 0.8 | | | | 0.5 |
| Other | 2.8 | 1.8 | 3.0 | 3.5 | 2.4 | 2.4 | 4.2 | 3.5 | 2.6 | 2.3 | 7.0 | 8.0 | 2.0 | 3.8 | 3.4 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| No. of admissions | 16,993 | 3,629 | 3,085 | 198 | 1,433 | 1,042 | 455 | 3,572 | 2,693 | 216 | 129 | 25 | 51 | 26 | 439 |

⁻⁻ Quantity is zero.

Table 3.36
Oregon
Admissions aged 12 and older by gender, age group, and race/ethnicity, according to primary substance: TEDS 2008

| | | | | | | F | Primary s | ubstance . | at admission | | | | | | |
|-------------------------------|------------|---------|-----------|--------|---------|---------|-----------|------------|--------------|-------|-------|--------|-------|--------|--------|
| | | A | lcohol | Opi | ates | Coca | ine | | | | | | | | |
| Gender, age group, and | All admis- | | | | | | | | Metham- | | | | | | Other/ |
| race/ethnicity | sions | | | | | | | Mari- | phetamine/ | Tran- | | Hallu- | | | none |
| | aged 12 | Alcohol | Secondary | | Other | Smoked | Other | juana/ | amphet- | quil- | Seda- | cino- | | Inhal- | speci- |
| | and older | only | drug | Heroin | opiates | cocaine | route | hashish | amine | izers | tives | gens | PCP | ants | fied |
| Total admissions aged 12 | | | | | | | | | | | | | | | |
| and older | 50,700 | 18,056 | 10,478 | 3,550 | 2,121 | 764 | 331 | 8,028 | 7,045 | 11 | 201 | 41 | 2 | 14 | 58 |
| Gender | | | | | | | | | | | | | | | |
| Male | 66.4 | 71.6 | 71.2 | 61.5 | 46.3 | 58.2 | 70.7 | 70.7 | 50.9 | 45.5 | 40.3 | 73.2 | 50.0 | 85.7 | 51.7 |
| Female | 33.6 | 28.4 | 28.8 | 38.5 | 53.7 | 41.8 | 29.3 | 29.3 | 49.1 | 54.5 | 59.7 | 26.8 | 50.0 | 14.3 | 48.3 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| No. of admissions | 50,700 | 18,056 | 10,478 | 3,550 | 2,121 | 764 | 331 | 8,028 | 7,045 | 11 | 201 | 41 | 2 | 14 | 58 |
| Age at admission | | | | | | | | | | | | | | | |
| 12 to 19 years | 13.8 | 5.8 | 14.8 | 4.7 | 5.5 | 1.6 | 11.2 | 45.2 | 5.1 | 9.1 | 9.5 | 46.3 | 50.0 | 78.6 | 31.0 |
| 20 to 24 years | 16.5 | 13.7 | 19.5 | 18.0 | 17.5 | 5.6 | 22.7 | 18.9 | 16.5 | | 10.0 | 31.7 | | 14.3 | 1.7 |
| 25 to 29 years | 16.0 | 13.7 | 16.1 | 17.6 | 23.7 | 9.3 | 12.4 | 13.5 | 22.6 | 18.2 | 15.4 | 4.9 | | | 10.3 |
| 30 to 34 years | 11.7 | 11.4 | 11.0 | 14.2 | 13.6 | 10.5 | 13.6 | 7.7 | 16.1 | 27.3 | 12.4 | 2.4 | | | 8.6 |
| 35 to 39 years | 10.9 | 11.4 | 11.0 | 11.0 | 12.0 | 16.2 | 11.8 | 5.0 | 15.2 | | 9.0 | 9.8 | | | 5.2 |
| 40 to 44 years | 9.9 | 12.0 | 9.5 | 9.7 | 8.1 | 18.7 | 12.4 | 3.6 | 12.0 | 18.2 | 9.5 | | 50.0 | 7.1 | 19.0 |
| 45 to 49 years | 9.6 | 12.7 | 9.6 | 10.1 | 8.0 | 22.3 | 7.6 | 3.0 | 8.3 | 9.1 | 12.4 | | | | 3.4 |
| 50 to 54 years | 6.0 | 8.8 | 5.1 | 8.5 | 6.5 | 10.5 | 5.7 | 2.1 | 2.9 | 9.1 | 8.0 | | | | 8.6 |
| 55 to 59 years | 3.5 | 5.9 | 2.6 | 4.7 | 3.8 | 4.3 | 2.4 | 0.8 | 1.1 | | 10.4 | 2.4 | | | 10.3 |
| 60 years and older | 2.1 | 4.7 | 0.9 | 1.4 | 1.3 | 1.0 | 0.3 | 0.3 | 0.3 | 9.1 | 3.5 | 2.4 | | | 1.7 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| No. of admissions | 50,700 | 18,056 | 10,478 | 3,550 | 2,121 | 764 | 331 | 8,028 | 7,045 | 11 | 201 | 41 | 2 | 14 | 58 |
| Race/ethnicity | | | | | | | | | | | | | | | |
| White (non-Hispanic) | 78.1 | 77.4 | 77.6 | 82.6 | 88.9 | 34.6 | 67.7 | 75.1 | 83.5 | 90.9 | 83.6 | 73.2 | 50.0 | 64.3 | 81.0 |
| Black (non-Hispanic) | 4.4 | 2.4 | 4.4 | 4.9 | 2.4 | 55.4 | 15.1 | 6.3 | 1.8 | | 1.0 | 12.2 | 50.0 | 7.1 | |
| Hispanic origin | 9.3 | 12.4 | 7.7 | 5.0 | 3.2 | 4.6 | 11.8 | 10.5 | 7.2 | 9.1 | 4.5 | 7.3 | | 21.4 | 1.7 |
| American Indian/Alaska Native | _ | 4.6 | 7.8 | 3.9 | 3.9 | 2.2 | 1.8 | 5.2 | 5.5 | | 6.5 | 4.9 | | | 13.8 |
| Asian/Pacific Islander | 1.4 | 2.0 | 1.0 | 2.0 | 0.8 | 1.7 | 1.8 | 1.2 | 0.9 | | 1.5 | | | 7.1 | |
| Other | 1.3 | 1.2 | 1.5 | 1.5 | 0.8 | 1.6 | 1.8 | 1.7 | 1.2 | | 3.0 | 2.4 | | | 3.4 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| No. of admissions | 50,700 | 18,056 | 10,478 | 3,550 | 2,121 | 764 | 331 | 8,028 | 7,045 | 11 | 201 | 41 | 2 | 14 | 58 |

⁻⁻ Quantity is zero.

Table 3.37
Pennsylvania
Admissions aged 12 and older by gender, age group, and race/ethnicity, according to primary substance: TEDS 2008

| - | | | | | | | Primary s | uhetanca | at admission | | | | | | |
|-------------------------------|------------|---------|-----------|--------|---------|---------|-----------|-----------|----------------|-------|-------|--------|-------|--------|--------|
| | | Δ. | lcohol | Oni | ates | Coca | | UDSIGNICE | at auriissiori | | | | | | |
| Gender, age group, and | All admis- | | COTTO | Ορι | aics | 0000 | ii iC | 1 | Metham- | | | | | | Other/ |
| race/ethnicity | sions | | | | | | | Mari- | phetamine/ | Tran- | | Hallu- | | | none |
| · | aged 12 | Alcohol | Secondary | | Other | Smoked | Other | iuana/ | amphet- | quil- | Seda- | cino- | | Inhal- | speci- |
| | and older | only | drug | Heroin | opiates | cocaine | route | hashish | amine | izers | tives | gens | PCP | ants | fied |
| Total admissions aged 12 | | | - | | | | | | | | | | | | |
| and older | 73,918 | 17,195 | 12,104 | 15,646 | 6,124 | 7,252 | 2,749 | 10,909 | 264 | 548 | 171 | 83 | 174 | 38 | 661 |
| Gender | | | | | | | | | | | | | | | |
| Male | 67.8 | 72.6 | 71.9 | 66.2 | 58.6 | 52.3 | 65.4 | 75.3 | 62.1 | 56.2 | 50.9 | 73.5 | 69.0 | 78.9 | 61.1 |
| Female | 32.2 | 27.4 | 28.1 | 33.8 | 41.4 | 47.7 | 34.6 | 24.7 | 37.9 | 43.8 | 49.1 | 26.5 | 31.0 | 21.1 | 38.9 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| No. of admissions | 73,918 | 17,195 | 12,104 | 15,646 | 6,124 | 7,252 | 2,749 | 10,909 | 264 | 548 | 171 | 83 | 174 | 38 | 661 |
| Age at admission | | | | | | | | | | | | | | | |
| 12 to 19 years | 11.0 | 4.9 | 7.8 | 5.2 | 8.0 | 2.0 | 6.5 | 40.0 | 13.6 | 7.7 | 14.0 | 16.9 | 4.0 | 50.0 | 31.5 |
| 20 to 24 years | 19.1 | 12.2 | 15.5 | 28.5 | 27.7 | 7.8 | 14.1 | 24.3 | 17.8 | 24.3 | 19.3 | 30.1 | 30.5 | 15.8 | 18.8 |
| 25 to 29 years | 17.6 | 13.0 | 15.4 | 26.4 | 23.8 | 11.4 | 19.9 | 14.1 | 16.7 | 21.4 | 16.4 | 18.1 | 30.5 | 7.9 | 17.9 |
| 30 to 34 years | 11.6 | 10.1 | 11.7 | 13.6 | 14.0 | 12.6 | 15.7 | 7.8 | 14.4 | 14.2 | 12.3 | 16.9 | 19.5 | 5.3 | 8.0 |
| 35 to 39 years | 11.0 | 11.9 | 13.4 | 8.7 | 8.6 | 18.9 | 14.7 | 5.6 | 11.7 | 9.3 | 8.2 | 7.2 | 5.2 | 2.6 | 8.6 |
| 40 to 44 years | 11.3 | 15.1 | 14.4 | 7.3 | 6.5 | 20.6 | 13.7 | 3.9 | 11.0 | 9.7 | 8.8 | 3.6 | 3.4 | 7.9 | 6.8 |
| 45 to 49 years | 9.8 | 15.3 | 13.0 | 5.1 | 6.1 | 16.3 | 9.8 | 2.6 | 8.0 | 4.7 | 11.1 | 2.4 | 2.9 | 10.5 | 4.5 |
| 50 to 54 years | 5.5 | 10.0 | 6.3 | 3.3 | 3.4 | 7.6 | 4.1 | 1.1 | 5.3 | 6.0 | 2.9 | 3.6 | 4.0 | | 2.6 |
| 55 to 59 years | 2.1 | 4.5 | 1.9 | 1.6 | 1.2 | 1.9 | 1.1 | 0.4 | 1.1 | 1.8 | 5.8 | 1.2 | | | 0.9 |
| 60 years and older | 1.1 | 3.0 | 0.6 | 0.5 | 0.6 | 0.7 | 0.4 | 0.2 | 0.4 | 0.9 | 1.2 | | | | 0.5 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| No. of admissions | 73,918 | 17,195 | 12,104 | 15,646 | 6,124 | 7,252 | 2,749 | 10,909 | 264 | 548 | 171 | 83 | 174 | 38 | 661 |
| Race/ethnicity | | | | | | | | | | | | | | | |
| White (non-Hispanic) | 77.3 | 85.8 | 74.7 | 83.9 | 94.9 | 52.7 | 69.8 | 65.0 | 96.6 | 88.2 | 89.3 | 81.7 | 23.7 | 97.2 | 86.4 |
| Black (non-Hispanic) | 15.9 | 9.2 | 19.4 | 6.7 | 3.0 | 41.5 | 18.7 | 25.5 | 1.5 | 8.1 | 8.9 | 11.0 | 53.8 | | 8.6 |
| Hispanic origin | 5.8 | 3.9 | 4.8 | 8.6 | 1.4 | 4.8 | 10.1 | 7.8 | 0.4 | 3.0 | 1.2 | 7.3 | 21.4 | | 3.6 |
| American Indian/Alaska Native | | 0.4 | 0.4 | 0.2 | 0.4 | 0.3 | 0.4 | 0.4 | | 0.6 | 0.6 | | | | 1.0 |
| Asian/Pacific Islander | 0.2 | 0.3 | 0.2 | 0.1 | 0.1 | 0.3 | 0.3 | 0.2 | 0.4 | | | | | | 0.2 |
| Other | 0.5 | 0.5 | 0.5 | 0.3 | 0.2 | 0.5 | 0.6 | 1.1 | 1.1 | 0.2 | | | 1.2 | 2.8 | 0.2 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| No. of admissions | 72,207 | 16,672 | 11,869 | 15,365 | 6,007 | 7,118 | 2,663 | 10,676 | 262 | 533 | 168 | 82 | 173 | 36 | 583 |

⁻⁻ Quantity is zero.

Table 3.38
Puerto Rico
Admissions aged 12 and older by gender, age group, and race/ethnicity, according to primary substance: TEDS 2008

| | | | | | | | | | | _ | | | | | |
|-------------------------------|------------|---------|-----------|--------|---------|---------|-------|----------|--------------|-------|-------|--------|-----|--------|--------|
| | | | | | | | | ubstance | at admission | | | | | | |
| | | Al | lcohol | Орі | ates | Coca | ine | | | | | | | | |
| Gender, age group, and | All admis- | | | | | | | | Metham- | | | | | | Other/ |
| race/ethnicity | sions | | | | 0.1 | | 0.1 | Mari- | phetamine/ | Tran- | | Hallu- | | | none |
| | aged 12 | Alcohol | Secondary | | Other | Smoked | Other | juana/ | amphet- | quil- | Seda- | cino- | | Inhal- | speci- |
| | and older | only | drug | Heroin | opiates | cocaine | route | hashish | amine | izers | tives | gens | PCP | ants | fied |
| Total admissions aged 12 | | | | | | | | | | | | | | | |
| and older | 3,093 | 884 | 246 | 1,237 | 35 | 93 | 130 | 360 | 1 | 9 | 5 | | | | 93 |
| Gender | | | | | | | | | | | | | | | |
| Male | 90.9 | 95.1 | 87.4 | 89.5 | 85.7 | 89.2 | 90.0 | 90.3 | 100.0 | 88.9 | 40.0 | | | | 90.3 |
| Female | 9.1 | 4.9 | 12.6 | 10.5 | 14.3 | 10.8 | 10.0 | 9.7 | | 11.1 | 60.0 | | | | 9.7 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | | | | 100.0 |
| No. of admissions | 3,093 | 884 | 246 | 1,237 | 35 | 93 | 130 | 360 | 1 | 9 | 5 | | | | 93 |
| Age at admission | | | | | | | | | | | | | | | |
| 12 to 19 years | 3.6 | 0.2 | 1.6 | 0.9 | | 3.2 | 1.5 | 22.5 | | 33.3 | | | | | 4.3 |
| 20 to 24 years | 11.1 | 4.1 | 4.9 | 8.2 | | 10.8 | 23.1 | 38.6 | | 33.3 | 40.0 | | | | 10.8 |
| 25 to 29 years | 17.3 | 9.0 | 8.5 | 23.2 | 22.9 | 23.7 | 17.7 | 21.7 | | 22.2 | | | | | 16.1 |
| 30 to 34 years | 14.7 | 9.5 | 8.9 | 21.7 | 22.9 | 8.6 | 17.7 | 6.7 | | | 20.0 | | | | 17.2 |
| 35 to 39 years | 12.0 | 10.9 | 10.2 | 16.5 | 11.4 | 11.8 | 7.7 | 2.2 | | | 20.0 | | | | 11.8 |
| 40 to 44 years | 12.5 | 12.4 | 18.3 | 13.3 | 11.4 | 17.2 | 16.2 | 3.9 | | 11.1 | | | | | 11.8 |
| 45 to 49 years | 10.8 | 17.1 | 12.6 | 8.2 | 17.1 | 12.9 | 8.5 | 2.5 | | | 20.0 | | | | 11.8 |
| 50 to 54 years | 8.3 | 14.3 | 18.3 | 4.8 | 8.6 | 5.4 | 4.6 | 1.7 | 100.0 | | | | | | 7.5 |
| 55 to 59 years | 5.3 | 10.6 | 11.0 | 2.6 | 5.7 | 2.2 | 1.5 | | | | | | | | 5.4 |
| 60 years and older | 4.4 | 11.9 | 5.7 | 0.6 | | 4.3 | 1.5 | 0.3 | | | | | | | 3.2 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | | | | 100.0 |
| No. of admissions | 3,093 | 884 | 246 | 1,237 | 35 | 93 | 130 | 360 | 1 | 9 | 5 | | | | 93 |
| Race/ethnicity | | | | | | | | | | | | | | | |
| White (non-Hispanic) | 0.2 | | | 0.2 | | | | 0.3 | | | 20.0 | | | | |
| Black (non-Hispanic) | * | | 0.4 | | | | | | | | | | | | |
| Hispanic origin | 99.5 | 99.9 | 98.8 | 99.7 | 100.0 | 97.8 | 100.0 | 99.2 | 100.0 | 88.9 | 80.0 | | | | 100.0 |
| American Indian/Alaska Native | | | | | | | | | | | | | | | |
| Asian/Pacific Islander | | | | | | | | | | | | | | | |
| Other | 0.3 | 0.1 | 0.8 | 0.1 | | 2.2 | | 0.6 | | 11.1 | | | | | |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | | | | 100.0 |
| No. of admissions | 3,081 | 874 | 245 | 1,237 | 35 | 93 | 130 | 359 | 1 | 9 | 5 | | | | 93 |

⁻⁻ Quantity is zero.

^{*} Less than 0.05 percent

Table 3.39
Rhode Island
Admissions aged 12 and older by gender, age group, and race/ethnicity, according to primary substance: TEDS 2008

| | | | | | | F | Primary s | ubstance . | at admission | | | | | | |
|-------------------------------|------------|---------|-----------|--------|---------|---------|-----------|------------|--------------|-------|-------|--------|-------|--------|--------|
| | | Al | lcohol | Opi | ates | Coca | ine | | | | | | | | |
| Gender, age group, and | All admis- | | | | | | | | Metham- | | | | | | Other/ |
| race/ethnicity | sions | | | | | | | Mari- | phetamine/ | Tran- | | Hallu- | | | none |
| | aged 12 | Alcohol | Secondary | | Other | Smoked | Other | juana/ | amphet- | quil- | Seda- | cino- | | Inhal- | speci- |
| | and older | only | drug | Heroin | opiates | cocaine | route | hashish | amine | izers | tives | gens | PCP | ants | fied |
| Total admissions aged 12 | | | | | | | | | | | | | | | |
| and older | 11,357 | 2,624 | 1,774 | 2,482 | 1,155 | 1,061 | 363 | 1,746 | 33 | 72 | 7 | 2 | 4 | 4 | 30 |
| Gender | | | | | | | | | | | | | | | |
| Male | 67.4 | 70.3 | 71.5 | 68.9 | 63.0 | 48.5 | 64.2 | 72.3 | 72.7 | 62.5 | 42.9 | 100.0 | 75.0 | 50.0 | 63.3 |
| Female | 32.6 | 29.7 | 28.5 | 31.1 | 37.0 | 51.5 | 35.8 | 27.7 | 27.3 | 37.5 | 57.1 | | 25.0 | 50.0 | 36.7 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| No. of admissions | 11,357 | 2,624 | 1,774 | 2,482 | 1,155 | 1,061 | 363 | 1,746 | 33 | 72 | 7 | 2 | 4 | 4 | 30 |
| Age at admission | | | | | | | | | | | | | | | |
| 12 to 19 years | 8.3 | 2.7 | 5.0 | 1.2 | 2.6 | 0.8 | 3.3 | 39.4 | 18.2 | 5.6 | | 50.0 | | | 3.3 |
| 20 to 24 years | 12.2 | 5.6 | 10.6 | 11.2 | 17.4 | 5.7 | 14.0 | 24.6 | 18.2 | 20.8 | | | | | 23.3 |
| 25 to 29 years | 15.9 | 9.4 | 13.9 | 18.5 | 29.2 | 12.7 | 22.0 | 14.9 | 21.2 | 29.2 | 14.3 | | | 50.0 | 26.7 |
| 30 to 34 years | 13.3 | 10.2 | 14.1 | 16.4 | 15.5 | 17.0 | 13.5 | 8.5 | 15.2 | 15.3 | 28.6 | | 25.0 | | 16.7 |
| 35 to 39 years | 14.5 | 13.8 | 15.3 | 18.7 | 12.6 | 23.2 | 17.1 | 4.9 | 9.1 | 4.2 | 14.3 | 50.0 | 25.0 | | 13.3 |
| 40 to 44 years | 13.9 | 16.8 | 18.4 | 15.5 | 7.6 | 20.5 | 14.3 | 3.2 | 3.0 | 8.3 | 14.3 | | | 50.0 | 10.0 |
| 45 to 49 years | 11.9 | 20.2 | 13.9 | 10.7 | 8.1 | 12.2 | 8.8 | 2.5 | 15.2 | 11.1 | | | | | 3.3 |
| 50 to 54 years | 6.7 | 12.9 | 6.5 | 5.6 | 4.8 | 5.7 | 5.5 | 1.7 | | 4.2 | 14.3 | | 50.0 | | |
| 55 to 59 years | 2.3 | 5.6 | 1.6 | 1.8 | 1.6 | 1.6 | 1.1 | 0.2 | | | 14.3 | | | | 3.3 |
| 60 years and older | 1.0 | 2.7 | 0.7 | 0.5 | 0.7 | 0.6 | 0.3 | | | 1.4 | | | | | |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| No. of admissions | 11,357 | 2,624 | 1,774 | 2,482 | 1,155 | 1,061 | 363 | 1,746 | 33 | 72 | 7 | 2 | 4 | 4 | 30 |
| Race/ethnicity | | | | | | | | | | | | | | | |
| White (non-Hispanic) | 77.8 | 83.6 | 80.3 | 78.4 | 92.6 | 68.5 | 74.4 | 61.2 | 75.8 | 98.6 | 71.4 | 100.0 | 75.0 | 100.0 | 86.7 |
| Black (non-Hispanic) | 9.2 | 6.1 | 11.3 | 4.1 | 1.8 | 20.2 | 9.1 | 17.6 | 9.1 | | | | | | 3.3 |
| Hispanic origin | 9.7 | 7.4 | 5.2 | 15.4 | 3.2 | 5.6 | 14.0 | 16.0 | 12.1 | | 28.6 | | | | |
| American Indian/Alaska Native | _ | 1.4 | 1.6 | 0.7 | 0.4 | 2.5 | 1.1 | 1.4 | | 1.4 | | | | | 3.3 |
| Asian/Pacific Islander | 0.6 | 0.6 | 0.3 | 0.5 | 0.9 | 0.8 | | 0.8 | | | | | 25.0 | | 3.3 |
| Other | 1.5 | 1.0 | 1.3 | 0.8 | 1.0 | 2.4 | 1.4 | 3.0 | 3.0 | | | | | | 3.3 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| No. of admissions | 11,357 | 2,624 | 1,774 | 2,482 | 1,155 | 1,061 | 363 | 1,746 | 33 | 72 | 7 | 2 | 4 | 4 | 30 |

⁻⁻ Quantity is zero.

Table 3.40
South Carolina
Admissions aged 12 and older by gender, age group, and race/ethnicity, according to primary substance: TEDS 2008

| | | | | | | F | Primary s | ubstance | at admission | | | | | | |
|-------------------------------|------------|---------|-----------|--------|---------|---------|-----------|----------|--------------|-------|-------|--------|-------|--------|--------|
| | | Al | lcohol | Opi | ates | Coca | ine | | | | | | | | |
| Gender, age group, and | All admis- | | | | | | | | Metham- | | | | | | Other/ |
| race/ethnicity | sions | | | | | | | Mari- | phetamine/ | Tran- | | Hallu- | | | none |
| | aged 12 | Alcohol | Secondary | | Other | Smoked | Other | juana/ | amphet- | quil- | Seda- | cino- | | Inhal- | speci- |
| | and older | only | drug | Heroin | opiates | cocaine | route | hashish | amine | izers | tives | gens | PCP | ants | fied |
| Total admissions aged 12 | | | | | | | | | | | | | | | |
| and older | 29,895 | 9,607 | 4,878 | 350 | 1,606 | 2,423 | 1,160 | 5,978 | 587 | 161 | 120 | 23 | 5 | 21 | 2,976 |
| Gender | | | | | | | | | | | | | | | |
| Male | 67.4 | 76.5 | 74.2 | 69.1 | 47.4 | 50.5 | 52.2 | 70.6 | 44.3 | 44.1 | 38.3 | 69.6 | 60.0 | 76.2 | 57.7 |
| Female | 32.6 | 23.5 | 25.8 | 30.9 | 52.6 | 49.5 | 47.8 | 29.4 | 55.7 | 55.9 | 61.7 | 30.4 | 40.0 | 23.8 | 42.3 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| No. of admissions | 29,895 | 9,607 | 4,878 | 350 | 1,606 | 2,423 | 1,160 | 5,978 | 587 | 161 | 120 | 23 | 5 | 21 | 2,976 |
| Age at admission | | | | | | | | | | | | | | | |
| 12 to 19 years | 18.7 | 4.1 | 9.1 | 2.9 | 5.0 | 2.4 | 4.9 | 49.8 | 7.8 | 13.0 | 24.2 | 43.5 | 20.0 | 57.1 | 48.4 |
| 20 to 24 years | 13.0 | 10.9 | 13.7 | 14.6 | 15.2 | 8.0 | 16.6 | 18.7 | 16.7 | 14.9 | 13.3 | 30.4 | 20.0 | 4.8 | 7.4 |
| 25 to 29 years | 14.3 | 12.2 | 15.2 | 24.3 | 25.6 | 13.0 | 22.2 | 13.9 | 26.4 | 16.8 | 13.3 | 17.4 | | 14.3 | 8.9 |
| 30 to 34 years | 11.4 | 11.1 | 12.9 | 16.0 | 18.6 | 14.4 | 17.8 | 7.1 | 20.6 | 8.1 | 13.3 | | 20.0 | 19.0 | 7.5 |
| 35 to 39 years | 11.0 | 12.5 | 12.7 | 9.1 | 11.9 | 19.1 | 14.7 | 4.5 | 13.1 | 11.8 | 6.7 | | | 4.8 | 8.0 |
| 40 to 44 years | 10.3 | 13.1 | 13.0 | 9.7 | 10.1 | 18.1 | 10.8 | 2.5 | 7.7 | 13.7 | 7.5 | 4.3 | 20.0 | | 6.6 |
| 45 to 49 years | 9.6 | 14.4 | 12.6 | 6.9 | 6.2 | 13.9 | 7.7 | 2.1 | 3.9 | 11.2 | 10.0 | 4.3 | 20.0 | | 5.3 |
| 50 to 54 years | 6.4 | 10.5 | 7.6 | 11.1 | 4.6 | 6.8 | 4.2 | 0.8 | 3.1 | 6.2 | 4.2 | | | | 4.0 |
| 55 to 59 years | 3.0 | 5.8 | 2.4 | 3.4 | 1.7 | 3.1 | 0.8 | 0.4 | 0.3 | 3.1 | 5.0 | | | | 2.1 |
| 60 years and older | 2.3 | 5.4 | 0.8 | 2.0 | 1.0 | 1.2 | 0.3 | 0.2 | 0.3 | 1.2 | 2.5 | | | | 1.8 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| No. of admissions | 29,895 | 9,607 | 4,878 | 350 | 1,606 | 2,423 | 1,160 | 5,978 | 587 | 161 | 120 | 23 | 5 | 21 | 2,976 |
| Race/ethnicity | | | | | | | | | | | | | | | |
| White (non-Hispanic) | 63.7 | 71.7 | 64.2 | 65.7 | 95.0 | 48.9 | 58.9 | 48.7 | 97.6 | 96.3 | 93.3 | 47.8 | 40.0 | 90.5 | 54.1 |
| Black (non-Hispanic) | 33.4 | 24.6 | 33.4 | 28.9 | 3.3 | 49.7 | 37.9 | 48.4 | 1.2 | 1.9 | 3.3 | 43.5 | 40.0 | 9.5 | 43.2 |
| Hispanic origin | 1.7 | 2.4 | 1.4 | 3.7 | 1.1 | 0.5 | 2.5 | 1.3 | 0.9 | 1.9 | 0.8 | | | | 1.4 |
| American Indian/Alaska Native | | 0.4 | 0.5 | 0.3 | 0.1 | 0.3 | 0.1 | 0.4 | | | 0.8 | 4.3 | | | 0.1 |
| Asian/Pacific Islander | 0.3 | 0.4 | 0.2 | 0.3 | 0.2 | 0.2 | 0.2 | 0.3 | 0.2 | | 1.7 | | | | 0.4 |
| Other | 0.5 | 0.5 | 0.2 | 1.1 | 0.4 | 0.3 | 0.4 | 0.9 | 0.2 | | | 4.3 | 20.0 | | 0.8 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| No. of admissions | 29,895 | 9,607 | 4,878 | 350 | 1,606 | 2,423 | 1,160 | 5,978 | 587 | 161 | 120 | 23 | 5 | 21 | 2,976 |

⁻⁻ Quantity is zero.

Table 3.41
South Dakota
Admissions aged 12 and older by gender, age group, and race/ethnicity, according to primary substance: TEDS 2008

| | | | | | | F | Primary s | ubstance | at admission | | | | | | |
|-------------------------------|------------|---------|-----------|--------|---------|---------|-----------|----------|--------------|-------|-------|--------|-----|--------|--------|
| | | Al | lcohol | Opi | ates | Coca | ine | | | | | | | | |
| Gender, age group, and | All admis- | | | | | | | | Metham- | | | | | | Other/ |
| race/ethnicity | sions | | | | | | | Mari- | phetamine/ | Tran- | | Hallu- | | | none |
| | aged 12 | Alcohol | Secondary | | Other | Smoked | Other | juana/ | amphet- | quil- | Seda- | cino- | | Inhal- | speci- |
| | and older | only | drug | Heroin | opiates | cocaine | route | hashish | amine | izers | tives | gens | PCP | ants | fied |
| Total admissions aged 12 | | | | | | | | | | | | | | | |
| and older | 15,022 | 7,330 | 4,327 | 19 | 210 | 73 | 114 | 2,115 | 612 | 7 | 24 | 9 | | 42 | 140 |
| Gender | | | | | | | | | | | | | | | |
| Male | 73.2 | 77.0 | 70.8 | 68.4 | 50.0 | 56.2 | 64.0 | 74.8 | 56.5 | 42.9 | 50.0 | 88.9 | | 50.0 | 55.0 |
| Female | 26.8 | 23.0 | 29.2 | 31.6 | 50.0 | 43.8 | 36.0 | 25.2 | 43.5 | 57.1 | 50.0 | 11.1 | | 50.0 | 45.0 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | | 100.0 | 100.0 |
| No. of admissions | 15,022 | 7,330 | 4,327 | 19 | 210 | 73 | 114 | 2,115 | 612 | 7 | 24 | 9 | | 42 | 140 |
| Age at admission | | | | | | | | | | | | | | | |
| 12 to 19 years | 16.7 | 5.0 | 21.4 | | 8.6 | 4.1 | 13.2 | 50.1 | 3.6 | 14.3 | 4.2 | 44.4 | | 73.8 | 44.3 |
| 20 to 24 years | 13.9 | 9.3 | 17.2 | 21.1 | 19.5 | 21.9 | 11.4 | 22.0 | 16.5 | | 4.2 | | | 4.8 | 13.6 |
| 25 to 29 years | 14.0 | 11.0 | 17.8 | 26.3 | 24.3 | 11.0 | 14.0 | 13.2 | 24.0 | | 12.5 | | | 11.9 | 9.3 |
| 30 to 34 years | 10.5 | 10.3 | 11.9 | 21.1 | 15.2 | 11.0 | 12.3 | 5.4 | 18.3 | 28.6 | 29.2 | 44.4 | | | 9.3 |
| 35 to 39 years | 9.2 | 10.9 | 8.0 | 15.8 | 12.9 | 12.3 | 12.3 | 3.8 | 14.7 | 28.6 | 4.2 | 11.1 | | | 7.9 |
| 40 to 44 years | 12.3 | 16.9 | 10.4 | 5.3 | 5.7 | 16.4 | 14.9 | 2.1 | 10.6 | 28.6 | 20.8 | | | 9.5 | 2.1 |
| 45 to 49 years | 9.7 | 13.5 | 7.3 | 5.3 | 5.7 | 9.6 | 14.0 | 2.4 | 9.6 | | | | | | 7.9 |
| 50 to 54 years | 6.8 | 10.6 | 4.3 | 5.3 | 4.8 | 11.0 | 7.9 | 0.8 | 2.3 | | | | | | 3.6 |
| 55 to 59 years | 4.2 | 7.7 | 1.4 | | 2.4 | 1.4 | | 0.3 | 0.2 | | 8.3 | | | | |
| 60 years and older | 2.5 | 4.6 | 0.5 | | 1.0 | 1.4 | | | 0.2 | | 16.7 | | | | 2.1 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | | 100.0 | 100.0 |
| No. of admissions | 15,022 | 7,330 | 4,327 | 19 | 210 | 73 | 114 | 2,115 | 612 | 7 | 24 | 9 | | 42 | 140 |
| Race/ethnicity | | | | | | | | | | | | | | | |
| White (non-Hispanic) | 47.9 | 41.5 | 48.8 | 73.7 | 80.0 | 46.6 | 64.9 | 55.7 | 73.4 | 85.7 | 75.0 | 55.6 | | 11.9 | 69.3 |
| Black (non-Hispanic) | 2.7 | 2.0 | 2.0 | 10.5 | 2.4 | 32.9 | 9.6 | 5.2 | 2.0 | | | | | 4.8 | 0.7 |
| Hispanic origin | 2.6 | 2.2 | 2.6 | | 1.9 | 1.4 | 6.1 | 3.6 | 3.9 | | | | | 2.4 | 5.0 |
| American Indian/Alaska Native | | 52.9 | 44.4 | 15.8 | 14.3 | 16.4 | 18.4 | 33.2 | 18.0 | 14.3 | 25.0 | 44.4 | | 78.6 | 23.6 |
| Asian/Pacific Islander | 0.4 | 0.2 | 0.4 | | 0.5 | 1.4 | | 0.7 | 1.0 | | | | | | 0.7 |
| Other | 1.4 | 1.2 | 1.7 | | 1.0 | 1.4 | 0.9 | 1.6 | 1.8 | | | | | 2.4 | 0.7 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | | 100.0 | 100.0 |
| No. of admissions | 15,022 | 7,330 | 4,327 | 19 | 210 | 73 | 114 | 2,115 | 612 | 7 | 24 | 9 | | 42 | 140 |

⁻⁻ Quantity is zero.

Table 3.42
Tennessee
Admissions aged 12 and older by gender, age group, and race/ethnicity, according to primary substance: TEDS 2008

| | | | | | | F | Primary s | ubstance | at admission | | | | | | |
|-------------------------------|------------|---------|-----------|--------|---------|---------|-----------|----------|--------------|-------|-------|--------|-----|--------|--------|
| | | Al | cohol | Opi | ates | Coca | ine | | | | | | | | |
| Gender, age group, and | All admis- | | | | | | |] | Metham- | | | | | | Other/ |
| race/ethnicity | sions | | | | | | | Mari- | phetamine/ | Tran- | | Hallu- | | | none |
| | aged 12 | Alcohol | Secondary | | Other | Smoked | Other | juana/ | amphet- | quil- | Seda- | cino- | | Inhal- | speci- |
| | and older | only | drug | Heroin | opiates | cocaine | route | hashish | amine | izers | tives | gens | PCP | ants | fied |
| Total admissions aged 12 | | | | | | | | | | | | | | | |
| and older | 9,810 | 1,794 | 1,368 | | 2,011 | 1,357 | 422 | 1,717 | 275 | | 215 | 112 | | 15 | 524 |
| Gender | | | | | | | | | | | | | | | |
| Male | 66.0 | 74.1 | 72.5 | | 57.6 | 57.9 | 65.9 | 73.2 | 59.3 | | 44.7 | 75.9 | | 93.3 | 61.2 |
| Female | 34.0 | 25.9 | 27.5 | | 42.4 | 42.1 | 34.1 | 26.8 | 40.7 | | 55.3 | 24.1 | | 6.7 | 38.8 |
| Total | 100.0 | 100.0 | 100.0 | | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | | 100.0 | 100.0 | | 100.0 | 100.0 |
| No. of admissions | 9,799 | 1,793 | 1,366 | | 2,008 | 1,355 | 422 | 1,715 | 275 | | 215 | 112 | | 15 | 523 |
| Age at admission | | | | | | | | | | | | | | | |
| 12 to 19 years | 15.8 | 3.9 | 4.9 | | 6.0 | 1.5 | 4.5 | 58.8 | 12.0 | | 14.9 | 71.4 | | 66.7 | 16.4 |
| 20 to 24 years | 12.5 | 7.4 | 11.0 | | 21.3 | 6.5 | 14.5 | 12.5 | 15.3 | | 22.3 | 4.5 | | 6.7 | 10.9 |
| 25 to 29 years | 17.2 | 11.0 | 17.1 | | 28.6 | 12.2 | 24.6 | 11.2 | 22.5 | | 19.5 | 10.7 | | 13.3 | 19.5 |
| 30 to 34 years | 12.6 | 10.3 | 12.4 | | 16.9 | 12.7 | 18.2 | 7.4 | 19.3 | | 14.9 | 8.9 | | 13.3 | 14.1 |
| 35 to 39 years | 12.3 | 14.1 | 14.3 | | 10.4 | 18.6 | 15.4 | 4.2 | 14.5 | | 12.6 | 3.6 | | | 16.0 |
| 40 to 44 years | 11.2 | 16.1 | 15.6 | | 6.7 | 20.9 | 10.2 | 3.0 | 7.3 | | 6.0 | | | | 10.5 |
| 45 to 49 years | 9.8 | 17.2 | 14.6 | | 5.6 | 15.9 | 7.6 | 1.5 | 5.1 | | 4.2 | 0.9 | | | 7.6 |
| 50 to 54 years | 5.7 | 11.1 | 7.2 | | 3.3 | 8.8 | 3.8 | 1.1 | 2.2 | | 3.3 | | | | 4.2 |
| 55 to 59 years | 2.2 | 6.2 | 2.3 | | 0.7 | 2.2 | 1.2 | 0.3 | 1.1 | | 2.3 | | | | 0.8 |
| 60 years and older | 0.8 | 2.6 | 0.5 | | 0.4 | 0.7 | | 0.1 | 0.7 | | | | | | |
| Total | 100.0 | 100.0 | 100.0 | | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | | 100.0 | 100.0 | | 100.0 | 100.0 |
| No. of admissions | 9,810 | 1,794 | 1,368 | | 2,011 | 1,357 | 422 | 1,717 | 275 | | 215 | 112 | | 15 | 524 |
| Race/ethnicity | | | | | | | | | | | | | | | |
| White (non-Hispanic) | 74.2 | 80.6 | 68.6 | | 96.2 | 41.1 | 63.4 | 64.8 | 94.9 | | 96.7 | 81.3 | | 93.3 | 84.7 |
| Black (non-Hispanic) | 24.0 | 15.7 | 30.0 | | 3.0 | 57.8 | 34.9 | 32.7 | 2.9 | | 2.8 | 11.6 | | | 15.1 |
| Hispanic origin | 1.0 | 2.5 | 0.9 | | 0.3 | 0.7 | 0.7 | 1.2 | 1.5 | | | 1.8 | | | |
| American Indian/Alaska Native | 0.2 | 0.4 | 0.2 | | 0.1 | 0.1 | 0.2 | 0.1 | | | | | | 6.7 | |
| Asian/Pacific Islander | 0.1 | 0.3 | | | 0.1 | 0.1 | | 0.1 | | | | | | | |
| Other | 0.6 | 0.5 | 0.3 | | 0.5 | 0.1 | 0.7 | 1.1 | 0.7 | | 0.5 | 5.4 | | | 0.2 |
| Total | 100.0 | 100.0 | 100.0 | | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | | 100.0 | 100.0 | | 100.0 | 100.0 |
| No. of admissions | 9,759 | 1,785 | 1,365 | | 1,996 | 1,352 | 418 | 1,706 | 273 | | 215 | 112 | | 15 | 522 |

⁻⁻ Quantity is zero.

Table 3.43

Texas

Admissions aged 12 and older by gender, age group, and race/ethnicity, according to primary substance: TEDS 2008

| | | | | | | F | Primary s | ubstance | at admission | | | | | | |
|-------------------------------|------------|---------|-----------|--------|---------|---------|-----------|----------|--------------|-------|-------|--------|-------|--------|--------|
| | | A | lcohol | Opi | ates | Coca | ine | | | | | | | | |
| Gender, age group, and | All admis- | | | | | | | | Metham- | | | | | | Other/ |
| race/ethnicity | sions | | | | | | | Mari- | phetamine/ | Tran- | | Hallu- | | | none |
| | aged 12 | Alcohol | Secondary | | Other | Smoked | Other | juana/ | amphet- | quil- | Seda- | cino- | | Inhal- | speci- |
| | and older | only | drug | Heroin | opiates | cocaine | route | hashish | amine | izers | tives | gens | PCP | ants | fied |
| Total admissions aged 12 | | | | | | | | | | | | | | | |
| and older | 45,771 | 6,248 | 5,726 | 4,529 | 3,408 | 5,473 | 4,414 | 11,079 | 3,677 | 98 | 764 | 52 | 196 | 40 | 67 |
| Gender | | | | | | | | | | | | | | | |
| Male | 58.2 | 68.9 | 66.0 | 62.3 | 40.8 | 50.5 | 46.6 | 68.7 | 40.8 | 50.0 | 31.8 | 44.2 | 31.1 | 80.0 | 49.3 |
| Female | 41.8 | 31.1 | 34.0 | 37.7 | 59.2 | 49.5 | 53.4 | 31.3 | 59.2 | 50.0 | 68.2 | 55.8 | 68.9 | 20.0 | 50.7 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| No. of admissions | 45,771 | 6,248 | 5,726 | 4,529 | 3,408 | 5,473 | 4,414 | 11,079 | 3,677 | 98 | 764 | 52 | 196 | 40 | 67 |
| Age at admission | | | | | | | | | | | | | | | |
| 12 to 19 years | 17.3 | 4.2 | 6.9 | 5.3 | 3.3 | 1.8 | 9.5 | 54.1 | 4.8 | 49.0 | 16.5 | 21.2 | 3.6 | 42.5 | 37.3 |
| 20 to 24 years | 15.2 | 7.3 | 13.2 | 18.8 | 16.7 | 8.6 | 18.8 | 18.8 | 18.5 | 10.2 | 25.3 | 25.0 | 21.4 | 22.5 | 10.4 |
| 25 to 29 years | 17.2 | 10.9 | 17.8 | 21.2 | 22.0 | 14.0 | 23.6 | 13.5 | 23.9 | 5.1 | 24.6 | 23.1 | 40.8 | 15.0 | 9.0 |
| 30 to 34 years | 12.1 | 11.1 | 13.3 | 14.2 | 15.6 | 13.0 | 17.2 | 5.6 | 18.5 | 11.2 | 10.2 | 21.2 | 26.0 | 5.0 | 11.9 |
| 35 to 39 years | 11.3 | 13.8 | 13.9 | 10.6 | 12.5 | 17.0 | 13.6 | 3.7 | 15.7 | 8.2 | 8.6 | 7.7 | 7.1 | 2.5 | 17.9 |
| 40 to 44 years | 10.0 | 15.1 | 13.8 | 9.4 | 11.4 | 18.1 | 8.5 | 2.2 | 10.0 | 9.2 | 5.5 | | 0.5 | 10.0 | 7.5 |
| 45 to 49 years | 8.5 | 17.7 | 12.1 | 7.9 | 9.1 | 14.2 | 5.3 | 1.2 | 5.8 | 5.1 | 5.0 | | 0.5 | | 3.0 |
| 50 to 54 years | 5.3 | 11.7 | 6.4 | 7.7 | 5.6 | 9.4 | 2.7 | 0.5 | 2.3 | 2.0 | 2.6 | 1.9 | | 2.5 | 3.0 |
| 55 to 59 years | 2.1 | 5.5 | 2.1 | 3.3 | 2.8 | 3.1 | 0.7 | 0.3 | 0.5 | | 1.2 | | | | |
| 60 years and older | 0.9 | 2.8 | 0.8 | 1.5 | 0.9 | 0.9 | 0.2 | 0.1 | 0.1 | | 0.5 | | | | |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| No. of admissions | 45,771 | 6,248 | 5,726 | 4,529 | 3,408 | 5,473 | 4,414 | 11,079 | 3,677 | 98 | 764 | 52 | 196 | 40 | 67 |
| Race/ethnicity | | | | | | | | | | | | | | | |
| White (non-Hispanic) | 46.0 | 58.8 | 52.3 | 31.9 | 77.5 | 38.1 | 30.0 | 29.0 | 82.6 | 46.4 | 66.3 | 31.4 | 6.1 | 37.5 | 50.0 |
| Black (non-Hispanic) | 16.7 | 7.5 | 13.4 | 7.3 | 8.3 | 41.6 | 14.9 | 22.1 | 3.1 | 7.2 | 12.2 | 49.0 | 87.2 | 5.0 | 13.6 |
| Hispanic origin | 36.3 | 32.3 | 32.9 | 60.2 | 13.3 | 19.4 | 54.3 | 48.0 | 13.3 | 44.3 | 20.1 | 15.7 | 6.6 | 52.5 | 34.8 |
| American Indian/Alaska Native | | 1.0 | 0.9 | 0.4 | 0.6 | 0.6 | 0.4 | 0.3 | 0.6 | 1.0 | 0.3 | | | 5.0 | 1.5 |
| Asian/Pacific Islander | 0.4 | 0.4 | 0.4 | 0.2 | 0.3 | 0.3 | 0.4 | 0.6 | 0.4 | 1.0 | 1.2 | 3.9 | | | |
| Other | * | | 0.1 | * | | | | * | | | | | | | |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| No. of admissions | 45,607 | 6,226 | 5,700 | 4,518 | 3,398 | 5,452 | 4,400 | 11,031 | 3,670 | 97 | 762 | 51 | 196 | 40 | 66 |

⁻⁻ Quantity is zero.

Table 3.44

Utah

Admissions aged 12 and older by gender, age group, and race/ethnicity, according to primary substance: TEDS 2008

| | | | | | | F | Primary s | ubstance | at admission | | | | | | |
|-------------------------------|------------|---------|-----------|--------|---------|---------|-----------|----------|--------------|-------|-------|--------|-------|--------|--------|
| | | A | cohol . | Opi | ates | Coca | ine | | | | | | | | |
| Gender, age group, and | All admis- | | | | | | |] | Metham- | | | | | | Other/ |
| race/ethnicity | sions | | | | | | | Mari- | phetamine/ | Tran- | | Hallu- | | | none |
| | aged 12 | Alcohol | Secondary | | Other | Smoked | Other | juana/ | amphet- | quil- | Seda- | cino- | | Inhal- | speci- |
| | and older | only | drug | Heroin | opiates | cocaine | route | hashish | amine | izers | tives | gens | PCP | ants | fied |
| Total admissions aged 12 | | | | | | | | | | | | | | | |
| and older | 15,091 | 3,555 | 1,849 | 1,940 | 932 | 921 | 366 | 2,331 | 3,074 | 44 | 15 | 16 | 2 | 16 | 30 |
| Gender | | | | | | | | | | | | | | | |
| Male | 68.9 | 78.6 | 75.3 | 68.3 | 50.3 | 67.1 | 68.6 | 77.1 | 54.6 | 36.4 | 20.0 | 87.5 | 50.0 | 87.5 | 53.3 |
| Female | 31.1 | 21.4 | 24.7 | 31.7 | 49.7 | 32.9 | 31.4 | 22.9 | 45.4 | 63.6 | 80.0 | 12.5 | 50.0 | 12.5 | 46.7 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| No. of admissions | 15,091 | 3,555 | 1,849 | 1,940 | 932 | 921 | 366 | 2,331 | 3,074 | 44 | 15 | 16 | 2 | 16 | 30 |
| Age at admission | | | | | | | | | | | | | | | |
| 12 to 19 years | 13.4 | 7.3 | 15.7 | 5.4 | 4.0 | 2.5 | 7.7 | 50.2 | 2.7 | 6.8 | | 25.0 | | 43.8 | 23.3 |
| 20 to 24 years | 16.9 | 9.1 | 15.4 | 27.1 | 20.3 | 8.9 | 15.6 | 20.4 | 19.3 | 9.1 | 6.7 | 18.8 | 50.0 | 12.5 | 13.3 |
| 25 to 29 years | 16.4 | 11.4 | 14.8 | 19.3 | 26.7 | 14.5 | 12.3 | 12.0 | 22.5 | 15.9 | 20.0 | 6.3 | | 18.8 | 23.3 |
| 30 to 34 years | 12.6 | 10.4 | 12.0 | 12.8 | 15.7 | 13.7 | 10.7 | 6.4 | 19.2 | 11.4 | 20.0 | 6.3 | | 25.0 | 6.7 |
| 35 to 39 years | 10.7 | 10.4 | 10.2 | 11.5 | 9.5 | 17.8 | 13.1 | 4.2 | 13.8 | 11.4 | 13.3 | 18.8 | | | 3.3 |
| 40 to 44 years | 10.0 | 12.9 | 12.0 | 8.4 | 8.4 | 18.3 | 16.9 | 2.7 | 9.6 | 13.6 | 13.3 | | | | 6.7 |
| 45 to 49 years | 10.1 | 16.7 | 10.8 | 7.7 | 7.8 | 15.1 | 13.4 | 2.1 | 8.4 | 15.9 | 6.7 | 6.3 | 50.0 | | 6.7 |
| 50 to 54 years | 5.9 | 11.2 | 5.9 | 5.4 | 4.4 | 6.9 | 7.7 | 1.3 | 3.5 | 11.4 | 20.0 | 18.8 | | | 3.3 |
| 55 to 59 years | 2.9 | 7.2 | 2.7 | 2.0 | 2.6 | 1.6 | 2.2 | 0.5 | 0.9 | 4.5 | | | | | 13.3 |
| 60 years and older | 1.1 | 3.3 | 0.5 | 0.5 | 0.6 | 0.5 | 0.5 | 0.3 | 0.1 | | | | | | |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| No. of admissions | 15,091 | 3,555 | 1,849 | 1,940 | 932 | 921 | 366 | 2,331 | 3,074 | 44 | 15 | 16 | 2 | 16 | 30 |
| Race/ethnicity | | | | | | | | | | | | | | | |
| White (non-Hispanic) | 72.8 | 66.1 | 72.0 | 80.4 | 86.6 | 59.6 | 70.2 | 70.6 | 77.2 | 90.9 | 93.3 | 100.0 | 50.0 | 93.8 | 70.0 |
| Black (non-Hispanic) | 3.5 | 1.7 | 3.6 | 2.1 | 0.9 | 23.3 | 4.4 | 3.4 | 1.3 | 2.3 | | | | | |
| Hispanic origin | 14.6 | 13.9 | 14.0 | 13.4 | 9.9 | 11.2 | 18.6 | 18.6 | 15.5 | 4.5 | | | 50.0 | 6.3 | 26.7 |
| American Indian/Alaska Native | | 15.5 | 6.1 | 1.7 | 1.2 | 1.5 | 2.7 | 2.2 | 1.8 | 2.3 | | | | | |
| Asian/Pacific Islander | 1.3 | 1.2 | 1.3 | 0.6 | 0.3 | 1.4 | 1.1 | 1.8 | 1.5 | | | | | | |
| Other | 2.4 | 1.6 | 3.0 | 1.9 | 1.2 | 2.9 | 3.0 | 3.3 | 2.7 | | 6.7 | | | | 3.3 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| No. of admissions | 15,075 | 3,549 | 1,848 | 1,939 | 931 | 921 | 366 | 2,329 | 3,069 | 44 | 15 | 16 | 2 | 16 | 30 |

⁻⁻ Quantity is zero.

Table 3.45
Vermont
Admissions aged 12 and older by gender, age group, and race/ethnicity, according to primary substance: TEDS 2008

| | | | | | | F | Primary s | ubstance | at admission | | | | | | |
|-------------------------------|------------|---------|-----------|--------|---------|---------|-----------|----------|--------------|-------|-------|--------|-------|--------|--------|
| | | Al | lcohol | Opi | ates | Coca | ine | | | | | | | | |
| Gender, age group, and | All admis- | | | | | | |] | Metham- | | | | | | Other/ |
| race/ethnicity | sions | | | | | | | Mari- | phetamine/ | Tran- | | Hallu- | | | none |
| | aged 12 | Alcohol | Secondary | | Other | Smoked | Other | juana/ | amphet- | quil- | Seda- | cino- | | Inhal- | speci- |
| | and older | only | drug | Heroin | opiates | cocaine | route | hashish | amine | izers | tives | gens | PCP | ants | fied |
| Total admissions aged 12 | | | | | | | | | | | | | | | |
| and older | 8,440 | 2,410 | 1,785 | 534 | 1,789 | 256 | 313 | 1,227 | 19 | 46 | 14 | 5 | 3 | 5 | 34 |
| Gender | | | | | | | | | | | | | | | |
| Male | 61.8 | 65.9 | 68.3 | 47.8 | 52.4 | 44.5 | 53.4 | 72.3 | 52.6 | 23.9 | 57.1 | 20.0 | 33.3 | 60.0 | 47.1 |
| Female | 38.2 | 34.1 | 31.7 | 52.2 | 47.6 | 55.5 | 46.6 | 27.7 | 47.4 | 76.1 | 42.9 | 80.0 | 66.7 | 40.0 | 52.9 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| No. of admissions | 8,440 | 2,410 | 1,785 | 534 | 1,789 | 256 | 313 | 1,227 | 19 | 46 | 14 | 5 | 3 | 5 | 34 |
| Age at admission | | | | | | | | | | | | | | | |
| 12 to 19 years | 16.1 | 9.8 | 17.1 | 6.4 | 8.8 | 4.3 | 8.6 | 45.6 | 26.3 | 4.3 | 21.4 | 60.0 | | 80.0 | 41.2 |
| 20 to 24 years | 20.0 | 10.6 | 18.3 | 32.4 | 30.9 | 18.0 | 17.6 | 21.6 | 10.5 | 10.9 | 14.3 | 40.0 | 66.7 | | 11.8 |
| 25 to 29 years | 16.8 | 9.0 | 16.0 | 28.1 | 27.2 | 18.8 | 22.4 | 11.5 | 26.3 | 19.6 | 7.1 | | | 20.0 | 2.9 |
| 30 to 34 years | 10.7 | 8.0 | 10.9 | 14.6 | 12.6 | 18.8 | 12.5 | 8.2 | | 30.4 | | | 33.3 | | 17.6 |
| 35 to 39 years | 9.3 | 10.2 | 10.0 | 9.9 | 8.3 | 14.1 | 15.7 | 4.6 | 31.6 | 15.2 | | | | | 8.8 |
| 40 to 44 years | 9.5 | 14.4 | 10.9 | 3.6 | 5.4 | 16.0 | 12.5 | 4.5 | 5.3 | 2.2 | 21.4 | | | | 5.9 |
| 45 to 49 years | 7.9 | 16.1 | 8.6 | 1.9 | 2.6 | 6.3 | 7.0 | 2.3 | | 6.5 | 14.3 | | | | |
| 50 to 54 years | 5.2 | 9.7 | 5.7 | 2.4 | 2.9 | 2.3 | 3.5 | 1.0 | | 8.7 | 7.1 | | | | 11.8 |
| 55 to 59 years | 2.7 | 7.2 | 1.7 | 0.2 | 0.7 | 1.2 | 0.3 | 0.7 | | | 7.1 | | | | |
| 60 years and older | 1.9 | 5.1 | 1.0 | 0.6 | 0.6 | 0.4 | | 0.1 | | 2.2 | 7.1 | | | | |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| No. of admissions | 8,440 | 2,410 | 1,785 | 534 | 1,789 | 256 | 313 | 1,227 | 19 | 46 | 14 | 5 | 3 | 5 | 34 |
| Race/ethnicity | | | | | | | | | | | | | | | |
| White (non-Hispanic) | 94.7 | 95.7 | 93.6 | 95.5 | 96.5 | 92.5 | 91.6 | 92.1 | 94.7 | 95.7 | 100.0 | 100.0 | 100.0 | 80.0 | 100.0 |
| Black (non-Hispanic) | 1.6 | 1.1 | 2.0 | 1.1 | 1.0 | 2.4 | 4.2 | 2.6 | | | | | | | |
| Hispanic origin | 2.0 | 1.5 | 2.0 | 2.6 | 1.5 | 1.6 | 3.2 | 3.1 | | 4.3 | | | | | |
| American Indian/Alaska Native | - | 1.1 | 1.4 | 0.6 | 0.7 | 1.2 | 0.6 | 1.1 | 5.3 | | | | | 20.0 | |
| Asian/Pacific Islander | 0.3 | 0.3 | 0.5 | | 0.1 | 2.0 | 0.3 | 0.4 | | | | | | | |
| Other | 0.3 | 0.3 | 0.6 | 0.2 | 0.2 | 0.4 | | 0.7 | | | | | | | |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| No. of admissions | 8,340 | 2,370 | 1,766 | 531 | 1,778 | 253 | 309 | 1,208 | 19 | 46 | 14 | 5 | 3 | 5 | 33 |

⁻⁻ Quantity is zero.

Table 3.46
Virginia
Admissions aged 12 and older by gender, age group, and race/ethnicity, according to primary substance: TEDS 2008

| | | | | | | F | Primary s | ubstance | at admission | | | | | | |
|-------------------------------|------------|---------|-----------|--------|---------|---------|-----------|----------|--------------|-------|-------|--------|-------|--------|--------|
| | | Al | lcohol | Opi | ates | Coca | ine | | | | | | | | |
| Gender, age group, and | All admis- | | | | | | |] | Metham- | | | | | | Other/ |
| race/ethnicity | sions | | | | | | | Mari- | phetamine/ | Tran- | | Hallu- | | | none |
| | aged 12 | Alcohol | Secondary | | Other | Smoked | Other | juana/ | amphet- | quil- | Seda- | cino- | | Inhal- | speci- |
| | and older | only | drug | Heroin | opiates | cocaine | route | hashish | amine | izers | tives | gens | PCP | ants | fied |
| Total admissions aged 12 | | | | | | | | | | | | | | | |
| and older | 33,338 | 5,836 | 6,661 | 2,418 | 1,916 | 3,514 | 1,206 | 6,112 | 280 | 202 | 28 | 30 | 105 | 18 | 5,012 |
| Gender | | | | | | | | | | | | | | | |
| Male | 68.0 | 78.3 | 74.8 | 58.5 | 49.1 | 55.1 | 68.2 | 75.3 | 62.9 | 43.6 | 39.3 | 70.0 | 80.8 | 66.7 | 59.8 |
| Female | 32.0 | 21.7 | 25.2 | 41.5 | 50.9 | 44.9 | 31.8 | 24.7 | 37.1 | 56.4 | 60.7 | 30.0 | 19.2 | 33.3 | 40.2 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| No. of admissions | 33,267 | 5,832 | 6,651 | 2,414 | 1,914 | 3,511 | 1,206 | 6,106 | 280 | 202 | 28 | 30 | 104 | 18 | 4,971 |
| Age at admission | | | | | | | | | | | | | | | |
| 12 to 19 years | 12.1 | 4.3 | 8.5 | 3.0 | 4.5 | 0.7 | 3.0 | 34.2 | 3.9 | 7.9 | 10.7 | 26.7 | 6.7 | 55.6 | 16.9 |
| 20 to 24 years | 15.3 | 9.4 | 14.8 | 14.3 | 17.6 | 6.2 | 12.8 | 25.8 | 15.4 | 17.8 | 17.9 | 40.0 | 24.8 | 16.7 | 16.0 |
| 25 to 29 years | 15.3 | 11.9 | 15.0 | 16.1 | 26.3 | 8.7 | 22.1 | 17.3 | 18.9 | 12.9 | 7.1 | 16.7 | 27.6 | 5.6 | 15.3 |
| 30 to 34 years | 11.7 | 11.9 | 11.5 | 14.9 | 17.7 | 10.4 | 15.2 | 8.6 | 18.9 | 19.8 | 3.6 | 10.0 | 15.2 | 5.6 | 11.3 |
| 35 to 39 years | 11.8 | 11.8 | 12.5 | 15.3 | 12.6 | 17.5 | 15.0 | 5.6 | 17.5 | 14.4 | 21.4 | 3.3 | 14.3 | | 11.0 |
| 40 to 44 years | 12.4 | 15.4 | 13.5 | 13.5 | 8.6 | 23.8 | 13.3 | 4.0 | 13.2 | 8.9 | 25.0 | | 6.7 | 11.1 | 10.9 |
| 45 to 49 years | 10.7 | 14.8 | 13.7 | 10.7 | 5.8 | 17.4 | 12.5 | 2.7 | 7.1 | 7.9 | 3.6 | | 3.8 | | 8.8 |
| 50 to 54 years | 6.6 | 10.5 | 7.0 | 7.9 | 4.6 | 11.3 | 4.6 | 1.2 | 4.6 | 5.4 | | 3.3 | 1.0 | 5.6 | 5.9 |
| 55 to 59 years | 2.7 | 5.7 | 2.3 | 3.7 | 1.8 | 2.9 | 1.2 | 0.5 | | 3.0 | 7.1 | | | | 2.4 |
| 60 years and older | 1.5 | 4.3 | 1.2 | 0.7 | 0.4 | 1.2 | 0.3 | 0.1 | 0.4 | 2.0 | 3.6 | | | | 1.7 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| No. of admissions | 33,338 | 5,836 | 6,661 | 2,418 | 1,916 | 3,514 | 1,206 | 6,112 | 280 | 202 | 28 | 30 | 105 | 18 | 5,012 |
| Race/ethnicity | | | | | | | | | | | | | | | |
| White (non-Hispanic) | 60.0 | 61.1 | 64.2 | 55.6 | 93.4 | 37.6 | 52.8 | 49.5 | 91.8 | 94.5 | 75.0 | 63.3 | 27.6 | 64.7 | 69.8 |
| Black (non-Hispanic) | 28.9 | 16.5 | 24.8 | 38.7 | 3.9 | 57.2 | 39.0 | 39.3 | 1.1 | 1.0 | 17.9 | 13.3 | 67.6 | 5.9 | 21.3 |
| Hispanic origin | 7.4 | 17.7 | 7.3 | 2.9 | 1.3 | 1.9 | 5.3 | 6.1 | 1.4 | 3.0 | 3.6 | 3.3 | 1.0 | 23.5 | 6.3 |
| American Indian/Alaska Native | | 0.4 | 0.4 | 0.3 | 0.1 | 0.2 | 0.2 | 0.3 | 0.4 | 1.0 | 3.6 | | | | 0.2 |
| Asian/Pacific Islander | 0.9 | 1.6 | 1.0 | 0.4 | | 0.7 | 0.6 | 1.1 | 3.2 | | | 3.3 | | | 0.4 |
| Other | 2.5 | 2.7 | 2.3 | 2.1 | 1.3 | 2.4 | 2.1 | 3.7 | 2.2 | 0.5 | | 16.7 | 3.8 | 5.9 | 1.9 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| No. of admissions | 32,195 | 5,703 | 6,549 | 2,214 | 1,888 | 3,396 | 1,177 | 5,894 | 279 | 201 | 28 | 30 | 105 | 17 | 4,714 |

⁻⁻ Quantity is zero.

Table 3.47
Washington
Admissions aged 12 and older by gender, age group, and race/ethnicity, according to primary substance: TEDS 2008

| - | | | | | | | Primary s | uhetanca | at admission | | | | | | |
|-------------------------------|------------|---------|-----------|--------|---------|---------|-----------|-----------|----------------|-------|-------|--------|-------|--------|-----------|
| | | A | lcohol | Oni | ates | Coca | | UDSIGNICE | at auriissiori | | | | | | |
| Gender, age group, and | All admis- | | 100/10/ | Opi | atoo | 0000 | | 1 | Metham- | | | | | | Other/ |
| race/ethnicity | sions | | | | | | | Mari- | phetamine/ | Tran- | | Hallu- | | | none |
| • | aged 12 | Alcohol | Secondary | | Other | Smoked | Other | iuana/ | amphet- | quil- | Seda- | cino- | | Inhal- | speci- |
| | and older | only | drug | Heroin | opiates | cocaine | route | hashish | amine | izers | tives | gens | PCP | ants | , fied |
| Total admissions aged 12 | | | | | | | | | | | | | | | |
| and older | 39,636 | 6,652 | 10,374 | 3,069 | 2,481 | 2,109 | 668 | 8,329 | 5,229 | 138 | 55 | 125 | 27 | 20 | 360 |
| Gender | | | | | | | | | | | | | | | |
| Male | 62.4 | 69.7 | 66.5 | 59.5 | 47.5 | 54.1 | 56.0 | 70.2 | 46.9 | 49.3 | 43.6 | 68.0 | 48.1 | 65.0 | 44.4 |
| Female | 37.6 | 30.3 | 33.5 | 40.5 | 52.5 | 45.9 | 44.0 | 29.8 | 53.1 | 50.7 | 56.4 | 32.0 | 51.9 | 35.0 | 55.6 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| No. of admissions | 39,636 | 6,652 | 10,374 | 3,069 | 2,481 | 2,109 | 668 | 8,329 | 5,229 | 138 | 55 | 125 | 27 | 20 | 360 |
| Age at admission | | | | | | | | | | | | | | | |
| 12 to 19 years | 19.5 | 7.7 | 15.4 | 4.9 | 10.0 | 2.9 | 16.0 | 53.6 | 7.6 | 29.7 | 18.2 | 41.6 | 3.7 | 65.0 | 15.6 |
| 20 to 24 years | 14.3 | 10.7 | 14.0 | 15.2 | 23.4 | 6.9 | 13.6 | 15.2 | 17.2 | 11.6 | 12.7 | 16.0 | 29.6 | 10.0 | 5.6 |
| 25 to 29 years | 14.8 | 11.5 | 14.4 | 17.2 | 24.4 | 10.3 | 11.8 | 11.6 | 21.9 | 10.9 | 9.1 | 9.6 | 40.7 | | 5.6 |
| 30 to 34 years | 10.5 | 10.5 | 10.2 | 12.4 | 11.6 | 10.6 | 12.4 | 6.3 | 16.0 | 10.1 | 18.2 | 9.6 | 22.2 | 5.0 | 7.2 |
| 35 to 39 years | 10.8 | 11.8 | 11.7 | 10.9 | 9.2 | 16.0 | 11.5 | 4.9 | 15.6 | 6.5 | 10.9 | 6.4 | | | 11.4 |
| 40 to 44 years | 10.2 | 12.8 | 11.9 | 11.1 | 7.7 | 19.9 | 12.1 | 3.4 | 11.4 | 9.4 | 5.5 | 8.0 | 3.7 | 5.0 | 11.9 |
| 45 to 49 years | 9.6 | 14.0 | 11.9 | 11.5 | 6.0 | 18.6 | 14.5 | 2.8 | 6.9 | 8.7 | 7.3 | 4.8 | | 10.0 | 11.9 |
| 50 to 54 years | 6.0 | 10.4 | 6.7 | 10.4 | 4.6 | 10.3 | 5.8 | 1.6 | 2.4 | 6.5 | 5.5 | 2.4 | | 5.0 | 8.6 |
| 55 to 59 years | 2.8 | 5.9 | 2.9 | 5.1 | 2.1 | 3.7 | 1.9 | 0.5 | 0.7 | 5.8 | 10.9 | 8.0 | | | 10.6 |
| 60 years and older | 1.4 | 4.6 | 1.0 | 1.3 | 1.0 | 0.9 | 0.1 | 0.2 | 0.2 | 0.7 | 1.8 | 8.0 | | | 11.7 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| No. of admissions | 39,636 | 6,652 | 10,374 | 3,069 | 2,481 | 2,109 | 668 | 8,329 | 5,229 | 138 | 55 | 125 | 27 | 20 | 360 |
| Race/ethnicity | | | | | | | | | | | | | | | |
| White (non-Hispanic) | 65.7 | 58.8 | 64.8 | 78.2 | 76.7 | 44.4 | 60.5 | 60.4 | 80.3 | 66.7 | 85.2 | 77.6 | 15.4 | 55.0 | 76.4 |
| Black (non-Hispanic) | 8.8 | 4.3 | 7.9 | 7.6 | 2.7 | 37.3 | 16.3 | 11.9 | 2.5 | 11.6 | 7.4 | 7.2 | 53.8 | 15.0 | 3.1 |
| Hispanic origin | 11.2 | 18.8 | 10.3 | 6.1 | 3.8 | 5.4 | 11.3 | 14.5 | 7.7 | 8.7 | 1.9 | 8.0 | 3.8 | 10.0 | 6.8 |
| American Indian/Alaska Native | | 12.0 | 11.8 | 4.5 | 12.3 | 6.9 | 7.1 | 8.0 | 5.1 | 8.7 | 3.7 | 4.8 | 3.8 | 15.0 | 4.8 |
| Asian/Pacific Islander | 2.4 | 3.1 | 2.1 | 1.3 | 2.1 | 3.5 | 2.7 | 2.5 | 2.2 | 2.2 | 1.9 | 8.0 | 11.5 | | 6.5 |
| Other | 2.7 | 3.0 | 3.1 | 2.4 | 2.3 | 2.5 | 2.1 | 2.7 | 2.2 | 2.2 | | 1.6 | 11.5 | 5.0 | 2.3 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| No. of admissions | 39,327 | 6,601 | 10,290 | 3,063 | 2,460 | 2,092 | 664 | 8,248 | 5,194 | 138 | 54 | 125 | 26 | 20 | 352 |

⁻⁻ Quantity is zero.

Table 3.48
West Virginia
Admissions aged 12 and older by gender, age group, and race/ethnicity, according to primary substance: TEDS 2008

| | | | | | | | | | | _ | | | | | |
|-------------------------------|------------|---------|-----------|--------|---------|---------|-------|----------|--------------|-------|-------|--------|-------|--------|--------|
| | | | | | | | - | ubstance | at admission | | | | | | |
| | | Al | lcohol | Орі | ates | Coca | ine | | | | | | | | |
| Gender, age group, and | All admis- | | | | | | | l | Metham- | _ | | | | | Other/ |
| race/ethnicity | sions | | | | 0.1 | | 0.4 | Mari- | phetamine/ | Tran- | | Hallu- | | | none |
| | aged 12 | Alcohol | Secondary | ,, . | Other | Smoked | Other | juana/ | amphet- | quil- | Seda- | cino- | 505 | Inhal- | speci- |
| | and older | only | drug | Heroin | opiates | cocaine | route | hashish | amine | izers | tives | gens | PCP | ants | fied |
| Total admissions aged 12 | | | | | | | | | | | | | | | |
| and older | 6,927 | 3,083 | 325 | 187 | 1,730 | 87 | 265 | 918 | 114 | 114 | 71 | 4 | 1 | 11 | 17 |
| Gender | | | | | | | | | | | | | | | |
| Male | 64.5 | 75.7 | 73.5 | 49.7 | 49.6 | 43.7 | 55.1 | 64.0 | 61.9 | 42.1 | 49.3 | 75.0 | 100.0 | 81.8 | 29.4 |
| Female | 35.5 | 24.3 | 26.5 | 50.3 | 50.4 | 56.3 | 44.9 | 36.0 | 38.1 | 57.9 | 50.7 | 25.0 | | 18.2 | 70.6 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| No. of admissions | 6,906 | 3,076 | 324 | 187 | 1,721 | 87 | 265 | 915 | 113 | 114 | 71 | 4 | 1 | 11 | 17 |
| Age at admission | | | | | | | | | | | | | | | |
| 12 to 19 years | 8.9 | 4.2 | 8.9 | 4.8 | 5.8 | | 4.2 | 32.7 | 2.6 | 14.0 | 9.9 | 75.0 | | 72.7 | 11.8 |
| 20 to 24 years | 16.6 | 11.8 | 16.9 | 31.0 | 22.1 | 14.9 | 11.3 | 21.0 | 17.5 | 16.7 | 15.5 | 25.0 | | | 29.4 |
| 25 to 29 years | 18.3 | 13.9 | 16.9 | 32.1 | 26.7 | 12.6 | 16.6 | 16.0 | 23.7 | 20.2 | 14.1 | | | | 11.8 |
| 30 to 34 years | 15.2 | 13.9 | 14.5 | 18.2 | 19.5 | 10.3 | 19.6 | 9.8 | 22.8 | 9.6 | 22.5 | | | | 11.8 |
| 35 to 39 years | 11.5 | 12.7 | 11.1 | 5.9 | 10.3 | 32.2 | 14.0 | 7.7 | 14.9 | 14.0 | 9.9 | | | 18.2 | 11.8 |
| 40 to 44 years | 10.0 | 13.3 | 10.2 | 3.2 | 6.9 | 16.1 | 11.7 | 5.6 | 4.4 | 9.6 | 9.9 | | 100.0 | 9.1 | |
| 45 to 49 years | 8.8 | 12.5 | 12.6 | 2.7 | 4.5 | 5.7 | 14.0 | 3.8 | 10.5 | 7.0 | 8.5 | | | | 11.8 |
| 50 to 54 years | 5.8 | 8.8 | 8.0 | 1.6 | 2.8 | 5.7 | 5.7 | 2.2 | 2.6 | 3.5 | 4.2 | | | | 5.9 |
| 55 to 59 years | 2.8 | 4.9 | 0.9 | 0.5 | 1.0 | 2.3 | 2.6 | 0.7 | 0.9 | 2.6 | 2.8 | | | | |
| 60 years and older | 2.1 | 4.1 | | | 0.4 | | 0.4 | 0.5 | | 2.6 | 2.8 | | | | 5.9 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| No. of admissions | 6,927 | 3,083 | 325 | 187 | 1,730 | 87 | 265 | 918 | 114 | 114 | 71 | 4 | 1 | 11 | 17 |
| Race/ethnicity | | | | | | | | | | | | | | | |
| White (non-Hispanic) | 90.1 | 92.9 | 87.3 | 92.9 | 92.8 | 73.6 | 77.9 | 80.9 | 92.0 | 87.7 | 95.8 | 75.0 | | 81.8 | 100.0 |
| Black (non-Hispanic) | 3.7 | 3.4 | 4.0 | 1.6 | 0.6 | 16.1 | 14.4 | 7.7 | | | | 25.0 | 100.0 | | |
| Hispanic origin | 0.4 | 0.5 | 0.3 | | 0.2 | 1.1 | 0.8 | 0.7 | 0.9 | | | | | | |
| American Indian/Alaska Native | 0.2 | 0.2 | 0.3 | | 0.1 | | | 0.2 | | 0.9 | | | | | |
| Asian/Pacific Islander | * | 0.1 | | | 0.1 | | | | | | | | | | |
| Other | 5.6 | 3.1 | 8.1 | 5.4 | 6.2 | 9.2 | 6.8 | 10.6 | 7.1 | 11.4 | 4.2 | | | 18.2 | |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| No. of admissions | 6,887 | 3,073 | 322 | 184 | 1,714 | 87 | 263 | 914 | 112 | 114 | 71 | 4 | 1 | 11 | 17 |

⁻⁻ Quantity is zero.

^{*} Less than 0.05 percent

Table 3.49
Wisconsin
Admissions aged 12 and older by gender, age group, and race/ethnicity, according to primary substance: TEDS 2008

| | | | | | | F | Primary s | ubstance | at admission | | | | | | |
|-------------------------------|------------|---------|-----------|--------|---------|---------|-----------|----------|--------------|-------|-------|--------|-------|--------|--------|
| | | A | lcohol | Орі | ates | Coca | ine | | | | | | | | |
| Gender, age group, and | All admis- | | | | | | | | Metham- | | | | | | Other/ |
| race/ethnicity | sions | | | | | | | Mari- | phetamine/ | Tran- | | Hallu- | | | none |
| | aged 12 | Alcohol | Secondary | | Other | Smoked | Other | juana/ | amphet- | quil- | Seda- | cino- | | Inhal- | speci- |
| | and older | only | drug | Heroin | opiates | cocaine | route | hashish | amine | izers | tives | gens | PCP | ants | fied |
| Total admissions aged 12 | | | | | | | | | | | | | | | |
| and older | 29,105 | 15,864 | 5,686 | 983 | 1,225 | 1,748 | 444 | 2,615 | 275 | 81 | 18 | 12 | 1 | 8 | 145 |
| Gender | | | | | | | | | | | | | | | |
| Male | 70.3 | 71.5 | 75.1 | 65.0 | 55.8 | 50.6 | 63.1 | 77.9 | 61.1 | 44.4 | 44.4 | 66.7 | 100.0 | 50.0 | 68.3 |
| Female | 29.7 | 28.5 | 24.9 | 35.0 | 44.2 | 49.4 | 36.9 | 22.1 | 38.9 | 55.6 | 55.6 | 33.3 | | 50.0 | 31.7 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| No. of admissions | 29,105 | 15,864 | 5,686 | 983 | 1,225 | 1,748 | 444 | 2,615 | 275 | 81 | 18 | 12 | 1 | 8 | 145 |
| Age at admission | | | | | | | | | | | | | | | |
| 12 to 19 years | 6.3 | 3.8 | 5.2 | 6.8 | 7.8 | 1.1 | 3.4 | 25.7 | 6.9 | 1.2 | | 41.7 | | 50.0 | 18.6 |
| 20 to 24 years | 15.6 | 12.0 | 17.7 | 34.1 | 26.5 | 5.1 | 14.2 | 28.4 | 17.8 | 12.3 | 5.6 | 8.3 | | 25.0 | 8.3 |
| 25 to 29 years | 14.4 | 11.9 | 16.9 | 21.4 | 22.2 | 11.6 | 20.3 | 17.9 | 22.5 | 11.1 | 11.1 | 8.3 | | | 15.2 |
| 30 to 34 years | 10.8 | 10.0 | 10.4 | 9.8 | 15.2 | 13.8 | 18.2 | 10.0 | 18.2 | 22.2 | 5.6 | 41.7 | 100.0 | | 9.0 |
| 35 to 39 years | 11.4 | 11.1 | 12.3 | 8.2 | 10.8 | 19.7 | 16.0 | 6.2 | 17.1 | 8.6 | 5.6 | | | 12.5 | 12.4 |
| 40 to 44 years | 13.3 | 14.4 | 14.3 | 7.4 | 6.0 | 22.0 | 13.7 | 4.7 | 8.0 | 18.5 | 22.2 | | | 12.5 | 10.3 |
| 45 to 49 years | 13.8 | 16.6 | 13.2 | 6.5 | 5.1 | 16.9 | 9.7 | 4.3 | 6.2 | 18.5 | 22.2 | | | | 13.1 |
| 50 to 54 years | 8.0 | 10.8 | 6.4 | 3.4 | 3.0 | 7.1 | 4.1 | 1.4 | 0.7 | | 27.8 | | | | 8.3 |
| 55 to 59 years | 4.0 | 5.4 | 3.0 | 2.1 | 2.4 | 2.1 | 0.2 | 0.9 | 1.8 | 1.2 | | | | | 2.1 |
| 60 years and older | 2.4 | 3.9 | 0.5 | 0.3 | 0.8 | 0.5 | 0.2 | 0.6 | 0.7 | 6.2 | | | | | 2.8 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| No. of admissions | 29,105 | 15,864 | 5,686 | 983 | 1,225 | 1,748 | 444 | 2,615 | 275 | 81 | 18 | 12 | 1 | 8 | 145 |
| Race/ethnicity | | | | | | | | | | | | | | | |
| White (non-Hispanic) | 80.4 | 86.5 | 74.9 | 76.3 | 93.6 | 43.2 | 69.4 | 76.4 | 92.0 | 97.5 | 94.4 | 41.7 | 100.0 | 50.0 | 70.3 |
| Black (non-Hispanic) | 12.2 | 6.1 | 17.8 | 13.5 | 2.6 | 51.7 | 17.6 | 15.0 | 0.4 | | 5.6 | 50.0 | | 37.5 | 24.8 |
| Hispanic origin | 4.1 | 4.2 | 3.7 | 8.7 | 1.7 | 3.6 | 8.3 | 4.2 | 0.4 | | | | | | 4.8 |
| American Indian/Alaska Native | _ | 2.5 | 3.2 | 0.8 | 1.8 | 1.0 | 3.6 | 4.1 | 4.0 | | | 8.3 | | 12.5 | |
| Asian/Pacific Islander | 0.5 | 0.6 | 0.4 | 0.6 | 0.1 | 0.4 | 0.9 | 0.2 | 2.9 | 2.5 | | | | | |
| Other | 0.2 | 0.2 | 0.1 | | 0.2 | 0.1 | 0.2 | 0.1 | 0.4 | | | | | | |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| No. of admissions | 29,105 | 15,864 | 5,686 | 983 | 1,225 | 1,748 | 444 | 2,615 | 275 | 81 | 18 | 12 | 1 | 8 | 145 |

⁻⁻ Quantity is zero.

Table 3.50
Wyoming
Admissions aged 12 and older by gender, age group, and race/ethnicity, according to primary substance: TEDS 2008

| | | | | | | F | Primary s | ubstance | at admission | | | | | | |
|-------------------------------|------------|---------|-----------|--------|---------|---------|-----------|----------|--------------|-------|-------|--------|-------|--------|--------|
| | | A | lcohol | Opi | ates | Coca | ine | | | | | | | | |
| Gender, age group, and | All admis- | | | | | | | | Metham- | | | | | | Other/ |
| race/ethnicity | sions | | | | | | | Mari- | phetamine/ | Tran- | | Hallu- | | | none |
| | aged 12 | Alcohol | Secondary | | Other | Smoked | Other | juana/ | amphet- | quil- | Seda- | cino- | | Inhal- | speci- |
| | and older | only | drug | Heroin | opiates | cocaine | route | hashish | amine | izers | tives | gens | PCP | ants | fied |
| Total admissions aged 12 | | | | | | | | | | | | | | | |
| and older | 6,267 | 2,311 | 1,719 | 98 | 199 | 49 | 71 | 1,090 | 618 | 10 | 52 | 3 | 1 | 14 | 32 |
| Gender | | | | | | | | | | | | | | | |
| Male | 68.5 | 70.5 | 73.2 | 64.3 | 48.2 | 43.8 | 67.6 | 75.2 | 48.9 | 40.0 | 46.2 | 66.7 | 100.0 | 71.4 | 35.5 |
| Female | 31.5 | 29.5 | 26.8 | 35.7 | 51.8 | 56.3 | 32.4 | 24.8 | 51.1 | 60.0 | 53.8 | 33.3 | | 28.6 | 64.5 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| No. of admissions | 6,226 | 2,296 | 1,709 | 98 | 195 | 48 | 71 | 1,082 | 616 | 10 | 52 | 3 | 1 | 14 | 31 |
| Age at admission | | | | | | | | | | | | | | | |
| 12 to 19 years | 18.9 | 9.7 | 17.2 | 27.6 | 14.6 | | 12.7 | 45.4 | 6.5 | | 80.8 | 33.3 | | 50.0 | 53.1 |
| 20 to 24 years | 17.2 | 14.5 | 19.4 | 13.3 | 25.6 | 8.2 | 18.3 | 21.4 | 14.2 | 10.0 | 1.9 | 33.3 | | 7.1 | 12.5 |
| 25 to 29 years | 16.5 | 15.5 | 19.0 | 11.2 | 19.6 | 4.1 | 18.3 | 12.2 | 23.6 | 30.0 | 3.8 | | | 14.3 | |
| 30 to 34 years | 11.8 | 11.4 | 12.2 | 10.2 | 13.6 | 16.3 | 11.3 | 8.3 | 19.1 | 20.0 | | 33.3 | 100.0 | | 6.3 |
| 35 to 39 years | 9.8 | 10.9 | 9.4 | 7.1 | 12.1 | 16.3 | 8.5 | 4.6 | 16.8 | 10.0 | | | | 21.4 | 3.1 |
| 40 to 44 years | 8.9 | 11.1 | 9.0 | 10.2 | 3.5 | 24.5 | 12.7 | 3.9 | 9.7 | 10.0 | 9.6 | | | | 3.1 |
| 45 to 49 years | 7.9 | 11.3 | 7.9 | 4.1 | 7.5 | 14.3 | 8.5 | 2.3 | 6.3 | | 3.8 | | | | 6.3 |
| 50 to 54 years | 5.3 | 8.8 | 4.4 | 11.2 | 1.0 | 10.2 | 8.5 | 0.9 | 2.9 | 10.0 | | | | 7.1 | 3.1 |
| 55 to 59 years | 2.2 | 3.9 | 1.0 | 2.0 | 2.0 | 6.1 | 1.4 | 0.8 | 0.6 | 10.0 | | | | | 9.4 |
| 60 years and older | 1.4 | 2.9 | 0.5 | 3.1 | 0.5 | | | 0.2 | 0.2 | | | | | | 3.1 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| No. of admissions | 6,267 | 2,311 | 1,719 | 98 | 199 | 49 | 71 | 1,090 | 618 | 10 | 52 | 3 | 1 | 14 | 32 |
| Race/ethnicity | | | | | | | | | | | | | | | |
| White (non-Hispanic) | 71.8 | 71.1 | 70.6 | 78.6 | 78.9 | 55.1 | 63.4 | 71.4 | 76.1 | 70.0 | 90.4 | 66.7 | 100.0 | 50.0 | 68.8 |
| Black (non-Hispanic) | 1.6 | 1.1 | 1.9 | 2.0 | 2.5 | 16.3 | 7.0 | 1.5 | 0.8 | | 1.9 | | | | |
| Hispanic origin | 16.9 | 17.4 | 16.3 | 13.3 | 12.1 | 24.5 | 25.4 | 18.6 | 14.6 | 20.0 | 3.8 | 33.3 | | 35.7 | 12.5 |
| American Indian/Alaska Native | _ | 4.2 | 7.0 | 1.0 | 2.5 | | | 3.7 | 2.6 | 10.0 | 1.9 | | | 14.3 | 9.4 |
| Asian/Pacific Islander | 0.3 | 0.5 | 0.3 | | | | | | | | | | | | |
| Other | 5.0 | 5.7 | 3.9 | 5.1 | 4.0 | 4.1 | 4.2 | 4.9 | 6.0 | | 1.9 | | | | 9.4 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| No. of admissions | 6,267 | 2,311 | 1,719 | 98 | 199 | 49 | 71 | 1,090 | 618 | 10 | 52 | 3 | 1 | 14 | 32 |

⁻⁻ Quantity is zero.

APPENDIX A

ABOUT THE TREATMENT EPISODE DATA SET (TEDS)

Introduction

This report presents data from the Treatment Episode Data Set (TEDS) on the demographic and substance abuse characteristics of admissions to treatment for abuse of alcohol and/or drugs. The Center for Behavioral Health Statistics and Quality (CBHSQ), Substance Abuse and Mental Health Services Administration (SAMHSA), coordinates and manages collection of TEDS data from the States.

The Treatment Episode Data Set (TEDS) is a compilation of client-level data routinely collected by the individual State administrative data systems to monitor their substance abuse treatment systems. Generally, facilities that are required to report to the State substance abuse agency (SSA) are those that receive public funds and/or are licensed or certified by the SSA to provide substance abuse treatment (or are administratively tracked for other reasons).

TEDS is one of the three components of SAMHSA's Drug and Alcohol Services Information System (DASIS), the primary source of national data on substance abuse treatment. Its components are:

- The Inventory of Substance Abuse Treatment Services (I-SATS), a continuously-updated comprehensive listing of all known public and private substance abuse treatment facilities.
- The Treatment Episode Data Set (TEDS) is a compilation of client-level data routinely collected by the
 individual State administrative data systems to monitor their substance abuse treatment systems. Generally, facilities that are required to report the State substance abuse agency (SSA) are those that receive
 public funds and/or are licensed or certified by the SSA to provide substance abuse treatment (or are
 administratively tracked for other reasons).
- The National Survey of Substance Abuse Treatment Services (N-SSATS), an annual survey of the location, characteristics, services offered, and utilization of alcohol and drug abuse treatment facilities in I-SATS.

The TEDS system comprises two major components, the Admissions Data Set and the Discharge Data Set. The TEDS Admissions Data Set includes client-level data on substance abuse treatment admissions from 1992 through the present. The TEDS Discharge Data Set can be linked at record level to admissions, and includes information from clients discharged in 2000 and later. For both data sets, selected data items from the individual State data files are converted to a standardized format consistent across States. These standardized data constitute TEDS.

The TEDS Admissions Data System consists of a Minimum Data Set collected by all States, and a Supplemental Data Set collected by some States. The Minimum Data Set consists of 19 items that include:

- Demographic information
- Primary, secondary, and tertiary substances and their route of administration, frequency of use, and age at first use
- Source of referral to treatment
- Number of prior treatment episodes
- Service type, including planned use of medication-assisted opioid therapy

The Supplemental Data Set consists of 16 items that include psychiatric, social, and economic measures.

The TEDS Discharge Data System was designed to enable TEDS to collect information on entire treatment episodes. Discharge data, when linked to admissions data, represent treatment episodes that enable analyses of questions that cannot be answered with admissions data alone. Examples are the proportion of discharges that completed treatment and the average length of stay of treatment completers. Results from the TEDS Discharge Data System are published in a separate report.

Definitions and classifications used in the Admissions Minimum and Supplemental Data Sets are detailed in Appendix B.

History

National-level data collection on admissions to substance abuse treatment was first mandated in 1972 under the Drug Abuse Office and Treatment Act, P.L. 92-255. This act initiated Federal funding for drug treatment and rehabilitation, and required reporting on clients entering drug (but not alcohol) abuse treatment. The Client-Oriented Data Acquisition Process (CODAP) was developed to collect admission and discharge data directly from Federally-funded drug treatment programs. (Programs for treatment of alcohol abuse were not included.) Reporting was mandatory for all such programs, and data were collected using a standard form. CODAP included all clients in Federally-funded programs regardless of individual funding source. Reports were issued from 1973 to 1981 based on data from 1,800 to 2,000 programs, including some 200,000 annual admissions.

In 1981, collection of national-level data on admissions to substance abuse treatment was discontinued because of the introduction of the Alcohol, Drug Abuse, and Mental Health Services (ADMS) Block Grant. The Block Grant transferred Federal funding from individual programs to the States for distribution, and included no data reporting requirement. Participation in CODAP became voluntary; although several States submitted data through 1984, the data were in no way nationally representative.

In 1988, the Comprehensive Alcohol Abuse, Drug Abuse, and Mental Health Amendments (P.L. 100-690) established a revised Substance Abuse Prevention and Treatment (SAPT) Block Grant and mandated Federal data collection on clients receiving treatment for either alcohol or drug abuse. The Treatment Episode Data Set (TEDS) data collection effort represents the Federal response to this mandate. TEDS began in 1989 with the issue of 3-year development grants to States.

State Data Collection Systems

TEDS is an exceptionally large and powerful data set that comprises a significant proportion of all admissions to substance abuse treatment. TEDS is a compilation of data collected through the individual data collection systems of the State substance abuse agencies (SSAs) for substance abuse treatment. States have cooperated with the Federal government in the data collection process, and substantial progress has been made toward developing a standardized data set. However, because each State system is unique and each State has unique powers and mandates, significant differences exist among State data collection systems. These differences are compounded by evolving health care payment systems, and State-to-State comparisons must be made with extreme caution.

The number and client mix of TEDS admissions do not represent the total national demand for substance abuse treatment or the prevalence of substance abuse in the general population.

States differ widely in the amount of public funding available for substance abuse treatment and in the constraints placed on the use of funds. States may be directed to target special populations such as pregnant women or adolescents. Where funds are limited, States may be compelled to exercise triage in admitting persons to treatment, admitting only those with the most "severe" problems. In States with higher funding levels, a larger proportion of the population in need of treatment may be admitted, including the less severely impaired.

States may include or exclude reporting by certain sectors of the treatment population, and these sectors may change over time. For example, treatment programs based in the criminal justice system may or may not be administered through the State SSA. Detoxification facilities, which can generate large numbers of admissions, are not uniformly considered treatment facilities and are not uniformly reported by all States.

Appendix Table 1 presents key characteristics of State data collection systems for 2008. However, these characteristics can change as State substance abuse treatment systems change, and thus may be responsible for some year-to-year variation within States.

• Facilities included. The scope of facilities included in TEDS is affected by differences in State licensure, certification, and accreditation practices, and disbursement of public funds. Most SSAs require facilities that receive State/public funding (including Federal Block Grant funds) for the provision of alcohol and/ or drug treatment services to report data to the SSA. Generally this funding is distributed by the SSA but may be distributed by another public agency.

Some SSAs regulate private facilities, methadone clinics, and/or individual practitioners and require them to report TEDS data. Others do not because of the difficulty in obtaining data from these facilities, although these facilities may report voluntarily. Facilities operated by Federal agencies (e.g., the Bureau of Prisons, the Department of Defense, and the Department of Veterans Affairs) generally do not report TEDS data to the SSA, although, some facilities operated by the Indian Health Service are included. Hospital-based substance abuse treatment facilities are frequently not licensed through the SSA and do not report TEDS data. Correctional facilities (State prisons and local jails) are monitored by the SSA and report TEDS data in some States but not in others.

The primary goal of TEDS is to monitor the characteristics of clients admitted to planned, continuing treatment regimens. Thus early intervention and crisis intervention programs that do not lead to enrollment in continued treatment are excluded from TEDS.

- Clients included. About 60 percent of States reported data on all admissions to all eligible facilities, although some reported only, or largely, admissions financed by public funds. TEDS is an admission-based system; therefore TEDS admissions do not represent individuals. For example, an individual admitted to treatment twice within a calendar year would be counted as two admissions.
- Ability to track multi-service episodes. The goal for the TEDS system is to enumerate treatment episodes
 by distinguishing the initial admission of a client from his/her subsequent transfer to a different service
 type (for example, from residential treatment to outpatient) within a single continuous treatment episode.
 Thus TEDS records are ideally coded as admissions if they represent the initial treatment service in
 a treatment episode and as transfers if they represent a change in service type or a change in provider
 without an interruption in treatment.

This requires, however, that clients be assigned unique IDs that can be linked across providers; not all States are legally and/or technologically able to do this. Most States can identify as transfers a change in service type within the structure of a given provider. However, fewer can also identify a transfer involving a change of provider. Several States do not track transfers, but instead report as transfers those clients who are discharged and readmitted within a specified (State-specific) time period.

Because some admission records in fact may represent transfers, the number of admissions reported probably overestimates the number of treatment episodes. Some States reported a limited data set on codependents of substance abusers entering treatment. On average, from 1998 through 2008, 85 percent of all records submitted were admissions, 15 percent were transfers, and 2 percent were codependents of substance abuser.

Services offered. A State's mix of service types (e.g., outpatient, detoxification, residential, opioid therapy) can have a significant effect on its admission rate. There is higher client turnover and therefore more admissions in short-stay services such as detoxification than in long-stay services such as outpatient or

long-term residential treatment. Admission rates for individual substances of abuse may be affected as well (for example, detoxification is more closely associated with alcohol or heroin use than with use of other substances.)¹

• Completeness and timeliness of reporting. SAMHSA, in reporting national-level TEDS data, must balance timeliness of reporting and completeness of the data set. There may be a time lag in the publication of SAMHSA's annual report because preparation cannot begin until States have completed their data submission for that year. States in turn rely on individual facilities to report in a timely manner so they can submit TEDS data to SAMHSA at regular intervals.

Admissions from facilities that report late to the States will appear in a later data submission to SAMHSA. Thus the number of annual admissions in a report may be higher in subsequent reports as late data submissions are received. The number of additional admissions is small because of the time lag in issuing the report. Thus the percentage distributions in the national report will change very little in subsequent reports, although Census division- and State-level data may change somewhat more for States with reporting delays.

States continually review and improve their data collection and processing. When systematic errors are identified, States may revise or replace historical TEDS data files. While this process represents an improvement in the data system, the historical statistics in this report will differ slightly from those in earlier reports.

Appendix Tables 2 and 3 indicate the proportions of records by State or jurisdiction for which valid data were received for 2008. States are expected to report all variables in the Minimum Data Set (Appendix Table 3). Variables in the Supplemental Data Set are collected at the States' option (Appendix Table 4).

Report-Specific Considerations

- The report focuses on treatment admissions for substance abusers. Thus admissions for treatment as a codependent of a substance abuser are excluded. Records for identifiable transfers within a single treatment episode are also excluded.
- Records with partially complete data have been retained. Where records include missing or invalid data
 for a specific variable other than primary, secondary or tertiary substance, those records are excluded
 from tabulations of that variable. For substance variables, missing or unknown responses were included
 in the category 'Other'. The total number of admissions on which a percentage distribution is based is
 reported in each table.
- States that did not collect a specific variable are excluded from tabulations of that variable. The total number of admissions on which a percentage distribution is based is reported in each table.
- The *primary, secondary, and tertiary substances of abuse* reported to TEDS are those substances that led to the treatment episode, and not necessarily a complete enumeration of all drugs used at the time of admission.
- Primary alcohol admissions are characterized as alcohol only or alcohol with secondary drug. Alcohol
 with secondary drug indicates a primary alcohol admission with a specified secondary drug. All other
 alcohol admissions are classified as alcohol only.
- Cocaine admissions are classified according to route of administration as Smoked and Other route.

¹ See: Substance Abuse and Mental Health Services Administration, Office of Applied Studies. Treatment Episode Data Set (TEDS). 1998 - 2008. National Admissions to Substance Abuse Treatment Services, DASIS Series: S-50, HHS Publication No. (SMA) 09-4471, Rockville, MD, 2010. Table 2.7.

Smoked cocaine primarily represents crack or rock cocaine, but can also include cocaine hydrochloride (powder cocaine) when it is free-based. Non-smoked cocaine includes all cocaine admissions where cocaine is injected, inhaled, or taken orally; it also includes admissions where the route of administration is unknown or not collected. Thus the TEDS estimate of admissions for smoked cocaine is conservative.

• Methamphetamine/amphetamine admissions include admissions for both substances, but are primarily for methamphetamine. Methamphetamine constitutes about 95 percent of combined methamphetamine/amphetamine admissions. Oregon and Texas, States with large numbers of methamphetamine admissions, reported them as *Other amphetamines* until 2005.

Appendix Table 1 State data system reporting characteristics: TEDS 2008

| State or | Facilities reporting TEDS data to the State | e SSA | Elimible eliente | Change of service | Change of provider |
|-------------------|---|---|--|-------------------|--------------------|
| jurisdiction | Facilities required to report to the State SSA 1 | Facilities reporting voluntarily to the State SSA | Eligible clients | within episode | within episode |
| Alabama | Facilities that receive State/public funding | None | All clients in facility | Admission | Admission |
| Alaska | Facilities that receive State/public funding | None | All clients in facility | Transfer | Admission |
| Arizona | Facilities that receive State/public funding | None | State/public-funded clients only | n/a² | n/a² |
| Arkansas | Facilities that are licensed by State SSA | State Community Correction facilities Some private facilities | All clients in a licensed facility | Transfer | Admission |
| California | Facilities that receive State funding All licensed narcotic treatment facilities | None | All clients in facility except DUI | Transfer | Transfer |
| Colorado | State-licensed facilities Methadone facilities Community-based juvenile and adult justice treatment programs, except institutionally-based | None | All clients receiving substance abuse treatment services in facility | Admission | Admission |
| Connecticut | Facilities that receive State/public funding (including corrections) Facilities serving adults that are licensed by State Dept of Public Health Some facilities treating youth < 18 General hospitals funded by SSA | None | All clients in facility | Admission | Admission |
| Delaware | Facilities that receive State/public funding, excluding: - Child/youth services - Most Medicaid-funded services - Most criminal justice system services | None | State/public-funded clients only | Admission | Admission |
| Dist. of Columbia | Facilities that receive State/public funding | None | State/public-funded clients only | Transfer | Admission |
| Florida | Facilities that receive State/public funding | None | All clients in facility | Transfer | Admission |
| Georgia | Facilities that receive SAPT/BG, State and Medicaid funding through the State SSA (this includes Medicaid for foster children, aged, blind & disabled individuals) | None | SSA funded clients with SA or co-occurring SA and MH disorders | Admission | Admission |
| Hawaii | Facilities that receive State/public funding | None | All clients in facility | Admission | Admission |

Appendix Table 1 (continued) State data system reporting characteristics: TEDS 2008

| State or | Facilities reporting TEDS data to the State | e SSA | Eliaible clients | Change of service | Change of provider |
|---------------|---|---|--|-------------------|--------------------|
| jurisdiction | Facilities required to report to the State SSA 1 | Facilities reporting voluntarily to the State SSA | Eligible clients | within episode | within episode |
| Idaho | Facilities that receive State/public funding | None | State/public-funded clients only | Transfer | Admission |
| Illinois | Facilities that receive funding through the State SSA (this includes Medicaid paid sub-acute addiction treatment services) | None | State/public-funded clients only | Transfer | Admission |
| Indiana | Facilities that receive State/public funding | None | State/public-funded clients only | Transfer | Admission |
| lowa | Facilities that receive State/public funding Facilities that are licensed/certified by State SSA Medicare-certified facilities | State prison DHS youth facility | All clients in facility | Transfer | Admission |
| Kansas | Facilities that receive State/public funding Medicaid-certified facilities Department of Corrections 4th-time DUI facilities | None | All clients in facility | Transfer | Transfer |
| Kentucky | Facilities that receive State/public funding | None | All clients in facility | Transfer | Admission |
| Louisiana | Facilities that receive State/public funding State programs | None | State/public-funded clients only | Admission | Admission |
| Maine | Facilities that receive State/public funding Facilities licensed by the State must report all their substance abuse clients Facilities seeking Medicaid reimbursement for substance abuse services Clients who are being treated because of "Operating Under the Influence" | Some private substance abuse providers report their clients although not required by statute to do so | All clients in facility | Admission | Admission |
| Maryland | Facilities that are licensed/certified by the Health Department Office of Health Care Quality | None | All clients in facility | Transfer | Admission |
| Massachusetts | Facilities that are licensed/certified by State SSA | None | All clients in facility | Admission | Admission |
| Michigan | Facilities that receive State/public funding Medicaid providers of substance abuse treatment | None | Clients whose services are supported by State/public funds through the Dept of Community Health, including Medicaid | Transfer | Transfer |
| Minnesota | Providers serving publicly-funded clients | None | All clients in facility | Admission | Admission |

Appendix Table 1 (continued) State data system reporting characteristics: TEDS 2008

| State or | Facilities reporting TEDS data to the State | Fligible eliente | Change of service | Change of provider | |
|----------------|--|--|--|--------------------|----------------|
| jurisdiction | Facilities required to report to the State SSA 1 | Facilities reporting voluntarily to the State SSA | Eligible clients | within episode | within episode |
| Mississippi | Facilities that receive State/public funding Facilities certified by Mental Health Department | None | All clients in facility | Transfer | Admission |
| Missouri | Facilities that receive State/public funding | None | State/public-funded clients only | Transfer | Admission |
| Montana | Facilities that receive State/public funding Facilities that are licensed/certified by State SSA | None | All clients in facility except DUI clients | Transfer | Admission |
| Nebraska | Facilities that receive SSA-administered State/public funding | None | State/public-funded clients only | Admission | Admission |
| Nevada | Facilities that receive State/public funding | None | All clients in facility | Transfer | Transfer |
| New Hampshire | Facilities that receive State/public funding | None | State/public-funded clients only | Transfer | Admission |
| New Jersey | Facilities that receive State/public funding Facilities that are licensed/certified by State SSA Facilities in State intoxicated driver program | Some private facilities and solo practitioners | All clients in facility | Admission | Admission |
| New Mexico | Facilities that receive SSA substance abuse funding | None | SSA funded clients with SA or co-occurring SA and MH disorders | Transfer | Transfer |
| New York | Facilities that receive State/public funding Facilities that are licensed/certified by State SSA | None | All clients in facility | Admission | Admission |
| North Carolina | Facilities that receive State/public funding | None | All clients in facility | Transfer | Transfer |
| North Dakota | Eight State Divisional service centers & other facilities receiving SAPT block grant funds One State hospital | Some private facilities | All clients in SH and RHSC facilities Small privates report only SAPT- funded clients | n/a³ | Admission |
| Ohio | Facilities that receive State/public funding | None | State/public-funded clients only | Admission | Admission |
| Oklahoma | Facilities that receive State/public funding | None | State/public-funded clients only | Transfer | Admission |
| Oregon | Facilities that receive State/public funding or are required because they provide DUI or methadone treatment | None | All clients in facility | Admission | Admission |
| Pennsylvania | Facilities that receive SAPT BG/State funds through the Dept of Health; this includes some but not all Medicaid funds spent on substance abuse diagnoses | Some, but not all, county prisons, hospitals, and private providers and solo practitioners | State/public-funded clients only are required; data on all clients are requested and received from some facilities | Admission | Admission |

Appendix Table 1 (continued) State data system reporting characteristics: TEDS 2008

| State or jurisdiction | Facilities reporting TEDS data to the St | ate SSA | | Change of service | Change of provider |
|--------------------------|--|---|--|-------------------|--------------------|
| | Facilities required to report to the State SSA 1 | Eligible clients | within episode | within episode | |
| Puerto Rico | Facilities that receive State/public funding | None | All clients in facility | Admission | Admission |
| Rhode Island | Facilities that receive State/public funding Facilities that are licensed/certified by State SSA VA Hospital reports voluntarily | None | All clients in facility | Admission | Admission |
| South Carolina | Facilities that receive State/public funding | None | All clients in facility | Transfer | Admission |
| South Dakota | Facilities that receive State/public funding Facilities that are licensed/certified by State SSA Medicare- certified facilities Solo practitioners licensed/certified by State SSA | None | All clients in facility | Transfer | Admission |
| Tennessee | Facilities that receive State/public funding | None | State/public-funded clients only | Transfer | Transfer |
| Texas | Facilities that receive State/public funding | None | State/public-funded clients only | Admission | Admission |
| Utah | Facilities that receive State/public funding | None | All clients in facility | Transfer | Transfer |
| Vermont | Facilities that receive State/public funding | None | All clients in facility | Transfer | Admission |
| Virginia | Facilities that receive State/public funding | None | All clients in facility | n/a³ | Admission |
| Washington | Facilities that receive State/public funding Medicare-certified facilities | State-certified privately funded methadone treatment programs | State/public-funded clients only are required; data on all clients are requested and received from some facilities | Transfer | Transfer |
| West Virginia | Facilities that receive State/public funding | None | All clients in facility | Transfer | Transfer |
| Wisconsin | Facilities that receive State/public funding | None | State/public-funded clients only | Admission | Admission |
| Wyoming | Facilities that receive State/public funding | None | All clients in a facility | Admission | Admission |

^{1 &}quot;State/public funding" generally refers to funding by the State Substance Abuse Agency, but may also include funding by another public agency.

SOURCE: State Substance Abuse Agencies, February 2009.

 $^{^{\}rm 2}$ Neither an admission nor transfer record results from a change in service or provider.

 $^{^{3}}$ Neither an admission nor transfer record results from a change in service within a provider. n/a Not applicable.

Appendix Table 2

Item percentage response rate by State or jurisdiction: TEDS Minimum Data Set 2008

[Based on administrative data reported to TEDS by all reporting States and jurisdictions. Comparisons among States should be made with caution.]

| | | | | | | | | | Primary substance | | | | Secondary substance | | | | Tertiary substance | | | | Туре | Opioid |
|--------------------------|------------|------------|------------|------------|------------|------------|------------|------------|-------------------|------------|------------|------------|---------------------|--------------------|-----------------|------------------|--------------------|--------------------|-----------------|------------------|------------|------------|
| State or | Prior | Refer- | | | | | Edu- | Em- | | | Fre- | Age | | | Fre- | Age | | | Fre- | Age | of | re- |
| jurisdiction | treat- | ral | | Gen- | | Ethni- | ca- | ploy- | Sub- | | quen- | at 1st | Sub- | | quen- | at 1st | Sub- | | | at 1st | ser- | place- |
| | ment | source | Age | der | Race | city | tion | ment | stance | Route 1 | cy 1 | use 1 | stance | Route ² | cy ² | use ² | stance | Route ³ | cy ³ | use ³ | vice | ment |
| Total | 91 | 98 | 100 | 100 | 98 | 97 | 97 | 99 | 99 | 98 | 98 | 99 | 94 | 93 | 94 | 93 | 81 | 87 | 90 | 85 | 100 | 91 |
| Alabama | 100 | 88 | 100 | 100 | 95 | 63 | | 100 | 81 | 99 | ** | 100 | 100 | 100 | 52 | 100 | 100 | 99 | 100 | 20 | 100 | 39 |
| Alaska | ‡ | ‡ | ‡ | ‡ | # | # | ‡ | ‡ | ‡ | ‡ | ‡ | ‡ | # | ‡ | ‡ | ‡ | ‡ | ‡ | # | ‡ | ‡ | ‡ |
| Arizona | 400 | 92 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 98 | 100 | 100 | 100 | 99 | 100 | 100 | 100 | 99 | 100 | 100 | 100 | 400 |
| Arkansas California | 100 99 | 88 100 | 100 100 | 100 100 | 99 100 | 100 100 | 100 99 | 100 100 | 100 100 | 100 100 | 98 100 | 100 100 | 100 100 | 100 100 | 99 100 | 100 100 | 100 | 100 | 99 | 100 | 100 100 | 100 97 |
| | | | | | | | | | | | | | | | | | | | | | | |
| Colorado Connecticut | 93 100 | 100 96 | 100 100 | 100 100 | 100 100 | 100 99 | 98 100 | 98 95 | 100 100 | 100 98 | 100 100 | 100 99 | 100 97 | 100 98 | 100 100 | 100 99 | 100 97 | 100 99 | 100 100 | 100 100 | 100 | 100 100 |
| Delaware | | 93 | 100 | 100 | 100 | 100 | 98 | 98 | 100 | 95 | 100 | 95 | 100 | 66 | 99 | 65 | 100 | 29 | 98 | 28 | 100 | 100 |
| Dist. of Columbia | 88 | 45 | 100 | 99 | 100 | 93 | 89 | 99 | 41 | 100 | 100 | 94 | 15 | 100 | 100 | 97 | 5 | 100 | 100 | 99 | 100 | 63 |
| Florida | 88 | 98 | 100 | 100 | 100 | 100 | 98 | 99 | 99 | 100 | 100 | 100 | 97 | 100 | 100 | 99 | 96 | 100 | 100 | 100 | 100 | 100 |
| Georgia | ‡ | ‡ | ‡ | ‡ | ‡ | ‡ | ‡ | ‡ | ‡ | ‡ | ‡ | ‡ | ‡ | ‡ | ‡ | ‡ | ‡ | ‡ | ‡ | ‡ | ‡ | ‡ |
| Hawaii | 98 | 99 | 100 | 100 | 99 | 99 | 100 | 99 | 100 | 100 | 99 | 97 | 99 | 100 | 99 | 98 | 98 | 100 | 100 | 99 | 100 | 100 |
| Idaho | 100 | 99 | 100 | 100 | 99 | 98 | 96 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 |
| Illinois Indiana | 100 92 | 100 96 | 100 100 | 100 100 | 100 100 | 100 100 | 100 96 | 100 99 | 100 100 | 100 99 | 100 98 | 98 95 | 100 100 | 100 99 | 100 98 | 100 97 | 100 99 | 100 100 | 100 99 | 100 99 | 100 | 100 100 |
| | - | | | | | | | | | | | | | | | • | | | | | | |
| lowa | 100 | 100 | 100 | 100 | 99 | 100 | 89 | 100 | 100 | 100 | 100 | 100 | 100 | 88 | 88 | 88 | 100 | 78 | 78 | 78 | 100 | 100 |
| Kansas Kentuckv | 100 100 | 100 100 | 100 100 | 100 100 | 100 100 | 100 100 | 100 100 | 100 100 | 100 100 | 100 100 | 100 100 | 100 100 | 100 100 | 100 100 |
| Louisiana | 99 | 100 | 100 | 100 | 100 | 100 | 100 | 99 | 100 | 97 | 99 | 98 | 100 | 98 | 99 | 99 | 100 | 99 | 100 | 99 | 100 | 100 |
| Maine | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 97 | 58 | 58 | 58 | 99 | 31 | 31 | 31 | 100 | 100 |
| Maryland | 100 | 99 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 60 | 100 | 60 | 100 | 22 | 100 | 22 | 100 | 100 |
| Massachusetts | 99 | 99 | 100 | 100 | 98 | 99 | 91 | 98 | 100 | 98 | 98 | 98 | 56 | 97 | 97 | 97 | 28 | 96 | 96 | 96 | 100 | 10 |
| Michigan | 100 | 100 | 100 | 100 | 99 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 53 | 53 | 53 | 100 | 19 | 19 | 19 | 100 | 100 |
| Minnesota Mississippi | 99 100 | 100 95 | 100 100 | 100 100 | 100 100 | 100 100 | 98 100 | 98 96 | 99 100 | 99 99 | 100 99 | 99 96 | 99 100 | 99 99 | 100 99 | 100 92 | 99 100 | 100 99 | 100 99 | 100 87 | 100 100 | 100 100 |
| | | | | | | | | | | | | | | | | - | | | | _ | | |
| Missouri Montana | 94 100 | 99 100 | 100 100 | 100 100 | 100 100 | 100 100 | 94 100 | 100 100 | 94 100 | 100 100 | 100 100 | 100 100 | 93 100 | 100 | 100 96 | 100 97 | 92 100 | 100 92 | 100 92 | 100 | 100 100 | 100 79 |
| Nebraska | 100 | 100 | 100 | 100 | 100 | 99 | 97 | 89 | 99 | 100 59 | 84 | 100 | 99 | 96 61 | 96 27 | 100 | 100 | 92 57 | 13 | 92 100 | 100 | 79 100 |
| Nevada | 100 | 100 | 100 | 100 | 99 | 89 | 99 | 97 | 100 | 97 | 96 | 100 | 95 | 53 | 97 | 55 | 91 | 19 | 99 | 20 | 100 | 100 |
| New Hampshire | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 96 | 100 | 98 | 99 | 100 | 100 | 99 | 100 | 100 | 100 | 99 | 100 | 100 | 100 | 100 |

Appendix Table 2 (continued) Item percentage response rate by State or jurisdiction: TEDS Minimum Data Set 2008

[Based on administrative data reported to TEDS by all reporting States and jurisdictions. Comparisons among States should be made with caution.]

| | | | | | | F | Primary s | Secondary substance | | | | Tertiary substance | | | | Type | Opioid | | | | | |
|----------------|--------|--------|-----|------|------|--------|-----------|---------------------|--------|---------|-------|--------------------|--------|--------------------|-----------------|------------------|--------|--------------------|-----------------|--------|------|--------|
| State or | Prior | Refer- | | | | | Edu- | Em- | | | Fre- | Age | | | Fre- | Age | | | Fre- | Age | of | re- |
| jurisdiction | treat- | ral | | Gen- | | Ethni- | ca- | ploy- | Sub- | | quen- | at 1st | Sub- | | quen- | at 1st | Sub- | | quen- | at 1st | ser- | place- |
| | ment | source | Age | der | Race | city | tion | ment | stance | Route 1 | cy 1 | use 1 | stance | Route ² | cy ² | use ² | stance | Route ³ | cy ³ | use 3 | vice | ment |
| New Jersey | 100 | 99 | 100 | 100 | 100 | 100 | 97 | 98 | 100 | 100 | 100 | 100 | 100 | 100 | 99 | 100 | 100 | 100 | 100 | 100 | 100 | 95 |
| New Mexico | 84 | 85 | 100 | 100 | 83 | 90 | 72 | 84 | 99 | 93 | 88 | 84 | 100 | 96 | 95 | 95 | 100 | 99 | 99 | 98 | 100 | 67 |
| New York | 71 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 |
| North Carolina | 100 | 100 | 100 | 100 | 100 | 100 | 99 | 100 | 100 | 99 | 100 | 100 | 100 | 100 | 99 | 100 | 100 | 84 | 100 | 100 | 100 | 97 |
| North Dakota | 98 | 100 | 100 | 100 | 100 | 100 | 99 | 100 | 100 | 100 | 99 | 100 | 100 | 100 | 100 | 55 | 100 | 100 | 100 | 100 | 100 | 100 |
| Ohio | 100 | 99 | 100 | 100 | 70 | 71 | 100 | 100 | 99 | 91 | 91 | 91 | 93 | 58 | 58 | 57 | 91 | 26 | 26 | 26 | 100 | 100 |
| Oklahoma | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 |
| Oregon | 100 | 92 | 100 | 100 | 91 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 |
| Pennsylvania | 100 | 100 | 100 | 100 | 97 | 80 | 87 | 96 | 100 | 100 | 96 | 100 | 48 | 100 | 96 | 100 | 21 | 100 | 95 | 100 | 100 | 100 |
| Puerto Rico | 55 | 99 | 100 | 100 | 97 | 100 | 98 | 99 | 100 | 100 | 99 | 99 | 100 | 100 | 99 | 62 | 100 | 100 | 99 | 46 | 100 | 100 |
| Rhode Island | 100 | 100 | 100 | 100 | 90 | 100 | 100 | 98 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 |
| South Carolina | 100 | 97 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 91 | 91 | 100 | 100 | 100 | 100 | 100 | 99 | 100 | 100 | 100 | 100 | 100 |
| South Dakota | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 |
| Tennessee | 100 | 97 | 100 | 100 | 99 | 99 | 99 | 97 | 100 | 95 | 94 | 100 | 100 | 99 | 98 | 100 | 100 | 100 | 99 | 100 | 100 | 100 |
| Texas | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 99 | 100 | 100 | 100 | 99 | 100 | 100 | 100 | 99 | 100 | 100 | 100 | 100 |
| Utah | 99 | 100 | 100 | 100 | 100 | 100 | 100 | 99 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 |
| Vermont | 99 | 95 | 100 | 100 | 99 | 79 | 87 | 76 | 100 | 100 | 100 | 99 | 67 | 85 | 85 | 97 | 37 | 67 | 67 | 94 | 100 | 100 |
| Virginia | 89 | 75 | 100 | 100 | 97 | 96 | 90 | 93 | 93 | 98 | 95 | 96 | 90 | 98 | 95 | 97 | 86 | 98 | 97 | 98 | 100 | 100 |
| Washington | 100 | 95 | 100 | 100 | 99 | 95 | 98 | 100 | 100 | 99 | 99 | 99 | 94 | 100 | 99 | 78 | 91 | 100 | 99 | 43 | 100 | 6 |
| West Virginia | 100 | 100 | 100 | 100 | 99 | 100 | 100 | 100 | 100 | 46 | 46 | 100 | 100 | 90 | 90 | 90 | 100 | 100 | 100 | 100 | 100 | |
| Wisconsin | | 100 | 100 | 100 | 100 | 100 | 100 | 99 | 100 | 99 | 100 | 98 | 92 | 100 | 100 | 98 | 93 | 100 | 100 | 100 | 100 | 100 |
| Wyoming | 100 | 93 | 100 | 99 | 100 | 100 | 96 | 96 | 100 | 89 | 97 | 92 | 85 | 55 | 71 | 58 | 79 | 26 | 49 | 28 | 100 | 100 |

¹ Percent of admissions reporting a specified primary substance.

² Percent of admissions reporting a specified secondary substance.

³ Percent of admissions reporting a specified tertiary substance.

^{**} Less than 1 percent.

⁻⁻ Quantity is zero.

[‡] No data, or less than a full calendar year of data, submitted.

Appendix Table 3
Item percentage response rate by State or jurisdiction: TEDS Supplemental Data Set 2008

[Based on administrative data reported to TEDS by all reporting States and jurisdictions. Comparisons among States should be made with caution.]

| State or jurisdiction | Primary detailed drug ¹ | Secondary detailed drug ² | Tertiary detailed drug ³ | DSM diag- nosis | Psych- iatric problem | Preg- nant ⁴ | Veteran | Living arrange- ment | Income source | Health insur- ance | Pay- ment source | Detailed not-in- labor- force ⁵ | Detailed criminal justice referral ⁶ | Marital status | Days waiting for treat- ment | Arrests in past 30 days |
|-----------------------|--|--|---|-----------------------|-----------------------------|----------------------------|---------|----------------------------|------------------|--------------------------|------------------------|---|--|-------------------|---------------------------------------|-------------------------------|
| Total | 36 | 38 | 43 | 33 | 60 | 82 | 76 | 83 | 58 | 40 | 30 | 71 | 66 | 68 | 43 | 77 |
| Alabama | 100 | 98 | 100 | 100 | 100 | 85 | 100 | 43 | 73 | 79 | 72 | | 100 | 93 | ** | 100 |
| Alaska | ‡ | ‡ | ‡ | ‡ | ‡ | ‡ | ‡ | ‡ | ‡ | ‡ | ‡ | ‡ | ‡ | ‡ | ‡ | ‡ |
| Arizona | | | | 100 | | 100 | | 95 | | 100 | | 100 | | 90 | 100 | 100 |
| Arkansas | | | | 68 | 100 | 100 | 100 | 98 | 99 | 98 | 99 | 84 | 77 | 100 | 100 | 100 |
| California | | | | | 100 | 99 | 99 | 100 | | | | | 100 | | 99 | 100 |
| Colorado | 100 | 100 | 100 | 98 | 76 | 98 | 100 | 100 | 96 | 94 | 100 | 100 | 99 | 100 | 89 | 100 |
| Connecticut | | | | 97 | | 92 | 87 | 95 | | | | 65 | | 73 | | 100 |
| Delaware | | | | 57 | 94 | 98 | 98 | 98 | 98 | 100 | 98 | 100 | 78 | 98 | | 98 |
| District of Columbia | 100 | 100 | 100 | | 47 | | 76 | 91 | 89 | 79 | 66 | 77 | 67 | 98 | | |
| Florida | 100 | 100 | 100 | 94 | 100 | 100 | 100 | 99 | 91 | | | 100 | 100 | 97 | 100 | 100 |
| Georgia | ‡ | ‡ | ‡ | ‡ | ‡ | ‡ | ‡ | ‡ | ‡ | ‡ | ‡ | ‡ | ‡ | ‡ | ‡ | ‡ |
| Hawaii | 100 | 100 | 100 | 86 | 72 | 97 | 97 | 99 | 94 | 90 | 100 | 100 | 100 | 100 | 99 | 99 |
| Idaho | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 99 | 69 | 98 | 100 | 100 |
| Illinois | | | | 99 | 100 | 100 | 100 | 100 | 100 | 100 | 35 | 100 | 100 | 100 | 99 | 92 |
| Indiana | | | | 100 | | 100 | 97 | 98 | | 90 | | 90 | 98 | 99 | | 100 |
| Iowa | | | | | 100 | 100 | 88 | 100 | 100 | 73 | 99 | 100 | | 100 | 100 | 100 |
| Kansas | 100 | 100 | 100 | | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 |
| Kentucky | 100 | 99 | 99 | 100 | 100 | 100 | 100 | 96 | 100 | 100 | 100 | 100 | 100 | 100 | | 100 |
| Louisiana | | | | 87 | 100 | 100 | 100 | 100 | 99 | 99 | 74 | 100 | 100 | 100 | 100 | 100 |
| Maine | 100 | 99 | 99 | | 100 | 100 | 100 | 100 | 87 | 100 | 13 | 85 | | 100 | | 100 |
| Maryland | 100 | 100 | 100 | | 99 | 98 | | 100 | 66 | 100 | | 100 | 100 | 99 | 100 | 100 |
| Massachusetts | | | | | 74 | 100 | 100 | 99 | 83 | 93 | | 76 | 100 | 99 | 49 | 87 |
| Michigan | | | | 100 | 100 | 100 | 100 | 100 | | | | 84 | | 100 | 100 | 100 |
| Minnesota | | | | | | 100 | 98 | 99 | 96 | | | 100 | | 99 | | 98 |
| Mississippi | 99 | 99 | 99 | 98 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 51 | 75 | 100 | 100 | 17 |
| Missouri | 100 | 100 | 100 | | 94 | 91 | 94 | 92 | 94 | 96 | 94 | 100 | 100 | 99 | | 94 |
| Montana | 83 | 82 | 81 | 76 | 76 | 96 | 79 | 87 | 79 | 100 | 79 | 86 | 73 | 76 | 100 | 83 |
| Nebraska | 49 | 84 | 100 | 95 | 100 | 100 | 100 | 94 | 100 | 100 | | 36 | | 94 | 100 | 100 |
| Nevada | | | | 67 | | 96 | 98 | 98 | 96 | 93 | 89 | 39 | 92 | 96 | 100 | 100 |
| New Hampshire | 100 | 100 | 100 | | | 45 | 99 | 100 | 98 | 100 | 100 | 100 | 100 | 100 | 100 | 100 |

Appendix Table 3 (continued) Item percentage response rate by State or jurisdiction: TEDS Supplemental Data Set 2008

[Based on administrative data reported to TEDS by all reporting States and jurisdictions. Comparisons among States should be made with caution.]

| State or jurisdiction | Primary detailed drug ¹ | Secondary detailed drug ² | Tertiary detailed drug ³ | DSM diag- nosis | Psych- iatric problem | Preg- nant ⁴ | Veteran | Living arrange- ment | Income source | Health insur- ance | Pay- ment source | Detailed not-in- labor- force ⁵ | Detailed criminal justice referral ⁶ | Marital status | Days waiting for treat- ment | Arrests in past 30 days |
|-----------------------|--|--|---|-----------------------|-----------------------------|----------------------------|---------|----------------------------|------------------|--------------------------|------------------------|---|--|-------------------|---------------------------------------|-------------------------------|
| New Jersey | 1 | 1 | 1 | | 62 | 70 | 99 | 100 | | 88 | 75 | 100 | 96 | 98 | 85 | 100 |
| New Mexico | 100 | 100 | 100 | 87 | 95 | 63 | 70 | 82 | 69 | 87 | 75 | 87 | 50 | 83 | 96 | 68 |
| New York | 100 | 100 | 100 | | 71 | 77 | 100 | 100 | 100 | | | 100 | 97 | 71 | | 70 |
| North Carolina | | | | 98 | 100 | 100 | 100 | 100 | | | | 100 | | 100 | | 96 |
| North Dakota | 100 | 100 | 100 | 100 | 100 | 99 | 98 | 99 | 98 | 98 | 96 | 92 | 97 | 98 | 100 | 100 |
| Ohio | 96 | 98 | 99 | 96 | 100 | 100 | 97 | 95 | 100 | | 87 | 100 | 97 | 60 | 58 | 92 |
| Oklahoma | | | | 23 | 100 | 100 | 100 | 100 | | 100 | | 100 | 98 | 100 | | 100 |
| Oregon | | | | | | 100 | | 95 | 100 | 100 | | 100 | 100 | 90 | | 98 |
| Pennsylvania | | | | | | 100 | 100 | | 89 | 93 | 96 | 100 | 75 | 100 | | 43 |
| Rhode Island | | | | | 100 | 100 | | 100 | 100 | | 100 | 66 | 100 | 100 | | 100 |
| South Carolina | | | | 98 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | | 100 | 100 | 100 |
| South Dakota | 100 | 100 | 100 | 98 | 90 | 94 | 100 | 98 | 97 | 93 | 100 | 100 | 100 | 100 | 100 | 97 |
| Tennessee | | | | 100 | 100 | 100 | 100 | 99 | 76 | | | 100 | | 98 | | 99 |
| Texas | | | | | | 98 | 100 | 100 | 99 | 99 | 100 | 98 | 100 | 99 | 100 | 100 |
| Utah | | | | 73 | 100 | 100 | | 100 | 97 | 99 | 100 | 100 | 100 | 100 | 99 | 100 |
| Vermont | | | | 91 | | 100 | | 95 | | | 97 | | | | | 52 |
| Virginia | | | | 85 | | 85 | | 92 | | | | 100 | | | | 90 |
| Washington | | | | | 29 | 100 | 95 | 100 | | | | 100 | | 100 | | 24 |
| West Virginia | | | | 99 | 49 | 97 | | 99 | 79 | 100 | 100 | 100 | 88 | 100 | | |
| Wisconsin | | | | | | 100 | | 81 | | | | 100 | | | | 81 |
| Wyoming | | | | 99 | 100 | 99 | 89 | 97 | 83 | 93 | 14 | 100 | 100 | 95 | 100 | 87 |
| Puerto Rico | 100 | 92 | 95 | 96 | 95 | 100 | 99 | 95 | 95 | 98 | 99 | 98 | 97 | 93 | 100 | 100 |

¹ Percent of admissions reporting a specified primary substance.

² Percent of admissions reporting a specified secondary substance.

³ Percent of admissions reporting a specified tertiary substance.

^{**} Less than 1 percent.

⁻⁻ Quantity is zero.

[‡] No data, or less than a full calendar year of data, submitted.

⁴ Percent of female admissions.

⁵ Percent of admissions reporting employment status as "Not in labor force."

⁶ Percent of admissions reporting referral source as "Criminal justice system."

APPENDIX B

TEDS DATA ELEMENTS

TEDS MINIMUM DATA SET

CLIENT OR CODEPENDENT/COLLATERAL

Specifies whether the admission record is for a substance abuse treatment client, or a person being treated for his/her codependency or collateral relationship with a substance abuser.

- **Client**—Must meet all of the following criteria:
 - Has an alcohol or drug related problem
 - Has completed the screening and intake process
 - Has been formally admitted for treatment or recovery service in an alcohol or drug treatment unit
 - Has his or her own client record

A person is not a client if he or she has completed only a screening or intake process or has been placed on a waiting list.

- **Codependent/collateral**—Must meet all of the following criteria:
 - Has no alcohol or drug related problem
 - Is seeking services because of problems arising from his or her relationship with an alcohol or drug user
 - Has been formally admitted for service to a treatment unit
 - Has his or her own client record or has a record within a primary client record

GUIDELINES: Reporting of data for *Codependent/collaterals* is optional. If the State opts to report codependent/collateral clients, the mandatory fields are *State code*, *Provider identifier*, *Client identifier*, *Client transaction type*, *Co-dependent/collateral*, and *Date of admission*. Reporting of the remaining fields in the TEDS Minimum and Supplemental Data Sets is optional. For all items not reported, the data field should be coded with the appropriate 'Not collected' or 'Not applicable' code.

If a substance abuse client with an existing record in TEDS becomes a codependent, a new client record should be submitted indicating that the client has been admitted as a codependent, and vice versa.

If a record does not include a value for this field, it is assumed to be a substance abuse client record.

TRANSACTION TYPE

Identifies whether a record is for an initial admission or a transfer/change in service. Note: Some States may use other terminology such as 'initial admission' and 'transfer admission' in place of 'admission' and 'transfer'.

- A—Admission
- T—Transfer/change in service

GUIDELINES: For TEDS, a treatment episode is defined as that period of service between the beginning of treatment for a drug or alcohol problem and the termination of services for the prescribed treatment plan. The episode includes one admission (when services begin) and at least one discharge (when services end). Within a treatment episode, a client may transfer to a different service, facility, provider, program, or location. Each admission and transfer record should have an associated discharge record.

When it is feasible for the State to identify transfers, they should be reported as transfers in admissions data submissions. When admissions and transfers cannot be differentiated in a State data system, such changes in service or facility should be reported to TEDS as admissions.

Data set considerations for transfers:

- All fields from the transfer record should be updated to reflect values at the time of transfer except the following fields, which must have the same values as in the associated (preceding) admission record: *Client ID, Co-dependent/collateral, Date of birth, Sex, Race*, and *Ethnicity*. If a field cannot be updated, it should be transmitted to TEDS with its value from the associated (preceding) admission record.
- Date of admission is defined as the date services begin after the transfer to another service or facility.

DATE OF ADMISSION

The day when the client receives his or her first direct treatment or recovery service. For transfers, this is the date when client receives his or her first direct treatment after the transfer has occurred.

TYPE OF SERVICES

Describes the type of service and treatment setting in which the client is placed at the time of admission or transfer.

- **Detoxification, 24-hour service, hospital inpatient**—24-hour per day medical acute care services in a hospital setting for detoxification of persons with severe medical complications associated with withdrawal
- **Detoxification, 24-hour service, free-standing residential**—24-hour per day services in a non-hospital setting providing for safe withdrawal and transition to ongoing treatment
- Rehabilitation/residential, hospital (other than detoxification)—24-hour per day medical care in a hospital facility in conjunction with treatment services for alcohol and other drug abuse and dependency
- Rehabilitation/residential, short-term (30 days or fewer)—Typically, 30 days or less of non-acute care in a setting with treatment services for alcohol and other drug abuse and dependency
- Rehabilitation/residential, long-term (more than 30 days)—Typically, more than 30 days of non-acute care in a setting with treatment services for alcohol and other drug abuse and dependency; this may include transitional living arrangements such as halfway houses
- **Ambulatory, intensive outpatient**—As a minimum, the client must receive treatment lasting two or more hours per day for three or more days per week
- **Ambulatory, non-intensive outpatient**—Ambulatory treatment services including individual, family, and/or group services, and may include pharmacological therapies
- **Ambulatory, detoxification**—Outpatient treatment services providing for safe withdrawal in an ambulatory setting (pharmacological or non-pharmacological)

AGE

Identifies client's age at admission. Derived from client's date of birth and date of admission.

- **0**—Indicates a newborn with a substance dependency problem
- **1-96**—Indicates the age at admission

SEX

Identifies client's gender.

- Male
- Female

RACE

Specifies the client's race.

- Alaska Native (Aleut, Eskimo, Indian)—Origins in any of the original people of Alaska
- American Indian (other than Alaska Native)—Origins in any of the original people of North America
 and South America (including Central America) and who maintain cultural identification through tribal
 affiliation or community attachment
- **Asian or Pacific Islander**—Origins in any of the original people of the Far East, the Indian subcontinent, Southeast Asia, or the Pacific Islands
 - Asian—Origins in any of the original people of the Far East, the Indian subcontinent, or Southeast Asia, including, for example, Cambodia, China, India, Japan, Korea, Malaysia, Philippine Islands, Thailand, and Vietnam
 - Native Hawaiian or other Pacific Islander—Origins in any of the original people of Hawaii, Guam, Samoa, or other Pacific Islands
- Black or African American—Origins in any of the black racial groups of Africa
- White—Origins in any of the original people of Europe, North Africa, or the Middle East
- Other single race—Client is not classified in any category above or whose origin group, because of area custom, is regarded as a racial class distinct from the above categories
- Two or more races—For use when the State data system allows multiple race selection and more than
 one race is indicated

GUIDELINES: If a State does not distinguish between *American Indian* and *Alaska Native*, both should be coded as *American Indian*. If a State does not distinguish between *Asian* and *Native Hawaiian or other Pacific Islander*, both should be coded as *Asian or Pacific Islander*. For States that collect multiple races: a) when a single race is designated, the specific race code should be used; b) if the State collects a primary or preferred race along with additional races, the code for the primary/preferred race should be used; c) if the State uses a system such as an algorithm to select a single race when multiple races have been designated, the same system may be used to determine the race code for TEDS. When two or more races have been designated and neither (b) nor (c) above apply, the TEDS code for *Two or more races* should be used.

MEDICATION-ASSISTED OPIOID THERAPY

Identifies whether the use of methadone or buprenorphine is part of the client's treatment plan.

- Yes
- No

ETHNICITY

Identifies client's specific Hispanic origin

- Puerto Rican—Of Puerto Rican origin, regardless of race
- Mexican—Of Mexican origin, regardless of race
- Cuban—Of Cuban origin, regardless of race
- Other specific Hispanic—Of known Central or South American or any other Spanish cultural origin (including Spain), other than Puerto Rican, Mexican, or Cuban, regardless of race
- **Hispanic** (specific origin not specified)—Of Hispanic origin, but specific origin not known or not specified
- Not of Hispanic origin

GUIDELINES: If a State does not collect specific Hispanic detail, code *Ethnicity* for Hispanics as *Hispanic* (specific origin not specified).

NUMBER OF PRIOR TREATMENT EPISODES

Indicates the number of previous treatment episodes the client has received in any drug or alcohol program. Changes in service for the same episode (transfers) should *not* be counted as separate prior episodes.

- 0 previous episodes
- 1 previous episode
- 2 previous episodes
- 3 previous episodes
- 4 previous episodes
- 5 or more previous episodes

GUIDELINES: It is preferred that the number of prior treatments be a self-reporting field collected at the time of client intake. However, this data item may be derived from the State data system if the system has that capability, and episodes can be counted for at least several years.

EDUCATION

Specifies the highest school grade (number of school years) completed by the client.

- **0**—Less than one grade completed
- 1-25—Years of school (highest grade) completed. For General Equivalency Degree, use 12.

GUIDELINES: States that use specific categories for designating education level should map their codes to a logical number of years of school completed. For Associate's Degree, use 14. For Bachelor's Degree, use 16.

EMPLOYMENT STATUS

Identifies the client's employment status at the time of admission or transfer.

- **Full time**—Working 35 hours or more each week, including active duty members of the uniformed services
- **Part time**—Working fewer than 35 hours each week
- Unemployed—Looking for work during the past 30 days, or on layoff from a job
- **Not in labor force**—Not looking for work during the past 30 days, or a student, homemaker, disabled, retired, or an inmate of an institution. Clients in this category are further defined in the TEDS Supplemental Data Set item *Detailed not-in-labor-force*.

GUIDELINES: Seasonal workers are coded in this category based on their employment status at admission.

PRINCIPAL SOURCE OF REFERRAL

Describes the person or agency referring the client to the alcohol or drug abuse treatment program.

- Individual (includes self-referral)—Includes the client, a family member, friend, or any other individual who would not be included in any of the following categories; includes self-referral due to pending DWI/DUI
- Alcohol/drug abuse care provider—Any program, clinic, or other health care provider whose principal objective is treating clients with substance abuse problems, or a program whose activities are related to alcohol or other drug abuse prevention, education, or treatment
- Other health care provider—A physician, psychiatrist, or other licensed health care professional; or general hospital, psychiatric hospital, mental health program, or nursing home
- **School (educational)**—A school principal, counselor, or teacher; or a student assistance program (SAP), the school system, or an educational agency
- **Employer/EAP**—A supervisor or an employee counselor
- Other community referral—Community or religious organization or any Federal, State, or local agency that provides aid in the areas of poverty relief, unemployment, shelter, or social welfare. Self-help groups such as Alcoholics Anonymous (AA), Al-Anon, and Narcotics Anonymous (NA) are also included in this category. Defense attorneys are included in this category.
- Court/criminal justice referral/DUI/DWI—Any police official, judge, prosecutor, probation officer, or other person affiliated with a Federal, State, or county judicial system. Includes referral by a court for DWI/DUI, clients referred in lieu of or for deferred prosecution, or during pretrial release, or before or after official adjudication. Includes clients on pre-parole, pre-release, work or home furlough, or TASC. Client need not be officially designated as "on parole." Includes clients referred through civil commitment. Client referrals on this category are further defined in the TEDS Supplemental Data Set item *Detailed criminal justice referral*.

SUBSTANCE PROBLEM (PRIMARY, SECONDARY, OR TERTIARY)

These fields identify the client's primary, secondary, and tertiary substance problems. Each *Substance problem* (primary, secondary, and tertiary) has associated fields for *Route of administration*, *Frequency of use*, *Age at first use*, and the TEDS Supplemental Data Set item *Detailed drug code*.

- None
- Alcohol
- Cocaine/crack
- Marijuana/hashish—Includes THC and any other *cannabis sativa* preparations
- Heroin
- Non-prescription methadone
- Other opiates and synthetics—Includes buprenorphine, codeine, hydrocodone, hydromorphone, meperidine, morphine, opium, oxycodone, pentazocine, propoxyphene, tramadol, and any other drug with morphine-like effects
- **PCP**—Phencyclidine
- Other hallucinogens—Includes LSD, DMT, STP, hallucinogens, mescaline, peyote, psilocybin, etc.
- Methamphetamine
- Other amphetamines—Includes amphetamines, MDMA, phenmetrazine, and other unspecified amines and related drugs
- Other stimulants—Includes methylphenidate and any other stimulants
- Benzodiazepines—Includes alprazolam, chlordiazepoxide, clonazepam, clorazepate, diazepam, flunitrazepam, flurazepam, halazepam, lorazepam, oxazepam, prazepam, temazepam, triazolam, and other unspecified benzodiazepines
- Other non-benzodiazepine tranquilizers—Includes meprobamate and other non-benzodiazepine

tranquilizers

- **Barbiturates**—Amobarbital, pentobarbital, phenobarbital, secobarbital, etc.
- Other non-barbiturate sedatives or hypnotics—Includes chloral hydrate, ethchlorvynol, glutethimide, methaqualone, and other non-barbiturate sedatives or hypnotics
- Inhalants—Includes chloroform, ether, gasoline, glue, nitrous oxide, paint thinner, etc.
- Over-the-counter medications—Includes aspirin, cough syrup, diphenhydramine and other antihistamines, sleep aids, and any other legally obtained nonprescription medication
- Other—Includes diphenylhydantoin/phenytoin, GHB/GBL, ketamine, etc.

GUIDELINES: Substance problems are further defined in the TEDS Supplemental Data Set item *Detailed drug code*. For guidance on which specific substances to include in the substance categories, please refer to the detailed drug categories listed for *Detailed drug code*.

- Substance problem and Route of administration:
 - For States that do not collect Detailed drug code—A record may not have duplicate Substance problems with identical Routes of administration
 - For States that do collect *Detailed drug code*—Records may have duplicate *Substance problems* and identical *Route of administration* IF the corresponding *Detailed drug codes* are different or are 'multiple' drug codes

USUAL ROUTE OF ADMINISTRATION (OF PRIMARY, SECONDARY, AND TERTIARY SUBSTANCES)

These fields identify the usual route of administration of the respective Substance problems.

- Oral
- Smoking
- Inhalation
- Injection (IV or intramuscular)
- Other

FREQUENCY OF USE (OF PRIMARY, SECONDARY, AND TERTIARY SUBSTANCES)

These fields identify the frequency of use of the respective Substance problems...

- No use in the past month
- 1-3 times in the past month
- 1-2 times in the past week
- 3-6 times in the past week
- Daily

AGE OF FIRST USE (OF PRIMARY, SECONDARY, AND TERTIARY SUBSTANCE)

For drugs other than alcohol, these fields identify the age at which the client first used the respective substance. For alcohol, these fields record the age of first intoxication.

- **0**—Indicates a newborn with a substance dependency problem
- **1-96**—Indicates the age at first use

TEDS SUPPLEMENTAL DATA SET

PREGNANT AT TIME OF ADMISSION

Specifies whether the client was pregnant at the time of admission.

- Yes
- No
- Not applicable. Use this code for male clients

VETERAN STATUS

Identifies whether the client has served in the uniformed services (Army, Navy, Air Force, Marines, Coast Guard, Public Health Service Commissioned Corps, Coast and Geodetic Survey, etc.).

- Yes
- No

GUIDELINES: A Veteran is a person 16 years or over who has served (even for a short time), but is not now serving, on active duty in the US Army, Navy, Air Force, Marine Corps, Coast Guard, or Commissioned Corps of the US Public Health Service or National Oceanic and Atmospheric Administration, or who served as a Merchant Marine seaman during World War II. Persons who served in the National Guard or Military Reserves are classified as veterans only if they were ever called or ordered to active duty, not counting the 4-6 months for initial training or yearly summer camps.

PSYCHIATRIC PROBLEM IN ADDITION TO ALCOHOL OR DRUG PROBLEM

Identifies whether the client has a psychiatric problem in addition to his or her alcohol or drug use problem.

- Yes
- No

DSM DIAGNOSIS

The diagnosis of the substance abuse problem from the American Psychiatric Association's *Diagnostic and Statistical Manual of Mental Disorders*. DSM-IV is preferred, but use of the Third Edition or ICD codes is permissible.

MARITAL STATUS

Describes the client's marital status. The following categories are compatible with the U.S. Census.

- Never married—Includes clients whose *only* marriage was annulled
- Now married—Includes those living together as married
- Separated—Includes those separated legally or otherwise absent from spouse because of marital discord
- Divorced
- Widowed

LIVING ARRANGEMENTS

Specifies whether the client is homeless, living with parents, living in a supervised setting, or living independently on his or her own.

- **Homeless**—Clients with no fixed address; includes shelters
- **Dependent living**—Clients living in a supervised setting such as a residential institution, halfway house, or group home, and children (under age 18) living with parents, relatives, or guardians or in foster care
- **Independent living**—Clients living alone or with others without supervision. Includes adult children (age 18 and over) living with parents.

SOURCE OF INCOME SUPPORT

Identifies the client's principal source of financial support. For children under 18, this field indicates the parents' primary source of income/support.

- Wages/salary
- Public assistance
- Retirement/pension
- Disability
- Other
- None

GUIDELINES: States are encouraged to collect and report data for all valid categories., although collecting and reporting a subset of the categories is also acceptable. If the State collects only a subset of the categories, clients not fitting the collected subset must be coded as 'Not collected'.

HEALTH INSURANCE

Specifies the client's health insurance (if any). The insurance may or may not cover alcohol or drug treatment.

- **Private insurance** (other than Blue Cross/Blue Shield or an HMO)
- Blue Cross/Blue Shield
- Medicare
- Medicaid
- Health maintenance organization (HMO)
- Other (e.g., TRICARE, CHAMPUS)
- None

GUIDELINES: States are encouraged to collect and report data for all valid categories, although collecting and reporting a subset of the categories is also acceptable. If the State collects only a subset of the categories, clients not fitting the collected subset must be coded as 'Not collected'.

DAYS WAITING TO ENTER TREATMENT

Indicates the number of days from the first contact or request for service until the client was admitted and the first clinical service was provided.

• **0-996**—Number of days waiting

GUIDELINES: This item is intended to capture the number of days the client must wait to begin treatment because of program capacity, treatment availability, admissions requirements, or other program requirements. It should not include time delays caused by client unavailability or client failure to meet any requirement or obligation.

EXPECTED/ACTUAL PRIMARY SOURCE OF PAYMENT

Identifies the primary source of payment for this treatment episode.

- Self-pay
- Blue Cross/Blue Shield
- Medicare
- Medicaid
- Other government payments
- Worker's Compensation
- Other health insurance companies
- No charge (free, charity, special research, or teaching)
- Other

GUIDELINES: States are encouraged to collect and report data for all valid, although collecting and reporting a subset of the categories is also acceptable. If the State collects only a subset of the categories, clients not fitting the collected subset must be coded as 'Not collected'. If a State collects Medicare and Medicaid as one category, clients with that *Expected Primary Source of Payment* should be coded 'Unknown'. States operating under a split payment fee arrangement between multiple payment sources are to default to the payment source with the largest percentage. When the payment percentages are equal, the State can select either source.

DETAILED "NOT IN LABOR FORCE"

This field gives more detailed information about those clients who are coded as 'Not in labor force' in the TEDS Minimum Data Set item *Employment status*.

- Homemaker
- Student
- Retired
- Disabled
- **Inmate of institution** (prison or institution that keeps a person, otherwise able, from entering the labor force)
- Other
- Not applicable

GUIDELINES: This field is to be used only when *Employment status* is coded 'Not in labor force'. For any other employment status code, this field should be coded 'Not applicable'. States are encouraged to collect and report data for valid categories, although collecting and reporting a subset of the categories is also acceptable. If the State collects only a subset of the categories, not-in-labor-force clients not fitting the collected subset must be coded as 'Unknown'.

NUMBER OF ARRESTS

The number of arrests in the 30 days preceding the date of admission to treatment services.

• **0-96**—Number of arrests

GUIDELINES: This item is intended to capture the number of times the client was arrested for any cause during the 30 days preceding the date of admission to treatment. Any formal arrest is to be counted regardless of whether incarceration or conviction resulted and regardless of the status of the arrest proceedings at the time of admission.

DETAILED DRUG CODE (PRIMARY, SECONDARY, AND TERTIARY)

These fields identify, in greater detail, the drug problems recorded in the TEDS Minimum Data Set item *Substance problem*.

- Alcohol
- Crack
- Other cocaine
- Marijuana/hashish
- Heroin
- Non-prescription methadone
- Buprenorphine
- Codeine
- **Hydrocodone** (Vicodin)
- **Hydromorphone** (Dilaudid)
- **Meperidine** (Demerol)
- Oxycodone (Oxycontin)
- Pentazocine (Talwin)
- **Propoxyphene** (Darvon)
- **Tramadol** (Ultram)
- Other opiates or synthetics
- PCP or PCP combination
- LSD
- Other hallucinogens
- Methamphetamine/speed
- Amphetamine
- **Methylenedioxymethamphetamine** (MDMA, Ecstasy)
- Other amphetamines
- **Methylphenidate** (Ritalin)
- Other stimulants
- **Alprazolam** (Xanax)
- **Chlordiazepoxide** (Librium)
- Clonazepam (Klonopin, Rivotril)

- Clorazepate (Tranxene)
- **Diazepam** (Valium)
- Flunitrazepam (Rohypnol)
- Flurazepam (Dalmane)
- **Lorazepam** (Ativan)
- **Triazolam** (Halcion)
- Other benzodiazepines
- **Meprobamate** (Miltown)
- Other tranquilizers
- Phenobarbital
- Secobarbital/amobarbital (Tuinal)
- Secobarbital (Seconal)
- Other barbiturate sedatives
- Ethchlorvynol (Placidyl)
- **Glutethimide** (Doriden)
- Methaqualone
- Other non-barbiturate sedatives
- Other sedatives
- Aerosols
- Anesthetics
- Nitrites
- Solvents
- Other inhalants
- Diphenhydramine
- Other over-the-counter
- **Diphenylhydantoin/phenytoin** (Dilantin)
- **GHB/GBL** (gamma-hydroxybutyrate, gamma-butyrolactone)
- **Ketamine** (Special K)
- Other drugs

GUIDELINES: The *Detailed drug codes* are a means for States to report more detailed drug information than is possible in the TEDS Minimum Data Set *Substance problem* fields. Detailed drug codes also enable distinction between substances in instances where a client uses two or more drugs that are assigned the same substance problem code.

The *Substance problem* and the *Detailed drug codes* have been subdivided into 'single' and 'multiple' drugs. Drugs are considered 'single' if they cannot be further subdivided and are considered 'multiple' if more than one drug can be placed within this category. *Detailed drug codes* 'LSD' and 'Marijuana/hashish' are examples of single drugs. 'Aerosols ' and 'Other benzodiazepines' are examples of multiple drugs.

The distinction between single and multiple drug categories is considered when two or more of a client's *Substance problem* codes are the same and their corresponding *Routes of administration* are also the same.

The following standards apply to the submission of the *Substance problem, Route of administration*, and *Detailed drug code* fields:

For the *Substance problem* fields, a client record may not have identical drug codes in two fields with identical routes of administration AND identical SINGLE drug codes in the ASSOCIATED *Detailed drug code* fields.

The client record may include two or more identical *Substance problem* codes if the reported substances are further divided into different specific drug types in the associated *Detailed drug code* fields.

The client record may have duplicate instances of drugs defined as multiple in the *Detailed drug code* categories, with identical *Substance problem* and *Routes of administration*.

DETAILED CRIMINAL JUSTICE REFERRAL

This field gives more detailed information about those clients who are coded as 'Court/criminal justice referral/DUI/DWI' in the TEDS Minimum Data Set item *Principal source of referral*.

- State/Federal court
- Other court (not State or Federal)
- Probation/parole
- Other recognized legal entity (e.g., local law enforcement agency, corrections agency, youth services, review board/agency)
- **Diversionary program** (e.g., TASC)
- Prison
- DUI/DWI
- Other
- Not applicable

GUIDELINES: This field is to be used only when *Principal source of referral* is coded 'Court/criminal justice referral/DUI/DWI'. For all other *Principal source of referral* codes, this field should be coded 'Not applicable'. States are encouraged to collect and report data for all valid categories, although collecting and reporting a subset of the categories is also acceptable. If the State collects only a subset of the categories, clients not fitting the collected subset must be coded as 'Unknown.'

Substance problem codes are the same and their corresponding Routes of administration are also the same. The following standards apply to the submission of the Substance problem, Route of administration, and Detailed drug code fields:

For the *Substance problem* fields, a client record may not have identical drug codes in two fields with identical routes of administration AND identical SINGLE drug codes in the ASSOCIATED *Detailed drug code* fields.

The client record may include two or more identical *Substance problem* codes if the reported substances are further divided into different specific drug types in the associated *Detailed drug code* fields.

The client record may have duplicate instances of drugs defined as multiple in the *Detailed drug code* categories, with identical *Substance problem* and *Routes of administration*.