888 Item Maintenance

Functional Group ID=QG

Introduction:

This Draft Standard for Trial Use provides the format and establishes the data contents of the Item Maintenance Transaction Set (888) for use within the context of an Electronic Data Interchange (EDI) environment. This transaction set is used to enable a manufacturer, supplier, broker, or agent to provide detailed finished goods product information to a partner in a consumer goods market. This transaction set can be used to provide information about new products or changes in existing product specifications. Price changes will not be sent with this transaction set, but can be sent with the Price Change Transaction Set (879).

Notes:

1. Organizations use this transaction set to report small arms data corrections and changes, including small arms reject response corrections and changes, for data recorded in component registries, DoD registries and originator records.

2. Use one occurrence of this transaction set to transmit a single or multiple transactions.

3. DoD logistics users should refer to the Defense Logistics Management System (DLMS) Supplement to the Federal Implementation Convention (IC) available at URL: http://www.dla.mil/j-6/dlmso. The DLMS Supplement provides specific business rules, conditions, and authorized codes necessary for appropriate use of this IC within the DLMS.

Heading:

Page <u>No.</u> 4	Pos. <u>No.</u> 010	Seg. <u>ID</u> ST	<u>Name</u> Transaction Set Header	Req. <u>Des.</u> M	<u>Max.Use</u> 1	Loop <u>Repeat</u>	Notes and <u>Comments</u>
5	015	BGN	Beginning Segment	0	1		
			LOOP ID - 0100			>1	
7	020	N1	Name	М	1		n1
Not Used	030	N2	Additional Name Information	0	1		
Not Used	040	N3	Address Information	0	2		
Not Used	050	N4	Geographic Location	0	1		
Not Used	060	N9	Reference Identification	0	10		
9	070	G61	Contact	0	3		
Not Used	080	NTE	Note/Special Instruction	0	20		
Not Used	085	G93	Price Bracket Identification	0	50		
11	086	G62	Date/Time	М	1		
			LOOP ID - 0200			>1	
Not Used	090	LM	Code Source Information	0	1		

Not Used 100

Industry Code

LQ

М

```
100
```

Detail:

Page <u>No.</u>	Pos. <u>No.</u>	Seg. <u>ID</u>	Name	Req. <u>Des.</u>	<u>Max.Use</u>	Loop <u>Repeat</u>	Notes and <u>Comments</u>
12	010	G53	LOOP ID - 0300	М	1	>1	
12		G55 G62	Maintenance Type Date/Time	M O	1		
	020				3		n2
Not Used	030	NTE	Note/Special Instruction LOOP ID - 0310	0	20	>1	
14	040	G39	Item Characteristics - Vendor's Selling Unit	М	1	>1	
Not Used	040	G69	Line Item Detail - Description	M O	5		
Not Used	055	QTY	Quantity	0	>1		
Not Used	055	G23	Terms of Sale	0	>1 10		
Not Used	000	G23 G62	Date/Time	0	2		
Not Used	080	G02 G36	Price List Reference	0	1		
Not Used	080	G36	Pricing Conditions	0	2		
Not Used	100	G20 G43	Promotion/Price List Area	0	2 9999		
Not Used	110	G43 G24	Promotion Reference	0	9999 999		
		G24 G40	Bracket Price		999 99		
Not Used	120		Price Bracket Identification	0			
Not Used	130	G93		0	50		
Not Used	135	G22	Pricing Information	0	5		
Not Used	140	G46	Promotion Allowance/Charge Hazardous Material	0	99		
Not Used	145	H1		0	5		
Not Used	150	G54	Module Description	0	99		
17	151	N9	Reference Identification	0	10		
Not Used	152	UIT	Unit Detail	0	10		
Not Used	153	MEA	Measurements	0	10		
Not Used	154	TD1	Carrier Details (Quantity and Weight)	0	1		
			LOOP ID - 0311			>1	
19	156	N1	Name	0	1		
Not Used	157	N2	Additional Name Information	0	2		
Not Used	158	N3	Address Information	0	2		
Not Used	159	N4	Geographic Location	0	1		
Not Used	160	PAL	Pallet Information	0	>1		
			LOOP ID - 0312			>1	
21	165	G55	Item Characteristics - Consumer Unit	0	1		
Not Used	170	G69	Line Item Detail - Description	0	5		
Not Used	175	QTY	Quantity	0	1		
			LOOP ID - 0313			>1	
24	180	LM	Code Source Information	0	1		
25	190	LQ	Industry Code	М	100		
		SE	Transaction Set Trailer	M			
26	200	SE	וומוזאנווטוו אבו וומווכו	11/1	1		

Transaction Set Notes

- 1. One iteration of the N1 loop should be used to identify the buying party (BY) to establish the area or location for which the item maintenance applies.
- 2. The G62 segment is used to specify the effective date for the item maintenance action reflected in G5301.

Segment:	ST Transaction Set Header					
Position:	010					
Loop:						
Level:	Heading					
Usage:	Mandatory					
Max Use:	1					
Purpose:	To indicate the start of a transaction set and to assign a control number					
Syntax Notes:						
Semantic Notes:	1 The transaction set identifier (ST01) is used by the translation routines of the interchange partners to select the appropriate transaction set definition (e.g., 810 selects the Invoice Transaction Set).					
Comments:						

Data Element	Summary
--------------	---------

			Data Element Summary	
	Ref.	Data		
	Des.	Element	<u>Name</u>	<u>Attributes</u>
Μ	ST01	143	Transaction Set Identifier Code	M ID 3/3
			Code uniquely identifying a Transaction Set	
			888Item Maintenance	
\mathbf{M}	ST02	329	Transaction Set Control Number	M AN 4/9
			Identifying control number that must be unique within the functional group assigned by the originator for a transaction	
			A unique number assigned by the originator of the trans the originator's application program.	saction set, or

Segment:	BGN Beginning Segment				
Position:	015				
Loop:					
Level:	Heading				
Usage:	Optional				
Max Use:	1				
Purpose:	To indicate the beginning of a transaction set				
Syntax Notes:	1 If BGN05 is present, then BGN04 is required.				
Semantic Notes:	1 BGN02 is the transaction set reference number.				
	2 BGN03 is the transaction set date.				
	3 BGN04 is the transaction set time.				
	4 BGN05 is the transaction set time qualifier.				
	5 BGN06 is the transaction set reference number of a previously sent transaction				
	affected by the current transaction.				
Comments:					

		_	Data Element Summary		
	Ref.	Data Element	Nome	A 44	wihataa
Μ	<u>Des.</u> BGN01	Element 353	<u>Name</u> Transaction Set Purpose Code		<u>ributes</u> ID 2/2
141	DOINT	555	Code identifying purpose of transaction set	IVI	10 4 4
			00 Original		
			77 Simulation Exercise		
м	BGN02	127	Reference Identification	м	AN 1/30
Μ	DGIN02	127			
			Reference information as defined for a particular Transact specified by the Reference Identification Qualifier	10n S	Set or as
			Use Code ''Z'' for this data element to satisfy mandatory requirements.	X12	syntax
Μ	BGN03	373	Date	м	DT 8/8
IVI	DGINUS	515	Date expressed as CCYYMMDD	IVI	D1 0/0
			-		C
	-		This date corresponds to the Universal Time Coordinate		
Not Used	BGN04	337	Time	X	TM 4/8
			Time expressed in 24-hour clock time as follows: HHMM or HHMMSSD, or HHMMSSDD, where $H =$ hours (00-2 (00-59), $S =$ integer seconds (00-59) and $DD =$ decimal seconds are expressed as follows: $D =$ tenths (0-9) and DI (00-99)	3), M cond	I = minutes ls; decimal
Not Used	BGN05	623	Time Code	0	ID 2/2
			Code identifying the time. In accordance with Internation Organization standard 8601, time can be specified by a + indication in hours in relation to Universal Time Coordina since + is a restricted character, + and - are substituted by codes that follow	or - a ate (U	ind an JTC) time;
Not Used	BGN06	127	Reference Identification	0	AN 1/30

				on as defined for a particular Transaction Ference Identification Qualifier	on S	Set or as
	BGN07	640	Transaction Type	Code	0	ID 2/2
			Code specifying the	type of transaction		
			W1	Weapons Data Change		
	BGN08	306	Action Code		0	ID 1/2
			Code indicating type	e of action		
			Use any code.			
			Refer to 004010 Da	ta Element Dictionary for acceptable co	de	values.
Not Used	BGN09	786	Security Level Cod	le	0	ID 2/2
			Code indicating the information following	level of confidentiality assigned by the ng	sen	der to the

Segment:	N1 Name					
Position:	020					
Loop:	0100 Mandatory					
Level:	Heading					
Usage:	Mandatory					
Max Use:	1					
Purpose:	To identify a party by type of organization, name, and code					
Syntax Notes:	1 At least one of N102 or N103 is required.					
	2 If either N103 or N104 is present, then the other is required.					
Semantic Notes:						
Comments:	1 This segment, used alone, provides the most efficient method of providing organizational identification. To obtain this efficiency the "ID Code" (N104) must provide a key to the table maintained by the transaction processing party.					
	2 N105 and N106 further define the type of entity in N101.					
Notes:	Must use this 1/N1/020 loop to identify the organization originating the					
	transaction set.					

			Data Eler	nent Summary		
М	Ref. <u>Des.</u> N101	Data <u>Element</u> 98	<u>Name</u> Entity Identifier	Code		<u>ributes</u> ID 2/3
		20	Code identifying an organizational entity, a physical location, property of an individual			
			Use any code.			
			Refer to 004010	Data Element Dictionary for acceptable	code	values.
Not Used	N102	93	Name		Х	AN 1/60
			Free-form name			
	N103	66	Identification Co	ode Qualifier	X	ID 1/2
			Code designating the system/method of code structure used for Identification Code (67)			ſ
			1 D-U-N-S Number, Dun & Bradstreet			
			9 D-U-N-S+4, D-U-N-S Number with Four Suffix			Character
			10	Department of Defense Activity Add (DODAAC)	lress (Code
			33	Commercial and Government Entity	(CAC	GE)
			M4	Department of Defense Routing Ider	ntifier	Code (RIC)
			An integral and predetermined participant i established logistical system performing ge logistic control, distribution, and storage fu			eneral
			UR	Uniform Resource Locator (URL)		
	N104	67	Identification Co	ode	Х	AN 2/80
			Code identifying	a party or other code		
Not Used	N105	706	Entity Relations	hip Code	0	ID 2/2

		Code describing e	entity relationship		
N106	98	Entity Identifier Code		0	ID 2/3
		an individual	Code identifying an organizational entity, a physical location, prope an individual		property or
		FR	Message From		
			Must use to indicate that the organiz N104 is originating the transaction s		n cited in

Segment:	G61 Contact
Position:	070
Loop:	
Level:	Heading
Usage:	Optional
Max Use:	3
Purpose:	To identify a person or office to whom communications should be directed
Syntax Notes:	1 If either G6103 or G6104 is present, then the other is required.
Semantic Notes:	
Comments:	1 G6103 qualifies G6104.
Notes:	1. Use only under exceptional circumstances when requiring direct
	communication with the party originating the transaction set.
	2 Use multiple repetitions as needed to identify multiple communication

2. Use multiple repetitions, as needed, to identify multiple communication numbers. When using multiple repetitions to identify different communication numbers, repeat the name cited in G6102.

			Data Eler	nent Summary			
	Ref.	Data					
	Des.	Element	<u>Name</u>		<u>Attributes</u>		
Μ	G6101	366	Contact Functio	n Code	M ID 2/2		
			Code identifying named	the major duty or responsibility of the pe	erson or group		
			IC	Information Contact			
				Must use to identify the primary poin (POC) and their primary communica	-		
Μ	G6102	93	Name		M AN 1/60		
			Free-form name				
			Provide the last name, first name, middle initial, and rate/rank/title, as required, of the individual named as POC. Include blank spaces between name components and periods after initials. Do not include NMN of NMI when a middle initial is not available.				
	G6103	365	Communication	Number Qualifier	X ID 2/2		
			Code identifying the type of communication number				
			repetition. Use a	the preferred method of communication additional repetitions when identifying a methods.			
			2. Do not include blank spaces, dashes, or parentheses between nu				
			AU	Defense Switched Network			
				Department of Defense telecommunic and successor of the Automatic Voice (AUTOVON)	-		
			EM	Electronic Mail			

		EX	Telephone Extension				
			Use immediately following AU, IT, or TE to identify the telephone extension.				
		FX	Facsimile				
		IT	International Telephone				
			Include country and city code.				
		TE	Telephone				
			Use to identify the commercial telepho Include the area code and number.	one	number.		
		TL	Telex				
		TX	TWX				
G6104	364	Communication N	Number	X	AN 1/80		
		Complete commun applicable	ications number including country or are	ea co	ode when		
G6105	443	Contact Inquiry F	Reference	0	AN 1/20		
		Additional reference	ce number or description to clarify a cont	tact	number		
		Use to indicate the	office symbol or activity code, for the p	arty	videntified.		

] Synta Semant	Segment: Position: Loop: Level: Usage: Max Use: Purpose: ax Notes: ic Notes: mments:	086 Heading Mandato 1 To speci 1 At le 2 If ei 3 If ei	fy pertinent dates and times east one of G6201 or G6203 is required. ther G6201 or G6202 is present, then the other is required. ther G6203 or G6204 is present, then the other is required.		
	Notes:	Must use	e to identify the time of transaction set preparation.		
			Data Element Summary		
	Ref.	Data			
	Des.	<u>Element</u>			ributes
Not Used	G6201	432	Date Qualifier	X	ID 2/2
			Code specifying type of date		
Not Used	G6202	373	Date	X	DT 8/8
			Date expressed as CCYYMMDD		
	G6203	176	Time Qualifier	Х	ID 1/2
			Code specifying the reported time		
			W Effective Time		
	G6204	337	Time	Х	TM 4/8
			Time expressed in 24-hour clock time as follows: HHMM or HHMMSSD, or HHMMSSDD, where $H =$ hours (00-2 (00-59), S = integer seconds (00-59) and DD = decimal seconds are expressed as follows: D = tenths (0-9) and DD (00-99)	23), M econd	I = minutes ls; decimal
			1. Use to identify the time of transaction set preparation	in U	TC.
			2. Express time in a four position (HHMM) format.		
Not Used	G6205	623	Time Code	0	ID 2/2
			Code identifying the time. In accordance with Internation Organization standard 8601, time can be specified by a + indication in hours in relation to Universal Time Coordin since + is a restricted character, + and - are substituted by codes that follow	or - a ate (U	nd an JTC) time;

Segment:	G53 Maintenance Type
Position:	010
Loop:	0300 Mandatory
Level:	Detail
Usage:	Mandatory
Max Use:	1
Purpose:	To identify the specific type of item maintenance
Syntax Notes:	
Semantic Notes:	
Comments:	

	D-f	Data		
	Ref.	Data		
	Des.	<u>Element</u>	<u>Name</u>	<u>Attributes</u>
Μ	G5301	875	Maintenance Type Code	M ID 3/3
			Code identifying the specific type of item maintenance	
			001 Change	

Synta	Segment: Position: Loop: Level: Usage: Max Use: Purpose: ax Notes: ic Notes: mments:	020 0300 Detail Optional 3 To speci 1 At le 2 If eir 3 If eir	Date/Time Mandatory fy pertinent dates and times east one of G6201 or G6203 is required. ther G6201 or G6202 is present, then the other is required. ther G6203 or G6204 is present, then the other is required.		
	Notes:	Use mis	segment to themily dates associated with the transaction.		
			Data Element Summary		
	Ref.	Data	Data Element Summary		
	Des.	<u>Element</u>	Name	Att	ributes
	G6201	432	Date Qualifier	Х	ID 2/2
			Code specifying type of date		
			Use any code.		
			Refer to 004010 Data Element Dictionary for acceptable c	ode	values.
	G6202	373	Date	Х	DT 8/8
			Date expressed as CCYYMMDD		
Not Used	G6203	176	Time Qualifier	Х	ID 1/2
			Code specifying the reported time		
Not Used	G6204	337	Time	X	TM 4/8
			Time expressed in 24-hour clock time as follows: HHMM or HHMMSSD, or HHMMSSDD, where H = hours (00-22 (00-59), S = integer seconds (00-59) and DD = decimal se seconds are expressed as follows: D = tenths (0-9) and DD (00-99)	3), M cond	I = minutes ls; decimal
Not Used	G6205	623	Time Code	0	ID 2/2
			Code identifying the time. In accordance with International Organization standard 8601, time can be specified by a + of indication in hours in relation to Universal Time Coordinal since + is a restricted character, + and - are substituted by codes that follow	or - a ite (U	nd an JTC) time;

Segment:	G39 Item Characteristics - Vendor's Selling Unit
Position:	040
Loop:	0310 Mandatory
Level:	Detail
Usage:	Mandatory
Max Use:	1
Purpose:	To identify a vendor's selling unit or to provide physical characteristics relative to a vendor's selling unit
Syntax Notes:	 At least one of G3901 or G3902 is required. If either G3902 or G3903 is present, then the other is required. If any of G3905 G3906 or G3907 is present, then all are required. If either G3906 or G3907 is present, then the other is required. If either G3908 or G3909 is present, then the other is required. If either G3910 or G3911 is present, then the other is required. If either G3912 or G3913 is present, then the other is required. If either G3914 or G3915 is present, then the other is required. If either G3918 or G3919 is present, then the other is required. If either G3918 or G3919 is present, then the other is required. If either G3923 or G3924 is present, then the other is required.
	11 If either G3925 or G3926 is present, then the other is required.
Semantic Notes:	

Comments:

			Data Element Summary			
	Ref.	Data				
	Des.	Element	Name	Att	<u>ributes</u>	
Not Used	G3901	438	U.P.C. Case Code	Х	AN 12/12	
			Code (Universal Product Code - U.P.C.) including two his identifying the "system" (U.S. Grocery = 00, 06 or 07; U.S. using the U.S. Grocery system, the next ten digits are: Ma Case Code (5)	S. Dr	rug = 03;	
	G3902	235	Product/Service ID Qualifier	Х	ID 2/2	
			Code identifying the type/source of the descriptive number used in Product/Service ID (234)			
			Use any code.			
			Refer to 004010 Data Element Dictionary for acceptable of	code	values.	
	G3903	234	Product/Service ID	Х	AN 1/48	
			Identifying number for a product or service			
Not Used	G3904	152	Special Handling Code	0	ID 2/3	
			Code specifying special transportation handling instructio	ns		
Not Used	G3905	395	Unit Weight	Х	R 1/8	
			Numeric value of weight per unit			
Not Used	G3906	187	Weight Qualifier	X	ID 1/2	
			Code defining the type of weight			

Not Used	G3907	188	Weight Unit Code Code specifying the weight unit	X	ID 1/1
Not Used	G3908	65	1 . 6 6	v	R 1/8
Not Oseu	G3908	05	Height Vertical dimension of an object measured when the objec position		
Not Used	G3909	355	Unit or Basis for Measurement Code	X	ID 2/2
			Code specifying the units in which a value is being express in which a measurement has been taken	ssed,	or manner
Not Used	G3910	189	Width	Х	R 1/8
			Shorter measurement of the two horizontal dimensions m object in the upright position	easur	red with the
Not Used	G3911	355	Unit or Basis for Measurement Code	Х	ID 2/2
			Code specifying the units in which a value is being express in which a measurement has been taken	ssed,	or manner
Not Used	G3912	82	Length	Х	R 1/8
			Largest horizontal dimension of an object measured when the upright position	the	object is in
Not Used	G3913	355	Unit or Basis for Measurement Code	Х	ID 2/2
			Code specifying the units in which a value is being express in which a measurement has been taken	ssed,	or manner
Not Used	G3914	183	Volume	Х	R 1/8
			Value of volumetric measure		
Not Used	G3915	355	Unit or Basis for Measurement Code	Х	ID 2/2
			Code specifying the units in which a value is being express in which a measurement has been taken	ssed,	or manner
Not Used	G3916	416	Pallet Block and Tiers	0	N0 6/6
			Code indicating pallet and load structure; first three digits number of cases per layer, last three digits indicate the nu per pallet		
Not Used	G3917	356	Pack	0	N0 1/6
			The number of inner containers, or number of eaches if the containers, per outer container	ere a	re no inner
Not Used	G3918	357	Size	Х	R 1/8
			Size of supplier units in pack		
Not Used	G3919	355	Unit or Basis for Measurement Code		ID 2/2
			Code specifying the units in which a value is being express in which a measurement has been taken	ssed,	or manner
Not Used	G3920	397	Color	0	AN 1/10
			Free-form description of color		
Not Used	G3921	398	Order Sizing Factor	0	R 1/10
			A product specification other than gross or net weight, or line item or transaction used for order sizing and pricing p		

Not Used	G3922	876	Alternate Tiers p	er Pallet	0	ID 1/3
			•	g the alternate tiers per pallet structure; t ber of tiers per pallet	he th	ree digits
	G3923	235	Product/Service	ID Qualifier	X	ID 2/2
				Code identifying the type/source of the descriptive numberProduct/Service ID (234)ZBCommercial and Government Entity (
			ZB			
				A code that identifies a commercial c authorized to do business with the U.3		
	G3924	234	Product/Service	ID	X	AN 1/48
			Identifying number	er for a product or service		
Not Used	G3925	187	Weight Qualifier		Х	ID 1/2
			Code defining the	type of weight		
Not Used	G3926	395	Unit Weight		Х	R 1/8
			Numeric value of	weight per unit		
Not Used	G3927	810	Inner Pack		0	N0 1/6
			The number of ea	ches per inner container		
Not Used	G3928	103	Packaging Code		0	AN 3/5
				the type of packaging; Part 1: Packaging al; if the Data Element is used, then Part		

Segment:	N9 Reference Identification
Position:	151
Loop:	0310 Mandatory
Level:	Detail
Usage:	Optional
Max Use:	10
Purpose:	To transmit identifying information as specified by the Reference Identification
	Qualifier
Syntax Notes:	1 At least one of N902 or N903 is required.
	2 If N906 is present, then N905 is required.
	3 If either C04003 or C04004 is present, then the other is required.
	4 If either C04005 or C04006 is present, then the other is required.
Semantic Notes:	1 N906 reflects the time zone which the time reflects.
	2 N907 contains data relating to the value cited in N902.
Comments:	
Notes:	Must use multiple repetitions to identify the correct item data and the transaction number.

	Ref.	Data	Duta Element Summary		
	Des.	<u>Element</u>	Name	Δ f1	ributes
Μ	<u>Des.</u> N901	<u>128</u>	Reference Identification Qualifier		ID 2/3
			Code qualifying the Reference Identification		
			Use any code.		
			Refer to 004010 Data Element Dictionary for acceptable of	code	values.
	N902	127	Reference Identification	X	AN 1/30
			Reference information as defined for a particular Transact specified by the Reference Identification Qualifier	tion S	Set or as
Not Used	N903	369	Free-form Description	X	AN 1/45
			Free-form descriptive text		
Not Used	N904	373	Date	0	DT 8/8
			Date expressed as CCYYMMDD		
Not Used	N905	337	Time	X	TM 4/8
			Time expressed in 24-hour clock time as follows: HHMM or HHMMSSD, or HHMMSSDD, where $H =$ hours (00-2 (00-59), S = integer seconds (00-59) and DD = decimal se seconds are expressed as follows: D = tenths (0-9) and DE (00-99)	3), M	I = minutes ls; decimal
Not Used	N906	623	Time Code	0	ID 2/2
			Code identifying the time. In accordance with International Standards Organization standard 8601, time can be specified by a + or - and an indication in hours in relation to Universal Time Coordinate (UTC) time; since + is a restricted character, + and - are substituted by P and M in the codes that follow		

	N907	C040	Reference Ident	ifier	0	
			•	r more reference numbers or identification Reference Qualifier	on nu	mbers as
Μ	C04001	128	Reference Ident	ification Qualifier	Μ	ID 2/3
			Code qualifying t	he Reference Identification		
			W7	Commercial and Government Entity	(CAC	GE) Code
				Code that identifies a commercial con authorized to do business with the U.		
Μ	C04002	127	Reference Identi	fication	Μ	AN 1/30
				ation as defined for a particular Transact Reference Identification Qualifier	tion S	Set or as
Not Used	C04003	128	Reference Identi	ification Qualifier	X	ID 2/3
			Code qualifying t	he Reference Identification		
Not Used	C04004	127	Reference Ident	fication	Х	AN 1/30
				ation as defined for a particular Transact Reference Identification Qualifier	tion S	Set or as
Not Used	C04005	128	Reference Ident	ification Qualifier	Х	ID 2/3
			Code qualifying t	he Reference Identification		
Not Used	C04006	127	Reference Identi	fication	X	AN 1/30
				ation as defined for a particular Transact Reference Identification Qualifier	tion S	Set or as

Segment:	N1 Name					
Position:	156					
Loop:	0311 Optional					
Level:	Detail					
Usage:	Optional					
Max Use:	1					
Purpose:	To identify a party by type of organization, name, and code					
Syntax Notes:	1 At least one of N102 or N103 is required.					
	2 If either N103 or N104 is present, then the other is required.					
Semantic Notes:						
Comments:	 This segment, used alone, provides the most efficient method of providing organizational identification. To obtain this efficiency the "ID Code" (N104) must provide a key to the table maintained by the transaction processing party. N105 and N106 further define the type of entity in N101. 					
Notes:	1. Must use this 2/N1/156 loop to identify the organization to receive the transaction set.					

2. Use additional iterations to identify original and new or corrected accountable organizations.

Data	Element	Summary
------	---------	---------

	Ref.	Data			
М	<u>Des.</u> N101	<u>Element</u> 98	<u>Name</u> Entity Identifier	Cada	<u>Attributes</u> M ID 2/3
IVI	11101	90	•		
			Code identifying a an individual	an organizational entity, a physical locat	ion, property or
			Use any code.		
			Refer to 004010 E	Data Element Dictionary for acceptable of	code values.
Not Used	N102	93	Name		X AN 1/60
			Free-form name		
	N103	66	Identification Co	de Qualifier	X ID 1/2
			Code designating Identification Cod	the system/method of code structure use e (67)	ed for
			1	D-U-N-S Number, Dun & Bradstreet	
			9	D-U-N-S+4, D-U-N-S Number with I Suffix	Four Character
			10	Department of Defense Activity Adda (DODAAC)	ess Code
			33	Commercial and Government Entity ((CAGE)
			M4	Department of Defense Routing Ident	ifier Code (RIC)
				An integral and predetermined partici established logistical system perform logistic control, distribution, and store	ing general
			UR	Uniform Resource Locator (URL)	

	N104	67	Identification Code	X AN 2/80
			Code identifying a party or other code	
Not Used	N105	706	Entity Relationship Code	O ID 2/2
			Code describing entity relationship	
	N106	98	Entity Identifier Code	O ID 2/3
			Code identifying an organizational entity, a physical loca an individual	tion, property or
			Use any code.	
			Refer to 004010 Data Element Dictionary for acceptable	code values.

Segment:	G55 Item Characteristics - Consumer Unit
Position:	165
Loop:	0312 Optional
Level:	Detail
Usage:	Optional
Max Use:	1
Purpose:	To provide physical characteristics relative to a consumer unit
Syntax Notes:	1 If either G5503 or G5504 is present, then the other is required.
	2 If either G5505 or G5506 is present, then the other is required.
	3 If either G5507 or G5508 is present, then the other is required.
	4 If either G5509 or G5510 is present, then the other is required.
	5 If either G5511 or G5512 is present, then the other is required.
	6 If either G5514 or G5515 is present, then the other is required.
	7 If any of G5523 G5524 or G5525 is present, then all are required.
	8 If any of G5526 G5527 or G5528 is present, then all are required.
	9 If either G5529 or G5530 is present, then the other is required.
Semantic Notes:	1 G5521 indicates if the product is prepriced. Code "Y" indicates the product is
	prepriced. Code "N" indicates the product is not prepriced.
Comments:	1 G5516 is limited to 16 characters.

	Ref.	Data			
	Des.	<u>Element</u>	<u>Name</u>	Att	tributes
Μ	G5501	235	Product/Service ID Qualifier	М	ID 2/2
			Code identifying the type/source of the descriptive numbe Product/Service ID (234)	r use	ed in
			Use any code.		
			Refer to 004010 Data Element Dictionary for acceptable of	ode	values.
Μ	G5502	234	Product/Service ID	Μ	AN 1/48
			Identifying number for a product or service		
	G5503	235	Product/Service ID Qualifier	X	ID 2/2
			Code identifying the type/source of the descriptive numbe Product/Service ID (234)	r use	ed in
			Use any code.		
			Refer to 004010 Data Element Dictionary for acceptable of	code	values.
	G5504	234	Product/Service ID	X	AN 1/48
			Identifying number for a product or service		
Not Used	G5505	65	Height	X	R 1/8
			Vertical dimension of an object measured when the object position	is ir:	n the upright
Not Used	G5506	355	Unit or Basis for Measurement Code	X	ID 2/2
			Code specifying the units in which a value is being express in which a measurement has been taken	sed,	or manner

Not Used	G5507	189	Width	X	R 1/8
			Shorter measurement of the two horizontal dimensions me object in the upright position	easur	red with the
Not Used	G5508	355	Unit or Basis for Measurement Code	Х	ID 2/2
			Code specifying the units in which a value is being express in which a measurement has been taken	ssed,	or manner
Not Used	G5509	82	Length	X	R 1/8
			Largest horizontal dimension of an object measured when the upright position	the	object is in
Not Used	G5510	355	Unit or Basis for Measurement Code	Х	ID 2/2
			Code specifying the units in which a value is being express in which a measurement has been taken	ssed,	or manner
Not Used	G5511	183	Volume	X	R 1/8
			Value of volumetric measure		
Not Used	G5512	355	Unit or Basis for Measurement Code	Х	ID 2/2
			Code specifying the units in which a value is being express in which a measurement has been taken	ssed,	or manner
Not Used	G5513	356	Pack	0	N0 1/6
			The number of inner containers, or number of eaches if th containers, per outer container	ere a	re no inner
Not Used	G5514	357	Size	Х	R 1/8
			Size of supplier units in pack		
Not Used	G5515	355	Unit or Basis for Measurement Code	Х	ID 2/2
			Code specifying the units in which a value is being express in which a measurement has been taken	ssed,	or manner
Not Used	G5516	878	Cash Register Item Description	0	AN 1/20
			The cash register description of an item		
Not Used	G5517	878	Cash Register Item Description	0	AN 1/20
			The cash register description of an item		
Not Used	G5518	879	Coupon Family Code	0	AN 3/3
			A code assigned by the vendor to a single item or to famil items that can be used by in-store scanners in conjunction coupon value code for instant credit when the proper item purchased	with	a UPC
Not Used	G5519	880	Dated Product Number of Days	0	N0 1/4
			Used to designate the number of days open dated product from date of manufacture	must	t 'sell by'
Not Used	G5520	881	Deposit Value	0	R 1/8
			To designate the value for returnable containers		
Not Used	G5521	1073	Yes/No Condition or Response Code	0	ID 1/1
			Code indicating a Yes or No condition or response		
Not Used	G5522	397	Color	0	AN 1/10

			Free-form description of color		
Not Used	G5523	395	Unit Weight	Х	R 1/8
			Numeric value of weight per unit		
Not Used	G5524	187	Weight Qualifier	Х	ID 1/2
			Code defining the type of weight		
Not Used	G5525	188	Weight Unit Code	Х	ID 1/1
			Code specifying the weight unit		
Not Used	G5526	395	Unit Weight	Х	R 1/8
			Numeric value of weight per unit		
Not Used	G5527	187	Weight Qualifier	Х	ID 1/2
			Code defining the type of weight		
Not Used	G5528	188	Weight Unit Code	Х	ID 1/1
			Code specifying the weight unit		
Not Used	G5529	235	Product/Service ID Qualifier	Х	ID 2/2
			Code identifying the type/source of the descriptive numbe Product/Service ID (234)	r use	ed in
Not Used	G5530	234	Product/Service ID	Х	AN 1/48
			Identifying number for a product or service		
Not Used	G5531	369	Free-form Description	0	AN 1/45
			Free-form descriptive text		
Not Used	G5532	810	Inner Pack	0	N0 1/6
			The number of eaches per inner container		
Not Used	G5533	103	Packaging Code	0	AN 3/5
			Code identifying the type of packaging; Part 1: Packaging Packaging Material; if the Data Element is used, then Part required		

Segment:	LM o	Code Source Information	
Position:	180		
Loop:	0313	Optional	
Level:	Detail		
Usage:	Optional		
Max Use:	1		
Purpose:	To transmi	it standard code list identification information	
Syntax Notes:			
Semantic Notes:			
Comments:	1 LM02	dentifies the applicable industry code list source information.	
Notes:	Must use t	this 2/LM/180 loop to identify coded information maintained in	
	departmen	t or agency documentation.	
		Data Element Summary	
Ref.	Data		
Des.	Element 1	Name <u>Attribu</u>	utes

Μ	LM01	559	Agency Qualifier Code	Μ	ID 2/2
			Code identifying the agency assigning the code values		
			DF Department of Defense (DoD)		
Not Used	LM02	822	Source Subqualifier	0	AN 1/15
			A reference that indicates the table or text maintained by Qualifier	the Sc	ource

Segment:	LQ Industry Code
Position:	190
Loop:	0313 Optional
Level:	Detail
Usage:	Mandatory
Max Use:	100
Purpose:	Code to transmit standard industry codes
Syntax Notes:	1 If LQ01 is present, then LQ02 is required.
Semantic Notes:	
Comments:	
Notes:	Use to identify codes, as appropriate, consistent with management information
	requirements.

Ref.	Data	•					
Des.	<u>Element</u>		<u>Attributes</u>				
LQ01	1270	Code List Qualifier Code	0	ID 1/3			
		Code identifying a specific industry code list					
		Use any code.					
		Refer to 004010 Data Element Dictionary for acceptable code values.					
LQ02	1271	Industry Code	Х	AN 1/30			
		Code indicating a code from a specific industry code list					

Segment:	SE Transaction Set Trailer
Position:	200
Loop:	
Level:	Detail
Usage:	Mandatory
Max Use:	1
Purpose:	To indicate the end of the transaction set and provide the count of the transmitted segments (including the beginning (ST) and ending (SE) segments)
Syntax Notes:	
Semantic Notes:	
Comments:	1 SE is the last segment of each transaction set.

Data Element Summary									
	Ref.	Data							
	Des.	<u>Element</u>	Name	Att	<u>ributes</u>				
Μ	SE01	96	Number of Included Segments	Μ	N0 1/10				
			Total number of segments included in a transaction set inc SE segments	ludir	ng ST and				
Μ	SE02	329	Transaction Set Control Number	Μ	AN 4/9				
			Identifying control number that must be unique within the transaction s functional group assigned by the originator for a transaction set						
			Cite the same number as the one cited in ST02.						