# 511 Requisition Functional Group=RN

**Purpose:** This Draft Standard for Trial Use contains the format and establishes the data contents of the Requisition Transaction Set (511) for use within the context of an Electronic Data Interchange (EDI) environment. This transaction set can be used to requisition needed material and equipment from a supply distribution system for immediate consumption or stockage against projected requirements. The originator can also use this transaction set to inquire about the status of, amend, or terminate the original requisition. This transaction set may be used to convey a description and quantity of the required material, delivery and billing information, and other logistics information necessary to evaluate and meet the material needs of the originator. This transaction set is not used to establish a contractual relationship between trading partners, and may precede the use of a purchase order.

# **Federal Note:**

1. Organizations use this transaction set to order items of supply, to refer transactions to another supply source for processing, and to transmit misrouted transactions between supply sources.

2. Use a single occurrence of this transaction set to transmit single or multiple requisitions to one or more supply sources.

3. A single transaction set may contain a combination of requisitions for standard and nonstandard materiel.

4. DoD logistics users should refer to the Defense Logistics Management System (DLMS) Supplement to the Federal Implementation Convention (IC) available at URL: http://www.dla.mil/j-6/dlmso. The DLMS Supplement provides specific business rules, conditions, and authorized codes necessary for appropriate use of this IC within the DLMS.

# **DLMS Note:**

1. Requisitions for materiel to be provided as Government Furnished Materiel (GFM) to commercial contractors, requisitions for excess government owned plant property, and requisitions from foreign governments for materiel to be provided in support of Security Assistance (SA) contain distinguishing requirements which do not apply to non-GFM or non-SA requisitions.

2. Users operating under the Defense Logistics Management System (DLMS) must reference the Unit of Issue and Purchase Unit Conversion Table, Transportation Mode of Shipment Conversion Table, and the Accounting Classification Appendix which can be found on the DLA Logistics Management Standards Office Website at www.dla.mil/j-6/dlmso.

3. This DLMS Supplement to the Federal 511R implementation convention contains:

a. Data associated with a DLMS enhancement which may not be received or understood by the recipient's automated processing system. DLMS procedures may not have been developed. Components must coordinate requirements and business rules with DLA Logistics Management Standards Office prior to use.

b. Data associated with an Approved Change which may not have an established implementation date. This data may not be received or understood by the recipient's automated processing system. Components must coordinate implementation with DLA Logistics Management Standards Office prior to use.

c. Defense Logistics Standard System (DLSS) data which must be retained in the DLMS for a transition period to support transaction conversion in a mixed DLSS/DLMS environment. This data will be streamlined out once full DLMS implementation is reached. Components may coordinate with DLA Logistics Management Standards Office for early termination (or retention) of specific data requirements for users operating in a full DLMS environment.

d. Data elements which have an expanded field size above existing DLSS capability which may not be supported by the recipient's automated processing system. Components must coordinate implementation with DLA Logistics Management Standards Office prior to use.

e. Data required to accommodate Component-unique transaction requirements (example: C-series transactions). Data does not apply to DLSS transactions.

f. Data associated with a DLMS enhancement authorized for implementation by modernized systems under DLMS migration. This data (including expanded field sizes) should be adopted during, or subsequent, to modernization when applicable to the Component's business process. Prior coordination is not required. Components should ensure that inclusion of this data in a DLMS transaction does not cause inappropriate rejection of the transaction.

4. This transaction may be used to provide Unique Item Identifier (UII) information. Refer to the UID web at URL: http://www.acq.osd.mil/dpap/sitemap.html for DoD policy and business rules.

5. This revision to the DLMS Supplement (DS) incorporates Proposed DLMS Change (PDC) and Approved DLMS Changes (ADCs) listed. PDCs and ADCs are available from the DLA Logistics Management Standards Office Website: http://www.dla.mil/j-6/dlmso/elibrary/Changes/processchanges.asp

- PDC 29A, Inclusion of the Authorized Requiring Activity in the Requisition and Revised Requisition Priority Designator (PD) Validation

- ADC 45, Use of Both Ownership Code and Purpose Code in DLMS for Ammunition

- ADC 59, Customer Identification on Automated Exception Requisitions

- ADC 67, Identification of the Passing Order/Referral Order Submitter on the DS 511R, Requisition

- ADC 69, DLMS Mapping for Requisition Exception Data Transaction, DLA DI Code YRZ

- ADC 69A, DLMS Mapping to IC/DS 511M and 869F for Requisition Exception Data Transaction, DI Code YRZ

- ADC 70, DLMS Mapping for DLA Directed MRO (Requisition), DI Code C0A/C01 and DLA Directed MRO (Referral Order), DI Code C0A/C01

- ADC 75, DLA Unique Identification of Internal Delivery Date in Requisitions

- ADC 76, Air Force Unique Management Coding for NMCS/MICAP

- ADC 77, Air Force Unique Management Coding for Materiel Management Aggregation Code (MMAC)

- ADC 79, Requisition/Referral Order for Owner-Directed Disposition of Service-Owned Stocks, Centrally Managed/Stored by DLA

- ADC 83, Revision to DS 511R to Identify Ordered by Activity

- ADC 86, Revision to DLMS Supplement 511R to Transmit Requisition Image Transactions

- ADC 92, Qualifier Additions to Segment FA2

- ADC 97, Long Item Description for DMLSS Requisition Processing

- ADC 169, Inclusion of Data Supporting UID of Items in DLMS Requisition and Material Release Processes

- ADC 176, Revision to Requisition Format to Accommodate Commodity-Unique (Mapping Products) Data

- ADC 178, DS 511R Requisition to Support DEPMED Unit of Assembly

- ADC 183, DS 511R Requisition Revisions Supporting DoD EMALL Part Number Catalog Orders

- ADC 186, DLMS Requisition Revisions to Support Theatre Enterprise-Wide Logistics System (TEWLS)

- ADC 221, Communication of Unit Price and Total Price under DLMS

- ADC 221A, Revised Procedures associated with the DLMS Enhancement for Communication of Unit Price

- ADC 243, Identification of Army Single Stock Fund (SSF) Requisitioning Actions and Edit Action Code (EAC) Authorization

- ADC 264, DLMS Enhancement for Part-Numbered Requisition Format and USAF Unique Rules for Descriptive Information including Technical Order (T.O.) Number

- ADC 266, U.S.A.F. Lateral Requisition Routing Identifiers

- ADC 274, DLMS and DLSS Changes to Support Army Exchange Pricing

- ADC 276, Addition of Party to Receive Copy to Support Requirements for Theater Enterprise-Wide Logistics System (TEWLS) Requisitions

- ADC 279, Automated Downgrade for Priority Abuse and Reporting Procedures (Supply/MILSTRIP)

- ADC 284, Revisions to DLMS Supplements to Add Shop Service Center (SSC) for BRAC Inventory Management and Stock Positioning (IMSP)

- ADC 322, Addition of Local Catalog ID qualifier to Support Requirements for Theater Enterprise-Wide Logistics System (TEWLS) Requisitions (Supply)

- ADC 284A, Revisions to DLMS Supplements to Add Shop Service Center (SSC) for BRAC Inventory Management and Stock Positioning (IMSP)

- ADC 328, "Off-Line" Requisition Processing: Internet Ordering Application Request for Component Verification of Funds Availability and Recording of the Financial Obligation

- ADC 352, Request for Management Code for PQDR Replacement Requisitions

- ADC 359, Perpetuation of the Denial Management Code to the DLMS Requisition and Modification of Air Force BRAC IMSP SDR Procedures (Supply/SDR)

- ADC 363, Revise (DS) 511R, Requisition to Address Requirements of Navy Usage of Management Code in Multiuse Field of A4\_ (Referral Order/Lateral Redistribution Order for Retail Assets)

- ADC 375, New Management Code for Navy-Funded Non-Production Support Materiel Ordered under BRAC SS&D/IMSP

- ADC 377, Transaction Copies Required for DLA Support of Navy BRAC SS&D/IMSP DLRs, Navy Program-Managed Materiel, and Nuclear Consumable Support Materiel

- ADC 381, Procedures and Additional Data Content supporting Requisitions, Requisition Alerts, and Unit of Use Requirements under Navy BRAC SS&D/IMSP

- Approved Administrative Addendum ADC 381B, Administrative Revision to Identify Delivery Location Position

- ADC 426, Intra-Navy DLMS 511R, Requisition, and 940R, Redistribution Order, Inclusion of Requested Storage Activity

- ADC 435, DLMS Revisions for Standard Financial Information Structure (SFIS) Compliance

- ADC 436, Administrative Revisions to DLMS Supplements to Remove Obsolete Routing Identifier Code (RIC) "Streamline" Notes and Update MILSTRIP/DLMS Documentation Associated with Routing Identifiers

- ADC 448, Implementation of International Organization for Standardization (ISO) 3166-1 Codes for the Identification of Countries and their Subdivisions

- ADC 448B, Delayed implementation for International Organization for Standardization (ISO) 3166-1 Codes for the Identification of Countries and their Subdivisions

- ADC 457 Intra-DLA Revisions to Procedures and DLMS 511R Requisition to Support Directed Release of Materiel (Post-Post Action) by DLA Disposition Services Field Offices under Reutilization Business Integration (RBI)

- ADC 466, Revised Procedures to Support Requisitioning and Transaction Exchange associated with DLA Disposition Services under Reutilization Business Integration (RBI)

- ADC 473, DLMS Revisions to Add the Associated Purchase Order Number in Support of the DLA Interface with the Exchange

- ADC 473A, DLMS Revisions to Add the Associated Purchase Order Number (Supports DLA Interface with the Exchange, Navy Exchange Service Command (NEXCOM), and Marine Corps Exchange (MCX) Non-Appropriated Funds (NAF) Activities and Non-DoD Customers) - ADC 1014, Revised Procedures for Inclusion of Contract Data in Transactions Associated with Government Furnished Property (GFP)

and Management Control Activity (MCA) Validation of Contractor Furnished Materiel (CFM) Requisitions

- ADC 1019, Small Arms/Light Weapons (SA/LW) Local Stock Number (LSN) Assignment for use by DLA Disposition Services in DLMS 511R, 527R, 846C, 846R, and 947I, under Reutilization Business Integration (RBI) (Supply)

- ADC 1020, Inter-Service Ownership Transfer of Ammunition/ Ammunition Related Materiel

004010F511R5RP35

- ADC 1021, Intra-DLA Revision to Procedures and DLMS 527D Pre-Positioned Materiel Receipt to Add Container Detail Supporting Relocation of Materiel between DLA Disposition Services Field Offices under Reutilization Business Integration (RBI), and Administrative Update to DLM 511R, 527R, and 940R (Supply)

- ADC 1023, Administrative Updates to Remove MILSTRIP References to Requisitioning from Plant Clearance Automated Reutilization Screening System (PCARSS)

# **Heading:**

-							
Pos	<u>ld</u>	Segment Name	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>
10	ST	Transaction Set Header	М	1			Must use
20	BR	Beginning Segment for Material Management	Μ	1			Must use
* 30	G62	Date/Time	0	10			Not Used
* 40	NTE	Note/Special Instruction	0	10			Not Used
* LOOP	ID - LM				<u>50</u>	<u>N1/50L</u>	
* 50	LM	Code Source Information	0	1		N1/50	Not Used
60	LQ	Industry Code	М	100			Must use
LOOP II	D - N1				<u>20</u>	<u>N1/70L</u>	
70	N1	Name	М	1		N1/70	Must use
* 80	N2	Additional Name Information	0	2			Not Used
* 90	N3	Address Information	0	2			Not Used
* 100	N4	Geographic Location	0	1			Not Used
110	G61	Contact	0	5			Used

# Detail:

Pos	<u>ld</u>	Segment Name	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>
LOOP ID	) - LX				<u>&gt;1</u>		
10	LX	Assigned Number	0	1			Must use
20	N9	Reference Identification	М	>1			Must use
30	PO1	Baseline Item Data	0	>1			Must use
* 50	PWK	Paperwork	0	1			Not Used
60	DD	Demand Detail	0	100			Used
70	GF	Furnished Goods and Services	0	1			Used
80	G62	Date/Time	0	20			Used
* 90	MAN	Marks and Numbers	0	5			Not Used
100	LIN	Item Identification	0	>1			Used
105	MEA	Measurements	0	>1			Used
110	G69	Line Item Detail - Description	0	>1			Used
120	NTE	Note/Special Instruction	0	>1			Used
LOOP ID	) - LM				<u>50</u>		
130	LM	Code Source Information	0	1			Must use
140	LQ	Industry Code	М	100			Must use
LOOP ID	<u>- QTY</u>				<u>&gt;1</u>	<u>N2/150L</u>	
150	QTY	Quantity	0	1		N2/150	Used
* LOOP	D - LM				<u>50</u>		
* 160	LM	Code Source Information	0	1			Not Used
170	LQ	Industry Code	М	100			Must use
LOOP ID	<u>- N1</u>				<u>100</u>	<u>N2/180L</u>	
180	N1	Name	0	1		N2/180	Must use
190	N2	Additional Name Information	0	2			Used
200	N3	Address Information	0	2			Used
210	N4	Geographic Location	0	1			Used
* 215	G61	Contact	0	5			Not Used

Pos	<u>ld</u>	Segment Name	Req	<u>Max Use</u>	Repeat	Notes	<u>Usage</u>
LOOP ID	) - REF				<u>&gt;1</u>	<u>N2/220L</u>	
220	REF	Reference Identification	0	1		N2/220	Used
* 230	G62	Date/Time	0	10			Not Used
240	N9	Reference Identification	0	>1			Used
250	N1	Name	0	1			Used
* 260	R4	Port or Terminal	0	1			Not Used
* LOOP	ID - LM				<u>50</u>		
* 270	LM	Code Source Information	0	1			Not Used
280	LQ	Industry Code	М	100			Must use
LOOP ID	) - FA1				<u>&gt;1</u>		
285	FA1	Type of Financial Accounting Data	0	1			Used
286	FA2	Accounting Data	Μ	>1			Must use
290	SE	Transaction Set Trailer	М	1			Must use

# Notes:

1/50L The LM loop identifies logistic data common to the entire transaction set.

1/50 The LM loop identifies logistic data common to the entire transaction set.

1/70L The N1 loop identifies name and or address information common to the entire transaction set.

1/70 The N1 loop identifies name and or address information common to the entire transaction set.

2/150L Each iteration of the QTY loop qualifies a portion of the total quantity ordered with particular logistics information codes.

2/150 Each iteration of the QTY loop qualifies a portion of the total quantity ordered with particular logistics information codes.

2/180L The N1 loop identifies the name and address information unique to each use of the LX loop.

2/180 The N1 loop identifies the name and address information unique to each use of the LX loop.

2/220L The REF loop conveys serial and lot number inventory data.

2/220 The REF loop conveys serial and lot number inventory data.

DLMS Supplement to Federal IC 511R Requisition PDC 29A ADCs 45, 59, 67, 69, 69A, 70, 75, 76, 77, 79, 83, 86, 92, 97, 169, 176, 178, 183, 186, 221, 221A, 243, 264, 266, 274, 276, 279, 284, 284A, 322, 328, 352, 359, 363, 375, 377, 381, 381B, 426, 435, 436, 448, 448B, 457, 466, 473, 473A, 1014, 1019, 1020, 1021 and 1023 DLM 4000.25

# **ST** Transaction Set Header

Pos: 10	Max: 1
Heading -	Mandatory
Loop: N/A	Elements: 2

User Option (Usage): Must use

Purpose: To indicate the start of a transaction set and to assign a control number

# Semantics:

1. The transaction set identifier (ST01) used by the translation routines of the interchange partners to select the appropriate transaction set definition (e.g., 810 selects the Invoice Transaction Set).

<u>Ref</u> ST01	<u>Id</u> 143	Element Name Transaction Set Identifier Code	<u>Req</u> M	<u>Type</u> ID	<u>Min/Max</u> 3/3	<u>Usage</u> Must use	<u>Rер</u> 1
		<b>Description:</b> Code uniquely identifying a Transaction Set					
		<u>Code</u> <u>Name</u> 511 Requisition					
ST02	329	Transaction Set Control Number	М	AN	4/9	Must use	1
		<b>Description:</b> Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set					
		<b>Federal Note:</b> A unique number assigned by the originator of the transaction set, or the originator's application program.					

DLMS Supplement to Federal IC 511R Requisition PDC 29A ADCs 45, 59, 67, 69, 69A, 70, 75, 76, 77, 79, 83, 86, 92, 97, 169, 176, 178, 183, 186, 221, 221A, 243, 264, 266, 274, 276, 279, 284, 284A, 322, 328, 352, 359, 363, 375, 377, 381, 381B, 426, 435, 436, 448, 448B, 457, 466, 473, 473A, 1014, 1019, 1020, 1021 and 1023 DLM 4000.25

# BR Beginning Segment for Material Management

Pos: 20	Max: 1
Heading - M	andatory
Loop: N/A	Elements: 5

User Option (Usage): Must use

Purpose: To indicate the beginning of a material management transaction and transmit identifying numbers and dates

# Syntax Rules:

- 1. C0504 If BR05 is present, then BR04 is required.
- 2. P0708 If either BR07 or BR08 is present, then the other is required.
- 3. P1011 If either BR10 or BR11 is present, then the other is required.

# Semantics:

- 1. BR03 is the date of the transaction set preparation.
- 2. BR09 is the time of the transaction set preparation

Ref	ld		ent Name	Req	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>			
BR01	353	Trans	saction Set Purpose Code	М	ID	2/2	Must use	1			
			ription: Code identifying purpose of action set								
		Code	<u>Name</u>								
		00	Original								
		77	Simulation Exercise								
			DLMS Note:								
			Use to identify a simulated mobilization exercise transaction set. Activities initiating simulated mobilization exercises must ensure complete coordination with all activities involved. All transaction set recipients must use extreme caution to ensure that individual transactions do not process as action documents which affect accountable records.								
		ZZ	Mutually Defined								
			DLMS Note:								
			1. Use to identify the Unit of Use Indicator. When included, the quantity and unit of measure values associated with this transaction are applicable to the unit of use.								
			2. Authorized DLMS enhancement u	nder DLA	industrial	activity support a	ngreement. Refer to A	ADC 381.			
			3. Authorized DLMS enhancement fo	r DLA Dis	sposition Se	ervices. Refer to	ADC 457.				
BR02	640	Trans	saction Type Code	М	ID	2/2	Must use	1			
			<b>ription:</b> Code specifying the type of action								
		Code	Name								
		A0	Requisition								
			DLMS Note:								
			Use to indicate the transaction set co	ntains on	e or more	requisitions.					
		BM	Requisition Passing Order								
			DLMS Note:								
			Use to indicate the transaction set co	ntains on	e or more	passing orders.					
		BN	Requisition Referral Order								
			DLMS Note:								
			Use to indicate the transaction set co	ntains on	e or more	referral orders.					
BR03	373	Date		М	DT	8/8	Must use	1			

<u>Ref</u>	ld	Element Name	<u>Req</u>	Type	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>
		Description: Date expressed as CCYYMMDD					
		<b>Federal Note:</b> This date corresponds to the Universal Time Coordinate (UTC).					
BR06	306	Action Code	0	ID	1/2	Used	1

Description: Code indicating type of action

## Code Name

J

Record

## DLMS Note:

1. Use with BR02 Code A0 to indicate the transaction set is a Post-Post Directed Materiel Release Order (MRO) (Requisition) (DLA DI Code C0A/C01). Use with BR02 Code BN to indicate the transaction set is a Post-Post Directed MRO (Referral) (DLA DI Codes CQA/CQ1). See introductory DLMS note 3e.

2. Also use on an Intra-Army basis with BR02 transaction code type A0 to indicate the transaction set is a post-post of materiel by an Army Single Stock Fund Activity.

## 83 Future

### **DLMS Note:**

1. Used by Navy industrial activities (IAs) to identify a Requisition Alert allowing stock positioning or procurement action in response to the forecasted future funded requirement. The requisition alert is an unfunded requirement. Use with BR02 Qualifier A0 or BN only.

2. Authorized DLMS enhancement under DLA industrial activity support agreement. Refer to ADC 381.

#### FI File

### **DLMS Note:**

1. Use with BR02 Code A0 or BN to identify a requisition image transaction. All transaction set recipients must use extreme caution to ensure that individual transactions do not process as action documents which affect accountable records.

2. Used where the original transaction has bypassed the normal DAAS transaction flow (e.g. CHA/CH1 transactions). Refer to ADC 86.

3. Used on image transactions provided to DLA for Navy requisitions submitted directly to other Component SoS, so that DLA will be able to support follow-on actions on behalf of the Navy industrial activity (IA) under a DLA industrial activity support agreement. Refer to ADC 377.

## RI Restricted

### **DLMS Note:**

Use with requisition or referral order to designate for owner-directed disposition of Service-owned stock, centrally-managed/stored by DLA. Restricted use applicable only when a Service has entered into an memorandum of agreement (MOA) with DLA. Use with applicable Advice Code to indicate desired action. Must include distribution depot storing materiel, ownership code, and supply condition code.

BR09	337	Time	0	TM	4/8	Must use	1
		<b>Description:</b> Time expressed in 24-hour clock time as follows: HHMM, or HHMMSS, or HHMMSSD, or HHMMSSDD, where H = hours (00-23), M = minutes (00-59), S = integer seconds (00-59) and DD = decimal seconds; decimal seconds are expressed as follows: D = tenths (0-9) and DD = hundredths (00-99)					
		<ul><li>Federal Note: 1. Express the originating activity's time in UTC.</li><li>2. Express time in a four-position (HHMM)</li></ul>					
		format.					

# N1 Name

Pos: 70	Max: 1
Heading - M	landatory
Loop: N1	Elements: 4

## User Option (Usage): Must use

Purpose: To identify a party by type of organization, name, and code

# Syntax Rules:

- 1. R0203 At least one of N102 or N103 is required.
- 2. P0304 If either N103 or N104 is present, then the other is required.

# **Comments:**

- 1. This segment, used alone, provides the most efficient method of providing organizational identification. To obtain this efficiency the "ID Code" (N104) must provide a key to the table maintained by the transaction processing party.
- 2. N105 and N106 further define the type of entity in N101.

# **Federal Note:**

Must use this 1/N1/070 loop to identify the organization originating the transaction set.

Ref	<u>ld</u>	Elem	ent Name	Req	Туре	Min/Max	Usage	Rep	
N101	<u></u> 98		y Identifier Code	M	ID	2/3	Must use	1	
		organ prope	ription: Code identifying an nizational entity, a physical location, erty or an individual						
		reue	ral Note: Use any code.						
		follow	<b>S Note:</b> 1. For DLMS use, only the ving codes are authorized.						
		2. Us	se only one of codes OB, Z5 or ZL.						
		Code	Name						
		77	Service Location						
			DLMS Note:						
			<ol> <li>Use in a post-post requisitions/refestorage location which shipped the r</li> <li>Also authorized on an Intra-Army "J" for identification of the storage sin Fund activities.</li> </ol>	equested basis with	materiel. S BR02 tran	ee introductory L saction type cod	DLMS note 3e. e A0 and BR06 action co	ode	
		GP	9 Gateway Provider						
			DLMS Note:						
			Future streamlined data needed for transition period to support transaction conversion in a mixed DLSS/DLMS environment. Use to identify DAASC as originator during conversion when DLSS transaction does not contain a "From" organization.						
		OB	Ordered By						
			DLMS Note:						
			Use in requisitions to identify the req	quisitioner.					
		Z5	Management Control Activity						
			DLMS Note:						
			Use to identify the MCA after validat	ing GFM t	ransactions	S.			
		ZL	Party Passing the Transaction						
			DLMS Note:						
			Use in passing orders and referral of	rders to id	entify the c	organization forw	arding the transaction for	-	

		Code Name									
		further processing.									
N103	66	Identification Code Qualifier	Х	ID	1/2	Must use	1				
		Description: Code designating the									
		system/method of code structure used for									
		Identification Code (67)									
		<u>Code</u> <u>Name</u>									
		1 D-U-N-S Number, Dun & Bradstreet									
		DLMS Note:	DLMS Note:								
		DLMS enhancement; see introductor	y DLMS ı	note 3a.							
		9 D-U-N-S+4, D-U-N-S Number with Fo	ur Charac	ter Suffix							
		DLMS Note:									
		DLMS enhancement; see introductor	ry DLMS I	note 3a.							
		10 Department of Defense Activity Addre	ss Code (	DODAAC)							
		DLMS Note:									
		DLMS enhancement; see introductor									
		A2 Military Assistance Program Address	Code (MA	PAC)							
		DLMS Note:									
		Use to indicate the Security Assistar			ddress data.	data.					
		M4 Department of Defense Routing Identifier Code (RIC)									
		DLMS Note:									
		Use only when N101 is Z5 or ZL.									
N104	67	Identification Code	Х	AN	2/80	Must use	1				
		Description: Code identifying a party or									
		other code									
N106	98	Entity Identifier Code	0	ID	2/3	Must use	1				
		Description: Code identifying an									
		organizational entity, a physical location, property or an individual									
		Code Name									
		FR Message From									
		Federal Note:									
		Must use with the appropriate 1/N10 the transaction set.	1/070 cod	le to indicate	e the organizati	on cited in N104 is orig	ginating				

# G61 Contact

Pos: 110	Max:	5
Heading - Optiona	al	
Loop: N1 Ele	ments:	5

## User Option (Usage): Used

Purpose: To identify a person or office to whom communications should be directed

# Syntax Rules:

1. P0304 - If either G6103 or G6104 is present, then the other is required.

# **Comments:**

1. G6103 qualifies G6104.

# **Federal Note:**

1. Use under exceptional circumstances when requiring direct communication with the party originating the transaction set.

2. Use multiple repetitions to identify multiple points of contact or communication numbers. When using multiple repetitions to identify different communication numbers for a single point of contact, repeat the name cited in G6102.

# **DLMS Note:**

DLMS enhancement; see introductory DLMS note 3a.

-	<u>Ref</u> G6101	<u>ld</u> 366		e <u>nt Name</u> lot Function Code	<u>Req</u> M	<u>Type</u> ID	<u>Min/Max</u> 2/2	<u>Usage</u> Must use	<u>Rер</u> 1
	00101	De du na	<b>Description:</b> Code identifying the major duty or responsibility of the person or group named <b>Federal Note:</b> Use any code.			U			Ţ
				Note: For DLMS use, only the ing codes are authorized.					
			<u>Code</u> AA	Name Authorized Representative					
				Federal Note: Use to identify the individual who auth	orized th	e requisitio	n.		
			IC	Information Contact					
				Federal Note:					
				Use to identify the point of contact.					
				DLMS Note:					
				DLA Disposition Services uses in conj contact name and phone number fron DLA Disposition Services. Refer to Al	n the Reu				
	G6102	93	Name		М	AN	1/60	Must use	1
			Descr	iption: Free-form name					
			name, require of con name Do no	al Note: Provide the last name, first middle initial and rate/rank/title, as ed, of the individual named as point tact. Include blank spaces between components and periods after initials. ot include NMN or NMI when a middle is not available.					
	G6103	365	Comn	nunication Number Qualifier	х	ID	2/2	Must use	1
				<b>iption:</b> Code identifying the type of unication number					

DLMS Supplement to Federal IC 511R	PDC 29A ADCs 45, 59, 67, 69, 69A, 70, 75, 76, 77, 79, 83, 86, 92, 97, 169, 176, 178, 183, 186, 221, 221A, 243, 264
Requisition	266, 274, 276, 279, 284, 284A, 322, 328, 352, 359, 363, 375, 377, 381, 381B, 426, 435, 436, 448, 448B, 457, 466, 475
	473A, 1014, 1019, 1020, 1021 and 1023 DLM 4000.2

Ref	ld	Element Name	Req	Туре	Min/Max	Usage	<u>Rep</u>			
		<ul> <li>Federal Note: 1. Use to identify the preferred method of communication in the first repetition. Use additional repetitions when identifying alternate communication methods.</li> <li>2. Do not include blank spaces, dashes or parentheses between numbers.</li> </ul>								
		Code Name								
		AU Defense Switched Network								
		Federal Note: Use to identify the DSN telephone	number							
		EM Electronic Mail	number.							
		EX Telephone Extension								
		Federal Note:								
		Use immediately following codes	U. IT or TE	to identify	a telephone exte	nsion.				
		FX Facsimile								
		Federal Note:								
		Use to identify the facsimile (FAX)	Use to identify the facsimile (FAX) telephone number.							
		IT International Telephone								
		Federal Note:	Federal Note:							
		Include country and city code.								
		TE Telephone	Telephone							
		Federal Note:								
		Use to identify the commercial tele	phone numb	ber. Includ	e the area code a	and number.				
		TL Telex								
		TX TWX								
G6104	364	Communication Number	Х	AN	1/80	Must use	1			
		<b>Description:</b> Complete communications number including country or area code when applicable								
G6105	443	Contact Inquiry Reference	0	AN	1/20	Used	1			
		<b>Description:</b> Additional reference number or description to clarify a contact number <b>Federal Note:</b> Use to indicate the office symbol or activity code for the party identified.								



Pos: 10	Max: 1
Detail -	Optional
Loop: LX	Elements: 1

User Option (Usage): Must use

Purpose: To reference a line number in a transaction set

# **Federal Note:**

Use as a counter to identify the number of 2/LX/010 loop iterations in the transaction set.

<u>Ref</u>	ld	Element Name	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>
LX01	554	Assigned Number	Μ	N0	1/6	Must use	1
		<b>Description:</b> Number assigned for differentiation within a transaction set					
		<b>Federal Note:</b> In the first 2/LX/010 loop iteration, cite numeric 1. In each subsequent loop iteration, increase incrementally by 1.					

# **N9** Reference Identification

Pos: 20	Max: >1
Detail - M	landatory
Loop: LX	Elements: 4

## User Option (Usage): Must use

Purpose: To transmit identifying information as specified by the Reference Identification Qualifier

# Syntax Rules:

- 1. R0203 At least one of N902 or N903 is required.
- 2. C0605 If N906 is present, then N905 is required.

# Semantics:

- 1. N906 reflects the time zone which the time reflects.
- 2. N907 contains data relating to the value cited in N902.

# **Federal Note:**

- 1. Use to identify the transaction number.
- 2. Use additional repetitions to identify ancillary information related to the requisition.

## **DLMS Note:**

1. The transaction number defines each requisition included in the transaction set. The composition of each transaction number within the 511 transaction set is as follows: (1) the DoDAAC (or Security Assistance (SA) identification data), (2) a four position date consisting of the last digit of the calendar year and the ordinal day of the calendar year, and (3) the requisition serial number.

2. For Military Assistance Program/Grant Aid (MAP/GA) transactions, the SA identification data is a six position number consisting of Service Assignment Code in the first position, Country or International Organization Code in the second and third positions, Customer-Within-Country Code in the fourth position, zero in the fifth position, and Type of Assistance and Financing Code in the sixth position.

3. For Foreign Military Sales (FMS) transactions, the SA identification data is a six position number consisting of Service Assignment Code in the first position, Country or International Organization Code in the second and third positions, Customer-Within-Country Code in the fourth position, Delivery Terms Code in the fifth position, and Type of Assistance and Financing Code in the sixth position. For Canada only, identify the customer-within-country with a two position code in the fourth and fifth positions.

	anna y i								
<u>Ref</u>	<u>ld</u>	Eleme	ent Name	Req	Type	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>	
N901	128	Refer	ence Identification Qualifier	М	ID	2/3	Must use	1	
			<b>iption:</b> Code qualifying the ence Identification						
		Feder	al Note: Use any code.						
			Note: For DLMS use, only the ing codes are authorized.						
		<u>Code</u>	Name						
		10	Consolidation Shipment Number						
			DLMS Note:						
			Use to identify the Disposal Consolic applicable to DLA Disposition Servic 511R transactions) issued under a co enhancement; refer to ADC 457.	es invento	ory. The D	CN links DTIDs (	as identified on sepa	rate	
		86	Operation Number						
			DLMS Note:						
			1. Use to identify the Key Operation	(KO) Nun	nber assoc	iated with the JO.			
			2. Authorized DLMS enhancement u	nder DLA	industrial	activity support a	greement. Refer to A	DC 381.	
		98	Container/Packaging Specification Number						
			DLMS Note:						
			DLA Disposition Services uses to ide	entify the	Disposition	Services Contail	ner Identification (ID).	DLA	

#### Code Name

Disposition Services uses container ID on requisitions to link the DTID Number to the applicable container. DLMS enhancement; refer to ADC 466.

### 9R Job Order Number

## DLMS Note:

1. Use to identify the associated Job Order (JO) Number.

2. Authorized DLMS enhancement under DLA industrial activity support agreement. Refer to ADC 381.

#### AN Associated Purchase Orders

#### **DLMS Note:**

Use for cross-reference to the customer's internal Purchase Order (PO) Number (one PO Number per requisition document number). When submitted, this value will be perpetuated to subsequent transactions. Authorized for DLA interface with the Exchange, NEXCOM, MCX, and non-DoD customers as required. (See ADC 473A)

#### CO Customer Order Number

#### DLMS Note:

1. Use to identify the Customer Order Acceptance Record (COAR) applicable to the Job Order Number.

2. Authorized DLMS enhancement under DLA industrial activity support agreement. Refer to ADC 381 (or as applicable).

CT Contract Number

#### DLMS Note:

1. Use to identify the contract number associated with DoD EMALL/part numbered catalog order.

2. DLMS enhancement; see introductory DLMS 2a.

#### F8 Original Reference Number

## DLMS Note:

1. Use to identify the Prior Requisition Document Number when re-requisitioning materiel subsequent to purchase of materiel from DLA. Applicable when re-requisitioning is due to storage activity denial or receipt of quality deficient materiel.

2. Authorized DLMS enhancement for BRAC IMSP only. Refer to ADC 352 and ADC 359.

IT Internal Customer Number

#### **DLMS Note:**

Use to identify the DoD EMALL-generated customer identification or other authorized submitter of requisitions containing in-the-clear exception ship-to addressing.

#### KW Certification

#### **DLMS Note:**

Use to identify DSS Personnel Code used to identify the ICP individual who initiated the DLA Directed MRO via the DSS Super MRO Interface. Use in post-post requisitions/referral orders (DLA CI Codes C01/C0A, CQ1/CQA). See introductory DLMS note 3e.

#### S5 Routing Instruction Number

#### **DLMS Note:**

Use to identify the DLA Output Routing Code used to identify the ICP individual who initiated the DLA Directed MRO via the Online Direct ICP to DSS MRO interface. Use in post-post requisitions/referral orders (DLA DI Codes C01/C0A, CQ1/CQA). See introductory DLMS note 3e.

#### TN Transaction Reference Number

#### DLMS Note:

1. Must use to identify the transaction number of the requisition. This is the document number.

2. When used in the requisition alert (BR06=83), this will be the requisition alert document number. The requisition alert document number is an authorized DLMS enhancement under DLA industrial activity support agreement. Refer to ADC 381.

## W6 Federal Supply Schedule Number

## DLMS Note:

DLMS enhancement; see introductory DLMS note 3a.

WO Work Order Number

		WP	Name         DLMS Note:         1. Use to identify a maintenance work         2. DLMS enhancement; see introduct         Warehouse Pick Ticket Number         DLMS Note:         1. Use to identify the picklist control number in Note;         2. Cite the picklist control number in Note;         3. Authorized DLMS enhancement und         Preliminary Work Candidate Number         DLMS Note:	ory DLN umber a gether ii 1903 due	IS note 3a. ssigned to ic n support of p e to field leng	planned mainte	nance.	
			<ol> <li>Use to identify a Requisition Alert I</li> <li>Used by Navy Shipyards to associated.</li> <li>Authorized DLMS enhancement units</li> </ol>	ate the	funded requi			
NOOD	107	Defer	3. Authorized DLMS enhancement ur					
N902	127	<b>Descr</b> idefined	ence Identification iption: Reference information as d for a particular Transaction Set or crified by the Reference Identification er	X	AN	1/30	Used	1
N903	369	Free-f	orm Description	х	AN	1/45	Used	1
		Descr	iption: Free-form descriptive text					
N907	C040	Refere	ence Identifier	0	Comp		Used	1
		referer numbe Qualifi <b>Synta:</b> 1. P03 preser 2. P05						
N907-01	128	Refere	ence Identification Qualifier	М	ID	2/3	Must use	1
		Refere	iption: Code qualifying the ence Identification <u>Name</u>					
		43	Supporting Document Number					
			<ul> <li>Federal Note:</li> <li>Use with N901 code TN to identify the Special Program Requirement (SPR) transaction number and establish an audit trail between the draw-down requisition and the original SPR against which the requirement was established.</li> <li>DLMS Note:</li> <li>DLMS enhancement; see introductory DLMS note 3a.</li> </ul>					
		55	Sequence Number					
			DLMS Note: DLA Disposition Services uses in cony 98) to identify the Disposition Services number assigned for the requisitioned container is requisitioned. Refer to AD	s Contai DTIDs	ner DTID Se	quence Numbe	r. This is a sequential	

## Code Name

#### IL Internal Order Number

#### DLMS Note:

Use to identify the unique order number associated with the contract number (qualifier CT) above for the DoD EMALL/part numbered catalog order. DOD EMALL shall use this to provide the Modular Ordering Management System (MOMS) order number.

## IX Item Number

## **DLMS Note:**

1. Use with N901 code W6 to indicate the Federal Supply Schedule Special Item Number.

- 2. DLMS enhancement; see introductory DLMS note 3a.
- W1 Disposal Turn-In Document Number

### **DLMS Note:**

1. Use in conjunction with the requisition document number (N901 code TN) when requisitioning a specific item from DLA Disposition Services.

2. For DLA Disposition Services Reutilization/Transfer/Donation (RTD) Web Application, when there is no Suffix Code associated with the customer's Document Number, enter the correlating DTID in the N907-02. If there is a Suffix Code (N907 Code W8), then enter the DTID in the N907-04. DLMS enhancement, see ADC 466.

3. Use on 511R DLA-Directed MROs (DIC CO\_) applicable to DLA Disposition Services inventory to identify the DTID number when provided as a secondary reference number. The DTID number is used by DLA Disposition Services as a unique number to identify property that was turned into a DLA Disposition Service Field Office. The value of the DTID may be the original turn-in document number or may be a unique control number (UCN) assigned by the Field Office during receipt processing when the original DTID number is not adequate to uniquely identify the property. Must use with Disposition Sub-Category Code SV. May be used with Disposition Category Code DS. Refer to ADC 457.

#### W8 Suffix

### **DLMS Note:**

1. Use with N901 Code TN to identify the document number suffix. Use is limited to when the transaction is identified as a referral order with BR02 transaction type code BN and is referring a quantity less than the original requisition quantity to another supply source.

2. Also authorized on an Intra-Army basis with BR02 transaction type code A0, BR06 action code "J" and N901 code TN for identification of the post-post partial issue of materiel by Army Single Stock Fund activities.

3. Use with N901 Code F8 to identify the prior requisition document number suffix if applicable. Authorized DLMS enhancement for BRAC IMSP only. Refer to ADC 352 and ADC 359.

4. When used in the requisition alert (BR06=83), or when used in association with the Requisition Alert Document Number (Qualifier PWC, above), this will be the requisition alert document suffix. Use with BR02 Qualifier BN only. The requisition alert document number suffix is an authorized DLMS enhancement under DLA industrial activity support agreement. Refer to ADC 381.

5. DLA Disposition Services uses on an intra-DLA basis for requisitions processed between the RTD Web Application and DLA Disposition Services. The RTD Web-sequentially assigned suffix code is used for open requisition quantity on externally submitted requisitions when required to establish separate requisition transactions to DLA Disposition Services by DTID Number and, when applicable, the associated DTID Suffix Code. Refer to ADC 466.

N907-02	127	Reference Identification	М	AN	1/30	Must use	1
		<b>Description:</b> Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier					
N907-03	128	Reference Identification Qualifier	Х	ID	2/3	Used	1
		<b>Description:</b> Code qualifying the Reference Identification					

<u>Code</u> <u>Name</u>

#### Code Name

## 60 Account Suffix Code

#### DLMS Note:

1. Use in conjunction with the DTID Number (N907 Code W1) to identify the DTID Number Suffix Code, when applicable.

2. When the DTID Number is provided in N907-02, enter the correlating DTID Suffix using this location. DLMS enhancement, see ADC 466.

W1 Disposal Turn-In Document Number

#### DLMS Note:

1. Use in conjunction with the requisition document number (N901 Code TN) when requisitioning a specific item from DLA Disposition Services.

2. For DLA Disposition Services Reutilization/Transfer/Donation (RTD) Web Application, when there is no Suffix Code associated with the customer's Document Number, enter the correlating DTID in the N907-02. If there is a Suffix Code, then enter the DTID in the N907-04. DLMS enhancement, see ADC 466.

N907-04	127	Reference Identification	Х	AN	1/30	Used	1
		<b>Description:</b> Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier					
N907-05	128	Reference Identification Qualifier	Х	ID	2/3	Used	1
		<b>Description:</b> Code qualifying the Reference Identification					
		CodeName60Account Suffix CodeDLMS Note:1. Use in conjunction with the DTID N when applicable.2. When the DTID Number is provide DLMS enhancement, see ADC 466.	·				
N907-06	127	Reference Identification	Х	AN	1/30	Used	1
		<b>Description:</b> Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier					

# **PO1** Baseline Item Data

Pos: 30 Max: >1 Detail - Optional Loop: LX Elements: 12

## User Option (Usage): Must use

Purpose: To specify basic and most frequently used line item data

# Syntax Rules:

- 1. C0302 If PO103 is present, then PO102 is required.
- 2. C0504 If PO105 is present, then PO104 is required.
- 3. P0607 If either PO106 or PO107 is present, then the other is required.
- 4. P0809 If either PO108 or PO109 is present, then the other is required.
- 5. P1011 If either PO110 or PO111 is present, then the other is required.
- 6. P1213 If either PO112 or PO113 is present, then the other is required.
- 7. P1415 If either PO114 or PO115 is present, then the other is required.
- 8. P1617 If either PO116 or PO117 is present, then the other is required.
- 9. P1819 If either PO118 or PO119 is present, then the other is required.
- 10. P2021 If either PO120 or PO121 is present, then the other is required.
- 11. P2223 If either PO122 or PO123 is present, then the other is required.
- 12. P2425 If either PO124 or PO125 is present, then the other is required.

## Comments:

- 1. See the Data Element Dictionary for a complete list of IDs.
- 2. PO101 is the line item identification.
- 3. PO106 through PO125 provide for ten different product/service IDs per each item. For example: Case, Color, Drawing No., U.P.C. No., ISBN No., Model No., or SKU.

## **Federal Note:**

Must use this 2/PO1/030 segment to identify the materiel and other information required to process the requisition.

## **DLMS Note:**

Use two repetitions of the PO1 segment when passing multiple prices associated with DoD EMALL/part-numbered catalog orders.

Ref	ld	Element Name	<u>Req</u>	Type	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>
PO102	330	Quantity Ordered	Х	R	1/15	Used	1
		Description: Quantity ordered					
		<b>Federal Note:</b> 1. Must use to identify the requisitioned quantity.					
		2. Express as a whole number with no decimal.					
		<b>DLMS Note:</b> 1. A field size exceeding 5 positions may not be received or understood by the recipient's automated processing system. See introductory DLMS note 3d.					
		2. If quantity exceeds 20 for DEPMED major assemblies/kitting requisition, prepare separate additional requisitions as required. A future DLMS enhancement will eliminate the need for this restriction.					
		3. Must use in initial PO1 segment. Do not					

				473A, 1014, 1019, 1020, 1021 and 1023				
<u>Ref</u>	<u>ld</u>	Element Name	Req	Type	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>	
		use in subsequent P01 segment if provided.						
PO103	355	Unit or Basis for Measurement Code	0	ID	2/2	Used	1	
		<b>Description:</b> Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken						
		Federal Note: Use to identify the unit of issue for the materiel requisitioned.						
	<b>DLMS Note:</b> <i>DLMS users see the DLMS</i> <i>Unit of Issue and Purchase Unit Conversion</i> <i>Table for available codes. Must use in</i> <i>initial PO1 segment. Do not use in</i> <i>subsequent P01 segment if provided.</i>							
PO104	212	Unit Price	х	R	1/17	Used	1	
		<b>Description:</b> Price per unit of product, service, commodity, etc.						
		<b>DLMS Note:</b> 1. For nonreimbursable materiel (free issue), indicate 0 dollars. Use with P0105 Code NC, No Charge. DLMS migration enhancement. This usage is comparable to Signal Code D or M.						
		2. Use for nonstandard materiel to indicate an estimated price. Estimated unit price for nonstandard materiel is a DLMS enhancement, see introductory note 3a.						
		3. Use for DoD EMALL/part-numbered catalog orders to specify the contract price and the billed price. Must use a second repetition of the PO1 segment to identify second price.						
		4. DLMS transactions authorize an expanded unit price field size of 9 digits for dollars and 2 digits for cents. The decimal point is passed in the transaction. If conversion to MILS legacy format is required, unit prices exceeding the legacy field size constraint will not be perpetuated. Authorized DLMS migration enhancement. Refer to ADC 221A.						
PO105	639	Basis of Unit Price Code	0	ID	2/2	Used	1	
		<b>Description:</b> Code identifying the type of unit price for an item						
		<b>DLMS Note:</b> Use for nonstandard and nonreimbursable (free issue) materiel. For nonstandard materiel, use to identify an estimated unit price.						
		<u>Code</u> <u>Name</u>						
		AA Bill						
		DLMS Note:						
		Used on the first iteration of the PO the unit price that the requisitioner i			MALL/part-numbe	red catalog orde	ers to indicate	
		CT Contract						
		DLMS Note:						
		Used on the second iteration of the indicate the contract unit price that					orders to	

indicate the contract unit price that the vendor/supplier of the part can invoice.

				-	75A, 1014, 1013, 1020, 1021 and 10.	20 DEINI 4000.20				
		<u>Code</u>	Name							
		ES	Estimated							
			DLMS Note:							
			Use to indicate an estimated unit price for	or the nonstan	dard materiel.					
		NC	No Charge							
			DLMS Note:							
			Use to indicate nonreimbursable (free iss comparable to Signal Code D or M.	sue) materiel.	DLMS migration enhancement.	This usage is				
PO106	235	Produ	uct/Service ID Qualifier	X ID	2/2 Used	d 1				
		type/s in Pro	ription: Code identifying the source of the descriptive number used oduct/Service ID (234)							
		Feder	ral Note: Use any code.							
		A2, A identii use th (code appro items Identi 2. Foi are au 3. Mu use ir	S Note: 1. Use only one of codes A1, 4, FB, FS, FT, MG, SW, YP or ZZ to fy the materiel requisitioned. Must he National Stock Number (NSN) FS) when known, except when opriate for brand name subsistence identified by a Subsistence ification Number. T DLMS use, only the following codes uthorized.							
		A1	Plant Equipment Number							
			DLMS Note: 1. Use to identify plant equipment.		_					
			2. DLMS enhancement; see introductory		3a.					
		A2	Department of Defense Identification Code	e (DoDIC)						
			DLMS Note:							
			1. Use to identify ammunition items.							
			2 DIMS enhancement: see introductor	/ DI MS note '	39					
		A4	<ol> <li>DLMS enhancement; see introductory DLMS note 3a.</li> <li>Subsistence Identification Number</li> </ol>							
		71 <del>4</del>	DLMS Note:							
			Use to identify subsistence items.							
		FD	-							
		FB	Form Number							
			DLMS Note:							
			1. Use to identify the form stock number		20					
		<b>F</b> 0	2. DLMS enhancement; see introductory	DLIVIS NOTE	Ja.					
		FS	National Stock Number							
			DLMS Note: 1. Use to identify the NSN.							
			2. When the unit of use indicator is inclu unit of use requirement so that the order The requested quantity is expressed in th identified NSN. Authorized DLMS enha	may be proce	essed against the associated DL for the LSN in lieu of the unit of	A-assigned LSN. issue for the				
		FT	Federal Supply Classification							

FT Federal Supply Classification DLMS Note:

#### Code Name

Use to identify the FSC of the nonstandard materiel when a part number is not available and materiel can only be ordered by description (e.g., non-NSN lumber products).

#### MG Manufacturer's Part Number

## **DLMS Note:**

1. Use to identify nonstandard materiel.

2. During the DLSS/DLMS transition, this field will be used to perpetuate/populate the MILS stock number field. During this time, field size is restricted to 15 positions; field size is expanded to 32 positions for DoD EMALL/part-numbered catalog orders forwarded to DLA BSM. See introductory DLMS note 3d.

### SW Stock Number

## **DLMS Note:**

1. Use to identify the local stock number (LSN).

2. When used on the DLMS 511R DLA-Directed MROs (DIC C0\_) applicable to DLA Disposition Services inventory for a unit of use LSN applicable to NSN materiel, the applicable NSN will be included for cross-reference.

3. Authorized DLMS enhancement under DLA industrial activity support agreement. Refer to ADC 381.

4. Authorized DLMS enhancement for intra-DLA use between DLA Disposition Services Field Offices and DLA Disposition Services. Refer to ADC 457.

## YP Publication Number

#### **DLMS Note:**

1. Use to identify the publication stock number.

2. DLMS enhancement; see introductory DLMS note 3a.

#### ZZ Mutually Defined

## DLMS Note:

1. Use to identify nonstandard materiel when all other authorized codes do not apply or cannot be determined (includes management control numbers and locally assigned control numbers). May be used for DLSS-to-DLMS conversion when the translator cannot determine a more appropriate code.

2. DLA Disposition Services Field Offices use on DLA-Directed MROs (DIC C0\_) for post-post issues to provide the DoD small arms/light weapons (SA/LW) program authorized management control number (MCN).

PO107	234	Prod	uct/Service ID	Х	AN	1/48	Used	1
			<b>ription:</b> Identifying number for a act or service					
PO108	235	Prod	uct/Service ID Qualifier	Х	ID	2/2	Used	1
		type/s in Pro <b>Fede</b> <i>CN o</i> 2. Us of <i>CN</i>	ription: Code identifying the source of the descriptive number used oduct/Service ID (234)ral Note: 1. Use only one of codes r ZB to fully identify the materiel.re P0110 and P0111 when both one N or ZB and JP is needed.eName Commodity Name					
			DLMS Note:	atify the m	otorial name	or description		
			Use only with PO106 code FT to ider	ntiny the m	ateriei name	e or description.		
		FS	National Stock Number					
			DLMS Note:					
			1. Use to identify the NSN.					
			2.The NSN is provided as a cross-rea	ference wł	hen unit of u	se indicator is il	ncluded and the Loca	l Stock

#### Code Name

Number (LSN) is identified as the primary materiel identification (applicable to post-post process).

3. Authorized DLMS enhancement under DLA industrial activity support agreement; Refer to ADC 381.

4. Authorized DLMS enhancement for intra-DLA use between DLA Disposition Services Field Offices and DLA Disposition Services. Refer to ADC 457.

JP Package Type Code

#### **DLMS Note:**

Must use to indicate Outside Continental United States (OCONUS) shipment. When used, the paired data element 234 will cite 1 indicating that packaging must meet OCONUS specifications.

#### SW Stock Number

#### **DLMS Note:**

Use to identify the local stock number (LSN). DLA Disposition Services Field Offices use with 511R DLA-Directed MROs (DIC CO\_) for confiscated or captured foreign weapons, to identify the disposition LSN in addition to the SA/LW MCN cited in P0106/P0107 by qualifier ZZ. Authorized DLMS enhancement for DLA Disposition Services. DLA Disposition Services requires the disposition LSN for internal DLA processing only. Refer to ADC 1019

ZB Commercial and Government Entity (CAGE) Code

#### DLMS Note:

Use only with PO106 code MG to identify a manufacturer's part number.

PO109 234 **Product/Service ID** Х AN 1/48Used 1 Description: Identifying number for a product or service ID 2/2 PO110 235 **Product/Service ID Qualifier** Х Used 1 **Description:** Code identifying the type/source of the descriptive number used in Product/Service ID (234) DLMS Note: Use PO110 and PO111 when both one of CN or ZB and JP is needed. Code Name

# JP Package Type Code

#### DLMS Note:

Must use to indicate Outside Continental United States (OCONUS) shipment. When used, the paired data element 234 will cite 1 indicating that packaging must meet OCONUS specifications.

PO111	234	Product/Service ID	Х	AN	1/48	Used	1
		<b>Description:</b> Identifying number for a product or service					
PO112	235	Product/Service ID Qualifier	Х	ID	2/2	Used	1
		<b>Description:</b> Code identifying the type/source of the descriptive number used in Product/Service ID (234) <b>Federal Note:</b> <i>Use any code.</i>	ł				
		<b>DLMS Note:</b> For DLMS use, only the following codes are authorized.					
		<u>Code</u> <u>Name</u>					
		A3 Locally Assigned Control Number					
		DLMS Note:					
		1. Defense Medical Logistics Stat	ndard Suppo	ort (DMLSS)	Theater Enterprise	-Wide Logistics S	ystem

(TEWLS) use to cite their Local Catalog Identification for subsequent use as the stock number applicable to receipt and inventory processing. Must be used with the manufacturer's part number and associated CAGE cited above.

2. DLMS enhancement; see introductory DLMS Note 3a. Refer to ADC 322.

PO113

PDC 29A ADCs 45, 59, 67, 69, 69A, 70, 75, 76, 77, 79, 83, 86, 92, 97, 169, 176, 178, 183, 186, 221, 221A, 243, 264, 266, 274, 276, 279, 284, 284A, 322, 328, 352, 359, 363, 375, 377, 381, 381B, 426, 435, 436, 448, 448B, 457, 466, 473, 473A, 1014, 1019, 1020, 1021 and 1023 DLM 4000.25

	Code Name					
	3. Under DLMS, field length is re	estricted to a r	maximum of	30 positions.		
234	Product/Service ID	Х	AN	1/48	Used	1
	<b>Description:</b> Identifying number for a product or service					

**DD** Demand Detail

Pos: 60	Max: 100					
Detail - Optional						
Loop: LX	Elements: 9					

## User Option (Usage): Used

Purpose: To describe the type of demand and the intended use of material

# Syntax Rules:

- 1. C0201 If DD02 is present, then DD01 is required.
- 2. P030405 If either DD03, DD04 or DD05 are present, then the others are required.
- 3. C0605 If DD06 is present, then DD05 is required.
- 4. C1009 If DD10 is present, then DD09 is required.

## Semantics:

1. DD08 transmits the stock level indicator. A "Y" indicates that the material is normally carried in stock; an "N" indicates that the material is not normally stocked.

## **Federal Note:**

As an option, use multiple repetitions to stratify the quantity requisitioned by weapon system and associated demand code. The total quantity identified in all repetitions must equal the quantity in PO102.

## **DLMS Note:**

Use to convey the demand code associated with the requisition and, as appropriate, to identify the applicable weapon system for which the item is being requisitioned.

<u>Ref</u> DD01	<u>Id</u> 1271		e <u>nt Name</u> try Code	<u>Req</u> X	<u>Type</u> AN	<u>Min/Max</u> 1/30	<u>Usage</u> Must use	<u>Rep</u> 1
5501	1271	Descr	ription: Code indicating a code from a ic industry code list	Λ	,	1/00	Must use	·
DD02	1270	Code	List Qualifier Code	0	ID	1/3	Must use	1
		<b>Description:</b> Code identifying a specific industry code list						
		<u>Code</u> 74	Name         Demand Code         DLMS Note:         1. Must use to identify the applicable nonrecurring.         2. Demand code added to the Referration of quantity by demand         3. Stratification of quantity by demand	al Order (	(A4_) forma	at by Approved M	ILSTRIP Change 44.	
			DLMS note 3a.		a potornia			uuuuu
DD03	128	Refer	ence Identification Qualifier	Х	ID	2/3	Used	1
			ription: Code qualifying the ence Identification					
		<u>Code</u>	<u>Name</u>					
		Q8	Registration Number					
			DLMS Note:					
			Use in Commercial Asset Visibility (C number), or other ID code for vehicles			indicate a Bureau	u Number (Aircraft tai	1
		W2	Weapon System Number					
			DLMS Note:					
			1. Use to identify the applicable wea	oon syste	em designa	ntor code.		

	Code Name							
	2. DLMS enhancement; see introduct	tory DLMS	S note 3a.					
DD04 127	Reference Identification	Х	AN	1/30	Used	1		
	<b>Description:</b> Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier							
DD05 1271	Industry Code	Х	AN	1/30	Used	1		
	<b>Description:</b> Code indicating a code from a specific industry code list <b>DLMS Note:</b> Use to identify the Service associated with the weapon system for which this demand is reported.							
DD06 1270	Code List Qualifier Code	0	ID	1/3	Used	1		
	<b>Description:</b> Code identifying a specific industry code list							
	CodeName71Service and Agency Code							
	<ul><li>DLMS Note:</li><li>1. Use to identify the Service/Agency</li><li>2. DLMS enhancement; see introduct</li></ul>	cy code associated with the stratified demand data. Ictory DLMS note 3a.						
DD07 380	Quantity	0	R	1/15	Used	1		
	<b>Description:</b> Numeric value of quantity <b>DLMS Note:</b> Use to identify the quantity associated with the weapon system and associated demand code.							
DD09 1271	Industry Code	Х	AN	1/30	Used	1		
	<b>Description:</b> Code indicating a code from a specific industry code list							
DD10 1270	Code List Qualifier Code	0	ID	1/3	Used	1		
	<b>Description:</b> Code identifying a specific industry code list							
	Code       Name         98       Reason for Requisitioning Code         DLMS Note:       1. Use to identify Reason for Requisitioning Code							

# **GF** Furnished Goods and Services

Pos: 70 Max: 1 Detail - Optional Loop: LX Elements: 4

## User Option (Usage): Used

Purpose: To specify information related to furnished material, equipment, property, information, and services

# Syntax Rules:

- 1. P0102 If either GF01 or GF02 is present, then the other is required.
- 2. P0506 If either GF05 or GF06 is present, then the other is required.
- 3. P0809 If either GF08 or GF09 is present, then the other is required.

# Semantics:

1. GF04 is the value of government-furnished property.

# Federal Note:

Use in all Government Furnished Materiel (GFM) related transactions.

# **DLMS Note:**

1. Must use to provide contract information applicable to the procurement source under which the contractor is authorized to receive GFP.

2. May be used to provide contract information applicable to the procurement source under which the contractor is authorized to purchase from a Government source when directed by the authorizing Service/Agency under CFM procedures.

<u>Ref</u>	<u>Id</u>	Element Name	Req	Type	<u>Min/Max</u>	Usage	<u>Rep</u>
GF01	128	Reference Identification Qualifier	Х	ID	2/3	Used	1
		<b>Description:</b> Code qualifying the Reference Identification					
		<u>Code</u> <u>Name</u>					
		C7 Contract Line Item Number					
		DLMS Note:					
		1. Use to associate a Contract Line	Item Num	ber with the	Contract Number	:	
		2. Use in CAV transactions or as dire	ected by t	the authoriz	ing Service/Agenc	y.	
		W3 Manufacturing Directive Number					
		DLMS Note:					
		1. Use to identify the MDN, in addition	on to the c	contract nur	nber.		
		2. Use as directed by the authorizing	g Service/	Agency. Re	efer to ADC 1014.		
GF02	127	Reference Identification	X	AN	1/30	Used	1
GFUZ	121		~	AN	1/30	Useu	1
		<b>Description:</b> Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier					
GF03	367	Contract Number	0	AN	1/30	Used	1
		Description: Contract number					
		<b>DLMS Note:</b> 1. Must use to identify the contract number for GFP.					
		2. Use as directed by the authorizing Service/Agency to identify the contract number authorizing the contractor to purchase materiel from a Government source.					

 DLMS Supplement to Federal IC 511R
 PDC 29A
 ADCs 45, 59, 67, 69, 69A, 70, 75, 76, 77, 79, 83, 86, 92, 97, 169, 176, 178, 183, 186, 221, 221A, 243, 264, 266, 274, 276, 279, 284, 284A, 322, 328, 352, 359, 363, 375, 377, 381, 381B, 426, 435, 436, 448, 448B, 457, 466, 473, 473A, 1014, 1019, 1020, 1021 and 1023

<u>Ref</u>	<u>ld</u>	Element Name 3. Fully compliant DLMS applications must support identification of the DFARS contract number, rather than the abridged contract number authorized for legacy MILSTRIP. Refer to ADC 1014.	<u>Req</u>	<u>Туре</u>	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>
GF07	328	Release Number Description: Number identifying a release against a Purchase Order previously placed by the parties involved in the transaction	0	AN	1/30	Used	1
		<b>Federal Note:</b> Use to identify the call or order number, or the call or order number including the respective call or order modification, as applicable, when using GF03.					
		<b>DLMS Note:</b> Use as directed by the authorizing Service/Agency.					



Pos: 80	Max: 20					
Detail - Optional						
Loop: LX	Elements: 2					

## User Option (Usage): Used

Purpose: To specify pertinent dates and times

# Syntax Rules:

- 1. R0103 At least one of G6201 or G6203 is required.
- 2. P0102 If either G6201 or G6202 is present, then the other is required.
- 3. P0304 If either G6203 or G6204 is present, then the other is required.

# **Federal Note:**

Use multiple repetitions to identify unique dates or delivery periods associated with the requisitioner's requirements.

# **Element Summary:**

<u>Ref</u>	<u>ld</u>	Eleme	ent Name	Req	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>				
G6201	432	Date	Qualifier	Х	ID	2/2	Must use	1				
		Desci	Description: Code specifying type of date									
		<u>Code</u>	Name									
		09	Process Date									
			DLMS Note:									
			Use for transmission of an image tra processed by the receiving source o		only to ider	ntify the date the c	original transaction v	vas				
		46	Actual Placement									
			DLMS Note:									
			Authorized for use on an Intra-Army stamp of when the Army retail activit process transactions relative to imag Stock Fund activities.	y generat	ted the action	on. Date required	in order to accurate	ly				
		53	Deliver Not Before Date									
			DLMS Note:									
			Use to identify the earliest acceptabl ammunition requirements, it defines period.									
		54	Deliver No Later Than Date									
			DLMS Note:									
			Use to identify the latest acceptable ammunition requirements, it defines									
		68	Requested Delivery Date									
			DLMS Note:									
			For DLA use only to identify the DLA processing of a customer order.	-calculate	ed required	delivery date (RD	DD) used for internal					
		85	Date Issued									
			Federal Note:									
			Use only when requisitioning nonsta (when only using code PT) or the dra identified in the 2/LIN/100 segment.									
			DLMS Note:									
			DLMS enhancement. Data associate	ed with D	D Form 134	48-6.						
		BC	Publication Date									
			Federal Note:									

Use only when requisitioning nonstandard materiel to cite the manufacturer's catalog publication date when a catalog is identified in the 2/LIN/100 segment.

#### Code Name

LD

## **DLMS Note:**

DLMS enhancement. Data associated with DD Form 1348-6.

# BD Required By

# **DLMS Note:**

For FMS and MAP/GA requirements, use to identify the required availability date. For all other uses, it is the required delivery date.

# Last Demand

## **DLMS Note:**

Use when transmitting misrouted requisition or when referring a requisition to another supply source to identify the date of receipt of the requisition as recorded by the initial supply source in the supply distribution system; otherwise, do not use.

G6202	373	Date	Х	DT	8/8	Must use	1

**Description:** Date expressed as CCYYMMDD

# LIN Item Identification

User Option (Usage): Used

Purpose: To specify basic item identification data

# Syntax Rules:

- 1. P0405 If either LIN04 or LIN05 is present, then the other is required.
- 2. P0607 If either LIN06 or LIN07 is present, then the other is required.
- 3. P0809 If either LIN08 or LIN09 is present, then the other is required.
- 4. P1011 If either LIN10 or LIN11 is present, then the other is required.
- 5. P1213 If either LIN12 or LIN13 is present, then the other is required.
- 6. P1415 If either LIN14 or LIN15 is present, then the other is required.
- 7. P1617 If either LIN16 or LIN17 is present, then the other is required.
- 8. P1819 If either LIN18 or LIN19 is present, then the other is required.
- 9. P2021 If either LIN20 or LIN21 is present, then the other is required.
- 10. P2223 If either LIN22 or LIN23 is present, then the other is required.
- 11. P2425 If either LIN24 or LIN25 is present, then the other is required.
- 12. P2627 If either LIN26 or LIN27 is present, then the other is required.
- 13. P2829 If either LIN28 or LIN29 is present, then the other is required.
- 14. P3031 If either LIN30 or LIN31 is present, then the other is required.

## Semantics:

1. LIN01 is the line item identification

## Comments:

- 1. See the Data Dictionary for a complete list of IDs.
- 2. LIN02 through LIN31 provide for fifteen different product/service IDs for each item. For example: Case, Color, Drawing No., U.P.C. No., ISBN No., Model No., or SKU.

# **Federal Note:**

1. Use to provide a detailed description of the nonstandard materiel identified in PO106 with code FT or MG. Use with the MEA, G62 (2/LX/010 loop, position 080), N1 (2/N1/180 loop), and G69 segments to fully identify the nonstandard materiel.

2. Use data element 235/234 pairs to identify data pertinent to the transaction. Present the information in any sequential order. Unless otherwise specified, the multiple codes listed for a single qualifier data element identify the range of possible data requirements. When needed, use the next available combination of data element 235/234 pairs to provide the necessary data.

# **DLMS Note:**

1. Must use as needed when requisitioning nonstandard non-NSN materiel.

2. Data elements are DLMS enhancements except where specifically identified. The following nonstandard non-NSN materiel identification includes data derived from the DD Form 1348-6.

<u>Ref</u>	<u>ld</u>	Element Name	Req	Туре	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>
LIN02	235	Product/Service ID Qualifier	М	ID	2/2	Must use	1
		<b>Description:</b> Code identifying the type/source of the descriptive number used in Product/Service ID (234) <b>Federal Note:</b> Use any code.					
		<b>DLMS Note:</b> For DLMS use, only the following codes are authorized.					
		<u>Code</u> <u>Name</u>					
		AB Assembly					

Pos: 100	Max: >1
Detail ·	- Optional
Loop: LX	Elements: 30

## Code Name

#### Federal Note:

Use to identify the assembly associated with the materiel.

BH Finish/Hand Standard Reference

## Federal Note:

Use to identify the fabric of the nonstandard materiel ordered under Federal Supply Schedule.

#### CL Color

CN Commodity Name

## Federal Note:

Use to identify the nomenclature of the non-NSN materiel.

#### **DLMS Note:**

1. During the DLSS/DLMS transition, this field will be used to perpetuate/populate the Noun Description of Item on MILSTRIP part-numbered requisition (corresponds to A02/A0B with Identification Code C (rp 70)). During this time, a field length greater than 10 positions may be truncated or dropped by the receiving application.

2. Under full DLMS, the field length shall be expanded to conform to this standard which allows 48 positions. DLMS-capable applications should plan to support this expanded field length as a DLMS enhancement. See introductory DLMS 3f.

CR Contract Number

## **Federal Note:**

Use when specifying a Federal Supply Schedule contract number.

- DR Drawing Revision Number
- F1 Catalog Number

## Federal Note:

Use to identify the manufacturer's catalog which references the nonstandard materiel. Cite the effective catalog publication date, if applicable, in the 2/G62/080 segment.

#### F2 Technical Order Number

#### DLMS Note:

1. During the DLSS/DLMS transition, this field will be used to perpetuate/populate the Technical Order Number/Technical Manual Number identified on MILSTRIP part-numbered requisition (corresponds to AM2/AMB with Identification Code A (rp 70). During this time, a field length greater than 10 positions may be truncated or dropped by the receiving application.

2. Under full DLMS, the field length shall be expanded to conform to this standard which allows 48 positions. DLMS-capable applications should plan to support this expanded field length as a DLMS enhancement. See introductory DLMS 3f.

- F3 Technical Manual Number
- F4 Series Identifier

#### Federal Note:

Use to identify the manufacturer's series number of the applicable end item.

F7 End-Item Description

#### Federal Note:

Use to identify the applicable end item which applies to the non-NSN materiel. Description may include the NSN of the end item and/or nomenclature.

#### **DLMS Note:**

1. During the DLSS/DLMS transition, this field will be used to perpetuate/populate the End Item Identification on MILSTRIP part-numbered requisition (corresponds to A02/A0B with Identification Code B (rp 70)). During this time, a field length greater than 10 positions may be truncated or dropped by the receiving application.

2. Under full DLMS, the field length shall be expanded to conform to this standard which allows 48 positions. DLMS-capable applications should plan to support this expanded field length as a DLMS enhancement. See introductory DLMS 3f.

GS General Specification Number

## DLMS Note:

Use to identify a specification number, other than a Military Specification (MILSPEC), associated with the nonstandard materiel.

### Code Name

MF Manufacturer

Federal Note:

Use to identify the manufacturer's make of the applicable end item for the nonstandard materiel.

# MN Model Number

# Federal Note:

Use to identify the manufacturer's model number of the applicable end item.

- MS Military Specification (MILSPEC) Number
- PR Process Number

## Federal Note:

Use to identify a general operating specification which cannot be identified by use of the 2/MEA/105 segment. For example, the MEA use is primarily to identify physical sizes and dimensions of nonstandard materiel. Code PR use is to indicate specifications similar to output rated wattage and horsepower.

PT Print or Drawing

## Federal Note:

Use to identify the applicable drawing numbers for the nonstandard materiel.

### **DLMS Note:**

1. During the DLSS/DLMS transition, this field will be used to perpetuate/populate the Drawing or Specification Number on MILSTRIP part-numbered requisition (corresponds to A02/A0B with Identification Code D (rp 70)). During this time, a field length greater than 10 positions may be truncated or dropped by the receiving application.

2. Under full DLMS, the field length shall be expanded to conform to this standard which allows 48 positions. DLMS-capable applications should plan to support this expanded field length as a DLMS enhancement. See introductory DLMS 3f.

## PW Part Drawing

SF

SN

## Federal Note:

Use to identify the applicable figure numbers for the nonstandard materiel.

# Surface Finish Federal Note:

Use to identify the finish of the nonstandard materiel ordered under Federal Supply Schedule.

## Serial Number

## Federal Note:

Use to identify the manufacturer's serial number of the applicable end item.

VN Vendor's (Seller's) Item Number

## YP Publication Number

## Federal Note:

Use to identify publications or catalogs.

LIN03	234	Product/Service ID	Μ	AN	1/48	Must use	1
		<b>Description:</b> Identifying number for a product or service					
LIN04	235	Product/Service ID Qualifier	Х	ID	2/2	Used	1
		<b>Description:</b> Code identifying the type/source of the descriptive number used in Product/Service ID (234)					
LIN05	234	Product/Service ID	Х	AN	1/48	Used	1
		<b>Description:</b> Identifying number for a product or service					
LIN06	235	Product/Service ID Qualifier	Х	ID	2/2	Used	1
		<b>Description:</b> Code identifying the type/source of the descriptive number used in Product/Service ID (234)					

				710/	A, 1014, 1015, 1020,	1021 4114 1025	DEIW 4000.20
Ref	<u>ld</u>	Element Name	Req	Туре	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>
LIN07	234	Product/Service ID	Х	AN	1/48	Used	1
		<b>Description:</b> Identifying number for a product or service					
LIN08	235	Product/Service ID Qualifier	Х	ID	2/2	Used	1
		<b>Description:</b> Code identifying the type/source of the descriptive number used in Product/Service ID (234)					
LIN09	234	Product/Service ID	Х	AN	1/48	Used	1
		<b>Description:</b> Identifying number for a product or service					
LIN10	235	Product/Service ID Qualifier	Х	ID	2/2	Used	1
		<b>Description:</b> Code identifying the type/source of the descriptive number used in Product/Service ID (234)					
LIN11	234	Product/Service ID	Х	AN	1/48	Used	1
		<b>Description:</b> Identifying number for a product or service					
LIN12	235	Product/Service ID Qualifier	Х	ID	2/2	Used	1
		<b>Description:</b> Code identifying the type/source of the descriptive number used in Product/Service ID (234)					
LIN13	234	Product/Service ID	Х	AN	1/48	Used	1
		<b>Description:</b> Identifying number for a product or service					
LIN14	235	Product/Service ID Qualifier	Х	ID	2/2	Used	1
		<b>Description:</b> Code identifying the type/source of the descriptive number used in Product/Service ID (234)					
LIN15	234	Product/Service ID	Х	AN	1/48	Used	1
		<b>Description:</b> Identifying number for a product or service					
LIN16	235	Product/Service ID Qualifier	Х	ID	2/2	Used	1
		<b>Description:</b> Code identifying the type/source of the descriptive number used in Product/Service ID (234)					
LIN17	234	Product/Service ID	Х	AN	1/48	Used	1
		<b>Description:</b> Identifying number for a product or service					
LIN18	235	Product/Service ID Qualifier	Х	ID	2/2	Used	1
		<b>Description:</b> Code identifying the type/source of the descriptive number used in Product/Service ID (234)					
LIN19	234	Product/Service ID	Х	AN	1/48	Used	1
		<b>Description:</b> Identifying number for a product or service					
LIN20	235	Product/Service ID Qualifier	Х	ID	2/2	Used	1

 DLMS Supplement to Federal IC 511R
 PDC 29A
 ADCs 45, 59, 67, 69, 69A, 70, 75, 76, 77, 79, 83, 86, 92, 97, 169, 176, 178, 183, 186, 221, 221A, 243, 264, 266, 274, 276, 279, 284, 284A, 322, 328, 352, 359, 363, 375, 377, 381, 381B, 426, 435, 436, 448, 448B, 457, 466, 473, 473A, 1014, 1019, 1020, 1021 and 1023

				DLM 4000.25			
<u>Ref</u>	ld	Element Name	<u>Req</u>	Туре	<u>Min/Max</u>	Usage	<u>Rep</u>
		<b>Description:</b> Code identifying the type/source of the descriptive number used in Product/Service ID (234)					
LIN21	1 234	Product/Service ID	Х	AN	1/48	Used	1
		<b>Description:</b> Identifying number for a product or service					
LIN22	2 235	Product/Service ID Qualifier	Х	ID	2/2	Used	1
		<b>Description:</b> Code identifying the type/source of the descriptive number used in Product/Service ID (234)					
LIN23	3 234	Product/Service ID	Х	AN	1/48	Used	1
		<b>Description:</b> Identifying number for a product or service					
LIN24	4 235	Product/Service ID Qualifier	Х	ID	2/2	Used	1
		<b>Description:</b> Code identifying the type/source of the descriptive number used in Product/Service ID (234)					
LIN25	5 234	Product/Service ID	Х	AN	1/48	Used	1
		<b>Description:</b> Identifying number for a product or service					
LIN26	6 235	Product/Service ID Qualifier	Х	ID	2/2	Used	1
		<b>Description:</b> Code identifying the type/source of the descriptive number used in Product/Service ID (234)					
LIN27	7 234	Product/Service ID	Х	AN	1/48	Used	1
		<b>Description:</b> Identifying number for a product or service					
LIN28	3 235	Product/Service ID Qualifier	Х	ID	2/2	Used	1
		<b>Description:</b> Code identifying the type/source of the descriptive number used in Product/Service ID (234)					
LIN29	9 234	Product/Service ID	Х	AN	1/48	Used	1
		<b>Description:</b> Identifying number for a product or service					
LIN30	235	Product/Service ID Qualifier	Х	ID	2/2	Used	1
		<b>Description:</b> Code identifying the type/source of the descriptive number used in Product/Service ID (234)					
LIN31	1 234	Product/Service ID	Х	AN	1/48	Used	1
		<b>Description:</b> Identifying number for a product or service					

# **MEA** Measurements

Pos: 105	Max: >1				
Detail - Optional					
Loop: LX	Elements: 3				

## User Option (Usage): Used

**Purpose:** To specify physical measurements or counts, including dimensions, tolerances, variances, and weights(See Figures Appendix for example of use of C001)

# Syntax Rules:

- 1. R03050608 At least one of MEA03, MEA05, MEA06 or MEA08 is required.
- 2. C0504 If MEA05 is present, then MEA04 is required.
- 3. C0604 If MEA06 is present, then MEA04 is required.
- 4. L07030506 If MEA07 is present, then at least one of MEA03, MEA05 or MEA06 is required.
- 5. E0803 Only one of MEA08 or MEA03 may be present.

# Semantics:

1. MEA04 defines the unit of measure for MEA03, MEA05, and MEA06.

## **Comments:**

1. When citing dimensional tolerances, any measurement requiring a sign (+ or -), or any measurement where a positive (+) value cannot be assumed, use MEA05 as the negative (-) value and MEA06 as the positive (+) value.

# **DLMS Note:**

Use multiple repetitions to identify any measurements/dimensions related to the nonstandard materiel identified in PO106 only with code FT or MG.

<u>Ref</u>	<u>Id</u>	Element Name	Req	Type	<u>Min/Max</u>	Usage	<u>Rep</u>
MEA02	738	Measurement Qualifier	0	ID	1/3	Must use	1
		<b>Description:</b> Code identifying a specific product or process characteristic to which a measurement applies	a				
		Federal Note: 1. Use to identify the specific dimension/measurement quantified in MEA03 and MEA04.	1				
		2. Use any code.					
		<b>DLMS Note:</b> 1. For DLMS use, only the following codes are authorized.					
		Code Name					
		G Gross Weight					
		DI Diameter					
		DN Density					
		DP Depth					
		FQ Frequency					
		GL Gloss					
		HT Height					
		ID Inside Diameter					
		LN Length					
		MD Measurement Voltage					
		OD Outside Diameter					
		PB Pressure					
		TF Tensile					

MEA03	739	CodeNameTHThicknessVOVoltageWDWidthWTWeightLPRLine PressureUCBCubeVOLVolumeMeasurement ValueDescription: The value of the measurement	х	R	1/20	Must use	1
MEA04	C001	Composite Unit of Measure Description: To identify a composite unit of measure(See Figures Appendix for examples of use) Federal Note: Use to identify the value of the units expressed in MEA03. For example, if the height of the nonstandard materiel was six feet, cite 6 in MEA03 and FT in MEA04.	Х	Comp		Must use	1
MEA04-01	355	Unit or Basis for Measurement CodeDescription: Code specifying the units in which a value is being expressed, or manner in which a measurement has been takenFederal Note: Use any code.DLMS Note: For DLMS use, only the following codes are authorized.Code Name2GVolts (Alternating Current)2HVolts (Direct Current)2HVoltBritish Thermal Units (BTUs) Per Hour2NDecibels70Volt82OhmAZBritish Thermal Units (BTUs) per PourBOBritish Thermal Units (BTUs) per CubiFOCyclesCICubic MeterCYCubic YardFT </td <td>nd</td> <td>ID</td> <td>2/2</td> <td>Must use</td> <td>1</td>	nd	ID	2/2	Must use	1

#### Code Name

- P2 Pounds per Foot
- PT Pint
- QT Quart
- R4 Calorie
- SF Square Foot
- SM Square Meter
- SY Square Yard
- TG Gross Ton
- TN Net Ton (2,000 LB).
- VA Volt-ampere per Kilogram
- WA Watts per Kilogram
- YD Yard

# **G69** Line Item Detail - Description

Pos: 110 Max: >1 Detail - Optional Loop: LX Elements: 1

User Option (Usage): Used

Purpose: To describe an item in free-form format

# **Federal Note:**

Use to describe nonstandard materiel identified in PO106 only with code FT or MG when the 2/LIN/100 and 2/MEA/105 segments do not provide adequate descriptive capability. Use multiple repetitions to provide the narrative descriptive information.

# **Element Summary:**

<u>Ref</u>	ld	Element Name	Req	Туре	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>
G6901	369	Free-form Description	М	AN	1/45	Must use	1

Description: Free-form descriptive text

# **NTE** Note/Special Instruction

Pos	s: 120	Max: >1
	Detail	- Optional
Loc	p: LX	Elements: 2

### User Option (Usage): Used

Purpose: To transmit information in a free-form format, if necessary, for comment or special instruction

# Comments:

1. The NTE segment permits free-form information/data which, under ANSI X12 standard implementations, is not machine processable. The use of the NTE segment should therefore be avoided, if at all possible, in an automated environment.

# **Federal Note:**

Use to identify exception data associated with the transaction. Use during extraordinary situations requiring manual intervention in the requisition processing routine.

### **DLMS Note:**

1. Exception data associated with the requisition is a DLMS enhancement; see introductory DLMS note 3a.

2. Use with Requisition Exception Data Transaction (DLA DI Code YRZ) to indicate technical/descriptive exception information or pick, pack/special delivery instructions or extended part number. See introductory DLMS note 3e.

# Element Summary:

Ref	<u>ld</u>	Element Name	Req	Туре	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>
NTE01	363	Note Reference Code	0	ID	3/3	Must use	1
		Description: Code identifying the					

**Description:** Code identifying the functional area or purpose for which the note applies

#### Code Name

ORI Order Instructions

#### **DLMS Note:**

Use with Requisition Exception Data Transaction (DLA DI Code YRZ-Line Counters 01-20) to indicate technical/descriptive exception information for procurement purposes. Segment may be repeated up to 20 times with same NTE01 qualifier. A maximum of 60 positions (including spaces) may be sent for each occurrence of the NTE01. A maximum of 1200 positions of text (including spaces) may be sent. Pick, pack, and special delivery type instructions (DLA DI Code YRZ-Line Counters 01-06) may also be entered as exception data to be forwarded to a DSS storage activity, as part of an exception MRO. This type of data is limited to 360 positions (including spaces) which would be the segment, repeated up to 6 times, with the same NTE01 qualifier. Also used for USAF descriptive data associated with part numbered requisitions (A02/A0B rp 67-80). See introductory DLMS note 3e.

PDS Product Specification

#### DLMS Note:

Use with Requisition Exception Data Transaction (DLA DI Code YRZ-Transaction Code PN) to indicate an extended part number. Only a single instance of the segment is used with this NTE01 qualifier. A maximum of 60 positions of text (including spaces) may be sent. See introductory DLMS note 3e.

NTE02 352 Description	М	AN	1/80	Must use	1
-----------------------	---	----	------	----------	---

**Description:** A free-form description to clarify the related data elements and their content

DLMS Supplement to Federal IC 511R Requisition PDC 29A ADCs 45, 59, 67, 69, 69A, 70, 75, 76, 77, 79, 83, 86, 92, 97, 169, 176, 178, 183, 186, 221, 221A, 243, 264, 266, 274, 276, 279, 284, 284A, 322, 328, 352, 359, 363, 375, 377, 381, 381B, 426, 435, 436, 448, 448B, 457, 466, 473, 473A, 1014, 1019, 1020, 1021 and 1023 DLM 4000.25

# **LM** Code Source Information

Pos: 130	Max: 1
Detail -	Optional
Loop: LM	Elements: 1

User Option (Usage): Must use

Purpose: To transmit standard code list identification information

# **Comments:**

1. LM02 identifies the applicable industry code list source information.

# **Federal Note:**

Must use this 2/LM/130 loop to identify coded information maintained in department or agency documentation.

Ref	ld	Element Name	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>
LM01	559	Agency Qualifier Code	М	ID	2/2	Must use	1
		<b>Description:</b> Code identifying the agency assigning the code values					
		<u>Code</u> <u>Name</u>					
		DF Department of Defense (DoD)					

DLMS Supplement to Federal IC 511R Requisition PDC 29A ADCs 45, 59, 67, 69, 69A, 70, 75, 76, 77, 79, 83, 86, 92, 97, 169, 176, 178, 183, 186, 221, 221A, 243, 264, 266, 274, 276, 279, 284, 284A, 322, 328, 352, 359, 363, 375, 377, 381, 381B, 426, 435, 436, 448, 448B, 457, 466, 473, 473A, 1014, 1019, 1020, 1021 and 1023 DLM 4000.25

LQ Industry Code

P	os: 140	Max: 100
	Detail - N	landatory
L	.oop: LM	Elements: 2

#### User Option (Usage): Must use

Purpose: Code to transmit standard industry codes

# Syntax Rules:

1. C0102 - If LQ01 is present, then LQ02 is required.

### **Federal Note:**

Use to identify codes, as appropriate, consistent with management information requirements.

# **Element Summary:**

<u>Ref</u> LQ01	<u>Id</u> 1270		e <u>nt Name</u> List Qualifier Code	Req O	<u>Type</u> ID	<u>Min/Max</u> 1/3	<u>Usage</u> Must use	<u>Rер</u> 1
			<b>iption:</b> Code identifying a specific ry code list					
			al Note: Use any code.					
			Note: 1. Use code 99 or A1, but not					
		both, e codes ammu comm one of recipie	except for ammunition where both may be used. Use of both codes for unition is a DLMS enhancement. If punicating with a DLSS system only f the codes may be received by the ent's automated processing system.					
			ithorized.					
		<u>Code</u>	Name					
		0	Document Identification Code					
			DLMS Note:					
			1. The DLSS DI Code is retained in t DLSS/DLMS environment. Continued assessed at a future date.					e
			2. Use two iterations to identify requise DIC YRZ), when applicable.	sition DI C	Code and F	Requisition Exce	ption Data Transaction	(DLA
			3. Future streamlined data; see intro	ductory D	LMS note	Зс.		
		67	Type of Assistance Code					
			DLMS Note:					
			<ol> <li>For SA transactions, use when the type of assistance and financing.</li> </ol>	e coded a	ddress in t	the transaction n	umber does not identil	fy the
			2. DLMS enhancement; see introduc	tory DLM	S note 3a.			
		71	Service and Agency Code					
			DLMS Note:					
			1. For all SA transactions, use to ide the ILCO is not identified in the coded					when
			2. DLMS enhancement; see introduc	tory DLM	S note 3a.			
		78	Project Code					
			DLMS Note:					
			Use to identify special programs, exe	rcises, pr	ojects, ope	erations, and oth	er purposes.	

79 Priority Designator Code

#### Code Name

#### **DLMS Note:**

Recommend using in all requisitions.

### 80 Advice Code

#### **DLMS Note:**

1. Use to convey information to the supply source which is considered essential to the supply action.

2. Use in requisition or referral order to identify the type of action desired when directing disposition of previously purchased materiel. This is a restricted use applicable when a Service has entered into an MOA with DLA relative to Service-owned stocks, centrally-managed/stored by DLA (1/BR06/020, Code RI).

#### 81 Status Code

#### **DLMS Note:**

Used by internet ordering applications to notify DAAS that the requisition/referral order failed to receive authorization for continued processing under funds verification procedures. Only Supply Status CX is applicable. This is an authorized DLMS enhancement. Refer to ADC 328.

#### 83 Supply Condition Code

#### DLMS Note:

1. Use to indicate the condition of materiel when requisitioning from disposal.

2. Use to indicate condition of previously purchased materiel. This is a restricted use applicable when a Service has entered into an MOA with DLA relative to Service-owned stocks, centrally-managed/stored by DLA (1/BR06/020, Code RI).

3. Also authorized on an Intra-Army basis with BR02 transaction type code A0 and BR06 action code "J" to indicate the condition of materiel post-post issued by Army Single Stock Fund activities.

#### 84 Management Code

#### **DLMS Note:**

1. Authorized on an Intra-Army basis with BR02 transaction type code A0 to provide required management code information in order to accurately process transactions relative to image and post-post requisitions submitted by Army Single Stock Fund activities (Refer to ADC 243)

2. Authorized DLMS enhancement under DLA industrial activity support agreement. (Refer to ADC 352, ADC 359 and ADC 375).

3. Authorized on an intra-Navy basis with BR02 transaction type code BN to provide required management code information to accurately process transactions relative to referrals to the inventory manager. (Refer to ADC 363)

85 Country and Activity Code

#### **DLMS Note:**

1. Use to identify the Security Cooperation Customer Code.

2. DLMS enhancement; see introductory DLMS note 3a.

87 Subsistence Type of Pack Code

#### **DLMS Note:**

Use with subsistence items.

89 Cooperative Logistics Program Support Code

#### **DLMS Note:**

For FMS transactions, must use to identify programmed, nonprogrammed, and termination/drawdown requirements.

94 Identification Code

#### **DLMS Note:**

Must use in FMS transactions to identify the customer country's requisitioning Service Code: B, D, K, P, or T. This is the SA program Customer Service Designator (codes derived from Qualifier 71, Service and Agency Code).

A data maintenance action was approved in version 5010. The approved code/name is "CSD - Customer Service Designator".

95 Offer and Release Option Code

#### Code Name

#### DLMS Note:

1. For FMS transactions, must use to advise the supply source of the type of notice required prior to shipping the materiel.

2. Also authorized on an Intra-Army basis with BR02 transaction type code A0 for identification of the ownership of materiel post-post issued by Army Single Stock Fund activities.

97 Ultimate Recipient Code

#### **DLMS Note:**

1. Use to identify the buyer of DoD materiel to allow full payment for materiel supplied to a non-DoD customer.

- 2. DLMS enhancement; see introductory DLMS note 3a.
- 99 Purpose Code

#### DLMS Note:

- 1. Use in CAV transactions.
- 2. DLMS enhancement; see introductory DLMS note 3a.

3. Also authorized on an Intra-Army basis with BR02 transaction type code A0 and BR06 action code "J" to identify the purpose of materiel post-post issued by Army Single Stock Fund activities.

#### A1 Ownership Code

#### **DLMS Note:**

1. Use in requisition or referral order to identify the ownership of previously purchased materiel. This is a restricted use applicable when a Service has entered into an MOA with DLA relative to Service-owned stocks, centrally-managed/stored by DLA (1BR06/020, Code RI).

2. Use on a referral order to initiate an inter-Service ammunition or ammunition-related ownership transfer with no physical movement of materiel. Use to identify the new/gaining (to) ownership code. DLMS enhancement. Refer to ADC 1020.

3. Also authorized on an intra-Army basis with BR02 Transaction Type Code A0 and BR06 Action Code J for identification of the ownership of materiel post-post issued by Army Single Stock Fund activities.

A2 Customer Within Country Code

#### **DLMS Note:**

1. For SA transactions, use when the coded address in the transaction number does not identify the customer-within-country.

2. DLMS enhancement; see introductory DLMS note 3a.

#### A3 Delivery Term Code

#### **DLMS Note:**

For FMS transactions, use when the coded address in the transaction number does not identify the delivery term.

A4 Case Designator Number

#### **DLMS Note:**

Must use in FMS transactions to identify the FMS case number. For Cooperative Logistics Supply Support Arrangements (CLSSAs), repeat up to two times to identify the FMS Foreign Military Services Order (FMSO) I and FMSO II case numbers. In this instance, the first occurrence will cite the FMSO I case number, and a second occurrence, if applicable, will reflect the FMSO II case number.

A5 Subcase Number

#### **DLMS Note:**

1. Use in FMS transactions based on Service requirements.

- 2. DLMS enhancement; see introductory DLMS note 3a.
- A6 Freight Forwarder Number

#### **DLMS Note:**

Must use in FMS transactions to identify the country representative or freight forwarder to receive shipments and documentation.

A7 Record Control Number

#### Code Name

#### DLMS Note:

Must use in MAP/GA transactions to identify the program line item number.

A8 Program Year Code

#### DLMS Note:

Must use in MAP/GA transactions to indicate the program year in which the requisitioned item was approved and funded.

#### A9 Supplemental Data

#### **DLMS Note:**

1. Use to identify supplementary address/supplemental data.

2. During the DLSS/DLMS transition, this field will be used to perpetuate/populate the DLSS Supplementary Address (SUPADD) field. During this time, field size is restricted to 6 positions; see introductory DLMS note 3d.

3. Expanded use of this field for supplemental data without size restriction is a DLMS enhancement; see introductory DLMS note 3a.

4. Under full DLMS, the requirement to pass activity address information within the supplemental data field will be streamlined. Activity address data previously contained in the SUPADD will be reflected exclusively in the N1 segment. Future streamlined data; see introductory DLMS note 3c.

5. During DLSS/DLMS transition, use on a referral order to initiate an inter-Service ammunition or ammunition-related ownership transfer with no physical movement of materiel and no billing. Cite Signal Code M and Project Code CYK in conjunction with the supplemental data field constructed as follows: Service/Agency Code Y followed by the old (from) ownership code, the RIC to which ownership is transferred, and the new/gaining (to) ownership code. Refer to ADC 1020.

#### AJ Utilization Code

#### **DLMS Note:**

1. Use to identify a specialized purpose for which the requisition is submitted.

2. Under DLSS, this is the first position of the document serial number within the document number.

3. Authorized DLMS enhancement under DLA industrial activity support agreement. Refer to ADC 381.

4. DLMS enhancement; see introductory DLMS note.

#### AK Distribution Code

#### DLMS Note:

Future streamlined data; see introductory DLMS note 3c.

#### AL Special Requirements Code

#### DLMS Note:

- 1. Under DLSS, this is carried in the required delivery date field.
- 2. DLMS enhancement; see introductory DLMS note 3a.

3. Use in conjunction with 2/LQ01/Code RC, Requirement Code, to complete the Air Force unique NMCS/MICAP data requirement.

BD Transportation Priority Code

#### **DLMS Note:**

1. Use to identify a transportation priority which is different than that associated with the requisition priority.

#### 2. DLMS enhancement; see introductory DLMS note 3a.

#### DE Signal Code

### DLMS Note:

Future streamlined data; see introductory DLMS note 3c.

DF Media and Status Code

# DLMS Note:

Future streamlined data; see introductory DLMS note 3c.

DJ Remedial Action Code

#### Code Name

#### **DLMS Note:**

Use temporary qualifier DJ - Remedial Action Code with BR02 transaction type code A0 to identify Army Edit Action Code indicating the actions required by the receiving system in order to accurately process transactions and direct the types of follow-on actions authorized to occur. This is an Army unique data element, and is meaningful to the Army only. The code source is identified as the U.S. Army Materiel Command Single Stock Fund Functional User Manual, 3rd Edition. An ANSI data maintenance request has been prepared to establish a new data element 1270 code qualifier assignment for Army Edit Action Code.

#### EJ Disposal Condition Code

#### DLMS Note:

1. Use in conjunction with Supply Condition Code to indicate the minimum acceptable disposal condition for all materiel requisitioned from Defense reutilization and marketing.

- 2. DLMS enhancement; see introductory DLMS note 3a.
- GA Action Code

#### **DLMS Note:**

Use to identify the Manager Forced/Direct Action Code in post-post requisitions/referral orders (DLA DI Codes C01/C0A, CQ1/CQA). This is a DLA unique data element, meaningful to DLA only. The code source is identified as DLA Manual 4140.2. A data maintenance action was approved in version 5030. The approved code/name is "MFD - Manager Forced Directed Action". See introductory DLMS note 3e.

#### GQ Group Qualifier Code

#### **DLMS Note:**

Use to identify the Materiel Management Aggregation Code (MMAC) for NSNs to be managed by a specific manager (i.e., system, program, aggregation, selected FSC, technology group). This is an Air Force-unique data element, meaningful to the Air Force only. Non-Air Force Components perpetuate without action.

A data maintenance action was approved in version 5010. The approved code/name is "MAC – Material Management Aggregation Code". The code source is identified as the Air Force Manual (AFMAN) 23-110, Volumes 1 and 2.

#### KJ Assured Delivery Indicator

#### **DLMS Note:**

1. Use to indicate the Delivery Priority Code for materiel which has an urgency of need within the maintenance shop and must be delivered within one hour of receipt of the issue request. Value will be X (1 hour issue) when applicable.

2. Authorized DLMS enhancement under DLA industrial activity support agreement. Refer to ADC 381.

#### RC Requirement Code

#### Federal Note:

Use to identify the Air Force Urgency Justification Code indicating the urgency of need and type of requirement (justification) related to a Not Mission Capable Supply/Mission Impaired Capability Awaiting Parts (NMCS/MICAP) condition.

#### **DLMS Note:**

Use in conjunction with Special Requirements Code N (2/LQ01/Code AL or perpetuated from DLSS Required Delivery Date field). This is an Air Force unique data element, meaningful to the Air Force only. Non-Air Force Components perpetuate without action. The code source is identified as the Air Force Manual (AFMAN) 23-110, Volume 1 and 2.

A data maintenance action was approved in version 5010. The approved code/name is "UJC - Urgency Justification Code".

#### RD Property Ownership Type Code

#### DLMS Note:

Use only on a referral order to initiate an inter-Service ammunition or ammunition-related ownership transfer with no physical movement of materiel. Use to identify the old (from) ownership code. DLMS enhancement. Refer to ADC 1020.

### ALP Alteration Lookup

#### **DLMS Note:**

Use for the second occurrence of the Priority Designator (PD) on GSA transmission of a requisition

#### Code Name

image transaction to DAAS, when identifying unauthorized use of the PD. The second occurrence will be the original (higher) PD as assigned by the customer. When used, the PD (qualifier 79) must be present. An ANSI data maintenance request has been prepared to establish a new data element 1270 code qualifier assignment for Submitter's Priority Designator (Downgraded). Implementation pending. (Refer to ADC 279)

COG Cognizance Symbol

#### **DLMS Note:**

1. Use to identify the material cognizance symbol (COG) of the end item. Indicate NSL for non-stock numbered listed items. This is a Navy-unique data element meaningful to Navy only; Non-Navy Components are to perpetuate without action.

2. DLMS enhancement.

DCS Disposition Sub-Category Code

#### DLMS Note:

1. Use with Disposition Category Code SL to identify the appropriate Disposition Sub-Category Code. Only the following codes are applicable:

CV – Commercial Venture SV – Scrap Venture

2. Use on the DLMS 511R DLA-Directed MROs (DIC C0\_) applicable to DLA Disposition Services inventory. Refer to ADC 457.

3. At this time a local code DCS is established for use in 511R, version 4010. A data maintenance action has been submitted for establishment of DCS - Disposition Sub-Category Code in a future version.

#### DCT Disposition Category Code

#### **DLMS Note:**

1. Use to indicate the current disposition assigned to a Disposal Turn In Document (DTID).

2. Use on the DLMS 511R DLA-Directed MROs (DIC CO\_) applicable to DLA Disposition Services inventory. Refer to ADC 457. Only the following codes are applicable:

DS – Disposal SL – Sales

3. At this time a local code DCT is established for use in 511R, version 4010. A data maintenance action has been submitted for establishment of DCT - Disposition Category Code in a future version.

#### DSI Disposition Services Indicator

#### **DLMS Note:**

1. DLA Disposition Services uses to provide relevant information applicable to the DLA Disposition Services business process supported by this transaction on an intra-DLA basis. Use multiple repetitions of the LQ Segment to include all applicable codes. Authorized DLMS enhancement for use by DLA Disposition Services. Refer to ADC 466.

- 2. The following Disposition Services Indicator values are available for use in the requisition transaction: MRA – Materiel Receipt Acknowledgment Required.
  - DMIL DEMIL Certification Required.
  - MUTL Mutilation Certification Required.
  - RCYL Certificate of Recycling Required.
  - CIF Container Issued in Full.
  - WALK Walk-in Customer.
  - PICK Customer Pick-up Required.
  - CS DEMIL Condition of Sale Indicator

3. At this time a local code 'DSI' is established for use in 511R, version 4010. A data maintenance action has been submitted for establishment of 'DSI-Disposition Services Indicator' in a future version.

EWR Evaluate Work Candidate Reason Lookup

#### DLMS Note:

1. Use to identify Requirement Churn Reason Code to identify material orders required by the industrial site to complete planned work above what was originally identified during the pre-planned process, ordered and delivered after the start of the availability.

#### Code Name

2. Authorized DLMS enhancement under DLA industrial activity support agreement. Refer to ADC 381.

#### IMC Item Management Code

#### **DLMS Note:**

1. Use to identify the Item Management Code (IMC) for integrated material management. This is a Navy-unique data element meaningful to Navy only; Non-Navy Components are to perpetuate without action.

- 2. DLMS enhancement.
- MCC Material Control Code

#### **DLMS Note:**

1. Use to identify the Material Control Code (MCC) for special inventory reporting. This is a Navy-unique data element meaningful to Navy only; Non-Navy Components are to perpetuate without action.

- 2. DLMS enhancement.
- Stock Exchange Code SEC

#### **DLMS Note:**

Use to identify the Exchange Pricing Indicator for intra-Army transactions to identify that the Customer and NIIN on the transaction are Exchange Pricing relevant. An ANSI data maintenance request has been prepared to establish a new data element 1270 code qualifier assignment for Exchange Pricing Indicator. When applicable, cite code value EP (Exchange Pricing). Refer to ADC 274.

#### SMI Special Material Identification Code

#### DLMS Note:

1. Use to identify the Special Material Identification Code (SMIC) for an end item. This is a Navy-unique data element meaningful to Navy only; Non-Navy Components are to perpetuate without action.

2. DLMS enhancement.

T05 Inspection Parameters

#### **DLMS Note:**

1. Use to identify the Quality Inspection Code indicating the level of quality inspection to which the item must be procured and inspected.

2. Authorized DLMS enhancement under DLA industrial activity support agreement. Refer to ADC 381. AN

Х

1/30

Must use

1

#### LQ02 1271 **Industry Code**

Description: Code indicating a code from a specific industry code list



Pos: 150	Max: 1
Detail - O	ptional
Loop: QTY	Elements: 2

#### User Option (Usage): Used

Purpose: To specify quantity information

# **Syntax Rules:**

- 1. R0204 At least one of QTY02 or QTY04 is required.
- 2. E0204 Only one of QTY02 or QTY04 may be present.

# Semantics:

1. QTY04 is used when the quantity is non-numeric.

<u>Ref</u> QTY01	<u>Id</u> 673		<u>Element Name</u> Quantity Qualifier		<u>Type</u> ID	<u>Min/Max</u> 2/2	<u>Usage</u> Must use	<u>Rер</u> 1
		<b>Descr</b> quanti	<b>iption:</b> Code specifying the type of ty					
		<u>Code</u>	Name					
		OC	Order Count					
			DLMS Note:					
			DLA Disposition Services uses to ide represents the total number of DTIDs container is being requisitioned. DLM	s in a spe	cified dispo	osition services c		
QTY02	380	Quant	lity	Х	R	1/15	Used	1
		Descr	iption: Numeric value of quantity					

# N1 Name

Pos:	180	Max: 1
	Detail	- Optional
Loop	o: N1	Elements: 5

### User Option (Usage): Must use

Purpose: To identify a party by type of organization, name, and code

# Syntax Rules:

- 1. R0203 At least one of N102 or N103 is required.
- 2. P0304 If either N103 or N104 is present, then the other is required.

# **Comments:**

- 1. This segment, used alone, provides the most efficient method of providing organizational identification. To obtain this efficiency the "ID Code" (N104) must provide a key to the table maintained by the transaction processing party.
- 2. N105 and N106 further define the type of entity in N101.

# **Federal Note:**

1. Must use one iteration of this 2/N1/180 loop to identify the organization to receive the transaction.

2. Use additional iterations to identify other organizations associated with the transaction.

# Element Summary:

<u>Ref</u>	<u>Id</u>		ent Name	<u>Req</u>	<u>Type</u>	Min/Max	<u>Usage</u>	<u>Rep</u>
N101	98	<b>Desc</b> organ prope	r Identifier Code ription: Code identifying an izational entity, a physical location, rty or an individual ral Note: Use any code.	М	ID	2/3	Must use	1
			S Note: For DLMS use, only the ing codes are authorized.					
			Name Bill and Ship To DLMS Note: Use either this code, or both codes B					
		BT	organization which receives both the Bill-to-Party <b>DLMS Note:</b> 1. Use with code ST for reimbursable materiel when different form the orga for the Bill-to DoDAAC. 2. Use for SFIS compliant systems to used when the corresponding DoDA loop with the same qualifier. 3. Authorized DLMS enhancement; s	e materiel. anization re o identify ti AC is also	Use to ide eceiving th he BPN of provided.	entify the organiza te materiel Use po the party to rece This will require a	ation to receive the b recludes the use of C ive the bill. BPN may	code BS
		DA	<ul> <li>Delivery Address</li> <li>DLMS Note: <ol> <li>Use with 2/N2/190, 2/N3/200, and information under authorized condition</li> <li>Use for Requisition Exception Date exception ship-to address information</li> <li>DLMS enhancement; see introduced</li> </ol> </li> </ul>	ons. a Transac n. See int	tion (DLA roductory	DI Code YRZ-Tra		

DZ Delivery Zone

**DLMS Note:** 

#### Code Name

- 1. Use to provide the DELIVERY LOCATION indicating where the materiel is to be staged/stored.
- 2. Authorized DLMS enhancement under DLA industrial activity support agreement. Refer to ADC 381.
- IF International Freight Forwarder

#### DLMS Note:

Use for Requisition Exception Data Transaction (DLA DI Code YRZ-Transaction Code NA) Notice of Availability (NOA) address information. See introductory DLMS note 3e.

J2 Authorized Entity

#### **DLMS Note:**

Use to identify the Authorized Requiring Activity when other than the requisitioner, ship-to, or bill-to. Use only to support high priority requisitions in accordance with DLMS procedures. This is a DLMS enhancement authorized for staggered implementation. Refer to PDC 29A.

#### MF Manufacturer of Goods

#### Federal Note:

Use to identify the manufacturer's name for nonstandard materiel.

### OB Ordered By

#### DLMS Note:

1. Use to identify the requisitioner when the 1/N1/070 uses code ZL (Party Passing The Transaction) or Code Z5 (Management Control Activity) to identify the transaction originator.

2. DLMS enhancement: see introductory DLMS note 3a. Required entry for DLSS/DLMS conversion to support BSM.

3. For intra-USAF lateral requisitions, use to identify the routing identifier of the requisitioner (this is the same requisitioner identified by DoDAAC at 1/N101/070 Code OB).

#### PK Party to Receive Copy

#### **DLMS Note:**

1. Use as needed to identify an organization to be provided a copy of this transaction. Use with N103, qualifier M4 (Routing Identifier) and N106, qualifier To (Message To).

2. Must be used between Army and DLA for their integrated set assembly program, when an assembly component part being ordered by the Army is not managed by DLA, and DLA is acquiring it in support of the Army medical mission. Refer to ADC 276.

3. Used between Navy and DLA for Navy requisitions submitted directly to other Component SoS, so that DLA will be able to support follow-on actions on behalf of the Navy industrial activity (IA) under a DLA industrial activity support agreement. Refer to ADC 377.

4. DLMS enhancement; see introductory DLMS Note 3a.

#### SB Storage Area

#### DLMS Note:

1. Use to identify the distribution depot/storage activity.

2. This is a restricted use applicable when a Service has entered into an MOA with DLA relative to Service-owned stocks, centrally-managed/stored by DLA (1/BR06/020, Code RI).

3. For intra-Navy organic maintenance requisitions (citing Project Code Z5X), use to identify the storage activity from which the requisitioned item is requested. Refer to ADC 426.

ST Ship To

#### **DLMS Note:**

Use with code BT for reimbursable materiel. Use to identify the organization to receive the materiel when different from the activity being billed for the materiel. Use precludes the use of Code BS.

## UQ Subsequent Owner

### DLMS Note:

Use only on a referral order to initiate an inter-Service ammunition or ammunition-related ownership transfer with no physical movement of materiel. Use to identify the RIC to which ownership is being transferred (the New Owner RIC). DLMS enhancement. Refer to ADC 1020.

XN Planning/Maintenance Organization **DLMS Note:** 

#### Code Name

1. Use between Service industrial/maintenance sites and DLA to identify the Shop Service Center (SSC) associated with a requisition. Also used to identify a Shop Store.

2. This may be used in the basic requisition, requisition alert or in the Post-Post (DI Code C0A) DLMS 511R submitted to DLA.

3. Authorized DLMS enhancement under DLA industrial activity support agreement. Refer to ADC 284A & 381.

Z1 Party to Receive Status

#### **DLMS Note:**

1. Use to identify the party to receive status when different from Service/Agency prescribed status recipient. Use multiple iterations to identify all status recipients, as required.

2. The DLMS provides the capability to carry additional status recipients beyond those identified by the DLSS. The Media and Status Code and the Distribution Code will be retained in the DLMS to facilitate transaction conversion in a mixed DLSS/DLMS environment. Additional status recipients identified here cannot be passed to DLSS users.

Z3 Potential Source of Supply

#### DLMS Note:

1. Use when requisitioning nonstandard materiel identified in PO106 only with code FT or MG to identify potential supply sources.

2. For intra-USAF lateral requisitions, use to identify the DoD Source of Supply (applicable when the requisition is submitted to another AF base).

Z4 Owning Inventory Control Point

#### **DLMS Note:**

1. Use to indicate the source of supply.

2. Use to indicate DLA ICP when directing the disposition of previously purchased assets. This is a restricted use applicable when a Service has entered into an MOA with DLA relative to Service-owned stocks, centrally-managed/stored by DLA (1/BR06/020, Code RI).

3. For intra-USAF lateral requisitions, the supply source will be another AF base (rather than the DoD "Owning ICP"). The DoD supply source/owning ICP will be identified as the potential source of supply (Code Z3).

Z5 Management Control Activity

#### DLMS Note:

Use for submission of all GFM requisitions.

Z7 Mark-for Party

#### **DLMS Note:**

1. Use to identify an entity located within the ship-to address that is to actually receive the materiel.

2. Use for Requisition Exception Data Transaction (DLA DI Code YRZ-Transaction Code MF) to identify mark-for delivery information. See introductory DLMS note 3e.

3. DLMS enhancement; see introductory DLMS note 3a.

#### Party Passing the Transaction

#### DLMS Note:

ΖL

Use only for map requisitions. Map Support Office Distribution Systems (MSODS) will enter the MSODS RI Code SD7 in requisitions returned to Defense Mapping Agency Automated Distribution Management System (DADMS) (HM8) for processing. This will indicate to DADMS that this is not the initial processing of the requisition (requisition was previously reviewed and forwarded to MSODS, which was unable to fulfill).

#### 003 Application Party

#### DLMS Note:

Used with Supply Status CX to identify the Routing Identifier of the internet ordering application in notification to DAAS that the requisition/referral order failed to receive authorization for continued processing under funds verification procedures. DAAS shall prepare CX Supply Status on behalf of the identified internet ordering application rather than continue processing the requisition. Refer to ADC 328.

		<u>Code</u>	Name					
		IAD	Foreign Office					
			Federal Note:					
			Use for clear-text exception data FMS	s in country	address.			
			DLMS Note:	,				
			Use for Requisition Exception Data Tr	ransaction	(DI A DI Code	e YRZ-Transaction	Code MA) For FM	s
			in-country mark-for address. See intro					•
N102	93	Name	•	Х	AN	1/60	Used	1
		Descr	ription: Free-form name					
		identil addre	<b>S Note:</b> 1. Use with N101 code MF to fy the manufacturer's name and ss (including ZIP code) when the is not available.					
		excep	e with N101 code DA to identify the tion ship-to organization. Also use 190 if additional information is red.					
			e with N101 code Z7 to identify the ent of materiel when coded data is not ble.					
			MS enhancement; see introductory note 3a.					
		Trans YRZ- MF) w identif Codes positio code 2 (includ	te for Requisition Exception Data action (DLA DI Code Transaction Codes ST, MA, NA and with N101 code DA, IAD, IF and Z7 to fy the exception address line 1. For s DA, IAD and IF a maximum of 35 ons (including spaces) is allowed. For Z7 a maximum of 30 positions ding spaces) is allowed. See fuctory DLMS notes 3e.					
		(Quali	e to identify the delivery location ifier DZ, 2/N101/180). Field length is sitions maximum.					
N103	66	ldenti	fication Code Qualifier	х	ID	1/2	Used	1
		syster	ription: Code designating the n/method of code structure used for fication Code (67)					
		<u>Code</u>	Name					
		1	D-U-N-S Number, Dun & Bradstreet					
			DLMS Note:					
			DLMS enhancement; see introductory	/ DLMS not	te 3a.			
		9	D-U-N-S+4, D-U-N-S Number with Fou	r Charactei	r Suffix			
			DLMS Note:					
			DLMS enhancement; see introductory	/ DLMS not	te 3a.			
		10	Department of Defense Activity Address					
			DLMS Note:	X	,			
			DLMS enhancement; see introductory	DLMS not	te 3a.			
		50	Business License Number					
			DLMS Note:					
			1. Use for SFIS to map to SFIS Data on N104.	element "B	usiness Partn	er Number TP3". E	inter the buyer's Bl	PN in

		<u>Code</u>	Name									
			2. Authorized DLMS enhancement; s	ee introdi	ictory DLM	S note 3f						
		92	Assigned by Buyer or Buyer's Agent									
		-	DLMS Note:									
			Use with N101 Code XN to identify th	ne Shop S	Service Cen	ter or Shop Stor	e. Refer to ADC 284	A & 381.				
		A2	Military Assistance Program Address C	litary Assistance Program Address Code (MAPAC)								
			DLMS Note:									
			1. Use to indicate the SA structured	address o	data.							
			2. DLMS enhancement; see introduc	tory DLM	IS note 3a.							
		M4	Department of Defense Routing Identif	ier Code	(RIC)							
N104	67	Identi	fication Code	Х	AN	2/80	Used	1				
		Descr other of	<b>iption:</b> Code identifying a party or code									
N106	98	Entity	Identifier Code	0	ID	2/3	Used	1				
		organi	<b>iption:</b> Code identifying an zational entity, a physical location, ty or an individual									
		<u>Code</u>	Name									
		то	Message To									
			Federal Note:									
			Must use with the appropriate 2/N10 the transaction.	1/180 cod	le to indicat	te the organization	on cited in N104 is rea	ceiving				

# N2 Additional Name Information

Pos: 190	Max: 2
Detail -	Optional
Loop: N1	Elements: 2

### User Option (Usage): Used

Purpose: To specify additional names or those longer than 35 characters in length

# Federal Note:

Use to identify additional name information as authorized.

# **DLMS Note:**

1. Use with 2/N101/180 code DA to identify additional in-the-clear exception ship-to name information and with code ST to provide the additional ship-to information for excess plant property.

2. DLMS enhancement; see introductory DLMS note 3a.

3. Use for Requisition Exception Data Transaction (DLA DI Code YRZ) for mark-for, ship-to, FMS in-country mark-for and notice of availability address information. See introductory DLMS note 3e.

<u>Ref</u> N201	<u>ld</u> 93	<u>Element Name</u> Name	<u>Req</u> M	<u>Type</u> AN	<u>Min/Max</u> 1/60	<u>Usage</u> Must use	<u>Rep</u> 1
		<b>Description:</b> Free-form name <b>DLMS Note:</b> Use for Requisition Exception Data Transaction (DLA DI Code YRZ-Transaction Codes ST, MA, NA and MF) with N101 Codes DA, IAD, and IF for address line 2, if not the final line and with ZT for address line 2. For Codes DA, IAD and IF a maximum of 35 positions (including spaces) is allowed. For code ZT a maximum of 30 positions (including spaces) is allowed. See introductory DLMS note 3e.					
N202	93	Name	0	AN	1/60	Used	1
		<b>Description:</b> Free-form name <b>DLMS Note:</b> Use for Requisition Exception Data Transaction (DLA DI Code YRZ-Transaction Codes ST, MA, NA and MF) with N101 Codes DA, IAD, and IF for address line 3, if not the final line and with Z7 for address line 3. For Codes DA, IAD and IF a maximum of 35 positions (including spaces) is allowed. For code Z7 a maximum of 30 positions (including spaces) is allowed. See introductory DLMS note 3e.					

**N3** Address Information

Pos: 200	Max: 2
Detail -	Optional
Loop: N1	Elements: 2

User Option (Usage): Used

Purpose: To specify the location of the named party

# Federal Note:

Use to identify additional address information as authorized.

# **DLMS Note:**

1. Use with 2/N101/180 code DA to identify additional in-the-clear exception ship-to address information, with code MF to identify the manufacturer's geographical location information, and with code ST to provide the additional ship-to address information for excess plant property.

2. Use for Requisition Exception Data Transaction (DLA DIC YRZ) for mark-for delivery data. See introductory DLMS note 3e.

3. DLMS enhancement; see introductory DLMS note 3a.

<u>Ref</u>	<u>ld</u>	Element Name	Req	Туре	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>
N301	166	Address Information	М	AN	1/55	Must use	1
		Description: Address information					
		<b>DLMS Note:</b> Use for Requisition Exception Data Transaction (DLA DI Code YRZ- Transaction Code MF) with N101 code Z7 to reflect line 4 of the mark-for delivery data. A maximum of 30 positions (including spaces) is allowed.					
N302	166	Address Information	0	AN	1/55	Used	1
		Description: Address information					

# N4 Geographic Location

Pos: 210	Max: 1
Detail -	Optional
Loop: N1	Elements: 4

### User Option (Usage): Used

Purpose: To specify the geographic place of the named party

# Syntax Rules:

1. C0605 - If N406 is present, then N405 is required.

# **Comments:**

- 1. A combination of either N401 through N404, or N405 and N406 may be adequate to specify a location.
- 2. N402 is required only if city name (N401) is in the U.S. or Canada.

# **DLMS Note:**

1. Use with 2/N101/180 code DA to identify in-the-clear exception ship-to geographic location information and with code ST to provide the geographical location ship-to information for excess plant property.

2. Use for Requisition Exception Data Transaction to reflect address information. See introductory DLMS note 3e.

3. DLMS enhancement; see introductory DLMS note 3a.

<u>Ref</u> N401	<u>Id</u> 19	<u>Element Name</u> City Name	<u>Req</u> O	<u>Type</u> AN	<u>Min/Max</u> 2/30	<u>Usage</u> Used	<u>Rep</u> 1
		<b>Description:</b> Free-form text for city name <b>DLMS Note:</b> Use for Requisition Exception Data Transaction (DLA DI Code YRZ-Transaction Codes ST, MA and NA) with N101 Codes DA, IF, and IAD for final address line to reflect the city name. (DLA DI Code YRZ-City Name in field positions 22-41). A maximum of 20 positions (including spaces) is allowed. See introductory DLMS note 3e.					
N402	156	State or Province CodeDescription: Code (StandardState/Province) as defined by appropriategovernment agencyDLMS Note: Use for Requisition ExceptionData Transaction (DLA DI CodeYRZ-Transaction Code ST) with N101 codeDA and IF for final address line to indicate	0	ID	2/2	Used	1
N403	116	the state code associated with the ship-to address, when applicable. (DLA DI Code YRZ-State Code in field positions 43-44).	0	ID	3/15	Used	1
		<ul> <li>Description: Code defining international postal zone code excluding punctuation and blanks (zip code for United States)</li> <li>DLMS Note: Use for the Requisition Exception Data Transaction (DLA DI Code YRZ-Transaction Codes ST, MA, and NA) with the N101 Codes DA, IF, and IAD for final address line to reflect the postal code. (DLA DI Code YRZ-Postal Code in field positions 46-56). A maximum of 11 positions (including spaces) is allowed.</li> </ul>		J	0.10	0360	•

DLMS Supplement to Federal IC 511R Requisition

PDC 29A ADCs 45, 59, 67, 69, 69A, 70, 75, 76, 77, 79, 83, 86, 92, 97, 169, 176, 178, 183, 186, 221, 221A, 243, 264, 266, 274, 276, 279, 284, 284A, 322, 328, 352, 359, 363, 375, 377, 381, 381B, 426, 435, 436, 448, 448B, 457, 466, 473, 473A, 1014, 1019, 1020, 1021 and 1023 DLM 4000.25

<u>Ref</u>	<u>ld</u>	Element Name See introductory DLMS note 3e.	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>
N404	26	Country Code Description: Code identifying the country DLMS Note: Use to identify the country. Pending transition to the new country code standard (refer to ADC 448B for future implementation), use for the Requisition Exception Data Transaction (DLA DI Code YRZ-Transaction Codes ST, MA and NA) with the N101 Codes DA and IF (when other than U.S.), and IAD for final address line to reflect the country code. May reflect DLA 3-position country code. (DLA DI Code YRZ-Country Code in field positions 43-45). See Introductory DLMS note 3e.	Ο	ID	2/3	Used	1

# **REF** Reference Identification

Pos: 220	Max: 1
Detail -	Optional
Loop: REF	Elements: 3

#### User Option (Usage): Used

Purpose: To specify identifying information

# Syntax Rules:

1. R0203 - At least one of REF02 or REF03 is required.

# Semantics:

1. REF04 contains data relating to the value cited in REF02.

# Federal Note:

Use the 2/REF/220 loop to provide Unique Identification (UID) information.

### **DLMS Note:**

1. Use the 2/REF/220 loop in requisition transactions to supplement materiel identification in LIN03 of the 2/LIN/100 when requisitioning a specific item(s) identified by UID under authorized procedures.

- 2. This segment supports item identification based upon the UII or the serial number.
- 3. This segment also provides for use of a batch/lot number, when applicable.

4. If UII and serial number, and/or batch/lot number are required for the item, enter the UII in REF01, and enter the serial number and/or batch/lot number in the subsequent N9 segment. If UII is not used, enter the serial number in REF01 and enter the batch/lot number in the subsequent N9 segment. If only batch/lot number is required, enter the batch/lot number in REF01.

5. The entire 2/REF/220 loop is a DLMS enhancement. See introductory DLMS note 3a.

Ref	<u>Id</u>		nt Name ence Identification Qualifier	<u>Req</u> M	<u>Type</u>	Min/Max	<u>Usage</u>	Rep	
REF01	128	Descr	scription: Code qualifying the erence Identification		ID	2/3	Must use	1	
		<u>Code</u>	Name						
		BT	Batch Number						
			DLMS Note:						
			Use to identify the manufacturer's bate UII and/or serial number are not requi batch/lot number, enter the batch/lot r	ired. If UII	and/or seri		•		
		SE	Serial Number						
			DLMS Note:						
			Use to identify the serial number when number, enter serial number in N901.	n UII is no	III is not required. If UII is required in addition to the serial				
		U3	Unique Supplier Identification Number (	(USIN)					
			DLMS Note:						
			Use to identify the UII. Place UII value 5020. The approved code/name is "U				• •	ersion	
REF02	127	Refere	ence Identification	х	AN	1/30	Used	1	
	<b>Description:</b> Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier <b>DLMS Note:</b> For use with REF01 codes BT and SE.								

DLMS Supplement to Federal IC 511R PD 266

PDC 29A ADCs 45, 59, 67, 69, 69A, 70, 75, 76, 77, 79, 83, 86, 92, 97, 169, 176, 178, 183, 186, 221, 221A, 243, 264, 266, 274, 276, 279, 284, 284A, 322, 328, 352, 359, 363, 375, 377, 381, 381B, 426, 435, 436, 448, 448B, 457, 466, 473, 473A, 1014, 1019, 1020, 1021 and 1023 DLM 4000.25

<u>Ref</u>	<u>ld</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>	<mark>Rер</mark>
REF03	352	Description	X	AN	1/80	Used	1
		<b>Description:</b> A free-form description to clarify the related data elements and their content					

**DLMS Note:** Use to indicate UII value when REF01=U3.

DLMS Supplement to Federal IC 511R Requisition PDC 29A ADCs 45, 59, 67, 69, 69A, 70, 75, 76, 77, 79, 83, 86, 92, 97, 169, 176, 178, 183, 186, 221, 221A, 243, 264, 266, 274, 276, 279, 284, 284A, 322, 328, 352, 359, 363, 375, 377, 381, 381B, 426, 435, 436, 448, 448B, 457, 466, 473, 473A, 1014, 1019, 1020, 1021 and 1023 DLM 4000.25

# **N9** Reference Identification

Pos: 240 Max: >1 Detail - Optional Loop: REF Elements: 2

### User Option (Usage): Used

Purpose: To transmit identifying information as specified by the Reference Identification Qualifier

# Syntax Rules:

- 1. R0203 At least one of N902 or N903 is required.
- 2. C0605 If N906 is present, then N905 is required.

# Semantics:

- 1. N906 reflects the time zone which the time reflects.
- 2. N907 contains data relating to the value cited in N902.

# **Federal Note:**

- 1. Use multiple repetitions to identify the characteristic(s) not defined in the 2/REF/220 segment.
- 2. Use the 2/REF/220 loop to provide UIT information for controlled materiel.

# **DLMS Note:**

DLMS enhancement; see introductory DLMS note 3a.

	annar y									
<u>Ref</u>	<u>ld</u>	Elem	ent Name	Req	Type	Min/Max	<u>Usage</u>	<u>Rep</u>		
N901	128	Refer	ence Identification Qualifier	М	ID	2/3	Must use	1		
			ription: Code qualifying the ence Identification							
		to ide	<b>MS Note:</b> The following codes are used dentify the characteristic not defined in 2/REF/220 segment.							
		<u>Code</u>	Name							
		BT	Batch Number							
			DLMS Note:							
			Use to identify the manufacturer's batch/lot number or other number identifying the production run, when UII or serial number is entered in REF01, and batch/lot is also used.							
		SE	SE Serial Number							
			DLMS Note:							
			Use to identify the serial number when UII is entered in REF01 and serial number is also used.							
N902	127	Refer	Must use	1						
		define	ription: Reference information as ed for a particular Transaction Set or ecified by the Reference Identification fier							

# N1 Name

Pos: 250	Max: 1						
Detail - Optional							
Loop: REF	Elements: 3						

### User Option (Usage): Used

Purpose: To identify a party by type of organization, name, and code

# Syntax Rules:

- 1. R0203 At least one of N102 or N103 is required.
- 2. P0304 If either N103 or N104 is present, then the other is required.

# **Comments:**

- 1. This segment, used alone, provides the most efficient method of providing organizational identification. To obtain this efficiency the "ID Code" (N104) must provide a key to the table maintained by the transaction processing party.
- 2. N105 and N106 further define the type of entity in N101.

# **Federal Note:**

Use the 2/REF/220 loop to provide UIT information for controlled materiel.

### **DLMS Note:**

1. Use to identify the manufacturer of the UIT item.

2. DLMS enhancement; see introductory DLMS note 3a.

Ref	<u>Id</u>	Element Name	Req	Туре	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>
N101	98	Entity Identifier Code	М	ID	2/3	Must use	1
		<b>Description:</b> Code identifying an organizational entity, a physical location, property or an individual					
		Code Name					
		MF Manufacturer of Goods					
N103	66	Identification Code Qualifier	Х	ID	1/2	Must use	1
		<b>Description:</b> Code designating the system/method of code structure used for Identification Code (67)					
		<u>Code</u> <u>Name</u>					
		33 Commercial and Government Entity (	CAGE)				
N104	67	Identification Code	Х	AN	2/80	Must use	1
		<b>Description:</b> Code identifying a party or other code					

DLMS Supplement to Federal IC 511R Requisition PDC 29A ADCs 45, 59, 67, 69, 69A, 70, 75, 76, 77, 79, 83, 86, 92, 97, 169, 176, 178, 183, 186, 221, 221A, 243, 264, 266, 274, 276, 279, 284, 284A, 322, 328, 352, 359, 363, 375, 377, 381, 381B, 426, 435, 436, 448, 448B, 457, 466, 473, 473A, 1014, 1019, 1020, 1021 and 1023 DLM 4000.25

# FA1 Type of Financial Accounting Data

Pos: 285	Max: 1
Detail - C	Optional
Loop: FA1	Elements: 2

#### User Option (Usage): Used

Purpose: To specify the organization controlling the content of the accounting citation, and the purpose associated with the accounting citation

# Semantics:

- 1. FA101 Identifies the organization controlling the assignment of financial accounting information.
- 2. FA102 Identifies the purpose of the accounting allowance or charge information.

Ref	<u>Id</u>	Elem	ent Name	<u>Req</u>	Type	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>		
FA101	559	Agen	cy Qualifier Code	Μ	ID	2/2	Must use	1		
			ription: Code identifying the agency ning the code values							
		<u>Code</u>	Name							
		DF	Department of Defense (DoD)							
			Federal Note:							
			Use to indicate that the Component of DLA.	originating	the funds	is a Department	of Defense agency, in	ncluding		
		DN	Department of the Navy							
			Federal Note:							
			Includes the United States Marine Co	orps.						
		DY	Department of Air Force							
		DZ	Department of Army							
		FG	Federal Government							
FA102	1300		ce, Promotion, Allowance, or ge Code	0	ID	4/4	Must use	1		
		<b>Description:</b> Code identifying the service, promotion, allowance, or charge								
		<u>Code</u>	Name							
			Adjustments							
			DLMS Note:							
			Use only for adjustments not specified by any other code.							
		A520	Base Charge							
			DLMS Note:							
			Use for materiel charges only.							
		C930	Export Shipping Charge							
			Goods and Services Charge							
			DLMS Note:							
			Use for both materiel and related ser	vices.						
		F060	Other Accessorial Service Charge							
		F560 I260	560 Premium Transportation							
			Transportation Direct Billing							
			DLMS Note:							
			Use for non-premium transportation.							
		R060	Packing, Crating, and Handling Charg	е						

# FA2 Accounting Data

Pos: 286	Max: >1					
Detail - Mandatory						
Loop: FA1	Elements: 2					

User Option (Usage): Must use

Purpose: To specify the detailed accounting data

# **DLMS Note:**

Use this 2/FA2/286 segment to identify the various components of the line of accounting.

Element Su	mmary:								
<u>Ref</u>	<u>ld</u>	Eleme	ent Name	Req	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>	
FA201	1196	Break	down Structure Detail Code	М	ID	2/2	Must use	1	
			<b>iption:</b> Codes identifying details g to a reporting breakdown structure						
		Code	Name						
		18	Funds Appropriation						
			DLMS Note:						
			1. Use to indicate the basic appropria	tion num	ber.				
		B5 I1	<ul> <li>2. Authorized DLMS enhancement for DLA Disposition Services to provide fund cite for FMS transportation billing. Refer to ADC 466.</li> <li>3. Components are advised that the DoD is in the process of implementing Standard Financial Information Structure (SFIS) for all systems carrying/processing financial information (e.g., lines of accounting, fund codes). DLMS Qualifier 18 will be authorized at this time to support RBI legacy processes during transition to SFIS.</li> <li>Fund Code</li> <li>Abbreviated Department of Defense (DoD) Budget and Accounting Classification Code (BACC)</li> <li>DLMS Note: <ol> <li>Used to reflect the Account Processing Code (APC) in Theatre Enterprise-Wide Logistics System (TEWLS) transactions. (Associated with Approved DLMS Change 186)</li> </ol> </li> </ul>						
			2. DLMS enhancement; see introduct	tory DLM	S note 3a.				
		L1	Accounting Installation Number	-					
			Federal Note:						
			Use to indicate the Authorization Acco Number (ADSN)/Fiscal Station Number DLMS Note: DLMS enhancement; see introductory	er (FSN).		AA)/Accounting a	and Disbursing Station		
FA202	1195	Finan	cial Information Code	М	AN	1/80	Must use	1	
	<b>Description:</b> Code representing financial accounting information								

# SE Transaction Set Trailer

Pos: 290	Max: 1					
Detail - Mandatory						
Loop: N/A	Elements: 2					

#### User Option (Usage): Must use

**Purpose:** To indicate the end of the transaction set and provide the count of the transmitted segments (including the beginning (ST) and ending (SE) segments)

# **Comments:**

1. SE is the last segment of each transaction set.

<u>Ref</u>	ld	Element Name	Req	Type	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>
SE01	96	Number of Included Segments	Μ	N0	1/10	Must use	1
		<b>Description:</b> Total number of segments included in a transaction set including ST and SE segments					
SE02	329	Transaction Set Control Number	М	AN	4/9	Must use	1
		<b>Description:</b> Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set					
		<b>Federal Note:</b> <i>Cite the same number as the one cited in ST02.</i>					