# 846 Inventory Inquiry/Advice

## Functional Group=

Purpose: This Draft Standard for Trial Use contains the format and establishes the data contents of the Inventory Inquiry/Advice Transaction Set (846) for use within the context of an Electronic Data Interchange (EDI) environment. The transaction set can be used in the following ways: (1) for a seller of goods and services to provide inventory information to a prospective purchaser, with no obligation to the purchaser to acquire these goods or services; (2) for a representative of a seller of goods and services to supply inventory information to that seller; (3) for one location to supply another location with inventory information; and (4) for an inquiry as to the availability of inventory with no obligation on the seller of goods and services to reserve that inventory.

#### Federal Note:

- 1. This transaction is used to request, inquire about, and cancel a physical inventory, and to request transaction history.
- 2. Use one occurrence of this transaction set to transmit a single or multiple transactions.
- 3. DoD logistics users should refer to the Defense Logistics Management System (DLMS) Supplement to the Federal Implementation Convention (IC) available at URL: http://www.dla.mil/j-6/dlmso. The DLMS Supplement provides specific business rules, conditions, and authorized codes necessary for appropriate use of this IC within the DLMS.

#### DLMS Note:

- 1. Owners and managers use this transaction set to request, inquire about, and cancel a physical inventory by a distribution depot or storage activity. Owners and managers also use this transaction set to request transaction history. Distribution depots/storage activities use this transaction set to cancel and/or reschedule a physical inventory request by an owner/manager. Distribution depots/storage activities also use this transaction set to respond to a request for transaction history when no history is available and an inquiry about a request for a physical inventory. Distribution depots/storage activities also use this transaction set to provide the owner/manager End of Day processing accountable transaction count information. This transaction encompasses the functionality of MILSTRAP Document Identifier (DI) Codes DJA, DZJ, DZK when rp 30-43 is 8-filled or 9-filled, and DZM. This transaction also accommodates the functionality of non-DLSS Navy DI Codes BZA and BZC.
- 2. Use a single occurrence of this transaction set to exchange transactions between a single owner/manager and a single or multiple distribution depots/storage activities, or between a single distribution depot/storage activity and a single or multiple owners/managers. For use as an end of day transaction count, depot/storage activity sends a single occurrence of this transaction to a single owner/manager.
- 3. Users operating under the Defense Logistics Management System (DLMS) must reference the Unit of Issue and Purchase Unit Conversion Table and the Accounting Classification Appendix which can be found on the DLA Logistics Management Standards web site at www.dla.mil/j-6/dlmso.
- 4. This DLMS Supplement to the Federal 846P implementation convention contains:
- a. Data associated with a DLMS enhancement which may not be received or understood by the recipient's automated processing system. DLMS procedures may not have been developed. Components must coordinate requirements and business rules with DLA Logistics Management Standards prior to use.
- b. Data associated with an Approved Change which may not have an established implementation date. This data may not be received or understood by the recipient's automated processing system. Components must coordinate implementation with DLA Logistics Management Standards prior to use.
- c. Defense Logistics Standard System (DLSS) data which must be retained in the DLMS for a transition period to support transaction conversion in a mixed DLSS/DLMS environment. This data will be streamlined out once full DLMS implementation is reached. Components may coordinate with DLA Logistics Management Standards for early termination (or retention) of specific data requirements for users operating in a full DLMS environment.
- d. Data elements which have an expanded field size above existing DLSS capability which may not be supported by the recipient's automated processing system. Components must coordinate implementation with DLA Logistics Management Standards prior to use.
- e. Data required to accommodate Component-unique transaction requirements (e.g., B-series transactions). Data does not apply to DLSS transactions.
- f. Repetition of data (using multiple iterations or loops) which is not compatible with existing DLSS capability. Although supported by the use of the ANSI X12 standard, such data is not compatible with DLSS/DLMS conversion and may not be supported by the recipient's automated processing system. Components must coordinate implementation of enhanced capability with DLA Logistics Management Standards prior to
- g. Data associated with a DLMS enhancement authorized for implementation by modernized systems under DLMS migration. This data (including expanded field sizes) should be adopted during, or subsequent to, modernization when applicable to the Component's business process. Prior coordination is not required. Components should ensure that inclusion of this data in a DLMS transaction does not cause inappropriate rejection of the transaction.

004010F846P4PA12 1 August 08, 2011

- 5. This DLMS Supplement incorporates the Proposed DLMS Change (PDC) and Approved DLMS Change (ADC) listed. PDCs/ADCs are available from the DLA Logistics Management Standards website: http://www.dla.mil/j-6/dlmso/elibrary/Changes/processchanges.asp
- ADC 45, Use of Both Ownership Code and Purpose Code in DLMS for Ammunition
- ADC 77, Air Force Unique Management Coding for Materiel Management Aggregation Code (MMAC)
- ADC 134, Revision to DS 846P, Physical Inventory Request to Add Physical Inventory Cutoff Date (Supply)
- ADC 138, Revisions to DLMS Supplement (DS) 846P, Physical Inventory Request, to Capture Impact of Approved DLMS Change (ADC) 33, and Other Administrative Changes
- ADC 164, Revision to DLMS Supplement 846P, Physical Inventory Request, to Accommodate Functionality of End of Day Transaction Count (MILSTRAP DZM) and to Provide Transaction Clarification and Administrative Changes (Supply)
- ADC 198, Revise DS 846P to Provide Capability to Advise When No History is Available in Response to a Transaction History Request
- ADC 204, Revision to DS 846P and 846R to Support Requirements for Army Medical Material Agreement Inventory Records Management Process (Supply)
- ADC 270, Administrative Revision to DS 846P to Clarify Date Qualifiers in Transaction History Requests
- ADC 295, Use of DLMS Qualifier for Local Stock Number/Management Control Numbers
- ADC 307, Administrative Update to DLMS, Volume 2, Chapter 6, Physical Inventory Control and DLMS Supplements (DS) 846P, 846R, and 888I (Supply/MILSTRAP) (Supply/MILSTRAP)
- ADC 320, Revises DS 846P to Add Transaction Creation Date; Intra-Navy Change to Migrate Navy BZA/BZC Data Requirements to 846P End of Day Transaction Count Function (Supply)
- Withdrawal of Approved MILSTRAP/MILSTRIP Change Letter (AMCL) 5 and 13, Date Packed/Expiration for Subsistence Items (Staffed by PMCLs 3) (Supply/MILSTRIP/MILSTRAP)
- ADC 381, Procedures and Additional Data Content supporting Requisitions, Requisition Alerts, and Unit of Use Requirements under Navy BRAC SS&D/IMSP
- Approved Addendum ADC 381A, Procedures and Additional Data Content supporting Unit of Use Requirements under Marine Corps BRAC Storage and Distribution
- ADC 393, Revise DLMS 846P, Response to Transaction History Request When No History Available, to Add a Second Iteration of Type Physical Inventory/Transaction History Code
- ADC 436, Administrative Revisions to DLMS Supplements to Remove Obsolete Routing Identifier Code (RIC) "Streamline" Notes and Update MILSTRIP/DLMS Documentation Associated with Routing Identifiers

## Heading:

<u>Pos</u>	<u>ld</u>	Segment Name	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>
10	ST	Transaction Set Header	M	1			Must use
20	BIA	Beginning Segment for Inventory Inquiry/Advice	М	1			Must use
* 40	CUR	Currency	0	1			Not Used
* 50	DTM	Date/Time Reference	0	10			Not Used
* 60	REF	Reference Identification	0	12			Not Used
* 70	PER	Administrative Communications Contact	0	3			Not Used
* 75	MEA	Measurements	0	20			Not Used
LOOP ID -	<u>N1</u>				<u>5</u>		
80	N1	Name	0	1			Must use
* 90	N2	Additional Name Information	0	2			Not Used
* 100	N3	Address Information	0	2			Not Used
* 110	N4	Geographic Location	0	1			Not Used
* 120	REF	Reference Identification	0	12			Not Used
* 130	PER	Administrative Communications Contact	0	3			Not Used
* LOOP ID	<u>- LM</u>				<u>10</u>		
* 140	LM	Code Source Information	0	1			Not Used
150	LQ	Industry Code	M	100			Must use
-				1			

#### **Detail:**

Pos	<u>Ia</u>	Segment Name	Req	<u>wax use</u>	Repeat	<u>notes</u>	<u>usage</u>	
LOOP ID -	LIN				<u>10000</u>			
10	LIN	Item Identification	М	1			Must use	
* 30	PID	Product/Item Description	0	200			Not Used	
* 40	MEA	Measurements	0	40			Not Used	
* 50	PKG	Marking, Packaging, Loading	0	25			Not Used	

N1

450

Name

Request							4000.25-M
Pos	<u>ld</u>	Segment Name	Req	Max Use	Repeat	<u>Notes</u>	<u>Usage</u>
100	DTM	Date/Time Reference	0	10			Used
* 110	CTP	Pricing Information	0	25			Not Used
* 120 * 120	CUR	Currency	0	1			Not Used
* 130	SAC	Service, Promotion, Allowance, or Charge Information	0	25			Not Used
140	REF	Reference Identification	0	>1			Used
* 150	PER	Administrative Communications Contact	0	3			Not Used
* 220	SDQ	Destination Quantity	0	500			Not Used
* 230	MAN	Marks and Numbers	0	1			Not Used
* 235	UIT	Unit Detail	0	5			Not Used
* 240	CS	Contract Summary	0	1			Not Used
* 250	DD	Demand Detail	0	>1			Not Used
* 255	G53	Maintenance Type	0	1			Not Used
* 256	PCT	Percent Amounts	0	>1			Not Used
* 257	LDT	Lead Time	0	12			Not Used
LOOP ID -			_		<u>10</u>		
260	LM	Code Source Information	0	1			Used
270	LQ	Industry Code	М	100			Must use
* LOOP ID	- SLN				<u>1000</u>		
* 280	SLN	Subline Item Detail	0	1			Not Used
* 290	PID	Product/Item Description	0	200			Not Used
* 300	MEA	Measurements	0	40			Not Used
* 310	PKG	Marking, Packaging, Loading	0	25			Not Used
* LOOP ID	- MAN				<u>100</u>		
* 312	MAN	Marks and Numbers	0	1			Not Used
* 314	MEA	Measurements	0	40			Not Used
LOOP ID -	QTY				99		
320	QTY	Quantity	0	1	_		Used
* 330	UIT	Unit Detail	0	12			Not Used
* 340	MEA	Measurements	0	25			Not Used
* 350	LDT	Lead Time	0	12			Not Used
* 355	DTM	Date/Time Reference	0	10			Not Used
* LOOP ID	- SCH				<u>25</u>		
* 360	SCH	Line Item Schedule	0	1	_		Not Used
* 370	MEA	Measurements	0	25			Not Used
* LOOP ID	- I M				<u>&gt;1</u>		
* 375	LM	Code Source Information	0	1	21		Not Used
376	LQ	Industry Code	M	100			Must use
		industry dead		100			Widet doo
* LOOP ID					1		
* 380	LS	Loop Header	0	1			Not Used
* LOOP ID			_		<u>&gt;1</u>	N2/390L	
* 390	REF	Reference Identification	0	1		N2/390	Not Used
* 400	DTM	Date/Time Reference	0	>1			Not Used
* 410	N1	Name	0	1			Not Used
* LOOP ID					<u>10</u>		
* 420	LM	Code Source Information	0	1			Not Used
430	LQ	Industry Code	M	100			Must use
* 440	LE	Loop Trailer	М	1			Not Used
LOOP ID -	<u>N1</u>				<u>200</u>		
450	NIA	Nama	_	4			Mustuss

1

Must use

0

ADC 45, 77, 134, 138, 164, 198, 204, 270, 295, 307, 320, 381, 381A, 393 and 436 DoD 4000 25-M

<u>Pos</u>	<u>ld</u>	Segment Name	Req	Max Use	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>	
* 460	N2	Additional Name Information	0	2			Not Used	
* 470	N3	Address Information	0	2			Not Used	
* 480	N4	Geographic Location	0	1			Not Used	
* 490	REF	Reference Identification	0	12			Not Used	
* 500	PER	Administrative Communications Contact	0	3			Not Used	

## **Summary:**

<u>Pos</u>	<u>ld</u>	Segment Name	<u>Req</u>	Max Use	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>
* 10	CTT	Transaction Totals	0	1		N3/10	Not Used
20	SE	Transaction Set Trailer	M	1			Must use

## Notes:

2/390L	The REF loop conveys serial number, lot number, and inventory data.
2/390	The REF loop conveys serial number, lot number, and inventory data.
3/10	Number of line items (CTT01) is the accumulation of number of LIN segments. If used, hash total (CTT02) is the sum of the values of the quantities (QTY02) of each QTY segment.

## **ST** Transaction Set Header

Pos: 10 Max: 1

Heading - Mandatory

Loop: N/A Elements: 2

User Option (Usage): Must use

Purpose: To indicate the start of a transaction set and to assign a control number

## **Semantics:**

1. The transaction set identifier (ST01) used by the translation routines of the interchange partners to select the appropriate transaction set definition (e.g., 810 selects the Invoice Transaction Set).

## **Element Summary:**

Ref	<u>ld</u>	Element Name	Req	<u>Type</u>	Min/Max	<u>Usage</u>	<u>Rep</u>
ST01	143	Transaction Set Identifier Code	М	ID	3/3	Must use	1
		<b>Description:</b> Code uniquely identifying a Transaction Set					
		Code Name					
		846 Inventory Inquiry/Advice					
ST02	329	Transaction Set Control Number	M	AN	4/9	Must use	1
		<b>Description:</b> Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set					
		<b>Federal Note:</b> A unique number assigned by the originator of the transaction set, or the originator's application program.					

## **Beginning Segment for Inventory** BIA Inquiry/Advice

Pos: 20 Max: 1 **Heading - Mandatory** Loop: N/A Elements: 6

1

Must use

User Option (Usage): Must use

Purpose: To indicate the beginning of an Inventory Inquiry/Advice Transaction Set

#### Semantics:

BIA02

755

- 1. BIA03 identifies the number of the inquiry/advice that is transferred.
- 2. BIA04 identifies the date of the inquiry/advice that is transferred.
- 3. BIA05 identifies the time of the inquiry/advice that is transferred.

## **Element Summary:**

<u>Ref</u>	<u>ld</u>	Element Name	Req	<u>Type</u>	Min/Max	<u>Usage</u>	Rep
BIA01	353	Transaction Set Purpose Code	М	ID	2/2	Must use	1
		Description: Code identifying purpose of					

## transaction set Code Name

00 Original

77 Simulation Exercise

#### **DLMS Note:**

Use to identify a simulated mobilization exercise transaction set. Activities initiating simulated mobilization exercises must ensure complete coordination with all activities involved. All transaction set recipients must use extreme caution to ensure that individual transactions do not process as action documents which affect accountable records.

ZZ Mutually Defined

#### **DLMS Note:**

- 1. Use to identify the Unit of Use Indicator. When included, the quantity and unit of measure values associated with this transaction are applicable to the unit of use.
- 2. Authorized DLMS enhancement under DLA industrial activity support agreement. Refer to ADC 381. ID

2/2

**Report Type Code** 

Description: Code indicating the title or contents of a document, report or

supporting item

#### Code Name

Agent/Distributor Inventory Report AD

#### **DLMS Note:**

Use to identify a Response to a Transaction History Request (No History Available). From distribution depot/storage activity to owner/manager. (MILSTRAP DI Code DZK functionality when record position 30-43 is 8-filled or 9-filled.) Use with 2/LQ01/270/FC Type of Physical Inventory/Transaction History Code 8 or 9. NOTE: When history is available, there is no direct map of MILSTRAP DI Code DZK to DLMS. Instead, all transactions that were subject to historical submission under DZK, were given a beginning segment action code 'W1" for historical submissions. DLMS transactions containing Action Code W1 for historical submission are: 527R, 867I, 940R, 945A, 947I.)

B1 **Batch Report** 

#### **DLMS Note:**

- 1. Use to identify End of Day Transaction Count. Use to provide end of day accountable transaction count information. From distribution depot/storage activity to owner/manager to advise owner/manager of the number of balance affecting transactions that were forwarded during the daily course of business. (MILSTRAP DI Code DZM functionality).
- 2. Sent by distribution depot/storage activity to owner/manager to advise owner/manager of the number of accountable (balance affecting) transactions that were forwarded during the daily course of business. Only the following qualify as accountable transactions for this purpose: Receipts (DS 527R with 1/BR02 code D4); Issues (DS 867I); Inventory Adjustment-Increases (DS 947I with 2/W1916 code

### Code Name

AJ); Inventory Adjustment-Decreases (DS 947I with 2/W1916 code AD); Inventory Adjustments-Dual (DS 947I with 2/W1916 code DU).

DD Distributor Inventory Report

#### **DLMS Note:**

Use to identify a Response to Physical Inventory Request Transaction (does not include asset balances). From distribution depot/storage activity to owner/manager. (MILSTRAP DI Code DJA functionality when used as a response with Management Code R (no record of stock number or no record of ownership), S (physical inventory in workload bank or in process), or Y (response to follow-up when inventory already complete).

TC Physical Inventory Request

#### **DLMS Note:**

Use to identify a Physical Inventory Request Transaction. From owner/manager to initiate, follow up on, or cancel a physical inventory. From distribution depot/storage activity to initiate or cancel a physical inventory. (MILSTRAP DI Code DJA functionality)

TF Transaction History Request

#### **DLMS Note:**

Use to identify a Transaction History Request Transaction. From owner/manager to distribution depot/storage activity. (MILSTRAP DI Code DZJ functionality).

		depot/storage activity. (MILSTRAP L	DI Code Di	ZJ functionali	ty).		
BIA03	127	Reference Identification	М	AN	1/30	Must use	1
		Description: Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier  Federal Note: Use Code "Z" for this data element to satisfy mandatory X12 syntax requirements.					
BIA04	373	Date	М	DT	8/8	Must use	1
		Description: Date expressed as CCYYMMDD  Federal Note: This date is the date of the transaction set preparation and corresponds to the Universal Time Coordinate (UTC).					
		<b>DLMS Note:</b> DLMS enhancement; see introductory DLMS note 4a.					
BIA05	337	Time	0	TM	4/8	Used	1
		<b>Description:</b> Time expressed in 24-hour clock time as follows: HHMM, or HHMMSS, or HHMMSSDD, where H = hours (00-23), M = minutes (00-59), S = integer seconds (00-59) and DD = decimal seconds; decimal seconds are expressed as follows: D = tenths (0-9) and DD = hundredths (00-99)					
		<b>Federal Note:</b> Express the originating activity's time of transaction set preparation in UTC.					
		<b>DLMS Note:</b> 1. Express time in a four-position (HHMM) format, except for CAV II. CAV II expresses time in an eight-position Format (HHMMSSDD).					
		2. DLMS enhancement; see introductory DLMS note 4a. Authorized for use with CAV II.					
BIA06	306	Action Code	0	ID	1/2	Used	0

ADC 45, 77, 134, 138, 164, 198, 204, 270, 295, 307, 320, 381, 381A, 393 and 436

4000.25-M

DoD

Ref Id Element Name Req Type Min/Max Usage Rep

**Description:** Code indicating type of action

Federal Note: Use any code.

DLMS Note: For DLMS use, only the

following code is authorized.

Code Name

ND No Change

#### **DLMS Note:**

1. Authorized for intra-Navy use only for a Navy requirement; see introductory DLMS note 4e. Use in conjunction with BIA02 code 'B1'. Navy reporting activities use with end of day processing to advise Navy ICPs that no balance affecting transactions were submitted that day. (An ANSI data maintenance request has been prepared to establish a new data element 1270 code qualifier assignment for 'No Balance Affecting Transactions'. (Navy DI Code BZA functionality. Refer to ADC 320)

2. Use other than as noted above is a DLMS enhancement. See introductory DLMS note 4a.

## **Name**

Pos: 80 Max: **Heading - Optional** Loop: N1 Elements: 4

User Option (Usage): Must use

Purpose: To identify a party by type of organization, name, and code

## **Syntax Rules:**

- 1. R0203 At least one of N102 or N103 is required.
- 2. P0304 If either N103 or N104 is present, then the other is required.

#### **Comments:**

- 1. This segment, used alone, provides the most efficient method of providing organizational identification. To obtain this efficiency the "ID Code" (N104) must provide a key to the table maintained by the transaction processing party.
- 2. N105 and N106 further define the type of entity in N101.

1

9

### **Federal Note:**

Must use this 1/N1/080 loop to identify the organization originating the transaction set.

## E

Element S	Summary:						
Ref	<u>ld</u>	Element Name	Req	<u>Type</u>	Min/Max	<u>Usage</u>	<u>Rep</u>
N101	98	<b>Entity Identifier Code</b>	M	ID	2/3	Must use	1
		<b>Description:</b> Code identifying organizational entity, a physic property or an individual	=				
		Federal Note: Use any code					
		or Z4; or for intra-Navy use, N code FA as noted.	lavy may use				
		<ol><li>For DLMS use, only the fo are authorized.</li></ol>	liowing codes				
		Code Name					
		FA Facility					
		DLMS Note:					
		with 1/BIA01/20 Rep organic repair facility	a-Navy use. Commercial ort Type Code B1, End of (e.g., shipyard or Fleet R a-Navy use; see introduc	f Day Trans Readiness (	saction Count tran Center (FRC)). Aเ	sactions, to identify a uthorized DLMS migr	an
		2. Use other than as	noted above is a DLMS	enhanceme	ent. See introduc	tory DLMS note 4a.	
		SB Storage Area					
		DLMS Note:					
			oot or storage activity.				
		Z4 Owning Inventory Con	trol Point				
N103	66	Identification Code Qualifie	r X	ID	1/2	Must use	1
		<b>Description:</b> Code designation system/method of code struct Identification Code (67)	•				
		Code Name					
		4	0 D 1 4 4				

DLMS enhancement; see introductory DLMS note 4a.

D-U-N-S+4, D-U-N-S Number with Four Character Suffix

D-U-N-S Number, Dun & Bradstreet

**DLMS Note:** 

**DLMS Note:** 

67

N104

2/80

Must use

1

### Code Name

DLMS enhancement; see introductory DLMS note 4a.

10 Department of Defense Activity Address Code (DODAAC)

**DLMS Note:** 

DLMS enhancement; see introductory DLMS note 4a.

M4 Department of Defense Routing Identifier Code (RIC)

Identification Code

Description: Code identifying a party or

other code

N106 98 Entity Identifier Code O ID 2/3 Must use 1

**Description:** Code identifying an organizational entity, a physical location,

property or an individual

### Code Name

FR Message From

#### **Federal Note:**

Must use with the appropriate 1/N101/080 code to indicate the organization cited in N104 is originating the transaction set.

AN

## **LIN** Item Identification

Pos: 10 Max: 1

Detail - Mandatory Loop: LIN Elements: 4

User Option (Usage): Must use

Purpose: To specify basic item identification data

## Syntax Rules:

- 1. P0405 If either LIN04 or LIN05 is present, then the other is required.
- 2. P0607 If either LIN06 or LIN07 is present, then the other is required.
- 3. P0809 If either LIN08 or LIN09 is present, then the other is required.
- 4. P1011 If either LIN10 or LIN11 is present, then the other is required.
- 5. P1213 If either LIN12 or LIN13 is present, then the other is required.
- 6. P1415 If either LIN14 or LIN15 is present, then the other is required.
- 7. P1617 If either LIN16 or LIN17 is present, then the other is required.
- 8. P1819 If either LIN18 or LIN19 is present, then the other is required.
- 9. P2021 If either LIN20 or LIN21 is present, then the other is required.
- 10. P2223 If either LIN22 or LIN23 is present, then the other is required.
- 11. P2425 If either LIN24 or LIN25 is present, then the other is required.
- 12. P2627 If either LIN26 or LIN27 is present, then the other is required.
- 13. P2829 If either LIN28 or LIN29 is present, then the other is required.
- 14. P3031 If either LIN30 or LIN31 is present, then the other is required.

#### **Semantics:**

1. LIN01 is the line item identification

#### Comments:

- 1. See the Data Dictionary for a complete list of IDs.
- 2. LIN02 through LIN31 provide for fifteen different product/service IDs for each item. For example: Case, Color, Drawing No., U.P.C. No., ISBN No., Model No., or SKU.

#### **DLMS Note:**

- 1. Must use the 2/LIN/010 loop to identify the material, transaction number, and inventory information associated with the transaction.
- 2. For End of Day Transaction count (1/BIA02/20 code B1), repeat the LIN loop as needed to provide the transaction number and accountable transaction count information. Use one iteration to identify the number of different transaction "types" being reported. Use additional iterations as needed to provide transaction counts for the specific transaction types.

## **Element Summary:**

<u>Ref</u>	<u>ld</u>	Element Name	Req	<u>Type</u>	Min/Max	<u>Usage</u>	<u>Rep</u>
LIN02	235	Product/Service ID Qualifier	M	ID	2/2	Must use	1

**Description:** Code identifying the

type/source of the descriptive number used

in Product/Service ID (234)

Federal Note: Use any code.

DLMS Note: 1. For 1/BIA02/20 codes AD, DD, TC, and TF, use only one of codes A1, A2, A3, A4, FB, FS, MG, SW, YP, ZR or ZZ to identify the item of inventory. Must use National Stock Number (NSN) when known except when appropriate brand name subsistence items are identified by the subsistence Identification Number or when maintenance/industrial activity material is identified by Local Stock Number or Material Control Tracking (MCT) Tag Number.

004010F846P4PA12 11 August 08, 2011

Ref Id Element Name Req Type Min/Max Usage Rep

2. For 1/BIA02/20 code B1, only use ZZ.

3. For DLMS use only the following codes are authorized.

#### Code Name

A1 Plant Equipment Number

#### **DLMS Note:**

- 1. Use to identify plant equipment.
- 2. DLMS enhancement; See introductory DLMS note 4a.
- A2 Department of Defense Identification Code (DoDIC)

#### **DLMS Note:**

- 1. Use to identify ammunition items.
- 2. Authorized migration enhancement for intra-Navy use only; see introductory DLMS note 4g. Refer to ADC 320.
- 3. DLMS enhancement; see introductory DLMS note 4a.
- A3 Locally Assigned Control Number

#### **DLMS Note:**

- 1. Defense Medical Logistics Standard Support (DMLSS)/Theater Enterprise-Wide Logistics System (TEWLS) use to cite their Local Catalog Identification which can reference multiple prime vendor part numbers for a specific site.
- 2. DLMS enhancement. See introductory DLMS note 4a.
- A4 Subsistence Identification Number

#### **DLMS Note:**

Use to identify subsistence items.

F4 Series Identifier

#### **DLMS Note:**

- 1. Use to identify the manufacturer's series number of the end item.
- 2. DLMS enhancement; See introductory DLMS note 4a.
- FB Form Number

### **DLMS Note:**

- 1. Use to identify the form stock number.
- 2. DLMS enhancement; See introductory DLMS note 4a.
- FS National Stock Number
- MG Manufacturer's Part Number

#### **DLMS Note:**

Use to identify nonstandard material.

MN Model Number

#### **DLMS Note:**

- 1. Use to identify the manufacturer's model number of the end item.
- 2. DLMS enhancement; See introductory DLMS note 4a.
- SN Serial Number

#### **DLMS Note:**

- 1. Use to identify the manufacturer's serial number of the end item.
- 2. DLMS enhancement; See introductory DLMS note 4a.

#### SW Stock Number

#### **DLMS Note:**

Use to identify the local stock number (LSN).

### Code Name

- 2. When used for a unit of use LSN applicable to NSN materiel, the applicable NSN will be included for cross-reference.
- 3. When used for a unit of use LSN applicable to part numbered items, the original part-numbered item LSN will also be included for cross-reference.
- 4. Authorized DLMS enhancement under DLA industrial activity support agreement. Refer to ADC 381/Approved Addendum 381A.
- YP Publication Number

#### **DLMS Note:**

- 1. Use to identify the publication stock number.
- 2. DLMS enhancement; See introductory DLMS note 4a.
- ZR Service Control Identification

#### **DLMS Note:**

Use to identify Materiel Control Tracking (MCT) tag number. The MCT tag number is an authorized DLMS enhancement under DLA industrial activity support agreement. Refer to ADC 381.

ZZ Mutually Defined

#### **DLMS Note:**

1. Dual use:

For 1/BIA02/20 codes AD, DD, TC, and TF, use to identify nonstandard material when all other authorized codes do not apply or cannot be determined (includes management control numbers and locally assigned control numbers). May be used for DLSS-to-DLMS conversion when the translator cannot determine a more appropriate code.

2. For 1/BIA02/20 code B1 end of day accountable transaction count transactions, must use to comply with ANSI syntax requirements. Indicate ZZ in LIN03.

LIN03 234 Product/Service ID M AN 1/48 Must use 1

Description: Identifying number for a product or service

LIN04 235 Product/Service ID Qualifier X ID 2/2 Used 1

Description: Code identifying the

type/source of the descriptive number used

in Product/Service ID (234)

### Code Name

FS National Stock Number

#### **DLMS Note:**

- 1. Use to identify the NSN.
- 2. The NSN is provided as a cross-reference when unit of use indicator is included and the Local Stock Number (LSN) is identified as the primary material identification. Authorized DLMS enhancement under DLA industrial activity support agreement.
- SW Stock Number

#### **DLMS Note:**

- 1. Use to identify the local stock number (LSN).
- 2. The LSN is provided as a cross-reference when unit of use indicator is included and the unit of use LSN is identified as the primary material identification. Authorized DLMS enhancement under DLA industrial activity support agreement.
- ZB Commercial and Government Entity (CAGE) Code

#### **DLMS Note:**

Use with LIN02 code MG to uniquely identify a manufacturer's part number.

LIN05 234 Product/Service ID X AN 1/48 Used 1

**Description:** Identifying number for a

product or service

DLMS Supplement to Federal IC 846P Physical Inventory Request

ADC 45, 77, 134, 138, 164, 198, 204, 270, 295, 307, 320, 381, 381A, 393 and 436

36 DoD 4000.25-M **Rep** 

Ref Id Element Name Req Type Min/Max Usage

## **Date/Time Reference**

Pos: 100 Max: 10

**Detail - Optional** Loop: LIN Elements: 2

User Option (Usage): Used

Purpose: To specify pertinent dates and times

## **Syntax Rules:**

- 1. R020305 At least one of DTM02, DTM03 or DTM05 is required.
- 2. C0403 If DTM04 is present, then DTM03 is required.
- 3. P0506 If either DTM05 or DTM06 is present, then the other is required.

### **DLMS Note:**

DTM02

- 1. Use to convey dates associated with the transaction.
- 2. Do not use with End of Day Accountable Transaction Count transactions (1/BIA02/20 code B1).

## **Element Summary:**

<u>Ref</u>	<u>ld</u>	Element Name	Req	<u>Type</u>	Min/Max	<u>Usage</u>	<u>Rep</u>
DTM01	374	Date/Time Qualifier	М	ID	3/3	Must use	1
		Description: Code specifying type of date					

or time, or both date and time Federal Note: Use any code.

DLMS Note: For DLMS, only the following

codes are authorized.

### Code Name

090 Report Start

#### **DLMS Note:**

Use in transaction history requests to identify the transaction history reporting start date. (Report start date equates to MILSTRAP DI Code DZJ rp 25-28 transaction history start date.)

091 Report End

#### **DLMS Note:**

Use in transaction history requests to identify the transaction history reporting end date. (Report end date is a date equivalent for MILSTRAP DI Code DZJ rp 29-31 which is the total number of prior days transaction history required. Accordingly, the report end date will precede the report start date.)

DT

8/8

Must use

097 **Transaction Creation** 

#### **DLMS Note:**

Use to identify the date the transaction was prepared.

197

#### **DLMS Note:**

Use to identify the Physical Inventory Cutoff Date (PICD).

Χ

**Date** Description: Date expressed as

373

**CCYYMMDD** 

## **REF** Reference Identification

Pos: 140 Max: >1
Detail - Optional
Loop: LIN Elements: 2

User Option (Usage): Used

**Purpose:** To specify identifying information

## Syntax Rules:

R0203 - At least one of REF02 or REF03 is required.

#### **Semantics:**

1. REF04 contains data relating to the value cited in REF02.

### **DLMS Note:**

- 1. Use to identify the transaction number.
- 2. For End of Day Accountable Transaction Counts (1/BIA02/20 code B1) use to cite the accountable transaction count information (except do not use to cite count information with intra-Navy BIA06 Action Code 'ND' which Navy uses to indicate no accountable transactions were submitted that day).

### **Element Summary:**

<u>Ref</u>	<u>ld</u>	Element Name	Req	<u>Type</u>	Min/Max	<u>Usage</u>	<u>Rep</u>
REF01	128	Reference Identification Qualifier	М	ID	2/3	Must use	1

**Description:** Code qualifying the Reference Identification

Federal Note: Use any code.

DLMS Note: For DLMS use, only the

following code is authorized.

#### Code Name

8X Transaction Category or Type

#### **DLMS Note:**

Use to identify the specific accountable transaction types for which transaction counts are being provided in 2/QTY/320 (i.e., receipt, issue, inventory adjustment increase, inventory adjustment decrease, inventory adjustment dual.)

For Receipts (DS 527R with 1/BR02 code D4); Issues (DS 867I); Inventory Adjustment-Increases (DS 947I with 2/W1916 code AJ); Inventory Adjustment-Decreases (DS 947I with 2/W1916 code AD); Inventory Adjustments-Dual (DS 947I with 2/W1916 code DU), cite the appropriate code in REF02 as follows:

For Receipts, cite 527R in REF02.

For Issues, cite 867I in REF02.

For Inventory Adjustment Increases, cite 947IAJ in REF02.

For Inventory Adjustment Decreases, cite 947IAD in REF02.

For Inventory Adjustments Dual, cite 947IDU in REF02.

For intra-Navy use, Navy also provides transaction counts for nonaccountable Asset Status Report transactions (DS 846I with BIA02 code TJ), cite 846I in REF02. Refer to ADC 320.

FI File Identifier

#### **DLMS Note:**

Use with 1/BIA02/20 code B1. Use to indicate that the number of different types of accountable transactions is being reported in 2/QTY01-02/320. Enter "1" in REF02 for this purpose.

L1 Letters or Notes

#### **DLMS Note:**

For Intra-Navy use only, Navy uses to identify that End of Day Transaction Count transaction was

1/30

## Code Name

generated by applications other than CAV II. Navy cites 'C' in REF02 to indicate non CAV II transactions. Navy uses with 1/BIA02/20 Code B1. Refer to ADC 320.

Χ

TN Transaction Reference Number

**DLMS Note:** 

DLMS enhancement; See introductory DLMS note 4a.

REF02 127 Reference Identification

AN

Must use

1

**Description:** Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

## **Code Source Information**

Pos: 260 Max: 1 **Detail - Optional** 

DoD

Loop: LM Elements: 1

User Option (Usage): Used

Purpose: To transmit standard code list identification information

#### **Comments:**

1. LM02 identifies the applicable industry code list source information.

#### **Federal Note:**

Use this 2/LM/260 loop to identify coded information maintained in department or agency documentation.

## **Element Summary:**

<u>Ref</u>	<u>ld</u>	Element Name	<u>Req</u>	<u>Type</u>	Min/Max	<u>Usage</u>	<u>Rep</u>
LM01	559	Agency Qualifier Code	M	ID	2/2	Must use	1

**Description:** Code identifying the agency

assigning the code values

Code Name

Department of Defense (DoD)

## LQ Industry Code

Pos: 270 Max: 100

Detail - Mandatory

Loop: LM Elements: 2

User Option (Usage): Must use

Purpose: Code to transmit standard industry codes

## Syntax Rules:

1. C0102 - If LQ01 is present, then LQ02 is required.

#### **Federal Note:**

Use to identify codes, as appropriate, consistent with management information requirements.

### **Element Summary:**

<u>Ref</u>	<u>ld</u>	Element Name	<u>Req</u>	<u>Type</u>	Min/Max	<u>Usage</u>	<u>Rep</u>
LQ01	1270	Code List Qualifier Code	0	ID	1/3	Must use	1

Description: Code identifying a specific

industry code list

Federal Note: Use any code.

**DLMS Note:** 1. Use either code 99 or A1 (but not both), except for ammunition where both codes may be used. (Use of both codes for ammunition is a DLMS enhancement (see introductory

DLMS note 4a).

2. For DLMS use, only the following codes are authorized.

#### Code Name

0 Document Identification Code

#### **DLMS Note:**

- 1. Future Streamlined data; see introductory DLMS note 4c.
- 2. The DLSS DI Code is retained in the DLMS to facilitate transaction conversion in a mixed DLSS/DLMS environment. Continued support of the DI Code in a full DLMS environment will be assessed at a future date.
- 78 Project Code

#### **DLMS Note:**

- 1. Enter the project code in LQ02 if stocks are segregated and maintained by project codes.
- 2. Future Streamlined data; see introductory DLMS note 4c.
- 83 Supply Condition Code
- 84 Management Code

### **DLMS Note:**

Use in physical inventory request, physical inventory report/response, to provide supplemental management information.

87 Subsistence Type of Pack Code

#### **DLMS Note:**

Use in physical inventory request and physical inventory response transactions to further identify subsistence items.

99 Purpose Code

#### **DLMS Note:**

1. Enter the purpose code in LQ02 if stocks are segregated and maintained by purpose codes.

A1 Ownership Code

### Code Name

#### **DLMS Note:**

1. Enter the ownership code in LQ02 if stocks are segregated and maintained by ownership codes.

#### A9 Supplemental Data

#### **DLMS Note:**

- 1. Use to identify supplemental address/data.
- 2. Future streamlined data; see introductory DLMS note 4c.

#### AJ Utilization Code

#### **DLMS Note:**

- 1. Under DLSS, this is the first position of the document serial number.
- 2. DLMS enhancement; see introductory DLMS note 4a.

#### AK Distribution Code

#### **DLMS Note:**

- Enter the distribution code in LQ02 if stocks are segregated and maintained by distribution codes.
- 2. Future Streamlined data; see introductory DLMS note 4c.

#### DF Media and Status Code

#### **DLMS Note:**

The DLMS provides the capability to carry additional status recipients beyond those identified by the DLSS. The Media and Status Code and the Distribution Code will be retained in the DLMS to facilitate transaction conversion in a mixed DLSS/DLMS environment. Additional status recipients identified here cannot be passed to DLSS users.

### FC Type Physical Inventory or Transaction History Code

#### **DLMS Note:**

- 1. For Physical Inventory Request Transaction, Response to Physical Inventory Request Transaction, and Transaction History Request (1/BIA02/20 Report Type Codes TC, DD, and TF respectively), cite appropriate code.
- 2. For Response to Transaction History Request (No History Available) (BIA02 Report Type Code AD), code value 8 or 9 is required; in addition, a second iteration of qualifier FC is used to perpetuate the code which appeared on the Transaction History Request or cite code W or Y (DLA only) for automatic submission of transaction history. Refer to ADC 198 and ADC 393.

#### GQ Group Qualifier Code

#### **DLMS Note:**

Use to identify the Materiel Management Aggregation Code (MMAC) for NSNs to be managed by a specific manager (i.e., system, program, aggregation, selected FSC, technology group). This is an Air Force-unique data element, meaningful to the Air Force only. Non-Air Force Components perpetuate without action.

A data maintenance action was approved in version 5010. The approved code/name is "MAC – Material Management Aggregation Code". The code source is identified as the Air Force Manual (AFMAN) 23-110, Volumes 1 and 2.

### COG Cognizance Symbol

#### **DLMS Note:**

Use to identify the material cognizance symbol (COG) of the end item. Indicate NSL for non-stock numbered listed items. This is a Navy-unique data element meaningful to Navy only; Non-Navy Components are to perpetuate without action.

#### IMC Item Management Code

#### **DLMS Note:**

Use to identify the Item Management Code (IMC) for integrated material management. This is a Navy-unique data element meaningful to Navy only; Non-Navy Components are to perpetuate without action.

#### MCC Material Control Code

#### **DLMS Note:**

Use to identify the Material Control Code (MCC) for special inventory reporting. This is a Navy-unique data element meaningful to Navy only; Non-Navy Components are to perpetuate without action.

#### SMI Special Material Identification Code

ADC 45, 77, 134, 138, 164, 198, 204, 270, 295, 307, 320, 381, 381A, 393 and 436 DoD 4000.25-M

## Code Name

#### **DLMS Note:**

Use to identify the Special Material Identification Code (SMIC) for an end item. This is a Navy-unique data element meaningful to Navy only; Non-Navy Components are to perpetuate without action.

Χ

LQ02 1271 Industry Code

AN 1/30

Must use

1

**Description:** Code indicating a code from

a specific industry code list

## **QTY** Quantity

Pos: 320 Max: 1

Detail - Optional

Loop: QTY Elements: 3

User Option (Usage): Used

Purpose: To specify quantity information

## Syntax Rules:

1. R0204 - At least one of QTY02 or QTY04 is required.

2. E0204 - Only one of QTY02 or QTY04 may be present.

## **Semantics:**

1. QTY04 is used when the quantity is non-numeric.

### **Element Summary:**

<u>Ref</u>	<u>ld</u>	Element Name	<u>Req</u>	<b>Type</b>	Min/Max	<u>Usage</u>	Rep
QTY01	673	Quantity Qualifier	M	ID	2/2	Must use	1

Description: Code specifying the type of

quantity

#### Code Name

02 Cumulative Quantity

#### **DLMS Note:**

For intra-Navy use only, Navy Commercial Asset Visibility (CAV) uses with 1/BIA02/20 code 'B1-End of Day Transaction Count', to identify the summary quantity for the transactions being reported. This equates to Navy DI Code BZC, rp 7-11. Not used with intra-Navy BIA06 Action Code 'ND'. Refer to ADC 320.

46 Total transactions

#### **DLMS Note:**

Use with BIA02 code B1 End of Day Transaction Count and 2/REF01 code FI to indicate the total number of balance affecting transaction types being reported in this transaction. For the purpose of this transaction there are 5 possible transaction types for which end of day counts can be reported (receipts, issues, inventory adjustment increases, inventory adjustment decreases, and inventory adjustment dual.). Not used with intra-Navy BIA06 Action Code 'ND'.

TT Total Production Volume

#### **DLMS Note:**

Use with BIA02 code B1 End of Day Transaction Count to indicate the daily volume of balance affecting transactions applicable to the transaction category/type identified in 2/REF01/140 code 8X (e.g. if 36 receipt transactions are being reported, REF01 = 8X; REF02 = 527R; QTY01 = TT; QTY02 = 36.) Not used with intra-Navy BIA06 Action Code 'ND'.

UU Used

#### **DLMS Note:**

For BIA02 codes AD, DD, TC, DF, and BIA06 Action Code ND, use to comply with X12 syntax requirements. Cite "1" in QTY02. Do not use with BIA02 code B1 (except when B1 is used in conjunction with intra-Navy BIA06 Action Code 'ND').

QTY02	380	Quantity	Χ	R	1/15	Used	1
		Description: Numeric value of quantity					
QTY03	C001	Composite Unit of Measure	0	Comp		Used	1
		<b>Description:</b> To identify a composite unit of measure(See Figures Appendix for examples of use)					
QTY03-01	355	Unit or Basis for Measurement Code	М	ID	2/2	Must use	1
		<b>Description:</b> Code specifying the units in which a value is being expressed, or manner in which a measurement has been					

ADC 45, 77, 134, 138, 164, 198, 204, 270, 295, 307, 320, 381, 381A, 393 and 436

4000.25-M

Ref Id Element Name

Type M

<u>Req</u>

Min/Max Usage

<u>Rep</u>

DoD

taken

Federal Note: Use any code other than ZZ.

**DLMS Note:** *DLMS users see the Unit of Issue and Purchase Unit Conversion Table for available codes.* 

All valid standard codes are used.

## N1 Name

Pos: 450 Max: 1
Detail - Optional

Loop: N1 Elements: 4

User Option (Usage): Must use

Purpose: To identify a party by type of organization, name, and code

## Syntax Rules:

- 1. R0203 At least one of N102 or N103 is required.
- 2. P0304 If either N103 or N104 is present, then the other is required.

#### **Comments:**

- 1. This segment, used alone, provides the most efficient method of providing organizational identification. To obtain this efficiency the "ID Code" (N104) must provide a key to the table maintained by the transaction processing party.
- 2. N105 and N106 further define the type of entity in N101.

### **Federal Note:**

Must use this 2/N1/450 loop to identify the organization to receive the transaction.

## **Element Summary:**

Ref Id Element Name Reg Type Min/Max Usage Ref N101 98 Entity Identifier Code M ID 2/3 Must use 1  Description: Code identifying an organizational entity, a physical location, property or an individual Federal Note: Use any code.  DLMS Note: 1. Use one of codes SB or Z4.  2. For DLMS use, only the following codes are authorized.  Code Name SB Storage Area DLMS Note: Use to identify a depot or storage activity.  Z4 Owning Inventory Control Point  N103 66 Identification Code Qualifier X ID 1/2 Must use 1  Description: Code designating the system/method of code structure used for Identification Code (67)  Code Name 1 D-U-N-S Number, Dun & Bradstreet DLMS Note: DLMS Note: DLMS nehancement; see introductory DLMS note 4a. 9 D-U-N-S-4, D-U-N-S Number with Four Character Suffix DLMS enhancement; see introductory DLMS note 4a. 10 Department of Defense Activity Address Code (DODAAC) DLMS Note: DLMS enhancement; see introductory DLMS note 4a. M4 Department of Defense Routing Identifier Code (RIC)  N104 67 Identification Code X AN 2/80 Must use 1	Liement 3	ouiiiiiai y									
Description: Code identifying an organizational entity, a physical location, property or an individual  Federal Note: Use any code.  DLMS Note: 1. Use one of codes SB or Z4.  2. For DLMS use, only the following codes are authorized.  Code Name  SB Storage Area  DLMS Note:  Use to identify a depot or storage activity.  Z4 Owning Inventory Control Point  N103 66 Identification Code Qualifier X ID 1/2 Must use 1  Description: Code designating the system/method of code structure used for Identification Code (67)  Code Name  1 D-U-N-S Number, Dun & Bradstreet  DLMS Note:  DLMS Note:  DLMS enhancement; see introductory DLMS note 4a.  9 D-U-N-S+4, D-U-N-S Number with Four Character Suffix  DLMS enhancement; see introductory DLMS note 4a.  10 Department of Defense Activity Address Code (DODAAC)  DLMS Note:  DLMS enhancement; see introductory DLMS note 4a.  Department of Defense Activity Address Code (BODAAC)  DLMS note:  DLMS enhancement; see introductory DLMS note 4a.  Department of Defense Routing Identifier Code (RIC)		<u>ld</u>		Req	· · · · · · · · · · · · · · · · · · ·		<u>Usage</u>	<u>Rep</u>			
organizational entity, a physical location, property or an individual  Federal Note: Use any code.  DLMS Note: 1. Use one of codes SB or Z4.  2. For DLMS use, only the following codes are authorized.  Code Name  SB Storage Area  DLMS Note:  Use to identify a depot or storage activity.  Z4 Owning Inventory Control Point  N103 66 Identification Code Qualifier X ID 1/2 Must use 1  Description: Code designating the system/method of code structure used for Identification Code (67)  Code Name  1 D-U-N-S Number, Dun & Bradstreet  DLMS Note:  DLMS Note:  DLMS Note:  DLMS enhancement; see introductory DLMS note 4a.  9 D-U-N-S+4, D-U-N-S Number with Four Character Suffix  DLMS enhancement; see introductory DLMS note 4a.  10 Department of Defense Activity Address Code (DODAAC)  DLMS Note:  DLMS enhancement; see introductory DLMS note 4a.  Department of Defense Activity Address Code (BODAAC)  DLMS enhancement; see introductory DLMS note 4a.  Department of Defense Routing Identifier Code (RIC)	N101	98	Entity Identifier Code	М	ID	2/3	Must use	1			
property or an individual  Federal Note: Use any code.  DLMS Note: 1. Use one of codes SB or Z4.  2. For DLMS use, only the following codes are authorized.  Code Name  SB Storage Area  DLMS Note: Use to identify a depot or storage activity.  Z4 Owning Inventory Control Point  N103 66 Identification Code Qualifier X ID 1/2 Must use 1  Description: Code designating the system/method of code structure used for Identification Code (87)  Code Name  1 D-U-N-S Number, Dun & Bradstreet  DLMS Note: DLMS note: DLMS note: DLMS enhancement; see introductory DLMS note 4a.  10 Department of Defense Activity Address Code (DODAAC)  DLMS Note: DLMS Note: DLMS note: DLMS enhancement; see introductory DLMS note 4a.  NA Department of Defense Routing Identifier Code (RIC)			Description: Code identifying an								
Federal Note: Use any code.  DLMS Note: 1. Use one of codes SB or Z4.  2. For DLMS use, only the following codes are authorized.  Code Name  SB Storage Area  DLMS Note:  Use to identify a depot or storage activity.  Z4 Owning Inventory Control Point  N103 66 Identification Code Qualifier X ID 1/2 Must use 1  Description: Code designating the system/method of code structure used for Identification Code (67)  Code Name  1 D-U-N-S Number, Dun & Bradstreet  DLMS Note:  DLMS enhancement; see introductory DLMS note 4a.  9 D-U-N-S-N, S Number with Four Character Suffix  DLMS Note:  DLMS Note:  DLMS enhancement; see introductory DLMS note 4a.  10 Department of Defense Activity Address Code (DODAAC)  DLMS Note:  DLMS enhancement; see introductory DLMS note 4a.  M4 Department of Defense Routing Identifier Code (RIC)											
DLMS Note: 1. Use one of codes SB or Z4.  2. For DLMS use, only the following codes are authorized.  Code Name  SB Storage Area  DLMS Note:  Use to identify a depot or storage activity.  Z4 Owning Inventory Control Point  N103 66 Identification Code Qualifier X ID 1/2 Must use 1  Description: Code designating the system/method of code structure used for Identification Code (67)  Code Name  1 D-U-N-S Number, Dun & Bradstreet  DLMS Note:  DLMS enhancement; see introductory DLMS note 4a.  9 D-U-N-S-4, D-U-N-S Number with Four Character Suffix  DLMS Note:  DLMS enhancement; see introductory DLMS note 4a.  10 Department of Defense Activity Address Code (DODAAC)  DLMS Note:  DLMS enhancement; see introductory DLMS note 4a.  M4 Department of Defense Routing Identifier Code (RIC)											
2. For DLMS use, only the following codes are authorized.  Code Name  SB Storage Area  DLMS Note:  Use to identify a depot or storage activity.  Z4 Owning Inventory Control Point  N103 66 Identification Code Qualifier X ID 1/2 Must use 1  Description: Code designating the system/method of code structure used for Identification Code (67)  Code Name  1 D-U-N-S Number, Dun & Bradstreet  DLMS note:  DLMS enhancement; see introductory DLMS note 4a.  9 D-U-N-S+4, D-U-N-S Number with Four Character Suffix  DLMS enhancement; see introductory DLMS note 4a.  10 Department of Defense Activity Address Code (DODAAC)  DLMS note:  DLMS enhancement; see introductory DLMS note 4a.  M4 Department of Defense Routing Identifier Code (RIC)			·								
Are authorized.  Code Name  SB Storage Area  DLMS Note:  Use to identify a depot or storage activity.  Z4 Owning Inventory Control Point  N103 66 Identification Code Qualifier X ID 1/2 Must use 1  Description: Code designating the system/method of code structure used for Identification Code (67)  Code Name  1 D-U-N-S Number, Dun & Bradstreet  DLMS Note:  DLMS enhancement; see introductory DLMS note 4a.  9 D-U-N-S-4, D-U-N-S Number with Four Character Suffix  DLMS enhancement; see introductory DLMS note 4a.  10 Department of Defense Activity Address Code (DODAAC)  DLMS Note:  DLMS enhancement; see introductory DLMS note 4a.  M4 Department of Defense Routing Identifier Code (RIC)			DLMS Note: 1. Use one of codes SB or 2	<u> </u>							
SB Storage Area  DLMS Note:  Use to identify a depot or storage activity.  Z4 Owning Inventory Control Point  N103 66 Identification Code Qualifier X ID 1/2 Must use 1  Description: Code designating the system/method of code structure used for Identification Code (67)  Code Name  1 D-U-N-S Number, Dun & Bradstreet  DLMS Note:  DLMS enhancement; see introductory DLMS note 4a.  9 D-U-N-S+4, D-U-N-S Number with Four Character Suffix  DLMS Note:  DLMS enhancement; see introductory DLMS note 4a.  10 Department of Defense Activity Address Code (DODAAC)  DLMS enhancement; see introductory DLMS note 4a.  M4 Department of Defense Routing Identifier Code (RIC)				S							
SB Storage Area  DLMS Note:  Use to identify a depot or storage activity.  Z4 Owning Inventory Control Point  N103 66 Identification Code Qualifier X ID 1/2 Must use 1  Description: Code designating the system/method of code structure used for Identification Code (67)  Code Name  1 D-U-N-S Number, Dun & Bradstreet  DLMS Note:  DLMS enhancement; see introductory DLMS note 4a.  9 D-U-N-S+4, D-U-N-S Number with Four Character Suffix  DLMS Note:  DLMS enhancement; see introductory DLMS note 4a.  10 Department of Defense Activity Address Code (DODAAC)  DLMS Note:  DLMS enhancement; see introductory DLMS note 4a.  M4 Department of Defense Routing Identifier Code (RIC)			Code Name								
DLMS Note:  Use to identify a depot or storage activity.  Z4 Owning Inventory Control Point  N103 66 Identification Code Qualifier X ID 1/2 Must use 1  Description: Code designating the system/method of code structure used for Identification Code (67)  Code Name  1 D-U-N-S Number, Dun & Bradstreet  DLMS Note:  DLMS enhancement; see introductory DLMS note 4a.  9 D-U-N-S+4, D-U-N-S Number with Four Character Suffix  DLMS enhancement; see introductory DLMS note 4a.  10 Department of Defense Activity Address Code (DODAAC)  DLMS Note:  DLMS enhancement; see introductory DLMS note 4a.  M4 Department of Defense Routing Identifier Code (RIC)											
Use to identify a depot or storage activity.  Z4 Owning Inventory Control Point  N103 66 Identification Code Qualifier X ID 1/2 Must use 1  Description: Code designating the system/method of code structure used for Identification Code (67)  Code Name  1 D-U-N-S Number, Dun & Bradstreet  DLMS Note:  DLMS enhancement; see introductory DLMS note 4a.  9 D-U-N-S+4, D-U-N-S Number with Four Character Suffix  DLMS enhancement; see introductory DLMS note 4a.  10 Department of Defense Activity Address Code (DODAAC)  DLMS Note:  DLMS enhancement; see introductory DLMS note 4a.  M4 Department of Defense Routing Identifier Code (RIC)											
N103 66 Identification Code Qualifier X ID 1/2 Must use 1  Description: Code designating the system/method of code structure used for Identification Code (67)  Code Name  1 D-U-N-S Number, Dun & Bradstreet  DLMS Note:  DLMS enhancement; see introductory DLMS note 4a.  9 D-U-N-S+4, D-U-N-S Number with Four Character Suffix  DLMS Note:  DLMS enhancement; see introductory DLMS note 4a.  10 Department of Defense Activity Address Code (DODAAC)  DLMS Note:  DLMS enhancement; see introductory DLMS note 4a.  M4 Department of Defense Routing Identifier Code (RIC)				e activity.							
N103 66 Identification Code Qualifier X ID 1/2 Must use 1  Description: Code designating the system/method of code structure used for Identification Code (67)  Code Name  1 D-U-N-S Number, Dun & Bradstreet  DLMS Note:  DLMS enhancement; see introductory DLMS note 4a.  9 D-U-N-S+4, D-U-N-S Number with Four Character Suffix  DLMS note:  DLMS enhancement; see introductory DLMS note 4a.  10 Department of Defense Activity Address Code (DODAAC)  DLMS Note:  DLMS enhancement; see introductory DLMS note 4a.  M4 Department of Defense Routing Identifier Code (RIC)											
Description: Code designating the system/method of code structure used for Identification Code (67)  Code Name  1 D-U-N-S Number, Dun & Bradstreet  DLMS Note:  DLMS enhancement; see introductory DLMS note 4a.  9 D-U-N-S+4, D-U-N-S Number with Four Character Suffix  DLMS Note:  DLMS enhancement; see introductory DLMS note 4a.  10 Department of Defense Activity Address Code (DODAAC)  DLMS Note:  DLMS enhancement; see introductory DLMS note 4a.  M4 Department of Defense Routing Identifier Code (RIC)	NACO	66		V	ID.	4./0					
system/method of code structure used for Identification Code (67)  Code Name  1 D-U-N-S Number, Dun & Bradstreet  DLMS Note:  DLMS enhancement; see introductory DLMS note 4a.  9 D-U-N-S+4, D-U-N-S Number with Four Character Suffix  DLMS Note:  DLMS enhancement; see introductory DLMS note 4a.  10 Department of Defense Activity Address Code (DODAAC)  DLMS Note:  DLMS enhancement; see introductory DLMS note 4a.  M4 Department of Defense Routing Identifier Code (RIC)	N103	66	Identification Code Qualifier	Х	טו	1/2	Must use	1			
D-U-N-S Number, Dun & Bradstreet  DLMS Note:  DLMS enhancement; see introductory DLMS note 4a.  D-U-N-S+4, D-U-N-S Number with Four Character Suffix  DLMS Note:  DLMS enhancement; see introductory DLMS note 4a.  Department of Defense Activity Address Code (DODAAC)  DLMS Note:  DLMS enhancement; see introductory DLMS note 4a.  M4 Department of Defense Routing Identifier Code (RIC)			system/method of code structure used for								
D-U-N-S Number, Dun & Bradstreet  DLMS Note:  DLMS enhancement; see introductory DLMS note 4a.  D-U-N-S+4, D-U-N-S Number with Four Character Suffix  DLMS Note:  DLMS enhancement; see introductory DLMS note 4a.  Department of Defense Activity Address Code (DODAAC)  DLMS Note:  DLMS enhancement; see introductory DLMS note 4a.  M4 Department of Defense Routing Identifier Code (RIC)			Code Name								
DLMS enhancement; see introductory DLMS note 4a.  D-U-N-S+4, D-U-N-S Number with Four Character Suffix  DLMS Note:  DLMS enhancement; see introductory DLMS note 4a.  Department of Defense Activity Address Code (DODAAC)  DLMS Note:  DLMS enhancement; see introductory DLMS note 4a.  M4 Department of Defense Routing Identifier Code (RIC)				et							
D-U-N-S+4, D-U-N-S Number with Four Character Suffix  DLMS Note:  DLMS enhancement; see introductory DLMS note 4a.  Department of Defense Activity Address Code (DODAAC)  DLMS Note:  DLMS enhancement; see introductory DLMS note 4a.  M4 Department of Defense Routing Identifier Code (RIC)			DLMS Note:								
DLMS Note:  DLMS enhancement; see introductory DLMS note 4a.  Department of Defense Activity Address Code (DODAAC)  DLMS Note:  DLMS enhancement; see introductory DLMS note 4a.  M4 Department of Defense Routing Identifier Code (RIC)			DLMS enhancement; see introdu	ictory DLMS	note 4a.						
DLMS enhancement; see introductory DLMS note 4a.  10 Department of Defense Activity Address Code (DODAAC)  DLMS Note:  DLMS enhancement; see introductory DLMS note 4a.  M4 Department of Defense Routing Identifier Code (RIC)			9 D-U-N-S+4, D-U-N-S Number with	·							
Department of Defense Activity Address Code (DODAAC)  DLMS Note:  DLMS enhancement; see introductory DLMS note 4a.  M4 Department of Defense Routing Identifier Code (RIC)			<b>DLMS Note:</b>								
DLMS Note:  DLMS enhancement; see introductory DLMS note 4a.  M4 Department of Defense Routing Identifier Code (RIC)			DLMS enhancement; see introdu	ictory DLMS	note 4a.						
DLMS enhancement; see introductory DLMS note 4a.  M4 Department of Defense Routing Identifier Code (RIC)			10 Department of Defense Activity Ac	ldress Code (	(DODAAC)						
M4 Department of Defense Routing Identifier Code (RIC)			DLMS Note:								
			DLMS enhancement; see introdu	ictory DLMS	note 4a.						
N104 67 Identification Code X AN 2/80 Must use 1			M4 Department of Defense Routing Id	lentifier Code	(RIC)						
A AN 2/00 IVIUST USE I	N104	67	Identification Code	Y	ΔNI	2/80	Mustuse	1			
	N104	67	identification Code	^	AIN	2/80	iviust use	1			

DoD

<u>Ref</u>	<u>ld</u>	Element Name	Req	<u>Type</u>	Min/Max	<u>Usage</u>	<u>Rep</u>
		<b>Description:</b> Code identifying a party or other code					
N106	98	Entity Identifier Code	0	ID	2/3	Must use	1

**Description:** Code identifying an organizational entity, a physical location, property or an individual

### Code Name

TO Message To

#### **Federal Note:**

Must use with the appropriate 2/N101/450 code to indicate the organization cited in N104 is receiving the transaction.

## **SE** Transaction Set Trailer

Pos: 20 Max: 1 Summary - Mandatory Loop: N/A Elements: 2

User Option (Usage): Must use

**Purpose:** To indicate the end of the transaction set and provide the count of the transmitted segments (including the beginning (ST) and ending (SE) segments)

#### **Comments:**

1. SE is the last segment of each transaction set.

## **Element Summary:**

<u>Ref</u> SE01	<u>ld</u> 96	<u>Element Name</u> Number of Included Segments	Req M	<u>Type</u> N0	Min/Max 1/10	<u>Usage</u> Must use	<b>Rep</b> 1
		<b>Description:</b> Total number of segments included in a transaction set including ST and SE segments					
SE02	329	Transaction Set Control Number	М	AN	4/9	Must use	1
		<b>Description:</b> Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set <b>Federal Note:</b> Cite the same number as the one cited in ST02.					