# 869 Order Status Inquiry Functional Group=RS

**Purpose:** This Draft Standard for Trial Use contains the format and establishes the data contents of the Order Status Inquiry Transaction Set (869) for use within the context of an Electronic Data Interchange (EDI) environment. The transaction set can be used to request all pertinent information relative to an entire purchase order, selected line items on a purchase order, or selected products/services on a purchase order. Inquiry can also be made for all or a selected portion of the customer's ordered items, all or a selected portion of the customer's shipped items.

# **Federal Note:**

1. Organizations use this transaction set to request cancellation of previously submitted requisitions, regardless of current transaction status. Authorized organizations use this transaction to request mass or universal cancellation of requisitions.

2. Use a single occurrence of this transaction set to exchange single or multiple transactions between a single activity and a single or multiple supply sources.

3. DoD logistics users should refer to the Defense Logistics Management System (DLMS) Supplement to the Federal Implementation Convention (IC) available at URL: http://www.dla.mil/j-6/dlmso. The DLMS Supplement provides specific business rules, conditions, and authorized codes necessary for appropriate use of this IC within the DLMS.

# **DLMS Note:**

1. Users operating under the Defense Logistics Management System (DLMS) must reference the Unit of Issue and Purchase Unit Conversion Table and the Accounting Classification Appendix which can be found on the DLA Logistics Management Standards Office Web site at www.dla.mil/j-6/dlmso.

2. This DLMS Supplement to the Federal 869C implementation convention contains:

a. Data associated with a DLMS enhancement which may not be received or understood by the recipient's automated processing system. DLMS procedures may not have been developed. Components must coordinate requirements and business rules with DLA Logistics Management Standards Office prior to use.

b. Data associated with an Approved Change which may not have an established implementation date. This data may not be received or understood by the recipient's automated processing system. Components must coordinate implementation with DLA Logistics Management Standards Office prior to use.

c. Defense Logistics Standard System (DLSS) data which must be retained in the DLMS for a transition period to support transaction conversion in a mixed DLSS/DLMS environment. This data will be streamlined out once full DLMS implementation is reached. Components may coordinate with DLA Logistics Management Standards Office for early termination (or retention) of specific data requirements for users operating in a full DLMS environment.

d. Data elements which have an expanded field size above existing DLSS capability which may not be supported by the recipient's automated processing system. Components must coordinate implementation with DLA Logistics Management Standards Office prior to use.

3. This revision to the DLMS Supplement (DS) incorporates Proposed DLMS Change (PDC) and Approved DLMS Change (ADC) listed. PDC/ADCs are available from the DLA Logistics Management Standards Office Web site: http://www.dla.mil/j-6/dlmso/elibrary/Changes/processchanges.asp

- ADC 59, Customer Identification on Automated Exception Requisitions

- ADC 243, Identification of Army Single Stock Fund (SSF) Requisitioning Actions and Edit Action Code (EAC) Authorization

- ADC 263, Inclusion of Unit Price in Requisition Modification and Cancellation

- ADC 265, USAF Reason for Requisition Cancellation (Excess Cause) Code (Supply/MILSTRIP)

- ADC 285, Administrative Revision to MILSTRIP and DLMS Supplement 869C, Requisition Cancellation, for Inclusion of Missing Passing Activity Identification

- ADC 286B, Administrative Update for MILS/DLMS Conversion for MILSTRIP ACP/ACM Cancellation Formats

- ADC 377, Transaction Copies Required for DLA Support of Navy BRAC SS&D/IMSP DLRs, Navy Program-Managed Materiel, and Nuclear Consumable Support Materiel

- ADC 381, Procedures and Additional Data Content supporting Requisitions, Requisition Alerts, and Unit of Use Requirements under Navy BRAC SS&D/IMSP

- ADC 435, DLMS Revisions for SFIS Compliance

- ADC 436, Administrative Revisions to DLMS Supplements to Remove Obsolete Routing Identifier Code (RIC) "Streamline" Notes and Update MILSTRIP/DLMS Documentation Associated with Routing Identifiers

- ADC 460, Revises DS 869C Requisition Cancellation, and associated Procedures in Support of Reutilization Business Integration (RBI) - ADC 466, Revised Procedures to Support Requisitioning and Transaction Exchange associated with DLA Disposition Services under Reutilization Business Integration (RBI)

- ADC 1014, Revised Procedures for Inclusion of Contract Data in Transactions Associated with Government Furnished Property (GFP) and Management Control Activity (MCA) Validation of Contractor Furnished Materiel (CFM) Requisitions

# Heading:

DLMS Supplement to Federal IC 869C Requisition Cancellation

ADC 59, 243, 263, 265, 285, 286B, 377, 381, 435, 436, 460, 466 and 1014 DLM 4000.25

Pos	<u>ld</u>	Segment Name	<u>Req</u>	Max Use	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>
10	ST	Transaction Set Header	М	1			Must use
20	BSI	Beginning Segment for Order Status Inquiry	М	1			Must use
* 30	NTE	Note/Special Instruction	0	100			Not Used

# Detail:

Pos	<u>ld</u>	Segment Name	Req	<u>Max Use</u>	<b>Repeat</b>	<u>Notes</u>	<u>Usage</u>
LOOP ID	<u>- HL</u>				<u>&gt;1</u>		
10	HL	Hierarchical Level	М	1			Must use
* 20	PRF	Purchase Order Reference	0	1			Not Used
30	DTM	Date/Time Reference	0	10			Used
50	LIN	Item Identification	0	>1			Used
* 60	PID	Product/Item Description	0	1000			Not Used
* 70	MEA	Measurements	0	40			Not Used
80	QTY	Quantity	0	1			Used
100	GF	Furnished Goods and Services	0	1			Used
LOOP ID	- REF				<u>&gt;1</u>		
105	REF	Reference Identification	0	1			Used
* 108	DTM	Date/Time Reference	0	>1			Not Used
LOOP ID	<u>- N1</u>				<u>&gt;1</u>		
110	N1	Name	0	1			Used
* 120	N2	Additional Name Information	0	2			Not Used
* 130	N3	Address Information	0	2			Not Used
* 140	N4	Geographic Location	0	1			Not Used
* 150	REF	Reference Identification	0	12			Not Used
* 160	PER	Administrative Communications Contact	0	3			Not Used
LOOP ID	) - LM				<u>&gt;1</u>		
170	LM	Code Source Information	0	1			Used
180	LQ	Industry Code	М	>1			Must use
LOOP ID	) - FA1				<u>&gt;1</u>		
190	FA1	Type of Financial Accounting Data	0	1			Used
200	FA2	Accounting Data	М	>1			Must use

# Summary:

Pos	<u>ld</u>	Segment Name	Req	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>
* 10	CTT	Transaction Totals	0	1		N3/10	Not Used
20	SE	Transaction Set Trailer	М	1			Must use

# Notes:

3/10 CTT01 is the number of HL segments.

# **ST** Transaction Set Header

Pos: 10	Max: 1
Heading ·	Mandatory
Loop: N/A	Elements: 2

User Option (Usage): Must use

Purpose: To indicate the start of a transaction set and to assign a control number

# **Semantics:**

1. The transaction set identifier (ST01) used by the translation routines of the interchange partners to select the appropriate transaction set definition (e.g., 810 selects the Invoice Transaction Set).

<u>Ref</u>	<u>ld</u>	Element Name	<u>Req</u>	Туре	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>
ST01	143	Transaction Set Identifier Code	М	ID	3/3	Must use	1
		<b>Description:</b> Code uniquely identifying a Transaction Set					
		CodeList Summary (Total Codes: 298, Inclu	uded: 1)				
		Code Name					
		869 Order Status Inquiry					
ST02	329	Transaction Set Control Number	М	AN	4/9	Must use	1
		<b>Description:</b> Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set					
		<b>Federal Note:</b> A unique number assigned by the originator of the transaction set, or the originator's application program.					

# **BSI** Beginning Segment for Order Status Inquiry

Pos: 20 Max: 1 Heading - Mandatory Loop: N/A Elements: 7

User Option (Usage): Must use

Purpose: To indicate the beginning of an order status inquiry and provide the type of customer status inquiry

# Semantics:

- 1. BSI01 is a status inquiry reference number.
- 2. BSI02 is date of the inquiry.
- 3. BSI06 is time of the inquiry.

<u>Ref</u>	ld	Elem	ent Name	Req	Туре	Min/Max	<u>Usage</u>	<u>Rep</u>
BSI01	127	Refer	ence Identification	М	AN	1/30	Must use	1
		define as sp Quali <b>Fede</b> eleme	<b>ription:</b> Reference information as ed for a particular Transaction Set or ecified by the Reference Identification fier <b>ral Note:</b> Use Code "Z" for this data ent to satisfy mandatory X12 syntax rements.					
BSI02	373	Date		М	DT	8/8	Must use	1
		CCYY Fede	ription: Date expressed as (MMDD ral Note: This date corresponds to the					
			ersal Time Coordinate (UTC).					
BSI03	847	Orde	r/Item Code	М	ID	1/2	Must use	1
			ription: Code identifying a group of s and items					
		Code	List Summary (Total Codes: 8, Included	d: 2)				
			Name	,				
		со	All Orders - Unshipped Items					
			DLMS Note:					
			1. Used as a Requisition Alert Indicat Cancellation.	tor by Na	vy industria	I activities (IAs) t	o identify a Requisitio	on Alert
			2. Authorized DLMS enhancement ur	nder DLA	industrial a	activity support ad	greement. Refer to A	DC 381.
		PP	Selected Orders - Selected Items			5 11 0		
			DLMS Note:					
			Use to indicate that the transaction so longer needed.	et contair	ns transacti	ons that apply to	requisitions for mate	rial no
BSI06	337	Time		0	TM	4/8	Must use	1
		clock or HH hours intege secor as fol hundi <b>Fede</b>	<b>ription:</b> Time expressed in 24-hour time as follows: HHMM, or HHMMSS, MMSSD, or HHMMSSDD, where H = (00-23), M = minutes (00-59), S = er seconds (00-59) and DD = decimal hds; decimal seconds are expressed lows: D = tenths (0-9) and DD = redths (00-99) <b>ral Note:</b> <i>1. Express the originating</i> <i>ty's time of transaction set preparation</i> <i>tC.</i>					

	<u>ld</u>		ent Name	<u>Req</u>	Туре	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>
		2. Exp forma	press time in a four-position (HHMM) t.					
BSI07	353	Trans	action Set Purpose Code	0	ID	2/2	Must use	1
			iption: Code identifying purpose of ction set					
		Codel	List Summary (Total Codes: 65, Inclu	ded: 3)				
		<u>Code</u>	Name					
		00	Original					
		77	Simulation Exercise					
			DLMS Note:					
			Use to identify a simulated mobiliza mobilization exercises must ensure recipients must use extreme caution documents which affect accountable	complete n to ensure	coordinatio	n with all activitie	s involved. All transa	
		ZZ	Mutually Defined					
			DLMS Note:					
			1. When included, the quantity and applicable to the unit of use.	unit of me	asure value	es associated with	n this transaction are	
			2. Authorized DLMS enhancement	under DLA	industrial a	activity support ag	greement. Refer to A	DC 381.
			3. Authorized DLMS enhancement 460.	for DLA Di	sposition S	ervices requisition	n cancellations. Refe	er to ADC
BSI08	640	Trans	action Type Code	0	ID	2/2	Must use	1
		<b>Descr</b> transa	iption: Code specifying the type of ction					
		Codel	List Summary (Total Codes: 446, Incl	uded: 1)				
			Name	,				
		AC	Requisition Cancellation					
			DLMS Note:					
			Use to identify requests for cancella	ation of pre	viously sub	bmitted requisitior	าร.	
					,			
BSI09	306	Actio	n Code	0	ID	1/2	Used	1
BSI09	306	Descr DLMS transa or uni When requis	<b>iption:</b> Code indicating type of action <b>Note:</b> 1. Use only when the action set contains a request for mass versal cancellation of requisitions. used, the transaction set identifies itions associated with an organization ified in 2/N1/110).		-		Used	1
BSI09	306	Descr DLMS transa or uni When requis (identu 2. The qualifi specia loop) a	<b>iption:</b> Code indicating type of action <b>Note:</b> 1. Use only when the action set contains a request for mass versal cancellation of requisitions. used, the transaction set identifies itions associated with an organization		-		Used	1
BSI09	306	Descr DLMS transa or uni When requis (identu 2. The qualifi specia loop) a transa	<b>iption:</b> Code indicating type of action <b>Note:</b> 1. Use only when the action set contains a request for mass versal cancellation of requisitions. used, the transaction set identifies itions associated with an organization ified in 2/N1/110). The range of requisitions may be ed through the identification of a al project (identified in the 2/LM/170 and/or a range of requisition		-		Used	1
BSI09	306	Descr DLMS transa or uni When requis (identi 2. The qualifi specia loop) a transa	<b>iption:</b> Code indicating type of action <b>Note:</b> 1. Use only when the action set contains a request for mass versal cancellation of requisitions. used, the transaction set identifies itions associated with an organization ified in 2/N1/110). e range of requisitions may be ed through the identification of a al project (identified in the 2/LM/170 and/or a range of requisition action dates (identified in 2/DTM/030).		-		Used	1
BSI09	306	Descr DLMS transa or uni When requis (identi 2. The qualifi specia loop) a transa	iption: Code indicating type of action <b>Note:</b> 1. Use only when the action set contains a request for mass versal cancellation of requisitions. used, the transaction set identifies itions associated with an organization fied in 2/N1/110). a range of requisitions may be ed through the identification of a al project (identified in the 2/LM/170 and/or a range of requisition action dates (identified in 2/DTM/030). List Summary (Total Codes: 296, Incl		-		Used	1
BSI09	306	Descr DLMS transa or uni When requis (identi 2. The qualifi specia loop) a transa Codel <u>Code</u>	iption: Code indicating type of action <b>Note:</b> 1. Use only when the action set contains a request for mass versal cancellation of requisitions. used, the transaction set identifies itions associated with an organization fied in 2/N1/110). e range of requisitions may be ed through the identification of a al project (identified in the 2/LM/170 and/or a range of requisition faction dates (identified in 2/DTM/030). List Summary (Total Codes: 296, Incl. <u>Name</u>		-		Used	1
BSI09	306	Descr DLMS transa or uni When requis (identi 2. The qualifi specia loop) a transa Codel <u>Code</u>	iption: Code indicating type of action <b>Note:</b> 1. Use only when the action set contains a request for mass versal cancellation of requisitions. used, the transaction set identifies itions associated with an organization ified in 2/N1/110). e range of requisitions may be ed through the identification of a al project (identified in the 2/LM/170 and/or a range of requisition action dates (identified in 2/DTM/030). List Summary (Total Codes: 296, Incl. <u>Name</u> Cancelled	uded: 2)	ID	1/2		1
BSI09	306	Descr DLMS transa or uni When requis (identi 2. The qualifi specia loop) a transa Codel <u>Code</u>	iption: Code indicating type of action <b>Note:</b> 1. Use only when the action set contains a request for mass versal cancellation of requisitions. used, the transaction set identifies itions associated with an organization fied in 2/N1/110). a range of requisitions may be ed through the identification of a al project (identified in the 2/LM/170 and/or a range of requisition action dates (identified in 2/DTM/030). List Summary (Total Codes: 296, Incl <u>Name</u> Cancelled Federal Note:	uded: 2)	ID	1/2		1
BSI09	306	Descr DLMS transa or uni When requis (identu 2. The qualifi specia loop) a transa Codel <u>Code</u>	iption: Code indicating type of action <b>Note:</b> 1. Use only when the action set contains a request for mass versal cancellation of requisitions. used, the transaction set identifies itions associated with an organization fied in 2/N1/110). e range of requisitions may be ed through the identification of a al project (identified in the 2/LM/170 and/or a range of requisition faction dates (identified in 2/DTM/030). List Summary (Total Codes: 296, Incl. Name Cancelled Federal Note: Use for universal cancellation wher	uded: 2)	ID	1/2		1

# HL Hierarchical Level

Pos: 10	Max: 1
Detail -	Mandatory
Loop: HL	Elements: 3

#### User Option (Usage): Must use

Purpose: To identify dependencies among and the content of hierarchically related groups of data segments

# **Comments:**

- 1. The HL segment is used to identify levels of detail information using a hierarchical structure, such as relating line-item data to shipment data, and packaging data to line-item data.
- 2. The HL segment defines a top-down/left-right ordered structure.
- 3. HL01 shall contain a unique alphanumeric number for each occurrence of the HL segment in the transaction set. For example, HL01 could be used to indicate the number of occurrences of the HL segment, in which case the value of HL01 would be "1" for the initial HL segment and would be incremented by one in each subsequent HL segment within the transaction.
- 4. HL02 identifies the hierarchical ID number of the HL segment to which the current HL segment is subordinate.
- 5. HL03 indicates the context of the series of segments following the current HL segment up to the next occurrence of an HL segment in the transaction. For example, HL03 is used to indicate that subsequent segments in the HL loop form a logical grouping of data referring to shipment, order, or item-level information.
- 6. HL04 indicates whether or not there are subordinate (or child) HL segments related to the current HL segment.

# Federal Note:

- 1. The transaction set hierarchical data structure is organization information followed by transaction specific information.
- 2. For universal or mass cancellations use ONLY a single 2/HL/010 address loop.
- 3. For individual cancellations use a 2/HL/010 address loop followed by one or more transaction loops.

<u>Ref</u> HL01	<u>Id</u> 628	<u>Element Name</u> Hierarchical ID Number	<u>Req</u> M	<u>Type</u> AN	<u>Min/Max</u> 1/12	<u>Usage</u> Must use	<u>Rер</u> 1
		<b>Description:</b> A unique number assigned by the sender to identify a particular data segment in a hierarchical structure					
		<b>Federal Note:</b> In the first 2/HL/010 loop iteration, cite 1. In each subsequent loop iteration, increase incrementally by 1.					
HL02	734	Hierarchical Parent ID Number	0	AN	1/12	Used	1
		<b>Description:</b> Identification number of the next higher hierarchical data segment that the data segment being described is subordinate to					
		<b>Federal Note:</b> <i>Must use in every 2/HL/010</i> <i>transaction loop iteration to identify the</i> <i>address loop with which the current loop is</i> <i>associated. Data element content is the</i> <i>sequential number assigned to the</i> <i>2/HL/010 organization loop iteration and</i> <i>serves as the cross-reference between</i> <i>transaction set level organization data and</i> <i>associated transactions.</i>					
HL03	735	Hierarchical Level Code	М	ID	1/2	Must use	1
		<b>Description:</b> Code defining the characteristic of a level in a hierarchical structure					
		CodeList Summary (Total Codes: 170, Inclue	ded: 2)				
		Code Name					
		V Address Information					
		Federal Note:					

W

#### Code Name

Use in every 2/HL/010 address loop iteration.

Transaction Reference Number

Federal Note:

Use in every 2/HL/010 transaction loop iteration.

# **DTM** Date/Time Reference

Pos: 30	Max: 10
Deta	il - Optional
Loop: HL	Elements: 2
-	

User Option (Usage): Used

Purpose: To specify pertinent dates and times

### Syntax Rules:

- 1. R020305 At least one of DTM02, DTM03 or DTM05 is required.
- 2. C0403 If DTM04 is present, then DTM03 is required.
- 3. P0506 If either DTM05 or DTM06 is present, then the other is required.

### **Federal Note:**

1. Must use multiple repetitions in the 2/HL/010 universal or mass cancellation address loop to identify dates associated with the transaction.

2. Must use once in individual cancellation 2/HL/010 transaction loops to identify the transaction date.

Ref	<u>Id</u>	<u>Elem</u>	ent Name	<u>Req</u>	Type	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>
DTM01	374	Date/	Time Qualifier	М	ID	3/3	Must use	1
		or tim DLM for m to ide dates	<b>Stription:</b> Code specifying type of date the, or both date and time <b>S Note:</b> Use codes 196 and 197 only ass or universal cancellation requests entify a range of requisition transaction is for which mass or universal ellation applies.					
		Code	List Summary (Total Codes: 1112, Inc	luded: 5)				
		<u>Code</u>	<u>Name</u>					
		007	Effective					
			DLMS Note:					
			Use to identify the effective date of t	he mass o	cancellatior	).		
		097	Transaction Creation					
			DLMS Note:					
			Must use in universal or mass cance indicate the date of transaction prep		ops and ind	ividual cancellatio	on transaction loops	to
		196	Start					
			Federal Note:					
			Use to indicate the range start date,	inclusive.				
		197	End					
			Federal Note:					
			Use to indicate the range end date,	inclusive.				
		996	Required Delivery					
			DLMS Note:					
			For Foreign Military Sales (FMS) and the required availability date. For all					identify
DTM02	373	Date		х	DT	8/8	Must use	1
			ription: Date expressed as YMMDD					

LIN	Item Identification	Pos: 50 Detail -	Max: >1 Optional
		Loop: HL	Elements: 4

User Option (Usage): Used Purpose: To specify basic item identification data

#### Syntax Rules:

- 1. P0405 If either LIN04 or LIN05 is present, then the other is required.
- 2. P0607 If either LIN06 or LIN07 is present, then the other is required.
- 3. P0809 If either LIN08 or LIN09 is present, then the other is required.
- 4. P1011 If either LIN10 or LIN11 is present, then the other is required.
- 5. P1213 If either LIN12 or LIN13 is present, then the other is required.
- 6. P1415 If either LIN14 or LIN15 is present, then the other is required.
- 7. P1617 If either LIN16 or LIN17 is present, then the other is required.
- 8. P1819 If either LIN18 or LIN19 is present, then the other is required.
- 9. P2021 If either LIN20 or LIN21 is present, then the other is required.
- 10. P2223 If either LIN22 or LIN23 is present, then the other is required.
- 11. P2425 If either LIN24 or LIN25 is present, then the other is required.
- 12. P2627 If either LIN26 or LIN27 is present, then the other is required.
- 13. P2829 If either LIN28 or LIN29 is present, then the other is required.
- 14. P3031 If either LIN30 or LIN31 is present, then the other is required.

# Semantics:

1. LIN01 is the line item identification

# **Comments:**

- 1. See the Data Dictionary for a complete list of IDs.
- 2. LIN02 through LIN31 provide for fifteen different product/service IDs for each item. For example: Case, Color, Drawing No., U.P.C. No., ISBN No., Model No., or SKU.

### Federal Note:

Use in 2/HL/010 transaction loops to identify the material. Do not use in the 2/HL/010 address loop.

<u>Ref</u>	<u>ld</u>	Eleme	ent Name	<u>Req</u>	Туре	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>		
LIN02	235	Produ	ct/Service ID Qualifier	М	ID	2/2	Must use	1		
		type/se	<b>iption:</b> Code identifying the ource of the descriptive number used duct/Service ID (234)							
		A4, FE materi Stock when subsis Subsis	<b>Note:</b> Use only one of codes A1, A2, B, FS, MG, SW or YP to identify the ial shipped. Must use the National Number (NSN) when known, except, appropriate, for brand name stence items identified by a stence Identification Number.	· · · · · · · · · · · · · · · · · · ·						
		<u>Code</u>	<u>Name</u>							
		A1	Plant Equipment Number							
			DLMS Note:							
			Use to identify plant equipment.							
		A2	Department of Defense Identification C	ode (DoD	IC)					
			DLMS Note:							
			Use to identify ammunition items.							
		A4	Subsistence Identification Number							

FB

Code Name
-----------

#### **DLMS Note:**

Use to identify subsistence items.

- F4 Series Identifier
  - Form Number

# DLMS Note:

Use to identify the form stock number.

FS National Stock Number

#### **DLMS Note:**

1. Use to identify the NSN.

2. When the unit of use indicator is included (1/BSI07/20=ZZ), the NSN cancelled will be interpreted as a unit of use requirement so that the cancellation may be processed against the associated LSN. The cancelled quantity is expressed in the unit of use for the LSN in lieu of the unit of issue for the identified NSN. Authorized DLMS enhancement under DLA industrial activity support agreement.

3. Authorized DLMS enhancement for DLA Disposition Services requisition cancellations. Refer to ADC 460.

FT Federal Supply Classification

#### **DLMS Note:**

Use to identify the FSC of the nonstandard material when a part number is not available and material reported was identified by description (e.g., non NSN lumber products).

MG Manufacturer's Part Number

#### DLMS Note:

Use to identify nonstandard material.

- MN Model Number
- SN Serial Number
- SW Stock Number

#### **DLMS Note:**

1. Use to identify the local stock number (LSN).

2. Authorized DLMS enhancement under DLA industrial activity support agreement. Refer to ADC 381.

3. Authorized DLMS enhancement for DLA Disposition Services requisition cancellations. Refer to ADC 460.

YP Publication Number

#### **DLMS Note:**

Use to identify the publication stock number.

ZZ Mutually Defined

#### **DLMS Note:**

Use to identify nonstandard material when all other authorized codes do not apply or cannot be determined.

LIN03	234	Produ	ict/Service ID	М	AN	1/48	Must use	1			
			<b>iption:</b> Identifying number for a ct or service								
LIN04	235	Produ	ct/Service ID Qualifier	Х	ID	2/2	Used	1			
		type/s	<b>iption:</b> Code identifying the ource of the descriptive number used duct/Service ID (234)								
			<b>Note:</b> Use only one of codes CN or fully identify the material.								
		Code	leList Summary (Total Codes: 477, Included: 2)								
		<u>Code</u>	Name								
		CN	Commodity Name								
			DLMS Note:								
			Use with LIN02 code FT to identify t	he materia	al name or o	description.					

		<u>Code</u>	Name						
		ZB	Commercial and Government Entity	mercial and Government Entity (CAGE) Code					
			DLMS Note:						
			Use with LIN02 code MG to unique	Use with LIN02 code MG to uniquely identify a manufacturer's part number.					
LIN05	234	Prod	uct/Service ID	Х	AN	1/48	Used	1	
			<pre>iption: Identifying number for a ct or service</pre>						

# QTY Quantity

Pos: 80	Max: 1
Detail -	Optional
Loop: HL	Elements: 3

#### User Option (Usage): Used

Purpose: To specify quantity information

### Syntax Rules:

- 1. R0204 At least one of QTY02 or QTY04 is required.
- 2. E0204 Only one of QTY02 or QTY04 may be present.

# Semantics:

1. QTY04 is used when the quantity is non-numeric.

# Federal Note:

Use in 2/HL/010 transaction loops to identify the quantity to be cancelled if less than the quantity remaining.

<u>Ref</u> QTY01	<u>ld</u> 673	<u>Element Name</u> Quantity Qualifier	<u>Req</u> M	<u>Type</u> ID	<u>Min/Max</u> 2/2	<u>Usage</u> Must use	<u>Rер</u> 1
		<b>Description:</b> Code specifying the type of quantity					
		CodeList Summary (Total Codes: 832, Inc	luded: 1)				
		<u>Code</u> <u>Name</u>					
		QC Quantity Disapproved					
		DLMS Note:	ncollod				
		Use to identify the quantity to be ca	ancellea.				
QTY02	380	Quantity	Х	R	1/15	Must use	1
		Description: Numeric value of quantity					
		Federal Note: Express as whole number with no decimals.					
		<b>DLMS Note:</b> A field size exceeding 5 positions may not be received or understood by the recipient's automated processing system. See introductory DLMS note 2d.					
QTY03	C001	Composite Unit of Measure	0	Comp		Used	1
		<b>Description:</b> To identify a composite unit of measure(See Figures Appendix for examples of use)	f				
QTY03-01	355	Unit or Basis for Measurement Code	М	ID	2/2	Must use	1
		<b>Description:</b> Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken					
		Federal Note: Use to identify the unit of issue for material requisitioned.					
		<b>DLMS Note:</b> 1. DLMS users see the Unit of Issue and Purchase Unit Conversion Table for available codes.					
		2. A field size exceeding 5 positions (seven for FSG 13, ammunition) may not be received or understood by receipent's					

<u>Ref</u>	<u>ld</u>	Element Name	Req	Type	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>
		automated processing system. See					
		introductory DLMS note 2d.					

# **GF** Furnished Goods and Services

Pos: 100 Max: 1 Detail - Optional Loop: HL Elements: 4

#### User Option (Usage): Used

Purpose: To specify information related to furnished material, equipment, property, information, and services

#### Syntax Rules:

- 1. P0102 If either GF01 or GF02 is present, then the other is required.
- 2. P0506 If either GF05 or GF06 is present, then the other is required.
- 3. P0809 If either GF08 or GF09 is present, then the other is required.

#### Semantics:

1. GF04 is the value of government-furnished property.

# **Federal Note:**

Use in all Government Furnished Material (GFM) related transactions.

### **DLMS Note:**

1. Use in 2/HL/010 transaction loops for GFM-related transactions.

2. Must use to provide contract information applicable to the procurement source under which the contractor is authorized to receive GFP.

3. May be used to provide contract information applicable to the procurement source under which the contractor is authorized to purchase from a Government source when directed by the authorizing Service/Agency under CFM procedures.

<u>Ref</u> GF01	<u>Id</u> 128	<u>Element Name</u> Reference Identification Qualifier	<u>Req</u> X	<u>Type</u> ID	<u>Min/Max</u> 2/3	<u>Usage</u> Used	<u>Rep</u> 1				
		Description: Code qualifying the Reference Identification									
		CodeList Summary (Total Codes: 1503, Included: 1)									
		Code Name	Name								
		W3 Manufacturing Directive Number									
		DLMS Note:	DLMS Note:								
		1. Use to identify the MDN, in addition	on to the c	contract nur	nber.						
		2. Use as directed by the authorizing	g Service//	Agency. R	efer to ADC 1014	L.					
GF02	127	Reference Identification	х	AN	1/30	Used	1				
		<b>Description:</b> Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier									
GF03	367	Contract Number	Ο	AN	1/30	Used	1				
		Description: Contract number									
GF07	328	Release Number	0	AN	1/30	Used	1				
		<b>Description:</b> Number identifying a release against a Purchase Order previously placed by the parties involved in the transaction <b>Federal Note:</b> Use to identify the call or order number or the call or order number including the respective call or order modification, as applicable, when using GF03.									

# **REF** Reference Identification

Pos: 105	Max: 1
Detail - Opti	onal
Loop: REF	Elements: 3

User Option (Usage): Used

Purpose: To specify identifying information

### Syntax Rules:

1. R0203 - At least one of REF02 or REF03 is required.

# Semantics:

1. REF04 contains data relating to the value cited in REF02.

# **Federal Note:**

Use multiple repetitions in 2/HL/010 transaction loops to identify the transaction reference number and ancillary information related to the requisition.

<u>Ref</u>	<u>ld</u>	Eleme	ent Name	<u>Req</u>	Туре	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>			
REF01	128	Refer	ence Identification Qualifier	М	ID	2/3	Must use	1			
			<b>iption:</b> Code qualifying the ence Identification								
		Feder	al Note: Use any code.								
		numbo OQ, a applic	<b>5 Note:</b> 1. When citing a contract er (code CT), use codes 83, C7, and us needed, to further identify the able number in 2/REF04.								
			r DLMS use, only the following codes uthorized.								
			List Summary (Total Codes: 1503, Inclu	uded: 9)							
		<u>Code</u> 86	Name								
			Operation Number DLMS Note:								
			1. Use to identify the Key Operation (	(KO) Num	her associa	ated with the IO					
			2. Authorized DLMS enhancement under DLA industrial activity support agreement. Refer to ADC 381.								
		9R									
			DLMS Note:								
			1. Use to identify Job Order (JO) Nun	nber.							
			2. Authorized DLMS enhancement ur	nder DLA	industrial a	ctivity support ag	reement. Refer to A	DC 381.			
		СО	O Customer Order Number								
			DLMS Note:								
			1. Use to identify the Customer Order	r Accepta	nce Record	l (COAR) applica	ble to the Job Order	Number.			
			2. Authorized DLMS enhancement ur (or as applicable).	nder DLA	industrial a	ctivity support ag	reement. Refer to A	DC 381			
		СТ	Contract Number								
			DLMS Note:								
			Use to identify the contract number, w	when avai	ilable. Whe	en using, do not ι	use code W4.				
		IT	Internal Customer Number								
			DLMS Note:								
			Use to identify the DoD EMALL-gene requisitions containing in-the-clear ex				authorized submitter	of			

#### Code Name

PR Price Quote Number

#### DLMS Note:

1. For intra-Air Force, the unit price will be perpetuated to the cancellation and follow-up for cancellation.

2. Under DLMS, the unit price will be expressed as R9.2.

TN Transaction Reference Number

#### DLMS Note:

1. Must use to identify the transaction number of the requisition to be cancelled.

2. When used in cancellation of the requisition alert (BSI03=CO), this will be the requisition alert document number. The requisition alert document number is an authorized DLMS enhancement under DLA industrial activity support agreement. Refer to ADC 381.

#### W4 Procurement Request Number

#### **DLMS Note:**

Use to identify the procurement request number for procurement source transactions when there is no contract award and no contract number assignment. When using, do not use code CT.

PWC Preliminary Work Candidate Number

#### **DLMS Note:**

1. Use to identify a Requisition Alert Document Number.

2. Used by Navy Shipyards to associate the funded requisition cancellation with a previously submitted requisition alert.

3. Authorized DLMS enhancement under DLA industrial activity support agreement. Refer to ADC 381.

REF02	127	Refer	ence Identification	Х	AN	1/30	Must use	1		
		define	ription: Reference information as ed for a particular Transaction Set or ecified by the Reference Identification fier							
REF04	C040	Refer	ence Identifier	0	Comp		Used	1		
		refere numb Qualit <b>Synta</b> 1. P03 prese 2. P03								
REF04-01	128	Refer	ence Identification Qualifier	М	ID	2/3	Must use	1		
		<ul> <li>Description: Code qualifying the Reference Identification</li> <li>DLMS Note: Use one of codes 83 or C7.</li> <li>CodeList Summary (Total Codes: 1503, Included: 5)</li> </ul>								
			Name	,						
		83	Extended (or Exhibit) Line Item Number	(ELIN)						
			DLMS Note:							
			Use with REF01 code CT, the contract ELIN including the Sub Exhibit Line Ite				n Number (ELIN), or	the		
		C7	Contract Line Item Number							
			DLMS Note:							
			Use with the REF01 code CT, the contract number, to identify the Contract Line Item Number (CLIN), the CLIN including the Sub Contract Line Item Number (SUBCLIN), or the Agreement Line Item Number (ALIN), as appropriate.							
		00	Orden Number							

OQ Order Number

Code Name

			DLMS Note:							
			Use to identify the call number or o	rder numbe	er, if applica	ble.				
		W1	Disposal Turn-In Document Number							
			DLMS Note:							
			1. This is a unique number to identi in conjunction with the controlling re the DTID associated with the prope	equisition d	locument nu	umber identified	in REF01 code TN, to	o identify		
			2. The DTID Number is required when cancelling a requisition from DLA Disposition Services via DLA Disposition Services' Reutilization/Transfer/Donation (RTD) Web Application or GSA Surplus Property Program Web Application. The DTID Number value should also be accommodated in Component supply systems preparing the cancellation under DLMS business rules. Use a separate requisition cancellation for each DTID Number associated with the customer requisition document number being cancelled.							
			3. When there is no Suffix Code as correlating DTID in the REF04-02.					·04.		
			4. DLMS enhancement; refer to AD	C 460.						
		W8	Suffix							
			DLMS Note:							
			1. Use with REF01 code TN to iden been split.	tify a trans	action num	ber suffix when	the original requisition	n has		
			2. When used in cancellation of the Requisition Alert Document Number suffix. The requisition alert docume industrial activity support agreemen	r (Qualifier ent numbe	PWC, abov r suffix is ar	/e), this will be	the requisition alert do	ocument		
REF04-02	127	Refer	ence Identification	М	AN	1/30	Must use	1		
		define	<b>iption:</b> Reference information as d for a particular Transaction Set or ecified by the Reference Identification ier							
REF04-03	128	Refer	ence Identification Qualifier	х	ID	2/3	Used	1		
			<b>iption:</b> Code qualifying the ence Identification							
		Feder	al Note: For valid codes, refer to 4-C04001.							
		Codel	<b>_ist Summary</b> (Total Codes: 1503, Ind	cluded: 2)						
			Name	,						
		<u>60</u>	Account Suffix Code							
		00	DLMS Note:							
			1. Use in conjunction with the DTIE Code, when applicable.	) Number (	REF04 Coc	le W1) to identi	fy the DTID Number S	uffix		
			2. When the DTID Number is provien enhancement, see ADC 466.	ded, enter	the correlat	ing DTID Suffix	using this location. D	DLMS		
		W1	Disposal Turn-In Document Number							
			DLMS Note:							
			1. This is a unique number to identi in conjunction with the controlling re the DTID associated with the prope DTID Number value should also be cancellation under DLMS business	equisition d rty being c accommo	locument nu ancelled by	umber identified a DLA Distribu	l in REF01 code TN, to tion Services custome	o identify er. The		
			2. Use a separate requisition cance requisition document number being			Number associa	ated with the customer			

3. When there is no Suffix Code associated with the customer's Document Number, enter the correlating DTID in the REF04-02. If there is a Suffix Code, enter the DTID in the REF04-04.

		Code Name					
		4. DLMS enhancement; refer to ADC	460.				
REF04-04	127	Reference Identification	Х	AN	1/30	Used	1
		<b>Description:</b> Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier					
REF04-05	128	Reference Identification Qualifier	Х	ID	2/3	Used	1
		<b>Description:</b> Code qualifying the Reference Identification					
		CodeList Summary (Total Codes: 1503, Incl	uded: 1)				
		Code Name 60 Account Suffix Code					
		DLMS Note:					
		1. Use in conjunction with the DTID Code, when applicable.	Number (I	REF04 Code	W1) to identify the	DTID Number St	uffix
		2. When the DTID Number is provide enhancement, see ADC 466.	ed, enter t	the correlatin	g DTID Suffix using	g this location. Di	LMS
REF04-06	127	Reference Identification	Х	AN	1/30	Used	1
		<b>Description:</b> Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier					

# N1 Name

Pos: 110	Max: 1		
Detail - Optional			
Loop: N1	Elements: 4		

#### User Option (Usage): Used

Purpose: To identify a party by type of organization, name, and code

### Syntax Rules:

- 1. R0203 At least one of N102 or N103 is required.
- 2. P0304 If either N103 or N104 is present, then the other is required.

### Comments:

- 1. This segment, used alone, provides the most efficient method of providing organizational identification. To obtain this efficiency the "ID Code" (N104) must provide a key to the table maintained by the transaction processing party.
- 2. N105 and N106 further define the type of entity in N101.

# Federal Note:

Must use this 2/N1/110 loop in the 2/HL/010 address loop to identify the organization originating the transaction set.

### **DLMS Note:**

1. For universal or mass cancellations also use this 2/N1/110 loop in the 2/HL/010 address loop to identify the organization to receive the transaction set (MCA for GFM requisitions or the supply source for Non-GFM requisitions) and, as needed, other organizations associated with the transaction set.

2. For individual cancellations use this 2/N1/110 loop in 2/HL/010 transaction loops to identify the organization to receive the transaction (MCA for GFM requisitions or supply source for Non-GFM requisitions) and, as needed, other organizations associated with the transaction.

	minary.									
<u>Ref</u>	<u>ld</u>	Eleme	ent Name	<u>Req</u>	Type	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>		
N101	98	Entity	Identifier Code	М	ID	2/3	Must use	1		
		organi prope	ription: Code identifying an izational entity, a physical location, rty or an individual							
			al Note: Use any code.							
		or OB	<b>S Note:</b> 1. Use only one of codes AN B.							
			r DLMS use, only the following codes uthorized.							
		Code	List Summary (Total Codes: 1312, Incl	uded: 12)						
		<u>Code</u>	<u>Name</u>							
		7E	Party Authorized to Definitize Contract	Action						
			DLMS Note:							
			Use with supply source cancellation to the party to receive the transaction.	to procure	ment activ	ity (MILSTRIP D	DI Code ACP/ACM) to id	dentify		
		AN	Authorized From							
			Federal Note:							
			Use in mass or universal cancellatior mass or universal cancellation.	n requests	to identify	the organization	n authorized to request	the		
		CN	Consignee							
			DLMS Note:							
			Supply sources or authorized activitie material under contract for direct ven to which material should be diverted.							
		OB	Ordered By							
			DLMS Note:							
			Use to identify the requisitioning activ	vity.						

#### Code Name

ΡK Party to Receive Copy

#### **DLMS Note:**

Used between Navy and DLA for Navy requisitions submitted directly to other Component SoS, so that DLA will be able to support follow-on actions on behalf of the Navy industrial activity (IA) under a DLA industrial activity support agreement. Refer to ADC 377.

#### **DLMS Note:**

1. Use between Service industrial/maintenance sites and DLA to identify the Shop Service Center (SSC) or Shop Store.

2. Authorized DLMS enhancement under DLA industrial activity support agreement. Refer to ADC 381.

Ζ1 Party to Receive Status

#### **DLMS Note:**

Use multiple iterations of the 2/N1/110 loop as needed to identify all status recipients when different from Service/Agency prescribed status recipients.

Ζ4 **Owning Inventory Control Point** 

#### **DLMS Note:**

Use to identify the source of supply that is in receipt of the requisitions desired to be cancelled.

Ζ5 Management Control Activity

#### **DLMS Note:**

Use for all GFM transactions.

ZG Present Address

#### **DLMS Note:**

When requesting cancellation by DoDAAC, use in mass or universal cancellation requests to identify the organization.

ZL Party Passing the Transaction

N103

66

	DLMS Note:					
	Use to identify the original supply source passing the cancellation or cancellation follow-up to another supply source for continued processing.					
ZS	Monitoring Party					
	DLMS Note:					
	Use to identify the International Logistics Control Office (ILCO).					
Identi	ification Code Qualifier X ID 1/2 Must use 1					
syster	<b>Description:</b> Code designating the system/method of code structure used for Identification Code (67)					
Code	List Summary (Total Codes: 215, Included: 6)					
<u>Code</u>	Name					
1	D-U-N-S Number, Dun & Bradstreet					
	DLMS Note:					
	DLMS enhancement; see introductory DLMS note 2a.					
9	D-U-N-S+4, D-U-N-S Number with Four Character Suffix					
	DLMS Note:					
	DLMS enhancement; see introductory DLMS note 2a.					
10	Department of Defense Activity Address Code (DODAAC)					
	DLMS Note:					
	DLMS enhancement; see introductory DLMS note 2a.					
92	Assigned by Buyer or Buyer's Agent					
	DLMS Note:					
	Use with N101 Code XN to identify the Shop Service Center or Shop Store. Refer to ADC 381.					
A2	Military Assistance Program Address Code (MAPAC)					
	DLMS Note:					
	Use to indicate the Security Assistance (SA) structured address data. Interpretation of this data may					

		<u>Code</u>	Name							
			require additional code cited elsewhere in the transaction.							
		M4 [	Department of Defense Routing Identi	fier Code	(RIC)					
N104	67	Identifi	cation Code	Х	AN	2/80	Must use	1		
		Descrip other co	otion: Code identifying a party or ode							
N106	98	Entity l	dentifier Code	0	ID	2/3	Used	1		
		organiza property	otion: Code identifying an ational entity, a physical location, y or an individual st Summary (Total Codes: 1312, Incl	luded: 2)						
		<u>Code</u>	Name							
		FR I	Message From							
			Federal Note:							
			Use with the appropriate 2/N101/110 code to indicate the organization cited in N104 is originating the transaction set.							
		TO	Message To							
			Federal Note:							
			Use with the appropriate 2/N101/110 the transaction.	) code to il	ndicate that	t the organizatio	n cited in N104 is rece	eiving		

# LM Code Source Information

on	Pos: 170	Max: 1		
	Detail - Optional			
	Loop: LM	Elements: 1		

#### User Option (Usage): Used

Purpose: To transmit standard code list identification information

# Comments:

1. LM02 identifies the applicable industry code list source information.

# **Federal Note:**

Use the 2/LM/170 loop to identify coded information maintained in department or agency documentation.

<u>Ref</u>	<u>ld</u>	Element Name	<u>Req</u>	Туре	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>
LM01	559	Agency Qualifier Code	М	ID	2/2	Must use	1
		<b>Description:</b> Code identifying the agency assigning the code values					
		CodeList Summary (Total Codes: 176, Inc	luded: 1)				
		<u>Code</u> <u>Name</u>					
		DF Department of Defense (DoD)					

# LQ Industry Code

Max: >1			
Detail - Mandatory			
Elements: 2			

#### User Option (Usage): Must use

Purpose: Code to transmit standard industry codes

### Syntax Rules:

1. C0102 - If LQ01 is present, then LQ02 is required.

### **Federal Note:**

Use to identify codes, as appropriate, consistent with management information requirements.

	Jummary.									
<u>Ref</u>	<u>ld</u>	Elem	ent Name	<u>Req</u>	Туре	<u>Min/Max</u>	<u>Usage</u>	Rep		
LQ01	1270	Code	List Qualifier Code	0	ID	1/3	Must use	1		
		indus	ription: Code identifying a specific try code list							
			Federal Note: Use any code.							
			<b>S Note:</b> For DLMS use, only the ving codes are authorized.							
		Code	List Summary (Total Codes: 558, Inclu	ided: 17)						
		<u>Code</u>	<u>Name</u>							
		0	Document Identification Code							
			DLMS Note:							
			1. Use in 2/HL/010 address loops in in individual cancellations.	n mass or	universal c	ancellations. Use	∍ in 2/HL/010 transact	tion loops		
			2. Future streamlined data; see intro	oductory E	DLMS note	2c.				
		Z	Cancellation Reason							
			DLMS Note:							
			1. Use to specify the reason for requisition cancellation.							
			2. The only authorized use at this time is for intra-Air Force communication of the Air Force-assigned Excess Cause Code. The code source is identified as AFMAN 23-110, Vol 2, Part 2, Chapter 19, Attachment 19E-1, Redistributable (Excess) Materiel Cause Identification Table.							
			3. DLMS enhancement. Refer to Al	DC 265.						
		78	Project Code							
			DLMS Note:							
			Use in mass or universal cancellation universal cancellation applies.	n requests	s to identify	v the project code	ə(s) for which mass or	r		
		79	Priority Designator Code							
		80	Advice Code							
		99	Purpose Code							
			DLMS Note:							
			1. Use in Commercial Asset Visibilit	y transact	ions.					
			2. DLMS enhancement; see guidelin	ne note 2a	n.					
		A9	Supplemental Data							
			DLMS Note:							
			1. Use to identify supplemental add	ress/data.						
			2. Future streamlined data; see intro	oductory D	DLMS note	2c.				
		AJ	Utilization Code							
			DLMS Note:							

#### Code Name

- 1. Use to identify a specialized purpose for which the requisition is submitted.
- 2. Under DLSS, this is the first position of the document serial number within the document number.
- 3. Authorized DLMS enhancement under DLA industrial activity support agreement. Refer to ADC 381.
- 4. DLMS enhancement; see introductory DLMS note.

#### AK Distribution Code

#### DLMS Note:

Future streamlined data; see introductory DLMS note 2c.

#### AL Special Requirements Code

#### Federal Note:

Use to identify precedence, special handling, and processing requirements.

#### DLMS Note:

- 1. Under DLSS, this is carried in the required delivery date field.
- 2. DLMS enhancement; see introductory DLMS note 2a.

#### DE Signal Code

#### DLMS Note:

Future streamlined data; see introductory DLMS note 2c.

DF Media and Status Code

#### **DLMS Note:**

Future streamlined data; see introductory DLMS note 2c.

DJ Remedial Action Code

#### **DLMS Note:**

Use temporary qualifier DJ - Remedial Action Code to identify Army Edit Action Code indicating the actions required by the receiving system in order to accurately process transactions and direct the types of follow-on actions authorized to occur. This is an Army unique data element, and is meaningful to the Army only. The code source is identified as the U.S. Army Materiel Command Single Stock Fund Functional User Manual, 3rd Edition. An ANSI data maintenance request has been prepared to establish a new data element 1270 code qualifier assignment for Army Edit Action Code.

#### COG Cognizance Symbol

#### DLMS Note:

1. Use to identify the material cognizance symbol (COG) of the end item. Indicate NSL for non-stock numbered listed items. This is a Navy-unique data element meaningful to Navy only; Non-Navy Components are to perpetuate without action.

#### 2. DLMS Enhancement.

IMC Item Management Code

#### DLMS Note:

1. Use to identify the Item Management Code (IMC) for integrated material management. Indicate NSL for non-stock numbered listed items. This is a Navy-unique data element meaningful to Navy only; Non-Navy Components are to perpetuate without action.

#### 2. DLMS Enhancement.

MCC Material Control Code

#### DLMS Note:

1. Use to identify the Material Control Code (MCC) for special inventory reporting. Indicate NSL for non-stock numbered listed items. This is a Navy-unique data element meaningful to Navy only; Non-Navy Components are to perpetuate without action.

#### 2. DLMS Enhancement.

#### SMI Special Material Identification Code

#### DLMS Note:

1. Use to identify the Special Material Identification Code (SMIC) for an end item. Indicate NSL for non-stock numbered listed items. This is a Navy-unique data element meaningful to Navy only; Non-Navy Components are to perpetuate without action.

2. DLMS Enhancement.

LQ02	1271	Industry Code	Х	AN	1/30	Must use	1
		<b>Description:</b> Code indicating a code from a specific industry code list					

# FA1 Type of Financial Accounting Data

Pos: 190	Max: 1					
Detail - Optional						
Loop: FA1	Elements: 2					

#### User Option (Usage): Used

Purpose: To specify the organization controlling the content of the accounting citation, and the purpose associated with the accounting citation

# Semantics:

- 1. FA101 Identifies the organization controlling the assignment of financial accounting information.
- 2. FA102 Identifies the purpose of the accounting allowance or charge information.

<u>Ref</u>	ld	Element Name	<u>Req</u>	Туре	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>	
FA101	559	Agency Qualifier Code	М	ID	2/2	Must use	1	
		<b>Description:</b> Code identifying the agency assigning the code values						
		CodeList Summary (Total Codes: 176, Included: 5)						
		<u>Code</u> <u>Name</u>						
		DF Department of Defense (DoD)						
		Federal Note:						
		Use to indicate that the Compone DLA.	nt originating	g the funds	is a Department	of Defense agency, in	ncluding	
		DN Department of the Navy						
		Federal Note:						
		Includes the United States Marine	Corps.					
		DY Department of Air Force						
		DZ Department of Army						
		FG Federal Government						
FA102	1300	Service, Promotion, Allowance, or Charge Code	0	ID	4/4	Must use	1	
		<b>Description:</b> Code identifying the service, promotion, allowance, or charge						
		CodeList Summary (Total Codes: 1053, Included: 8)						
		Code Name						
		A170 Adjustments						
		DLMS Note:						
		Use only for adjustments not spec	cified by any	other code	).			
		A520 Base Charge						
		DLMS Note:						
		Use for material charges only.						
		C930 Export Shipping Charge						
		D340 Goods and Services Charge						
		DLMS Note:						
		Use for both material and related	services.					
		F060 Other Accessorial Service Charge						
		F560 Premium Transportation						
		I260 Transportation Direct Billing						
		DLMS Note:						
		Use for non-premium transportation						
		R060 Packing, Crating, and Handling Cha	arge					

# **FA2** Accounting Data

Max: >1
andatory
Elements: 2

User Option (Usage): Must use

Purpose: To specify the detailed accounting data

# **Federal Note:**

Use this 2/FA2/200 segment to identify the various components of the line of accounting.

<u>Ref</u> FA201	<u>Id</u> 1196		<u>ent Name</u> kdown Structure Detail Code	<u>Req</u> M	<u>Type</u> ID	<u>Min/Max</u> 2/2	<u>Usage</u> Must use	<u>Rер</u> 1	
			ription: Codes identifying details ng to a reporting breakdown structure						
		CodeList Summary (Total Codes: 166, Included: 3)							
		<u>Code</u>	Name						
		B5	Fund Code						
		11	Abbreviated Department of Defense (D	DoD) Bud	get and Ac	counting Classifi	cation Code (BACC)		
		L1	Accounting Installation Number						
			Federal Note:						
			Use to indicate the Authorization Acc Number (ADSN)/Fiscal Station Numb	-		AA)/Accounting	and Disbursing Station		
FA202	1195	Finar	ncial Information Code	М	AN	1/80	Must use	1	
			ription: Code representing financial unting information						

# **SE** Transaction Set Trailer

Pos: 20	Max: 1
Summary -	Mandatory
Loop: N/A	Elements: 2

#### User Option (Usage): Must use

**Purpose:** To indicate the end of the transaction set and provide the count of the transmitted segments (including the beginning (ST) and ending (SE) segments)

# **Comments:**

1. SE is the last segment of each transaction set.

Ref	ld	Element Name	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>
SE01	96	Number of Included Segments	М	N0	1/10	Must use	1
		<b>Description:</b> Total number of segments included in a transaction set including ST and SE segments					
SE02	329	Transaction Set Control Number	Μ	AN	4/9	Must use	1
		<b>Description:</b> Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set					
		Federal Note: Cite the same number as the one cited in ST02.					