870

Order Status Report

Functional Group= RS

Purpose: This Draft Standard for Trial Use contains the format and establishes the data contents of the Order Status Report Transaction Set (870) for use within the context of an Electronic Data Interchange (EDI) environment. The transaction set can be used to report on the current status of a requirement forecast, an entire purchase order, selected line items on a purchase order, selected products/services on a purchase order, or purchase orders for a specific customer in their entirety or on a selection basis. The transaction set can also be used to report on the current status of single or multiple requisitions. The report format allows for the inclusion of "reasons" relative to the status. This transaction set may also be used to update the supplier's scheduled shipment or delivery dates. This transaction set can result from either an inquiry or a prearranged schedule agreed to by the trading partners.

Federal Note:

- 1. Organizations use this transaction set to respond to a Notice of Availability (NOA) providing shipment instructions for material reported available for shipment.
- 2. Use a single occurrence of this transaction set to transmit single or multiple NOA replies to one or more organizations.
- 3. DoD logistics users should refer to the Defense Logistics Management System (DLMS) Supplement to the Federal Implementation Convention (IC) available at URL: http://www.dla.mil/j-6/dlmso. The DLMS Supplement provides specific business rules, conditions, and authorized codes necessary for appropriate use of this IC within the DLMS.

DLMS Note:

- 1. Country Representatives/Freight Forwarders (CRs/FFs) use this transaction set to respond to a Foreign Military Sales (FMS) Notice of Availability (NOA) providing shipment instructions for material reported available for shipment.
- 2. Users operating under the Defense Logistics Management system (DLMS) must reference the Unit of Issue and Purchase Unit Conversion Table and the Accounting Classification Appendix which can be found on the DLA Logistics Management Standards Office Web site at http://www.dla.mil/j-6/dlmso.
- 3. This DLMS Supplement contains:
- a. Data associated with a DLMS enhancement which may not be received or understood by the recipient's automated processing system. DLMS procedures may not have been developed. Components must coordinate requirements and business rules with DLA Logistics Management Standards Office prior to use.
- b. Data associated with an Approved Change which may not have an established implementation date. This data may not be received or understood by the recipient's automated processing system. Components must coordinate implementation with DLA Logistics Management Standards Office prior to use.
- c. Defense Logistics Standard System (DLSS) data which must be retained in the DLMS for a transition period to support transaction conversion in a mixed DLSS/DLMS environment. This data will be streamlined out once full DLMS implementation is reached. Components may coordinate with DLA Logistics Management Standards Office for early termination (or retention) of specific data requirements for users operating in a full DLMS environment.
- d. Data elements which have an expanded files size above existing DLSS capability which may not be supported by the recipient's automated processing system. Components must coordinate implementation with DLA Logistics Management Standards Office prior to use.
- 4. This revision to the DLMS Supplement (DS) incorporates Proposed DLMS Changes (PDCs) and Approved DLMS Changes (ADCs) listed. PDCs and ADCs are available from the DLA Logistics Management Standards Office Web site: http://www.dla.mil/j-6/dlmso/elibrary/Changes/processchanges.asp
- ADC 309, NOA and NOA Reply Transaction Data Content/Mapping including Addition of Type Pack Code for 463L Pallets
- ADC 436, Administrative Revisions to DLMS Supplements to Remove Obsolete Routing Identifier Code (RIC) "Streamline" Notes and Update MILSTRIP/DLMS Documentation Associated with Routing Identifiers
- ADC 448, Implementation of International Organization for Standardization (ISO) 3166-1 Codes for the Identification of Countries and their Subdivisions
- ADC 448B, Delayed implementation for International Organization for Standardization (ISO) 3166-1 Codes for the Identification of Countries and their Subdivisions

Heading:

| <u>Pos</u> | <u>ld</u> | Segment Name | <u>Req</u> | Max Use | <u>Repeat</u> | <u>Notes</u> | <u>Usage</u> |
|------------|-----------|---|------------|---------|---------------|--------------|--------------|
| 10 | ST | Transaction Set Header | M | 1 | | | Must use |
| 20 | BSR | Beginning Segment for Order Status Report | М | 1 | | | Must use |
| * 42 | TD3 | Carrier Details (Equipment) | 0 | 1 | | | Not Used |
| * 43 | TD4 | Carrier Details (Special Handling, or Hazardous Materials, or Both) | 0 | 1 | | | Not Used |

004010F870N1NA05 1 October 11, 2012

| DEMO Cappi | omonic to rout | oral 10 or or tritollog or rivaliability reopty | | | 712000 | 50, 100, 110 and 110B | D2.W 1000.20 |
|---------------|----------------|---|------------|---------|---------------|-----------------------|--------------|
| <u>Pos</u> | <u>ld</u> | Segment Name | <u>Req</u> | Max Use | <u>Repeat</u> | <u>Notes</u> | <u>Usage</u> |
| * 44 | TD5 | Carrier Details (Routing Sequence/Transit Time) | 0 | 1 | | | Not Used |
| * 45 | DTM | Date/Time Reference | 0 | 10 | | | Not Used |
| * LOOP | ID - REF | | | | <u>>1</u> | | |
| * 46 | REF | Reference Identification | 0 | 1 | | | Not Used |
| * 47 | DTM | Date/Time Reference | 0 | >1 | | | Not Used |
| LOOP II | D - N1 | | | | 200 | | |
| 50 | N1 | Name | 0 | 1 | | | Must use |
| * 60 | N2 | Additional Name Information | 0 | 2 | | | Not Used |
| * 70 | N3 | Address Information | 0 | 2 | | | Not Used |
| * 80 | N4 | Geographic Location | 0 | 1 | | | Not Used |
| * 90 | REF | Reference Identification | 0 | 12 | | | Not Used |
| * 100 | PER | Administrative Communications Contact | 0 | 3 | | | Not Used |
| * 105 | PWK | Paperwork | 0 | 1 | | | Not Used |
| <u>* LOOP</u> | ID - LM | | | | <u>10</u> | | |
| * 120 | LM | Code Source Information | 0 | 1 | | | Not Used |
| 130 | LO | Industry Code | М | 100 | | | Must use |

Detail:

| <u>Pos</u> | <u>ld</u> | Segment Name | Req | Max Use | <u>Repeat</u> | <u>Notes</u> | <u>Usage</u> |
|------------|---------------|---------------------------------------|-----|---------|---------------|--------------|--------------|
| LOOP IE |) - HL | | | | <u>1000</u> | | |
| 10 | HL | Hierarchical Level | М | 1 | | | Must use |
| * 20 | PRF | Purchase Order Reference | 0 | 1 | | | Not Used |
| * LOOP | ID - ISR | | | | 104 | | |
| * 30 | ISR | Item Status Report | 0 | 1 | | | Not Used |
| * 40 | PID | Product/Item Description | 0 | 6 | | | Not Used |
| * 50 | QTY | Quantity | 0 | 4 | | | Not Used |
| * 70 | PER | Administrative Communications Contact | 0 | 3 | | | Not Used |
| 80 | DTM | Date/Time Reference | 0 | 10 | | | Used |
| * 86 | CS | Contract Summary | 0 | 3 | | N2/86 | Not Used |
| LOOP IE |) - REF | | | | <u>>1</u> | | |
| 87 | REF | Reference Identification | 0 | 1 | | | Must use |
| * 88 | DTM | Date/Time Reference | 0 | >1 | | | Not Used |
| LOOP IE |) - N1 | | | | 200 | | |
| 90 | N1 | Name | 0 | 1 | | | Must use |
| * 100 | N2 | Additional Name Information | 0 | 2 | | | Not Used |
| * 110 | N3 | Address Information | 0 | 2 | | | Not Used |
| * 120 | N4 | Geographic Location | 0 | 1 | | | Not Used |
| * 130 | REF | Reference Identification | 0 | 12 | | | Not Used |
| * 140 | PER | Administrative Communications Contact | 0 | 3 | | | Not Used |
| LOOP IE |) - <u>LM</u> | | | | <u>10</u> | | |
| 144 | LM | Code Source Information | 0 | 1 | | | Used |
| 145 | LQ | Industry Code | М | 100 | | | Must use |
| * LOOP | ID - PO1 | | | | 1000 | | |
| * 150 | PO1 | Baseline Item Data | 0 | 1 | | | Not Used |
| * 155 | CUR | Currency | 0 | 1 | | | Not Used |
| * 160 | SLN | Subline Item Detail | 0 | 100 | | | Not Used |
| * 170 | PO3 | Additional Item Detail | 0 | 1 | | | Not Used |
| * 180 | PID | Product/Item Description | 0 | 1000 | | | Not Used |

| Pos | <u>ld</u> | Segment Name | Req | Max Use | Repeat | <u>Notes</u> | <u>Usage</u> |
|--------|-----------|---|-----|---------|--------------|--------------|--------------|
| * 190 | MEA | Measurements | 0 | 40 | | | Not Used |
| * 200 | PKG | Marking, Packaging, Loading | 0 | 25 | | | Not Used |
| * LOOP | D - ISR | | | | <u>104</u> | | |
| * 210 | ISR | Item Status Report | 0 | 1 | | | Not Used |
| * 220 | PID | Product/Item Description | 0 | 6 | | | Not Used |
| * 230 | QTY | Quantity | 0 | 4 | | | Not Used |
| * 240 | DTM | Date/Time Reference | 0 | 10 | | | Not Used |
| * 250 | N1 | Name | 0 | 1 | | | Not Used |
| * 251 | N2 | Additional Name Information | 0 | 2 | | | Not Used |
| * 252 | N3 | Address Information | 0 | 2 | | | Not Used |
| * 253 | N4 | Geographic Location | 0 | 1 | | | Not Used |
| * 260 | TD1 | Carrier Details (Quantity and Weight) | 0 | 1 | | | Not Used |
| * 270 | TD5 | Carrier Details (Routing Sequence/Transit Time) | 0 | 1 | | | Not Used |
| * 280 | TD3 | Carrier Details (Equipment) | 0 | 1 | | | Not Used |
| * 290 | TD4 | Carrier Details (Special Handling, or Hazardous Materials, or Both) | 0 | 1 | | | Not Used |
| * 300 | REF | Reference Identification | 0 | 12 | | | Not Used |
| * 310 | SAC | Service, Promotion, Allowance, or Charge Information | 0 | 25 | | | Not Used |
| * LOOP | D - LM | | | | <u>10</u> | | |
| * 320 | LM | Code Source Information | 0 | 1 | | | Not Used |
| 330 | LQ | Industry Code | M | 100 | | | Must use |
| * LOOP | ID - LX | | | | <u>>1</u> | N2/340L | |
| * 340 | LX | Assigned Number | 0 | 1 | | N2/340 | Not Used |
| * 350 | REF | Reference Identification | 0 | >1 | | | Not Used |
| * 360 | N1 | Name | 0 | 1 | | | Not Used |
| * 370 | DTM | Date/Time Reference | 0 | 10 | | | Not Used |
| * LOOP | D - LM | | | | <u>10</u> | | |
| * 380 | LM | Code Source Information | 0 | 1 | | | Not Used |
| 390 | LQ | Industry Code | М | 100 | | | Must use |

Summary:

| <u>Pos</u> | <u>ld</u> | Segment Name | <u>Req</u> | Max Use | <u>Repeat</u> | <u>Notes</u> | <u>Usage</u> |
|------------|-----------|-------------------------|------------|---------|---------------|--------------|--------------|
| * 10 | CTT | Transaction Totals | 0 | 1 | | N3/10 | Not Used |
| 20 | SE | Transaction Set Trailer | M | 1 | | | Must use |

Notes:

2/86 Use is limited to intra-organizational transactions.

2/340L The LX loop conveys serial number, lot number, and inventory data.

2/340 The LX loop conveys serial number, lot number, and inventory data.

3/10 The number of line items (CTT01) is the accumulation of the number of HL segments. If used, hash total (CTT02) is the sum of the value of quantities ordered (PO102) for each PO1 segment.

Transaction Set Header

Pos: 10 Max: 1

Heading - Mandatory

Loop: N/A Elements: 2

User Option (Usage): Must use

Purpose: To indicate the start of a transaction set and to assign a control number

Semantics:

1. The transaction set identifier (ST01) used by the translation routines of the interchange partners to select the appropriate transaction set definition (e.g., 810 selects the Invoice Transaction Set).

| Ref ST01 | <u>ld</u> 143 | Element Name Transaction Set Identifier Code | <u>Req</u> M | <u>Type</u> ID | Min/Max 3/3 | <u>Usage</u> Must use | <u>Rep</u> 1 |
|-------------|------------------|---|-----------------|-------------------|----------------|--------------------------|-----------------|
| | | Description: Code uniquely identifying a Transaction Set | | | | | |
| | | Code Name 870 Order Status Report | | | | | |
| ST02 | 329 | Transaction Set Control Number | М | AN | 4/9 | Must use | 1 |
| | | Description: Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set | | | | | |
| | | Federal Note: A unique number assigned by the originator of the transaction set, or the originator's application program. | | | | | |

BSR Beginning Segment for Order Status Report

Pos: 20 Max: 1 Heading - Mandatory

Loop: N/A Elements: 6

User Option (Usage): Must use

Purpose: To indicate the beginning of an Order Status Report Transaction Set

Semantics:

- 1. BSR03 indicates a status report document number assigned by the sender.
- 2. BSR04 indicates the date of this report from the sender.
- 3. BSR07 indicates the time of this report from the sender.
- 4. BSR08 indicates a status report document number assigned by the inquirer.
- 5. BSR09 indicates the date this report was requested from the sender by the inquirer.
- 6. BSR10 indicates the time this report was requested from the sender by the inquirer.

| <u>Ref</u> | <u>ld</u> | Element Name | Req | <u>Type</u> | Min/Max | <u>Usage</u> | <u>Rep</u> |
|------------|-----------|---|---------|-------------|---------|--------------|------------|
| BSR01 | 850 | Status Report Code | M | ID | 1/2 | Must use | 1 |
| | | Description: Code indicating the reason for sending the report | | | | | |
| | | Code Name8 Response to Notice of Availability | | | | | |
| BSR02 | 847 | Order/Item Code | M | ID | 1/2 | Must use | 1 |
| | | Description: Code identifying a group of orders and items | | | | | |
| | | Code Name CO All Orders - Unshipped Items | | | | | |
| | | DLMS Note: | | | | | |
| | | Use to indicate that all orders remain | n open. | | | | |
| BSR03 | 127 | Reference Identification | М | AN | 1/30 | Must use | 1 |
| | | Description: Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier | | | | | |
| | | Federal Note: Use Code "Z" for this data element to satisfy mandatory X12 syntax requirements. | | | | | |
| BSR04 | 373 | Date | M | DT | 8/8 | Must use | 1 |
| | | Description: Date expressed as CCYYMMDD | | | | | |
| | | Federal Note: This date is the date of the transaction set preparation and corresponds to the Universal Time Coordinate (UTC). | | | | | |
| BSR07 | 337 | Time | 0 | TM | 4/8 | Must use | 1 |
| | | Description: Time expressed in 24-hour clock time as follows: HHMM, or HHMMSS, or HHMMSSDD, where H = hours (00-23), M = minutes (00-59), S = integer seconds (00-59) and DD = decimal seconds; decimal seconds are expressed as follows: D = tenths (0-9) and DD = hundredths (00-99) | | | | | |

| <u>Ref</u> | <u>ld</u> | Element Name Federal Note: 1. Express the originating activity's time of transaction set preparation in UTC. | Req | Туре | <u>Min/Max</u> | <u>Usage</u> | <u>Rep</u> |
|------------|-----------|--|-----|------|----------------|--------------|------------|
| | | 2. Express time in a four-position (HHMM) format. | | | | | |
| BSR11 | 353 | Transaction Set Purpose Code | 0 | ID | 2/2 | Must use | 1 |

Description: Code identifying purpose of

transaction set

Code Name

00 Original

77 Simulation Exercise

DLMS Note:

Use to identify a simulated mobilization exercise transaction set. Activities initiating simulated mobilization exercises must ensure complete coordination with all activities involved. All transaction set recipients must use extreme caution to ensure that individual transactions do not process as action documents which affect accountable records.

1

Used

Name

Pos: 50 Max: 1 **Heading - Optional** Elements: 5 Loop: N1

User Option (Usage): Must use

Purpose: To identify a party by type of organization, name, and code

Syntax Rules:

- 1. R0203 At least one of N102 or N103 is required.
- 2. P0304 If either N103 or N104 is present, then the other is required.

Comments:

- 1. This segment, used alone, provides the most efficient method of providing organizational identification. To obtain this efficiency the "ID Code" (N104) must provide a key to the table maintained by the transaction processing party.
- 2. N105 and N106 further define the type of entity in N101.

Federal Note:

Must use this 1/N1/050 loop to identify the organization originating the transaction set.

| :iemen | t Summary: | | | | | | |
|--------|------------|---|-----|-------------|---------|--------------|------------|
| Ref | <u>ld</u> | Element Name | Req | <u>Type</u> | Min/Max | <u>Usage</u> | <u>Rep</u> |
| N101 | 98 | Entity Identifier Code | М | ID | 2/3 | Must use | 1 |
| | | Description: Code identifying an organizational entity, a physical location, property or an individual | | | | | |
| | | Federal Note: Use any code. | | | | | |
| | | DLMS Note: 1. Use only one of code 98 or CY. | | | | | |
| | | 2. For DLMS use, only the following codes are authorized. | | | | | |

- 3. For conversion between MILS and DLMS formats, the transaction originator will always be identified by Qualifier CY using the MILSTRIP Country Code.
- 4. Identification of the Freight Forwarder (FF) or Country Representative (CR) are identified as DLMS enhancement; see introductory DLMS note 3a. Use of this enhancement requires a second iteration of the N1 loop (refer to ADC 309).

Code Name

98 Freight Management Facilitator

DLMS Note:

This is a DLMS enhancement to identify the FF originating the transaction set.

CY Country

DLMS Note:

- 1. Use to identify the FMS country associated with the NOA reply.
- 2. Use as a DLMS enhancement to identify the CR originating the transaction set. Χ

ΑN

1/60

Name **Description:** Free-form name

93

N102

DLMS Note: This is a DLMS enhancement for identification of the FF or CR by clear text where coded address is not available.

Description: Code designating the system/method of code structure used for Identification Code (67)

Code Name

38 Country Code

DLMS Note:

Use with N101 Qualifier CY to identify the FMS country code (MILSTRIP) applicable to the NOA reply. (Must be consistent with the NOA and original requisition content). Use to identify the Security Cooperation Customer Code.

A2 Military Assistance Program Address Code (MAPAC)

DLMS Note:

This is a DLMS enhancement for use of the constructed MAPAC to identify the FF or CR. Requires coordination prior to use.

N104 67 **Identification Code** Χ ΑN 2/80 Must use 1 Description: Code identifying a party or other code N106 98 **Entity Identifier Code** 0 ID 2/3 Must use 1

> Description: Code identifying an organizational entity, a physical location, property or an individual

Code Name

FR Message From

Federal Note:

Must use with the appropriate 1/N101/050 code to indicate that the organization cited in N104 is originating the transaction set.

Hierarchical Level

Pos: 10 Max: **Detail - Mandatory** Elements: 2 Loop: HL

User Option (Usage): Must use

Purpose: To identify dependencies among and the content of hierarchically related groups of data segments

Comments:

- 1. The HL segment is used to identify levels of detail information using a hierarchical structure, such as relating line-item data to shipment data, and packaging data to line-item data.
- 2. The HL segment defines a top-down/left-right ordered structure.
- 3. HL01 shall contain a unique alphanumeric number for each occurrence of the HL segment in the transaction set. For example, HL01 could be used to indicate the number of occurrences of the HL segment, in which case the value of HL01 would be "1" for the initial HL segment and would be incremented by one in each subsequent HL segment within the transaction.
- 4. HL02 identifies the hierarchical ID number of the HL segment to which the current HL segment is subordinate.
- 5. HL03 indicates the context of the series of segments following the current HL segment up to the next occurrence of an HL segment in the transaction. For example, HL03 is used to indicate that subsequent segments in the HL loop form a logical grouping of data referring to shipment, order, or item-level information.
- 6. HL04 indicates whether or not there are subordinate (or child) HL segments related to the current HL segment.

DLMS Note:

The transaction set hierarchical data structure is shipment unit only as identified by the FMS notice number assigned to control the shipment.

| Ref | <u>ld</u> | Element Name | Req | <u>Type</u> | Min/Max | <u>Usage</u> | <u>Rep</u> | |
|------|-----------|---|------------|-------------|-----------------|--------------|------------|--|
| HL01 | 628 | Hierarchical ID Number | М | AN | 1/12 | Must use | 1 | |
| | | Description: A unique number assigned by the sender to identify a particular data segment in a hierarchical structure | | | | | | |
| | | Federal Note: In the first 2/HL/010 loop iteration, cite numeric 1. In each subsequent loop iteration, increase incrementally by 1. | | | | | | |
| HL03 | 735 | Hierarchical Level Code | М | ID | 1/2 | Must use | 1 | |
| | | Description: Code defining the characteristic of a level in a hierarchical structure | | | | | | |
| | | Code Name | | | | | | |
| | | S Shipment | | | | | | |
| | | DLMS Note: | | | | | | |
| | | Use to identify the individual shipmer | nt loops a | nddressed i | n the FMS NOA r | enlv. | | |

DTM Date/Time Reference

Pos: 80 Max: 10
Detail - Optional

Loop: HL Elements: 2

User Option (Usage): Used

Purpose: To specify pertinent dates and times

Syntax Rules:

DTM02

373

- 1. R020305 At least one of DTM02, DTM03 or DTM05 is required.
- 2. C0403 If DTM04 is present, then DTM03 is required.
- 3. P0506 If either DTM05 or DTM06 is present, then the other is required.

Element Summary:

| <u>Ref</u> | <u>ld</u> | Eleme | ent Name | <u>Req</u> | <u>Type</u> | Min/Max | <u>Usage</u> | <u>Rep</u> |
|------------|-----------|--------|---|------------|--------------|------------------|---------------------|------------|
| DTM01 | 374 | Date/ | Time Qualifier | M | ID | 3/3 | Must use | 1 |
| | | | ription: Code specifying type of date e, or both date and time | | | | | |
| | | origin | ral Note: Use to identify the ator's date of transaction preparation ther dates associated with the action. | | | | | |
| | | Code | <u>Name</u> | | | | | |
| | | 097 | Transaction Creation | | | | | |
| | | | DLMS Note: | | | | | |
| | | | Use to indicate the date of transaction | on prepara | ation. | | | |
| | | 108 | Postmark | | | | | |
| | | | DLMS Note: | | | | | |
| | | | Use to identify the date release and release and shipping instructions. | shipping i | instructions | were mailed. Use | e only when mailing | separate |

Χ

DT

8/8

Must use

Description: Date expressed as

CCYYMMDD

Date

REF Reference Identification

Pos: 87 Max: 1
Detail - Optional

Loop: REF Elements: 2

User Option (Usage): Must use

Purpose: To specify identifying information

Syntax Rules:

1. R0203 - At least one of REF02 or REF03 is required.

Semantics:

1. REF04 contains data relating to the value cited in REF02.

Element Summary:

| <u>Ref</u> | <u>ld</u> | Element Name | <u>Req</u> | <u>Type</u> | Min/Max | <u>Usage</u> | <u>Rep</u> |
|------------|-----------|------------------------------------|------------|-------------|---------|--------------|------------|
| REF01 | 128 | Reference Identification Qualifier | M | ID | 2/3 | Must use | 1 |

Description: Code qualifying the

Reference Identification

Federal Note: Use any code.

DLMS Note: For DLMS use, only the following codes are authorized.

Code Name

FN Forwarder's/Agent's Reference Number

DLMS Note:

Use to identify the customer (CR/FF) assigned transportation order number used for internal control of the shipment.

K1 Foreign Military Sales Notice Number

DLMS Note:

Must use to identify the FMS NOA number assigned to the shipment.

LO Load Planning Number

DLMS Note:

Use to identify the number of transactions included in the shipment.

REF02 127 Reference Identification X AN 1/30 Must use

Description: Reference information as defined for a particular Transaction Set or as specified by the Reference Identification

Qualifier

N1 Name

Pos: 90 Max: 1 Detail - Optional

Loop: N1 Elements: 4

User Option (Usage): Must use

Purpose: To identify a party by type of organization, name, and code

Syntax Rules:

- 1. R0203 At least one of N102 or N103 is required.
- 2. P0304 If either N103 or N104 is present, then the other is required.

Comments:

- 1. This segment, used alone, provides the most efficient method of providing organizational identification. To obtain this efficiency the "ID Code" (N104) must provide a key to the table maintained by the transaction processing party.
- 2. N105 and N106 further define the type of entity in N101.

Federal Note:

Must use this 2/N1/090 loop to identify the organization to receive the transaction.

| <u>Ref</u> | <u>ld</u> | Element Name | <u>Req</u> | <u>Type</u> | Min/Max | <u>Usage</u> | <u>Rep</u> |
|------------|--------------------------------|---|------------------------------|---------------|---------------------|----------------------|------------|
| N101 | 98 | Entity Identifier Code | M | ID | 2/3 | Must use | 1 |
| | | Description: Code identifying an organizational entity, a physical location, property or an individual Federal Note: Use any code. DLMS Note: For DLMS use, only the following codes are authorized. | | | | | |
| | | Code Name | | | | | |
| | | CI Consignor | | | | | |
| | | DLMS Note: | | | | | |
| | | Use to indicate the shipping activ | vity (activity ir | nitiating the | NOA). | | |
| | | ST Ship To | | | | | |
| | | DLMS Note: | | | | | |
| | | Use to identify the ship to addres originally. | s when the s | hip to instr | uctions are differe | nt than those provid | ed |
| N103 | 66 | Identification Code Qualifier | X | ID | 1/2 | Must use | 1 |
| | sy ld <u>C</u> 1 9 | Description: Code designating the system/method of code structure used for Identification Code (67) | | | | | |
| | | Code Name D-U-N-S Number, Dun & Bradstree D-U-N-S+4, D-U-N-S Number with Department of Defense Activity Ad Department of Defense Routing Id | Four Charac Idress Code (| (DODAAC) | | | |
| N104 | 67 | Identification Code | Χ | AN | 2/80 | Must use | 1 |
| | | Description: Code identifying a party or other code | | | | | |
| N106 | 98 | Entity Identifier Code | 0 | ID | 2/3 | Used | 1 |
| | | Description: Code identifying an organizational entity, a physical location, property or an individual | | | | | |

Code Name

TO Message To

Federal Note:

Must use with N101 code CI to indicate that the organization cited in N104 is receiving the transaction set.

Code Source Information

Pos: 144 Max: 1 Detail - Optional

Loop: LM Elements: 1

User Option (Usage): Used

Purpose: To transmit standard code list identification information

Comments:

1. LM02 identifies the applicable industry code list source information.

Federal Note:

Use this 2/LM/144 loop to identify coded information maintained in department or agency documentation.

Element Summary:

| <u>Ref</u> | <u>ld</u> | Element Name | <u>Req</u> | <u>Type</u> | <u>Min/Max</u> | <u>Usage</u> | <u>Rep</u> |
|------------|-----------|-----------------------|------------|-------------|----------------|--------------|------------|
| LM01 | 559 | Agency Qualifier Code | M | ID | 2/2 | Must use | 1 |

Description: Code identifying the agency

assigning the code values

Code Name

DF Department of Defense (DoD)

LQ Industry Code

Pos: 145 Max: 100

Detail - Mandatory

Loop: LM Elements: 2

User Option (Usage): Must use

Purpose: Code to transmit standard industry codes

Syntax Rules:

1. C0102 - If LQ01 is present, then LQ02 is required.

Federal Note:

Use to identify codes consistent with management information requirements.

Element Summary:

| <u>Ref</u> | <u>ld</u> | Element Name | <u>Req</u> | <u>Type</u> | Min/Max | <u>Usage</u> | <u>Rep</u> |
|------------|-----------|--------------------------|------------|-------------|---------|--------------|------------|
| LQ01 | 1270 | Code List Qualifier Code | 0 | ID | 1/3 | Must use | 1 |

Description: Code identifying a specific

industry code list

Federal Note: Use any code.

DLMS Note: For DLMS use, only the following codes are authorized.

Code Name

- 0 Document Identification Code
- 79 Priority Designator Code

DLMS Note:

Recommend using in all requisitions

96 Shipment Release Code

DLMS Note:

Use to provide FMS NOA shipment release instructions.

A9 Supplemental Data

DLMS Note:

- 1. Use to identify supplemental address/data.
- 2. Future streamlined data; see introductory DLMS note 3c.
- AJ Utilization Code

DLMS Note:

- 1. Under DLSS, this is the first position of the document serial number.
- 2. DLMS enhancement; see introductory DLMS note 3a.
- AL Special Requirements Code

Federal Note:

Use to identify the precedence, special handling, and processing requirements.

DLMS Note:

- 1. Under DLSS, this is carried in the required delivery date field.
- 2. DLMS enhancement; see introductory DLMS note 3a.
- COG Cognizance Symbol

DLMS Note:

Use to identify the materiel cognizance symbol (COG) of the end item. Indicate NSL for non-stock numbered listed items. This is a Navy-unique data element meaningful to Navy only; Non-Navy Components are to perpetuate without action.

IMC Item Management Code

DLMS Note:

Use to identify the Item Management Code (IMC) for integrated materiel management. This is a Navy-unique data element meaningful to Navy only; Non-Navy Components are to perpetuate without action.

ADC 309, 436, 448 and 448B

DLM 4000.25

Code Name

MCC Material Control Code

DLMS Note:

Use to identify the Material Control Code (MCC) for special inventory reporting. This is a Navy-unique data element meaningful to Navy only; Non-Navy Components are to perpetuate without action.

SMI Special Material Identification Code

DLMS Note:

Use to identify the Special Material Identification Code (SMIC) for an end item. This is a Navy-unique data element meaningful to Navy only; Non-Navy Components are to perpetuate without action.

Χ

LQ02 1271 Industry Code

AN 1/30

Must use

1

Description: Code indicating a code from a

specific industry code list

SE Transaction Set Trailer

Pos: 20 Max: 1 Summary - Mandatory Loop: N/A Elements: 2

User Option (Usage): Must use

Purpose: To indicate the end of the transaction set and provide the count of the transmitted segments (including the beginning (ST) and ending (SE) segments)

Comments:

1. SE is the last segment of each transaction set.

| <u>Ref</u> | <u>ld</u> | Element Name | <u>Req</u> | <u>Type</u> | Min/Max | <u>Usage</u> | <u>Rep</u> |
|------------|-----------|---|------------|-------------|---------|--------------|------------|
| SE01 | 96 | Number of Included Segments | М | N0 | 1/10 | Must use | 1 |
| | | Description: Total number of segments included in a transaction set including ST and SE segments | | | | | |
| SE02 | 329 | Transaction Set Control Number | M | AN | 4/9 | Must use | 1 |
| | | Description: Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set | | | | | |
| | | Federal Note: Cite the same number as the one cited in ST02. | | | | | |